

封底背面

封底 T 制造商: 万魔声学股份有限公司 地址: 深圳市南山区留仙大道 3333 号塘朗城 A 座 35 楼 服务為线: 400-992-0090 Manufacturer: Tiinlab Corporation Add: No. 3333, Liuxian Avenue, Tower A, 35th Floor, Tanglang City, Nanshan District, Shenzhen, China **₽** ■ ×××××× **||||** ××××××××

4

1MORE MUSIC APP

3

*说明书中的APP界面仅为示意,请以实物为准。


中国内地用户可扫描二维码,下载 1MORE MUSIC APP

进行产品升级,体验更完整的功能。


1MORE MUSIC APP 1MORE MUSIC 1MORE MUSIC For users outside mainland China, please download the 1MORE MUSIC APP for product upgrades and additional features. 中國内地以外的用戶可下載 1MORE MUSIC APP

(S/M/XL)

進行產品升級,體驗更完整的功能。 * APP UI in user guide may vary and for reference only, please refer to UI on device.



Play/Pause: Double-tap



It can be synchronously upgraded via the 1MORE MUSIC APP while the Left and Right earbuds are connected to each other with at least 50% battery.

Extra Functions

* Functions of 1MORE MUSIC APP may vary with different cellphones or operating systems.

1. If the earbuds cannot pair normally when powered on, open the case and quickly click the pairing button 3 times to reset the Left & Right pairing process. 2. Unpair the Connected Device: Put the earbuds into the case, press and hold the pairing

IMORE warrants to the original retail purchaser that this product is to be free from defective materials and workmanship for a period of one year from the date of purchase if it is properly used and maintained. If this product proves defective in either material or workmanship, 1MORE, at its option, will (a) repair the product with new or refurbished parts, or (b) replace the product with an equivalent new or refurbished product, at no charge for parts or labor. If the product model is no longer available and cannot be repaired effectively or replaced with an identical model, 1MORE at its sole option may replace the unit with a current model of equal or greater value. In some cases, modification to the mounting surface may be required where a new model is substituted. 1MORE assumes no responsibility or liability for such modification. To OBTAIN A REPAIR OR REPUACEMENT UNDER THE TERMS OF THIS WARRANTY, PLEASE RETURN TO THE ORIGINAL DEALER FIRST AND THE ORIGINAL DEALER SHALL REPAIR THE PRODUCT WITH NEW OR REFURBISHED

1MORE warrants to the original retail purchaser that this product is to be free from defective materials and

PARTS OR REPLACE THE PRODUCT WITH AN EQUIVALENT NEW OR REFURBISHED PRODUCT. You will be required to submit a proof of purchasing details, including but not limited to a receipt or sales Return shipping for exchanges/repairs is the sole responsibility of the original retail purchaser

* To change a song or control volume, please set up on 1MORE MUSIC APP or operate on paired mobile phone or device.

* Above functions are available for either earbud in individual or stereo mode. Custom setup is available on the APP.

* Above functions may vary with different devices.

Answer/End call: Double-tap

1MORE (1) Year Limited Warranty

Decline: Press and hold Voice control on cellphone: Tap 3 times when Bluetooth is on and not on a phone call.

• This limited warranty does not cover the failure of the product resulting from improper installation, misuse, abuse, accident, neglect, mishandling, or wear from ordinary use or environmental This limited warranty does not cover cosmetic damage, including paint damage, or consequential damage to other components or premises which may result for any reason from the failure of the This limited warranty is null and void for products not used in accordance with 1MORE's instructions. This limited warranty is null and void for products with altered or missing serial numbers and for products to the stranger is numbers and for products not purchased from an AUTHORIZED dealer.

This limited warranty terminates if you sell or otherwise transfer this product to another party.

1. Why the headphones cannot be turned on?

Check if your headphones have enough battery life. If not, please charge them for at least 30 minutes.

 Please read this instruction manual carefully and retain for future reference.
 Please fully charge the battery before first use.
 If the headphones have been unused for more than 3 months, we recommend that you charge them. This will improve battery capacity.
 Only use charging cables and adapters that are FCC (Federal Communications Commission) approved. nts, static electricity may numb your ear. This is not related to the quality of the

We Appreciate Your Business

Safety Information

1. Never disassemble the headphones. There are no user-serviceable parts inside. 2. Do not expose the headphones to temperatures below 32 °F (0 °C) or to temperatures above

3. Do not use the headphones in a thunderstorm storm. This could prevent the headphones from

We know you will enjoy new 1MORE headphones as much as we do. At 1MORE, we value your satisfaction. If you would like more details on this product or any of our other products, please visit us online by scanning the QR code. Go to www.1more.com and sign up for VIP, and 1MORE will treat you like one.

1. Please read this instruction manual carefully and retain for future reference.

3. Do not use the headphones in a thunderstorm storm. This could prevent the headphor working properly, and also increase your chance of being electrically shocked.
 4. Do not use oil or any volatile liquid to clean this product.
 5. Do not listen at high volumes for extended periods of time.
 6. Do not use the headphones in traffic. Do not use the headphones any time it would be dangerous to be unaware of noises around you.
 7. Adult supervision is required for children of age 6 and under.

Electrical and electronic equipment, parts and batteries marked with this symbol must not be disposed of with normal household wastage, it must be collected and disposed of separately

Your 1MORE retailer will advise you of the correct way of disposal in your country.

FAQ

Limitations:

Why the Bluetooth connection is not stable and causes some interruptions?
 Try shortening the distance between your headphones and device. Avoid solid barriers in between.
 Please keep away from strong interference sources, such as Wi-Fi and GPRS.
 Please make sure the Bluetooth antenna of your device is not blocked.

In different operating systems, especially some Android systems, the headphones and your device have separate volume control systems. Please adjust the volume controls on both the device and the headphones according to your preference.

6. Why some control functions do not match those in the manual while using third party music/video

 $^{\star}\, For \, more \, detailed \, product \, FAQs, \, please \, visit \, the \, product \, support \, section \, under \, www.1 more.com$

8. Why are my headphones not able to connect to 1MORE MUSIC APP for the primary use?
For Android users, please click "Allow all the time" to access to the location information of your device when entering 1MORE MUSIC APP. Or adjust this option in your settings for this app.

Declaration of Conformity Hereby, Tiinlab Corporation declares that the radio equipment type 1MORE PistonBuds Pro Wireless Headphones of EC305 is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet

Do not expose batteries or battery packs to excessive heat such as sunshine, fire or the like.

EU regulatory comormance.
RF exposure information: The device has been evaluated to meet general RF exposure requirement.
The device can be used in portable exposure condition without restriction. Radiation Exposure Statement
Power is so low that RF exposure calculation is needed.
Operation Frequency/Max. EIRP: 2402-2480MHz/6.93dBm.

WEEE

Safety Caution

Hereby, Tiinlab Corporation declares that the radio equipment type Wireless Earphones is in compliance with UK Radio Equipment Regulations (SI 2017/1206).

The full text of the UK declaration of conformity is available at the following internet address: www.1more.com

proposar of a batter) into me or a not over, or inectinating of cutting of a battery, that can result in an explosion;

Leaving a battery in an extremely high temperature surrounding environment that can result in an explosion or the leakage of flammable liquid or gas; and A battery subjected to extremely low air pressure that may result in an explosion or the leakage of flammable liquid or gas. === The symbol indicates DC voltage.

RECYCLING

Disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that

This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled pursuant to European directive 2014/53/EU in order to be recycled or dismantled to minimize its impact on the environment. User has the choice to give his product to a competent recycling organization or to the retailer when

Cet appareil est conforme à la norme CAN ICES-003 (B)/NMB-003 (B).

To prevent possible hearing damage, do not listen at high volume levels for long periods.

1MORE USA, Inc

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications or changes to this equipment. Such modifications or changes could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Recriection reception between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

Supplier's Declaration of Conformity 47 CFR § 2.1077 Compliance Information Unique Identifier: Trade Name: 1MORE Model No.: EC305 Responsible Party - U.S. Contact Information

The SAR limit of USA (FCC) is 1.6 W/kg for head averaged over one gram of tissue. Device types EC305 (FCC ID: 2ASDI-EC306) has also been tested with 0mm against this SAR limit.

IC regulatory conformance
This device complies with CAN ICES-003 (B)/NMB-003(B).
This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) This device may not cause interference (2) This device must accept any interference, including interference that may cause undesired operation of

est solumis aux deux conditions survairtes. (1) Cet appareil ne doit pas provoquer d'interférences. (2) Cet appareil doit accepter toute interférence, y compris les interférences susceptibles de provoquer un ement indésirable de l'appareil. This device has been tested for compliance with IC SAR values at a typical operating near the body. To

Cet appareil contient des émetteurs / récepteurs exempt (s) de licence qui sont conformes aux RSS exemptes de licence d'Innovation, Sciences et Développement économique Canada. Son fonctionnement est soumis aux deux conditions suivantes:

This device has been tested for compliance with IC SAR values at a typical operating near the body. To ensure that RF exposure levels below the levels tested, use accessories with this equipment to maintain a minimum separation distance of 0 cm between the body of the user and the device. These accessories should not contain metallic components. It is possible that the accessories used close to the body that do ot meet these requirements are not consistent with the SAR limits and it is advisable to avoid using them. Ce dispositif a été testé pour la conformité avec les valeurs SAR à un fonctionnement typique près du corps. Pour assurer que les niveaux d'exposition aux radiofréquences en deçà des niveaux testés, utiliser des ccessoires avec cet équipement pour maintenir une distance de séparation minimale de 0 cm entre le orps de l'utilisateur et l'appareil. Ces accessoires ne doivent pas contenir des composants métalliques. Il st possible que les accessoires utilisés près du corps qui ne répondent pas à ce seigences ne sont pas ompatibles avec les limites SAR et il est conseillé d'éviter de les utiliser.

Name: Wireless Earphones

Playtime* (ANC On): Headphone Fully Charged: 5h Headphones & Case Fully Charged: 20h

Playtime* (ANC Off):
Headphone Fully Charged: 7.5h
Headphones & Case Fully Charged: 30h
Impedance: 16 Ω
Wireless Range: 10 m
Bluetooth: Bluetooth* 5.3
Bluetooth Protocol: HFP / A2DP / AVRCP
Input: 5V== 0.5A
Working Temperature: 0 °C ~ 45 °C
Frequency Band: 2.400 GHz ~ 2.4835 GHz

The specifications are acquired from laboratory tested data.
* The playback time, tested under the laboratory condition of AAC format and 50% volume, may vary with different device setting, environments, usage and other factors.

Manufacturer: Tiinlab Corporation
Address: No. 3333, Liuxian Avenue, Tower A, 35th Floor, Tanglang City, Nanshan District,
Shenzhen, China
Product information can be found at wayw. I more com

2. Why the headphones cannot connect to my cellphone, or take a long time to connect?

1) If the left & right earbuds cannot be paired and only one earbud can be connected to the phone, please put the two earbuds back into the case, triple click the pairing button on the case, search for earbuds' name in your phones Bluetooth settings and tap to connect.

2) To connect with a new phone, put the earbuds back into the case, triple click the pairing button when the phone is powered on (no music or phone calls), search for earbuds' name in your phones Bluetooth settings and tap to connect.

3. Why the headphones cannot play music after successfully connecting to my Android device?
After pairing successfully, on the Bluetooth menu of your device, tap the icon on the right of your device name and make sure the "Media Audio" option is on. 4. Why there is no sound from the headphones while making phone calls after successfully connecting to my Android device?
After pairing successfully, on the Bluetooth menu of your device, tap the icon on the right of your device name and make sure the "Phone Audio" option is on.

NMy some Control interests as the control interest as the control functions and the third party music/video player apps may have different settings for the control functions. We recommend that you use the music/video player apps that your device has originally provided. 7. I turned the headphoens up to the maximum volume, but why the actual volume still sounds low?

Replacement of a battery with an incorrect type that can defeat a safeguard (such as catching fire, explosion, leakage of corrosive electrolyte etc); $\frac{1}{2} \left(\frac{1}{2} + \frac{1$

FCC

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Address: 10225 Barnes Canyon Road, Suite A202, San Diego, California, 92121 Tel: 1-855-551-6673

Model: EC305
Headphone Weight: 44.6 g
Case Weight: 44.8 g
Product Weight: 43.9 g
Product Weight: 43.9 g
Readphone Size: 20 x 25 x 28 mm
Case Size: 62.1 x 42.7 x 23.8 mm
Headphone Battery Capacity: 43 mAh
Case Battery Capacity: 410 mAh
Headphone Charging Time: 1h
Case Charging Time: 2h
Playtime" (ANC On):
Headphone Fully Charged: 5h

Product information can be found at www.1more.com Made in China



- *选曲及音量调节,可通过 1MORE MUSIC APP 进行设置或在手机等设备端进行操作。 *上述功能适用于单、双模式使用时的任一耳机。自定义功能可在 APP 上设置。 *以上功能定义因设备不同可能略有差异。

其它功能

- 1. 重新配对:打开盒盖,3 连击充电盒配对按钮。
- 清除手机连接记录: 将左、右耳机放入充电盒中,长按充电盒配对按钮8秒,强制清除手机连接记录。 3. OTA 固件升级: 左、右耳机蓝牙连接且电量不低于 50% 时,可直接在 1MORE MUSIC APP 上同步升级。
- * 1MORE MUSIC APP 的所有功能,在不同手机及操作系统上使用或有不同,请联系客服了解更多详情。

售后产品保修说明

1MORE万魔严格按照《中华人民共和国消费者权益保护法》、《中华人民共和国产品质量法》实行三包服务。在三包有效期内,您可按照规定享受退货、换货或者维修的权利。

退货、换货或者维修应当凭购机凭证或有效发票办理,请您妥善保管购机凭证。

七天免费退货:

【仅线上渠道】通过1MORE万魔官方授权渠道购买的产品,自物流签收次日起七天内,您可享受七天无理 由退货服务。

【线上/线下渠道】通过1MORE万魔官方授权渠道购买的产品,自物流签收次日起七天内,产品出现非人为 损坏的性能故障,您可以享受免费退货或者换货服务。

十五天免费换货:

【线上/线下渠道】通过1MORE万魔官方授权渠道购买的产品,自物流签收次日起十五天内,产品出现非人为损坏的性能故障,您可以享受免费换货或者免费维修服务。

【线上/线下渠道】通过1MORE万魔官方授权渠道购买的产品,自物流签收次日起一年内,产品出现非人为损坏的性能故障,您可以享受免费维修服务。

- 不在"三包"服务承诺范围内的情形(但不仅限于下列情形):
- 超出三包有效期;
- 无购机保证或有效发票; 未购机保证或有效发票; 非正常工作环境下使用,不正确的安装、使用、维护、保管所引起的损坏等;
- 未经授权的拆、维修、滥用、改动所引起的损坏;因不可抗力(如水灾、火灾、地震、雷击等)所引起的损坏;产品标识。产品序则号被撕毁、涂穴;产品正常使用下因自然耗损及磨损(包括但不限于电池、包装等)。

- 退换修流程:
- 联系售后客服,说明退换修原因达成退换修协议,客服提供售后地址;● 退换货请保证产品、赠品、原包装以及购买凭证完好齐全,打包寄送至指定地点; ■ 1MORE万魔售后确认收货及验货,并确认商品是否符合退换修服务政策。
- 更多服务可登录 1MORE 官方网站 www.1more.com 点击"服务"项或咨询服务热线:400-992-0909

环保支持

产品中有害物质的名称和含量

	有害有毒物质或元素								
部件名称	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr6VI)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)			
耳机外壳	0	0	0	0	0	0			
电路板及组件	×	0	0	0	0	0			
电池	×	0	0	0	0	0			
耳套	0	0	0	0	0	0			
配件	0	0	0	0	0	0			
充电线	×	0	0	0	0	0			

本表格依据 SJ/T 11364 的规定编制。 ①:表示该有雷物质在该部件所有均质材料中的含量均在 GB/T 26572 规定的限量要求以下。 ×:表示该有雷物质至少在该部件的某一均质材料中的含量超出 GB/T 26572 规定的限量要求。

(III)

本标识内的数字表示产品(除电池外)在正常使用状态下,环保使用期限为10年。

本标识内的数字表示电池在正常使用状态下,环保使用期限为5年。

部件上的环保使用年限标识优先于产品上任何与之相冲突或不同的环保使用期限标识。本产品 所有环保使用期限是指在产品说明书规定的使用条件下使用本产品不发生有毒有害物质泄露的 安全年限。

提示

- 1. 使用产品前请仔细阅读本使用说明书并请妥善保管;
- 2. 首次使用,请先将本产品充满电; 3. 如果产品长期(超过3个月)不使用,请对其充电; 4. 必须选择工规;宏生产的经过第三方权威机构认证的充电线和电源适配器; 5. 在干燥环境佩戴,静电可能会触到耳朵产生瞬间发麻的感觉,这与产品质量性能无关。

警告

- ●请勿以任何理由拆开、维修或改装耳机,否则可能会导致起火甚至彻底损坏本产品;
 ●请勿将设备置于温度过低或过高(0°C以下或者45°C以上)的环境下;
 ●请勿报雷暴天气下使用本产品,需暴可导致设备工作异常,并增加触电的危险;
 ●请加强有产品与液体接触;
 ●避守所在地区或国家的相关规定,第年时请勿使用本设备;
 ●请动强免肝机。修理或修改本产品,否则可能导致火灾甚至完全损坏本产品;
 ●请动强免肝机。修理或修改本产品,否则可能导致火灾甚至完全损坏本产品;
 ●请勿难国形机。修理或修改本产品,否则可能导致火灾甚至完全损坏本产品;
 ●请勿难国形式,修理或修改本产品的请为了远离儿童和动物的眼睛;
 ●请勿作雷雨天气便用本产品。雷雨天气可能会导致产品故障,增加被电击的风险;
 ●请勿所语机,刺穿、压碎本产品或将其暴露于火中;

- 2020 为了防止可能出现的听力损伤,请勿长时间用高音量使用本产品;
 为了防止可能出现的听力损伤,请勿长时间用高音量使用本产品;
 本设备并非玩具,可能包含部分小零件,请将设备及其配件放置儿童接触不到的地方;
 将电池放入火中或热烤箱中,或机械地粉碎或切割电池,可能导致爆炸;
 将电池放在极高温的环境中,可能导致爆炸或易燃液体或气体泄漏;

- 将电池放在极高温的环境中,可能导致爆炸或易燃液体或气体泄漏;
 ●极低气压下的电池,可能导致爆炸或可燃液体或气体泄漏;
 ●产品信息和认证标志位于充电虚内;
 ●不要将电池放入垃圾填埋场处理的垃圾中。处理电池时,应遵守当地法律法规;
 ●更换型号不正确的电池。会破坏防护措施(如着火、爆炸、泄漏腐蚀性电解液等);
 ●二一符号表示直流电压;
 ●设备内直电池,不能折卸或更换。请勿自行拆卸或改装电池;
 ●只使用由合格制造商提供的合格充电器;
 ●关使用电场格制造商提供的合格充电器;
 ●大使用电场格制造商提供的合格充电器;
- ●若使用电源适配器充电时,应使用满足相应安全标准要求的电源适配器或 者使用获得 CCC 认
- 证的电源适配器; ●产品内含不可拆卸的理电池,请勿自行更换电池,以免损坏电池或设备。电池只能由授权服务 中心更换且必须更换相同型号的电池。错误型号电池更换会有爆炸危险。请不要将旧电池扔进 生活垃圾中,并按当地要求处理 本设备及废旧电池。

微功率短距离设备声明

- 假功率切距离设备声明 (一) 符合"微功率短距离无线电发射设备目录和技术要求"中通用微功率设备 A 类设备技术要求, 用于无线充电。具体使用请参考使用说明书。 (二) 不得擅自改变使用场景或使用条件、扩大发射频率范围、加大发射功率(包括额外加装射频 功率放大器),不得擅自更改发射天线。 (三) 不得对其他合法的无线电台(站)产生有害干扰,也不得提出免受有害干扰保护。 (四) 应当承受辐射射频能量的工业,科学以及医疗(ISM)应用设备的干扰或其他合法的无线电 台(约) 1年

- (五) 如对其他合法的无线电台(站)产生有害干扰时,应立即停止使用,并采取措施消除干扰后
- (六) 在航空器内和依据法律法规、国家有关规定、标准划设的射电天文台、气象雷达站、卫星地
- 过站上金8734mi3AEFAXA 圖水 15人然之 30/1470 20137 也入去: 3、图之4、 设站(含测控、测距、接受、导航站)等军民用无线电台(站)、机场等的电磁环境保护区域内使用微功率设备,应当遵守电磁环境保护及相关行业主管部门的规定。)禁止在以机场跑道中心为圆心,半径5000米的区域内使用各类模型遥控器。 (八) 微功率设备使用时温度和电压与耳机相同。

FAQ

- 1. 耳机无法开机,该如何解决? 请确认耳机有电,若耳机没有电,请充电 30 分钟以上再开机。
- 2. 耳机与手机蓝牙无法正常连接,连接时间长,该如何解决?
 1)如左、右耳机无法配对、仅一个耳机可与手机连接时,可将左、右耳机放入盒中,快速三击配对按钮、选择设备名,耳机即可与手机连接。
 2)如需与新手机连接,开机且非通话状态下,将左,右耳机放回盒内,快速三击配对按钮,在新手机蓝牙列表里面选择耳机蓝牙名,耳机将与新手机进行蓝牙配对。
- 3. 安卓系统手机连接耳机成功后, 无法听到音乐, 该如何解决?
- 在耳机与手机连接成功后,点击所连接设备名称右边的图标,进入后确保"媒体音频"选项已被开启。 4. 在安卓系统手机连接耳机成功后,无法通话,该如何解决? 在耳机与手机连接成功后,点击所连接设备名称右边的图标,进入后确保"手机音频"选项已被开启。
- 蓝牙连接不稳定,出现断续情况,该如何解决?
 1)请尽量纲短设备与耳机之间的距离,避开实体障碍物;
 3)请选高型于抗源环境(Wi-Fi/GPRS等);
 3)请确保手机天线不被遮挡。

- 6. 使用第三方音乐播放软件时, 为什么部分操控功能与说明书定义不一致? 1) 手机软件与第三方软件因定义不同而导致耳机操控功能有差异; 2) 建议使用品牌手机系统自带音乐播放器。
- 7. 调节耳机音量到最大后,声音仍偏小,该如何解决: 在不同的手机操作系统内(如安卓),耳机音量加减功能与手机音量加减功能是独立操作状态,请根据您的具体需求,分别调节手机及耳机音量。

8. 初次使用 1MORE MUSIC APP,无法正常连接对应的耳机,该如何解决? 安卓手机用户进入 1MORE MUSIC APP 界面时,请选择"始终允许"获取设备的定位信息。

* 更多更细节的产品实际使用问题解析,请登录 1MORE 官方网站"技术支持"项进行查询。

扫描、关注 1MORE 官方微信公众号

欢迎访问 1MORE 社区:bbs.1more.com 登录 www.1more.com,注册成为 1MORE 会员,更多精彩在等你。

产品名称:无线耳机 型号:EC305 耳机重量(单个):4.6 g 充电盒重量:34.8 g 充电盒电池容量:410 mAh 耳机充电时间:1小时 充电盒充电时间:2 小时 播放时长*(降噪开): 单耳满电:5 小时 搭配充电盒满电:20 小时

播放时长*(降噪关): 单耳满电:7.5 小时 搭配充电盒满电:30 小时 喇叭阻抗:16 Ω 通讯距离:10 米(在空旷环境下) 蓝牙规范:Bluetooth® 5.3 蓝牙协议:HFP / A2DP / AVRCP 输入:5V == 0.5A 工作温度:0°C ~ 45°C 频率波段:2.400 GHz ~ 2.4835 GHz

规格参数为实验室测试数据。 *播放时长为 AAC 格式,50% 音量条件下的实验室测算数据, 依设备设置、环境、使用情况及诸多 其他因素可能有所差异。

申請人:和鑫國際貿易股份有限公司 地址:臺北市中正區忠孝東路1段150號11樓之1

制造商:万魔声学股份有限公司 地址:深圳市南山区留仙大道 3333 号塘朗城 A座 35楼





- * 選曲及音量調節,可通過 1MORE MUSIC APP 進行設置或在手機等設備端進行操作。 * 上述功能適用於單、雙模式使用時的任一耳機。自定義功能刻在 APP 上設置。 * 以上功能定義因設備不同可能略有差異。

其它功能

ζC

- 如左、右耳機無法配對,僅有單個耳機可與藍牙設備連接,可將左、右耳機放入盒中,三連擊配對按鈕,再點擊藍牙設備配對列表中的"1MORE Fit SF"進行連接。
 1. 清除配對記錄: 將左、右耳機放入充電盒中,長按充電盒配對按鈕 8 秒,可強制清除耳機與壓牙設備的連接記錄。
 3. OTA 朝體科級: 杰 右耳機監牙連接且電量不低於 50% 時,可重接在 1MORE MUSIC APP 上同步升級。
 * 1MORE MUSIC APP 的所有功能,在不同手機及操作系統上或有不同,請聯繫客服了解更多詳情。

保固範圍

ζC

1MORE 保證消費者自初次購買之日起一年內,對 1MORE 產品在正常使用途中材料和工藝上的缺陷進行保 修。在保固範圍內,1MORE 會直接受理您的申訴(包括從 1MORE 授權的經銷商產購買的 1MORE 產品)。在 保圖期內,1MORE 將自行決定修理或更換有談陷產品或按照購買價格進行退款。本保圖不適用於天災意外 或使用,保養,維修不當,或是其他不是由材料,工藝上的缺陷引起的情況。完整的保圖細節請登錄 www.1more.com 查看。

感謝您的購買

我們知道您會享受並喜愛 1MORE 耳機。在 1MORE 我們格外重視您的滿意度,如果您想要了解更多產品的 訊息請掃描背面的二維 條碼,進入 www.1more.com 登錄成為 VIP, 1MORE 將提供您尊榮的服務。

NCC

取得審驗證明之低功率射頻器材,非經核准,公司、商號或使用者均不得擅自變更頻率、加大功率或變更原 設計之特性及功能。低功

率射頻器材之使用不得影響飛航安全及干擾合法通信;經發現有干擾現象時,應立即停用,並改善至無干擾 時方得繼續使用。

前述合法通信,指依電信管理法規定作業之無線電通信。 低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

設備名稱:無線耳機,型號: EC305(註)										
	限用物質及其化學符號									
單元	鉛 (Pb)	汞 (Hg)	鎘 (Cd)	六價鉻 (Cr+6)	多溴聯苯 (PBB)	多溴二苯醚 (PBDE)				
電路板	_	0	0	0	0	0				
外殼	0	0	0	0	0	0				
電池	0	0	0	0	0	0				
配件	0	0	0	0	0	0				

備考 1. ℃ 係指該項限用物質之百分比含量未超出百分比含量基準值。

備考 2. "一"係指該項限用物質為排除項目。

產品名稱:無線耳機 單耳機電池容量:43 mAh 通訊距離: 10米 (在空曠環境 型號:EC305 充電盒電池容量:410 mAh 下) 藍牙規範: Bluetooth® 5.3 單耳重量:4.6 g 耳機充電時間:1小时 藍牙協議:HFP / A2DP / AVRCP 充電盒重量:34.8 g 充電盒充電時間:2小时 輸入:5V==0.5A 產品重量:43.9 g 單耳滿電播放:7.5 小时* 工作温度:0°C~45°C 單耳尺寸:20×25×28 mm 整體滿電播放:30 小时* 頻率波段: 2.400 GHz ~ 2.4835 GHz

充電盒尺寸:62.1×42.7×23.8 mm 喇叭阳抗:160

規格參數為實驗室測試數據。

*播放時長為AAC格式、50%音量條件下的實驗室測算數據,依設備設置、環境、使用情況及諸多其他因素可能有所差異。