

802.11ac (VHT20) - 5300MHz**RADAR TYPE 1**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	65	1	818
2	72	1	738
3	83	1	638
4	98	1	538
5	61	1	878
6	86	1	618
7	65	1	818
8	70	1	758
9	61	1	878
10	63	1	838
11	83	1	638
12	86	1	618
13	81	1	658
14	83	1	638
15	70	1	758
16	63	1	838
17	61	1	878
18	67	1	798
19	89	1	598
20	72	1	738
21	57	1	938
22	83	1	638
23	67	1	798
24	95	1	558
25	72	1	738
26	62	1	858
27	86	1	618
28	63	1	838
29	62	1	858
30	95	1	558

802.11ac (VHT20) - 5500MHz**RADAR TYPE 1**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	61	1	878
2	98	1	538
3	72	1	738
4	61	1	878
5	86	1	618
6	102	1	518
7	72	1	738
8	72	1	738
9	63	1	838
10	63	1	838
11	78	1	678
12	57	1	938
13	86	1	618
14	65	1	818
15	74	1	718
16	61	1	878
17	68	1	778
18	95	1	558
19	18	1	3066
20	74	1	718
21	83	1	638
22	57	1	938
23	61	1	878
24	81	1	658
25	58	1	918
26	63	1	838
27	70	1	758
28	74	1	718
29	76	1	698
30	76	1	698

802.11ac (VHT40) - 5310MHz**RADAR TYPE 1**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	58	1	918
2	67	1	798
3	92	1	578
4	89	1	598
5	67	1	798
6	98	1	538
7	59	1	898
8	70	1	758
9	72	1	738
10	92	1	578
11	57	1	938
12	92	1	578
13	70	1	758
14	70	1	758
15	63	1	838
16	89	1	598
17	58	1	918
18	72	1	738
19	102	1	518
20	62	1	858
21	57	1	938
22	62	1	858
23	70	1	758
24	62	1	858
25	98	1	538
26	83	1	638
27	92	1	578
28	86	1	618
29	57	1	938
30	89	1	598

802.11ac (VHT40) - 5510MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	74	1	718
2	81	1	658
3	72	1	738
4	81	1	658
5	70	1	758
6	74	1	718
7	67	1	798
8	95	1	558
9	63	1	838
10	59	1	898
11	83	1	638
12	58	1	918
13	62	1	858
14	72	1	738
15	81	1	658
16	74	1	718
17	67	1	798
18	98	1	538
19	70	1	758
20	92	1	578
21	76	1	698
22	86	1	618
23	102	1	518
24	63	1	838
25	62	1	858
26	102	1	518
27	74	1	718
28	86	1	618
29	86	1	618
30	98	1	538

802.11ac (VHT80) - 5290MHz

RADAR TYPE 1

Trial #	Number of Pulses per Burst	Pulse Width (μ sec)	PRI (μ s)
1	57	1	938
2	61	1	878
3	83	1	638
4	81	1	658
5	67	1	798
6	83	1	638
7	67	1	798
8	89	1	598
9	62	1	858
10	95	1	558
11	68	1	778
12	70	1	758
13	68	1	778
14	95	1	558
15	89	1	598
16	68	1	778
17	76	1	698
18	62	1	858
19	57	1	938
20	102	1	518
21	63	1	838
22	74	1	718
23	98	1	538
24	74	1	718
25	81	1	658
26	86	1	618
27	89	1	598
28	63	1	838
29	89	1	598
30	63	1	838

802.11ac (VHT80) - 5530MHz**RADAR TYPE 1**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	92	1	578
2	78	1	678
3	81	1	658
4	89	1	598
5	95	1	558
6	83	1	638
7	76	1	698
8	92	1	578
9	89	1	598
10	18	1	3066
11	65	1	818
12	78	1	678
13	58	1	918
14	86	1	618
15	70	1	758
16	59	1	898
17	81	1	658
18	72	1	738
19	95	1	558
20	68	1	778
21	57	1	938
22	92	1	578
23	72	1	738
24	95	1	558
25	78	1	678
26	70	1	758
27	68	1	778
28	92	1	578
29	59	1	898
30	57	1	938

802.11ac (VHT20) - 5300MHz**RADAR TYPE 2**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	28	4.6	224
2	26	4.3	199
3	28	1.5	190
4	26	2	188
5	29	2.3	220
6	24	2.2	207
7	27	2.5	206
8	27	1.5	154
9	27	4	216
10	28	2.2	160
11	28	3.2	211
12	28	2.7	169
13	26	4.8	204
14	27	1.4	216
15	24	3.4	211
16	27	3.4	158
17	24	1.4	183
18	26	4.5	161
19	27	1.4	190
20	29	1.1	186
21	28	4.2	188
22	25	1.7	210
23	29	1.2	228
24	26	3	189
25	27	2.4	212
26	28	4.1	152
27	26	2	174
28	23	2.3	204
29	25	2.5	174
30	26	2.2	200

802.11ac (VHT20) - 5500MHz**RADAR TYPE 2**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	29	2.6	219
2	29	3.8	188
3	27	4.5	170
4	27	4.1	181
5	28	4.4	165
6	25	4.6	166
7	28	1.3	151
8	23	2	201
9	27	3.6	172
10	23	3.8	189
11	24	4.4	153
12	28	1.9	150
13	25	4.7	213
14	26	2.4	204
15	26	2.2	184
16	25	2	169
17	27	1.6	156
18	26	1.2	229
19	27	4.7	183
20	27	4.2	215
21	25	2.8	195
22	24	1.1	187
23	28	2.5	203
24	25	4	227
25	25	4.3	175
26	25	1	173
27	27	1.3	190
28	24	3.3	196
29	29	4.8	169
30	28	3.6	219

802.11ac (VHT40) - 5310MHz**RADAR TYPE 2**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	29	1.1	152
2	28	1.8	205
3	25	3.8	156
4	27	2.5	163
5	27	4.6	161
6	26	3	160
7	24	3.6	180
8	23	4.3	188
9	29	4.4	174
10	29	3.5	154
11	26	4.4	150
12	27	1	193
13	28	3.2	204
14	26	2.1	205
15	26	3.7	213
16	27	2.8	171
17	25	2.4	230
18	28	3.7	197
19	23	5	162
20	28	4.4	181
21	25	1.2	213
22	28	2.2	219
23	27	4.6	168
24	28	1.5	170
25	25	2	188
26	24	1.2	153
27	26	2.9	179
28	24	2.8	228
29	26	3.4	224
30	28	2	211

802.11ac (VHT40) - 5510MHz**RADAR TYPE 2**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	28	1.7	186
2	25	4.9	192
3	24	3.1	218
4	26	2	162
5	29	4.2	203
6	28	1.6	156
7	27	1.2	156
8	25	2	164
9	24	4.9	227
10	27	2.3	218
11	23	2.7	204
12	28	1.3	217
13	24	3.7	202
14	26	4.9	175
15	27	2.1	176
16	26	1.8	164
17	27	2.5	170
18	27	3.9	227
19	23	2.3	215
20	24	2.5	228
21	24	1.7	183
22	24	1.5	166
23	24	3.5	155
24	28	1.5	158
25	25	3.7	220
26	24	2.9	179
27	25	2.8	161
28	24	3.4	156
29	23	4.1	223
30	28	1.2	188

802.11ac (VHT80) - 5290MHz**RADAR TYPE 2**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	24	4.4	172
2	27	4.6	189
3	28	4.8	171
4	27	4.3	173
5	26	2.5	212
6	27	1.9	199
7	26	1.9	195
8	24	1	182
9	23	3.6	205
10	25	1.9	180
11	23	2.8	196
12	24	4.7	229
13	28	2.4	218
14	27	2.8	174
15	24	1.7	222
16	25	3.2	183
17	28	2.6	164
18	28	1.1	193
19	28	2.8	182
20	27	2.7	222
21	24	3.9	187
22	28	2.5	200
23	25	1.7	155
24	26	5	172
25	23	3.7	217
26	24	1.9	182
27	23	1.9	163
28	27	2.7	191
29	28	1.9	198
30	24	3.9	201

802.11ac (VHT80) - 5530MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	24	2.9	166
2	28	2.9	207
3	24	4.5	178
4	25	4.5	196
5	29	2.3	176
6	25	3.3	203
7	26	4.1	195
8	29	3.7	188
9	24	4.9	199
10	26	2.2	229
11	25	2.2	151
12	26	2.8	193
13	26	1.5	199
14	27	3.9	198
15	29	3.9	179
16	25	1.4	153
17	26	4.3	174
18	24	1	208
19	24	2.5	193
20	24	3.1	211
21	26	4.7	163
22	27	3.2	167
23	28	2.6	207
24	26	2.7	217
25	26	2.8	210
26	26	4.2	211
27	24	2.9	190
28	25	2.4	166
29	28	1.4	222
30	29	1.8	166

802.11ac (VHT20) - 5300MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	8.5	372
2	17	6.3	398
3	17	6.7	398
4	16	10	227
5	17	9.5	458
6	16	8.6	378
7	17	9.3	213
8	18	6.1	323
9	16	6.6	201
10	17	6.4	270
11	16	8.8	425
12	17	7.3	210
13	16	6	310
14	17	9.7	448
15	18	6.9	379
16	18	7.5	413
17	17	8	348
18	16	6.1	466
19	17	9	487
20	17	9	340
21	18	6.3	473
22	17	7.8	417
23	17	9.1	271
24	17	7.5	385
25	17	10	282
26	16	8.1	490
27	17	7.5	231
28	17	8.5	324
29	18	7.1	349
30	16	6.6	286

802.11ac (VHT20) - 5500MHz**RADAR TYPE 3**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	8	454
2	16	8.9	446
3	17	6.6	209
4	18	7.1	399
5	16	7.3	224
6	18	9.6	493
7	17	7.8	331
8	17	6.8	345
9	18	8.8	352
10	17	9.4	230
11	17	9.8	342
12	18	7.9	465
13	17	7.1	421
14	17	7.6	455
15	17	6.8	487
16	16	6.3	333
17	16	7.3	221
18	17	9.6	317
19	18	8.5	302
20	16	8.3	340
21	16	8.2	225
22	18	9	411
23	17	8.5	200
24	17	8.2	438
25	16	9.3	373
26	17	7.7	219
27	18	10	340
28	17	9.5	413
29	17	7.5	341
30	16	9	306

802.11ac (VHT40) - 5310MHz**RADAR TYPE 3**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	6.3	419
2	18	8.1	377
3	18	6.2	446
4	18	9.9	284
5	16	7.7	326
6	18	6.5	215
7	16	6.7	268
8	16	7.4	236
9	17	9.2	476
10	16	10	238
11	17	7.7	261
12	17	6.7	240
13	18	8.7	300
14	18	6.5	236
15	16	9.9	205
16	17	8.3	385
17	17	8.3	330
18	16	9.2	482
19	16	7	273
20	17	8.5	314
21	16	8.5	360
22	17	7.3	444
23	18	8.7	445
24	16	9	205
25	17	8.5	448
26	16	7.3	267
27	16	6.6	376
28	17	6.6	461
29	18	8.2	464
30	16	8	394

802.11ac (VHT40) - 5510MHz**RADAR TYPE 3**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	7.7	240
2	16	9.5	200
3	17	10	285
4	16	9.5	421
5	18	6.8	410
6	18	7.7	357
7	17	9.7	371
8	16	6	321
9	18	8.2	257
10	18	7.4	344
11	17	8.7	430
12	17	6.8	248
13	17	9	452
14	16	6.6	360
15	18	6.7	314
16	16	6.4	232
17	17	7.4	463
18	17	7.4	284
19	16	6.2	239
20	18	9.1	351
21	17	8.3	374
22	17	7.2	343
23	17	6.2	306
24	18	8.6	359
25	17	8.8	280
26	17	8.8	217
27	17	9.5	217
28	18	6.7	369
29	18	8.4	301
30	17	6.6	283

802.11ac (VHT80) - 5290MHz**RADAR TYPE 3**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	8	462
2	16	8.5	386
3	18	9	421
4	17	8.7	491
5	17	6.6	485
6	16	8	426
7	18	7.3	499
8	16	6.9	280
9	18	6.9	377
10	17	7.9	265
11	18	7.9	295
12	17	9	493
13	17	7.7	211
14	17	9.5	282
15	17	6.2	236
16	17	7.9	474
17	18	6	360
18	17	6	221
19	16	7.7	333
20	18	6	489
21	16	8.2	482
22	16	8.7	447
23	16	7.5	270
24	16	9.1	470
25	17	9.8	460
26	16	8.6	458
27	18	9.5	358
28	17	6.5	401
29	17	8.9	400
30	16	9.9	456

802.11ac (VHT80) - 5530MHz**RADAR TYPE 3**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	9.3	477
2	18	6.3	459
3	17	6.3	345
4	17	6.4	271
5	17	8.2	402
6	16	8.9	406
7	16	7.4	354
8	17	8.1	242
9	17	9.6	397
10	18	9.7	404
11	17	10	401
12	17	7.2	484
13	18	10	254
14	18	6.7	320
15	17	8.6	290
16	17	9.9	442
17	16	8.4	252
18	17	6.6	314
19	17	8.4	387
20	18	9.4	408
21	17	9.2	341
22	16	7.2	294
23	16	8.9	492
24	17	7.2	364
25	17	8.5	216
26	18	6.3	270
27	17	7.6	421
28	16	8.1	247
29	16	6.6	290
30	17	8.4	362

802.11ac (VHT20) - 5300MHz**RADAR TYPE 4**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	14	11.8	375
2	14	16.6	418
3	14	17.6	302
4	12	19.6	261
5	14	13.3	453
6	16	17.8	309
7	16	11.4	328
8	15	17.9	468
9	12	19	436
10	14	14.3	261
11	16	16.8	204
12	13	13.9	216
13	13	19	262
14	13	16.9	347
15	15	16.4	335
16	13	12.5	396
17	13	12.4	247
18	13	14.3	358
19	13	17.3	342
20	14	19.3	382
21	12	13.6	498
22	14	14	458
23	13	18.2	241
24	13	11	337
25	15	18.5	272
26	14	17.1	227
27	14	18.1	294
28	13	14.7	399
29	15	18.5	270
30	15	16.8	277

802.11ac (VHT20) - 5500MHz**RADAR TYPE 4**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	18.6	298
2	15	12.3	395
3	15	11.5	470
4	15	11.2	321
5	14	14.4	387
6	12	12.4	415
7	14	19.7	327
8	14	16.6	338
9	16	19.8	423
10	12	18.2	243
11	15	14.7	389
12	13	20	280
13	14	13.2	383
14	14	12.8	289
15	13	19.7	366
16	15	19.8	471
17	15	13	378
18	14	12	208
19	12	16	297
20	12	18.9	419
21	13	17.6	320
22	16	18.4	443
23	14	14.4	462
24	12	19.8	472
25	12	18.4	468
26	12	16	270
27	16	18.3	273
28	16	17.2	308
29	14	17	288
30	14	16.2	317

802.11ac (VHT40) - 5310MHz**RADAR TYPE 4**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	16	12.2	493
2	15	13	341
3	15	17.2	363
4	16	19.3	269
5	14	11.7	334
6	15	19.4	285
7	15	14.8	500
8	15	14.3	226
9	16	15.5	203
10	13	12.9	472
11	16	11.7	436
12	15	13.1	426
13	15	15.9	371
14	15	11.6	346
15	14	15.4	254
16	13	16.8	438
17	16	17.3	350
18	13	17.5	232
19	14	16.4	231
20	13	13.3	283
21	14	15.5	484
22	16	14.1	497
23	14	12	418
24	14	16.5	422
25	16	12.4	346
26	13	19	353
27	16	12.4	398
28	15	19.8	426
29	13	12.7	380
30	15	11.5	414

802.11ac (VHT40) - 5510MHz**RADAR TYPE 4**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	14.7	302
2	13	18.6	375
3	12	14.9	399
4	16	15.9	412
5	13	19.4	315
6	14	16.3	309
7	14	16.3	456
8	14	11.4	293
9	15	14.5	443
10	14	18.8	476
11	16	14.6	248
12	14	12.1	474
13	13	14.2	237
14	13	19.5	320
15	15	16.7	327
16	16	16	336
17	13	15.1	205
18	14	11.1	235
19	12	16.3	299
20	13	19.3	325
21	15	13.3	307
22	12	16	454
23	13	16.2	428
24	12	16.2	270
25	15	19.4	206
26	15	19.9	379
27	12	13.1	290
28	14	19	500
29	14	13.5	395
30	13	16.5	345

802.11ac (VHT80) - 5290MHz**RADAR TYPE 4**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	17.8	324
2	13	19.1	378
3	13	13.8	401
4	15	13.8	388
5	13	18.5	236
6	13	16.3	257
7	15	14.3	485
8	13	15.9	486
9	16	20	347
10	15	16.6	383
11	12	15.8	342
12	15	14	299
13	16	14.2	353
14	16	12.9	401
15	12	14.9	355
16	15	15.4	425
17	16	14.8	473
18	12	16.3	302
19	16	14.2	218
20	13	13.7	357
21	14	19.1	400
22	16	17.5	334
23	13	11.5	268
24	15	13.7	433
25	13	20	415
26	14	17.4	445
27	12	16.7	364
28	13	12	323
29	15	16	208
30	15	16	479

802.11ac (VHT80) - 5530MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	14	17.4	332
2	13	15.2	486
3	15	13.1	410
4	13	15	359
5	13	13.9	272
6	14	15.9	271
7	13	19.8	456
8	15	17.6	496
9	12	14.9	293
10	14	18.9	401
11	14	16.2	405
12	15	16.6	263
13	16	19.8	211
14	14	13.8	443
15	14	13.5	461
16	14	18.6	214
17	14	12.1	434
18	13	11.2	411
19	13	20	415
20	16	11.4	338
21	13	16.9	488
22	15	16.7	286
23	13	19.4	295
24	13	13.6	353
25	14	12	493
26	12	14.3	384
27	13	17.7	414
28	14	12.6	489
29	15	12	276
30	14	11.1	379

802.11ac (VHT20) - 5300MHz

TYPE 5

Trial #	Chirp Width (MHz)	Subset	Fc
1	12	1	5300
2	15	1	5300
3	6	1	5300
4	5	1	5300
5	18	1	5300
6	17	1	5300
7	14	1	5300
8	8	1	5300
9	13	1	5300
10	18	1	5300
11	19	2	5297.6
12	13	2	5295.2
13	19	2	5297.6
14	6	2	5292.4
15	14	2	5295.6
16	17	2	5296.8
17	6	2	5292.4
18	15	2	5296
19	19	2	5297.6
20	6	2	5292.4
21	6	3	5307.6
22	16	3	5303.6
23	18	3	5302.8
24	5	3	5308
25	9	3	5306.4
26	16	3	5303.6
27	9	3	5306.4
28	6	3	5307.6
29	7	3	5307.2
30	17	3	5303.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	68.2	12			280.24
2	3	97.2	12	1073	1216	330.428
3	3	83.9	12	1155	1185	13.515
4	1	83.4	12			696.463
5	2	74	12	1273		298.861
6	3	68.8	12	1883	1886	264.138
7	2	66.3	12	1353		572.016
8	2	77.4	12	1602		520.044
9	1	53	12			469.511
10	1	87.2	12			328.869
11	2	84.6	12	1716		176.326
12	3	68.9	12	1913	1003	381.574
13	1	84.3	12			610.962
14	3	80.4	12	1883	1620	531.329
15	3	79.3	12	1293	1155	600.347
16	3	65.9	12	1528	1923	3.165
17	2	71.9	12	1198		363.582

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	61.2	15	1907	1070	562.153
2	2	53.8	15	1415		788.201
3	2	53.7	15	1381		868.492
4	3	84.4	15	1645	1890	318.013
5	2	55.1	15	1622		611.984
6	2	59.3	15	1680		1047.355
7	3	73.5	15	1366	1485	322.525
8	1	99.9	15			7.716
9	3	91.1	15	1886	1234	1013.107
10	3	76.8	15	1423	1054	859.318
11	2	83	15	1189		875.909

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	61.9	6			148.641
2	2	51	6	1064		178.78
3	3	61.4	6	1109	1003	236.87
4	3	81	6	1405	1115	456.72
5	3	72.8	6	1318	1544	88.84
6	2	77.4	6	1215		360.05
7	2	91.5	6	1173		28.68
8	3	67.1	6	1889	1910	798.68
9	2	65.2	6	1357		357.71
10	3	87.2	6	1756	1515	609.54
11	2	90.4	6	1239		934.1
12	3	94.9	6	1653	1919	316.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	74.8	5	1442	1053	43.089
2	1	72	5			175.396
3	2	80.8	5	1496		5.54
4	3	54.5	5	1512	1590	12.91
5	3	94.3	5	1222	1412	314.6
6	1	58.5	5			99.09
7	2	66	5	1313		52.99
8	2	64.5	5	1918		133.22
9	2	78.1	5	1974		493.92
10	2	53.2	5	1486		510.74
11	3	88.6	5	1220	1923	586.34
12	2	77.2	5	1906		666.22
13	2	93	5	1494		138.24
14	2	81.9	5	1927		31.97
15	2	57.7	5	1314		547.5
16	2	91.5	5	1211		278.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.8	18	1993		233.118
2	3	87.8	18	1340	1392	571.301
3	2	91.2	18	1769		141.812
4	2	56.4	18	1753		154.433
5	2	87.1	18	1335		422.364
6	2	63.3	18	1795		303.435
7	3	85.1	18	1600	1235	532.866
8	1	76.1	18			29.257
9	2	91.2	18	1161		490.218
10	3	77.4	18	1276	1680	564.139
11	2	64.3	18	1862		74.541
12	2	62.2	18	1514		523.092
13	1	75.1	18			214.193
14	2	77.5	18	1435		415.804
15	3	89.8	18	1055	1855	625.345
16	3	73.3	18	1941	1452	537.916
17	2	94.4	18	1952		20.637
18	3	64.2	18	1201	1529	456.158
19	2	58.1	18	1003		252.479

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	91.2	17	1591		889.533
2	3	78	17	1661	1553	807.14
3	2	88.4	17	1651		669.48
4	3	72	17	1349	1680	106.15
5	2	70.1	17	1579		775.02
6	2	59.9	17	1724		67.38
7	2	93.5	17	1394		868.65
8	1	55.5	17			943.32
9	1	94.3	17			831.4
10	3	61.3	17	1133	1013	470.49
11	1	64.1	17			33.5
12	2	65.8	17	1983		771.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	64.8	14	1566		126.211
2	1	74.7	14			56.061
3	2	82.1	14	1150		90.96
4	3	68	14	1436	1450	406.55
5	2	99.2	14	1322		41.57
6	1	89.1	14			75.92
7	2	63.3	14	1738		335.17
8	1	74.6	14			578.16
9	3	79.3	14	1196	1085	86.23
10	1	59.7	14			81.99
11	2	58.7	14	1484		422.74
12	3	56.4	14	1912	1687	139.09
13	3	98.5	14	1268	1550	471.39
14	2	81.7	14	1932		69.41
15	2	51	14	1665		476.35
16	2	97.8	14	1759		183.69
17	2	82.3	14	1872		333.59
18	2	86.2	14	1819		170.1
19	3	51.7	14	1510	1076	43.8
20	3	54.5	14	1745	1457	148.5

--

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 12

Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	89.8	8	1626	1033	506.511
2	1	76	8			657.99
3	2	93.2	8	1035		645.96
4	1	57.5	8			373.79
5	3	75.8	8	1062	1658	488.33
6	2	80.3	8	1418		291.38
7	1	62.2	8			371.29
8	2	88	8	1860		581.6
9	2	98.2	8	1361		595.62
10	3	61.7	8	1715	1614	859.67
11	3	66.5	8	1072	1562	452.4
12	3	81	8	1593	1205	487.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	88.8	13	1514	1782	228.208
2	1	99.8	13			1142.45
3	3	73.9	13	1028	1413	598.8
4	2	91.6	13	1970		331.36
5	3	57.2	13	1326	1205	394.87
6	2	73.2	13	1736		458.97
7	3	77.8	13	1420	1208	20.76
8	2	54.1	13	1887		558.71
9	2	93.9	13	1381		788.7
10	2	89.4	13	1024		955.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	94.2	18	1036		206.031
2	2	52.3	18	1275		696.207
3	2	85.1	18	1856		549.454
4	2	76.2	18	1214		50.891
5	2	55.4	18	1201		150.969
6	2	65.8	18	1077		777.466
7	1	95.6	18			691.273
8	1	98.7	18			236.72
9	2	69.6	18	1900		27.677
10	3	95.4	18	1956	1084	838.044
11	2	57.5	18	1735		599.371
12	1	69.2	18			561.669
13	1	91.8	18			101.486
14	2	55.5	18	1924		127.443

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	75.7	19			829.463
2	2	98	19	1948		196.94
3	1	89.7	19			651.21
4	2	58.9	19	1426		987.88
5	2	63.4	19	1093		707.93
6	2	81.1	19	1592		962.65
7	2	79.6	19	1112		361.65
8	1	58	19			180.74
9	2	82.9	19	1493		526.99
10	3	59.1	19	1080	1388	783.24
11	1	54.5	19			312.5
12	2	51.1	19	1728		523.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	70.8	13	1799		24.095
2	2	85.5	13	1606		228.096
3	2	70.1	13	1163		85.192
4	1	88.3	13			530.803
5	1	62	13			130.764
6	2	52.8	13	1105		327.095
7	2	95.6	13	1877		268.506
8	2	64.1	13	1749		522.037
9	2	76.9	13	1980		583.278
10	2	96.8	13	1312		217.839
11	1	53.8	13			454.901
12	3	66.1	13	1423	1625	173.752
13	2	53.2	13	1092		500.453
14	1	95.3	13			435.604
15	1	60.1	13			372.165
16	2	62.5	13	1432		468.316
17	1	99.4	13			439.737
18	3	69.5	13	1603	1719	447.658
19	2	66.4	13	1108		607.779

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	53	19	1920		321.097
2	2	50.8	19	1879		139.915
3	2	61.4	19	1645		331.657
4	3	84.4	19	1700	1413	105.2
5	2	63	19	1159		182.113
6	3	66.5	19	1798	1976	479.967
7	3	75.3	19	1704	1738	246.77
8	1	64.2	19			371.943
9	3	88.8	19	1361	1267	339.247
10	2	97.1	19	1265		90.44
11	2	51.6	19	1608		175.413
12	2	51	19	1177		207.257
13	2	50.2	19	1167		153.46
14	1	50.2	19			94.523
15	3	75.5	19	1782	1555	378.907
16	2	81.7	19	1718		435
17	2	89.9	19	1248		580.533
18	3	76.9	19	1119	1464	559.267

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	50.6	6	1539		85.763
2	2	56.5	6	1368		273.623
3	3	68.3	6	1218	1801	78.302
4	2	76.5	6	1292		482.913
5	2	85	6	1657		605.574
6	3	57.1	6	1719	1967	308.055
7	3	91.7	6	1182	1349	402.326
8	1	59.3	6			192.267
9	2	66.6	6	1746		400.028
10	2	69	6	1563		103.139
11	3	63.3	6	1303	1132	18.251
12	1	85.5	6			391.552
13	1	79.4	6			439.643
14	2	91.8	6	1048		534.294
15	2	80	6	1523		316.915
16	2	91.8	6	1075		345.946
17	2	94.3	6	1342		538.237
18	2	67.6	6	1196		458.458
19	1	73.5	6			591.779

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	83.8	14	1906		524.59
2	2	63.3	14	1110		326.852
3	1	88.1	14			340.067
4	2	56.9	14	1679		168.92
5	2	78	14	1319		44.883
6	2	93.6	14	1329		384.307
7	3	61.7	14	1336	1075	321.27
8	1	52.8	14			138.123
9	3	81.8	14	1593	1440	85.667
10	2	99.5	14	1721		106.55
11	2	99.2	14	1095		237.723
12	2	88.5	14	1917		372.067
13	2	96.6	14	1378		578.08
14	2	81.4	14	1380		194.003
15	1	55.9	14			553.077
16	2	63.7	14	1174		355.8
17	2	99.6	14	1980		85.133
18	2	61	14	1595		116.067

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	83.9	17	1604		150.391
2	3	73	17	1461	1225	715.247
3	2	98.5	17	1142		581.474
4	2	86.4	17	1681		537.531
5	2	78.6	17	1976		787.809
6	1	58.5	17			309.056
7	2	76.7	17	1766		77.853
8	1	89.7	17			481.71
9	2	90.4	17	1680		239.017
10	2	63.5	17	1008		610.534
11	2	50.7	17	1339		189.801
12	1	88.2	17			601.229
13	1	81.8	17			542.986
14	2	75.2	17	1649		2.843

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	99.9	6			163.501
2	3	78.1	6	1951	1980	547.443
3	2	70.4	6	1514		467.547
4	2	100	6	1715		231.34
5	1	72.3	6			551.163
6	2	82.7	6	1230		558.067
7	2	96.8	6	1791		27.3
8	1	65.8	6			119.993
9	2	97.6	6	1904		170.817
10	2	84.8	6	1550		252.17
11	2	69.9	6	1613		459.553
12	2	55.9	6	1648		21.367
13	2	62.3	6	1329		194.9
14	3	50.4	6	1073	1506	386.023
15	3	87.9	6	1373	1367	202.687
16	3	80.5	6	1694	1608	191.3
17	3	58.6	6	1887	1909	615.333
18	2	51	6	1329		299.067

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	57.8	15	1735		203.124
2	2	88.3	15	1521		591.503
3	2	54.9	15	1516		539.466
4	2	74.8	15	1293		514.209
5	1	74.6	15			614.622
6	3	85.1	15	1172	1472	756.645
7	1	64.6	15			780.098
8	1	71.1	15			676.812
9	1	79.6	15			530.425
10	2	51.2	15	1061		353.978
11	2	92	15	1866		160.831
12	1	55.4	15			377.454
13	2	55.8	15	1028		248.477

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	69.8	19			263.078
2	3	97	19	1904	1219	475.683
3	1	61.8	19			422.037
4	1	86.1	19			231.28
5	2	94.4	19	1783		143.623
6	2	75.8	19	1983		404.017
7	2	50.9	19	1246		585.25
8	3	94.5	19	1334	1576	312.153
9	2	96.8	19	1722		121.647
10	2	69.9	19	1901		536.21
11	2	91.8	19	1212		366.643
12	2	57.8	19	1954		56.507
13	1	94	19			381.92
14	3	60.6	19	1047	1611	27.943
15	3	95.5	19	1784	1092	186.627
16	3	71.9	19	1350	1522	633.6
17	2	56.8	19	1824		66.833
18	3	59	19	1195	1677	500.567

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	92.8	6	1666	1828	545.149
2	3	66.1	6	1224	1126	561.2
3	3	81.5	6	1979	1980	795.52
4	2	88.5	6	1127		669.43
5	1	85.8	6			378.36
6	2	64.8	6	1205		838.17
7	3	79.1	6	1753	1243	49.57
8	3	78.1	6	1301	1268	79.4
9	2	90.1	6	1542		353.23
10	3	59.8	6	1183	1620	195.66
11	2	60.8	6	1615		944.6
12	3	99.1	6	1219	1915	8.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	60.6	6			445.398
2	2	97.6	6	1238		125.261
3	2	99.6	6	1456		1072.542
4	2	76.2	6	1100		1031.843
5	3	97.6	6	1354	1284	898.694
6	2	51.4	6	1667		12.285
7	1	63.9	6			382.025
8	2	89.2	6	1008		501.696
9	3	57.9	6	1974	1790	837.177
10	2	69.8	6	1363		971.118
11	3	74.1	6	1533	1854	384.309

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	85.3	16	1625		531.598
2	3	73.7	16	1240	1559	92.11
3	1	82.8	16			7.18
4	1	87.7	16			683.78
5	1	88.3	16			322.23
6	2	51.8	16	1078		791.53
7	2	86.1	16	1868		268.66
8	2	55.9	16	1142		702.6
9	3	52.3	16	1804	1590	417.14
10	3	50.8	16	1288	1358	296.24
11	2	61.6	16	1479		551.89
12	2	97.3	16	1232		233.85
13	1	98.6	16			493.3
14	1	78.5	16			125.8
15	2	59	16	1226		219.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	93.4	18	1505		352.183
2	2	67.8	18	1201		648.997
3	1	91.4	18			222.554
4	1	91	18			568.961
5	3	98.7	18	1156	1126	520.259
6	2	73.2	18	1434		260.746
7	2	54.7	18	1912		393.493
8	1	78.4	18			642.64
9	2	65.6	18	1993		723.807
10	3	96.4	18	1773	1659	631.214
11	1	89.6	18			632.881
12	3	76.5	18	1130	1398	81.239
13	2	63.4	18	1423		106.786
14	3	74.1	18	1604	1504	664.443

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	56.8	5	1067		25.17
2	2	95.3	5	1544		542.931
3	2	61	5	1769		788.092
4	2	66.2	5	1184		643.583
5	3	65.7	5	1232	1533	393.104
6	3	53.5	5	1763	1485	380.915
7	2	81.9	5	1812		466.775
8	2	67	5	1401		38.816
9	2	92.6	5	1813		63.287
10	2	98.7	5	1996		897.818
11	3	61.7	5	1631	1771	643.909

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	93.7	9	1925		460.183
2	2	57.4	9	1585		686.961
3	2	94.6	9	1060		382.392
4	2	95.7	9	1186		733.793
5	3	66.9	9	1156	1809	35.724
6	1	72.3	9			286.455
7	2	97.3	9	1065		1056.745
8	2	65.1	9	1987		330.496
9	2	89.9	9	1371		82.277
10	2	54.1	9	1187		98.498
11	2	66	9	1241		857.309

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	74.7	16	1242	1974	256.436
2	2	79.3	16	1621		370.587
3	3	87.7	16	1042	1935	571.994
4	2	57.4	16	1348		230.661
5	1	57.5	16			501.059
6	2	84.8	16	1706		314.756
7	3	68.4	16	1883	1854	429.613
8	2	53.4	16	1591		37.59
9	2	96.8	16	1611		372.227
10	2	81.6	16	1412		137.614
11	2	61.8	16	1932		711.151
12	2	63.7	16	1818		394.399
13	2	82.4	16	1284		590.886
14	2	66.5	16	1730		257.943

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	81.3	9			497.716
2	3	97.9	9	1663	1407	184.507
3	3	71.9	9	1439	1923	691.694
4	2	82.8	9	1522		167.011
5	2	84.5	9	1994		388.349
6	3	72.3	9	1207	1864	470.696
7	2	54	9	1752		85.813
8	1	79.5	9			720.79
9	3	77.1	9	1552	1245	826.077
10	3	51.9	9	1381	1202	353.074
11	1	66.2	9			147.431
12	2	96.7	9	1269		601.629
13	2	72.8	9	1953		67.686
14	1	95	9			709.043

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	79.5	6	1660		389.827
2	2	58.6	6	1773		7.423
3	3	59.8	6	1512	1362	533.65
4	1	98.2	6			538.52
5	1	61.4	6			377.2
6	3	88.1	6	1082	1722	182.15
7	2	54.2	6	1726		137.38
8	2	61.1	6	1020		145.57
9	1	69.2	6			658.16
10	2	89.3	6	1091		785.81
11	2	66.1	6	1689		377.79
12	2	65.5	6	1578		5.67
13	2	66.2	6	1329		148.63
14	3	80.8	6	1781	1659	105.1
15	1	57	6			336.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	77.5	7	1028		124.644
2	3	66.4	7	1441	1018	189.78
3	2	72.1	7	1510		540.235
4	3	67.3	7	1928	1842	210.783
5	3	95.7	7	1196	1557	366.741
6	2	60.8	7	1425		686.678
7	2	62.7	7	1702		465.586
8	1	69.5	7			84.134
9	1	80.4	7			472.861
10	3	94.9	7	1169	1540	55.529
11	1	81.8	7			622.516
12	2	76.8	7	1111		401.664
13	1	62.9	7			522.012
14	1	50.3	7			456.339
15	2	73.6	7	1158		177.047
16	1	53.2	7			153.165
17	3	82.3	7	1564	1097	23.182

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	97	17	1232	1044	153.101
2	1	69.2	17			487.003
3	1	61.2	17			44.017
4	3	61	17	1277	1748	207.28
5	3	95.6	17	1257	1601	566.573
6	1	97.5	17			600.637
7	2	89.9	17	1065		349.4
8	2	98.8	17	1669		15.943
9	3	58.7	17	1472	1681	552.567
10	2	84.1	17	1350		390.98
11	2	55	17	1567		161.683
12	2	69.5	17	1416		98.587
13	2	79.9	17	1467		73.13
14	2	99.7	17	1008		484.613
15	2	66.2	17	1241		417.677
16	2	93.5	17	1970		274.6
17	2	83.1	17	1504		583.433
18	2	66.7	17	1214		470.967

802.11ac (VHT20) - 5500MHz

TYPE 5

Trial #	Chirp Width (MHz)	Subset	Fc
1	13	1	5500
2	16	1	5500
3	10	1	5500
4	12	1	5500
5	10	1	5500
6	17	1	5500
7	9	1	5500
8	19	1	5500
9	13	1	5500
10	14	1	5500
11	13	2	5495.2
12	16	2	5496.4
13	7	2	5492.8
14	16	2	5496.4
15	14	2	5495.6
16	11	2	5494.4
17	17	2	5496.8
18	11	2	5494.4
19	6	2	5492.4
20	20	2	5498
21	8	3	5506.8
22	20	3	5502
23	17	3	5503.2
24	5	3	5508
25	8	3	5506.8
26	9	3	5506.4
27	10	3	5506
28	8	3	5506.8
29	6	3	5507.6
30	15	3	5504

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	91.9	13	1809		556.769
2	2	98	13	1477		182.446
3	2	51.7	13	1230		323.34
4	2	92.2	13	1829		309.39
5	2	72.8	13	1651		390.94
6	2	54	13	1403		234.82
7	3	97.6	13	1126	1718	111.43
8	1	55.3	13			473.41
9	2	61.8	13	1194		604.52
10	1	58.4	13			347.13
11	1	66.2	13			629.8
12	1	83.5	13			610.36
13	2	61.1	13	1980		622.18
14	3	89.2	13	1354	1580	267.7
15	3	66.7	13	1562	1357	165.1
16	2	87.9	13	1019		566.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	54.1	16			195.19
2	1	78.2	16			316.656
3	2	98.1	16	1034		20.49
4	3	69.1	16	1685	1797	592.81
5	3	99.3	16	1694	1077	320.02
6	2	52.8	16	1009		513.55
7	2	59.8	16	1861		519.07
8	2	55.9	16	1344		14.67
9	1	81	16			58.83
10	2	97.6	16	1699		329.45
11	1	87.7	16			400.93
12	3	86.7	16	1471	1959	142.42
13	2	68.8	16	1910		359.16
14	2	89.4	16	1839		146.67
15	3	67.9	16	1935	1217	26.25
16	2	76.6	16	1426		14.23
17	1	86.1	16			295.87
18	1	80.8	16			410.6
19	3	96.2	16	1254	1258	262.1
20	2	77.7	16	1566		401.8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	96.1	10	1800		477.168
2	3	85.4	10	1085	1737	58.811
3	2	99.4	10	1852		53.642
4	3	91.9	10	1981	1631	216.363
5	2	51.7	10	1433		198.384
6	1	60.8	10			593.205
7	2	99	10	1383		496.256
8	2	93.3	10	1013		290.367
9	1	95.3	10			449.538
10	1	86.1	10			57.109
11	2	84	10	1283		285.501
12	2	79.9	10	1487		385.662
13	2	81.9	10	1273		571.523
14	2	55.9	10	1646		146.504
15	2	63.3	10	1824		451.255
16	2	74.5	10	1558		260.566
17	1	50.8	10			5.237
18	1	87.6	10			259.658
19	2	96.2	10	1145		17.779

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	72.2	12			326.877
2	3	90	12	1797	1016	221.142
3	1	89.1	12			324.13
4	2	96.6	12	1192		149.07
5	2	70.5	12	1693		503.74
6	3	51.2	12	1587	1128	286.04
7	2	70.3	12	1090		477.79
8	2	94.9	12	1880		407.13
9	1	51.8	12			502.46
10	2	94.7	12	1692		533.13
11	1	95.4	12			533.92
12	3	81.5	12	1606	1477	16.33
13	1	94.7	12			529.39
14	3	67.3	12	1297	1526	17.06
15	2	58.6	12	1488		393.06
16	2	82.4	12	1566		551.76
17	2	80.8	12	1933		204.11
18	1	76.8	12			200.5
19	2	82.1	12	1841		550.8
20	1	56.5	12			167.2

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	54	10	1231		552.415
2	2	58.9	10	1993		89.441
3	1	54.3	10			0.877
4	2	97.7	10	1791		338.95
5	2	99.5	10	1072		449.753
6	2	87.1	10	1872		35.117
7	1	58.8	10			120.78
8	2	53.6	10	1865		653.343
9	2	96.5	10	1608		410.097
10	3	78.1	10	1087	1099	241.53
11	1	81.1	10			566.853
12	2	60.3	10	1836		41.057
13	2	96.7	10	1782		608.92
14	1	67.3	10			64.253
15	2	99.6	10	1603		29.917
16	2	83.8	10	1261		283.8
17	2	87.8	10	1496		487.733
18	2	59	10	1986		258.567

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	84.8	17	1122		359.985
2	1	93.2	17			801.611
3	2	50.5	17	1662		1001.442
4	2	54.9	17	1392		1018.453
5	3	93.3	17	1693	1093	956.494
6	2	53.1	17	1820		798.165
7	2	78.7	17	1937		806.215
8	2	60.2	17	1081		124.696
9	2	60.9	17	1891		571.417
10	3	87	17	1567	1531	431.618
11	3	52	17	1732	1814	209.209

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	86.3	9	1178		83.055
2	2	94.6	9	1879		4.31
3	2	99.4	9	1332		187.877
4	1	52	9			4.33
5	3	55	9	1319	1680	412.583
6	3	83	9	1724	1816	388.407
7	1	75.3	9			123.7
8	1	58	9			514.813
9	3	80	9	1930	1362	301.297
10	2	94.1	9	1843		589.98
11	2	93	9	1935		85.733
12	3	92.1	9	1090	1193	627.477
13	1	97.5	9			229.27
14	1	51.2	9			631.413
15	2	90.7	9	1607		658.287
16	2	52.6	9	1662		538.3
17	3	90.2	9	1788	1356	202.833
18	2	81.7	9	1466		598.967

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	83.8	19			109.312
2	3	59.6	19	1854	1277	287.92
3	2	83	19	1191		780.02
4	2	65	19	1919		250.42
5	2	97.8	19	1968		579.99
6	3	91.3	19	1867	1804	136.3
7	2	82.5	19	1566		5.48
8	3	66.8	19	1841	1289	16.58
9	3	52.7	19	1628	1120	115.88
10	3	81.4	19	1870	1662	104.9
11	1	71	19			496.61
12	2	99.7	19	1004		125.86
13	2	76.4	19	1752		565.6
14	3	68.2	19	1253	1123	251.1
15	1	85.9	19			261

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	68.5	13	1025		12.652
2	2	91	13	1533		1325.827
3	1	80.9	13			30.443
4	1	52.3	13			260.83
5	3	81.6	13	1152	1581	1124.327
6	1	90.4	13			1149.663
7	1	61.5	13			152.8
8	1	58.1	13			693.567
9	3	62.6	13	1428	1324	221.933

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	85.4	13	1010	1245	585.373
2	2	77	13	1657		212.88
3	2	100	13	1968		607.34
4	2	60.6	13	1614		305.11
5	3	82.4	13	1243	1341	144.39
6	2	59.8	13	1547		799.21
7	1	92.8	13			211.61
8	2	62.4	13	1804		106.02
9	2	53.9	13	1211		742.23
10	2	86.2	13	1900		63.01
11	3	70.4	13	1959	1966	853.3
12	2	84.1	13	1587		772.7

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	57.1	16	1461		295.121
2	2	96.6	16	1364		506.691
3	2	79.3	16	1284		425.822
4	2	94.3	16	1119		133.993
5	2	61.3	16	1445		835.424
6	2	85.3	16	1289		984.175
7	1	87.7	16			400.615
8	3	78.9	16	1676	1965	353.136
9	3	78.9	16	1704	1724	423.127
10	3	63.5	16	1191	1462	517.918
11	2	91.5	16	1814		744.509

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 12

Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	50.5	7	1940		694.377
2	2	86.3	7	1732		387.24
3	1	89	7			962.15
4	3	56.8	7	1686	1039	588.15
5	2	93.6	7	1605		48.56
6	1	99.5	7			77.55
7	2	77.6	7	1399		699.58
8	3	66	7	1414	1347	741.38
9	3	95.1	7	1069	1310	398.48
10	1	90.3	7			24.55
11	3	88.6	7	1404	1091	225.7
12	3	79.6	7	1479	1293	283.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	51	16	1076	1247	171.898
2	2	62.1	16	1414		619.397
3	1	77	16			288.464
4	3	68.8	16	1410	1458	337.101
5	3	73.3	16	1485	1552	36.699
6	1	64.8	16			139.786
7	2	69.7	16	1608		810.103
8	3	79.4	16	1871	1689	624.25
9	2	91.3	16	1111		330.767
10	1	50.8	16			641.944
11	1	67.4	16			650.331
12	2	62.5	16	1697		661.229
13	3	76.1	16	1016	1776	431.586
14	2	56.5	16	1021		92.443

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	54.8	11			380.409
2	3	99.8	11	1498	1594	128.616
3	2	66.8	11	1151		36.415
4	1	74	11			395.603
5	2	83.9	11	1855		153.281
6	2	89.1	11	1564		28.978
7	2	92.6	11	1681		270.566
8	3	63.2	11	1798	1231	659.474
9	3	70.9	11	1136	1930	611.001
10	1	57.7	11			659.999
11	2	98.9	11	1409		271.976
12	2	59	11	1771		155.444
13	3	92	11	1235	1763	316.172
14	2	78.4	11	1638		457.969
15	1	66	11			376.747
16	2	68.3	11	1713		298.265
17	1	77.2	11			35.782

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	56	17	1407		13.547
2	2	64	17	1000		471.46
3	3	86.4	17	1255	1277	33.22
4	2	65.9	17	1100		180.89
5	2	61.1	17	1573		665.22
6	1	75.6	17			591.26
7	1	62.2	17			271.4
8	2	85	17	1091		601.6
9	2	61.6	17	1490		531.82
10	3	62.5	17	1419	1621	310.52
11	2	60.6	17	1721		666.29
12	2	86.6	17	1568		608.58
13	2	67.8	17	1884		439.91
14	2	51.6	17	1897		660.7
15	2	64.7	17	1900		555
16	2	87.4	17	1107		716.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	60.9	11			464.402
2	1	92.3	11			890.893
3	3	64.7	11	1413	1142	217.046
4	2	72.2	11	1247		11.179
5	1	63.9	11			19.302
6	2	63.4	11	1087		829.465
7	1	72.4	11			153.058
8	2	68	11	1012		359.082
9	2	54.6	11	1814		415.735
10	3	76.1	11	1647	1313	678.858
11	1	92.3	11			655.931
12	2	60.5	11	1753		294.554
13	2	59	11	1608		614.477

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	52.1	6	1966		578.25
2	2	80.1	6	1946		183.15
3	2	95.8	6	1887		710.21
4	2	57.4	6	1391		574.15
5	2	74.3	6	1750		544.04
6	2	57	6	1483		463.1
7	1	60.1	6			719.13
8	1	73.3	6			6.88
9	3	93.4	6	1168	1001	365.09
10	3	66.8	6	1641	1022	505.7
11	1	55.4	6			23.55
12	2	58.6	6	1399		684.82
13	3	92.2	6	1849	1662	575.38
14	2	84	6	1541		322.1
15	2	82.8	6	1006		180.2
16	2	59.3	6	1987		326.8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	76.3	20	1569		737.114
2	1	51.4	20			683.48
3	2	74.1	20	1432		326.65
4	3	53.5	20	1887	1996	112.76
5	2	55.7	20	1948		66.5
6	1	90.4	20			174.52
7	1	60.4	20			682.5
8	2	92	20	1563		553.82
9	2	100	20	1935		48.94
10	1	62.4	20			935.55
11	2	89.6	20	1384		115.7
12	2	96.2	20	1947		274.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	68.2	8	1646		477.155
2	3	85	8	1830	1643	160.918
3	1	73.2	8			303.397
4	2	82.3	8	1727		97.26
5	1	79.6	8			374.443
6	2	98.6	8	1791		151.937
7	3	78	8	1960	1993	437.54
8	2	90.1	8	1840		204.853
9	1	52.4	8			420.597
10	2	85	8	1588		574.9
11	2	99.4	8	1510		410.643
12	2	56.6	8	1204		70.307
13	2	91.5	8	1540		608.88
14	1	79.7	8			242.003
15	2	52.8	8	1879		621.747
16	1	97.4	8			409.1
17	3	55.7	8	1232	1656	73.833
18	3	76.4	8	1415	1442	426.267

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	78.8	20	1331		59.831
2	2	51.1	20	1410		196.341
3	3	96.4	20	1191	1227	48.635
4	2	58.6	20	1708		57.833
5	2	85	20	1273		26.681
6	2	65.3	20	1782		683.708
7	1	63.1	20			13.996
8	1	79.9	20			359.884
9	3	77.5	20	1492	1049	167.491
10	1	97.8	20			335.799
11	3	83.1	20	1369	1172	104.236
12	2	60.3	20	1692		462.234
13	2	92	20	1849		23.792
14	1	63.2	20			64.339
15	3	76.3	20	1470	1593	437.547
16	1	50.1	20			87.865
17	1	89.5	20			310.782

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	51.6	17	1077	1963	592.689
2	2	53.9	17	1983		493.23
3	1	82.7	17			32.51
4	2	67.9	17	1694		314.51
5	2	75.3	17	1833		545.93
6	1	56.9	17			616.73
7	2	52.5	17	1555		20.42
8	1	73.9	17			522.92
9	2	92.6	17	1686		576.05
10	2	84.3	17	1631		543.95
11	1	83.4	17			327.17
12	2	58.8	17	1518		613.45
13	1	59.9	17			669.9
14	1	52.9	17			638.3
15	3	64	17	1470	1631	22.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	69.9	5	1355		390.666
2	3	84.4	5	1703	1808	607.25
3	3	54.1	5	1413	1646	585.1
4	2	81.5	5	1871		632.25
5	1	76.7	5			482.75
6	3	69.9	5	1734	1949	456.88
7	2	82	5	1019		5.14
8	1	77.9	5			661.15
9	2	85.1	5	1581		670.81
10	1	66.1	5			206.29
11	1	86.9	5			666.87
12	2	77.1	5	1444		431.66
13	3	67.9	5	1971	1552	319.51
14	2	85.1	5	1431		512.9
15	3	98.5	5	1780	1698	593.5

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	65.9	8			535.622
2	2	71.5	8	1520		472.65
3	1	75.2	8			284.35
4	2	82.8	8	1228		634.56
5	3	78.3	8	1331	1191	269.91
6	3	89.2	8	1505	1657	589.02
7	1	55.9	8			712.24
8	1	93.1	8			229.17
9	2	72.2	8	1921		95.91
10	2	69.4	8	1516		353.59
11	1	69.3	8			33.03
12	2	56.3	8	1689		737.69
13	3	82.6	8	1916	1033	274.84
14	1	78.6	8			675
15	2	86.8	8	1917		666.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	90.8	9			405.918
2	2	73.6	9	1047		1124.93
3	3	89.3	9	1921	1907	1043.2
4	1	84.2	9			751.79
5	2	61	9	1278		1147.08
6	1	80.3	9			597.03
7	2	91.8	9	1912		408.68
8	1	50.4	9			369.52
9	3	51.6	9	1330	1264	83.22
10	2	65	9	1640		338.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	63.2	10			559.494
2	3	95	10	1172	1821	472.51
3	3	54.6	10	1157	1535	537.62
4	2	74.4	10	1778		29.34
5	1	86.4	10			552.79
6	2	88.7	10	1819		451.49
7	2	72.6	10	1186		504.41
8	2	66.9	10	1667		603.43
9	3	51.1	10	1908	1263	304.3
10	1	86.1	10			600.62
11	2	97.1	10	1949		612.9
12	3	54.1	10	1652	1172	214.78
13	1	58.2	10			442.6
14	1	85	10			749.2
15	3	95.7	10	1809	1429	191.2

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	68.8	6			712.355
2	3	88	6	1408	1817	365.797
3	2	73.1	6	1856		784.784
4	3	81.1	6	1332	1941	577.861
5	2	78.9	6	1358		306.789
6	1	86.1	6			332.556
7	1	61.8	6			603.933
8	1	76.1	6			659.7
9	2	58.3	6	1612		738.287
10	2	66.2	6	1331		525.334
11	3	72.2	6	1516	1744	496.611
12	2	68.7	6	1524		363.279
13	2	54.4	6	1680		601.986
14	3	95.4	6	1891	1468	130.543

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

[illegible]

--

802.11ac (VHT40) - 5310MHz

TYPE 5

Trial #	Chirp Width (MHz)	Subset	Fc
1	10	1	5500
2	9	1	5500
3	19	1	5500
4	5	1	5500
5	18	1	5500
6	13	1	5500
7	17	1	5500
8	16	1	5500
9	19	1	5500
10	14	1	5500
11	17	2	5497.8
12	20	2	5499
13	5	2	5493
14	11	2	5495.4
15	11	2	5495.4
16	16	2	5497.4
17	10	2	5495
18	17	2	5497.8
19	16	2	5497.4
20	5	2	5493
21	7	3	5506.2
22	17	3	5502.2
23	19	3	5501.4
24	11	3	5504.6
25	12	3	5504.2
26	16	3	5502.6
27	18	3	5501.8
28	9	3	5505.4
29	14	3	5503.4
30	15	3	5503

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	68.1	10	1562		172.585
2	2	51.3	10	1726		319.29
3	3	80.4	10	1454	1430	212.79
4	3	57.6	10	1899	1358	364.8
5	1	97.7	10			398.06
6	2	76.1	10	1717		418.83
7	1	64.7	10			79.79
8	1	71.5	10			552.71
9	2	92.4	10	1629		398.57
10	2	69.4	10	1608		138.59
11	3	58.9	10	1866	1402	546.72
12	2	86	10	1660		97.6
13	2	98.9	10	1042		632.9
14	2	63	10	1822		219.4
15	3	79.1	10	1889	1814	634.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	88.9	9	1353		848.348
2	2	71	9	1240		612.071
3	2	61.5	9	1342		585.272
4	2	51.6	9	1418		848.913
5	2	80.7	9	1139		99.194
6	2	75.4	9	1138		453.215
7	1	56	9			320.355
8	3	72.3	9	1729	1251	130.776
9	2	66.1	9	1088		580.447
10	2	99.8	9	1728		615.718
11	2	96.8	9	1259		98.009

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	91.4	19	1205		165.552
2	2	69.3	19	1531		231.71
3	2	88.8	19	1541		149.69
4	2	77.5	19	1369		159.8
5	2	86.6	19	1271		551.82
6	2	55.7	19	1566		946.73
7	2	92.8	19	1054		421.63
8	3	91.4	19	1925	1274	268.66
9	2	63.3	19	1236		519.43
10	3	82.9	19	1019	1305	349.79
11	3	89.5	19	1772	1513	36.1
12	2	86.6	19	1978		472.3

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	71.9	5	1941		206.747
2	2	88.1	5	1377		929.641
3	2	99.1	5	1884		841.172
4	2	73.5	5	1027		617.023
5	2	97.5	5	1541		834.464
6	2	70.2	5	1691		668.035
7	1	62.8	5			44.935
8	1	53.1	5			46.046
9	3	71.8	5	1940	1771	380.807
10	2	72.9	5	1261		584.918
11	3	84.5	5	1809	1361	999.209

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	68.2	18	1941		697.032
2	3	54.9	18	1930	1878	637.873
3	1	69	18			401.446
4	3	54	18	1731	1354	296.649
5	3	60.2	18	1801	1237	483.042
6	1	78	18			99.165
7	2	91.5	18	1144		762.568
8	3	85.6	18	1340	1044	623.412
9	2	79.7	18	1107		698.035
10	2	52.5	18	1807		122.468
11	2	88.2	18	1468		446.001
12	3	88.8	18	1866	1898	855.854
13	2	63.8	18	1893		777.877

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	70.6	13			217.822
2	2	57	13	1146		504.101
3	2	91.8	13	1667		619.972
4	2	69.5	13	1310		67.903
5	3	68.7	13	1073	1840	623.034
6	2	55.7	13	1063		471.485
7	3	53.2	13	1084	1872	454.836
8	3	88.5	13	1889	1096	375.467
9	3	99.4	13	1999	1350	384.898
10	3	94.6	13	1324	1242	319.379
11	3	50.9	13	1126	1501	597.621
12	2	83.6	13	1646		338.022
13	3	77.2	13	1567	1854	124.043
14	1	85.2	13			21.424
15	1	98.2	13			0.325
16	2	54.5	13	1727		579.516
17	1	53.8	13			586.937
18	3	55	13	1528	1546	578.158
19	2	51.8	13	1623		231.879

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	87.3	17	1407		23.811
2	2	70.3	17	1990		164.8
3	2	72.8	17	1847		458.077
4	1	79.9	17			15
5	1	60.4	17			591.313
6	1	98.1	17			178.257
7	2	56.6	17	1796		591.7
8	2	51	17	1641		503.693
9	1	73.7	17			408.127
10	2	52.8	17	1847		358.7
11	1	56.9	17			421.543
12	2	62	17	1689		250.227
13	1	71.3	17			251.46
14	3	55.7	17	1348	1894	601.823
15	3	61.1	17	1301	1446	332.837
16	2	58.2	17	1755		183
17	2	65.7	17	1520		576.433
18	1	85.5	17			655.067

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	77.1	16	1953	1442	624.013
2	1	89.3	16			98.16
3	2	96.1	16	1441		174.407
4	1	69	16			534.1
5	3	62.8	16	1442	1328	393.523
6	2	75	16	1040		164.607
7	1	78.2	16			516.03
8	2	83.8	16	1610		209.453
9	3	76.6	16	1950	1304	644.717
10	2	84.3	16	1437		309.78
11	2	81.2	16	1820		44.443
12	2	50.4	16	1377		10.777
13	1	55.3	16			75.66
14	2	54.7	16	1706		216.033
15	1	72.8	16			125.067
16	3	87.7	16	1002	1673	102.8
17	3	91.8	16	1733	1264	564.633
18	3	73.1	16	1896	1403	579.367

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	91.5	19	1008	1280	1155.95
2	2	59.2	19	1490		993.28
3	2	72.5	19	1976		801.28
4	2	92.8	19	1147		89.84
5	1	95.4	19			611.93
6	2	90.6	19	1131		840.6
7	2	92.1	19	1692		916.86
8	3	61.5	19	1895	1763	396.74
9	2	67.8	19	1147		1005.8
10	1	84.4	19			318.8

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 10

Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	56.5	14	1547		1054.03
2	2	98.6	14	1421		176.87
3	2	73.6	14	1212		80.3
4	3	62.9	14	1578	1169	753.99
5	1	60.3	14			998.67
6	1	77.1	14			630.74
7	3	52.8	14	1662	1327	1180.09
8	1	63.3	14			789.33
9	1	77.3	14			785.5
10	2	86	14	1965		1189.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.3	17	1651		518.558
2	2	61.5	17	1238		29.805
3	2	98.7	17	1657		570.396
4	1	63.5	17			420.969
5	3	75.2	17	1453	1007	504.402
6	2	96.7	17	1869		822.345
7	3	82.9	17	1982	1505	36.368
8	1	96	17			182.512
9	2	97.3	17	1036		817.015
10	2	52.7	17	1634		494.018
11	2	66.7	17	1049		281.131
12	1	70.4	17			313.854
13	3	52	17	1557	1297	307.977

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	54.1	20			331.332
2	2	53.8	20	1914		525.968
3	1	87	20			645.205
4	2	94.4	20	1238		410.463
5	2	92.7	20	1830		298.421
6	1	56.2	20			101.118
7	3	58.9	20	1413	1248	133.936
8	2	69.4	20	1295		388.064
9	2	79.6	20	1144		483.801
10	1	93.1	20			383.989
11	2	53.5	20	1060		640.216
12	2	59.1	20	1792		261.654
13	2	87	20	1472		378.602
14	1	65.4	20			601.639
15	3	70.2	20	1608	1217	460.247
16	2	85.6	20	1901		377.065
17	3	99.1	20	1215	1380	550.682

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	90.6	5	1949	1591	343.886
2	2	92.9	5	1344		301.988
3	2	64.6	5	1610		32.345
4	2	90.2	5	1932		95.903
5	2	88.1	5	1101		646.801
6	1	79.3	5			286.028
7	3	59.3	5	1162	1758	240.836
8	2	62.5	5	1940		284.374
9	2	92.7	5	1146		39.291
10	3	84.3	5	1168	1680	643.159
11	2	85.2	5	1101		21.236
12	1	90.2	5			600.634
13	2	95.6	5	1290		686.382
14	1	86.1	5			6.909
15	3	67.1	5	1844	1106	53.597
16	2	72.4	5	1651		363.265
17	2	57.3	5	1603		114.882

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	80.7	11	1878		740.464
2	2	79.6	11	1036		67.951
3	3	64.1	11	1996	1763	296.052
4	2	98.9	11	1942		455.983
5	2	73.9	11	1459		205.114
6	2	56.8	11	1260		51.185
7	2	52.1	11	1032		120.285
8	2	77.5	11	1296		962.266
9	2	50.2	11	1908		876.377
10	2	98.6	11	1744		333.918
11	1	93.3	11			666.809

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	65.4	11	1181		945.989
2	3	95.3	11	1006	1749	445.36
3	2	55.9	11	1170		186.67
4	2	89	11	1482		805.69
5	1	50.4	11			46.37
6	2	90.4	11	1947		28.39
7	2	59.5	11	1166		669.63
8	2	89.7	11	1737		1035.41
9	1	56.1	11			781
10	2	62.1	11	1882		20.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	53.4	16			458.107
2	1	90.9	16			308.777
3	1	99.7	16			841.123
4	2	61.8	16	1541		146.58
5	3	66.9	16	1410	1657	271.527
6	3	52	16	1875	1336	595.743
7	2	76	16	1478		283.85
8	2	99.6	16	1755		117.297
9	2	71.1	16	1535		1259.133

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	89.3	10	1438		538.553
2	2	96.5	10	1359		683.98
3	2	86.6	10	1300		717.83
4	2	75.9	10	1251		959.12
5	2	99.6	10	1460		282.55
6	2	88.4	10	1712		774.16
7	2	94.9	10	1965		461.27
8	3	81	10	1745	1300	276.68
9	3	77.6	10	1687	1279	430.36
10	1	92.1	10			788.31
11	1	90.4	10			903.5
12	1	87	10			727.5

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	82	17			451.535
2	2	79.6	17	1117		663.213
3	3	86.7	17	1522	1646	568.246
4	1	61.3	17			890.279
5	2	70.4	17	1077		399.222
6	3	71.8	17	1783	1781	839.145
7	1	90.5	17			124.908
8	2	57.5	17	1243		658.212
9	2	88.7	17	1748		636.685
10	2	59.7	17	1884		418.768
11	2	62.6	17	1444		76.921
12	2	55.3	17	1631		682.954
13	1	60.3	17			767.077

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	94.7	16	1123		1121.82
2	1	77	16			419.88
3	2	99.8	16	1949		577.16
4	1	75.9	16			282.05
5	2	98.6	16	1422		217.02
6	2	77.3	16	1705		1085.27
7	3	51.3	16	1206	1360	1175.25
8	2	88.8	16	1942		1183.21
9	2	76.4	16	1081		665.3
10	3	71.6	16	1549	1705	952.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	94.3	5	1605	1973	325.372
2	2	88.6	5	1722		307.52
3	3	51.2	5	1101	1746	503.27
4	1	86.9	5			523.88
5	2	53.1	5	1353		592.58
6	1	83.3	5			315.23
7	2	93.1	5	1788		741.61
8	3	59.8	5	1787	1538	753.04
9	2	56.9	5	1382		270.59
10	3	55	5	1443	1551	768.34
11	2	96	5	1884		367.96
12	1	54.5	5			267.17
13	3	98.4	5	1997	1590	348.93
14	3	65.6	5	1295	1529	105.2
15	3	77.8	5	1110	1106	41.8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	65.7	7	1304		10.283
2	2	70.7	7	1670		293.413
3	3	56.6	7	1923	1736	323.526
4	2	50.8	7	1205		585.939
5	3	72.5	7	1333	1696	504.082
6	2	60.3	7	1477		100.675
7	2	97.4	7	1065		535.018
8	2	88.9	7	1588		481.142
9	2	96.3	7	1682		630.045
10	2	94.4	7	1555		50.318
11	2	59.4	7	1456		283.131
12	2	55.5	7	1277		669.254
13	1	67	7			434.577

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	88.1	17	1270		629.323
2	2	66.4	17	1606		364.378
3	2	90.4	17	1409		622.715
4	2	56.6	17	1535		155.383
5	1	67.1	17			179.531
6	2	51.5	17	1587		407.308
7	3	89.1	17	1885	1270	210.736
8	2	91.5	17	1178		180.154
9	2	67.2	17	1863		53.441
10	1	55.4	17			457.939
11	2	96.8	17	1049		568.156
12	2	74.6	17	1655		581.024
13	2	71.3	17	1802		37.342
14	3	72.6	17	1435	1662	641.299
15	2	93.9	17	1243		692.847
16	2	71.2	17	1533		636.665
17	3	63.8	17	1720	1182	212.682

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	62.6	11	1296		422.501
2	2	70.2	11	1128		100.644
3	1	59	11			209.267
4	3	57.2	11	1711	1016	161.72
5	1	67.5	11			439.503
6	2	50.7	11	1965		155.877
7	2	99.4	11	1002		9.29
8	2	81.1	11	1231		196.453
9	2	60.8	11	1826		146.907
10	3	69.6	11	1659	1783	4.36
11	3	69.8	11	1788	1862	353.383
12	1	97.1	11			603.657
13	2	56.9	11	1493		17.94
14	2	82.7	11	1089		607.813
15	1	52.2	11			311.207
16	1	86.9	11			364.1
17	1	56	11			252.933
18	2	77.9	11	1320		611.167

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	61	12			551.001
2	2	90.5	12	1340		576.671
3	3	73.3	12	1563	1570	57.442
4	1	50	12			118.093
5	1	64.9	12			415.164
6	3	93.2	12	1448	1800	305.485
7	2	93.6	12	1644		245.636
8	2	64.2	12	1497		399.267
9	3	75	12	1748	1739	198.618
10	1	62.5	12			567.339
11	1	70.5	12			87.991
12	1	84.4	12			101.692
13	2	86.2	12	1091		558.373
14	2	75.8	12	1420		126.844
15	1	87.2	12			441.275
16	1	82.7	12			120.346
17	1	85.3	12			171.037
18	1	86.5	12			572.458
19	3	89.4	12	1005	1830	547.779

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	94.6	16	1588		909.239
2	3	81.2	16	1531	1188	364.393
3	2	81.9	16	1341		605.036
4	3	51.3	16	1151	1254	679.399
5	2	93.3	16	1674		533.162
6	3	58	16	1501	1035	604.245
7	3	84.7	16	1983	1285	530.348
8	3	55.9	16	1852	1384	330.912
9	1	79	16			471.995
10	1	76	16			916.058
11	2	87.3	16	1283		433.701
12	2	59	16	1341		213.554
13	3	95.7	16	1890	1250	526.177

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	67.2	18	1626	1760	496.663
2	2	99.3	18	1979		490.43
3	2	55	18	1743		863.77
4	2	58.9	18	1056		413.19
5	1	68.7	18			184.51
6	2	64.9	18	1206		155.8
7	2	72.3	18	1281		585.41
8	3	63.1	18	1346	1312	214.91
9	2	95.5	18	1406		390.72
10	1	86.4	18			874.83
11	2	69.7	18	1038		992.9
12	2	52.7	18	1914		830.7

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	76.5	14	1768	1052	441.498
2	1	92.1	14			366.306
3	1	96.6	14			321.442
4	1	70.1	14			173.493
5	3	78.4	14	1177	1331	456.234
6	1	63.9	14			606.765
7	3	99.8	14	1340	1024	133.986
8	1	50.7	14			14.907
9	2	87.1	14	1077		78.628
10	2	85.6	14	1963		367.149
11	2	95	14	1990		534.291
12	2	50.1	14	1994		444.352
13	1	96.8	14			54.293
14	1	96.6	14			68.784
15	1	60.7	14			596.985
16	2	81.4	14	1864		178.466
17	2	75.5	14	1061		379.837
18	1	97.5	14			228.058
19	1	50.1	14			1.379

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	53.6	15	1505		52.155
2	2	66.9	15	1197		467.841
3	3	90.7	15	1182	1699	445.662
4	2	61.3	15	1298		564.843
5	1	67.7	15			554.094
6	2	54.3	15	1380		594.515
7	3	94.5	15	1855	1329	334.626
8	2	69.4	15	1622		308.907
9	2	75.7	15	1828		341.908
10	2	91.6	15	1621		389.989
11	3	73.3	15	1039	1939	594.331
12	2	54.3	15	1358		619.132
13	1	82.7	15			449.393
14	2	82.2	15	1571		173.844
15	3	77.9	15	1424	1341	17.305
16	2	86.9	15	1125		21.436
17	2	93.9	15	1318		259.237
18	2	59.8	15	1443		173.958
19	3	84.9	15	1887	1343	598.279

802.11ac (VHT40) - 5510MHz

TYPE 5

Trial #	Chirp Width (MHz)	Subset	Fc
1	15	1	5510
2	11	1	5510
3	7	1	5510
4	6	1	5510
5	5	1	5510
6	9	1	5510
7	7	1	5510
8	7	1	5510
9	6	1	5510
10	17	1	5510
11	12	2	5494.8
12	12	2	5494.8
13	9	2	5493.6
14	14	2	5495.6
15	5	2	5492
16	7	2	5492.8
17	11	2	5494.4
18	18	2	5497.2
19	20	2	5498
20	9	2	5493.6
21	20	3	5522
22	8	3	5526.8
23	11	3	5525.6
24	18	3	5522.8
25	19	3	5522.4
26	5	3	5528
27	13	3	5524.8
28	6	3	5527.6
29	8	3	5526.8
30	17	3	5523.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	95.1	15	1973		527.432
2	2	76.9	15	1263		431.67
3	3	71	15	1438	1486	243.63
4	2	59.5	15	1473		814.15
5	2	91.4	15	1937		852.86
6	2	63.9	15	1781		267.39
7	1	69.6	15			770.21
8	3	66.8	15	1241	1946	492.84
9	2	56.1	15	1260		923.7
10	2	89.7	15	1196		364

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	73.4	7			498.534
2	3	50.8	7	1955	1154	173.861
3	1	77.7	7			571.152
4	2	82.1	7	1214		814.643
5	2	62.3	7	1279		60.024
6	1	59.1	7			312.325
7	2	87.8	7	1775		698.445
8	1	88.7	7			206.556
9	1	68.1	7			42.167
10	3	53.9	7	1030	1717	131.528
11	3	91.6	7	1492	1326	104.909

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	84.8	6	1713		35.819
2	2	64.5	6	1886		537.85
3	2	89.3	6	1820		206.8
4	2	63.4	6	1624		276.48
5	2	76.8	6	1611		314.23
6	2	76.2	6	1452		317.99
7	1	92.6	6			652.52
8	2	54.5	6	1530		530.08
9	3	79	6	1486	1250	87.24
10	2	50.6	6	1241		130.95
11	2	62.3	6	1669		650.4
12	2	94.6	6	1128		75.81
13	1	92.2	6			192.65
14	2	64.8	6	1325		585.1
15	2	54.3	6	1879		503.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	81.2	5	1459	1195	637.141
2	2	55.6	5	1871		211.715
3	2	53.5	5	1369		531.567
4	1	78.4	5			617.86
5	2	50.8	5	1529		117.413
6	2	91.1	5	1276		283.197
7	2	84.8	5	1295		64.44
8	2	60.2	5	1643		66.583
9	3	89	5	1779	1916	60.827
10	2	63.7	5	1759		522.54
11	2	82.3	5	1741		282.763
12	2	86.7	5	1290		476.007
13	1	69.4	5			147.13
14	1	89	5			208.123
15	3	53.2	5	1901	1704	80.157
16	1	99.4	5			639.7
17	2	73.7	5	1220		558.433
18	2	51.7	5	1888		64.367

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	78.6	9	1130	1846	712.685
2	2	74.1	9	1139		205.693
3	3	88.5	9	1094	1208	805.286
4	2	70.4	9	1022		361.199
5	3	51	9	1482	1667	615.462
6	2	67.2	9	1122		237.485
7	2	78.5	9	1933		442.228
8	3	69.9	9	1343	1206	176.252
9	2	90.3	9	1397		145.995
10	2	55.1	9	1523		251.828
11	2	98.4	9	1970		779.431
12	3	92.3	9	1578	1671	277.254
13	2	88.4	9	1059		564.777

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	65.9	7			392.274
2	3	71.1	7	1971	1247	337.5
3	2	92.5	7	1050		194.542
4	2	72.2	7	1366		459.283
5	2	88.8	7	1014		86.034
6	2	95.4	7	1179		70.045
7	1	50.2	7			243.446
8	1	57.9	7			173.317
9	1	87	7			48.478
10	1	88.8	7			420.049
11	2	87.4	7	1926		477.081
12	3	66.1	7	1288	1785	11.882
13	1	63.6	7			251.263
14	3	89.7	7	1737	1435	348.114
15	2	69.4	7	1517		608.295
16	2	73.8	7	1096		590.316
17	2	92.3	7	1564		266.237
18	2	70.6	7	1552		350.158
19	2	86	7	1880		100.379

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	59	7	1127	1791	452.825
2	2	73.8	7	1932		186.806
3	2	77.4	7	1884		298.117
4	2	50.8	7	1834		535.75
5	1	57.8	7			598.203
6	3	90.6	7	1804	1629	623.407
7	2	51.1	7	1733		210.19
8	1	88.3	7			119.003
9	2	67.3	7	1867		625.997
10	3	71.9	7	1222	1500	452.52
11	1	56.7	7			75.403
12	2	89.3	7	1899		84.027
13	2	61.2	7	1644		178.13
14	2	51.6	7	1246		136.043
15	2	98.4	7	1505		463.067
16	1	82.3	7			586.5
17	2	94.8	7	1980		190.733
18	2	56.8	7	1101		58.867

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	53.7	6	1690		70.53
2	3	66.9	6	1154	1142	343.953
3	1	97.6	6			485.876
4	1	68.7	6			858.759
5	1	93	6			257.162
6	2	51.7	6	1229		122.535
7	2	89.4	6	1610		56.628
8	1	93.6	6			318.952
9	2	87.8	6	1226		144.835
10	3	75	6	1898	1598	823.448
11	1	75.4	6			151.781
12	3	60.4	6	1963	1266	567.754
13	2	94.4	6	1809		637.577

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	77.6	17	1409		1037.16
2	1	66.5	17			48.441
3	2	82	17	1492		480.812
4	2	65.1	17	1031		140.123
5	3	55.9	17	1821	1989	1009.544
6	1	61.7	17			973.205
7	2	57.7	17	1493		439.495
8	2	87.5	17	1447		1029.786
9	2	70.8	17	1303		421.417
10	2	65.1	17	1026		63.248
11	2	69.8	17	1217		778.509

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	90.9	12	1920		663.256
2	1	53.7	12			916.407
3	2	51.4	12	1386		183.193
4	1	57.5	12			1179.09
5	2	88.1	12	1604		832.857
6	3	83.7	12	1465	1359	642.213
7	3	57.3	12	1224	1750	1102.45
8	2	53.3	12	1391		645.027
9	2	80.6	12	1595		1245.333

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	76	12	1382		548.308
2	2	85.7	12	1725		372.503
3	2	59.5	12	1551		307.676
4	2	93	12	1210		566.609
5	1	68.7	12			506.202
6	2	84.1	12	1189		816.725
7	2	78.3	12	1384		662.478
8	2	64.2	12	1843		716.462
9	2	63.6	12	1067		345.625
10	2	86.3	12	1979		363.808
11	1	58.6	12			537.001
12	2	60.1	12	1752		148.954
13	3	52.8	12	1143	1794	517.977

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	69.4	9	1765	1279	344.74
2	2	53.8	9	1892		568.7
3	2	98.3	9	1998		136.08
4	2	88.7	9	1504		209.31
5	2	84.6	9	1177		6.37
6	2	85.6	9	1210		374.1
7	3	67.3	9	1410	1895	701.8
8	1	76.4	9			589.17
9	3	81.5	9	1986	1502	700.55
10	2	84.5	9	1472		388.73
11	3	66.9	9	1884	1551	606.84
12	2	61.4	9	1134		623.65
13	2	65.6	9	1066		692.5
14	1	65.8	9			734.4
15	1	54.8	9			102.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	94	14	1998		410.635
2	2	85.7	14	1934		788.461
3	3	88.4	14	1919	1684	116.002
4	2	60.1	14	1399		568.773
5	1	60.9	14			42.844
6	2	77.4	14	1653		88.415
7	2	63.8	14	1370		66.905
8	2	59.9	14	1707		695.126
9	2	84.4	14	1126		549.357
10	2	69	14	1367		433.618
11	2	51.3	14	1591		649.109

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	51.3	5			565.969
2	2	54.7	5	1385		12.875
3	3	79.4	5	1377	1060	171.235
4	3	93.8	5	1322	1907	193.863
5	1	58.1	5			178.081
6	2	55	5	1470		152.698
7	3	88	5	1407	1152	39.386
8	2	87.4	5	1115		638.144
9	1	68.6	5			224.171
10	1	58.5	5			478.179
11	2	69	5	1942		577.986
12	1	90.1	5			406.884
13	3	50.1	5	1533	1714	117.602
14	3	77	5	1095	1792	507.629
15	3	51.2	5	1965	1397	401.547
16	2	86.6	5	1111		307.565
17	1	82.1	5			384.482

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	68.4	7	1976		279.409
2	3	76.6	7	1930	1560	249.363
3	1	63.8	7			219.565
4	3	71.8	7	1036	1643	458.433
5	2	56	7	1320		172.971
6	3	76.2	7	1911	1914	646.708
7	2	82.9	7	1452		613.556
8	2	90.4	7	1692		128.394
9	1	75.2	7			375.061
10	2	82	7	1874		523.169
11	2	98.4	7	1971		378.346
12	2	69.7	7	1485		361.404
13	2	94.5	7	1349		90.332
14	2	98.4	7	1619		452.899
15	2	78.5	7	1525		515.547
16	3	54.1	7	1767	1953	34.165
17	2	85.5	7	1055		450.982

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	82.6	11	1961	1174	263.52
2	3	63.7	11	1213	1726	208.289
3	2	75.5	11	1939		382.53
4	2	61.4	11	1947		423.71
5	2	64.1	11	1663		343.19
6	2	85	11	1805		534.01
7	2	58.7	11	1125		514.06
8	2	51.2	11	1876		122.83
9	1	79.4	11			461.31
10	2	70.6	11	1315		457.34
11	2	70.8	11	1974		259.57
12	1	81.9	11			515.15
13	3	86.2	11	1942	1910	666.39
14	3	55.7	11	1558	1409	357.5
15	3	98.8	11	1688	1697	245.6
16	3	87.3	11	1843	1459	469.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	92.1	18	1361		767.764
2	3	65.3	18	1085	1675	371.917
3	2	73.2	18	1973		389.714
4	3	62.2	18	1413	1753	258.801
5	2	69.5	18	1945		144.449
6	1	89	18			633.716
7	2	85.9	18	1452		569.983
8	2	65.5	18	1540		248.57
9	3	57.6	18	1151	1931	66.877
10	3	98.7	18	1376	1632	159.564
11	2	60.2	18	1000		360.501
12	3	64.8	18	1536	1358	392.649
13	2	81.8	18	1548		701.786
14	1	94.6	18			403.743

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	81.2	20			225.936
2	2	74.7	20	1001		1255.707
3	3	58.3	20	1676	1835	1240.663
4	1	88.8	20			1270.91
5	1	75.1	20			958.727
6	3	76.6	20	1504	1531	339.943
7	2	91.6	20	1274		424.49
8	2	99.8	20	1945		19.417
9	2	66.3	20	1760		219.233

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	85.9	9			5.8
2	1	78.6	9			543.531
3	1	67.9	9			614.982
4	2	96.8	9	1408		619.643
5	3	60.8	9	1684	1814	131.294
6	2	61.7	9	1430		129.975
7	2	76.8	9	1018		575.746
8	2	51.5	9	1230		366.047
9	2	88.8	9	1798		216.438
10	2	77.7	9	1081		86.099
11	3	79.9	9	1485	1681	532.251
12	3	99.8	9	1244	1364	41.672
13	2	97.1	9	1374		310.933
14	3	99.7	9	1486	1545	496.054
15	3	60.7	9	1863	1348	592.905
16	1	60.6	9			256.876
17	2	79.2	9	1125		456.237
18	2	79.3	9	1163		477.558
19	1	96.8	9			601.579

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	83.6	20	1565		219.905
2	2	89.3	20	1602		733.143
3	2	85.3	20	1814		428.056
4	2	62.5	20	1798		198.099
5	2	61	20	1464		795.632
6	3	59.8	20	1122	1242	271.025
7	3	54.6	20	1521	1305	226.118
8	1	93.6	20			694.302
9	2	93.4	20	1429		233.265
10	2	94.8	20	1173		662.038
11	2	68.6	20	1219		577.181
12	1	64.4	20			563.354
13	2	85	20	1899		15.177

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	69.2	8			603.759
2	2	97.8	8	1866		125.527
3	3	69.2	8	1663	1773	280.842
4	2	74.1	8	1703		568.633
5	1	94.1	8			458.574
6	2	98.7	8	1933		199.095
7	2	95.6	8	1837		106.336
8	1	81.5	8			623.687
9	2	85	8	1742		398.478
10	1	87.2	8			177.329
11	2	78.9	8	1134		608.571
12	1	77	8			233.002
13	3	56.7	8	1890	1889	481.773
14	2	74.1	8	1649		7.534
15	3	88.4	8	1829	1292	458.925
16	3	69.3	8	1038	1589	188.806
17	2	73.7	8	1691		470.337
18	3	97.5	8	1134	1467	394.558
19	3	94.4	8	1474	1069	393.979

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	62.2	11			252.186
2	3	99.1	11	1524	1929	745.813
3	2	94	11	1192		498.456
4	1	51.9	11			176.179
5	2	61.2	11	1617		260.072
6	2	53.5	11	1814		11.915
7	1	68.2	11			53.538
8	3	56.5	11	1006	1382	451.762
9	3	87	11	1485	1221	329.605
10	3	92.7	11	1140	1802	336.278
11	2	75	11	1047		525.081
12	3	66.2	11	1277	1552	710.354
13	2	60.1	11	1003		900.777

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	92.8	18	1412		476.183
2	3	51.8	18	1690	1974	185.81
3	1	70.5	18			456.037
4	1	97.4	18			657.39
5	1	67.5	18			248.403
6	3	90.6	18	1318	1980	237.867
7	1	57.3	18			185.67
8	2	52.6	18	1721		195.063
9	3	78.2	18	1647	1093	609.937
10	1	57.4	18			299.78
11	1	74.2	18			143.753
12	2	61.5	18	1898		137.217
13	1	65.5	18			432.03
14	2	60.8	18	1053		71.243
15	1	68.8	18			615.817
16	2	88.3	18	1826		264.2
17	2	75.4	18	1896		614.033
18	2	81.8	18	1299		493.867

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.9	19	1593		562.047
2	1	69.1	19			619.693
3	3	92.9	19	1410	1108	423.037
4	2	98.7	19	1213		396.5
5	3	63.4	19	1960	1187	164.993
6	1	74.5	19			346.587
7	2	63.8	19	1180		40.88
8	2	94	19	1004		363.773
9	1	96.7	19			414.157
10	1	55.6	19			649.9
11	1	74.5	19			106.143
12	2	82.9	19	1902		563.487
13	2	65.2	19	1650		38.12
14	1	72.8	19			58.143
15	1	71.4	19			506.457
16	3	58.5	19	1304	1513	409.1
17	3	90.3	19	1765	1929	543.233
18	2	71.1	19	1301		431.867

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	67	5			720.017
2	1	50.2	5			374.26
3	2	56.1	5	1087		345.04
4	2	74.9	5	1052		614.12
5	2	61.4	5	1247		256.68
6	1	85.9	5			310.05
7	2	59.2	5	1112		659.01
8	3	90.1	5	1472	1963	2.63
9	2	71.1	5	1097		33.19
10	1	75.7	5			397.92
11	2	52.5	5	1973		453.45
12	1	61.1	5			339.11
13	3	50.9	5	1258	1664	484.5
14	1	88	5			458
15	2	64.1	5	1363		465.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	91.4	13	1105		251.643
2	1	86.5	13			193.78
3	1	65.7	13			521.81
4	3	85	13	1580	1227	378.22
5	3	78.5	13	1884	1906	339.55
6	3	85.1	13	1352	1534	47.07
7	2	73.9	13	1363		276.69
8	2	67.9	13	1155		176.96
9	3	77	13	1992	1660	280.71
10	1	86.2	13			443.45
11	1	73.8	13			336.25
12	1	51.1	13			237.44
13	1	52.8	13			13.7
14	2	54.1	13	1415		582.83
15	2	53.6	13	1232		549.05
16	2	92.3	13	1166		465.41
17	2	85.4	13	1180		358.99
18	2	73.1	13	1015		486.4
19	1	89.8	13			184.6
20	2	95.5	13	1336		297.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	96.2	6			214.445
2	2	87.6	6	1775		17.358
3	2	91.3	6	1429		28.562
4	2	63.1	6	1583		490.603
5	2	93.7	6	1928		307.244
6	2	98.6	6	1485		60.105
7	2	55	6	1058		290.366
8	2	53	6	1822		554.157
9	1	61.6	6			611.018
10	3	82.5	6	1805	1784	526.109
11	2	52.3	6	1278		540.931
12	1	66.2	6			223.252
13	2	91.2	6	1945		298.253
14	3	89.6	6	1594	1385	191.764
15	2	81.2	6	1855		351.975
16	3	50	6	1631	1119	226.766
17	1	81.3	6			344.637
18	2	65.2	6	1549		131.858
19	2	73.9	6	1666		331.779

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	70.6	8			180.577
2	1	81.1	8			173.603
3	1	58.7	8			832.676
4	2	84.9	8	1450		597.229
5	3	99.5	8	1346	1178	715.762
6	3	70.8	8	1359	1256	794.195
7	2	77.7	8	1452		219.448
8	3	55.9	8	1241	1311	309.472
9	2	65.1	8	1376		58.715
10	2	59.3	8	1307		99.788
11	2	79.6	8	1194		649.681
12	2	94.1	8	1485		392.154
13	2	88.8	8	1802		485.477

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	69.6	17	1784		290.824
2	3	85.4	17	1959	1976	164.16
3	1	53.2	17			648.35
4	3	99.3	17	1003	1289	121.9
5	3	69.8	17	1284	1297	504.81
6	2	88.3	17	1988		912.2
7	3	74.2	17	1388	1727	292.99
8	2	87.2	17	1223		43.86
9	1	83.6	17			218.44
10	1	93.2	17			214.73
11	3	63.2	17	1153	1202	648.5
12	1	62	17			724.2

--

802.11ac (VHT80) - 5290MHz

TYPE 5

Trial #	Chirp Width (MHz)	Subset	Fc
1	10	1	5290
2	10	1	5290
3	8	1	5290
4	6	1	5290
5	9	1	5290
6	7	1	5290
7	6	1	5290
8	16	1	5290
9	13	1	5290
10	6	1	5290
11	13	2	5255.2
12	7	2	5252.8
13	16	2	5256.4
14	19	2	5257.6
15	19	2	5257.6
16	6	2	5252.4
17	11	2	5254.4
18	12	2	5254.8
19	8	2	5253.2
20	16	2	5256.4
21	20	3	5322
22	15	3	5324
23	10	3	5326
24	7	3	5327.2
25	8	3	5326.8
26	19	3	5322.4
27	10	3	5326
28	7	3	5327.2
29	11	3	5325.6
30	19	3	5322.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	66.3	10	1658		689.502
2	3	54.5	10	1619	1368	952.93
3	2	58.8	10	1021		757.62
4	3	96.6	10	1087	1957	906.07
5	3	62	10	1542	1235	821.77
6	3	90.6	10	1772	1147	343.98
7	2	59.7	10	1943		502.13
8	2	59.2	10	1422		723.58
9	2	76.4	10	1788		553.39
10	2	52.2	10	1081		367.51
11	2	52.6	10	1594		444.7
12	3	60.5	10	1093	1778	913.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	73.3	10	1010		751.555
2	2	77	10	1879		705.617
3	1	62.2	10			113.844
4	1	85.6	10			703.701
5	2	89.1	10	1819		194.779
6	1	93.6	10			681.916
7	3	53	10	1597	1122	646.963
8	2	60.7	10	1584		355.8
9	1	94.2	10			373.777
10	1	74.1	10			135.424
11	1	58	10			299.821
12	2	65.9	10	1114		337.999
13	2	57.5	10	1402		360.786
14	3	72.3	10	1408	1828	234.443

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	88.2	8	1751	1597	115.278
2	3	70.8	8	1308	1368	43.455
3	2	90.2	8	1306		866.586
4	1	95.1	8			13.709
5	1	62.4	8			366.672
6	3	91.3	8	1420	1243	240.335
7	1	78.2	8			647.708
8	3	66.3	8	1043	1802	915.652
9	2	53	8	1548		666.925
10	3	62.3	8	1738	1976	557.018
11	2	94.5	8	1043		700.441
12	2	64.5	8	1441		117.854
13	2	82	8	1792		849.277

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	94.2	6	1409	1194	667.491
2	2	85.9	6	1569		120.263
3	1	76.4	6			522.174
4	1	55.8	6			34.201
5	3	96.4	6	1657	1270	310.569
6	1	73.4	6			315.256
7	2	52.9	6	1377		568.983
8	1	70.8	6			633.27
9	2	59.1	6	1606		738.587
10	2	64.5	6	1949		672.654
11	3	68.2	6	1274	1398	785.921
12	2	68.6	6	1856		517.149
13	3	53.4	6	1121	1524	722.986
14	2	83.5	6	1689		26.843

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	84.6	9	1218		195.081
2	3	74.4	9	1185	1139	709.88
3	1	64	9			510.73
4	3	72.6	9	1107	1256	772.01
5	2	79.3	9	1583		319.6
6	2	77.6	9	1564		35.09
7	1	69.4	9			304.18
8	2	95.3	9	1434		654.81
9	3	50.4	9	1423	1666	676.64
10	2	66.8	9	1439		326.66
11	2	60	9	1995		717.04
12	1	67	9			514.01
13	2	77.3	9	1511		742.3
14	2	56.9	9	1710		222.1
15	3	56.7	9	1174	1461	639.8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	96	7			165.004
2	2	92.7	7	1079		881.123
3	2	81.3	7	1484		109.026
4	3	52.1	7	1290	1332	605.399
5	3	93.8	7	1072	1132	606.832
6	2	70	7	1484		877.925
7	2	92.9	7	1339		146.418
8	2	51.2	7	1368		692.342
9	2	75.8	7	1034		562.115
10	3	91.4	7	1946	1849	800.048
11	2	50.9	7	1367		129.221
12	2	65.6	7	1999		869.254
13	2	53.8	7	1359		875.277

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	61.2	6	1755		735.024
2	1	78.3	6			779.76
3	1	92.6	6			576.08
4	2	73.7	6	1703		350.97
5	3	88.3	6	1237	1602	578.37
6	1	92.1	6			265.17
7	2	95.5	6	1226		170.9
8	2	62.9	6	1626		519.83
9	2	56.9	6	1867		728.81
10	2	63.6	6	1797		169.34
11	1	78.7	6			214.36
12	1	94	6			658.57
13	3	61.9	6	1981	1913	290.08
14	2	58.5	6	1622		0.5
15	2	69.1	6	1318		696

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	67	16	1323	1126	332.419
2	3	79	16	1327	1210	226.918
3	1	89.3	16			383.152
4	2	91.9	16	1775		120.303
5	3	89.5	16	1162	1637	538.374
6	1	96.5	16			336.755
7	3	64.3	16	1982	1673	620.696
8	2	67.5	16	1617		230.337
9	2	84.9	16	1908		184.108
10	1	56	16			159.949
11	3	71.5	16	1245	1934	79.201
12	1	74.6	16			124.862
13	3	57.2	16	1191	1768	118.523
14	2	59.1	16	1413		475.274
15	2	70.7	16	1704		264.615
16	1	80.9	16			272.316
17	1	51.8	16			330.737
18	1	91.2	16			622.458
19	3	62.4	16	1831	1135	172.379

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 12

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	56	13	1988	1583	757.863
2	2	94.9	13	1564		154.01
3	2	80.7	13	1990		647.06
4	2	61.7	13	1614		564.57
5	2	86.3	13	1059		69.32
6	2	72.5	13	1730		477.48
7	3	99.7	13	1440	1452	203.29
8	2	52.9	13	1646		37.1
9	2	57.2	13	1345		299.61
10	1	77.2	13			268.96
11	2	93.6	13	1592		801
12	3	61.5	13	1423	1470	140

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	72.2	6			668.689
2	2	68.7	6	1395		261.993
3	2	51.1	6	1532		321.756
4	1	89.6	6			313.409
5	2	77.7	6	1923		341.702
6	1	92.8	6			391.865
7	2	76.1	6	1262		824.358
8	2	72.7	6	1772		787.252
9	3	78.4	6	1872	1322	384.405
10	2	74.3	6	1922		187.628
11	1	76.4	6			907.931
12	1	56.3	6			99.954
13	2	80.3	6	1633		306.677

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	95.9	13	1383		304.124
2	1	81.2	13			1029.12
3	1	51.7	13			121.81
4	2	92.9	13	1253		1038.28
5	2	96.8	13	1295		915.89
6	3	96.5	13	1387	1676	724.56
7	2	57.9	13	1320		275.71
8	2	81.4	13	1168		156.48
9	1	87.4	13			647.2
10	3	71.3	13	1760	1979	352.6

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	86.4	7	1165		845.969
2	2	72.3	7	1664		520.27
3	2	86.1	7	1373		588.7
4	1	83.3	7			1114.01
5	3	89.1	7	1775	1566	1121.15
6	1	51	7			133.28
7	2	59	7	1850		1076.02
8	2	91.6	7	1707		712.08
9	2	54.8	7	1871		560.6
10	3	51.9	7	1999	1745	1191.8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	64.1	16	1388	1871	233.757
2	3	68.6	16	1377	1124	290.16
3	2	91.9	16	1383		87.53
4	1	87.3	16			73.04
5	2	52.5	16	1742		673.29
6	1	79.4	16			850.63
7	2	79.3	16	1324		446.94
8	2	75.9	16	1545		986.31
9	2	82.5	16	1109		611.02
10	2	81.9	16	1747		533.46
11	2	78.7	16	1461		785.3
12	2	54.4	16	1708		355.7

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	69.3	19	1746	1748	351.592
2	2	80	19	1021		925.027
3	3	65.6	19	1985	1979	312.703
4	2	58.3	19	1687		1323.36
5	2	98	19	1896		173.107
6	3	90.6	19	1374	1859	54.923
7	3	51.5	19	1408	1627	1128.85
8	1	91.4	19			1134.367
9	2	62.5	19	1715		1313.133

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	86.2	19	1679	1625	451.02
2	1	90.2	19			994.531
3	1	66.4	19			1023.352
4	2	97.8	19	1584		66.873
5	1	98.8	19			276.314
6	2	90.6	19	1630		327.285
7	2	90.4	19	1367		349.415
8	2	91.3	19	1380		650.306
9	1	88.5	19			268.497
10	2	65.4	19	1771		556.218
11	2	93.1	19	1693		996.809

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	80.1	6	1236		23.753
2	3	66.5	6	1203	1017	537.531
3	2	70.8	6	1048		57.312
4	2	70	6	1817		545.333
5	3	57.4	6	1490	1830	246.004
6	3	52.6	6	1536	1689	76.735
7	2	95.4	6	1103		1009.665
8	3	86.7	6	1765	1456	274.046
9	2	69.5	6	1751		524.527
10	1	93.6	6			840.018
11	2	99	6	1962		360.409

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	96.3	11	1016		1257.77
2	1	97.3	11			794.907
3	2	61.2	11	1550		151.223
4	1	81.5	11			586.65
5	3	65.7	11	1146	1941	93.907
6	2	97.7	11	1153		743.493
7	2	96.7	11	1575		592.38
8	2	71.2	11	1067		246.557
9	2	76.7	11	1449		86.633

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	72.2	8	1119	1435	908.2
2	2	65.6	8	1333		1164.92
3	2	79.4	8	1567		864.07
4	2	79.6	8	1360		1164.57
5	2	72.2	8	1513		7.51
6	3	76.6	8	1168	1732	829.75
7	2	53.2	8	1837		443.24
8	2	59.2	8	1288		1035.45
9	2	52.4	8	1767		1188.9
10	2	76	8	1482		116.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	100	16	1652	1314	509.004
2	1	97	16			349.985
3	2	90.8	16	1019		192.71
4	2	74.8	16	1918		556.46
5	3	82.4	16	1026	1211	262.14
6	1	62.1	16			289.89
7	2	64.2	16	1624		144.9
8	2	67.1	16	1869		97.65
9	1	52.3	16			442.72
10	3	96.6	16	1027	1243	151.38
11	3	94.2	16	1370	1237	211.66
12	2	83.1	16	1847		353.68
13	3	81.5	16	1119	1259	149.84
14	1	51.6	16			488.66
15	3	92.2	16	1483	1970	467.66
16	2	91	16	1035		399.77
17	2	72.9	16	1097		385.92
18	1	68.4	16			325.2
19	1	58	16			517.3
20	2	68.4	16	1900		593.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	77.5	20	1607		785.224
2	2	61.8	20	1664		43.015
3	2	67.3	20	1363		35.25
4	2	86.2	20	1564		381.45
5	3	70.3	20	1076	1072	730.86
6	2	98.7	20	1650		228.74
7	2	66.6	20	1940		653.38
8	2	60.3	20	1261		516.49
9	1	85.4	20			581.21
10	2	74.7	20	1202		44.17
11	2	84.4	20	1935		5.55
12	2	53.5	20	1212		443.83
13	2	93.8	20	1365		769.2
14	2	70.4	20	1607		431.2
15	1	84.5	20			784.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	99.9	15	1019		256.219
2	1	78.8	15			564.123
3	2	99.2	15	1060		248.287
4	1	97.4	15			145.51
5	3	96	15	1991	1120	26.103
6	1	77.9	15			583.757
7	3	88.1	15	1062	1202	94.12
8	2	82.2	15	1447		460.943
9	1	75	15			381.487
10	2	93.7	15	1677		434.54
11	1	97.1	15			458.183
12	2	65.5	15	1169		622.787
13	2	81.8	15	1206		146.84
14	2	69.4	15	1081		253.103
15	3	61.3	15	1514	1170	483.757
16	2	76.7	15	1374		575.9
17	1	96	15			157.933
18	1	78.6	15			391.967

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	77.6	10	1891		306.918
2	2	77	10	1715		534.193
3	2	71.7	10	1534		420.617
4	2	70.5	10	1102		590.91
5	2	67.5	10	1175		518.073
6	2	74.8	10	1417		538.457
7	2	75.6	10	1405		654.79
8	3	58.2	10	1504	1653	641.813
9	1	95.6	10			366.377
10	3	96.5	10	1773	1776	42.32
11	3	97.4	10	1595	1313	489.263
12	2	60.6	10	1884		252.847
13	1	98.4	10			264.34
14	3	76.2	10	1205	1379	324.523
15	3	56.7	10	1007	1192	125.087
16	1	84.7	10			544.6
17	2	70	10	1259		420.733
18	2	70.5	10	1388		585.467

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	56.1	7	1448	1504	237.427
2	3	77.2	7	1967	1076	275.094
3	1	94.9	7			311
4	2	97.6	7	1391		121.65
5	2	89	7	1068		446.14
6	3	81	7	1386	1928	80.76
7	2	87	7	1130		155.32
8	1	55.5	7			453.55
9	3	53.4	7	1504	1234	305.34
10	2	92.2	7	1516		168.97
11	3	93.3	7	1350	1595	488.1
12	3	82	7	1159	1187	515.25
13	1	74.2	7			515.66
14	2	85.7	7	1668		544.44
15	2	77.4	7	1096		72.59
16	1	92.6	7			434.95
17	1	85.3	7			531.3
18	2	72.6	7	1276		160.6
19	2	63.7	7	1664		415.3
20	2	96.3	7	1575		26

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	90.4	8	1573		601.717
2	1	69.9	8			103.201
3	1	76.7	8			812.122
4	2	53.3	8	1701		745.343
5	2	64.8	8	1895		551.804
6	3	61	8	1740	1446	172.955
7	2	67.2	8	1590		615.865
8	2	66.1	8	1784		110.086
9	1	56.2	8			126.967
10	3	65.6	8	1514	1164	398.418
11	2	57.5	8	1444		910.409

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 26

Bursts in Trial: 9

Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	65.3	19			796.717
2	1	53	19			950.307
3	3	95.1	19	1461	1482	399.153
4	2	51.1	19	1149		861.39
5	2	92.6	19	1496		1296.887
6	3	80.5	19	1750	1171	1124.853
7	2	84.3	19	1237		1139.03
8	3	76.4	19	1294	1409	1285.567
9	3	86.2	19	1549	1022	893.633

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	95.5	7	1145		571.029
2	2	71.6	7	1057		135.71
3	1	89	7			311.14
4	2	52.4	7	1180		833.23
5	1	71.8	7			470.92
6	1	57	7			329.6
7	3	91.8	7	1843	1972	410.27
8	3	97.4	7	1707	1548	867.03
9	2	82.9	7	1688		820.65
10	1	84.4	7			482.54
11	2	89.7	7	1542		74.3
12	3	89.2	7	1736	1050	786.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	99.2	11			538.98
2	2	63.5	11	1997		453.297
3	2	51.2	11	1820		556.173
4	3	76.7	11	1165	1784	1316.95
5	2	99.7	11	1248		883.757
6	3	50.4	11	1712	1984	883.663
7	3	82.2	11	1609	1786	732.73
8	3	76.2	11	1204	1484	96.757
9	2	67.6	11	1143		1127.633

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	67.4	19	1744	1323	22.287
2	2	83.8	19	1491		918.61
3	3	66.6	19	1504	1037	269.23
4	2	71.6	19	1945		877.64
5	2	72.8	19	1507		1034.53
6	1	63	19			128.75
7	2	54.3	19	1933		1065.34
8	3	50.9	19	1155	1199	589.05
9	2	93.2	19	1587		849.8
10	3	79.3	19	1773	1177	724.4

802.11ac (VHT80) - 5530MHz

TYPE 5

Trial #	Chirp Width (MHz)	Subset	Fc
1	6	1	5530
2	17	1	5530
3	6	1	5530
4	10	1	5530
5	16	1	5530
6	14	1	5530
7	6	1	5530
8	20	1	5530
9	12	1	5530
10	17	1	5530
11	11	2	5494.4
12	9	2	5493.6
13	20	2	5498
14	18	2	5497.2
15	17	2	5496.8
16	15	2	5496
17	14	2	5495.6
18	8	2	5493.2
19	13	2	5495.2
20	5	2	5492
21	14	3	5564.4
22	7	3	5567.2
23	16	3	5563.6
24	9	3	5566.4
25	13	3	5564.8
26	7	3	5567.2
27	16	3	5563.6
28	5	3	5568
29	14	3	5564.4
30	7	3	5567.2

TYPE 5 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 15

Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	56.6	6			61.029
2	1	93.2	6			302.87
3	2	66.4	6	1161		422.25
4	3	80.5	6	1511	1339	295.8
5	2	72.7	6	1923		128.6
6	2	55.1	6	1285		618.89
7	2	53.2	6	1028		572.93
8	2	63	6	1422		208.97
9	3	76.2	6	1118	1319	252.64
10	1	71.1	6			738.57
11	3	79.4	6	1497	1229	422.99
12	2	85.5	6	1713		525.41
13	1	91	6			713.7
14	1	51.4	6			204
15	1	79.5	6			762

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	80.7	17	1901		94.883
2	2	72.6	17	1612		519.73
3	2	59.5	17	1832		440.09
4	3	88.3	17	1279	1169	670.13
5	2	94.2	17	1516		338.53
6	2	79.6	17	1720		635.86
7	2	57	17	1132		249.75
8	1	92.1	17			664.95
9	1	57.8	17			351.44
10	2	83.7	17	1093		679.19
11	2	97.4	17	1316		324.03
12	3	97.2	17	1109	1209	161.49
13	1	58	17			398.22
14	2	85.1	17	1925		177.91
15	3	59.7	17	1471	1808	27
16	2	52.9	17	1698		582.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	56.5	6			4.36
2	3	50.5	6	1416	1619	148.671
3	1	50.2	6			536.507
4	1	85.4	6			318.75
5	2	66.5	6	1940		478.353
6	1	75.6	6			49.627
7	2	55.3	6	1545		137.21
8	1	80.3	6			412.473
9	3	64.9	6	1872	1536	431.607
10	1	51.4	6			171.27
11	3	72.4	6	1445	1310	158.513
12	3	75	6	1814	1475	372.707
13	1	76.5	6			142.45
14	2	57.5	6	1869		211.243
15	2	56.7	6	1495		501.437
16	1	61.4	6			317.4
17	1	89.6	6			229.433
18	2	81.5	6	1560		185.567

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	61.3	10	1960		509.853
2	3	70.1	10	1481	1179	148.151
3	1	69.1	10			110.71
4	2	86.8	10	1579		35.33
5	3	90.1	10	1080	1769	73.25
6	2	54.4	10	1906		580.93
7	1	52.5	10			604.93
8	2	63.5	10	1361		180.44
9	2	93.2	10	1724		361.75
10	2	55.3	10	1459		262.34
11	2	88.1	10	1348		654.22
12	2	98.4	10	1981		465.35
13	2	92.7	10	1311		452.45
14	2	66.4	10	1847		403.6
15	2	92	10	1335		733.3
16	2	50	10	1014		650.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	87.8	16	1983		140.73
2	2	67.2	16	1511		544.533
3	2	73.7	16	1813		148.286
4	2	82.8	16	1152		433.589
5	3	87.5	16	1996	1163	436.452
6	3	100	16	1789	1922	752.915
7	2	52	16	1724		883.278
8	1	65.7	16			557.512
9	1	67	16			85.995
10	1	72.6	16			155.578
11	2	76.8	16	1565		530.531
12	1	55.1	16			255.554
13	2	82	16	1312		407.277

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	84.1	14	1586		853.659
2	2	93.6	14	1420		766.4
3	1	94.3	14			830.15
4	3	77.1	14	1726	1618	152.45
5	3	90.6	14	1193	1636	773.19
6	2	65.6	14	1470		131.43
7	3	65.7	14	1577	1885	504.08
8	1	61	14			531.74
9	2	91.2	14	1695		884.91
10	2	65.1	14	1863		10.01
11	2	56.8	14	1320		910
12	3	73.5	14	1562	1276	870.2

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	83.9	6			1060.75
2	2	79.5	6	1337		1076.247
3	3	94.9	6	1864	1206	1314.293
4	2	78.5	6	1034		581.38
5	2	57.8	6	1205		25.677
6	1	86.2	6			1006.343
7	2	57.9	6	1199		682.05
8	2	79.9	6	1288		57.737
9	2	64.7	6	1255		439.733

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	99.9	20			436.095
2	3	90.2	20	1512	1480	611.79
3	2	66.7	20	1761		27.32
4	3	58.5	20	1171	1679	602.78
5	3	89.5	20	1529	1561	304.51
6	2	57.2	20	1666		84.53
7	3	57	20	1555	1760	743.46
8	2	88.7	20	1370		357.62
9	2	72	20	1150		62.46
10	2	58.4	20	1174		80.11
11	2	82.5	20	1851		683.16
12	3	94.5	20	1115	1300	236.18
13	1	62.1	20			468.74
14	1	54.1	20			128.33
15	1	63.3	20			318.1
16	3	59.7	20	1390	1363	528.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	55.3	12	1262	1426	517.486
2	2	57.4	12	1029		421.158
3	2	87.2	12	1991		471.955
4	2	96.5	12	1510		335.303
5	2	52.8	12	1921		76.941
6	2	83.5	12	1091		201.308
7	2	61.7	12	1848		2.956
8	2	75.9	12	1161		206.544
9	3	64.8	12	1700	1412	357.791
10	2	98.3	12	1838		252.689
11	1	75.2	12			391.276
12	1	50.8	12			290.134
13	2	84.6	12	1650		59.372
14	2	95.5	12	1028		673.199
15	1	95.1	12			635.847
16	2	93.1	12	1294		357.565
17	3	78.7	12	1914	1843	306.782

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	99.2	17	1960		16.814
2	2	93.4	17	1353		638.21
3	1	77.6	17			140.8
4	3	56.5	17	1077	1431	90.71
5	2	61.2	17	1821		273.43
6	3	86.6	17	1551	1983	370.92
7	3	78.1	17	1451	1100	332.46
8	1	62.9	17			125.89
9	1	98.1	17			281.68
10	3	85.5	17	1558	1347	474.3
11	2	75.2	17	1466		437.37
12	3	75.6	17	1891	1468	689.82
13	3	99.2	17	1820	1238	435.03
14	2	50.8	17	1370		363
15	2	60.7	17	1681		454.4
16	3	66.5	17	1798	1895	710.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	63.2	11	1814		143.317
2	2	90.4	11	1869		499.497
3	1	74.6	11			461.163
4	2	55.2	11	1371		352.82
5	2	56.5	11	1118		1263.067
6	3	61.9	11	1076	1842	744.803
7	2	71.4	11	1602		914.91
8	2	68.3	11	1238		853.367
9	2	76.8	11	1283		483.533

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	72.8	9	1065	1281	339.421
2	2	63.1	9	1404		270.661
3	2	83.6	9	1593		1080.482
4	2	74.1	9	1097		449.173
5	2	69.5	9	1088		814.174
6	2	87.5	9	1349		779.315
7	3	70.5	9	1864	1771	1008.665
8	1	63.6	9			717.026
9	2	55.3	9	1207		752.317
10	3	96.4	9	1030	1723	984.418
11	2	92.1	9	1688		114.709

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	60.5	20	1949		490.056
2	2	84.8	20	1202		667.13
3	1	63.4	20			691.22
4	1	75.8	20			609.06
5	1	77.5	20			288.4
6	2	75.5	20	1674		771.59
7	3	79.1	20	1806	1443	326.4
8	2	83.2	20	1822		634.83
9	2	90	20	1849		600.81
10	1	65.2	20			589
11	2	67.4	20	1522		224.86
12	3	72.4	20	1535	1448	489.59
13	2	91.5	20	1480		311.71
14	3	66.6	20	1827	1907	583.3
15	1	53.2	20			770.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	83	18			511.711
2	2	65.8	18	1498		1060.361
3	2	51.8	18	1821		285.412
4	1	99.9	18			400.893
5	2	62.1	18	1913		885.904
6	1	58.9	18			670.475
7	2	66.1	18	1150		98.605
8	1	60	18			1022.876
9	1	91	18			497.917
10	1	93.8	18			469.218
11	2	81.9	18	1545		321.809

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	93.7	17	1356		598.911
2	3	63.5	17	1505	1623	475.387
3	1	95.1	17			432.703
4	2	79.5	17	1469		1158.95
5	2	65.6	17	1608		278.847
6	1	61.8	17			962.633
7	2	77.8	17	1627		509.49
8	1	78.7	17			715.867
9	2	65.6	17	1500		1232.633

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	64.7	15	1183	1704	828.566
2	3	95.4	15	1796	1191	626.157
3	2	75.5	15	1016		289.114
4	2	82.4	15	1794		763.941
5	2	64.8	15	1872		696.839
6	1	53.5	15			90.346
7	1	60.4	15			726.063
8	2	50.5	15	1567		402.77
9	1	58.6	15			450.877
10	2	60	15	1689		105.864
11	2	83.3	15	1010		446.861
12	1	87.3	15			433.459
13	1	97.7	15			433.486
14	2	92.5	15	1896		44.643

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	55.2	14	1596		512.728
2	1	94.4	14			567.198
3	2	81.1	14	1192		546.855
4	2	97.7	14	1718		657.103
5	1	58.5	14			252.741
6	2	62.5	14	1966		434.218
7	2	50.5	14	1120		70.206
8	2	95.8	14	1986		81.574
9	1	72.5	14			650.461
10	1	51	14			603.909
11	1	70.3	14			584.366
12	2	85.1	14	1716		276.824
13	3	55.1	14	1023	1995	88.082
14	3	53.3	14	1013	1665	491.749
15	2	95.5	14	1615		545.347
16	1	57.2	14			292.965
17	2	85.4	14	1125		238.282

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	65	8	1684	1630	757.089
2	2	75.2	8	1455		554.001
3	2	98.5	8	1355		1080.662
4	3	92.1	8	1856	1841	1019.143
5	3	82.9	8	1262	1533	517.624
6	2	77.5	8	1440		593.375
7	3	96.1	8	1119	1676	261.965
8	1	72.8	8			553.256
9	1	62.5	8			185.177
10	1	92	8			971.718
11	1	95.4	8			127.809

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	78	13	1532		110.729
2	1	97.4	13			602.613
3	2	94.2	13	1089		348.686
4	3	93	13	1237	1841	325.639
5	1	98.1	13			454.062
6	2	62.9	13	1362		397.335
7	2	74.1	13	1546		139.768
8	2	84.7	13	1402		230.182
9	1	78.1	13			446.815
10	2	62	13	1030		662.788
11	2	83.3	13	1900		261.611
12	2	92.8	13	1553		895.454
13	1	83.4	13			361.777

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	67.2	5	1317		613.992
2	2	84.4	5	1311		674.87
3	1	54.5	5			171.25
4	2	72.3	5	1471		41.29
5	2	66.6	5	1198		591.28
6	3	91.4	5	1722	1508	628.97
7	2	65.6	5	1650		224.33
8	2	85.4	5	1171		453.29
9	2	60.8	5	1582		258.93
10	2	86.2	5	1290		363.54
11	1	54.2	5			453.46
12	1	90.6	5			396.82
13	3	70.9	5	1759	1641	752
14	2	80.3	5	1481		197.9
15	3	95.6	5	1838	1774	42.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	56.8	14	1590	1925	154.894
2	2	65.3	14	1453		296.61
3	2	60.9	14	1195		467.277
4	3	84.8	14	1151	1434	104.28
5	1	94.6	14			607.263
6	2	71.7	14	1974		402.857
7	2	96.6	14	1503		17.76
8	3	67.8	14	1117	1621	346.513
9	1	73.3	14			463.247
10	2	66.1	14	1813		439.27
11	2	52.8	14	1518		573.253
12	2	84.6	14	1511		51.587
13	2	68.6	14	1449		45.13
14	2	70.6	14	1831		426.283
15	1	64.8	14			249.027
16	3	65.6	14	1325	1256	10
17	3	64	14	1096	1792	526.033
18	2	51.5	14	1251		388.667

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	71.7	7			1.48
2	2	83.9	7	1700		723.207
3	3	51.5	7	1398	1935	491.354
4	2	65	7	1055		176.531
5	3	68.6	7	1702	1171	574.269
6	2	64.7	7	1499		592.556
7	3	89.8	7	1734	1621	471.053
8	1	86.8	7			100.1
9	1	98.8	7			2.137
10	1	61.3	7			593.694
11	2	68.5	7	1579		439.641
12	3	81.5	7	1732	1424	728.329
13	2	78.2	7	1791		282.086
14	3	77.1	7	1393	1352	659.343

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	76.5	16			622.041
2	1	59.2	16			129.647
3	1	51.7	16			88.457
4	2	88.2	16	1525		572.77
5	3	72.6	16	1968	1560	131.323
6	3	95.5	16	1030	1733	248.127
7	2	76.8	16	1675		140.18
8	1	84.9	16			514.223
9	2	93.9	16	1506		294.227
10	3	53.8	16	1614	1732	349.63
11	2	82.5	16	1566		95.293
12	2	52.4	16	1450		322.477
13	3	65.9	16	1189	1310	454.89
14	2	95.1	16	1991		349.643
15	3	70.7	16	1510	1595	24.857
16	3	76.2	16	1322	1234	377.1
17	1	68.8	16			353.833
18	2	54.6	16	1650		652.967

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	96.7	9	1556		274.731
2	2	54.4	9	1353		461.2
3	1	57.8	9			636.13
4	3	84.1	9	1220	1472	491.53
5	2	67.4	9	1769		634.43
6	1	67.6	9			631.81
7	1	92.3	9			362.93
8	1	56.2	9			684.46
9	2	87.9	9	1761		51.04
10	1	61.2	9			264.59
11	1	61	9			444.49
12	1	78	9			582.77
13	1	99.9	9			477.86
14	2	53.2	9	1887		139.5
15	2	57.7	9	1757		81.9
16	3	91.2	9	1362	1767	73.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.5	13	1917		172.007
2	2	56.9	13	1898		622.381
3	3	85.6	13	1330	1482	985.302
4	2	76.4	13	1920		523.083
5	2	73.6	13	1182		105.284
6	1	61.3	13			7.915
7	1	89	13			344.635
8	3	66.9	13	1130	1531	888.836
9	2	89.6	13	1448		619.937
10	1	62.8	13			280.918
11	3	98.6	13	1898	1626	365.109

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	87.8	7	1847	1915	549.182
2	1	59.8	7			93.116
3	3	72.1	7	1032	1620	51.964
4	2	82.5	7	1795		124.161
5	1	58.4	7			706.379
6	1	54.5	7			657.466
7	3	82.7	7	1064	1884	760.673
8	1	99	7			735.01
9	2	64.5	7	1849		524.047
10	2	68.8	7	1329		349.924
11	1	51.6	7			355.281
12	1	87.4	7			521.739
13	2	98	7	1759		19.386
14	2	65.1	7	1473		538.843

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	99.8	16	1249		234.388
2	2	77.4	16	1922		275.4
3	2	54.3	16	1478		182.47
4	1	62.6	16			406.18
5	1	57.6	16			744.72
6	2	51.9	16	1155		734.08
7	2	62.8	16	1096		310.44
8	2	87.9	16	1486		98.76
9	3	57.2	16	1507	1267	513.3
10	3	82	16	1452	1463	545.91
11	3	66.1	16	1126	1318	762.65
12	3	97.9	16	1923	1522	194.27
13	3	77.8	16	1396	1339	662.9
14	1	56.1	16			194.7
15	2	75.9	16	1942		708

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	76.4	5	1542		610.103
2	2	73.6	5	1457		876.58
3	2	70.1	5	1745		238.32
4	1	73.8	5			380.49
5	2	93.9	5	1527		888.67
6	1	65.1	5			668.85
7	2	75.1	5	1555		1062.4
8	2	68.7	5	1091		319.81
9	1	60	5			19.73
10	2	75.9	5	1942		440.7

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	57	14	1667		906.642
2	2	76.6	14	1194		26.267
3	1	74.7	14			627.303
4	2	77.4	14	1457		1026.88
5	2	100	14	1266		1293.087
6	2	70.2	14	1496		943.993
7	2	85.1	14	1834		630.45
8	2	80	14	1870		418.017
9	2	95.6	14	1257		1098.333

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	82.4	7			671.917
2	2	59.4	7	1929		2.655
3	3	66.8	7	1000	1639	140.66
4	1	78.1	7			678.48
5	2	92.4	7	1095		631.19
6	1	68.9	7			575.17
7	1	65	7			66.39
8	1	55.5	7			147.17
9	2	54.3	7	1748		237.27
10	2	84.7	7	1141		70.01
11	2	54.9	7	1013		742.23
12	2	73.2	7	1681		367.27
13	2	70	7	1431		479.04
14	2	72.3	7	1170		735.2
15	2	97.4	7	1244		169.5
16	2	80.7	7	1567		34.6

802.11ac (VHT20) - 5300MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.59	20	
2	5.3	5.46	20	
3	5.3	5.337	20	
4	5.3	5.648	20	
5	5.3	5.591	20	
6	5.3	5.446	20	
7	5.3	5.604	20	
8	5.3	5.664	20	
9	5.3	5.516	20	
10	5.3	5.551	20	
11	5.3	5.472	20	
12	5.3	5.647	20	
13	5.3	5.356	20	
14	5.3	5.545	20	
15	5.3	5.659	20	
16	5.3	5.558	20	
17	5.3	5.538	20	
18	5.3	5.433	20	
19	5.3	5.613	20	
20	5.3	5.277	20	
21	5.3	5.471	20	
22	5.3	5.68	20	
23	5.3	5.527	20	
24	5.3	5.399	20	
25	5.3	5.55	20	
26	5.3	5.698	20	
27	5.3	5.302	20	*
28	5.3	5.333	20	
29	5.3	5.334	20	
30	5.3	5.602	20	
31	5.3	5.255	20	
32	5.3	5.388	20	
33	5.3	5.66	20	
34	5.3	5.278	20	
35	5.3	5.48	20	
36	5.3	5.488	20	
37	5.3	5.494	20	
38	5.3	5.33	20	
39	5.3	5.317	20	
40	5.3	5.259	20	
41	5.3	5.482	20	
42	5.3	5.382	20	
43	5.3	5.421	20	
44	5.3	5.385	20	
45	5.3	5.303	20	*
46	5.3	5.339	20	
47	5.3	5.703	20	

48	5.3	5.3	20	*
49	5.3	5.688	20	
50	5.3	5.419	20	
51	5.3	5.424	20	
52	5.3	5.262	20	
53	5.3	5.724	20	
54	5.3	5.461	20	
55	5.3	5.313	20	
56	5.3	5.265	20	
57	5.3	5.368	20	
58	5.3	5.509	20	
59	5.3	5.276	20	
60	5.3	5.458	20	
61	5.3	5.36	20	
62	5.3	5.536	20	
63	5.3	5.649	20	
64	5.3	5.714	20	
65	5.3	5.517	20	
66	5.3	5.702	20	
67	5.3	5.466	20	
68	5.3	5.581	20	
69	5.3	5.254	20	
70	5.3	5.661	20	
71	5.3	5.684	20	
72	5.3	5.651	20	
73	5.3	5.331	20	
74	5.3	5.288	20	
75	5.3	5.57	20	
76	5.3	5.63	20	
77	5.3	5.559	20	
78	5.3	5.467	20	
79	5.3	5.624	20	
80	5.3	5.35	20	
81	5.3	5.476	20	
82	5.3	5.546	20	
83	5.3	5.448	20	
84	5.3	5.348	20	
85	5.3	5.346	20	
86	5.3	5.38	20	
87	5.3	5.447	20	
88	5.3	5.621	20	
89	5.3	5.593	20	
90	5.3	5.597	20	
91	5.3	5.369	20	
92	5.3	5.308	20	*
93	5.3	5.464	20	
94	5.3	5.456	20	
95	5.3	5.637	20	
96	5.3	5.463	20	
97	5.3	5.457	20	
98	5.3	5.533	20	
99	5.3	5.526	20	
100	5.3	5.449	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.623	20	
2	5.3	5.565	20	
3	5.3	5.487	20	
4	5.3	5.36	20	
5	5.3	5.607	20	
6	5.3	5.497	20	
7	5.3	5.72	20	
8	5.3	5.494	20	
9	5.3	5.496	20	
10	5.3	5.265	20	
11	5.3	5.428	20	
12	5.3	5.655	20	
13	5.3	5.302	20	*
14	5.3	5.415	20	
15	5.3	5.289	20	
16	5.3	5.717	20	
17	5.3	5.712	20	
18	5.3	5.396	20	
19	5.3	5.485	20	
20	5.3	5.305	20	*
21	5.3	5.544	20	
22	5.3	5.465	20	
23	5.3	5.441	20	
24	5.3	5.32	20	
25	5.3	5.654	20	
26	5.3	5.389	20	
27	5.3	5.701	20	
28	5.3	5.644	20	
29	5.3	5.269	20	
30	5.3	5.336	20	
31	5.3	5.692	20	
32	5.3	5.608	20	
33	5.3	5.518	20	
34	5.3	5.57	20	
35	5.3	5.625	20	
36	5.3	5.606	20	
37	5.3	5.484	20	
38	5.3	5.43	20	
39	5.3	5.658	20	
40	5.3	5.709	20	
41	5.3	5.716	20	
42	5.3	5.418	20	
43	5.3	5.405	20	
44	5.3	5.347	20	
45	5.3	5.526	20	
46	5.3	5.51	20	
47	5.3	5.416	20	
48	5.3	5.671	20	
49	5.3	5.263	20	

50	5.3	5.632	20	
51	5.3	5.592	20	
52	5.3	5.711	20	
53	5.3	5.277	20	
54	5.3	5.262	20	
55	5.3	5.509	20	
56	5.3	5.425	20	
57	5.3	5.698	20	
58	5.3	5.315	20	
59	5.3	5.295	20	*
60	5.3	5.586	20	
61	5.3	5.397	20	
62	5.3	5.344	20	
63	5.3	5.427	20	
64	5.3	5.708	20	
65	5.3	5.489	20	
66	5.3	5.488	20	
67	5.3	5.533	20	
68	5.3	5.395	20	
69	5.3	5.68	20	
70	5.3	5.308	20	*
71	5.3	5.647	20	
72	5.3	5.52	20	
73	5.3	5.556	20	
74	5.3	5.702	20	
75	5.3	5.398	20	
76	5.3	5.323	20	
77	5.3	5.525	20	
78	5.3	5.337	20	
79	5.3	5.653	20	
80	5.3	5.317	20	
81	5.3	5.609	20	
82	5.3	5.64	20	
83	5.3	5.348	20	
84	5.3	5.341	20	
85	5.3	5.634	20	
86	5.3	5.626	20	
87	5.3	5.501	20	
88	5.3	5.531	20	
89	5.3	5.27	20	
90	5.3	5.582	20	
91	5.3	5.447	20	
92	5.3	5.266	20	
93	5.3	5.669	20	
94	5.3	5.318	20	
95	5.3	5.645	20	
96	5.3	5.332	20	
97	5.3	5.414	20	
98	5.3	5.252	20	
99	5.3	5.481	20	
100	5.3	5.681	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.531	20	
2	5.3	5.299	20	*
3	5.3	5.595	20	
4	5.3	5.39	20	
5	5.3	5.418	20	
6	5.3	5.417	20	
7	5.3	5.342	20	
8	5.3	5.555	20	
9	5.3	5.506	20	
10	5.3	5.354	20	
11	5.3	5.356	20	
12	5.3	5.594	20	
13	5.3	5.489	20	
14	5.3	5.583	20	
15	5.3	5.429	20	
16	5.3	5.603	20	
17	5.3	5.355	20	
18	5.3	5.647	20	
19	5.3	5.535	20	
20	5.3	5.545	20	
21	5.3	5.563	20	
22	5.3	5.426	20	
23	5.3	5.485	20	
24	5.3	5.605	20	
25	5.3	5.711	20	
26	5.3	5.449	20	
27	5.3	5.682	20	
28	5.3	5.674	20	
29	5.3	5.527	20	
30	5.3	5.288	20	
31	5.3	5.311	20	
32	5.3	5.427	20	
33	5.3	5.572	20	
34	5.3	5.517	20	
35	5.3	5.453	20	
36	5.3	5.581	20	
37	5.3	5.301	20	*
38	5.3	5.362	20	
39	5.3	5.642	20	
40	5.3	5.722	20	
41	5.3	5.66	20	
42	5.3	5.512	20	
43	5.3	5.337	20	
44	5.3	5.691	20	
45	5.3	5.397	20	
46	5.3	5.261	20	
47	5.3	5.259	20	
48	5.3	5.628	20	
49	5.3	5.59	20	

50	5.3	5.568	20	
51	5.3	5.388	20	
52	5.3	5.54	20	
53	5.3	5.278	20	
54	5.3	5.644	20	
55	5.3	5.509	20	
56	5.3	5.602	20	
57	5.3	5.313	20	
58	5.3	5.304	20	*
59	5.3	5.441	20	
60	5.3	5.3	20	*
61	5.3	5.515	20	
62	5.3	5.316	20	
63	5.3	5.641	20	
64	5.3	5.264	20	
65	5.3	5.32	20	
66	5.3	5.643	20	
67	5.3	5.28	20	
68	5.3	5.614	20	
69	5.3	5.433	20	
70	5.3	5.698	20	
71	5.3	5.425	20	
72	5.3	5.322	20	
73	5.3	5.721	20	
74	5.3	5.409	20	
75	5.3	5.498	20	
76	5.3	5.279	20	
77	5.3	5.377	20	
78	5.3	5.435	20	
79	5.3	5.683	20	
80	5.3	5.428	20	
81	5.3	5.551	20	
82	5.3	5.654	20	
83	5.3	5.293	20	*
84	5.3	5.385	20	
85	5.3	5.689	20	
86	5.3	5.363	20	
87	5.3	5.358	20	
88	5.3	5.652	20	
89	5.3	5.454	20	
90	5.3	5.457	20	
91	5.3	5.668	20	
92	5.3	5.559	20	
93	5.3	5.483	20	
94	5.3	5.544	20	
95	5.3	5.395	20	
96	5.3	5.415	20	
97	5.3	5.477	20	
98	5.3	5.334	20	
99	5.3	5.69	20	
100	5.3	5.701	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.407	20	
2	5.3	5.64	20	
3	5.3	5.373	20	
4	5.3	5.723	20	
5	5.3	5.644	20	
6	5.3	5.459	20	
7	5.3	5.313	20	
8	5.3	5.466	20	
9	5.3	5.426	20	
10	5.3	5.591	20	
11	5.3	5.546	20	
12	5.3	5.532	20	
13	5.3	5.716	20	
14	5.3	5.39	20	
15	5.3	5.672	20	
16	5.3	5.712	20	
17	5.3	5.468	20	
18	5.3	5.531	20	
19	5.3	5.27	20	
20	5.3	5.318	20	
21	5.3	5.565	20	
22	5.3	5.352	20	
23	5.3	5.721	20	
24	5.3	5.423	20	
25	5.3	5.319	20	
26	5.3	5.259	20	
27	5.3	5.491	20	
28	5.3	5.475	20	
29	5.3	5.624	20	
30	5.3	5.375	20	
31	5.3	5.639	20	
32	5.3	5.722	20	
33	5.3	5.602	20	
34	5.3	5.577	20	
35	5.3	5.51	20	
36	5.3	5.557	20	
37	5.3	5.519	20	
38	5.3	5.452	20	
39	5.3	5.301	20	*
40	5.3	5.549	20	
41	5.3	5.59	20	
42	5.3	5.42	20	
43	5.3	5.284	20	
44	5.3	5.615	20	
45	5.3	5.575	20	
46	5.3	5.383	20	
47	5.3	5.25	20	
48	5.3	5.44	20	
49	5.3	5.274	20	

50	5.3	5.49	20	
51	5.3	5.574	20	
52	5.3	5.334	20	
53	5.3	5.649	20	
54	5.3	5.283	20	
55	5.3	5.477	20	
56	5.3	5.332	20	
57	5.3	5.457	20	
58	5.3	5.502	20	
59	5.3	5.37	20	
60	5.3	5.704	20	
61	5.3	5.543	20	
62	5.3	5.449	20	
63	5.3	5.467	20	
64	5.3	5.346	20	
65	5.3	5.527	20	
66	5.3	5.488	20	
67	5.3	5.525	20	
68	5.3	5.656	20	
69	5.3	5.659	20	
70	5.3	5.374	20	
71	5.3	5.678	20	
72	5.3	5.281	20	
73	5.3	5.455	20	
74	5.3	5.279	20	
75	5.3	5.693	20	
76	5.3	5.461	20	
77	5.3	5.57	20	
78	5.3	5.567	20	
79	5.3	5.508	20	
80	5.3	5.594	20	
81	5.3	5.645	20	
82	5.3	5.447	20	
83	5.3	5.661	20	
84	5.3	5.432	20	
85	5.3	5.275	20	
86	5.3	5.673	20	
87	5.3	5.633	20	
88	5.3	5.493	20	
89	5.3	5.647	20	
90	5.3	5.494	20	
91	5.3	5.535	20	
92	5.3	5.413	20	
93	5.3	5.522	20	
94	5.3	5.652	20	
95	5.3	5.26	20	
96	5.3	5.265	20	
97	5.3	5.537	20	
98	5.3	5.366	20	
99	5.3	5.362	20	
100	5.3	5.616	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.61	20	
2	5.3	5.643	20	
3	5.3	5.453	20	
4	5.3	5.382	20	
5	5.3	5.554	20	
6	5.3	5.29	20	*
7	5.3	5.388	20	
8	5.3	5.711	20	
9	5.3	5.557	20	
10	5.3	5.562	20	
11	5.3	5.366	20	
12	5.3	5.66	20	
13	5.3	5.422	20	
14	5.3	5.514	20	
15	5.3	5.578	20	
16	5.3	5.445	20	
17	5.3	5.583	20	
18	5.3	5.375	20	
19	5.3	5.315	20	
20	5.3	5.467	20	
21	5.3	5.471	20	
22	5.3	5.651	20	
23	5.3	5.278	20	
24	5.3	5.492	20	
25	5.3	5.344	20	
26	5.3	5.534	20	
27	5.3	5.664	20	
28	5.3	5.614	20	
29	5.3	5.404	20	
30	5.3	5.464	20	
31	5.3	5.479	20	
32	5.3	5.443	20	
33	5.3	5.699	20	
34	5.3	5.452	20	
35	5.3	5.394	20	
36	5.3	5.661	20	
37	5.3	5.679	20	
38	5.3	5.475	20	
39	5.3	5.486	20	
40	5.3	5.4	20	
41	5.3	5.599	20	
42	5.3	5.682	20	
43	5.3	5.611	20	
44	5.3	5.331	20	
45	5.3	5.623	20	
46	5.3	5.705	20	
47	5.3	5.558	20	
48	5.3	5.343	20	
49	5.3	5.605	20	

50	5.3	5.627	20	
51	5.3	5.609	20	
52	5.3	5.304	20	*
53	5.3	5.555	20	
54	5.3	5.538	20	
55	5.3	5.493	20	
56	5.3	5.307	20	*
57	5.3	5.444	20	
58	5.3	5.332	20	
59	5.3	5.309	20	*
60	5.3	5.506	20	
61	5.3	5.31	20	*
62	5.3	5.425	20	
63	5.3	5.35	20	
64	5.3	5.3	20	*
65	5.3	5.724	20	
66	5.3	5.714	20	
67	5.3	5.568	20	
68	5.3	5.582	20	
69	5.3	5.257	20	
70	5.3	5.357	20	
71	5.3	5.619	20	
72	5.3	5.399	20	
73	5.3	5.379	20	
74	5.3	5.39	20	
75	5.3	5.317	20	
76	5.3	5.476	20	
77	5.3	5.311	20	
78	5.3	5.268	20	
79	5.3	5.275	20	
80	5.3	5.483	20	
81	5.3	5.413	20	
82	5.3	5.349	20	
83	5.3	5.484	20	
84	5.3	5.424	20	
85	5.3	5.38	20	
86	5.3	5.448	20	
87	5.3	5.573	20	
88	5.3	5.437	20	
89	5.3	5.685	20	
90	5.3	5.253	20	
91	5.3	5.296	20	*
92	5.3	5.51	20	
93	5.3	5.457	20	
94	5.3	5.656	20	
95	5.3	5.63	20	
96	5.3	5.5	20	
97	5.3	5.438	20	
98	5.3	5.385	20	
99	5.3	5.515	20	
100	5.3	5.306	20	*

TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.381	20	
2	5.3	5.554	20	
3	5.3	5.487	20	
4	5.3	5.289	20	
5	5.3	5.47	20	
6	5.3	5.537	20	
7	5.3	5.329	20	
8	5.3	5.27	20	
9	5.3	5.337	20	
10	5.3	5.288	20	
11	5.3	5.346	20	
12	5.3	5.296	20	*
13	5.3	5.407	20	
14	5.3	5.645	20	
15	5.3	5.324	20	
16	5.3	5.572	20	
17	5.3	5.462	20	
18	5.3	5.557	20	
19	5.3	5.475	20	
20	5.3	5.276	20	
21	5.3	5.612	20	
22	5.3	5.561	20	
23	5.3	5.457	20	
24	5.3	5.619	20	
25	5.3	5.349	20	
26	5.3	5.333	20	
27	5.3	5.454	20	
28	5.3	5.689	20	
29	5.3	5.688	20	
30	5.3	5.647	20	
31	5.3	5.511	20	
32	5.3	5.707	20	
33	5.3	5.664	20	
34	5.3	5.555	20	
35	5.3	5.312	20	
36	5.3	5.579	20	
37	5.3	5.49	20	
38	5.3	5.284	20	
39	5.3	5.575	20	
40	5.3	5.507	20	
41	5.3	5.608	20	
42	5.3	5.672	20	
43	5.3	5.432	20	
44	5.3	5.33	20	
45	5.3	5.569	20	
46	5.3	5.531	20	
47	5.3	5.347	20	
48	5.3	5.388	20	
49	5.3	5.711	20	

50	5.3	5.338	20	
51	5.3	5.545	20	
52	5.3	5.565	20	
53	5.3	5.474	20	
54	5.3	5.356	20	
55	5.3	5.595	20	
56	5.3	5.548	20	
57	5.3	5.386	20	
58	5.3	5.344	20	
59	5.3	5.544	20	
60	5.3	5.444	20	
61	5.3	5.476	20	
62	5.3	5.64	20	
63	5.3	5.559	20	
64	5.3	5.56	20	
65	5.3	5.411	20	
66	5.3	5.495	20	
67	5.3	5.456	20	
68	5.3	5.616	20	
69	5.3	5.435	20	
70	5.3	5.59	20	
71	5.3	5.486	20	
72	5.3	5.55	20	
73	5.3	5.529	20	
74	5.3	5.682	20	
75	5.3	5.283	20	
76	5.3	5.542	20	
77	5.3	5.654	20	
78	5.3	5.414	20	
79	5.3	5.326	20	
80	5.3	5.552	20	
81	5.3	5.287	20	
82	5.3	5.25	20	
83	5.3	5.465	20	
84	5.3	5.501	20	
85	5.3	5.461	20	
86	5.3	5.366	20	
87	5.3	5.468	20	
88	5.3	5.421	20	
89	5.3	5.471	20	
90	5.3	5.53	20	
91	5.3	5.355	20	
92	5.3	5.43	20	
93	5.3	5.336	20	
94	5.3	5.363	20	
95	5.3	5.405	20	
96	5.3	5.505	20	
97	5.3	5.597	20	
98	5.3	5.402	20	
99	5.3	5.399	20	
100	5.3	5.458	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.52	20	
2	5.3	5.451	20	
3	5.3	5.491	20	
4	5.3	5.35	20	
5	5.3	5.318	20	
6	5.3	5.57	20	
7	5.3	5.281	20	
8	5.3	5.396	20	
9	5.3	5.566	20	
10	5.3	5.269	20	
11	5.3	5.66	20	
12	5.3	5.593	20	
13	5.3	5.512	20	
14	5.3	5.252	20	
15	5.3	5.571	20	
16	5.3	5.334	20	
17	5.3	5.577	20	
18	5.3	5.662	20	
19	5.3	5.723	20	
20	5.3	5.573	20	
21	5.3	5.632	20	
22	5.3	5.615	20	
23	5.3	5.622	20	
24	5.3	5.345	20	
25	5.3	5.329	20	
26	5.3	5.585	20	
27	5.3	5.481	20	
28	5.3	5.529	20	
29	5.3	5.488	20	
30	5.3	5.326	20	
31	5.3	5.581	20	
32	5.3	5.623	20	
33	5.3	5.536	20	
34	5.3	5.689	20	
35	5.3	5.493	20	
36	5.3	5.492	20	
37	5.3	5.596	20	
38	5.3	5.443	20	
39	5.3	5.37	20	
40	5.3	5.498	20	
41	5.3	5.251	20	
42	5.3	5.716	20	
43	5.3	5.721	20	
44	5.3	5.397	20	
45	5.3	5.551	20	
46	5.3	5.402	20	
47	5.3	5.625	20	
48	5.3	5.471	20	
49	5.3	5.563	20	

50	5.3	5.265	20	
51	5.3	5.267	20	
52	5.3	5.658	20	
53	5.3	5.467	20	
54	5.3	5.322	20	
55	5.3	5.472	20	
56	5.3	5.583	20	
57	5.3	5.692	20	
58	5.3	5.545	20	
59	5.3	5.707	20	
60	5.3	5.554	20	
61	5.3	5.653	20	
62	5.3	5.72	20	
63	5.3	5.362	20	
64	5.3	5.695	20	
65	5.3	5.337	20	
66	5.3	5.685	20	
67	5.3	5.677	20	
68	5.3	5.374	20	
69	5.3	5.617	20	
70	5.3	5.65	20	
71	5.3	5.544	20	
72	5.3	5.432	20	
73	5.3	5.457	20	
74	5.3	5.64	20	
75	5.3	5.496	20	
76	5.3	5.28	20	
77	5.3	5.682	20	
78	5.3	5.413	20	
79	5.3	5.33	20	
80	5.3	5.655	20	
81	5.3	5.349	20	
82	5.3	5.669	20	
83	5.3	5.339	20	
84	5.3	5.381	20	
85	5.3	5.27	20	
86	5.3	5.419	20	
87	5.3	5.539	20	
88	5.3	5.521	20	
89	5.3	5.447	20	
90	5.3	5.672	20	
91	5.3	5.61	20	
92	5.3	5.619	20	
93	5.3	5.59	20	
94	5.3	5.703	20	
95	5.3	5.509	20	
96	5.3	5.503	20	
97	5.3	5.691	20	
98	5.3	5.454	20	
99	5.3	5.46	20	
100	5.3	5.369	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.347	20	
2	5.3	5.721	20	
3	5.3	5.609	20	
4	5.3	5.519	20	
5	5.3	5.277	20	
6	5.3	5.616	20	
7	5.3	5.349	20	
8	5.3	5.371	20	
9	5.3	5.316	20	
10	5.3	5.648	20	
11	5.3	5.67	20	
12	5.3	5.328	20	
13	5.3	5.336	20	
14	5.3	5.375	20	
15	5.3	5.637	20	
16	5.3	5.416	20	
17	5.3	5.392	20	
18	5.3	5.39	20	
19	5.3	5.567	20	
20	5.3	5.332	20	
21	5.3	5.575	20	
22	5.3	5.41	20	
23	5.3	5.268	20	
24	5.3	5.577	20	
25	5.3	5.331	20	
26	5.3	5.3	20	*
27	5.3	5.529	20	
28	5.3	5.304	20	*
29	5.3	5.491	20	
30	5.3	5.49	20	
31	5.3	5.652	20	
32	5.3	5.663	20	
33	5.3	5.269	20	
34	5.3	5.308	20	*
35	5.3	5.28	20	
36	5.3	5.58	20	
37	5.3	5.573	20	
38	5.3	5.477	20	
39	5.3	5.584	20	
40	5.3	5.578	20	
41	5.3	5.267	20	
42	5.3	5.623	20	
43	5.3	5.631	20	
44	5.3	5.276	20	
45	5.3	5.437	20	
46	5.3	5.706	20	
47	5.3	5.37	20	
48	5.3	5.333	20	
49	5.3	5.369	20	

50	5.3	5.374	20	
51	5.3	5.354	20	
52	5.3	5.535	20	
53	5.3	5.373	20	
54	5.3	5.547	20	
55	5.3	5.301	20	*
56	5.3	5.281	20	
57	5.3	5.72	20	
58	5.3	5.713	20	
59	5.3	5.696	20	
60	5.3	5.284	20	
61	5.3	5.422	20	
62	5.3	5.677	20	
63	5.3	5.513	20	
64	5.3	5.285	20	
65	5.3	5.389	20	
66	5.3	5.521	20	
67	5.3	5.358	20	
68	5.3	5.379	20	
69	5.3	5.433	20	
70	5.3	5.711	20	
71	5.3	5.556	20	
72	5.3	5.32	20	
73	5.3	5.517	20	
74	5.3	5.508	20	
75	5.3	5.31	20	*
76	5.3	5.568	20	
77	5.3	5.443	20	
78	5.3	5.669	20	
79	5.3	5.666	20	
80	5.3	5.646	20	
81	5.3	5.69	20	
82	5.3	5.414	20	
83	5.3	5.463	20	
84	5.3	5.421	20	
85	5.3	5.394	20	
86	5.3	5.458	20	
87	5.3	5.498	20	
88	5.3	5.702	20	
89	5.3	5.657	20	
90	5.3	5.264	20	
91	5.3	5.583	20	
92	5.3	5.647	20	
93	5.3	5.441	20	
94	5.3	5.464	20	
95	5.3	5.329	20	
96	5.3	5.297	20	*
97	5.3	5.278	20	
98	5.3	5.317	20	
99	5.3	5.476	20	
100	5.3	5.327	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.533	20	
2	5.3	5.442	20	
3	5.3	5.302	20	*
4	5.3	5.313	20	
5	5.3	5.339	20	
6	5.3	5.294	20	*
7	5.3	5.324	20	
8	5.3	5.444	20	
9	5.3	5.665	20	
10	5.3	5.708	20	
11	5.3	5.585	20	
12	5.3	5.385	20	
13	5.3	5.58	20	
14	5.3	5.603	20	
15	5.3	5.552	20	
16	5.3	5.551	20	
17	5.3	5.712	20	
18	5.3	5.474	20	
19	5.3	5.468	20	
20	5.3	5.534	20	
21	5.3	5.529	20	
22	5.3	5.621	20	
23	5.3	5.56	20	
24	5.3	5.554	20	
25	5.3	5.392	20	
26	5.3	5.582	20	
27	5.3	5.493	20	
28	5.3	5.273	20	
29	5.3	5.413	20	
30	5.3	5.486	20	
31	5.3	5.716	20	
32	5.3	5.327	20	
33	5.3	5.578	20	
34	5.3	5.64	20	
35	5.3	5.267	20	
36	5.3	5.43	20	
37	5.3	5.354	20	
38	5.3	5.661	20	
39	5.3	5.6	20	
40	5.3	5.44	20	
41	5.3	5.626	20	
42	5.3	5.422	20	
43	5.3	5.666	20	
44	5.3	5.388	20	
45	5.3	5.376	20	
46	5.3	5.664	20	
47	5.3	5.283	20	
48	5.3	5.351	20	
49	5.3	5.506	20	

50	5.3	5.724	20	
51	5.3	5.393	20	
52	5.3	5.511	20	
53	5.3	5.721	20	
54	5.3	5.306	20	*
55	5.3	5.673	20	
56	5.3	5.68	20	
57	5.3	5.722	20	
58	5.3	5.605	20	
59	5.3	5.439	20	
60	5.3	5.568	20	
61	5.3	5.441	20	
62	5.3	5.565	20	
63	5.3	5.711	20	
64	5.3	5.707	20	
65	5.3	5.55	20	
66	5.3	5.718	20	
67	5.3	5.31	20	*
68	5.3	5.62	20	
69	5.3	5.625	20	
70	5.3	5.384	20	
71	5.3	5.61	20	
72	5.3	5.425	20	
73	5.3	5.655	20	
74	5.3	5.448	20	
75	5.3	5.528	20	
76	5.3	5.57	20	
77	5.3	5.51	20	
78	5.3	5.703	20	
79	5.3	5.365	20	
80	5.3	5.615	20	
81	5.3	5.424	20	
82	5.3	5.629	20	
83	5.3	5.719	20	
84	5.3	5.281	20	
85	5.3	5.372	20	
86	5.3	5.406	20	
87	5.3	5.63	20	
88	5.3	5.252	20	
89	5.3	5.714	20	
90	5.3	5.539	20	
91	5.3	5.371	20	
92	5.3	5.632	20	
93	5.3	5.53	20	
94	5.3	5.32	20	
95	5.3	5.381	20	
96	5.3	5.29	20	*
97	5.3	5.656	20	
98	5.3	5.492	20	
99	5.3	5.475	20	
100	5.3	5.49	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.596	20	
2	5.3	5.435	20	
3	5.3	5.274	20	
4	5.3	5.679	20	
5	5.3	5.662	20	
6	5.3	5.352	20	
7	5.3	5.397	20	
8	5.3	5.488	20	
9	5.3	5.252	20	
10	5.3	5.678	20	
11	5.3	5.536	20	
12	5.3	5.276	20	
13	5.3	5.47	20	
14	5.3	5.665	20	
15	5.3	5.379	20	
16	5.3	5.367	20	
17	5.3	5.268	20	
18	5.3	5.56	20	
19	5.3	5.473	20	
20	5.3	5.368	20	
21	5.3	5.612	20	
22	5.3	5.354	20	
23	5.3	5.265	20	
24	5.3	5.427	20	
25	5.3	5.605	20	
26	5.3	5.364	20	
27	5.3	5.278	20	
28	5.3	5.308	20	*
29	5.3	5.688	20	
30	5.3	5.395	20	
31	5.3	5.416	20	
32	5.3	5.498	20	
33	5.3	5.279	20	
34	5.3	5.6	20	
35	5.3	5.287	20	
36	5.3	5.597	20	
37	5.3	5.505	20	
38	5.3	5.483	20	
39	5.3	5.407	20	
40	5.3	5.581	20	
41	5.3	5.695	20	
42	5.3	5.385	20	
43	5.3	5.522	20	
44	5.3	5.496	20	
45	5.3	5.606	20	
46	5.3	5.671	20	
47	5.3	5.584	20	
48	5.3	5.422	20	
49	5.3	5.466	20	

50	5.3	5.377	20	
51	5.3	5.562	20	
52	5.3	5.295	20	*
53	5.3	5.396	20	
54	5.3	5.361	20	
55	5.3	5.431	20	
56	5.3	5.532	20	
57	5.3	5.69	20	
58	5.3	5.323	20	
59	5.3	5.553	20	
60	5.3	5.588	20	
61	5.3	5.591	20	
62	5.3	5.623	20	
63	5.3	5.285	20	
64	5.3	5.302	20	*
65	5.3	5.711	20	
66	5.3	5.329	20	
67	5.3	5.32	20	
68	5.3	5.315	20	
69	5.3	5.259	20	
70	5.3	5.267	20	
71	5.3	5.321	20	
72	5.3	5.326	20	
73	5.3	5.565	20	
74	5.3	5.698	20	
75	5.3	5.634	20	
76	5.3	5.363	20	
77	5.3	5.479	20	
78	5.3	5.521	20	
79	5.3	5.264	20	
80	5.3	5.371	20	
81	5.3	5.292	20	*
82	5.3	5.574	20	
83	5.3	5.254	20	
84	5.3	5.701	20	
85	5.3	5.666	20	
86	5.3	5.437	20	
87	5.3	5.408	20	
88	5.3	5.293	20	*
89	5.3	5.607	20	
90	5.3	5.311	20	
91	5.3	5.381	20	
92	5.3	5.542	20	
93	5.3	5.515	20	
94	5.3	5.71	20	
95	5.3	5.582	20	
96	5.3	5.51	20	
97	5.3	5.487	20	
98	5.3	5.284	20	
99	5.3	5.461	20	
100	5.3	5.718	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.636	20	
2	5.3	5.292	20	*
3	5.3	5.557	20	
4	5.3	5.704	20	
5	5.3	5.581	20	
6	5.3	5.422	20	
7	5.3	5.536	20	
8	5.3	5.283	20	
9	5.3	5.524	20	
10	5.3	5.691	20	
11	5.3	5.623	20	
12	5.3	5.532	20	
13	5.3	5.346	20	
14	5.3	5.418	20	
15	5.3	5.428	20	
16	5.3	5.506	20	
17	5.3	5.6	20	
18	5.3	5.542	20	
19	5.3	5.251	20	
20	5.3	5.366	20	
21	5.3	5.53	20	
22	5.3	5.666	20	
23	5.3	5.343	20	
24	5.3	5.345	20	
25	5.3	5.656	20	
26	5.3	5.384	20	
27	5.3	5.368	20	
28	5.3	5.714	20	
29	5.3	5.51	20	
30	5.3	5.307	20	*
31	5.3	5.724	20	
32	5.3	5.68	20	
33	5.3	5.496	20	
34	5.3	5.638	20	
35	5.3	5.382	20	
36	5.3	5.266	20	
37	5.3	5.466	20	
38	5.3	5.55	20	
39	5.3	5.36	20	
40	5.3	5.305	20	*
41	5.3	5.594	20	
42	5.3	5.628	20	
43	5.3	5.703	20	
44	5.3	5.595	20	
45	5.3	5.513	20	
46	5.3	5.494	20	
47	5.3	5.649	20	
48	5.3	5.416	20	
49	5.3	5.673	20	

50	5.3	5.364	20	
51	5.3	5.469	20	
52	5.3	5.361	20	
53	5.3	5.322	20	
54	5.3	5.705	20	
55	5.3	5.35	20	
56	5.3	5.677	20	
57	5.3	5.48	20	
58	5.3	5.417	20	
59	5.3	5.458	20	
60	5.3	5.569	20	
61	5.3	5.333	20	
62	5.3	5.564	20	
63	5.3	5.614	20	
64	5.3	5.44	20	
65	5.3	5.519	20	
66	5.3	5.286	20	
67	5.3	5.618	20	
68	5.3	5.495	20	
69	5.3	5.593	20	
70	5.3	5.713	20	
71	5.3	5.561	20	
72	5.3	5.521	20	
73	5.3	5.296	20	*
74	5.3	5.527	20	
75	5.3	5.651	20	
76	5.3	5.486	20	
77	5.3	5.413	20	
78	5.3	5.723	20	
79	5.3	5.718	20	
80	5.3	5.605	20	
81	5.3	5.573	20	
82	5.3	5.545	20	
83	5.3	5.432	20	
84	5.3	5.461	20	
85	5.3	5.507	20	
86	5.3	5.365	20	
87	5.3	5.353	20	
88	5.3	5.658	20	
89	5.3	5.268	20	
90	5.3	5.546	20	
91	5.3	5.663	20	
92	5.3	5.512	20	
93	5.3	5.707	20	
94	5.3	5.431	20	
95	5.3	5.309	20	*
96	5.3	5.272	20	
97	5.3	5.37	20	
98	5.3	5.541	20	
99	5.3	5.592	20	
100	5.3	5.617	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.554	20	
2	5.3	5.629	20	
3	5.3	5.412	20	
4	5.3	5.562	20	
5	5.3	5.449	20	
6	5.3	5.429	20	
7	5.3	5.255	20	
8	5.3	5.711	20	
9	5.3	5.713	20	
10	5.3	5.374	20	
11	5.3	5.593	20	
12	5.3	5.321	20	
13	5.3	5.574	20	
14	5.3	5.65	20	
15	5.3	5.437	20	
16	5.3	5.522	20	
17	5.3	5.704	20	
18	5.3	5.701	20	
19	5.3	5.64	20	
20	5.3	5.45	20	
21	5.3	5.572	20	
22	5.3	5.265	20	
23	5.3	5.431	20	
24	5.3	5.675	20	
25	5.3	5.283	20	
26	5.3	5.423	20	
27	5.3	5.514	20	
28	5.3	5.43	20	
29	5.3	5.252	20	
30	5.3	5.719	20	
31	5.3	5.442	20	
32	5.3	5.474	20	
33	5.3	5.434	20	
34	5.3	5.464	20	
35	5.3	5.307	20	*
36	5.3	5.685	20	
37	5.3	5.523	20	
38	5.3	5.571	20	
39	5.3	5.592	20	
40	5.3	5.693	20	
41	5.3	5.281	20	
42	5.3	5.506	20	
43	5.3	5.369	20	
44	5.3	5.724	20	
45	5.3	5.63	20	
46	5.3	5.403	20	
47	5.3	5.608	20	
48	5.3	5.273	20	
49	5.3	5.466	20	

50	5.3	5.602	20	
51	5.3	5.361	20	
52	5.3	5.673	20	
53	5.3	5.513	20	
54	5.3	5.28	20	
55	5.3	5.699	20	
56	5.3	5.486	20	
57	5.3	5.357	20	
58	5.3	5.532	20	
59	5.3	5.678	20	
60	5.3	5.459	20	
61	5.3	5.716	20	
62	5.3	5.402	20	
63	5.3	5.648	20	
64	5.3	5.509	20	
65	5.3	5.315	20	
66	5.3	5.519	20	
67	5.3	5.558	20	
68	5.3	5.627	20	
69	5.3	5.446	20	
70	5.3	5.294	20	*
71	5.3	5.354	20	
72	5.3	5.705	20	
73	5.3	5.388	20	
74	5.3	5.417	20	
75	5.3	5.528	20	
76	5.3	5.653	20	
77	5.3	5.32	20	
78	5.3	5.594	20	
79	5.3	5.582	20	
80	5.3	5.521	20	
81	5.3	5.483	20	
82	5.3	5.691	20	
83	5.3	5.338	20	
84	5.3	5.289	20	
85	5.3	5.299	20	*
86	5.3	5.418	20	
87	5.3	5.656	20	
88	5.3	5.619	20	
89	5.3	5.34	20	
90	5.3	5.549	20	
91	5.3	5.383	20	
92	5.3	5.462	20	
93	5.3	5.317	20	
94	5.3	5.651	20	
95	5.3	5.297	20	*
96	5.3	5.669	20	
97	5.3	5.285	20	
98	5.3	5.482	20	
99	5.3	5.622	20	
100	5.3	5.679	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.501	20	
2	5.3	5.627	20	
3	5.3	5.579	20	
4	5.3	5.462	20	
5	5.3	5.503	20	
6	5.3	5.397	20	
7	5.3	5.292	20	*
8	5.3	5.403	20	
9	5.3	5.72	20	
10	5.3	5.253	20	
11	5.3	5.261	20	
12	5.3	5.619	20	
13	5.3	5.679	20	
14	5.3	5.274	20	
15	5.3	5.345	20	
16	5.3	5.265	20	
17	5.3	5.687	20	
18	5.3	5.459	20	
19	5.3	5.694	20	
20	5.3	5.354	20	
21	5.3	5.696	20	
22	5.3	5.26	20	
23	5.3	5.558	20	
24	5.3	5.27	20	
25	5.3	5.44	20	
26	5.3	5.306	20	*
27	5.3	5.569	20	
28	5.3	5.564	20	
29	5.3	5.418	20	
30	5.3	5.391	20	
31	5.3	5.357	20	
32	5.3	5.61	20	
33	5.3	5.529	20	
34	5.3	5.424	20	
35	5.3	5.364	20	
36	5.3	5.681	20	
37	5.3	5.519	20	
38	5.3	5.691	20	
39	5.3	5.349	20	
40	5.3	5.68	20	
41	5.3	5.313	20	
42	5.3	5.31	20	*
43	5.3	5.524	20	
44	5.3	5.288	20	
45	5.3	5.287	20	
46	5.3	5.358	20	
47	5.3	5.637	20	
48	5.3	5.262	20	
49	5.3	5.597	20	

50	5.3	5.452	20	
51	5.3	5.688	20	
52	5.3	5.576	20	
53	5.3	5.62	20	
54	5.3	5.329	20	
55	5.3	5.556	20	
56	5.3	5.55	20	
57	5.3	5.59	20	
58	5.3	5.717	20	
59	5.3	5.416	20	
60	5.3	5.431	20	
61	5.3	5.668	20	
62	5.3	5.577	20	
63	5.3	5.583	20	
64	5.3	5.548	20	
65	5.3	5.407	20	
66	5.3	5.365	20	
67	5.3	5.258	20	
68	5.3	5.601	20	
69	5.3	5.654	20	
70	5.3	5.715	20	
71	5.3	5.509	20	
72	5.3	5.272	20	
73	5.3	5.613	20	
74	5.3	5.634	20	
75	5.3	5.405	20	
76	5.3	5.65	20	
77	5.3	5.4	20	
78	5.3	5.269	20	
79	5.3	5.523	20	
80	5.3	5.325	20	
81	5.3	5.324	20	
82	5.3	5.378	20	
83	5.3	5.468	20	
84	5.3	5.66	20	
85	5.3	5.412	20	
86	5.3	5.37	20	
87	5.3	5.408	20	
88	5.3	5.457	20	
89	5.3	5.499	20	
90	5.3	5.5	20	
91	5.3	5.32	20	
92	5.3	5.331	20	
93	5.3	5.537	20	
94	5.3	5.693	20	
95	5.3	5.472	20	
96	5.3	5.496	20	
97	5.3	5.413	20	
98	5.3	5.695	20	
99	5.3	5.422	20	
100	5.3	5.689	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.527	20	
2	5.3	5.671	20	
3	5.3	5.49	20	
4	5.3	5.312	20	
5	5.3	5.432	20	
6	5.3	5.376	20	
7	5.3	5.543	20	
8	5.3	5.647	20	
9	5.3	5.346	20	
10	5.3	5.587	20	
11	5.3	5.632	20	
12	5.3	5.35	20	
13	5.3	5.618	20	
14	5.3	5.62	20	
15	5.3	5.683	20	
16	5.3	5.382	20	
17	5.3	5.387	20	
18	5.3	5.57	20	
19	5.3	5.597	20	
20	5.3	5.274	20	
21	5.3	5.454	20	
22	5.3	5.657	20	
23	5.3	5.573	20	
24	5.3	5.652	20	
25	5.3	5.67	20	
26	5.3	5.488	20	
27	5.3	5.608	20	
28	5.3	5.633	20	
29	5.3	5.279	20	
30	5.3	5.524	20	
31	5.3	5.708	20	
32	5.3	5.25	20	
33	5.3	5.399	20	
34	5.3	5.653	20	
35	5.3	5.326	20	
36	5.3	5.641	20	
37	5.3	5.493	20	
38	5.3	5.369	20	
39	5.3	5.465	20	
40	5.3	5.319	20	
41	5.3	5.423	20	
42	5.3	5.407	20	
43	5.3	5.626	20	
44	5.3	5.56	20	
45	5.3	5.379	20	
46	5.3	5.256	20	
47	5.3	5.441	20	
48	5.3	5.273	20	
49	5.3	5.66	20	

50	5.3	5.436	20	
51	5.3	5.44	20	
52	5.3	5.352	20	
53	5.3	5.414	20	
54	5.3	5.619	20	
55	5.3	5.455	20	
56	5.3	5.55	20	
57	5.3	5.649	20	
58	5.3	5.434	20	
59	5.3	5.623	20	
60	5.3	5.517	20	
61	5.3	5.538	20	
62	5.3	5.606	20	
63	5.3	5.302	20	*
64	5.3	5.347	20	
65	5.3	5.574	20	
66	5.3	5.336	20	
67	5.3	5.564	20	
68	5.3	5.351	20	
69	5.3	5.627	20	
70	5.3	5.32	20	
71	5.3	5.354	20	
72	5.3	5.47	20	
73	5.3	5.452	20	
74	5.3	5.72	20	
75	5.3	5.526	20	
76	5.3	5.588	20	
77	5.3	5.552	20	
78	5.3	5.701	20	
79	5.3	5.709	20	
80	5.3	5.498	20	
81	5.3	5.722	20	
82	5.3	5.675	20	
83	5.3	5.332	20	
84	5.3	5.408	20	
85	5.3	5.707	20	
86	5.3	5.716	20	
87	5.3	5.263	20	
88	5.3	5.545	20	
89	5.3	5.367	20	
90	5.3	5.37	20	
91	5.3	5.546	20	
92	5.3	5.512	20	
93	5.3	5.471	20	
94	5.3	5.651	20	
95	5.3	5.616	20	
96	5.3	5.609	20	
97	5.3	5.717	20	
98	5.3	5.659	20	
99	5.3	5.413	20	
100	5.3	5.26	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.649	20	
2	5.3	5.517	20	
3	5.3	5.358	20	
4	5.3	5.52	20	
5	5.3	5.417	20	
6	5.3	5.572	20	
7	5.3	5.509	20	
8	5.3	5.659	20	
9	5.3	5.384	20	
10	5.3	5.383	20	
11	5.3	5.296	20	*
12	5.3	5.523	20	
13	5.3	5.69	20	
14	5.3	5.57	20	
15	5.3	5.307	20	*
16	5.3	5.62	20	
17	5.3	5.66	20	
18	5.3	5.601	20	
19	5.3	5.462	20	
20	5.3	5.67	20	
21	5.3	5.626	20	
22	5.3	5.703	20	
23	5.3	5.526	20	
24	5.3	5.646	20	
25	5.3	5.421	20	
26	5.3	5.597	20	
27	5.3	5.297	20	*
28	5.3	5.555	20	
29	5.3	5.362	20	
30	5.3	5.262	20	
31	5.3	5.694	20	
32	5.3	5.486	20	
33	5.3	5.465	20	
34	5.3	5.608	20	
35	5.3	5.414	20	
36	5.3	5.341	20	
37	5.3	5.595	20	
38	5.3	5.539	20	
39	5.3	5.391	20	
40	5.3	5.4	20	
41	5.3	5.308	20	*
42	5.3	5.702	20	
43	5.3	5.615	20	
44	5.3	5.422	20	
45	5.3	5.596	20	
46	5.3	5.338	20	
47	5.3	5.418	20	
48	5.3	5.697	20	
49	5.3	5.497	20	

50	5.3	5.672	20	
51	5.3	5.313	20	
52	5.3	5.502	20	
53	5.3	5.366	20	
54	5.3	5.566	20	
55	5.3	5.506	20	
56	5.3	5.322	20	
57	5.3	5.315	20	
58	5.3	5.592	20	
59	5.3	5.662	20	
60	5.3	5.352	20	
61	5.3	5.673	20	
62	5.3	5.696	20	
63	5.3	5.648	20	
64	5.3	5.267	20	
65	5.3	5.632	20	
66	5.3	5.551	20	
67	5.3	5.395	20	
68	5.3	5.268	20	
69	5.3	5.379	20	
70	5.3	5.512	20	
71	5.3	5.389	20	
72	5.3	5.674	20	
73	5.3	5.416	20	
74	5.3	5.325	20	
75	5.3	5.285	20	
76	5.3	5.463	20	
77	5.3	5.724	20	
78	5.3	5.429	20	
79	5.3	5.684	20	
80	5.3	5.666	20	
81	5.3	5.719	20	
82	5.3	5.537	20	
83	5.3	5.386	20	
84	5.3	5.698	20	
85	5.3	5.577	20	
86	5.3	5.653	20	
87	5.3	5.614	20	
88	5.3	5.425	20	
89	5.3	5.65	20	
90	5.3	5.374	20	
91	5.3	5.543	20	
92	5.3	5.721	20	
93	5.3	5.368	20	
94	5.3	5.624	20	
95	5.3	5.56	20	
96	5.3	5.636	20	
97	5.3	5.434	20	
98	5.3	5.26	20	
99	5.3	5.609	20	
100	5.3	5.714	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.713	20	
2	5.3	5.669	20	
3	5.3	5.524	20	
4	5.3	5.407	20	
5	5.3	5.711	20	
6	5.3	5.564	20	
7	5.3	5.328	20	
8	5.3	5.485	20	
9	5.3	5.498	20	
10	5.3	5.611	20	
11	5.3	5.654	20	
12	5.3	5.426	20	
13	5.3	5.606	20	
14	5.3	5.552	20	
15	5.3	5.383	20	
16	5.3	5.622	20	
17	5.3	5.512	20	
18	5.3	5.436	20	
19	5.3	5.33	20	
20	5.3	5.315	20	
21	5.3	5.406	20	
22	5.3	5.353	20	
23	5.3	5.562	20	
24	5.3	5.331	20	
25	5.3	5.324	20	
26	5.3	5.261	20	
27	5.3	5.621	20	
28	5.3	5.396	20	
29	5.3	5.577	20	
30	5.3	5.452	20	
31	5.3	5.454	20	
32	5.3	5.467	20	
33	5.3	5.36	20	
34	5.3	5.547	20	
35	5.3	5.363	20	
36	5.3	5.607	20	
37	5.3	5.375	20	
38	5.3	5.38	20	
39	5.3	5.596	20	
40	5.3	5.45	20	
41	5.3	5.408	20	
42	5.3	5.656	20	
43	5.3	5.42	20	
44	5.3	5.629	20	
45	5.3	5.335	20	
46	5.3	5.277	20	
47	5.3	5.262	20	
48	5.3	5.458	20	
49	5.3	5.484	20	

50	5.3	5.616	20	
51	5.3	5.601	20	
52	5.3	5.257	20	
53	5.3	5.691	20	
54	5.3	5.507	20	
55	5.3	5.448	20	
56	5.3	5.389	20	
57	5.3	5.28	20	
58	5.3	5.381	20	
59	5.3	5.475	20	
60	5.3	5.356	20	
61	5.3	5.25	20	
62	5.3	5.444	20	
63	5.3	5.581	20	
64	5.3	5.534	20	
65	5.3	5.273	20	
66	5.3	5.515	20	
67	5.3	5.53	20	
68	5.3	5.615	20	
69	5.3	5.588	20	
70	5.3	5.449	20	
71	5.3	5.376	20	
72	5.3	5.404	20	
73	5.3	5.268	20	
74	5.3	5.641	20	
75	5.3	5.388	20	
76	5.3	5.443	20	
77	5.3	5.451	20	
78	5.3	5.696	20	
79	5.3	5.573	20	
80	5.3	5.339	20	
81	5.3	5.419	20	
82	5.3	5.417	20	
83	5.3	5.416	20	
84	5.3	5.625	20	
85	5.3	5.497	20	
86	5.3	5.551	20	
87	5.3	5.716	20	
88	5.3	5.502	20	
89	5.3	5.595	20	
90	5.3	5.393	20	
91	5.3	5.586	20	
92	5.3	5.333	20	
93	5.3	5.439	20	
94	5.3	5.368	20	
95	5.3	5.667	20	
96	5.3	5.313	20	
97	5.3	5.591	20	
98	5.3	5.52	20	
99	5.3	5.296	20	*
100	5.3	5.578	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.48	20	
2	5.3	5.636	20	
3	5.3	5.553	20	
4	5.3	5.536	20	
5	5.3	5.403	20	
6	5.3	5.255	20	
7	5.3	5.349	20	
8	5.3	5.348	20	
9	5.3	5.708	20	
10	5.3	5.346	20	
11	5.3	5.278	20	
12	5.3	5.339	20	
13	5.3	5.503	20	
14	5.3	5.492	20	
15	5.3	5.25	20	
16	5.3	5.273	20	
17	5.3	5.719	20	
18	5.3	5.643	20	
19	5.3	5.565	20	
20	5.3	5.283	20	
21	5.3	5.465	20	
22	5.3	5.667	20	
23	5.3	5.602	20	
24	5.3	5.548	20	
25	5.3	5.467	20	
26	5.3	5.326	20	
27	5.3	5.327	20	
28	5.3	5.399	20	
29	5.3	5.296	20	*
30	5.3	5.692	20	
31	5.3	5.425	20	
32	5.3	5.624	20	
33	5.3	5.29	20	*
34	5.3	5.641	20	
35	5.3	5.484	20	
36	5.3	5.383	20	
37	5.3	5.501	20	
38	5.3	5.292	20	*
39	5.3	5.709	20	
40	5.3	5.252	20	
41	5.3	5.42	20	
42	5.3	5.276	20	
43	5.3	5.631	20	
44	5.3	5.448	20	
45	5.3	5.613	20	
46	5.3	5.697	20	
47	5.3	5.493	20	
48	5.3	5.289	20	
49	5.3	5.287	20	

50	5.3	5.426	20	
51	5.3	5.257	20	
52	5.3	5.614	20	
53	5.3	5.35	20	
54	5.3	5.487	20	
55	5.3	5.593	20	
56	5.3	5.303	20	*
57	5.3	5.409	20	
58	5.3	5.371	20	
59	5.3	5.352	20	
60	5.3	5.517	20	
61	5.3	5.576	20	
62	5.3	5.372	20	
63	5.3	5.347	20	
64	5.3	5.687	20	
65	5.3	5.464	20	
66	5.3	5.407	20	
67	5.3	5.535	20	
68	5.3	5.279	20	
69	5.3	5.68	20	
70	5.3	5.254	20	
71	5.3	5.46	20	
72	5.3	5.382	20	
73	5.3	5.558	20	
74	5.3	5.722	20	
75	5.3	5.526	20	
76	5.3	5.688	20	
77	5.3	5.397	20	
78	5.3	5.714	20	
79	5.3	5.545	20	
80	5.3	5.564	20	
81	5.3	5.434	20	
82	5.3	5.645	20	
83	5.3	5.622	20	
84	5.3	5.401	20	
85	5.3	5.574	20	
86	5.3	5.395	20	
87	5.3	5.682	20	
88	5.3	5.369	20	
89	5.3	5.724	20	
90	5.3	5.508	20	
91	5.3	5.441	20	
92	5.3	5.632	20	
93	5.3	5.364	20	
94	5.3	5.664	20	
95	5.3	5.515	20	
96	5.3	5.676	20	
97	5.3	5.712	20	
98	5.3	5.69	20	
99	5.3	5.522	20	
100	5.3	5.691	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.494	20	
2	5.3	5.688	20	
3	5.3	5.613	20	
4	5.3	5.58	20	
5	5.3	5.551	20	
6	5.3	5.403	20	
7	5.3	5.602	20	
8	5.3	5.658	20	
9	5.3	5.554	20	
10	5.3	5.289	20	
11	5.3	5.644	20	
12	5.3	5.619	20	
13	5.3	5.689	20	
14	5.3	5.316	20	
15	5.3	5.42	20	
16	5.3	5.656	20	
17	5.3	5.683	20	
18	5.3	5.272	20	
19	5.3	5.567	20	
20	5.3	5.717	20	
21	5.3	5.595	20	
22	5.3	5.672	20	
23	5.3	5.294	20	*
24	5.3	5.367	20	
25	5.3	5.539	20	
26	5.3	5.471	20	
27	5.3	5.604	20	
28	5.3	5.609	20	
29	5.3	5.379	20	
30	5.3	5.516	20	
31	5.3	5.671	20	
32	5.3	5.43	20	
33	5.3	5.663	20	
34	5.3	5.438	20	
35	5.3	5.259	20	
36	5.3	5.419	20	
37	5.3	5.482	20	
38	5.3	5.26	20	
39	5.3	5.603	20	
40	5.3	5.476	20	
41	5.3	5.382	20	
42	5.3	5.352	20	
43	5.3	5.566	20	
44	5.3	5.411	20	
45	5.3	5.402	20	
46	5.3	5.459	20	
47	5.3	5.335	20	
48	5.3	5.31	20	*
49	5.3	5.296	20	*

50	5.3	5.39	20	
51	5.3	5.535	20	
52	5.3	5.626	20	
53	5.3	5.45	20	
54	5.3	5.684	20	
55	5.3	5.463	20	
56	5.3	5.517	20	
57	5.3	5.563	20	
58	5.3	5.54	20	
59	5.3	5.364	20	
60	5.3	5.343	20	
61	5.3	5.409	20	
62	5.3	5.691	20	
63	5.3	5.506	20	
64	5.3	5.346	20	
65	5.3	5.521	20	
66	5.3	5.468	20	
67	5.3	5.401	20	
68	5.3	5.44	20	
69	5.3	5.528	20	
70	5.3	5.503	20	
71	5.3	5.629	20	
72	5.3	5.596	20	
73	5.3	5.406	20	
74	5.3	5.636	20	
75	5.3	5.331	20	
76	5.3	5.6	20	
77	5.3	5.67	20	
78	5.3	5.452	20	
79	5.3	5.637	20	
80	5.3	5.273	20	
81	5.3	5.421	20	
82	5.3	5.591	20	
83	5.3	5.426	20	
84	5.3	5.362	20	
85	5.3	5.481	20	
86	5.3	5.368	20	
87	5.3	5.5	20	
88	5.3	5.484	20	
89	5.3	5.266	20	
90	5.3	5.308	20	*
91	5.3	5.507	20	
92	5.3	5.56	20	
93	5.3	5.475	20	
94	5.3	5.297	20	*
95	5.3	5.71	20	
96	5.3	5.593	20	
97	5.3	5.418	20	
98	5.3	5.393	20	
99	5.3	5.465	20	
100	5.3	5.721	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.6	20	
2	5.3	5.531	20	
3	5.3	5.487	20	
4	5.3	5.483	20	
5	5.3	5.455	20	
6	5.3	5.369	20	
7	5.3	5.437	20	
8	5.3	5.494	20	
9	5.3	5.572	20	
10	5.3	5.337	20	
11	5.3	5.386	20	
12	5.3	5.638	20	
13	5.3	5.524	20	
14	5.3	5.493	20	
15	5.3	5.704	20	
16	5.3	5.558	20	
17	5.3	5.537	20	
18	5.3	5.456	20	
19	5.3	5.716	20	
20	5.3	5.666	20	
21	5.3	5.622	20	
22	5.3	5.665	20	
23	5.3	5.254	20	
24	5.3	5.569	20	
25	5.3	5.326	20	
26	5.3	5.532	20	
27	5.3	5.661	20	
28	5.3	5.304	20	*
29	5.3	5.295	20	*
30	5.3	5.291	20	*
31	5.3	5.383	20	
32	5.3	5.525	20	
33	5.3	5.523	20	
34	5.3	5.693	20	
35	5.3	5.46	20	
36	5.3	5.32	20	
37	5.3	5.647	20	
38	5.3	5.316	20	
39	5.3	5.674	20	
40	5.3	5.311	20	
41	5.3	5.66	20	
42	5.3	5.662	20	
43	5.3	5.405	20	
44	5.3	5.549	20	
45	5.3	5.497	20	
46	5.3	5.691	20	
47	5.3	5.312	20	
48	5.3	5.724	20	
49	5.3	5.335	20	

50	5.3	5.263	20	
51	5.3	5.536	20	
52	5.3	5.574	20	
53	5.3	5.479	20	
54	5.3	5.585	20	
55	5.3	5.359	20	
56	5.3	5.609	20	
57	5.3	5.648	20	
58	5.3	5.253	20	
59	5.3	5.619	20	
60	5.3	5.438	20	
61	5.3	5.522	20	
62	5.3	5.421	20	
63	5.3	5.595	20	
64	5.3	5.441	20	
65	5.3	5.702	20	
66	5.3	5.446	20	
67	5.3	5.545	20	
68	5.3	5.587	20	
69	5.3	5.556	20	
70	5.3	5.43	20	
71	5.3	5.663	20	
72	5.3	5.591	20	
73	5.3	5.477	20	
74	5.3	5.387	20	
75	5.3	5.59	20	
76	5.3	5.461	20	
77	5.3	5.642	20	
78	5.3	5.273	20	
79	5.3	5.473	20	
80	5.3	5.692	20	
81	5.3	5.685	20	
82	5.3	5.61	20	
83	5.3	5.431	20	
84	5.3	5.643	20	
85	5.3	5.365	20	
86	5.3	5.563	20	
87	5.3	5.58	20	
88	5.3	5.38	20	
89	5.3	5.503	20	
90	5.3	5.696	20	
91	5.3	5.296	20	*
92	5.3	5.573	20	
93	5.3	5.389	20	
94	5.3	5.258	20	
95	5.3	5.416	20	
96	5.3	5.475	20	
97	5.3	5.546	20	
98	5.3	5.624	20	
99	5.3	5.529	20	
100	5.3	5.491	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.649	20	
2	5.3	5.521	20	
3	5.3	5.441	20	
4	5.3	5.55	20	
5	5.3	5.294	20	*
6	5.3	5.344	20	
7	5.3	5.624	20	
8	5.3	5.29	20	*
9	5.3	5.403	20	
10	5.3	5.589	20	
11	5.3	5.438	20	
12	5.3	5.404	20	
13	5.3	5.352	20	
14	5.3	5.525	20	
15	5.3	5.522	20	
16	5.3	5.445	20	
17	5.3	5.71	20	
18	5.3	5.697	20	
19	5.3	5.257	20	
20	5.3	5.481	20	
21	5.3	5.655	20	
22	5.3	5.366	20	
23	5.3	5.633	20	
24	5.3	5.489	20	
25	5.3	5.662	20	
26	5.3	5.34	20	
27	5.3	5.646	20	
28	5.3	5.554	20	
29	5.3	5.302	20	*
30	5.3	5.448	20	
31	5.3	5.422	20	
32	5.3	5.259	20	
33	5.3	5.594	20	
34	5.3	5.279	20	
35	5.3	5.693	20	
36	5.3	5.533	20	
37	5.3	5.699	20	
38	5.3	5.282	20	
39	5.3	5.309	20	*
40	5.3	5.715	20	
41	5.3	5.709	20	
42	5.3	5.601	20	
43	5.3	5.6	20	
44	5.3	5.32	20	
45	5.3	5.405	20	
46	5.3	5.348	20	
47	5.3	5.501	20	
48	5.3	5.642	20	
49	5.3	5.568	20	

50	5.3	5.346	20	
51	5.3	5.416	20	
52	5.3	5.284	20	
53	5.3	5.683	20	
54	5.3	5.459	20	
55	5.3	5.278	20	
56	5.3	5.377	20	
57	5.3	5.328	20	
58	5.3	5.528	20	
59	5.3	5.559	20	
60	5.3	5.581	20	
61	5.3	5.668	20	
62	5.3	5.66	20	
63	5.3	5.429	20	
64	5.3	5.418	20	
65	5.3	5.33	20	
66	5.3	5.443	20	
67	5.3	5.456	20	
68	5.3	5.369	20	
69	5.3	5.458	20	
70	5.3	5.612	20	
71	5.3	5.561	20	
72	5.3	5.63	20	
73	5.3	5.461	20	
74	5.3	5.345	20	
75	5.3	5.504	20	
76	5.3	5.433	20	
77	5.3	5.543	20	
78	5.3	5.389	20	
79	5.3	5.27	20	
80	5.3	5.469	20	
81	5.3	5.258	20	
82	5.3	5.53	20	
83	5.3	5.365	20	
84	5.3	5.269	20	
85	5.3	5.303	20	*
86	5.3	5.529	20	
87	5.3	5.596	20	
88	5.3	5.46	20	
89	5.3	5.449	20	
90	5.3	5.718	20	
91	5.3	5.432	20	
92	5.3	5.436	20	
93	5.3	5.508	20	
94	5.3	5.491	20	
95	5.3	5.285	20	
96	5.3	5.527	20	
97	5.3	5.321	20	
98	5.3	5.474	20	
99	5.3	5.64	20	
100	5.3	5.463	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.409	20	
2	5.3	5.283	20	
3	5.3	5.653	20	
4	5.3	5.546	20	
5	5.3	5.713	20	
6	5.3	5.7	20	
7	5.3	5.251	20	
8	5.3	5.594	20	
9	5.3	5.587	20	
10	5.3	5.292	20	*
11	5.3	5.574	20	
12	5.3	5.47	20	
13	5.3	5.462	20	
14	5.3	5.533	20	
15	5.3	5.361	20	
16	5.3	5.63	20	
17	5.3	5.553	20	
18	5.3	5.609	20	
19	5.3	5.581	20	
20	5.3	5.691	20	
21	5.3	5.654	20	
22	5.3	5.4	20	
23	5.3	5.3	20	*
24	5.3	5.296	20	*
25	5.3	5.561	20	
26	5.3	5.346	20	
27	5.3	5.314	20	
28	5.3	5.557	20	
29	5.3	5.689	20	
30	5.3	5.431	20	
31	5.3	5.716	20	
32	5.3	5.5	20	
33	5.3	5.309	20	*
34	5.3	5.706	20	
35	5.3	5.268	20	
36	5.3	5.648	20	
37	5.3	5.344	20	
38	5.3	5.331	20	
39	5.3	5.35	20	
40	5.3	5.333	20	
41	5.3	5.272	20	
42	5.3	5.702	20	
43	5.3	5.552	20	
44	5.3	5.683	20	
45	5.3	5.534	20	
46	5.3	5.595	20	
47	5.3	5.449	20	
48	5.3	5.646	20	
49	5.3	5.417	20	

50	5.3	5.451	20	
51	5.3	5.507	20	
52	5.3	5.28	20	
53	5.3	5.325	20	
54	5.3	5.485	20	
55	5.3	5.603	20	
56	5.3	5.483	20	
57	5.3	5.601	20	
58	5.3	5.434	20	
59	5.3	5.564	20	
60	5.3	5.632	20	
61	5.3	5.666	20	
62	5.3	5.318	20	
63	5.3	5.393	20	
64	5.3	5.418	20	
65	5.3	5.471	20	
66	5.3	5.644	20	
67	5.3	5.315	20	
68	5.3	5.33	20	
69	5.3	5.719	20	
70	5.3	5.506	20	
71	5.3	5.57	20	
72	5.3	5.481	20	
73	5.3	5.525	20	
74	5.3	5.615	20	
75	5.3	5.308	20	*
76	5.3	5.424	20	
77	5.3	5.524	20	
78	5.3	5.304	20	*
79	5.3	5.629	20	
80	5.3	5.34	20	
81	5.3	5.56	20	
82	5.3	5.543	20	
83	5.3	5.302	20	*
84	5.3	5.352	20	
85	5.3	5.359	20	
86	5.3	5.271	20	
87	5.3	5.328	20	
88	5.3	5.703	20	
89	5.3	5.464	20	
90	5.3	5.358	20	
91	5.3	5.439	20	
92	5.3	5.253	20	
93	5.3	5.306	20	*
94	5.3	5.586	20	
95	5.3	5.432	20	
96	5.3	5.677	20	
97	5.3	5.679	20	
98	5.3	5.275	20	
99	5.3	5.404	20	
100	5.3	5.516	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.331	20	
2	5.3	5.658	20	
3	5.3	5.437	20	
4	5.3	5.525	20	
5	5.3	5.336	20	
6	5.3	5.676	20	
7	5.3	5.373	20	
8	5.3	5.344	20	
9	5.3	5.464	20	
10	5.3	5.325	20	
11	5.3	5.509	20	
12	5.3	5.671	20	
13	5.3	5.34	20	
14	5.3	5.375	20	
15	5.3	5.692	20	
16	5.3	5.318	20	
17	5.3	5.348	20	
18	5.3	5.251	20	
19	5.3	5.443	20	
20	5.3	5.449	20	
21	5.3	5.397	20	
22	5.3	5.491	20	
23	5.3	5.514	20	
24	5.3	5.346	20	
25	5.3	5.273	20	
26	5.3	5.59	20	
27	5.3	5.363	20	
28	5.3	5.618	20	
29	5.3	5.258	20	
30	5.3	5.504	20	
31	5.3	5.478	20	
32	5.3	5.622	20	
33	5.3	5.446	20	
34	5.3	5.429	20	
35	5.3	5.357	20	
36	5.3	5.693	20	
37	5.3	5.253	20	
38	5.3	5.545	20	
39	5.3	5.419	20	
40	5.3	5.319	20	
41	5.3	5.456	20	
42	5.3	5.551	20	
43	5.3	5.669	20	
44	5.3	5.604	20	
45	5.3	5.643	20	
46	5.3	5.591	20	
47	5.3	5.56	20	
48	5.3	5.515	20	
49	5.3	5.644	20	

50	5.3	5.311	20	
51	5.3	5.637	20	
52	5.3	5.708	20	
53	5.3	5.559	20	
54	5.3	5.589	20	
55	5.3	5.298	20	*
56	5.3	5.583	20	
57	5.3	5.653	20	
58	5.3	5.327	20	
59	5.3	5.64	20	
60	5.3	5.368	20	
61	5.3	5.291	20	*
62	5.3	5.71	20	
63	5.3	5.528	20	
64	5.3	5.384	20	
65	5.3	5.472	20	
66	5.3	5.612	20	
67	5.3	5.616	20	
68	5.3	5.724	20	
69	5.3	5.718	20	
70	5.3	5.697	20	
71	5.3	5.339	20	
72	5.3	5.458	20	
73	5.3	5.655	20	
74	5.3	5.47	20	
75	5.3	5.302	20	*
76	5.3	5.377	20	
77	5.3	5.313	20	
78	5.3	5.372	20	
79	5.3	5.619	20	
80	5.3	5.436	20	
81	5.3	5.652	20	
82	5.3	5.286	20	
83	5.3	5.662	20	
84	5.3	5.455	20	
85	5.3	5.613	20	
86	5.3	5.349	20	
87	5.3	5.378	20	
88	5.3	5.542	20	
89	5.3	5.441	20	
90	5.3	5.489	20	
91	5.3	5.39	20	
92	5.3	5.461	20	
93	5.3	5.522	20	
94	5.3	5.555	20	
95	5.3	5.398	20	
96	5.3	5.651	20	
97	5.3	5.321	20	
98	5.3	5.492	20	
99	5.3	5.332	20	
100	5.3	5.412	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.671	20	
2	5.3	5.624	20	
3	5.3	5.64	20	
4	5.3	5.569	20	
5	5.3	5.272	20	
6	5.3	5.622	20	
7	5.3	5.345	20	
8	5.3	5.439	20	
9	5.3	5.477	20	
10	5.3	5.253	20	
11	5.3	5.533	20	
12	5.3	5.296	20	*
13	5.3	5.394	20	
14	5.3	5.544	20	
15	5.3	5.663	20	
16	5.3	5.431	20	
17	5.3	5.701	20	
18	5.3	5.389	20	
19	5.3	5.628	20	
20	5.3	5.612	20	
21	5.3	5.543	20	
22	5.3	5.379	20	
23	5.3	5.493	20	
24	5.3	5.668	20	
25	5.3	5.442	20	
26	5.3	5.483	20	
27	5.3	5.278	20	
28	5.3	5.488	20	
29	5.3	5.697	20	
30	5.3	5.328	20	
31	5.3	5.372	20	
32	5.3	5.513	20	
33	5.3	5.504	20	
34	5.3	5.473	20	
35	5.3	5.261	20	
36	5.3	5.485	20	
37	5.3	5.593	20	
38	5.3	5.676	20	
39	5.3	5.409	20	
40	5.3	5.456	20	
41	5.3	5.465	20	
42	5.3	5.293	20	*
43	5.3	5.259	20	
44	5.3	5.377	20	
45	5.3	5.65	20	
46	5.3	5.33	20	
47	5.3	5.643	20	
48	5.3	5.424	20	
49	5.3	5.344	20	

50	5.3	5.303	20	*
51	5.3	5.378	20	
52	5.3	5.291	20	*
53	5.3	5.434	20	
54	5.3	5.525	20	
55	5.3	5.474	20	
56	5.3	5.254	20	
57	5.3	5.373	20	
58	5.3	5.509	20	
59	5.3	5.507	20	
60	5.3	5.3	20	*
61	5.3	5.652	20	
62	5.3	5.724	20	
63	5.3	5.382	20	
64	5.3	5.684	20	
65	5.3	5.426	20	
66	5.3	5.658	20	
67	5.3	5.41	20	
68	5.3	5.315	20	
69	5.3	5.387	20	
70	5.3	5.664	20	
71	5.3	5.362	20	
72	5.3	5.289	20	
73	5.3	5.421	20	
74	5.3	5.709	20	
75	5.3	5.395	20	
76	5.3	5.308	20	*
77	5.3	5.283	20	
78	5.3	5.294	20	*
79	5.3	5.522	20	
80	5.3	5.597	20	
81	5.3	5.501	20	
82	5.3	5.555	20	
83	5.3	5.285	20	
84	5.3	5.53	20	
85	5.3	5.436	20	
86	5.3	5.693	20	
87	5.3	5.491	20	
88	5.3	5.665	20	
89	5.3	5.319	20	
90	5.3	5.455	20	
91	5.3	5.48	20	
92	5.3	5.271	20	
93	5.3	5.342	20	
94	5.3	5.666	20	
95	5.3	5.723	20	
96	5.3	5.526	20	
97	5.3	5.654	20	
98	5.3	5.574	20	
99	5.3	5.413	20	
100	5.3	5.489	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.566	20	
2	5.3	5.274	20	
3	5.3	5.343	20	
4	5.3	5.48	20	
5	5.3	5.638	20	
6	5.3	5.395	20	
7	5.3	5.491	20	
8	5.3	5.335	20	
9	5.3	5.433	20	
10	5.3	5.527	20	
11	5.3	5.502	20	
12	5.3	5.674	20	
13	5.3	5.669	20	
14	5.3	5.276	20	
15	5.3	5.692	20	
16	5.3	5.622	20	
17	5.3	5.696	20	
18	5.3	5.53	20	
19	5.3	5.39	20	
20	5.3	5.344	20	
21	5.3	5.505	20	
22	5.3	5.667	20	
23	5.3	5.711	20	
24	5.3	5.507	20	
25	5.3	5.251	20	
26	5.3	5.555	20	
27	5.3	5.295	20	*
28	5.3	5.434	20	
29	5.3	5.345	20	
30	5.3	5.488	20	
31	5.3	5.435	20	
32	5.3	5.393	20	
33	5.3	5.645	20	
34	5.3	5.471	20	
35	5.3	5.657	20	
36	5.3	5.525	20	
37	5.3	5.521	20	
38	5.3	5.455	20	
39	5.3	5.311	20	
40	5.3	5.623	20	
41	5.3	5.32	20	
42	5.3	5.363	20	
43	5.3	5.323	20	
44	5.3	5.718	20	
45	5.3	5.436	20	
46	5.3	5.547	20	
47	5.3	5.687	20	
48	5.3	5.285	20	
49	5.3	5.3	20	*

50	5.3	5.483	20	
51	5.3	5.474	20	
52	5.3	5.716	20	
53	5.3	5.449	20	
54	5.3	5.415	20	
55	5.3	5.334	20	
56	5.3	5.661	20	
57	5.3	5.668	20	
58	5.3	5.402	20	
59	5.3	5.365	20	
60	5.3	5.265	20	
61	5.3	5.64	20	
62	5.3	5.495	20	
63	5.3	5.326	20	
64	5.3	5.541	20	
65	5.3	5.379	20	
66	5.3	5.486	20	
67	5.3	5.287	20	
68	5.3	5.606	20	
69	5.3	5.282	20	
70	5.3	5.579	20	
71	5.3	5.695	20	
72	5.3	5.475	20	
73	5.3	5.636	20	
74	5.3	5.722	20	
75	5.3	5.446	20	
76	5.3	5.331	20	
77	5.3	5.594	20	
78	5.3	5.338	20	
79	5.3	5.46	20	
80	5.3	5.677	20	
81	5.3	5.597	20	
82	5.3	5.466	20	
83	5.3	5.271	20	
84	5.3	5.29	20	*
85	5.3	5.712	20	
86	5.3	5.341	20	
87	5.3	5.479	20	
88	5.3	5.601	20	
89	5.3	5.56	20	
90	5.3	5.444	20	
91	5.3	5.429	20	
92	5.3	5.625	20	
93	5.3	5.333	20	
94	5.3	5.556	20	
95	5.3	5.359	20	
96	5.3	5.428	20	
97	5.3	5.707	20	
98	5.3	5.414	20	
99	5.3	5.691	20	
100	5.3	5.377	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.636	20	
2	5.3	5.316	20	
3	5.3	5.347	20	
4	5.3	5.548	20	
5	5.3	5.597	20	
6	5.3	5.262	20	
7	5.3	5.501	20	
8	5.3	5.295	20	*
9	5.3	5.286	20	
10	5.3	5.669	20	
11	5.3	5.342	20	
12	5.3	5.637	20	
13	5.3	5.586	20	
14	5.3	5.626	20	
15	5.3	5.667	20	
16	5.3	5.27	20	
17	5.3	5.602	20	
18	5.3	5.272	20	
19	5.3	5.624	20	
20	5.3	5.509	20	
21	5.3	5.492	20	
22	5.3	5.375	20	
23	5.3	5.566	20	
24	5.3	5.557	20	
25	5.3	5.641	20	
26	5.3	5.58	20	
27	5.3	5.621	20	
28	5.3	5.269	20	
29	5.3	5.558	20	
30	5.3	5.485	20	
31	5.3	5.475	20	
32	5.3	5.431	20	
33	5.3	5.593	20	
34	5.3	5.306	20	*
35	5.3	5.707	20	
36	5.3	5.263	20	
37	5.3	5.44	20	
38	5.3	5.655	20	
39	5.3	5.361	20	
40	5.3	5.623	20	
41	5.3	5.709	20	
42	5.3	5.284	20	
43	5.3	5.541	20	
44	5.3	5.447	20	
45	5.3	5.325	20	
46	5.3	5.571	20	
47	5.3	5.373	20	
48	5.3	5.689	20	
49	5.3	5.386	20	

50	5.3	5.596	20	
51	5.3	5.279	20	
52	5.3	5.369	20	
53	5.3	5.561	20	
54	5.3	5.314	20	
55	5.3	5.389	20	
56	5.3	5.687	20	
57	5.3	5.605	20	
58	5.3	5.579	20	
59	5.3	5.443	20	
60	5.3	5.677	20	
61	5.3	5.506	20	
62	5.3	5.717	20	
63	5.3	5.423	20	
64	5.3	5.448	20	
65	5.3	5.434	20	
66	5.3	5.585	20	
67	5.3	5.674	20	
68	5.3	5.401	20	
69	5.3	5.505	20	
70	5.3	5.336	20	
71	5.3	5.352	20	
72	5.3	5.543	20	
73	5.3	5.476	20	
74	5.3	5.439	20	
75	5.3	5.444	20	
76	5.3	5.274	20	
77	5.3	5.471	20	
78	5.3	5.544	20	
79	5.3	5.7	20	
80	5.3	5.516	20	
81	5.3	5.532	20	
82	5.3	5.645	20	
83	5.3	5.489	20	
84	5.3	5.523	20	
85	5.3	5.451	20	
86	5.3	5.518	20	
87	5.3	5.378	20	
88	5.3	5.293	20	*
89	5.3	5.627	20	
90	5.3	5.616	20	
91	5.3	5.278	20	
92	5.3	5.519	20	
93	5.3	5.703	20	
94	5.3	5.56	20	
95	5.3	5.412	20	
96	5.3	5.513	20	
97	5.3	5.268	20	
98	5.3	5.508	20	
99	5.3	5.436	20	
100	5.3	5.724	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.398	20	
2	5.3	5.445	20	
3	5.3	5.626	20	
4	5.3	5.572	20	
5	5.3	5.483	20	
6	5.3	5.691	20	
7	5.3	5.359	20	
8	5.3	5.675	20	
9	5.3	5.273	20	
10	5.3	5.42	20	
11	5.3	5.467	20	
12	5.3	5.55	20	
13	5.3	5.347	20	
14	5.3	5.373	20	
15	5.3	5.51	20	
16	5.3	5.57	20	
17	5.3	5.325	20	
18	5.3	5.508	20	
19	5.3	5.711	20	
20	5.3	5.561	20	
21	5.3	5.469	20	
22	5.3	5.528	20	
23	5.3	5.551	20	
24	5.3	5.631	20	
25	5.3	5.471	20	
26	5.3	5.258	20	
27	5.3	5.265	20	
28	5.3	5.586	20	
29	5.3	5.497	20	
30	5.3	5.451	20	
31	5.3	5.677	20	
32	5.3	5.345	20	
33	5.3	5.349	20	
34	5.3	5.532	20	
35	5.3	5.319	20	
36	5.3	5.478	20	
37	5.3	5.568	20	
38	5.3	5.312	20	
39	5.3	5.269	20	
40	5.3	5.426	20	
41	5.3	5.307	20	*
42	5.3	5.523	20	
43	5.3	5.26	20	
44	5.3	5.363	20	
45	5.3	5.491	20	
46	5.3	5.563	20	
47	5.3	5.702	20	
48	5.3	5.519	20	
49	5.3	5.32	20	

50	5.3	5.712	20	
51	5.3	5.481	20	
52	5.3	5.435	20	
53	5.3	5.689	20	
54	5.3	5.334	20	
55	5.3	5.464	20	
56	5.3	5.692	20	
57	5.3	5.441	20	
58	5.3	5.701	20	
59	5.3	5.311	20	
60	5.3	5.418	20	
61	5.3	5.473	20	
62	5.3	5.463	20	
63	5.3	5.504	20	
64	5.3	5.628	20	
65	5.3	5.327	20	
66	5.3	5.487	20	
67	5.3	5.507	20	
68	5.3	5.433	20	
69	5.3	5.259	20	
70	5.3	5.592	20	
71	5.3	5.264	20	
72	5.3	5.46	20	
73	5.3	5.638	20	
74	5.3	5.516	20	
75	5.3	5.652	20	
76	5.3	5.393	20	
77	5.3	5.596	20	
78	5.3	5.484	20	
79	5.3	5.611	20	
80	5.3	5.56	20	
81	5.3	5.676	20	
82	5.3	5.645	20	
83	5.3	5.539	20	
84	5.3	5.665	20	
85	5.3	5.525	20	
86	5.3	5.352	20	
87	5.3	5.52	20	
88	5.3	5.65	20	
89	5.3	5.297	20	*
90	5.3	5.391	20	
91	5.3	5.583	20	
92	5.3	5.668	20	
93	5.3	5.589	20	
94	5.3	5.289	20	
95	5.3	5.403	20	
96	5.3	5.637	20	
97	5.3	5.655	20	
98	5.3	5.68	20	
99	5.3	5.605	20	
100	5.3	5.381	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.713	20	
2	5.3	5.514	20	
3	5.3	5.63	20	
4	5.3	5.569	20	
5	5.3	5.7	20	
6	5.3	5.592	20	
7	5.3	5.709	20	
8	5.3	5.68	20	
9	5.3	5.323	20	
10	5.3	5.315	20	
11	5.3	5.474	20	
12	5.3	5.366	20	
13	5.3	5.558	20	
14	5.3	5.297	20	*
15	5.3	5.405	20	
16	5.3	5.27	20	
17	5.3	5.647	20	
18	5.3	5.623	20	
19	5.3	5.602	20	
20	5.3	5.49	20	
21	5.3	5.404	20	
22	5.3	5.525	20	
23	5.3	5.427	20	
24	5.3	5.633	20	
25	5.3	5.517	20	
26	5.3	5.673	20	
27	5.3	5.351	20	
28	5.3	5.706	20	
29	5.3	5.304	20	*
30	5.3	5.541	20	
31	5.3	5.577	20	
32	5.3	5.69	20	
33	5.3	5.548	20	
34	5.3	5.305	20	*
35	5.3	5.691	20	
36	5.3	5.645	20	
37	5.3	5.388	20	
38	5.3	5.252	20	
39	5.3	5.467	20	
40	5.3	5.423	20	
41	5.3	5.657	20	
42	5.3	5.596	20	
43	5.3	5.294	20	*
44	5.3	5.553	20	
45	5.3	5.37	20	
46	5.3	5.317	20	
47	5.3	5.352	20	
48	5.3	5.443	20	
49	5.3	5.612	20	

50	5.3	5.711	20	
51	5.3	5.458	20	
52	5.3	5.314	20	
53	5.3	5.406	20	
54	5.3	5.309	20	*
55	5.3	5.708	20	
56	5.3	5.267	20	
57	5.3	5.513	20	
58	5.3	5.283	20	
59	5.3	5.318	20	
60	5.3	5.319	20	
61	5.3	5.489	20	
62	5.3	5.476	20	
63	5.3	5.696	20	
64	5.3	5.376	20	
65	5.3	5.378	20	
66	5.3	5.575	20	
67	5.3	5.616	20	
68	5.3	5.627	20	
69	5.3	5.516	20	
70	5.3	5.273	20	
71	5.3	5.501	20	
72	5.3	5.546	20	
73	5.3	5.282	20	
74	5.3	5.321	20	
75	5.3	5.271	20	
76	5.3	5.307	20	*
77	5.3	5.503	20	
78	5.3	5.496	20	
79	5.3	5.523	20	
80	5.3	5.38	20	
81	5.3	5.414	20	
82	5.3	5.666	20	
83	5.3	5.714	20	
84	5.3	5.277	20	
85	5.3	5.421	20	
86	5.3	5.617	20	
87	5.3	5.473	20	
88	5.3	5.559	20	
89	5.3	5.508	20	
90	5.3	5.491	20	
91	5.3	5.342	20	
92	5.3	5.72	20	
93	5.3	5.573	20	
94	5.3	5.705	20	
95	5.3	5.279	20	
96	5.3	5.353	20	
97	5.3	5.518	20	
98	5.3	5.398	20	
99	5.3	5.603	20	
100	5.3	5.444	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.612	20	
2	5.3	5.557	20	
3	5.3	5.465	20	
4	5.3	5.656	20	
5	5.3	5.672	20	
6	5.3	5.317	20	
7	5.3	5.34	20	
8	5.3	5.577	20	
9	5.3	5.396	20	
10	5.3	5.346	20	
11	5.3	5.385	20	
12	5.3	5.558	20	
13	5.3	5.441	20	
14	5.3	5.331	20	
15	5.3	5.522	20	
16	5.3	5.279	20	
17	5.3	5.372	20	
18	5.3	5.273	20	
19	5.3	5.622	20	
20	5.3	5.407	20	
21	5.3	5.431	20	
22	5.3	5.455	20	
23	5.3	5.678	20	
24	5.3	5.261	20	
25	5.3	5.659	20	
26	5.3	5.544	20	
27	5.3	5.278	20	
28	5.3	5.706	20	
29	5.3	5.66	20	
30	5.3	5.497	20	
31	5.3	5.451	20	
32	5.3	5.435	20	
33	5.3	5.403	20	
34	5.3	5.4	20	
35	5.3	5.408	20	
36	5.3	5.44	20	
37	5.3	5.338	20	
38	5.3	5.688	20	
39	5.3	5.292	20	*
40	5.3	5.609	20	
41	5.3	5.257	20	
42	5.3	5.469	20	
43	5.3	5.686	20	
44	5.3	5.507	20	
45	5.3	5.491	20	
46	5.3	5.639	20	
47	5.3	5.531	20	
48	5.3	5.709	20	
49	5.3	5.597	20	

50	5.3	5.724	20	
51	5.3	5.325	20	
52	5.3	5.64	20	
53	5.3	5.263	20	
54	5.3	5.367	20	
55	5.3	5.464	20	
56	5.3	5.342	20	
57	5.3	5.388	20	
58	5.3	5.605	20	
59	5.3	5.58	20	
60	5.3	5.284	20	
61	5.3	5.707	20	
62	5.3	5.369	20	
63	5.3	5.59	20	
64	5.3	5.319	20	
65	5.3	5.645	20	
66	5.3	5.354	20	
67	5.3	5.561	20	
68	5.3	5.624	20	
69	5.3	5.556	20	
70	5.3	5.682	20	
71	5.3	5.439	20	
72	5.3	5.616	20	
73	5.3	5.301	20	*
74	5.3	5.49	20	
75	5.3	5.636	20	
76	5.3	5.251	20	
77	5.3	5.602	20	
78	5.3	5.45	20	
79	5.3	5.641	20	
80	5.3	5.56	20	
81	5.3	5.604	20	
82	5.3	5.359	20	
83	5.3	5.565	20	
84	5.3	5.313	20	
85	5.3	5.576	20	
86	5.3	5.344	20	
87	5.3	5.583	20	
88	5.3	5.445	20	
89	5.3	5.525	20	
90	5.3	5.694	20	
91	5.3	5.461	20	
92	5.3	5.33	20	
93	5.3	5.47	20	
94	5.3	5.481	20	
95	5.3	5.502	20	
96	5.3	5.538	20	
97	5.3	5.714	20	
98	5.3	5.704	20	
99	5.3	5.444	20	
100	5.3	5.382	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.521	20	
2	5.3	5.472	20	
3	5.3	5.496	20	
4	5.3	5.607	20	
5	5.3	5.355	20	
6	5.3	5.387	20	
7	5.3	5.621	20	
8	5.3	5.273	20	
9	5.3	5.27	20	
10	5.3	5.701	20	
11	5.3	5.297	20	*
12	5.3	5.491	20	
13	5.3	5.545	20	
14	5.3	5.641	20	
15	5.3	5.332	20	
16	5.3	5.55	20	
17	5.3	5.615	20	
18	5.3	5.26	20	
19	5.3	5.575	20	
20	5.3	5.718	20	
21	5.3	5.377	20	
22	5.3	5.357	20	
23	5.3	5.409	20	
24	5.3	5.596	20	
25	5.3	5.323	20	
26	5.3	5.604	20	
27	5.3	5.702	20	
28	5.3	5.538	20	
29	5.3	5.707	20	
30	5.3	5.283	20	
31	5.3	5.478	20	
32	5.3	5.288	20	
33	5.3	5.633	20	
34	5.3	5.384	20	
35	5.3	5.693	20	
36	5.3	5.514	20	
37	5.3	5.453	20	
38	5.3	5.386	20	
39	5.3	5.556	20	
40	5.3	5.606	20	
41	5.3	5.561	20	
42	5.3	5.7	20	
43	5.3	5.341	20	
44	5.3	5.541	20	
45	5.3	5.703	20	
46	5.3	5.519	20	
47	5.3	5.577	20	
48	5.3	5.348	20	
49	5.3	5.359	20	

50	5.3	5.546	20	
51	5.3	5.503	20	
52	5.3	5.623	20	
53	5.3	5.543	20	
54	5.3	5.599	20	
55	5.3	5.333	20	
56	5.3	5.419	20	
57	5.3	5.632	20	
58	5.3	5.669	20	
59	5.3	5.59	20	
60	5.3	5.253	20	
61	5.3	5.38	20	
62	5.3	5.338	20	
63	5.3	5.571	20	
64	5.3	5.499	20	
65	5.3	5.555	20	
66	5.3	5.42	20	
67	5.3	5.329	20	
68	5.3	5.675	20	
69	5.3	5.721	20	
70	5.3	5.69	20	
71	5.3	5.378	20	
72	5.3	5.285	20	
73	5.3	5.381	20	
74	5.3	5.492	20	
75	5.3	5.68	20	
76	5.3	5.635	20	
77	5.3	5.375	20	
78	5.3	5.284	20	
79	5.3	5.404	20	
80	5.3	5.601	20	
81	5.3	5.25	20	
82	5.3	5.398	20	
83	5.3	5.257	20	
84	5.3	5.548	20	
85	5.3	5.657	20	
86	5.3	5.617	20	
87	5.3	5.255	20	
88	5.3	5.528	20	
89	5.3	5.618	20	
90	5.3	5.723	20	
91	5.3	5.533	20	
92	5.3	5.611	20	
93	5.3	5.686	20	
94	5.3	5.394	20	
95	5.3	5.647	20	
96	5.3	5.469	20	
97	5.3	5.489	20	
98	5.3	5.5	20	
99	5.3	5.481	20	
100	5.3	5.429	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.3	5.492	20	
2	5.3	5.623	20	
3	5.3	5.651	20	
4	5.3	5.33	20	
5	5.3	5.698	20	
6	5.3	5.348	20	
7	5.3	5.341	20	
8	5.3	5.359	20	
9	5.3	5.584	20	
10	5.3	5.431	20	
11	5.3	5.302	20	*
12	5.3	5.282	20	
13	5.3	5.388	20	
14	5.3	5.535	20	
15	5.3	5.318	20	
16	5.3	5.575	20	
17	5.3	5.308	20	*
18	5.3	5.393	20	
19	5.3	5.633	20	
20	5.3	5.665	20	
21	5.3	5.343	20	
22	5.3	5.583	20	
23	5.3	5.5	20	
24	5.3	5.339	20	
25	5.3	5.706	20	
26	5.3	5.391	20	
27	5.3	5.437	20	
28	5.3	5.419	20	
29	5.3	5.702	20	
30	5.3	5.475	20	
31	5.3	5.522	20	
32	5.3	5.481	20	
33	5.3	5.295	20	*
34	5.3	5.613	20	
35	5.3	5.378	20	
36	5.3	5.468	20	
37	5.3	5.52	20	
38	5.3	5.576	20	
39	5.3	5.382	20	
40	5.3	5.641	20	
41	5.3	5.466	20	
42	5.3	5.533	20	
43	5.3	5.545	20	
44	5.3	5.299	20	*
45	5.3	5.525	20	
46	5.3	5.555	20	
47	5.3	5.442	20	
48	5.3	5.452	20	
49	5.3	5.568	20	

50	5.3	5.56	20	
51	5.3	5.562	20	
52	5.3	5.457	20	
53	5.3	5.688	20	
54	5.3	5.323	20	
55	5.3	5.427	20	
56	5.3	5.329	20	
57	5.3	5.531	20	
58	5.3	5.317	20	
59	5.3	5.284	20	
60	5.3	5.262	20	
61	5.3	5.723	20	
62	5.3	5.409	20	
63	5.3	5.371	20	
64	5.3	5.42	20	
65	5.3	5.523	20	
66	5.3	5.255	20	
67	5.3	5.58	20	
68	5.3	5.528	20	
69	5.3	5.325	20	
70	5.3	5.349	20	
71	5.3	5.484	20	
72	5.3	5.682	20	
73	5.3	5.434	20	
74	5.3	5.364	20	
75	5.3	5.335	20	
76	5.3	5.711	20	
77	5.3	5.572	20	
78	5.3	5.367	20	
79	5.3	5.635	20	
80	5.3	5.424	20	
81	5.3	5.592	20	
82	5.3	5.532	20	
83	5.3	5.336	20	
84	5.3	5.397	20	
85	5.3	5.38	20	
86	5.3	5.606	20	
87	5.3	5.678	20	
88	5.3	5.577	20	
89	5.3	5.472	20	
90	5.3	5.638	20	
91	5.3	5.446	20	
92	5.3	5.25	20	
93	5.3	5.385	20	
94	5.3	5.28	20	
95	5.3	5.537	20	
96	5.3	5.67	20	
97	5.3	5.607	20	
98	5.3	5.366	20	
99	5.3	5.384	20	
100	5.3	5.482	20	

802.11ac (VHT20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.498	20	*
2	5.501	5.32	20	
3	5.501	5.321	20	
4	5.501	5.314	20	
5	5.501	5.54	20	
6	5.501	5.407	20	
7	5.501	5.278	20	
8	5.501	5.606	20	
9	5.501	5.38	20	
10	5.501	5.374	20	
11	5.501	5.428	20	
12	5.501	5.301	20	
13	5.501	5.52	20	
14	5.501	5.518	20	
15	5.501	5.492	20	*
16	5.501	5.364	20	
17	5.501	5.465	20	
18	5.501	5.357	20	
19	5.501	5.575	20	
20	5.501	5.663	20	
21	5.501	5.45	20	
22	5.501	5.656	20	
23	5.501	5.388	20	
24	5.501	5.671	20	
25	5.501	5.402	20	
26	5.501	5.289	20	
27	5.501	5.283	20	
28	5.501	5.516	20	
29	5.501	5.724	20	
30	5.501	5.261	20	
31	5.501	5.334	20	
32	5.501	5.39	20	
33	5.501	5.288	20	
34	5.501	5.432	20	
35	5.501	5.403	20	
36	5.501	5.581	20	
37	5.501	5.495	20	*
38	5.501	5.634	20	
39	5.501	5.389	20	
40	5.501	5.444	20	
41	5.501	5.28	20	
42	5.501	5.56	20	
43	5.501	5.474	20	
44	5.501	5.355	20	
45	5.501	5.478	20	
46	5.501	5.463	20	
47	5.501	5.443	20	

48	5.501	5.424	20	
49	5.501	5.716	20	
50	5.501	5.666	20	
51	5.501	5.356	20	
52	5.501	5.528	20	
53	5.501	5.625	20	
54	5.501	5.325	20	
55	5.501	5.35	20	
56	5.501	5.427	20	
57	5.501	5.632	20	
58	5.501	5.277	20	
59	5.501	5.6	20	
60	5.501	5.426	20	
61	5.501	5.3	20	
62	5.501	5.406	20	
63	5.501	5.687	20	
64	5.501	5.51	20	*
65	5.501	5.638	20	
66	5.501	5.466	20	
67	5.501	5.681	20	
68	5.501	5.294	20	
69	5.501	5.723	20	
70	5.501	5.67	20	
71	5.501	5.57	20	
72	5.501	5.369	20	
73	5.501	5.497	20	*
74	5.501	5.467	20	
75	5.501	5.714	20	
76	5.501	5.337	20	
77	5.501	5.413	20	
78	5.501	5.522	20	
79	5.501	5.367	20	
80	5.501	5.696	20	
81	5.501	5.419	20	
82	5.501	5.657	20	
83	5.501	5.259	20	
84	5.501	5.293	20	
85	5.501	5.307	20	
86	5.501	5.279	20	
87	5.501	5.477	20	
88	5.501	5.505	20	*
89	5.501	5.437	20	
90	5.501	5.257	20	
91	5.501	5.341	20	
92	5.501	5.672	20	
93	5.501	5.383	20	
94	5.501	5.42	20	
95	5.501	5.344	20	
96	5.501	5.63	20	
97	5.501	5.418	20	
98	5.501	5.599	20	
99	5.501	5.554	20	
100	5.501	5.308	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.69	20	
2	5.501	5.506	20	*
3	5.501	5.661	20	
4	5.501	5.265	20	
5	5.501	5.261	20	
6	5.501	5.276	20	
7	5.501	5.387	20	
8	5.501	5.589	20	
9	5.501	5.634	20	
10	5.501	5.543	20	
11	5.501	5.604	20	
12	5.501	5.495	20	*
13	5.501	5.475	20	
14	5.501	5.514	20	
15	5.501	5.614	20	
16	5.501	5.553	20	
17	5.501	5.638	20	
18	5.501	5.496	20	*
19	5.501	5.375	20	
20	5.501	5.442	20	
21	5.501	5.609	20	
22	5.501	5.326	20	
23	5.501	5.711	20	
24	5.501	5.597	20	
25	5.501	5.544	20	
26	5.501	5.6	20	
27	5.501	5.561	20	
28	5.501	5.616	20	
29	5.501	5.698	20	
30	5.501	5.344	20	
31	5.501	5.308	20	
32	5.501	5.694	20	
33	5.501	5.397	20	
34	5.501	5.376	20	
35	5.501	5.303	20	
36	5.501	5.296	20	
37	5.501	5.294	20	
38	5.501	5.547	20	
39	5.501	5.55	20	
40	5.501	5.444	20	
41	5.501	5.337	20	
42	5.501	5.448	20	
43	5.501	5.458	20	
44	5.501	5.62	20	
45	5.501	5.341	20	
46	5.501	5.659	20	
47	5.501	5.657	20	
48	5.501	5.471	20	
49	5.501	5.398	20	

50	5.501	5.559	20	
51	5.501	5.436	20	
52	5.501	5.321	20	
53	5.501	5.692	20	
54	5.501	5.629	20	
55	5.501	5.621	20	
56	5.501	5.51	20	*
57	5.501	5.33	20	
58	5.501	5.349	20	
59	5.501	5.428	20	
60	5.501	5.297	20	
61	5.501	5.465	20	
62	5.501	5.571	20	
63	5.501	5.395	20	
64	5.501	5.279	20	
65	5.501	5.675	20	
66	5.501	5.483	20	
67	5.501	5.684	20	
68	5.501	5.355	20	
69	5.501	5.678	20	
70	5.501	5.722	20	
71	5.501	5.313	20	
72	5.501	5.681	20	
73	5.501	5.488	20	
74	5.501	5.567	20	
75	5.501	5.613	20	
76	5.501	5.502	20	*
77	5.501	5.565	20	
78	5.501	5.624	20	
79	5.501	5.322	20	
80	5.501	5.307	20	
81	5.501	5.48	20	
82	5.501	5.628	20	
83	5.501	5.363	20	
84	5.501	5.627	20	
85	5.501	5.348	20	
86	5.501	5.625	20	
87	5.501	5.391	20	
88	5.501	5.523	20	
89	5.501	5.318	20	
90	5.501	5.641	20	
91	5.501	5.305	20	
92	5.501	5.396	20	
93	5.501	5.429	20	
94	5.501	5.542	20	
95	5.501	5.26	20	
96	5.501	5.464	20	
97	5.501	5.447	20	
98	5.501	5.356	20	
99	5.501	5.582	20	
100	5.501	5.346	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.288	20	
2	5.501	5.664	20	
3	5.501	5.451	20	
4	5.501	5.681	20	
5	5.501	5.313	20	
6	5.501	5.508	20	*
7	5.501	5.337	20	
8	5.501	5.63	20	
9	5.501	5.614	20	
10	5.501	5.626	20	
11	5.501	5.462	20	
12	5.501	5.412	20	
13	5.501	5.302	20	
14	5.501	5.276	20	
15	5.501	5.676	20	
16	5.501	5.577	20	
17	5.501	5.505	20	*
18	5.501	5.532	20	
19	5.501	5.576	20	
20	5.501	5.461	20	
21	5.501	5.655	20	
22	5.501	5.45	20	
23	5.501	5.378	20	
24	5.501	5.698	20	
25	5.501	5.556	20	
26	5.501	5.266	20	
27	5.501	5.541	20	
28	5.501	5.644	20	
29	5.501	5.608	20	
30	5.501	5.25	20	
31	5.501	5.376	20	
32	5.501	5.336	20	
33	5.501	5.308	20	
34	5.501	5.474	20	
35	5.501	5.639	20	
36	5.501	5.511	20	*
37	5.501	5.29	20	
38	5.501	5.345	20	
39	5.501	5.325	20	
40	5.501	5.304	20	
41	5.501	5.634	20	
42	5.501	5.64	20	
43	5.501	5.334	20	
44	5.501	5.618	20	
45	5.501	5.506	20	*
46	5.501	5.303	20	
47	5.501	5.476	20	
48	5.501	5.507	20	*
49	5.501	5.495	20	*

50	5.501	5.301	20	
51	5.501	5.362	20	
52	5.501	5.287	20	
53	5.501	5.566	20	
54	5.501	5.693	20	
55	5.501	5.494	20	*
56	5.501	5.601	20	
57	5.501	5.654	20	
58	5.501	5.625	20	
59	5.501	5.327	20	
60	5.501	5.352	20	
61	5.501	5.62	20	
62	5.501	5.348	20	
63	5.501	5.573	20	
64	5.501	5.638	20	
65	5.501	5.275	20	
66	5.501	5.636	20	
67	5.501	5.538	20	
68	5.501	5.402	20	
69	5.501	5.662	20	
70	5.501	5.558	20	
71	5.501	5.261	20	
72	5.501	5.581	20	
73	5.501	5.554	20	
74	5.501	5.616	20	
75	5.501	5.487	20	
76	5.501	5.524	20	
77	5.501	5.652	20	
78	5.501	5.432	20	
79	5.501	5.49	20	
80	5.501	5.351	20	
81	5.501	5.604	20	
82	5.501	5.296	20	
83	5.501	5.674	20	
84	5.501	5.685	20	
85	5.501	5.427	20	
86	5.501	5.421	20	
87	5.501	5.392	20	
88	5.501	5.307	20	
89	5.501	5.271	20	
90	5.501	5.602	20	
91	5.501	5.371	20	
92	5.501	5.615	20	
93	5.501	5.481	20	
94	5.501	5.471	20	
95	5.501	5.328	20	
96	5.501	5.724	20	
97	5.501	5.572	20	
98	5.501	5.513	20	
99	5.501	5.315	20	
100	5.501	5.355	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.676	20	
2	5.501	5.347	20	
3	5.501	5.476	20	
4	5.501	5.516	20	
5	5.501	5.685	20	
6	5.501	5.558	20	
7	5.501	5.424	20	
8	5.501	5.688	20	
9	5.501	5.321	20	
10	5.501	5.618	20	
11	5.501	5.658	20	
12	5.501	5.335	20	
13	5.501	5.256	20	
14	5.501	5.637	20	
15	5.501	5.373	20	
16	5.501	5.369	20	
17	5.501	5.591	20	
18	5.501	5.477	20	
19	5.501	5.718	20	
20	5.501	5.28	20	
21	5.501	5.527	20	
22	5.501	5.408	20	
23	5.501	5.647	20	
24	5.501	5.252	20	
25	5.501	5.578	20	
26	5.501	5.717	20	
27	5.501	5.5	20	*
28	5.501	5.602	20	
29	5.501	5.305	20	
30	5.501	5.253	20	
31	5.501	5.593	20	
32	5.501	5.624	20	
33	5.501	5.325	20	
34	5.501	5.296	20	
35	5.501	5.514	20	
36	5.501	5.61	20	
37	5.501	5.577	20	
38	5.501	5.67	20	
39	5.501	5.545	20	
40	5.501	5.364	20	
41	5.501	5.341	20	
42	5.501	5.587	20	
43	5.501	5.393	20	
44	5.501	5.607	20	
45	5.501	5.588	20	
46	5.501	5.721	20	
47	5.501	5.433	20	
48	5.501	5.522	20	
49	5.501	5.679	20	

50	5.501	5.549	20	
51	5.501	5.342	20	
52	5.501	5.642	20	
53	5.501	5.491	20	*
54	5.501	5.283	20	
55	5.501	5.576	20	
56	5.501	5.46	20	
57	5.501	5.384	20	
58	5.501	5.52	20	
59	5.501	5.511	20	*
60	5.501	5.26	20	
61	5.501	5.331	20	
62	5.501	5.346	20	
63	5.501	5.453	20	
64	5.501	5.632	20	
65	5.501	5.416	20	
66	5.501	5.493	20	*
67	5.501	5.251	20	
68	5.501	5.713	20	
69	5.501	5.432	20	
70	5.501	5.682	20	
71	5.501	5.668	20	
72	5.501	5.472	20	
73	5.501	5.284	20	
74	5.501	5.538	20	
75	5.501	5.468	20	
76	5.501	5.6	20	
77	5.501	5.414	20	
78	5.501	5.363	20	
79	5.501	5.422	20	
80	5.501	5.569	20	
81	5.501	5.329	20	
82	5.501	5.68	20	
83	5.501	5.567	20	
84	5.501	5.559	20	
85	5.501	5.615	20	
86	5.501	5.665	20	
87	5.501	5.533	20	
88	5.501	5.72	20	
89	5.501	5.29	20	
90	5.501	5.667	20	
91	5.501	5.608	20	
92	5.501	5.467	20	
93	5.501	5.592	20	
94	5.501	5.714	20	
95	5.501	5.362	20	
96	5.501	5.572	20	
97	5.501	5.43	20	
98	5.501	5.702	20	
99	5.501	5.402	20	
100	5.501	5.3	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.485	20	
2	5.501	5.347	20	
3	5.501	5.558	20	
4	5.501	5.498	20	*
5	5.501	5.334	20	
6	5.501	5.263	20	
7	5.501	5.655	20	
8	5.501	5.631	20	
9	5.501	5.353	20	
10	5.501	5.473	20	
11	5.501	5.378	20	
12	5.501	5.633	20	
13	5.501	5.352	20	
14	5.501	5.642	20	
15	5.501	5.371	20	
16	5.501	5.269	20	
17	5.501	5.279	20	
18	5.501	5.533	20	
19	5.501	5.416	20	
20	5.501	5.458	20	
21	5.501	5.358	20	
22	5.501	5.266	20	
23	5.501	5.47	20	
24	5.501	5.701	20	
25	5.501	5.649	20	
26	5.501	5.493	20	*
27	5.501	5.491	20	*
28	5.501	5.52	20	
29	5.501	5.322	20	
30	5.501	5.415	20	
31	5.501	5.456	20	
32	5.501	5.67	20	
33	5.501	5.613	20	
34	5.501	5.702	20	
35	5.501	5.272	20	
36	5.501	5.317	20	
37	5.501	5.296	20	
38	5.501	5.303	20	
39	5.501	5.678	20	
40	5.501	5.537	20	
41	5.501	5.301	20	
42	5.501	5.697	20	
43	5.501	5.419	20	
44	5.501	5.342	20	
45	5.501	5.551	20	
46	5.501	5.505	20	*
47	5.501	5.529	20	
48	5.501	5.398	20	
49	5.501	5.382	20	

50	5.501	5.395	20	
51	5.501	5.469	20	
52	5.501	5.314	20	
53	5.501	5.723	20	
54	5.501	5.55	20	
55	5.501	5.524	20	
56	5.501	5.472	20	
57	5.501	5.712	20	
58	5.501	5.436	20	
59	5.501	5.412	20	
60	5.501	5.513	20	
61	5.501	5.325	20	
62	5.501	5.355	20	
63	5.501	5.621	20	
64	5.501	5.341	20	
65	5.501	5.399	20	
66	5.501	5.309	20	
67	5.501	5.49	20	
68	5.501	5.603	20	
69	5.501	5.576	20	
70	5.501	5.722	20	
71	5.501	5.306	20	
72	5.501	5.455	20	
73	5.501	5.597	20	
74	5.501	5.447	20	
75	5.501	5.401	20	
76	5.501	5.628	20	
77	5.501	5.611	20	
78	5.501	5.44	20	
79	5.501	5.477	20	
80	5.501	5.35	20	
81	5.501	5.387	20	
82	5.501	5.386	20	
83	5.501	5.418	20	
84	5.501	5.559	20	
85	5.501	5.721	20	
86	5.501	5.703	20	
87	5.501	5.474	20	
88	5.501	5.523	20	
89	5.501	5.671	20	
90	5.501	5.262	20	
91	5.501	5.659	20	
92	5.501	5.409	20	
93	5.501	5.299	20	
94	5.501	5.313	20	
95	5.501	5.707	20	
96	5.501	5.365	20	
97	5.501	5.267	20	
98	5.501	5.698	20	
99	5.501	5.719	20	
100	5.501	5.548	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.678	20	
2	5.501	5.675	20	
3	5.501	5.631	20	
4	5.501	5.649	20	
5	5.501	5.602	20	
6	5.501	5.688	20	
7	5.501	5.616	20	
8	5.501	5.722	20	
9	5.501	5.511	20	*
10	5.501	5.354	20	
11	5.501	5.388	20	
12	5.501	5.267	20	
13	5.501	5.71	20	
14	5.501	5.256	20	
15	5.501	5.329	20	
16	5.501	5.666	20	
17	5.501	5.577	20	
18	5.501	5.401	20	
19	5.501	5.712	20	
20	5.501	5.601	20	
21	5.501	5.55	20	
22	5.501	5.576	20	
23	5.501	5.273	20	
24	5.501	5.332	20	
25	5.501	5.505	20	*
26	5.501	5.658	20	
27	5.501	5.685	20	
28	5.501	5.468	20	
29	5.501	5.5	20	*
30	5.501	5.568	20	
31	5.501	5.488	20	
32	5.501	5.36	20	
33	5.501	5.519	20	
34	5.501	5.546	20	
35	5.501	5.599	20	
36	5.501	5.313	20	
37	5.501	5.718	20	
38	5.501	5.648	20	
39	5.501	5.535	20	
40	5.501	5.64	20	
41	5.501	5.306	20	
42	5.501	5.37	20	
43	5.501	5.3	20	
44	5.501	5.384	20	
45	5.501	5.399	20	
46	5.501	5.251	20	
47	5.501	5.344	20	
48	5.501	5.302	20	
49	5.501	5.402	20	

50	5.501	5.508	20	*
51	5.501	5.575	20	
52	5.501	5.663	20	
53	5.501	5.463	20	
54	5.501	5.514	20	
55	5.501	5.259	20	
56	5.501	5.426	20	
57	5.501	5.393	20	
58	5.501	5.446	20	
59	5.501	5.484	20	
60	5.501	5.701	20	
61	5.501	5.614	20	
62	5.501	5.439	20	
63	5.501	5.689	20	
64	5.501	5.265	20	
65	5.501	5.697	20	
66	5.501	5.633	20	
67	5.501	5.383	20	
68	5.501	5.31	20	
69	5.501	5.264	20	
70	5.501	5.39	20	
71	5.501	5.345	20	
72	5.501	5.72	20	
73	5.501	5.588	20	
74	5.501	5.667	20	
75	5.501	5.558	20	
76	5.501	5.536	20	
77	5.501	5.709	20	
78	5.501	5.339	20	
79	5.501	5.373	20	
80	5.501	5.346	20	
81	5.501	5.398	20	
82	5.501	5.533	20	
83	5.501	5.626	20	
84	5.501	5.706	20	
85	5.501	5.461	20	
86	5.501	5.717	20	
87	5.501	5.435	20	
88	5.501	5.311	20	
89	5.501	5.321	20	
90	5.501	5.357	20	
91	5.501	5.253	20	
92	5.501	5.382	20	
93	5.501	5.504	20	*
94	5.501	5.547	20	
95	5.501	5.617	20	
96	5.501	5.293	20	
97	5.501	5.433	20	
98	5.501	5.523	20	
99	5.501	5.317	20	
100	5.501	5.255	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.655	20	
2	5.501	5.635	20	
3	5.501	5.704	20	
4	5.501	5.701	20	
5	5.501	5.623	20	
6	5.501	5.314	20	
7	5.501	5.307	20	
8	5.501	5.514	20	
9	5.501	5.59	20	
10	5.501	5.417	20	
11	5.501	5.259	20	
12	5.501	5.35	20	
13	5.501	5.493	20	*
14	5.501	5.368	20	
15	5.501	5.475	20	
16	5.501	5.358	20	
17	5.501	5.262	20	
18	5.501	5.297	20	
19	5.501	5.661	20	
20	5.501	5.477	20	
21	5.501	5.319	20	
22	5.501	5.682	20	
23	5.501	5.705	20	
24	5.501	5.396	20	
25	5.501	5.611	20	
26	5.501	5.289	20	
27	5.501	5.52	20	
28	5.501	5.564	20	
29	5.501	5.644	20	
30	5.501	5.662	20	
31	5.501	5.285	20	
32	5.501	5.677	20	
33	5.501	5.575	20	
34	5.501	5.36	20	
35	5.501	5.637	20	
36	5.501	5.461	20	
37	5.501	5.337	20	
38	5.501	5.534	20	
39	5.501	5.463	20	
40	5.501	5.628	20	
41	5.501	5.574	20	
42	5.501	5.698	20	
43	5.501	5.354	20	
44	5.501	5.402	20	
45	5.501	5.558	20	
46	5.501	5.571	20	
47	5.501	5.612	20	
48	5.501	5.685	20	
49	5.501	5.711	20	

50	5.501	5.415	20	
51	5.501	5.383	20	
52	5.501	5.561	20	
53	5.501	5.333	20	
54	5.501	5.504	20	*
55	5.501	5.317	20	
56	5.501	5.578	20	
57	5.501	5.573	20	
58	5.501	5.451	20	
59	5.501	5.255	20	
60	5.501	5.486	20	
61	5.501	5.399	20	
62	5.501	5.692	20	
63	5.501	5.282	20	
64	5.501	5.369	20	
65	5.501	5.313	20	
66	5.501	5.551	20	
67	5.501	5.533	20	
68	5.501	5.366	20	
69	5.501	5.517	20	
70	5.501	5.667	20	
71	5.501	5.605	20	
72	5.501	5.597	20	
73	5.501	5.385	20	
74	5.501	5.656	20	
75	5.501	5.316	20	
76	5.501	5.518	20	
77	5.501	5.649	20	
78	5.501	5.54	20	
79	5.501	5.469	20	
80	5.501	5.339	20	
81	5.501	5.376	20	
82	5.501	5.609	20	
83	5.501	5.295	20	
84	5.501	5.694	20	
85	5.501	5.377	20	
86	5.501	5.653	20	
87	5.501	5.689	20	
88	5.501	5.483	20	
89	5.501	5.326	20	
90	5.501	5.559	20	
91	5.501	5.717	20	
92	5.501	5.696	20	
93	5.501	5.708	20	
94	5.501	5.445	20	
95	5.501	5.401	20	
96	5.501	5.49	20	
97	5.501	5.693	20	
98	5.501	5.453	20	
99	5.501	5.386	20	
100	5.501	5.287	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.34	20	
2	5.501	5.298	20	
3	5.501	5.397	20	
4	5.501	5.451	20	
5	5.501	5.356	20	
6	5.501	5.678	20	
7	5.501	5.537	20	
8	5.501	5.307	20	
9	5.501	5.441	20	
10	5.501	5.387	20	
11	5.501	5.367	20	
12	5.501	5.437	20	
13	5.501	5.595	20	
14	5.501	5.666	20	
15	5.501	5.683	20	
16	5.501	5.612	20	
17	5.501	5.538	20	
18	5.501	5.56	20	
19	5.501	5.345	20	
20	5.501	5.698	20	
21	5.501	5.718	20	
22	5.501	5.546	20	
23	5.501	5.303	20	
24	5.501	5.339	20	
25	5.501	5.655	20	
26	5.501	5.639	20	
27	5.501	5.432	20	
28	5.501	5.465	20	
29	5.501	5.268	20	
30	5.501	5.575	20	
31	5.501	5.65	20	
32	5.501	5.52	20	
33	5.501	5.576	20	
34	5.501	5.615	20	
35	5.501	5.407	20	
36	5.501	5.519	20	
37	5.501	5.381	20	
38	5.501	5.706	20	
39	5.501	5.402	20	
40	5.501	5.514	20	
41	5.501	5.435	20	
42	5.501	5.404	20	
43	5.501	5.673	20	
44	5.501	5.641	20	
45	5.501	5.517	20	
46	5.501	5.522	20	
47	5.501	5.549	20	
48	5.501	5.334	20	
49	5.501	5.501	20	*

50	5.501	5.616	20	
51	5.501	5.333	20	
52	5.501	5.479	20	
53	5.501	5.277	20	
54	5.501	5.282	20	
55	5.501	5.347	20	
56	5.501	5.455	20	
57	5.501	5.554	20	
58	5.501	5.515	20	
59	5.501	5.699	20	
60	5.501	5.48	20	
61	5.501	5.724	20	
62	5.501	5.338	20	
63	5.501	5.473	20	
64	5.501	5.532	20	
65	5.501	5.702	20	
66	5.501	5.257	20	
67	5.501	5.486	20	
68	5.501	5.644	20	
69	5.501	5.395	20	
70	5.501	5.481	20	
71	5.501	5.253	20	
72	5.501	5.523	20	
73	5.501	5.459	20	
74	5.501	5.536	20	
75	5.501	5.328	20	
76	5.501	5.373	20	
77	5.501	5.477	20	
78	5.501	5.568	20	
79	5.501	5.503	20	*
80	5.501	5.308	20	
81	5.501	5.695	20	
82	5.501	5.496	20	*
83	5.501	5.651	20	
84	5.501	5.656	20	
85	5.501	5.383	20	
86	5.501	5.598	20	
87	5.501	5.399	20	
88	5.501	5.284	20	
89	5.501	5.389	20	
90	5.501	5.354	20	
91	5.501	5.319	20	
92	5.501	5.424	20	
93	5.501	5.263	20	
94	5.501	5.267	20	
95	5.501	5.493	20	*
96	5.501	5.355	20	
97	5.501	5.463	20	
98	5.501	5.415	20	
99	5.501	5.273	20	
100	5.501	5.368	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.59	20	
2	5.501	5.71	20	
3	5.501	5.486	20	
4	5.501	5.316	20	
5	5.501	5.438	20	
6	5.501	5.339	20	
7	5.501	5.654	20	
8	5.501	5.703	20	
9	5.501	5.606	20	
10	5.501	5.546	20	
11	5.501	5.616	20	
12	5.501	5.344	20	
13	5.501	5.56	20	
14	5.501	5.414	20	
15	5.501	5.566	20	
16	5.501	5.28	20	
17	5.501	5.499	20	*
18	5.501	5.352	20	
19	5.501	5.472	20	
20	5.501	5.437	20	
21	5.501	5.678	20	
22	5.501	5.356	20	
23	5.501	5.426	20	
24	5.501	5.369	20	
25	5.501	5.683	20	
26	5.501	5.43	20	
27	5.501	5.429	20	
28	5.501	5.375	20	
29	5.501	5.635	20	
30	5.501	5.617	20	
31	5.501	5.252	20	
32	5.501	5.297	20	
33	5.501	5.642	20	
34	5.501	5.629	20	
35	5.501	5.3	20	
36	5.501	5.627	20	
37	5.501	5.691	20	
38	5.501	5.323	20	
39	5.501	5.382	20	
40	5.501	5.579	20	
41	5.501	5.475	20	
42	5.501	5.391	20	
43	5.501	5.342	20	
44	5.501	5.299	20	
45	5.501	5.562	20	
46	5.501	5.48	20	
47	5.501	5.405	20	
48	5.501	5.451	20	
49	5.501	5.676	20	

50	5.501	5.572	20	
51	5.501	5.571	20	
52	5.501	5.376	20	
53	5.501	5.608	20	
54	5.501	5.421	20	
55	5.501	5.714	20	
56	5.501	5.557	20	
57	5.501	5.561	20	
58	5.501	5.645	20	
59	5.501	5.419	20	
60	5.501	5.362	20	
61	5.501	5.647	20	
62	5.501	5.602	20	
63	5.501	5.519	20	
64	5.501	5.515	20	
65	5.501	5.271	20	
66	5.501	5.263	20	
67	5.501	5.578	20	
68	5.501	5.599	20	
69	5.501	5.687	20	
70	5.501	5.347	20	
71	5.501	5.496	20	*
72	5.501	5.262	20	
73	5.501	5.466	20	
74	5.501	5.604	20	
75	5.501	5.357	20	
76	5.501	5.476	20	
77	5.501	5.692	20	
78	5.501	5.619	20	
79	5.501	5.603	20	
80	5.501	5.412	20	
81	5.501	5.575	20	
82	5.501	5.274	20	
83	5.501	5.256	20	
84	5.501	5.295	20	
85	5.501	5.596	20	
86	5.501	5.601	20	
87	5.501	5.393	20	
88	5.501	5.641	20	
89	5.501	5.45	20	
90	5.501	5.334	20	
91	5.501	5.661	20	
92	5.501	5.549	20	
93	5.501	5.563	20	
94	5.501	5.717	20	
95	5.501	5.294	20	
96	5.501	5.493	20	*
97	5.501	5.403	20	
98	5.501	5.27	20	
99	5.501	5.723	20	
100	5.501	5.422	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.471	20	
2	5.501	5.55	20	
3	5.501	5.525	20	
4	5.501	5.514	20	
5	5.501	5.478	20	
6	5.501	5.448	20	
7	5.501	5.709	20	
8	5.501	5.252	20	
9	5.501	5.35	20	
10	5.501	5.479	20	
11	5.501	5.278	20	
12	5.501	5.262	20	
13	5.501	5.285	20	
14	5.501	5.576	20	
15	5.501	5.409	20	
16	5.501	5.561	20	
17	5.501	5.573	20	
18	5.501	5.263	20	
19	5.501	5.413	20	
20	5.501	5.264	20	
21	5.501	5.52	20	
22	5.501	5.599	20	
23	5.501	5.671	20	
24	5.501	5.584	20	
25	5.501	5.7	20	
26	5.501	5.502	20	*
27	5.501	5.288	20	
28	5.501	5.604	20	
29	5.501	5.306	20	
30	5.501	5.585	20	
31	5.501	5.275	20	
32	5.501	5.457	20	
33	5.501	5.606	20	
34	5.501	5.291	20	
35	5.501	5.316	20	
36	5.501	5.699	20	
37	5.501	5.345	20	
38	5.501	5.326	20	
39	5.501	5.53	20	
40	5.501	5.401	20	
41	5.501	5.603	20	
42	5.501	5.453	20	
43	5.501	5.535	20	
44	5.501	5.71	20	
45	5.501	5.382	20	
46	5.501	5.637	20	
47	5.501	5.392	20	
48	5.501	5.293	20	
49	5.501	5.559	20	

50	5.501	5.42	20	
51	5.501	5.505	20	*
52	5.501	5.655	20	
53	5.501	5.581	20	
54	5.501	5.377	20	
55	5.501	5.452	20	
56	5.501	5.589	20	
57	5.501	5.5	20	*
58	5.501	5.361	20	
59	5.501	5.47	20	
60	5.501	5.48	20	
61	5.501	5.634	20	
62	5.501	5.493	20	*
63	5.501	5.384	20	
64	5.501	5.393	20	
65	5.501	5.716	20	
66	5.501	5.357	20	
67	5.501	5.558	20	
68	5.501	5.396	20	
69	5.501	5.344	20	
70	5.501	5.667	20	
71	5.501	5.608	20	
72	5.501	5.522	20	
73	5.501	5.588	20	
74	5.501	5.587	20	
75	5.501	5.552	20	
76	5.501	5.315	20	
77	5.501	5.577	20	
78	5.501	5.342	20	
79	5.501	5.387	20	
80	5.501	5.412	20	
81	5.501	5.539	20	
82	5.501	5.304	20	
83	5.501	5.684	20	
84	5.501	5.642	20	
85	5.501	5.269	20	
86	5.501	5.515	20	
87	5.501	5.386	20	
88	5.501	5.321	20	
89	5.501	5.674	20	
90	5.501	5.705	20	
91	5.501	5.542	20	
92	5.501	5.631	20	
93	5.501	5.613	20	
94	5.501	5.301	20	
95	5.501	5.365	20	
96	5.501	5.665	20	
97	5.501	5.465	20	
98	5.501	5.462	20	
99	5.501	5.593	20	
100	5.501	5.418	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.283	20	
2	5.501	5.398	20	
3	5.501	5.503	20	*
4	5.501	5.696	20	
5	5.501	5.583	20	
6	5.501	5.567	20	
7	5.501	5.462	20	
8	5.501	5.685	20	
9	5.501	5.668	20	
10	5.501	5.48	20	
11	5.501	5.297	20	
12	5.501	5.259	20	
13	5.501	5.634	20	
14	5.501	5.592	20	
15	5.501	5.551	20	
16	5.501	5.605	20	
17	5.501	5.274	20	
18	5.501	5.622	20	
19	5.501	5.521	20	
20	5.501	5.534	20	
21	5.501	5.425	20	
22	5.501	5.663	20	
23	5.501	5.517	20	
24	5.501	5.495	20	*
25	5.501	5.629	20	
26	5.501	5.453	20	
27	5.501	5.64	20	
28	5.501	5.318	20	
29	5.501	5.558	20	
30	5.501	5.67	20	
31	5.501	5.553	20	
32	5.501	5.651	20	
33	5.501	5.722	20	
34	5.501	5.473	20	
35	5.501	5.368	20	
36	5.501	5.272	20	
37	5.501	5.703	20	
38	5.501	5.365	20	
39	5.501	5.315	20	
40	5.501	5.709	20	
41	5.501	5.367	20	
42	5.501	5.527	20	
43	5.501	5.377	20	
44	5.501	5.545	20	
45	5.501	5.653	20	
46	5.501	5.409	20	
47	5.501	5.323	20	
48	5.501	5.552	20	
49	5.501	5.32	20	

50	5.501	5.549	20	
51	5.501	5.332	20	
52	5.501	5.714	20	
53	5.501	5.28	20	
54	5.501	5.44	20	
55	5.501	5.719	20	
56	5.501	5.674	20	
57	5.501	5.294	20	
58	5.501	5.412	20	
59	5.501	5.458	20	
60	5.501	5.615	20	
61	5.501	5.437	20	
62	5.501	5.516	20	
63	5.501	5.718	20	
64	5.501	5.65	20	
65	5.501	5.284	20	
66	5.501	5.639	20	
67	5.501	5.358	20	
68	5.501	5.307	20	
69	5.501	5.609	20	
70	5.501	5.678	20	
71	5.501	5.679	20	
72	5.501	5.376	20	
73	5.501	5.404	20	
74	5.501	5.472	20	
75	5.501	5.507	20	*
76	5.501	5.363	20	
77	5.501	5.53	20	
78	5.501	5.459	20	
79	5.501	5.646	20	
80	5.501	5.338	20	
81	5.501	5.695	20	
82	5.501	5.647	20	
83	5.501	5.665	20	
84	5.501	5.682	20	
85	5.501	5.279	20	
86	5.501	5.36	20	
87	5.501	5.483	20	
88	5.501	5.638	20	
89	5.501	5.414	20	
90	5.501	5.506	20	*
91	5.501	5.311	20	
92	5.501	5.396	20	
93	5.501	5.591	20	
94	5.501	5.673	20	
95	5.501	5.29	20	
96	5.501	5.342	20	
97	5.501	5.607	20	
98	5.501	5.586	20	
99	5.501	5.304	20	
100	5.501	5.346	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.287	20	
2	5.501	5.513	20	
3	5.501	5.658	20	
4	5.501	5.547	20	
5	5.501	5.476	20	
6	5.501	5.491	20	*
7	5.501	5.677	20	
8	5.501	5.254	20	
9	5.501	5.391	20	
10	5.501	5.557	20	
11	5.501	5.351	20	
12	5.501	5.444	20	
13	5.501	5.473	20	
14	5.501	5.31	20	
15	5.501	5.34	20	
16	5.501	5.286	20	
17	5.501	5.627	20	
18	5.501	5.413	20	
19	5.501	5.578	20	
20	5.501	5.301	20	
21	5.501	5.409	20	
22	5.501	5.55	20	
23	5.501	5.649	20	
24	5.501	5.321	20	
25	5.501	5.509	20	*
26	5.501	5.396	20	
27	5.501	5.584	20	
28	5.501	5.439	20	
29	5.501	5.272	20	
30	5.501	5.663	20	
31	5.501	5.57	20	
32	5.501	5.72	20	
33	5.501	5.475	20	
34	5.501	5.313	20	
35	5.501	5.66	20	
36	5.501	5.347	20	
37	5.501	5.279	20	
38	5.501	5.49	20	
39	5.501	5.431	20	
40	5.501	5.378	20	
41	5.501	5.441	20	
42	5.501	5.516	20	
43	5.501	5.568	20	
44	5.501	5.61	20	
45	5.501	5.416	20	
46	5.501	5.488	20	
47	5.501	5.296	20	
48	5.501	5.553	20	
49	5.501	5.273	20	

50	5.501	5.382	20	
51	5.501	5.492	20	*
52	5.501	5.291	20	
53	5.501	5.421	20	
54	5.501	5.282	20	
55	5.501	5.596	20	
56	5.501	5.662	20	
57	5.501	5.292	20	
58	5.501	5.365	20	
59	5.501	5.333	20	
60	5.501	5.357	20	
61	5.501	5.359	20	
62	5.501	5.41	20	
63	5.501	5.324	20	
64	5.501	5.615	20	
65	5.501	5.256	20	
66	5.501	5.515	20	
67	5.501	5.623	20	
68	5.501	5.685	20	
69	5.501	5.451	20	
70	5.501	5.305	20	
71	5.501	5.713	20	
72	5.501	5.298	20	
73	5.501	5.4	20	
74	5.501	5.369	20	
75	5.501	5.265	20	
76	5.501	5.715	20	
77	5.501	5.669	20	
78	5.501	5.443	20	
79	5.501	5.393	20	
80	5.501	5.705	20	
81	5.501	5.328	20	
82	5.501	5.33	20	
83	5.501	5.309	20	
84	5.501	5.724	20	
85	5.501	5.617	20	
86	5.501	5.389	20	
87	5.501	5.315	20	
88	5.501	5.422	20	
89	5.501	5.612	20	
90	5.501	5.312	20	
91	5.501	5.458	20	
92	5.501	5.356	20	
93	5.501	5.711	20	
94	5.501	5.353	20	
95	5.501	5.398	20	
96	5.501	5.531	20	
97	5.501	5.518	20	
98	5.501	5.686	20	
99	5.501	5.611	20	
100	5.501	5.707	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.312	20	
2	5.501	5.656	20	
3	5.501	5.63	20	
4	5.501	5.488	20	
5	5.501	5.293	20	
6	5.501	5.256	20	
7	5.501	5.526	20	
8	5.501	5.373	20	
9	5.501	5.449	20	
10	5.501	5.72	20	
11	5.501	5.605	20	
12	5.501	5.62	20	
13	5.501	5.426	20	
14	5.501	5.647	20	
15	5.501	5.376	20	
16	5.501	5.64	20	
17	5.501	5.454	20	
18	5.501	5.638	20	
19	5.501	5.527	20	
20	5.501	5.398	20	
21	5.501	5.558	20	
22	5.501	5.415	20	
23	5.501	5.693	20	
24	5.501	5.288	20	
25	5.501	5.346	20	
26	5.501	5.484	20	
27	5.501	5.409	20	
28	5.501	5.41	20	
29	5.501	5.474	20	
30	5.501	5.269	20	
31	5.501	5.25	20	
32	5.501	5.662	20	
33	5.501	5.625	20	
34	5.501	5.596	20	
35	5.501	5.556	20	
36	5.501	5.577	20	
37	5.501	5.374	20	
38	5.501	5.48	20	
39	5.501	5.295	20	
40	5.501	5.614	20	
41	5.501	5.284	20	
42	5.501	5.281	20	
43	5.501	5.303	20	
44	5.501	5.282	20	
45	5.501	5.344	20	
46	5.501	5.583	20	
47	5.501	5.333	20	
48	5.501	5.675	20	
49	5.501	5.537	20	

50	5.501	5.263	20	
51	5.501	5.633	20	
52	5.501	5.581	20	
53	5.501	5.324	20	
54	5.501	5.712	20	
55	5.501	5.626	20	
56	5.501	5.679	20	
57	5.501	5.68	20	
58	5.501	5.497	20	*
59	5.501	5.407	20	
60	5.501	5.264	20	
61	5.501	5.424	20	
62	5.501	5.609	20	
63	5.501	5.691	20	
64	5.501	5.706	20	
65	5.501	5.257	20	
66	5.501	5.532	20	
67	5.501	5.475	20	
68	5.501	5.551	20	
69	5.501	5.502	20	*
70	5.501	5.571	20	
71	5.501	5.708	20	
72	5.501	5.416	20	
73	5.501	5.702	20	
74	5.501	5.453	20	
75	5.501	5.649	20	
76	5.501	5.672	20	
77	5.501	5.686	20	
78	5.501	5.695	20	
79	5.501	5.525	20	
80	5.501	5.483	20	
81	5.501	5.28	20	
82	5.501	5.296	20	
83	5.501	5.394	20	
84	5.501	5.541	20	
85	5.501	5.395	20	
86	5.501	5.663	20	
87	5.501	5.514	20	
88	5.501	5.584	20	
89	5.501	5.468	20	
90	5.501	5.705	20	
91	5.501	5.421	20	
92	5.501	5.559	20	
93	5.501	5.307	20	
94	5.501	5.381	20	
95	5.501	5.275	20	
96	5.501	5.722	20	
97	5.501	5.42	20	
98	5.501	5.574	20	
99	5.501	5.593	20	
100	5.501	5.266	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.577	20	
2	5.501	5.416	20	
3	5.501	5.704	20	
4	5.501	5.565	20	
5	5.501	5.274	20	
6	5.501	5.43	20	
7	5.501	5.711	20	
8	5.501	5.473	20	
9	5.501	5.327	20	
10	5.501	5.483	20	
11	5.501	5.427	20	
12	5.501	5.679	20	
13	5.501	5.417	20	
14	5.501	5.623	20	
15	5.501	5.432	20	
16	5.501	5.273	20	
17	5.501	5.588	20	
18	5.501	5.671	20	
19	5.501	5.641	20	
20	5.501	5.467	20	
21	5.501	5.578	20	
22	5.501	5.315	20	
23	5.501	5.533	20	
24	5.501	5.673	20	
25	5.501	5.447	20	
26	5.501	5.464	20	
27	5.501	5.357	20	
28	5.501	5.508	20	*
29	5.501	5.495	20	*
30	5.501	5.512	20	
31	5.501	5.258	20	
32	5.501	5.692	20	
33	5.501	5.405	20	
34	5.501	5.468	20	
35	5.501	5.612	20	
36	5.501	5.28	20	
37	5.501	5.524	20	
38	5.501	5.646	20	
39	5.501	5.341	20	
40	5.501	5.551	20	
41	5.501	5.304	20	
42	5.501	5.715	20	
43	5.501	5.596	20	
44	5.501	5.663	20	
45	5.501	5.317	20	
46	5.501	5.631	20	
47	5.501	5.536	20	
48	5.501	5.598	20	
49	5.501	5.355	20	

50	5.501	5.352	20	
51	5.501	5.656	20	
52	5.501	5.651	20	
53	5.501	5.316	20	
54	5.501	5.583	20	
55	5.501	5.412	20	
56	5.501	5.527	20	
57	5.501	5.489	20	
58	5.501	5.257	20	
59	5.501	5.414	20	
60	5.501	5.413	20	
61	5.501	5.65	20	
62	5.501	5.314	20	
63	5.501	5.68	20	
64	5.501	5.664	20	
65	5.501	5.706	20	
66	5.501	5.392	20	
67	5.501	5.399	20	
68	5.501	5.665	20	
69	5.501	5.395	20	
70	5.501	5.474	20	
71	5.501	5.64	20	
72	5.501	5.519	20	
73	5.501	5.27	20	
74	5.501	5.481	20	
75	5.501	5.535	20	
76	5.501	5.428	20	
77	5.501	5.41	20	
78	5.501	5.644	20	
79	5.501	5.253	20	
80	5.501	5.605	20	
81	5.501	5.458	20	
82	5.501	5.486	20	
83	5.501	5.438	20	
84	5.501	5.282	20	
85	5.501	5.58	20	
86	5.501	5.639	20	
87	5.501	5.452	20	
88	5.501	5.426	20	
89	5.501	5.703	20	
90	5.501	5.571	20	
91	5.501	5.478	20	
92	5.501	5.342	20	
93	5.501	5.55	20	
94	5.501	5.403	20	
95	5.501	5.288	20	
96	5.501	5.609	20	
97	5.501	5.379	20	
98	5.501	5.321	20	
99	5.501	5.444	20	
100	5.501	5.347	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.283	20	
2	5.501	5.571	20	
3	5.501	5.436	20	
4	5.501	5.341	20	
5	5.501	5.27	20	
6	5.501	5.413	20	
7	5.501	5.719	20	
8	5.501	5.447	20	
9	5.501	5.29	20	
10	5.501	5.638	20	
11	5.501	5.466	20	
12	5.501	5.429	20	
13	5.501	5.627	20	
14	5.501	5.508	20	*
15	5.501	5.66	20	
16	5.501	5.467	20	
17	5.501	5.65	20	
18	5.501	5.368	20	
19	5.501	5.525	20	
20	5.501	5.453	20	
21	5.501	5.662	20	
22	5.501	5.471	20	
23	5.501	5.64	20	
24	5.501	5.506	20	*
25	5.501	5.39	20	
26	5.501	5.445	20	
27	5.501	5.371	20	
28	5.501	5.69	20	
29	5.501	5.302	20	
30	5.501	5.613	20	
31	5.501	5.338	20	
32	5.501	5.257	20	
33	5.501	5.565	20	
34	5.501	5.314	20	
35	5.501	5.513	20	
36	5.501	5.386	20	
37	5.501	5.615	20	
38	5.501	5.56	20	
39	5.501	5.545	20	
40	5.501	5.408	20	
41	5.501	5.389	20	
42	5.501	5.424	20	
43	5.501	5.259	20	
44	5.501	5.714	20	
45	5.501	5.416	20	
46	5.501	5.344	20	
47	5.501	5.423	20	
48	5.501	5.428	20	
49	5.501	5.669	20	

50	5.501	5.263	20	
51	5.501	5.437	20	
52	5.501	5.71	20	
53	5.501	5.518	20	
54	5.501	5.394	20	
55	5.501	5.292	20	
56	5.501	5.336	20	
57	5.501	5.382	20	
58	5.501	5.575	20	
59	5.501	5.296	20	
60	5.501	5.707	20	
61	5.501	5.564	20	
62	5.501	5.306	20	
63	5.501	5.503	20	*
64	5.501	5.254	20	
65	5.501	5.682	20	
66	5.501	5.457	20	
67	5.501	5.366	20	
68	5.501	5.288	20	
69	5.501	5.43	20	
70	5.501	5.573	20	
71	5.501	5.323	20	
72	5.501	5.404	20	
73	5.501	5.614	20	
74	5.501	5.431	20	
75	5.501	5.708	20	
76	5.501	5.608	20	
77	5.501	5.369	20	
78	5.501	5.711	20	
79	5.501	5.641	20	
80	5.501	5.477	20	
81	5.501	5.536	20	
82	5.501	5.642	20	
83	5.501	5.53	20	
84	5.501	5.25	20	
85	5.501	5.509	20	*
86	5.501	5.356	20	
87	5.501	5.373	20	
88	5.501	5.705	20	
89	5.501	5.391	20	
90	5.501	5.318	20	
91	5.501	5.625	20	
92	5.501	5.294	20	
93	5.501	5.579	20	
94	5.501	5.32	20	
95	5.501	5.319	20	
96	5.501	5.484	20	
97	5.501	5.659	20	
98	5.501	5.321	20	
99	5.501	5.572	20	
100	5.501	5.655	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.443	20	
2	5.501	5.355	20	
3	5.501	5.695	20	
4	5.501	5.686	20	
5	5.501	5.263	20	
6	5.501	5.365	20	
7	5.501	5.4	20	
8	5.501	5.551	20	
9	5.501	5.603	20	
10	5.501	5.689	20	
11	5.501	5.469	20	
12	5.501	5.256	20	
13	5.501	5.565	20	
14	5.501	5.425	20	
15	5.501	5.348	20	
16	5.501	5.266	20	
17	5.501	5.379	20	
18	5.501	5.383	20	
19	5.501	5.714	20	
20	5.501	5.627	20	
21	5.501	5.478	20	
22	5.501	5.679	20	
23	5.501	5.491	20	*
24	5.501	5.638	20	
25	5.501	5.257	20	
26	5.501	5.432	20	
27	5.501	5.421	20	
28	5.501	5.692	20	
29	5.501	5.691	20	
30	5.501	5.32	20	
31	5.501	5.479	20	
32	5.501	5.369	20	
33	5.501	5.499	20	*
34	5.501	5.678	20	
35	5.501	5.458	20	
36	5.501	5.282	20	
37	5.501	5.435	20	
38	5.501	5.568	20	
39	5.501	5.718	20	
40	5.501	5.643	20	
41	5.501	5.465	20	
42	5.501	5.711	20	
43	5.501	5.681	20	
44	5.501	5.53	20	
45	5.501	5.722	20	
46	5.501	5.61	20	
47	5.501	5.511	20	*
48	5.501	5.575	20	
49	5.501	5.362	20	

50	5.501	5.664	20	
51	5.501	5.286	20	
52	5.501	5.569	20	
53	5.501	5.698	20	
54	5.501	5.501	20	*
55	5.501	5.555	20	
56	5.501	5.574	20	
57	5.501	5.703	20	
58	5.501	5.388	20	
59	5.501	5.338	20	
60	5.501	5.311	20	
61	5.501	5.5	20	*
62	5.501	5.422	20	
63	5.501	5.368	20	
64	5.501	5.373	20	
65	5.501	5.693	20	
66	5.501	5.462	20	
67	5.501	5.347	20	
68	5.501	5.516	20	
69	5.501	5.303	20	
70	5.501	5.33	20	
71	5.501	5.394	20	
72	5.501	5.374	20	
73	5.501	5.523	20	
74	5.501	5.63	20	
75	5.501	5.393	20	
76	5.501	5.665	20	
77	5.501	5.647	20	
78	5.501	5.496	20	*
79	5.501	5.612	20	
80	5.501	5.609	20	
81	5.501	5.274	20	
82	5.501	5.613	20	
83	5.501	5.293	20	
84	5.501	5.634	20	
85	5.501	5.495	20	*
86	5.501	5.601	20	
87	5.501	5.649	20	
88	5.501	5.58	20	
89	5.501	5.539	20	
90	5.501	5.467	20	
91	5.501	5.55	20	
92	5.501	5.637	20	
93	5.501	5.384	20	
94	5.501	5.72	20	
95	5.501	5.709	20	
96	5.501	5.424	20	
97	5.501	5.701	20	
98	5.501	5.528	20	
99	5.501	5.671	20	
100	5.501	5.706	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.502	20	*
2	5.501	5.354	20	
3	5.501	5.671	20	
4	5.501	5.551	20	
5	5.501	5.724	20	
6	5.501	5.626	20	
7	5.501	5.666	20	
8	5.501	5.26	20	
9	5.501	5.667	20	
10	5.501	5.564	20	
11	5.501	5.711	20	
12	5.501	5.613	20	
13	5.501	5.717	20	
14	5.501	5.559	20	
15	5.501	5.643	20	
16	5.501	5.43	20	
17	5.501	5.377	20	
18	5.501	5.479	20	
19	5.501	5.581	20	
20	5.501	5.448	20	
21	5.501	5.283	20	
22	5.501	5.291	20	
23	5.501	5.488	20	
24	5.501	5.493	20	*
25	5.501	5.399	20	
26	5.501	5.289	20	
27	5.501	5.428	20	
28	5.501	5.659	20	
29	5.501	5.257	20	
30	5.501	5.422	20	
31	5.501	5.522	20	
32	5.501	5.431	20	
33	5.501	5.637	20	
34	5.501	5.652	20	
35	5.501	5.692	20	
36	5.501	5.308	20	
37	5.501	5.348	20	
38	5.501	5.624	20	
39	5.501	5.275	20	
40	5.501	5.288	20	
41	5.501	5.55	20	
42	5.501	5.327	20	
43	5.501	5.363	20	
44	5.501	5.7	20	
45	5.501	5.292	20	
46	5.501	5.414	20	
47	5.501	5.492	20	*
48	5.501	5.535	20	
49	5.501	5.538	20	

50	5.501	5.583	20	
51	5.501	5.634	20	
52	5.501	5.454	20	
53	5.501	5.645	20	
54	5.501	5.305	20	
55	5.501	5.356	20	
56	5.501	5.259	20	
57	5.501	5.302	20	
58	5.501	5.611	20	
59	5.501	5.386	20	
60	5.501	5.657	20	
61	5.501	5.467	20	
62	5.501	5.449	20	
63	5.501	5.323	20	
64	5.501	5.303	20	
65	5.501	5.485	20	
66	5.501	5.61	20	
67	5.501	5.262	20	
68	5.501	5.39	20	
69	5.501	5.372	20	
70	5.501	5.296	20	
71	5.501	5.462	20	
72	5.501	5.271	20	
73	5.501	5.36	20	
74	5.501	5.472	20	
75	5.501	5.469	20	
76	5.501	5.276	20	
77	5.501	5.253	20	
78	5.501	5.476	20	
79	5.501	5.28	20	
80	5.501	5.393	20	
81	5.501	5.315	20	
82	5.501	5.272	20	
83	5.501	5.416	20	
84	5.501	5.612	20	
85	5.501	5.496	20	*
86	5.501	5.504	20	*
87	5.501	5.621	20	
88	5.501	5.298	20	
89	5.501	5.322	20	
90	5.501	5.379	20	
91	5.501	5.635	20	
92	5.501	5.653	20	
93	5.501	5.358	20	
94	5.501	5.691	20	
95	5.501	5.674	20	
96	5.501	5.673	20	
97	5.501	5.495	20	*
98	5.501	5.282	20	
99	5.501	5.619	20	
100	5.501	5.321	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.599	20	
2	5.501	5.592	20	
3	5.501	5.701	20	
4	5.501	5.598	20	
5	5.501	5.528	20	
6	5.501	5.707	20	
7	5.501	5.439	20	
8	5.501	5.666	20	
9	5.501	5.503	20	*
10	5.501	5.298	20	
11	5.501	5.296	20	
12	5.501	5.531	20	
13	5.501	5.281	20	
14	5.501	5.703	20	
15	5.501	5.475	20	
16	5.501	5.445	20	
17	5.501	5.597	20	
18	5.501	5.723	20	
19	5.501	5.472	20	
20	5.501	5.552	20	
21	5.501	5.403	20	
22	5.501	5.69	20	
23	5.501	5.661	20	
24	5.501	5.625	20	
25	5.501	5.274	20	
26	5.501	5.441	20	
27	5.501	5.595	20	
28	5.501	5.305	20	
29	5.501	5.712	20	
30	5.501	5.698	20	
31	5.501	5.364	20	
32	5.501	5.428	20	
33	5.501	5.382	20	
34	5.501	5.619	20	
35	5.501	5.365	20	
36	5.501	5.404	20	
37	5.501	5.482	20	
38	5.501	5.413	20	
39	5.501	5.367	20	
40	5.501	5.557	20	
41	5.501	5.61	20	
42	5.501	5.452	20	
43	5.501	5.411	20	
44	5.501	5.54	20	
45	5.501	5.435	20	
46	5.501	5.345	20	
47	5.501	5.651	20	
48	5.501	5.473	20	
49	5.501	5.347	20	

50	5.501	5.45	20	
51	5.501	5.497	20	*
52	5.501	5.555	20	
53	5.501	5.508	20	*
54	5.501	5.458	20	
55	5.501	5.395	20	
56	5.501	5.265	20	
57	5.501	5.485	20	
58	5.501	5.578	20	
59	5.501	5.521	20	
60	5.501	5.523	20	
61	5.501	5.31	20	
62	5.501	5.478	20	
63	5.501	5.465	20	
64	5.501	5.339	20	
65	5.501	5.324	20	
66	5.501	5.312	20	
67	5.501	5.415	20	
68	5.501	5.702	20	
69	5.501	5.687	20	
70	5.501	5.293	20	
71	5.501	5.562	20	
72	5.501	5.479	20	
73	5.501	5.297	20	
74	5.501	5.251	20	
75	5.501	5.678	20	
76	5.501	5.652	20	
77	5.501	5.47	20	
78	5.501	5.664	20	
79	5.501	5.511	20	*
80	5.501	5.402	20	
81	5.501	5.501	20	*
82	5.501	5.512	20	
83	5.501	5.596	20	
84	5.501	5.696	20	
85	5.501	5.639	20	
86	5.501	5.258	20	
87	5.501	5.351	20	
88	5.501	5.253	20	
89	5.501	5.322	20	
90	5.501	5.276	20	
91	5.501	5.461	20	
92	5.501	5.348	20	
93	5.501	5.314	20	
94	5.501	5.325	20	
95	5.501	5.648	20	
96	5.501	5.35	20	
97	5.501	5.257	20	
98	5.501	5.532	20	
99	5.501	5.635	20	
100	5.501	5.379	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.277	20	
2	5.501	5.564	20	
3	5.501	5.263	20	
4	5.501	5.26	20	
5	5.501	5.397	20	
6	5.501	5.541	20	
7	5.501	5.317	20	
8	5.501	5.466	20	
9	5.501	5.31	20	
10	5.501	5.387	20	
11	5.501	5.306	20	
12	5.501	5.658	20	
13	5.501	5.535	20	
14	5.501	5.382	20	
15	5.501	5.594	20	
16	5.501	5.619	20	
17	5.501	5.372	20	
18	5.501	5.592	20	
19	5.501	5.673	20	
20	5.501	5.517	20	
21	5.501	5.514	20	
22	5.501	5.331	20	
23	5.501	5.446	20	
24	5.501	5.282	20	
25	5.501	5.546	20	
26	5.501	5.261	20	
27	5.501	5.681	20	
28	5.501	5.637	20	
29	5.501	5.283	20	
30	5.501	5.507	20	*
31	5.501	5.345	20	
32	5.501	5.294	20	
33	5.501	5.721	20	
34	5.501	5.343	20	
35	5.501	5.453	20	
36	5.501	5.627	20	
37	5.501	5.526	20	
38	5.501	5.707	20	
39	5.501	5.408	20	
40	5.501	5.678	20	
41	5.501	5.313	20	
42	5.501	5.576	20	
43	5.501	5.473	20	
44	5.501	5.59	20	
45	5.501	5.402	20	
46	5.501	5.705	20	
47	5.501	5.38	20	
48	5.501	5.515	20	
49	5.501	5.497	20	*

50	5.501	5.406	20	
51	5.501	5.571	20	
52	5.501	5.344	20	
53	5.501	5.617	20	
54	5.501	5.591	20	
55	5.501	5.463	20	
56	5.501	5.554	20	
57	5.501	5.568	20	
58	5.501	5.252	20	
59	5.501	5.47	20	
60	5.501	5.642	20	
61	5.501	5.49	20	
62	5.501	5.683	20	
63	5.501	5.703	20	
64	5.501	5.314	20	
65	5.501	5.533	20	
66	5.501	5.696	20	
67	5.501	5.303	20	
68	5.501	5.686	20	
69	5.501	5.596	20	
70	5.501	5.662	20	
71	5.501	5.371	20	
72	5.501	5.379	20	
73	5.501	5.414	20	
74	5.501	5.339	20	
75	5.501	5.385	20	
76	5.501	5.655	20	
77	5.501	5.278	20	
78	5.501	5.531	20	
79	5.501	5.291	20	
80	5.501	5.433	20	
81	5.501	5.421	20	
82	5.501	5.722	20	
83	5.501	5.702	20	
84	5.501	5.64	20	
85	5.501	5.723	20	
86	5.501	5.262	20	
87	5.501	5.488	20	
88	5.501	5.522	20	
89	5.501	5.424	20	
90	5.501	5.524	20	
91	5.501	5.493	20	*
92	5.501	5.325	20	
93	5.501	5.307	20	
94	5.501	5.536	20	
95	5.501	5.377	20	
96	5.501	5.492	20	*
97	5.501	5.711	20	
98	5.501	5.444	20	
99	5.501	5.404	20	
100	5.501	5.44	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.502	20	*
2	5.501	5.496	20	*
3	5.501	5.326	20	
4	5.501	5.717	20	
5	5.501	5.372	20	
6	5.501	5.563	20	
7	5.501	5.673	20	
8	5.501	5.275	20	
9	5.501	5.497	20	*
10	5.501	5.659	20	
11	5.501	5.661	20	
12	5.501	5.474	20	
13	5.501	5.527	20	
14	5.501	5.393	20	
15	5.501	5.28	20	
16	5.501	5.309	20	
17	5.501	5.484	20	
18	5.501	5.365	20	
19	5.501	5.44	20	
20	5.501	5.381	20	
21	5.501	5.607	20	
22	5.501	5.546	20	
23	5.501	5.485	20	
24	5.501	5.606	20	
25	5.501	5.714	20	
26	5.501	5.579	20	
27	5.501	5.533	20	
28	5.501	5.698	20	
29	5.501	5.46	20	
30	5.501	5.516	20	
31	5.501	5.336	20	
32	5.501	5.262	20	
33	5.501	5.263	20	
34	5.501	5.722	20	
35	5.501	5.602	20	
36	5.501	5.298	20	
37	5.501	5.366	20	
38	5.501	5.631	20	
39	5.501	5.653	20	
40	5.501	5.406	20	
41	5.501	5.302	20	
42	5.501	5.52	20	
43	5.501	5.317	20	
44	5.501	5.403	20	
45	5.501	5.524	20	
46	5.501	5.557	20	
47	5.501	5.548	20	
48	5.501	5.711	20	
49	5.501	5.585	20	

50	5.501	5.284	20	
51	5.501	5.554	20	
52	5.501	5.42	20	
53	5.501	5.701	20	
54	5.501	5.684	20	
55	5.501	5.5	20	*
56	5.501	5.378	20	
57	5.501	5.431	20	
58	5.501	5.596	20	
59	5.501	5.506	20	*
60	5.501	5.715	20	
61	5.501	5.654	20	
62	5.501	5.273	20	
63	5.501	5.72	20	
64	5.501	5.573	20	
65	5.501	5.451	20	
66	5.501	5.538	20	
67	5.501	5.632	20	
68	5.501	5.685	20	
69	5.501	5.36	20	
70	5.501	5.68	20	
71	5.501	5.581	20	
72	5.501	5.561	20	
73	5.501	5.535	20	
74	5.501	5.667	20	
75	5.501	5.592	20	
76	5.501	5.419	20	
77	5.501	5.526	20	
78	5.501	5.329	20	
79	5.501	5.442	20	
80	5.501	5.492	20	*
81	5.501	5.34	20	
82	5.501	5.515	20	
83	5.501	5.694	20	
84	5.501	5.572	20	
85	5.501	5.379	20	
86	5.501	5.457	20	
87	5.501	5.691	20	
88	5.501	5.636	20	
89	5.501	5.676	20	
90	5.501	5.414	20	
91	5.501	5.415	20	
92	5.501	5.345	20	
93	5.501	5.582	20	
94	5.501	5.455	20	
95	5.501	5.543	20	
96	5.501	5.499	20	*
97	5.501	5.523	20	
98	5.501	5.337	20	
99	5.501	5.541	20	
100	5.501	5.471	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.335	20	
2	5.501	5.637	20	
3	5.501	5.512	20	
4	5.501	5.355	20	
5	5.501	5.331	20	
6	5.501	5.69	20	
7	5.501	5.382	20	
8	5.501	5.312	20	
9	5.501	5.271	20	
10	5.501	5.32	20	
11	5.501	5.606	20	
12	5.501	5.58	20	
13	5.501	5.332	20	
14	5.501	5.364	20	
15	5.501	5.628	20	
16	5.501	5.298	20	
17	5.501	5.367	20	
18	5.501	5.619	20	
19	5.501	5.712	20	
20	5.501	5.681	20	
21	5.501	5.617	20	
22	5.501	5.472	20	
23	5.501	5.653	20	
24	5.501	5.717	20	
25	5.501	5.582	20	
26	5.501	5.302	20	
27	5.501	5.361	20	
28	5.501	5.517	20	
29	5.501	5.327	20	
30	5.501	5.583	20	
31	5.501	5.594	20	
32	5.501	5.662	20	
33	5.501	5.709	20	
34	5.501	5.552	20	
35	5.501	5.523	20	
36	5.501	5.363	20	
37	5.501	5.44	20	
38	5.501	5.524	20	
39	5.501	5.634	20	
40	5.501	5.471	20	
41	5.501	5.458	20	
42	5.501	5.711	20	
43	5.501	5.721	20	
44	5.501	5.317	20	
45	5.501	5.334	20	
46	5.501	5.281	20	
47	5.501	5.435	20	
48	5.501	5.473	20	
49	5.501	5.432	20	

50	5.501	5.333	20	
51	5.501	5.372	20	
52	5.501	5.5	20	*
53	5.501	5.261	20	
54	5.501	5.264	20	
55	5.501	5.373	20	
56	5.501	5.324	20	
57	5.501	5.64	20	
58	5.501	5.677	20	
59	5.501	5.689	20	
60	5.501	5.665	20	
61	5.501	5.453	20	
62	5.501	5.584	20	
63	5.501	5.671	20	
64	5.501	5.275	20	
65	5.501	5.569	20	
66	5.501	5.557	20	
67	5.501	5.318	20	
68	5.501	5.669	20	
69	5.501	5.641	20	
70	5.501	5.459	20	
71	5.501	5.433	20	
72	5.501	5.423	20	
73	5.501	5.497	20	*
74	5.501	5.695	20	
75	5.501	5.288	20	
76	5.501	5.625	20	
77	5.501	5.525	20	
78	5.501	5.483	20	
79	5.501	5.526	20	
80	5.501	5.27	20	
81	5.501	5.618	20	
82	5.501	5.494	20	*
83	5.501	5.498	20	*
84	5.501	5.506	20	*
85	5.501	5.527	20	
86	5.501	5.338	20	
87	5.501	5.678	20	
88	5.501	5.616	20	
89	5.501	5.467	20	
90	5.501	5.464	20	
91	5.501	5.532	20	
92	5.501	5.269	20	
93	5.501	5.449	20	
94	5.501	5.608	20	
95	5.501	5.674	20	
96	5.501	5.563	20	
97	5.501	5.706	20	
98	5.501	5.427	20	
99	5.501	5.383	20	
100	5.501	5.596	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.581	20	
2	5.501	5.516	20	
3	5.501	5.508	20	*
4	5.501	5.668	20	
5	5.501	5.257	20	
6	5.501	5.573	20	
7	5.501	5.672	20	
8	5.501	5.427	20	
9	5.501	5.506	20	*
10	5.501	5.652	20	
11	5.501	5.474	20	
12	5.501	5.46	20	
13	5.501	5.531	20	
14	5.501	5.648	20	
15	5.501	5.627	20	
16	5.501	5.443	20	
17	5.501	5.367	20	
18	5.501	5.593	20	
19	5.501	5.708	20	
20	5.501	5.536	20	
21	5.501	5.584	20	
22	5.501	5.411	20	
23	5.501	5.685	20	
24	5.501	5.703	20	
25	5.501	5.421	20	
26	5.501	5.538	20	
27	5.501	5.385	20	
28	5.501	5.337	20	
29	5.501	5.561	20	
30	5.501	5.378	20	
31	5.501	5.63	20	
32	5.501	5.55	20	
33	5.501	5.507	20	*
34	5.501	5.643	20	
35	5.501	5.264	20	
36	5.501	5.455	20	
37	5.501	5.268	20	
38	5.501	5.396	20	
39	5.501	5.418	20	
40	5.501	5.276	20	
41	5.501	5.564	20	
42	5.501	5.639	20	
43	5.501	5.351	20	
44	5.501	5.47	20	
45	5.501	5.544	20	
46	5.501	5.334	20	
47	5.501	5.423	20	
48	5.501	5.431	20	
49	5.501	5.614	20	

50	5.501	5.688	20	
51	5.501	5.595	20	
52	5.501	5.513	20	
53	5.501	5.473	20	
54	5.501	5.265	20	
55	5.501	5.357	20	
56	5.501	5.5	20	*
57	5.501	5.355	20	
58	5.501	5.338	20	
59	5.501	5.563	20	
60	5.501	5.533	20	
61	5.501	5.49	20	
62	5.501	5.66	20	
63	5.501	5.324	20	
64	5.501	5.407	20	
65	5.501	5.567	20	
66	5.501	5.251	20	
67	5.501	5.399	20	
68	5.501	5.294	20	
69	5.501	5.283	20	
70	5.501	5.483	20	
71	5.501	5.494	20	*
72	5.501	5.673	20	
73	5.501	5.601	20	
74	5.501	5.377	20	
75	5.501	5.511	20	*
76	5.501	5.332	20	
77	5.501	5.637	20	
78	5.501	5.279	20	
79	5.501	5.57	20	
80	5.501	5.535	20	
81	5.501	5.401	20	
82	5.501	5.26	20	
83	5.501	5.394	20	
84	5.501	5.628	20	
85	5.501	5.557	20	
86	5.501	5.659	20	
87	5.501	5.348	20	
88	5.501	5.379	20	
89	5.501	5.665	20	
90	5.501	5.359	20	
91	5.501	5.64	20	
92	5.501	5.674	20	
93	5.501	5.435	20	
94	5.501	5.424	20	
95	5.501	5.315	20	
96	5.501	5.523	20	
97	5.501	5.452	20	
98	5.501	5.623	20	
99	5.501	5.34	20	
100	5.501	5.532	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.255	20	
2	5.501	5.627	20	
3	5.501	5.498	20	*
4	5.501	5.514	20	
5	5.501	5.661	20	
6	5.501	5.645	20	
7	5.501	5.607	20	
8	5.501	5.3	20	
9	5.501	5.321	20	
10	5.501	5.582	20	
11	5.501	5.644	20	
12	5.501	5.369	20	
13	5.501	5.337	20	
14	5.501	5.368	20	
15	5.501	5.718	20	
16	5.501	5.543	20	
17	5.501	5.265	20	
18	5.501	5.286	20	
19	5.501	5.451	20	
20	5.501	5.603	20	
21	5.501	5.66	20	
22	5.501	5.285	20	
23	5.501	5.293	20	
24	5.501	5.325	20	
25	5.501	5.68	20	
26	5.501	5.512	20	
27	5.501	5.275	20	
28	5.501	5.528	20	
29	5.501	5.58	20	
30	5.501	5.447	20	
31	5.501	5.532	20	
32	5.501	5.26	20	
33	5.501	5.342	20	
34	5.501	5.623	20	
35	5.501	5.628	20	
36	5.501	5.391	20	
37	5.501	5.589	20	
38	5.501	5.702	20	
39	5.501	5.515	20	
40	5.501	5.388	20	
41	5.501	5.267	20	
42	5.501	5.703	20	
43	5.501	5.375	20	
44	5.501	5.443	20	
45	5.501	5.292	20	
46	5.501	5.47	20	
47	5.501	5.668	20	
48	5.501	5.406	20	
49	5.501	5.434	20	

50	5.501	5.469	20	
51	5.501	5.327	20	
52	5.501	5.69	20	
53	5.501	5.521	20	
54	5.501	5.259	20	
55	5.501	5.385	20	
56	5.501	5.308	20	
57	5.501	5.696	20	
58	5.501	5.272	20	
59	5.501	5.684	20	
60	5.501	5.262	20	
61	5.501	5.546	20	
62	5.501	5.326	20	
63	5.501	5.591	20	
64	5.501	5.641	20	
65	5.501	5.62	20	
66	5.501	5.472	20	
67	5.501	5.486	20	
68	5.501	5.349	20	
69	5.501	5.586	20	
70	5.501	5.576	20	
71	5.501	5.373	20	
72	5.501	5.487	20	
73	5.501	5.585	20	
74	5.501	5.624	20	
75	5.501	5.394	20	
76	5.501	5.524	20	
77	5.501	5.343	20	
78	5.501	5.566	20	
79	5.501	5.257	20	
80	5.501	5.513	20	
81	5.501	5.312	20	
82	5.501	5.587	20	
83	5.501	5.42	20	
84	5.501	5.593	20	
85	5.501	5.52	20	
86	5.501	5.27	20	
87	5.501	5.489	20	
88	5.501	5.664	20	
89	5.501	5.276	20	
90	5.501	5.492	20	*
91	5.501	5.551	20	
92	5.501	5.294	20	
93	5.501	5.683	20	
94	5.501	5.254	20	
95	5.501	5.311	20	
96	5.501	5.359	20	
97	5.501	5.295	20	
98	5.501	5.415	20	
99	5.501	5.699	20	
100	5.501	5.44	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.429	20	
2	5.501	5.549	20	
3	5.501	5.46	20	
4	5.501	5.279	20	
5	5.501	5.349	20	
6	5.501	5.613	20	
7	5.501	5.539	20	
8	5.501	5.614	20	
9	5.501	5.442	20	
10	5.501	5.424	20	
11	5.501	5.625	20	
12	5.501	5.375	20	
13	5.501	5.676	20	
14	5.501	5.526	20	
15	5.501	5.397	20	
16	5.501	5.499	20	*
17	5.501	5.628	20	
18	5.501	5.692	20	
19	5.501	5.458	20	
20	5.501	5.446	20	
21	5.501	5.618	20	
22	5.501	5.589	20	
23	5.501	5.285	20	
24	5.501	5.266	20	
25	5.501	5.438	20	
26	5.501	5.519	20	
27	5.501	5.401	20	
28	5.501	5.592	20	
29	5.501	5.563	20	
30	5.501	5.417	20	
31	5.501	5.35	20	
32	5.501	5.47	20	
33	5.501	5.392	20	
34	5.501	5.584	20	
35	5.501	5.426	20	
36	5.501	5.538	20	
37	5.501	5.253	20	
38	5.501	5.44	20	
39	5.501	5.287	20	
40	5.501	5.545	20	
41	5.501	5.637	20	
42	5.501	5.576	20	
43	5.501	5.428	20	
44	5.501	5.421	20	
45	5.501	5.55	20	
46	5.501	5.574	20	
47	5.501	5.518	20	
48	5.501	5.484	20	
49	5.501	5.398	20	

50	5.501	5.314	20	
51	5.501	5.596	20	
52	5.501	5.309	20	
53	5.501	5.419	20	
54	5.501	5.583	20	
55	5.501	5.56	20	
56	5.501	5.479	20	
57	5.501	5.41	20	
58	5.501	5.403	20	
59	5.501	5.615	20	
60	5.501	5.394	20	
61	5.501	5.612	20	
62	5.501	5.463	20	
63	5.501	5.313	20	
64	5.501	5.582	20	
65	5.501	5.52	20	
66	5.501	5.464	20	
67	5.501	5.634	20	
68	5.501	5.669	20	
69	5.501	5.384	20	
70	5.501	5.269	20	
71	5.501	5.39	20	
72	5.501	5.295	20	
73	5.501	5.262	20	
74	5.501	5.494	20	*
75	5.501	5.381	20	
76	5.501	5.709	20	
77	5.501	5.689	20	
78	5.501	5.534	20	
79	5.501	5.431	20	
80	5.501	5.672	20	
81	5.501	5.447	20	
82	5.501	5.723	20	
83	5.501	5.452	20	
84	5.501	5.45	20	
85	5.501	5.322	20	
86	5.501	5.4	20	
87	5.501	5.647	20	
88	5.501	5.335	20	
89	5.501	5.654	20	
90	5.501	5.377	20	
91	5.501	5.671	20	
92	5.501	5.467	20	
93	5.501	5.261	20	
94	5.501	5.296	20	
95	5.501	5.456	20	
96	5.501	5.666	20	
97	5.501	5.363	20	
98	5.501	5.492	20	*
99	5.501	5.626	20	
100	5.501	5.316	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.613	20	
2	5.501	5.431	20	
3	5.501	5.589	20	
4	5.501	5.428	20	
5	5.501	5.316	20	
6	5.501	5.28	20	
7	5.501	5.52	20	
8	5.501	5.372	20	
9	5.501	5.361	20	
10	5.501	5.551	20	
11	5.501	5.604	20	
12	5.501	5.387	20	
13	5.501	5.707	20	
14	5.501	5.32	20	
15	5.501	5.532	20	
16	5.501	5.381	20	
17	5.501	5.552	20	
18	5.501	5.382	20	
19	5.501	5.476	20	
20	5.501	5.65	20	
21	5.501	5.544	20	
22	5.501	5.405	20	
23	5.501	5.709	20	
24	5.501	5.436	20	
25	5.501	5.671	20	
26	5.501	5.319	20	
27	5.501	5.409	20	
28	5.501	5.294	20	
29	5.501	5.398	20	
30	5.501	5.481	20	
31	5.501	5.525	20	
32	5.501	5.308	20	
33	5.501	5.414	20	
34	5.501	5.591	20	
35	5.501	5.716	20	
36	5.501	5.41	20	
37	5.501	5.661	20	
38	5.501	5.547	20	
39	5.501	5.499	20	*
40	5.501	5.533	20	
41	5.501	5.295	20	
42	5.501	5.626	20	
43	5.501	5.487	20	
44	5.501	5.469	20	
45	5.501	5.309	20	
46	5.501	5.315	20	
47	5.501	5.302	20	
48	5.501	5.689	20	
49	5.501	5.37	20	

50	5.501	5.672	20	
51	5.501	5.512	20	
52	5.501	5.335	20	
53	5.501	5.527	20	
54	5.501	5.276	20	
55	5.501	5.323	20	
56	5.501	5.71	20	
57	5.501	5.711	20	
58	5.501	5.59	20	
59	5.501	5.608	20	
60	5.501	5.397	20	
61	5.501	5.497	20	*
62	5.501	5.673	20	
63	5.501	5.342	20	
64	5.501	5.364	20	
65	5.501	5.466	20	
66	5.501	5.393	20	
67	5.501	5.526	20	
68	5.501	5.285	20	
69	5.501	5.659	20	
70	5.501	5.634	20	
71	5.501	5.303	20	
72	5.501	5.329	20	
73	5.501	5.509	20	*
74	5.501	5.402	20	
75	5.501	5.424	20	
76	5.501	5.578	20	
77	5.501	5.643	20	
78	5.501	5.697	20	
79	5.501	5.36	20	
80	5.501	5.63	20	
81	5.501	5.38	20	
82	5.501	5.322	20	
83	5.501	5.594	20	
84	5.501	5.395	20	
85	5.501	5.61	20	
86	5.501	5.46	20	
87	5.501	5.718	20	
88	5.501	5.412	20	
89	5.501	5.317	20	
90	5.501	5.701	20	
91	5.501	5.434	20	
92	5.501	5.571	20	
93	5.501	5.327	20	
94	5.501	5.457	20	
95	5.501	5.694	20	
96	5.501	5.375	20	
97	5.501	5.371	20	
98	5.501	5.264	20	
99	5.501	5.582	20	
100	5.501	5.385	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.553	20	
2	5.501	5.39	20	
3	5.501	5.465	20	
4	5.501	5.611	20	
5	5.501	5.711	20	
6	5.501	5.36	20	
7	5.501	5.604	20	
8	5.501	5.328	20	
9	5.501	5.494	20	*
10	5.501	5.707	20	
11	5.501	5.45	20	
12	5.501	5.616	20	
13	5.501	5.367	20	
14	5.501	5.714	20	
15	5.501	5.664	20	
16	5.501	5.492	20	*
17	5.501	5.491	20	*
18	5.501	5.322	20	
19	5.501	5.308	20	
20	5.501	5.435	20	
21	5.501	5.592	20	
22	5.501	5.652	20	
23	5.501	5.412	20	
24	5.501	5.571	20	
25	5.501	5.438	20	
26	5.501	5.274	20	
27	5.501	5.312	20	
28	5.501	5.374	20	
29	5.501	5.425	20	
30	5.501	5.436	20	
31	5.501	5.574	20	
32	5.501	5.464	20	
33	5.501	5.383	20	
34	5.501	5.291	20	
35	5.501	5.481	20	
36	5.501	5.617	20	
37	5.501	5.466	20	
38	5.501	5.394	20	
39	5.501	5.3	20	
40	5.501	5.677	20	
41	5.501	5.439	20	
42	5.501	5.315	20	
43	5.501	5.397	20	
44	5.501	5.716	20	
45	5.501	5.668	20	
46	5.501	5.402	20	
47	5.501	5.541	20	
48	5.501	5.302	20	
49	5.501	5.285	20	

50	5.501	5.433	20	
51	5.501	5.642	20	
52	5.501	5.487	20	
53	5.501	5.686	20	
54	5.501	5.486	20	
55	5.501	5.353	20	
56	5.501	5.276	20	
57	5.501	5.266	20	
58	5.501	5.498	20	*
59	5.501	5.253	20	
60	5.501	5.648	20	
61	5.501	5.298	20	
62	5.501	5.683	20	
63	5.501	5.614	20	
64	5.501	5.32	20	
65	5.501	5.569	20	
66	5.501	5.637	20	
67	5.501	5.583	20	
68	5.501	5.706	20	
69	5.501	5.613	20	
70	5.501	5.533	20	
71	5.501	5.363	20	
72	5.501	5.515	20	
73	5.501	5.47	20	
74	5.501	5.283	20	
75	5.501	5.64	20	
76	5.501	5.715	20	
77	5.501	5.623	20	
78	5.501	5.335	20	
79	5.501	5.584	20	
80	5.501	5.414	20	
81	5.501	5.692	20	
82	5.501	5.68	20	
83	5.501	5.356	20	
84	5.501	5.587	20	
85	5.501	5.724	20	
86	5.501	5.667	20	
87	5.501	5.538	20	
88	5.501	5.34	20	
89	5.501	5.511	20	*
90	5.501	5.496	20	*
91	5.501	5.529	20	
92	5.501	5.311	20	
93	5.501	5.262	20	
94	5.501	5.292	20	
95	5.501	5.633	20	
96	5.501	5.35	20	
97	5.501	5.387	20	
98	5.501	5.463	20	
99	5.501	5.343	20	
100	5.501	5.289	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.372	20	
2	5.501	5.375	20	
3	5.501	5.399	20	
4	5.501	5.324	20	
5	5.501	5.405	20	
6	5.501	5.291	20	
7	5.501	5.581	20	
8	5.501	5.382	20	
9	5.501	5.679	20	
10	5.501	5.365	20	
11	5.501	5.529	20	
12	5.501	5.306	20	
13	5.501	5.29	20	
14	5.501	5.456	20	
15	5.501	5.667	20	
16	5.501	5.68	20	
17	5.501	5.722	20	
18	5.501	5.269	20	
19	5.501	5.294	20	
20	5.501	5.491	20	*
21	5.501	5.487	20	
22	5.501	5.505	20	*
23	5.501	5.519	20	
24	5.501	5.662	20	
25	5.501	5.637	20	
26	5.501	5.41	20	
27	5.501	5.447	20	
28	5.501	5.47	20	
29	5.501	5.673	20	
30	5.501	5.544	20	
31	5.501	5.666	20	
32	5.501	5.377	20	
33	5.501	5.641	20	
34	5.501	5.494	20	*
35	5.501	5.615	20	
36	5.501	5.411	20	
37	5.501	5.56	20	
38	5.501	5.538	20	
39	5.501	5.309	20	
40	5.501	5.569	20	
41	5.501	5.422	20	
42	5.501	5.335	20	
43	5.501	5.642	20	
44	5.501	5.672	20	
45	5.501	5.549	20	
46	5.501	5.69	20	
47	5.501	5.677	20	
48	5.501	5.547	20	
49	5.501	5.423	20	

50	5.501	5.692	20	
51	5.501	5.602	20	
52	5.501	5.328	20	
53	5.501	5.603	20	
54	5.501	5.333	20	
55	5.501	5.393	20	
56	5.501	5.671	20	
57	5.501	5.719	20	
58	5.501	5.467	20	
59	5.501	5.26	20	
60	5.501	5.482	20	
61	5.501	5.38	20	
62	5.501	5.541	20	
63	5.501	5.44	20	
64	5.501	5.271	20	
65	5.501	5.425	20	
66	5.501	5.256	20	
67	5.501	5.479	20	
68	5.501	5.513	20	
69	5.501	5.337	20	
70	5.501	5.625	20	
71	5.501	5.314	20	
72	5.501	5.289	20	
73	5.501	5.274	20	
74	5.501	5.528	20	
75	5.501	5.378	20	
76	5.501	5.675	20	
77	5.501	5.576	20	
78	5.501	5.395	20	
79	5.501	5.327	20	
80	5.501	5.299	20	
81	5.501	5.688	20	
82	5.501	5.693	20	
83	5.501	5.346	20	
84	5.501	5.552	20	
85	5.501	5.657	20	
86	5.501	5.259	20	
87	5.501	5.653	20	
88	5.501	5.463	20	
89	5.501	5.588	20	
90	5.501	5.387	20	
91	5.501	5.573	20	
92	5.501	5.266	20	
93	5.501	5.71	20	
94	5.501	5.401	20	
95	5.501	5.295	20	
96	5.501	5.558	20	
97	5.501	5.516	20	
98	5.501	5.302	20	
99	5.501	5.493	20	*
100	5.501	5.349	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.302	20	
2	5.501	5.463	20	
3	5.501	5.45	20	
4	5.501	5.483	20	
5	5.501	5.388	20	
6	5.501	5.587	20	
7	5.501	5.592	20	
8	5.501	5.554	20	
9	5.501	5.706	20	
10	5.501	5.585	20	
11	5.501	5.545	20	
12	5.501	5.346	20	
13	5.501	5.53	20	
14	5.501	5.57	20	
15	5.501	5.386	20	
16	5.501	5.642	20	
17	5.501	5.371	20	
18	5.501	5.547	20	
19	5.501	5.334	20	
20	5.501	5.351	20	
21	5.501	5.528	20	
22	5.501	5.574	20	
23	5.501	5.507	20	*
24	5.501	5.252	20	
25	5.501	5.339	20	
26	5.501	5.647	20	
27	5.501	5.607	20	
28	5.501	5.434	20	
29	5.501	5.535	20	
30	5.501	5.677	20	
31	5.501	5.627	20	
32	5.501	5.484	20	
33	5.501	5.397	20	
34	5.501	5.558	20	
35	5.501	5.52	20	
36	5.501	5.615	20	
37	5.501	5.458	20	
38	5.501	5.479	20	
39	5.501	5.447	20	
40	5.501	5.356	20	
41	5.501	5.5	20	*
42	5.501	5.353	20	
43	5.501	5.487	20	
44	5.501	5.549	20	
45	5.501	5.618	20	
46	5.501	5.69	20	
47	5.501	5.451	20	
48	5.501	5.676	20	
49	5.501	5.272	20	

50	5.501	5.591	20	
51	5.501	5.579	20	
52	5.501	5.387	20	
53	5.501	5.494	20	*
54	5.501	5.699	20	
55	5.501	5.508	20	*
56	5.501	5.531	20	
57	5.501	5.654	20	
58	5.501	5.433	20	
59	5.501	5.687	20	
60	5.501	5.702	20	
61	5.501	5.427	20	
62	5.501	5.573	20	
63	5.501	5.673	20	
64	5.501	5.442	20	
65	5.501	5.419	20	
66	5.501	5.305	20	
67	5.501	5.655	20	
68	5.501	5.293	20	
69	5.501	5.529	20	
70	5.501	5.503	20	*
71	5.501	5.473	20	
72	5.501	5.443	20	
73	5.501	5.28	20	
74	5.501	5.331	20	
75	5.501	5.516	20	
76	5.501	5.365	20	
77	5.501	5.568	20	
78	5.501	5.716	20	
79	5.501	5.712	20	
80	5.501	5.724	20	
81	5.501	5.329	20	
82	5.501	5.485	20	
83	5.501	5.277	20	
84	5.501	5.694	20	
85	5.501	5.41	20	
86	5.501	5.628	20	
87	5.501	5.532	20	
88	5.501	5.551	20	
89	5.501	5.454	20	
90	5.501	5.317	20	
91	5.501	5.616	20	
92	5.501	5.254	20	
93	5.501	5.689	20	
94	5.501	5.416	20	
95	5.501	5.601	20	
96	5.501	5.614	20	
97	5.501	5.564	20	
98	5.501	5.384	20	
99	5.501	5.598	20	
100	5.501	5.376	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.321	20	
2	5.501	5.369	20	
3	5.501	5.558	20	
4	5.501	5.422	20	
5	5.501	5.377	20	
6	5.501	5.451	20	
7	5.501	5.261	20	
8	5.501	5.267	20	
9	5.501	5.574	20	
10	5.501	5.544	20	
11	5.501	5.423	20	
12	5.501	5.251	20	
13	5.501	5.597	20	
14	5.501	5.681	20	
15	5.501	5.39	20	
16	5.501	5.471	20	
17	5.501	5.435	20	
18	5.501	5.395	20	
19	5.501	5.408	20	
20	5.501	5.635	20	
21	5.501	5.368	20	
22	5.501	5.331	20	
23	5.501	5.488	20	
24	5.501	5.458	20	
25	5.501	5.338	20	
26	5.501	5.298	20	
27	5.501	5.276	20	
28	5.501	5.378	20	
29	5.501	5.311	20	
30	5.501	5.457	20	
31	5.501	5.362	20	
32	5.501	5.304	20	
33	5.501	5.66	20	
34	5.501	5.328	20	
35	5.501	5.718	20	
36	5.501	5.698	20	
37	5.501	5.611	20	
38	5.501	5.584	20	
39	5.501	5.585	20	
40	5.501	5.302	20	
41	5.501	5.661	20	
42	5.501	5.41	20	
43	5.501	5.694	20	
44	5.501	5.506	20	*
45	5.501	5.615	20	
46	5.501	5.409	20	
47	5.501	5.498	20	*
48	5.501	5.676	20	
49	5.501	5.619	20	

50	5.501	5.706	20	
51	5.501	5.71	20	
52	5.501	5.684	20	
53	5.501	5.294	20	
54	5.501	5.399	20	
55	5.501	5.708	20	
56	5.501	5.266	20	
57	5.501	5.363	20	
58	5.501	5.569	20	
59	5.501	5.571	20	
60	5.501	5.387	20	
61	5.501	5.683	20	
62	5.501	5.5	20	*
63	5.501	5.675	20	
64	5.501	5.716	20	
65	5.501	5.443	20	
66	5.501	5.594	20	
67	5.501	5.543	20	
68	5.501	5.264	20	
69	5.501	5.576	20	
70	5.501	5.326	20	
71	5.501	5.649	20	
72	5.501	5.402	20	
73	5.501	5.354	20	
74	5.501	5.532	20	
75	5.501	5.291	20	
76	5.501	5.257	20	
77	5.501	5.691	20	
78	5.501	5.568	20	
79	5.501	5.657	20	
80	5.501	5.485	20	
81	5.501	5.447	20	
82	5.501	5.473	20	
83	5.501	5.353	20	
84	5.501	5.365	20	
85	5.501	5.459	20	
86	5.501	5.512	20	
87	5.501	5.419	20	
88	5.501	5.367	20	
89	5.501	5.633	20	
90	5.501	5.581	20	
91	5.501	5.627	20	
92	5.501	5.469	20	
93	5.501	5.254	20	
94	5.501	5.703	20	
95	5.501	5.361	20	
96	5.501	5.534	20	
97	5.501	5.671	20	
98	5.501	5.355	20	
99	5.501	5.394	20	
100	5.501	5.499	20	*

TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.501	5.427	20	
2	5.501	5.449	20	
3	5.501	5.274	20	
4	5.501	5.354	20	
5	5.501	5.41	20	
6	5.501	5.712	20	
7	5.501	5.262	20	
8	5.501	5.53	20	
9	5.501	5.453	20	
10	5.501	5.298	20	
11	5.501	5.542	20	
12	5.501	5.685	20	
13	5.501	5.36	20	
14	5.501	5.27	20	
15	5.501	5.361	20	
16	5.501	5.31	20	
17	5.501	5.625	20	
18	5.501	5.419	20	
19	5.501	5.422	20	
20	5.501	5.432	20	
21	5.501	5.58	20	
22	5.501	5.635	20	
23	5.501	5.316	20	
24	5.501	5.266	20	
25	5.501	5.496	20	*
26	5.501	5.539	20	
27	5.501	5.576	20	
28	5.501	5.724	20	
29	5.501	5.259	20	
30	5.501	5.708	20	
31	5.501	5.6	20	
32	5.501	5.535	20	
33	5.501	5.458	20	
34	5.501	5.364	20	
35	5.501	5.291	20	
36	5.501	5.709	20	
37	5.501	5.694	20	
38	5.501	5.256	20	
39	5.501	5.34	20	
40	5.501	5.686	20	
41	5.501	5.697	20	
42	5.501	5.587	20	
43	5.501	5.68	20	
44	5.501	5.492	20	*
45	5.501	5.523	20	
46	5.501	5.69	20	
47	5.501	5.265	20	
48	5.501	5.393	20	
49	5.501	5.663	20	

50	5.501	5.514	20	
51	5.501	5.526	20	
52	5.501	5.381	20	
53	5.501	5.642	20	
54	5.501	5.592	20	
55	5.501	5.282	20	
56	5.501	5.719	20	
57	5.501	5.399	20	
58	5.501	5.622	20	
59	5.501	5.311	20	
60	5.501	5.506	20	*
61	5.501	5.543	20	
62	5.501	5.335	20	
63	5.501	5.504	20	*
64	5.501	5.314	20	
65	5.501	5.292	20	
66	5.501	5.67	20	
67	5.501	5.703	20	
68	5.501	5.547	20	
69	5.501	5.518	20	
70	5.501	5.333	20	
71	5.501	5.337	20	
72	5.501	5.582	20	
73	5.501	5.679	20	
74	5.501	5.628	20	
75	5.501	5.49	20	
76	5.501	5.251	20	
77	5.501	5.648	20	
78	5.501	5.612	20	
79	5.501	5.347	20	
80	5.501	5.499	20	*
81	5.501	5.557	20	
82	5.501	5.406	20	
83	5.501	5.253	20	
84	5.501	5.454	20	
85	5.501	5.323	20	
86	5.501	5.338	20	
87	5.501	5.594	20	
88	5.501	5.555	20	
89	5.501	5.428	20	
90	5.501	5.261	20	
91	5.501	5.358	20	
92	5.501	5.72	20	
93	5.501	5.336	20	
94	5.501	5.711	20	
95	5.501	5.525	20	
96	5.501	5.39	20	
97	5.501	5.693	20	
98	5.501	5.568	20	
99	5.501	5.51	20	*
100	5.501	5.368	20	

802.11ac (VHT40) - 5310MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.646	40	
2	5.31	5.47	40	
3	5.31	5.345	40	
4	5.31	5.405	40	
5	5.31	5.586	40	
6	5.31	5.483	40	
7	5.31	5.489	40	
8	5.31	5.563	40	
9	5.31	5.675	40	
10	5.31	5.46	40	
11	5.31	5.546	40	
12	5.31	5.577	40	
13	5.31	5.645	40	
14	5.31	5.293	40	*
15	5.31	5.291	40	*
16	5.31	5.539	40	
17	5.31	5.302	40	*
18	5.31	5.268	40	
19	5.31	5.512	40	
20	5.31	5.576	40	
21	5.31	5.445	40	
22	5.31	5.481	40	
23	5.31	5.455	40	
24	5.31	5.283	40	
25	5.31	5.314	40	*
26	5.31	5.323	40	*
27	5.31	5.449	40	
28	5.31	5.443	40	
29	5.31	5.516	40	
30	5.31	5.486	40	
31	5.31	5.59	40	
32	5.31	5.602	40	
33	5.31	5.367	40	
34	5.31	5.264	40	
35	5.31	5.603	40	
36	5.31	5.352	40	
37	5.31	5.281	40	
38	5.31	5.647	40	
39	5.31	5.316	40	*
40	5.31	5.4	40	
41	5.31	5.304	40	*
42	5.31	5.476	40	
43	5.31	5.415	40	
44	5.31	5.423	40	
45	5.31	5.696	40	
46	5.31	5.27	40	
47	5.31	5.444	40	

48	5.31	5.412	40	
49	5.31	5.307	40	*
50	5.31	5.468	40	
51	5.31	5.341	40	
52	5.31	5.717	40	
53	5.31	5.587	40	
54	5.31	5.277	40	
55	5.31	5.262	40	
56	5.31	5.663	40	
57	5.31	5.484	40	
58	5.31	5.258	40	
59	5.31	5.628	40	
60	5.31	5.613	40	
61	5.31	5.518	40	
62	5.31	5.294	40	*
63	5.31	5.434	40	
64	5.31	5.606	40	
65	5.31	5.622	40	
66	5.31	5.501	40	
67	5.31	5.709	40	
68	5.31	5.641	40	
69	5.31	5.431	40	
70	5.31	5.666	40	
71	5.31	5.282	40	
72	5.31	5.561	40	
73	5.31	5.672	40	
74	5.31	5.266	40	
75	5.31	5.337	40	
76	5.31	5.438	40	
77	5.31	5.39	40	
78	5.31	5.53	40	
79	5.31	5.707	40	
80	5.31	5.463	40	
81	5.31	5.313	40	*
82	5.31	5.578	40	
83	5.31	5.529	40	
84	5.31	5.716	40	
85	5.31	5.497	40	
86	5.31	5.279	40	
87	5.31	5.524	40	
88	5.31	5.493	40	
89	5.31	5.256	40	
90	5.31	5.625	40	
91	5.31	5.7	40	
92	5.31	5.48	40	
93	5.31	5.421	40	
94	5.31	5.51	40	
95	5.31	5.495	40	
96	5.31	5.519	40	
97	5.31	5.457	40	
98	5.31	5.708	40	
99	5.31	5.37	40	
100	5.31	5.677	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.526	40	
2	5.31	5.724	40	
3	5.31	5.415	40	
4	5.31	5.405	40	
5	5.31	5.293	40	*
6	5.31	5.303	40	*
7	5.31	5.585	40	
8	5.31	5.71	40	
9	5.31	5.578	40	
10	5.31	5.663	40	
11	5.31	5.546	40	
12	5.31	5.603	40	
13	5.31	5.459	40	
14	5.31	5.393	40	
15	5.31	5.361	40	
16	5.31	5.699	40	
17	5.31	5.396	40	
18	5.31	5.402	40	
19	5.31	5.667	40	
20	5.31	5.403	40	
21	5.31	5.256	40	
22	5.31	5.436	40	
23	5.31	5.254	40	
24	5.31	5.284	40	
25	5.31	5.276	40	
26	5.31	5.311	40	*
27	5.31	5.316	40	*
28	5.31	5.657	40	
29	5.31	5.44	40	
30	5.31	5.61	40	
31	5.31	5.304	40	*
32	5.31	5.498	40	
33	5.31	5.485	40	
34	5.31	5.395	40	
35	5.31	5.397	40	
36	5.31	5.599	40	
37	5.31	5.434	40	
38	5.31	5.372	40	
39	5.31	5.404	40	
40	5.31	5.576	40	
41	5.31	5.355	40	
42	5.31	5.471	40	
43	5.31	5.451	40	
44	5.31	5.666	40	
45	5.31	5.607	40	
46	5.31	5.431	40	
47	5.31	5.62	40	
48	5.31	5.325	40	*
49	5.31	5.533	40	

50	5.31	5.53	40	
51	5.31	5.605	40	
52	5.31	5.324	40	*
53	5.31	5.364	40	
54	5.31	5.438	40	
55	5.31	5.592	40	
56	5.31	5.366	40	
57	5.31	5.564	40	
58	5.31	5.52	40	
59	5.31	5.566	40	
60	5.31	5.475	40	
61	5.31	5.504	40	
62	5.31	5.545	40	
63	5.31	5.426	40	
64	5.31	5.326	40	*
65	5.31	5.351	40	
66	5.31	5.719	40	
67	5.31	5.406	40	
68	5.31	5.388	40	
69	5.31	5.573	40	
70	5.31	5.538	40	
71	5.31	5.32	40	*
72	5.31	5.258	40	
73	5.31	5.458	40	
74	5.31	5.65	40	
75	5.31	5.41	40	
76	5.31	5.444	40	
77	5.31	5.715	40	
78	5.31	5.621	40	
79	5.31	5.506	40	
80	5.31	5.283	40	
81	5.31	5.515	40	
82	5.31	5.337	40	
83	5.31	5.425	40	
84	5.31	5.455	40	
85	5.31	5.428	40	
86	5.31	5.694	40	
87	5.31	5.509	40	
88	5.31	5.274	40	
89	5.31	5.439	40	
90	5.31	5.497	40	
91	5.31	5.419	40	
92	5.31	5.376	40	
93	5.31	5.352	40	
94	5.31	5.617	40	
95	5.31	5.66	40	
96	5.31	5.68	40	
97	5.31	5.373	40	
98	5.31	5.558	40	
99	5.31	5.583	40	
100	5.31	5.401	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.576	40	
2	5.31	5.649	40	
3	5.31	5.562	40	
4	5.31	5.715	40	
5	5.31	5.487	40	
6	5.31	5.524	40	
7	5.31	5.508	40	
8	5.31	5.377	40	
9	5.31	5.546	40	
10	5.31	5.44	40	
11	5.31	5.46	40	
12	5.31	5.436	40	
13	5.31	5.373	40	
14	5.31	5.26	40	
15	5.31	5.55	40	
16	5.31	5.344	40	
17	5.31	5.504	40	
18	5.31	5.57	40	
19	5.31	5.503	40	
20	5.31	5.421	40	
21	5.31	5.539	40	
22	5.31	5.68	40	
23	5.31	5.591	40	
24	5.31	5.289	40	
25	5.31	5.644	40	
26	5.31	5.497	40	
27	5.31	5.71	40	
28	5.31	5.513	40	
29	5.31	5.458	40	
30	5.31	5.311	40	*
31	5.31	5.271	40	
32	5.31	5.665	40	
33	5.31	5.469	40	
34	5.31	5.627	40	
35	5.31	5.609	40	
36	5.31	5.481	40	
37	5.31	5.621	40	
38	5.31	5.685	40	
39	5.31	5.379	40	
40	5.31	5.368	40	
41	5.31	5.59	40	
42	5.31	5.471	40	
43	5.31	5.336	40	
44	5.31	5.545	40	
45	5.31	5.264	40	
46	5.31	5.605	40	
47	5.31	5.623	40	
48	5.31	5.633	40	
49	5.31	5.301	40	*

50	5.31	5.564	40	
51	5.31	5.639	40	
52	5.31	5.638	40	
53	5.31	5.298	40	*
54	5.31	5.378	40	
55	5.31	5.534	40	
56	5.31	5.714	40	
57	5.31	5.451	40	
58	5.31	5.485	40	
59	5.31	5.28	40	
60	5.31	5.565	40	
61	5.31	5.443	40	
62	5.31	5.3	40	*
63	5.31	5.256	40	
64	5.31	5.518	40	
65	5.31	5.258	40	
66	5.31	5.466	40	
67	5.31	5.446	40	
68	5.31	5.488	40	
69	5.31	5.53	40	
70	5.31	5.556	40	
71	5.31	5.507	40	
72	5.31	5.496	40	
73	5.31	5.317	40	*
74	5.31	5.438	40	
75	5.31	5.252	40	
76	5.31	5.561	40	
77	5.31	5.266	40	
78	5.31	5.494	40	
79	5.31	5.606	40	
80	5.31	5.595	40	
81	5.31	5.631	40	
82	5.31	5.681	40	
83	5.31	5.613	40	
84	5.31	5.541	40	
85	5.31	5.619	40	
86	5.31	5.51	40	
87	5.31	5.416	40	
88	5.31	5.278	40	
89	5.31	5.67	40	
90	5.31	5.313	40	*
91	5.31	5.42	40	
92	5.31	5.25	40	
93	5.31	5.303	40	*
94	5.31	5.405	40	
95	5.31	5.447	40	
96	5.31	5.259	40	
97	5.31	5.528	40	
98	5.31	5.49	40	
99	5.31	5.369	40	
100	5.31	5.704	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.458	40	
2	5.31	5.369	40	
3	5.31	5.262	40	
4	5.31	5.577	40	
5	5.31	5.546	40	
6	5.31	5.666	40	
7	5.31	5.277	40	
8	5.31	5.432	40	
9	5.31	5.611	40	
10	5.31	5.462	40	
11	5.31	5.571	40	
12	5.31	5.401	40	
13	5.31	5.599	40	
14	5.31	5.673	40	
15	5.31	5.375	40	
16	5.31	5.422	40	
17	5.31	5.584	40	
18	5.31	5.682	40	
19	5.31	5.71	40	
20	5.31	5.534	40	
21	5.31	5.272	40	
22	5.31	5.314	40	*
23	5.31	5.643	40	
24	5.31	5.26	40	
25	5.31	5.378	40	
26	5.31	5.363	40	
27	5.31	5.59	40	
28	5.31	5.27	40	
29	5.31	5.418	40	
30	5.31	5.453	40	
31	5.31	5.64	40	
32	5.31	5.293	40	*
33	5.31	5.547	40	
34	5.31	5.529	40	
35	5.31	5.461	40	
36	5.31	5.413	40	
37	5.31	5.384	40	
38	5.31	5.344	40	
39	5.31	5.421	40	
40	5.31	5.381	40	
41	5.31	5.613	40	
42	5.31	5.297	40	*
43	5.31	5.55	40	
44	5.31	5.626	40	
45	5.31	5.267	40	
46	5.31	5.653	40	
47	5.31	5.659	40	
48	5.31	5.696	40	
49	5.31	5.396	40	

50	5.31	5.463	40	
51	5.31	5.494	40	
52	5.31	5.627	40	
53	5.31	5.31	40	*
54	5.31	5.677	40	
55	5.31	5.303	40	*
56	5.31	5.352	40	
57	5.31	5.598	40	
58	5.31	5.537	40	
59	5.31	5.606	40	
60	5.31	5.405	40	
61	5.31	5.527	40	
62	5.31	5.39	40	
63	5.31	5.551	40	
64	5.31	5.392	40	
65	5.31	5.428	40	
66	5.31	5.495	40	
67	5.31	5.389	40	
68	5.31	5.679	40	
69	5.31	5.399	40	
70	5.31	5.573	40	
71	5.31	5.531	40	
72	5.31	5.286	40	
73	5.31	5.656	40	
74	5.31	5.72	40	
75	5.31	5.466	40	
76	5.31	5.403	40	
77	5.31	5.671	40	
78	5.31	5.486	40	
79	5.31	5.693	40	
80	5.31	5.412	40	
81	5.31	5.585	40	
82	5.31	5.66	40	
83	5.31	5.638	40	
84	5.31	5.282	40	
85	5.31	5.629	40	
86	5.31	5.33	40	*
87	5.31	5.334	40	
88	5.31	5.285	40	
89	5.31	5.338	40	
90	5.31	5.446	40	
91	5.31	5.69	40	
92	5.31	5.306	40	*
93	5.31	5.42	40	
94	5.31	5.259	40	
95	5.31	5.278	40	
96	5.31	5.56	40	
97	5.31	5.591	40	
98	5.31	5.517	40	
99	5.31	5.639	40	
100	5.31	5.327	40	*

TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.363	40	
2	5.31	5.648	40	
3	5.31	5.521	40	
4	5.31	5.26	40	
5	5.31	5.405	40	
6	5.31	5.312	40	*
7	5.31	5.578	40	
8	5.31	5.485	40	
9	5.31	5.57	40	
10	5.31	5.266	40	
11	5.31	5.375	40	
12	5.31	5.724	40	
13	5.31	5.455	40	
14	5.31	5.422	40	
15	5.31	5.593	40	
16	5.31	5.41	40	
17	5.31	5.417	40	
18	5.31	5.508	40	
19	5.31	5.623	40	
20	5.31	5.658	40	
21	5.31	5.601	40	
22	5.31	5.618	40	
23	5.31	5.402	40	
24	5.31	5.53	40	
25	5.31	5.622	40	
26	5.31	5.424	40	
27	5.31	5.716	40	
28	5.31	5.717	40	
29	5.31	5.344	40	
30	5.31	5.483	40	
31	5.31	5.646	40	
32	5.31	5.299	40	*
33	5.31	5.384	40	
34	5.31	5.562	40	
35	5.31	5.257	40	
36	5.31	5.554	40	
37	5.31	5.456	40	
38	5.31	5.362	40	
39	5.31	5.617	40	
40	5.31	5.44	40	
41	5.31	5.351	40	
42	5.31	5.413	40	
43	5.31	5.616	40	
44	5.31	5.486	40	
45	5.31	5.705	40	
46	5.31	5.348	40	
47	5.31	5.547	40	
48	5.31	5.45	40	
49	5.31	5.512	40	

50	5.31	5.5	40	
51	5.31	5.698	40	
52	5.31	5.479	40	
53	5.31	5.584	40	
54	5.31	5.689	40	
55	5.31	5.694	40	
56	5.31	5.509	40	
57	5.31	5.6	40	
58	5.31	5.64	40	
59	5.31	5.669	40	
60	5.31	5.345	40	
61	5.31	5.368	40	
62	5.31	5.389	40	
63	5.31	5.513	40	
64	5.31	5.534	40	
65	5.31	5.342	40	
66	5.31	5.605	40	
67	5.31	5.589	40	
68	5.31	5.494	40	
69	5.31	5.373	40	
70	5.31	5.645	40	
71	5.31	5.661	40	
72	5.31	5.488	40	
73	5.31	5.268	40	
74	5.31	5.473	40	
75	5.31	5.306	40	*
76	5.31	5.267	40	
77	5.31	5.531	40	
78	5.31	5.307	40	*
79	5.31	5.568	40	
80	5.31	5.419	40	
81	5.31	5.305	40	*
82	5.31	5.517	40	
83	5.31	5.527	40	
84	5.31	5.3	40	*
85	5.31	5.301	40	*
86	5.31	5.632	40	
87	5.31	5.586	40	
88	5.31	5.62	40	
89	5.31	5.434	40	
90	5.31	5.39	40	
91	5.31	5.615	40	
92	5.31	5.396	40	
93	5.31	5.489	40	
94	5.31	5.501	40	
95	5.31	5.643	40	
96	5.31	5.414	40	
97	5.31	5.283	40	
98	5.31	5.598	40	
99	5.31	5.722	40	
100	5.31	5.536	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.705	40	
2	5.31	5.599	40	
3	5.31	5.319	40	*
4	5.31	5.374	40	
5	5.31	5.547	40	
6	5.31	5.402	40	
7	5.31	5.311	40	*
8	5.31	5.658	40	
9	5.31	5.457	40	
10	5.31	5.334	40	
11	5.31	5.655	40	
12	5.31	5.359	40	
13	5.31	5.459	40	
14	5.31	5.653	40	
15	5.31	5.363	40	
16	5.31	5.603	40	
17	5.31	5.523	40	
18	5.31	5.666	40	
19	5.31	5.659	40	
20	5.31	5.289	40	
21	5.31	5.424	40	
22	5.31	5.255	40	
23	5.31	5.468	40	
24	5.31	5.379	40	
25	5.31	5.578	40	
26	5.31	5.498	40	
27	5.31	5.569	40	
28	5.31	5.354	40	
29	5.31	5.304	40	*
30	5.31	5.434	40	
31	5.31	5.265	40	
32	5.31	5.709	40	
33	5.31	5.589	40	
34	5.31	5.352	40	
35	5.31	5.65	40	
36	5.31	5.339	40	
37	5.31	5.456	40	
38	5.31	5.353	40	
39	5.31	5.503	40	
40	5.31	5.497	40	
41	5.31	5.449	40	
42	5.31	5.56	40	
43	5.31	5.505	40	
44	5.31	5.538	40	
45	5.31	5.254	40	
46	5.31	5.454	40	
47	5.31	5.297	40	*
48	5.31	5.643	40	
49	5.31	5.423	40	

50	5.31	5.305	40	*
51	5.31	5.309	40	*
52	5.31	5.515	40	
53	5.31	5.702	40	
54	5.31	5.349	40	
55	5.31	5.553	40	
56	5.31	5.677	40	
57	5.31	5.634	40	
58	5.31	5.263	40	
59	5.31	5.307	40	*
60	5.31	5.252	40	
61	5.31	5.33	40	*
62	5.31	5.542	40	
63	5.31	5.688	40	
64	5.31	5.584	40	
65	5.31	5.399	40	
66	5.31	5.532	40	
67	5.31	5.687	40	
68	5.31	5.602	40	
69	5.31	5.253	40	
70	5.31	5.313	40	*
71	5.31	5.29	40	*
72	5.31	5.439	40	
73	5.31	5.52	40	
74	5.31	5.678	40	
75	5.31	5.3	40	*
76	5.31	5.502	40	
77	5.31	5.525	40	
78	5.31	5.418	40	
79	5.31	5.521	40	
80	5.31	5.55	40	
81	5.31	5.613	40	
82	5.31	5.62	40	
83	5.31	5.383	40	
84	5.31	5.444	40	
85	5.31	5.706	40	
86	5.31	5.376	40	
87	5.31	5.68	40	
88	5.31	5.54	40	
89	5.31	5.595	40	
90	5.31	5.645	40	
91	5.31	5.712	40	
92	5.31	5.59	40	
93	5.31	5.446	40	
94	5.31	5.663	40	
95	5.31	5.563	40	
96	5.31	5.495	40	
97	5.31	5.715	40	
98	5.31	5.575	40	
99	5.31	5.46	40	
100	5.31	5.364	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.494	40	
2	5.31	5.504	40	
3	5.31	5.405	40	
4	5.31	5.418	40	
5	5.31	5.656	40	
6	5.31	5.292	40	*
7	5.31	5.399	40	
8	5.31	5.457	40	
9	5.31	5.601	40	
10	5.31	5.587	40	
11	5.31	5.435	40	
12	5.31	5.549	40	
13	5.31	5.29	40	*
14	5.31	5.703	40	
15	5.31	5.716	40	
16	5.31	5.289	40	
17	5.31	5.274	40	
18	5.31	5.478	40	
19	5.31	5.671	40	
20	5.31	5.648	40	
21	5.31	5.392	40	
22	5.31	5.252	40	
23	5.31	5.598	40	
24	5.31	5.317	40	*
25	5.31	5.497	40	
26	5.31	5.696	40	
27	5.31	5.678	40	
28	5.31	5.503	40	
29	5.31	5.565	40	
30	5.31	5.526	40	
31	5.31	5.602	40	
32	5.31	5.512	40	
33	5.31	5.653	40	
34	5.31	5.62	40	
35	5.31	5.304	40	*
36	5.31	5.495	40	
37	5.31	5.674	40	
38	5.31	5.425	40	
39	5.31	5.707	40	
40	5.31	5.372	40	
41	5.31	5.677	40	
42	5.31	5.415	40	
43	5.31	5.693	40	
44	5.31	5.568	40	
45	5.31	5.346	40	
46	5.31	5.332	40	
47	5.31	5.554	40	
48	5.31	5.35	40	
49	5.31	5.56	40	

50	5.31	5.301	40	*
51	5.31	5.36	40	
52	5.31	5.71	40	
53	5.31	5.439	40	
54	5.31	5.617	40	
55	5.31	5.25	40	
56	5.31	5.465	40	
57	5.31	5.276	40	
58	5.31	5.34	40	
59	5.31	5.518	40	
60	5.31	5.711	40	
61	5.31	5.537	40	
62	5.31	5.603	40	
63	5.31	5.629	40	
64	5.31	5.258	40	
65	5.31	5.354	40	
66	5.31	5.337	40	
67	5.31	5.476	40	
68	5.31	5.702	40	
69	5.31	5.371	40	
70	5.31	5.431	40	
71	5.31	5.402	40	
72	5.31	5.365	40	
73	5.31	5.61	40	
74	5.31	5.558	40	
75	5.31	5.327	40	*
76	5.31	5.632	40	
77	5.31	5.688	40	
78	5.31	5.493	40	
79	5.31	5.359	40	
80	5.31	5.64	40	
81	5.31	5.4	40	
82	5.31	5.661	40	
83	5.31	5.614	40	
84	5.31	5.595	40	
85	5.31	5.67	40	
86	5.31	5.658	40	
87	5.31	5.654	40	
88	5.31	5.297	40	*
89	5.31	5.498	40	
90	5.31	5.391	40	
91	5.31	5.459	40	
92	5.31	5.694	40	
93	5.31	5.273	40	
94	5.31	5.387	40	
95	5.31	5.597	40	
96	5.31	5.382	40	
97	5.31	5.303	40	*
98	5.31	5.452	40	
99	5.31	5.608	40	
100	5.31	5.616	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.389	40	
2	5.31	5.664	40	
3	5.31	5.422	40	
4	5.31	5.378	40	
5	5.31	5.275	40	
6	5.31	5.305	40	*
7	5.31	5.439	40	
8	5.31	5.476	40	
9	5.31	5.585	40	
10	5.31	5.457	40	
11	5.31	5.302	40	*
12	5.31	5.262	40	
13	5.31	5.599	40	
14	5.31	5.449	40	
15	5.31	5.57	40	
16	5.31	5.662	40	
17	5.31	5.643	40	
18	5.31	5.539	40	
19	5.31	5.655	40	
20	5.31	5.429	40	
21	5.31	5.277	40	
22	5.31	5.722	40	
23	5.31	5.336	40	
24	5.31	5.521	40	
25	5.31	5.562	40	
26	5.31	5.686	40	
27	5.31	5.529	40	
28	5.31	5.678	40	
29	5.31	5.394	40	
30	5.31	5.349	40	
31	5.31	5.512	40	
32	5.31	5.605	40	
33	5.31	5.637	40	
34	5.31	5.315	40	*
35	5.31	5.645	40	
36	5.31	5.652	40	
37	5.31	5.4	40	
38	5.31	5.567	40	
39	5.31	5.571	40	
40	5.31	5.611	40	
41	5.31	5.475	40	
42	5.31	5.446	40	
43	5.31	5.441	40	
44	5.31	5.382	40	
45	5.31	5.383	40	
46	5.31	5.47	40	
47	5.31	5.604	40	
48	5.31	5.396	40	
49	5.31	5.447	40	

50	5.31	5.702	40	
51	5.31	5.45	40	
52	5.31	5.369	40	
53	5.31	5.401	40	
54	5.31	5.657	40	
55	5.31	5.553	40	
56	5.31	5.518	40	
57	5.31	5.411	40	
58	5.31	5.579	40	
59	5.31	5.581	40	
60	5.31	5.656	40	
61	5.31	5.299	40	*
62	5.31	5.598	40	
63	5.31	5.67	40	
64	5.31	5.631	40	
65	5.31	5.676	40	
66	5.31	5.714	40	
67	5.31	5.286	40	
68	5.31	5.413	40	
69	5.31	5.324	40	*
70	5.31	5.388	40	
71	5.31	5.278	40	
72	5.31	5.636	40	
73	5.31	5.542	40	
74	5.31	5.477	40	
75	5.31	5.723	40	
76	5.31	5.688	40	
77	5.31	5.364	40	
78	5.31	5.627	40	
79	5.31	5.442	40	
80	5.31	5.269	40	
81	5.31	5.672	40	
82	5.31	5.62	40	
83	5.31	5.456	40	
84	5.31	5.348	40	
85	5.31	5.402	40	
86	5.31	5.35	40	
87	5.31	5.285	40	
88	5.31	5.261	40	
89	5.31	5.519	40	
90	5.31	5.28	40	
91	5.31	5.647	40	
92	5.31	5.461	40	
93	5.31	5.504	40	
94	5.31	5.687	40	
95	5.31	5.347	40	
96	5.31	5.522	40	
97	5.31	5.27	40	
98	5.31	5.36	40	
99	5.31	5.331	40	
100	5.31	5.715	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.642	40	
2	5.31	5.661	40	
3	5.31	5.413	40	
4	5.31	5.634	40	
5	5.31	5.688	40	
6	5.31	5.666	40	
7	5.31	5.288	40	
8	5.31	5.708	40	
9	5.31	5.463	40	
10	5.31	5.464	40	
11	5.31	5.554	40	
12	5.31	5.491	40	
13	5.31	5.336	40	
14	5.31	5.577	40	
15	5.31	5.46	40	
16	5.31	5.513	40	
17	5.31	5.266	40	
18	5.31	5.371	40	
19	5.31	5.437	40	
20	5.31	5.536	40	
21	5.31	5.631	40	
22	5.31	5.444	40	
23	5.31	5.381	40	
24	5.31	5.549	40	
25	5.31	5.65	40	
26	5.31	5.54	40	
27	5.31	5.424	40	
28	5.31	5.569	40	
29	5.31	5.624	40	
30	5.31	5.349	40	
31	5.31	5.427	40	
32	5.31	5.396	40	
33	5.31	5.388	40	
34	5.31	5.28	40	
35	5.31	5.434	40	
36	5.31	5.263	40	
37	5.31	5.667	40	
38	5.31	5.321	40	*
39	5.31	5.675	40	
40	5.31	5.399	40	
41	5.31	5.443	40	
42	5.31	5.303	40	*
43	5.31	5.72	40	
44	5.31	5.721	40	
45	5.31	5.425	40	
46	5.31	5.559	40	
47	5.31	5.5	40	
48	5.31	5.575	40	
49	5.31	5.657	40	

50	5.31	5.322	40	*
51	5.31	5.583	40	
52	5.31	5.51	40	
53	5.31	5.422	40	
54	5.31	5.252	40	
55	5.31	5.374	40	
56	5.31	5.538	40	
57	5.31	5.636	40	
58	5.31	5.622	40	
59	5.31	5.335	40	
60	5.31	5.696	40	
61	5.31	5.323	40	*
62	5.31	5.621	40	
63	5.31	5.555	40	
64	5.31	5.528	40	
65	5.31	5.448	40	
66	5.31	5.406	40	
67	5.31	5.606	40	
68	5.31	5.602	40	
69	5.31	5.611	40	
70	5.31	5.509	40	
71	5.31	5.304	40	*
72	5.31	5.369	40	
73	5.31	5.251	40	
74	5.31	5.296	40	*
75	5.31	5.438	40	
76	5.31	5.27	40	
77	5.31	5.477	40	
78	5.31	5.38	40	
79	5.31	5.44	40	
80	5.31	5.568	40	
81	5.31	5.638	40	
82	5.31	5.481	40	
83	5.31	5.574	40	
84	5.31	5.342	40	
85	5.31	5.671	40	
86	5.31	5.377	40	
87	5.31	5.663	40	
88	5.31	5.686	40	
89	5.31	5.273	40	
90	5.31	5.299	40	*
91	5.31	5.489	40	
92	5.31	5.651	40	
93	5.31	5.474	40	
94	5.31	5.33	40	*
95	5.31	5.715	40	
96	5.31	5.518	40	
97	5.31	5.704	40	
98	5.31	5.379	40	
99	5.31	5.385	40	
100	5.31	5.423	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.266	40	
2	5.31	5.529	40	
3	5.31	5.506	40	
4	5.31	5.693	40	
5	5.31	5.503	40	
6	5.31	5.582	40	
7	5.31	5.702	40	
8	5.31	5.707	40	
9	5.31	5.58	40	
10	5.31	5.407	40	
11	5.31	5.265	40	
12	5.31	5.625	40	
13	5.31	5.393	40	
14	5.31	5.721	40	
15	5.31	5.52	40	
16	5.31	5.355	40	
17	5.31	5.638	40	
18	5.31	5.714	40	
19	5.31	5.29	40	*
20	5.31	5.455	40	
21	5.31	5.554	40	
22	5.31	5.449	40	
23	5.31	5.633	40	
24	5.31	5.537	40	
25	5.31	5.669	40	
26	5.31	5.387	40	
27	5.31	5.431	40	
28	5.31	5.499	40	
29	5.31	5.664	40	
30	5.31	5.469	40	
31	5.31	5.599	40	
32	5.31	5.25	40	
33	5.31	5.404	40	
34	5.31	5.331	40	
35	5.31	5.601	40	
36	5.31	5.319	40	*
37	5.31	5.468	40	
38	5.31	5.317	40	*
39	5.31	5.647	40	
40	5.31	5.42	40	
41	5.31	5.426	40	
42	5.31	5.345	40	
43	5.31	5.559	40	
44	5.31	5.309	40	*
45	5.31	5.659	40	
46	5.31	5.589	40	
47	5.31	5.639	40	
48	5.31	5.308	40	*
49	5.31	5.338	40	

50	5.31	5.411	40	
51	5.31	5.682	40	
52	5.31	5.597	40	
53	5.31	5.378	40	
54	5.31	5.512	40	
55	5.31	5.282	40	
56	5.31	5.279	40	
57	5.31	5.295	40	*
58	5.31	5.507	40	
59	5.31	5.457	40	
60	5.31	5.569	40	
61	5.31	5.615	40	
62	5.31	5.43	40	
63	5.31	5.428	40	
64	5.31	5.287	40	
65	5.31	5.459	40	
66	5.31	5.367	40	
67	5.31	5.665	40	
68	5.31	5.687	40	
69	5.31	5.385	40	
70	5.31	5.325	40	*
71	5.31	5.27	40	
72	5.31	5.493	40	
73	5.31	5.281	40	
74	5.31	5.631	40	
75	5.31	5.694	40	
76	5.31	5.442	40	
77	5.31	5.438	40	
78	5.31	5.522	40	
79	5.31	5.402	40	
80	5.31	5.651	40	
81	5.31	5.549	40	
82	5.31	5.581	40	
83	5.31	5.602	40	
84	5.31	5.339	40	
85	5.31	5.454	40	
86	5.31	5.697	40	
87	5.31	5.252	40	
88	5.31	5.596	40	
89	5.31	5.658	40	
90	5.31	5.298	40	*
91	5.31	5.505	40	
92	5.31	5.482	40	
93	5.31	5.409	40	
94	5.31	5.675	40	
95	5.31	5.678	40	
96	5.31	5.427	40	
97	5.31	5.591	40	
98	5.31	5.68	40	
99	5.31	5.435	40	
100	5.31	5.382	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.651	40	
2	5.31	5.379	40	
3	5.31	5.645	40	
4	5.31	5.547	40	
5	5.31	5.699	40	
6	5.31	5.434	40	
7	5.31	5.499	40	
8	5.31	5.556	40	
9	5.31	5.263	40	
10	5.31	5.707	40	
11	5.31	5.524	40	
12	5.31	5.333	40	
13	5.31	5.602	40	
14	5.31	5.344	40	
15	5.31	5.405	40	
16	5.31	5.698	40	
17	5.31	5.636	40	
18	5.31	5.264	40	
19	5.31	5.596	40	
20	5.31	5.652	40	
21	5.31	5.317	40	*
22	5.31	5.549	40	
23	5.31	5.646	40	
24	5.31	5.426	40	
25	5.31	5.695	40	
26	5.31	5.346	40	
27	5.31	5.37	40	
28	5.31	5.39	40	
29	5.31	5.657	40	
30	5.31	5.261	40	
31	5.31	5.42	40	
32	5.31	5.406	40	
33	5.31	5.41	40	
34	5.31	5.609	40	
35	5.31	5.704	40	
36	5.31	5.313	40	*
37	5.31	5.468	40	
38	5.31	5.677	40	
39	5.31	5.618	40	
40	5.31	5.325	40	*
41	5.31	5.559	40	
42	5.31	5.648	40	
43	5.31	5.457	40	
44	5.31	5.299	40	*
45	5.31	5.365	40	
46	5.31	5.681	40	
47	5.31	5.539	40	
48	5.31	5.492	40	
49	5.31	5.373	40	

50	5.31	5.303	40	*
51	5.31	5.536	40	
52	5.31	5.251	40	
53	5.31	5.684	40	
54	5.31	5.411	40	
55	5.31	5.521	40	
56	5.31	5.718	40	
57	5.31	5.562	40	
58	5.31	5.601	40	
59	5.31	5.335	40	
60	5.31	5.64	40	
61	5.31	5.56	40	
62	5.31	5.398	40	
63	5.31	5.716	40	
64	5.31	5.25	40	
65	5.31	5.55	40	
66	5.31	5.711	40	
67	5.31	5.666	40	
68	5.31	5.388	40	
69	5.31	5.623	40	
70	5.31	5.374	40	
71	5.31	5.498	40	
72	5.31	5.288	40	
73	5.31	5.643	40	
74	5.31	5.705	40	
75	5.31	5.412	40	
76	5.31	5.4	40	
77	5.31	5.683	40	
78	5.31	5.275	40	
79	5.31	5.481	40	
80	5.31	5.582	40	
81	5.31	5.717	40	
82	5.31	5.296	40	*
83	5.31	5.679	40	
84	5.31	5.471	40	
85	5.31	5.336	40	
86	5.31	5.324	40	*
87	5.31	5.257	40	
88	5.31	5.583	40	
89	5.31	5.566	40	
90	5.31	5.68	40	
91	5.31	5.423	40	
92	5.31	5.399	40	
93	5.31	5.57	40	
94	5.31	5.653	40	
95	5.31	5.342	40	
96	5.31	5.715	40	
97	5.31	5.617	40	
98	5.31	5.7	40	
99	5.31	5.308	40	*
100	5.31	5.642	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.42	40	
2	5.31	5.592	40	
3	5.31	5.253	40	
4	5.31	5.649	40	
5	5.31	5.445	40	
6	5.31	5.722	40	
7	5.31	5.32	40	*
8	5.31	5.466	40	
9	5.31	5.331	40	
10	5.31	5.524	40	
11	5.31	5.533	40	
12	5.31	5.681	40	
13	5.31	5.302	40	*
14	5.31	5.632	40	
15	5.31	5.396	40	
16	5.31	5.413	40	
17	5.31	5.691	40	
18	5.31	5.59	40	
19	5.31	5.638	40	
20	5.31	5.267	40	
21	5.31	5.548	40	
22	5.31	5.295	40	*
23	5.31	5.358	40	
24	5.31	5.62	40	
25	5.31	5.452	40	
26	5.31	5.28	40	
27	5.31	5.642	40	
28	5.31	5.541	40	
29	5.31	5.677	40	
30	5.31	5.318	40	*
31	5.31	5.438	40	
32	5.31	5.545	40	
33	5.31	5.304	40	*
34	5.31	5.39	40	
35	5.31	5.423	40	
36	5.31	5.456	40	
37	5.31	5.486	40	
38	5.31	5.407	40	
39	5.31	5.3	40	*
40	5.31	5.692	40	
41	5.31	5.311	40	*
42	5.31	5.461	40	
43	5.31	5.581	40	
44	5.31	5.417	40	
45	5.31	5.589	40	
46	5.31	5.491	40	
47	5.31	5.291	40	*
48	5.31	5.658	40	
49	5.31	5.543	40	

50	5.31	5.272	40	
51	5.31	5.309	40	*
52	5.31	5.712	40	
53	5.31	5.469	40	
54	5.31	5.643	40	
55	5.31	5.574	40	
56	5.31	5.635	40	
57	5.31	5.609	40	
58	5.31	5.637	40	
59	5.31	5.519	40	
60	5.31	5.335	40	
61	5.31	5.405	40	
62	5.31	5.397	40	
63	5.31	5.262	40	
64	5.31	5.505	40	
65	5.31	5.556	40	
66	5.31	5.308	40	*
67	5.31	5.251	40	
68	5.31	5.577	40	
69	5.31	5.557	40	
70	5.31	5.606	40	
71	5.31	5.443	40	
72	5.31	5.252	40	
73	5.31	5.326	40	*
74	5.31	5.546	40	
75	5.31	5.261	40	
76	5.31	5.676	40	
77	5.31	5.628	40	
78	5.31	5.701	40	
79	5.31	5.354	40	
80	5.31	5.46	40	
81	5.31	5.565	40	
82	5.31	5.625	40	
83	5.31	5.342	40	
84	5.31	5.568	40	
85	5.31	5.337	40	
86	5.31	5.663	40	
87	5.31	5.512	40	
88	5.31	5.31	40	*
89	5.31	5.621	40	
90	5.31	5.513	40	
91	5.31	5.38	40	
92	5.31	5.71	40	
93	5.31	5.633	40	
94	5.31	5.258	40	
95	5.31	5.256	40	
96	5.31	5.41	40	
97	5.31	5.369	40	
98	5.31	5.274	40	
99	5.31	5.623	40	
100	5.31	5.593	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.408	40	
2	5.31	5.415	40	
3	5.31	5.633	40	
4	5.31	5.372	40	
5	5.31	5.463	40	
6	5.31	5.616	40	
7	5.31	5.715	40	
8	5.31	5.452	40	
9	5.31	5.619	40	
10	5.31	5.366	40	
11	5.31	5.654	40	
12	5.31	5.627	40	
13	5.31	5.713	40	
14	5.31	5.36	40	
15	5.31	5.393	40	
16	5.31	5.482	40	
17	5.31	5.642	40	
18	5.31	5.285	40	
19	5.31	5.318	40	*
20	5.31	5.664	40	
21	5.31	5.717	40	
22	5.31	5.724	40	
23	5.31	5.603	40	
24	5.31	5.608	40	
25	5.31	5.592	40	
26	5.31	5.47	40	
27	5.31	5.397	40	
28	5.31	5.644	40	
29	5.31	5.407	40	
30	5.31	5.704	40	
31	5.31	5.255	40	
32	5.31	5.481	40	
33	5.31	5.673	40	
34	5.31	5.553	40	
35	5.31	5.68	40	
36	5.31	5.426	40	
37	5.31	5.659	40	
38	5.31	5.544	40	
39	5.31	5.514	40	
40	5.31	5.459	40	
41	5.31	5.493	40	
42	5.31	5.548	40	
43	5.31	5.284	40	
44	5.31	5.687	40	
45	5.31	5.66	40	
46	5.31	5.417	40	
47	5.31	5.516	40	
48	5.31	5.639	40	
49	5.31	5.43	40	

50	5.31	5.484	40	
51	5.31	5.536	40	
52	5.31	5.609	40	
53	5.31	5.302	40	*
54	5.31	5.494	40	
55	5.31	5.353	40	
56	5.31	5.269	40	
57	5.31	5.31	40	*
58	5.31	5.504	40	
59	5.31	5.72	40	
60	5.31	5.491	40	
61	5.31	5.381	40	
62	5.31	5.367	40	
63	5.31	5.268	40	
64	5.31	5.643	40	
65	5.31	5.695	40	
66	5.31	5.351	40	
67	5.31	5.567	40	
68	5.31	5.586	40	
69	5.31	5.276	40	
70	5.31	5.547	40	
71	5.31	5.434	40	
72	5.31	5.634	40	
73	5.31	5.594	40	
74	5.31	5.723	40	
75	5.31	5.559	40	
76	5.31	5.568	40	
77	5.31	5.479	40	
78	5.31	5.475	40	
79	5.31	5.532	40	
80	5.31	5.617	40	
81	5.31	5.581	40	
82	5.31	5.597	40	
83	5.31	5.471	40	
84	5.31	5.455	40	
85	5.31	5.341	40	
86	5.31	5.312	40	*
87	5.31	5.691	40	
88	5.31	5.637	40	
89	5.31	5.587	40	
90	5.31	5.266	40	
91	5.31	5.433	40	
92	5.31	5.565	40	
93	5.31	5.442	40	
94	5.31	5.38	40	
95	5.31	5.432	40	
96	5.31	5.423	40	
97	5.31	5.424	40	
98	5.31	5.574	40	
99	5.31	5.622	40	
100	5.31	5.282	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.548	40	
2	5.31	5.587	40	
3	5.31	5.62	40	
4	5.31	5.676	40	
5	5.31	5.551	40	
6	5.31	5.506	40	
7	5.31	5.694	40	
8	5.31	5.312	40	*
9	5.31	5.404	40	
10	5.31	5.271	40	
11	5.31	5.719	40	
12	5.31	5.461	40	
13	5.31	5.457	40	
14	5.31	5.362	40	
15	5.31	5.48	40	
16	5.31	5.378	40	
17	5.31	5.27	40	
18	5.31	5.527	40	
19	5.31	5.25	40	
20	5.31	5.309	40	*
21	5.31	5.266	40	
22	5.31	5.446	40	
23	5.31	5.677	40	
24	5.31	5.286	40	
25	5.31	5.55	40	
26	5.31	5.356	40	
27	5.31	5.556	40	
28	5.31	5.559	40	
29	5.31	5.519	40	
30	5.31	5.343	40	
31	5.31	5.675	40	
32	5.31	5.537	40	
33	5.31	5.514	40	
34	5.31	5.583	40	
35	5.31	5.393	40	
36	5.31	5.71	40	
37	5.31	5.4	40	
38	5.31	5.596	40	
39	5.31	5.464	40	
40	5.31	5.718	40	
41	5.31	5.504	40	
42	5.31	5.579	40	
43	5.31	5.667	40	
44	5.31	5.705	40	
45	5.31	5.485	40	
46	5.31	5.628	40	
47	5.31	5.508	40	
48	5.31	5.354	40	
49	5.31	5.605	40	

50	5.31	5.475	40	
51	5.31	5.332	40	
52	5.31	5.67	40	
53	5.31	5.405	40	
54	5.31	5.423	40	
55	5.31	5.372	40	
56	5.31	5.547	40	
57	5.31	5.468	40	
58	5.31	5.455	40	
59	5.31	5.656	40	
60	5.31	5.601	40	
61	5.31	5.72	40	
62	5.31	5.365	40	
63	5.31	5.441	40	
64	5.31	5.394	40	
65	5.31	5.456	40	
66	5.31	5.6	40	
67	5.31	5.567	40	
68	5.31	5.622	40	
69	5.31	5.668	40	
70	5.31	5.434	40	
71	5.31	5.526	40	
72	5.31	5.47	40	
73	5.31	5.585	40	
74	5.31	5.476	40	
75	5.31	5.54	40	
76	5.31	5.661	40	
77	5.31	5.398	40	
78	5.31	5.31	40	*
79	5.31	5.569	40	
80	5.31	5.618	40	
81	5.31	5.295	40	*
82	5.31	5.384	40	
83	5.31	5.46	40	
84	5.31	5.254	40	
85	5.31	5.701	40	
86	5.31	5.533	40	
87	5.31	5.284	40	
88	5.31	5.714	40	
89	5.31	5.366	40	
90	5.31	5.431	40	
91	5.31	5.338	40	
92	5.31	5.541	40	
93	5.31	5.424	40	
94	5.31	5.681	40	
95	5.31	5.672	40	
96	5.31	5.482	40	
97	5.31	5.342	40	
98	5.31	5.602	40	
99	5.31	5.662	40	
100	5.31	5.51	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.569	40	
2	5.31	5.673	40	
3	5.31	5.692	40	
4	5.31	5.596	40	
5	5.31	5.643	40	
6	5.31	5.677	40	
7	5.31	5.574	40	
8	5.31	5.592	40	
9	5.31	5.319	40	*
10	5.31	5.39	40	
11	5.31	5.595	40	
12	5.31	5.666	40	
13	5.31	5.314	40	*
14	5.31	5.356	40	
15	5.31	5.509	40	
16	5.31	5.631	40	
17	5.31	5.545	40	
18	5.31	5.289	40	
19	5.31	5.469	40	
20	5.31	5.642	40	
21	5.31	5.706	40	
22	5.31	5.714	40	
23	5.31	5.375	40	
24	5.31	5.406	40	
25	5.31	5.316	40	*
26	5.31	5.4	40	
27	5.31	5.665	40	
28	5.31	5.455	40	
29	5.31	5.578	40	
30	5.31	5.304	40	*
31	5.31	5.433	40	
32	5.31	5.515	40	
33	5.31	5.721	40	
34	5.31	5.291	40	*
35	5.31	5.446	40	
36	5.31	5.624	40	
37	5.31	5.44	40	
38	5.31	5.674	40	
39	5.31	5.25	40	
40	5.31	5.59	40	
41	5.31	5.32	40	*
42	5.31	5.364	40	
43	5.31	5.349	40	
44	5.31	5.684	40	
45	5.31	5.511	40	
46	5.31	5.502	40	
47	5.31	5.708	40	
48	5.31	5.676	40	
49	5.31	5.57	40	

50	5.31	5.583	40	
51	5.31	5.688	40	
52	5.31	5.465	40	
53	5.31	5.438	40	
54	5.31	5.444	40	
55	5.31	5.48	40	
56	5.31	5.633	40	
57	5.31	5.695	40	
58	5.31	5.648	40	
59	5.31	5.605	40	
60	5.31	5.355	40	
61	5.31	5.306	40	*
62	5.31	5.418	40	
63	5.31	5.439	40	
64	5.31	5.715	40	
65	5.31	5.602	40	
66	5.31	5.266	40	
67	5.31	5.551	40	
68	5.31	5.625	40	
69	5.31	5.449	40	
70	5.31	5.281	40	
71	5.31	5.668	40	
72	5.31	5.621	40	
73	5.31	5.413	40	
74	5.31	5.27	40	
75	5.31	5.597	40	
76	5.31	5.651	40	
77	5.31	5.409	40	
78	5.31	5.689	40	
79	5.31	5.337	40	
80	5.31	5.616	40	
81	5.31	5.274	40	
82	5.31	5.644	40	
83	5.31	5.608	40	
84	5.31	5.657	40	
85	5.31	5.479	40	
86	5.31	5.402	40	
87	5.31	5.401	40	
88	5.31	5.652	40	
89	5.31	5.609	40	
90	5.31	5.658	40	
91	5.31	5.426	40	
92	5.31	5.61	40	
93	5.31	5.68	40	
94	5.31	5.434	40	
95	5.31	5.468	40	
96	5.31	5.538	40	
97	5.31	5.294	40	*
98	5.31	5.403	40	
99	5.31	5.678	40	
100	5.31	5.579	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.67	40	
2	5.31	5.334	40	
3	5.31	5.704	40	
4	5.31	5.575	40	
5	5.31	5.603	40	
6	5.31	5.622	40	
7	5.31	5.72	40	
8	5.31	5.464	40	
9	5.31	5.386	40	
10	5.31	5.306	40	*
11	5.31	5.368	40	
12	5.31	5.424	40	
13	5.31	5.595	40	
14	5.31	5.356	40	
15	5.31	5.462	40	
16	5.31	5.522	40	
17	5.31	5.492	40	
18	5.31	5.586	40	
19	5.31	5.412	40	
20	5.31	5.256	40	
21	5.31	5.354	40	
22	5.31	5.252	40	
23	5.31	5.405	40	
24	5.31	5.339	40	
25	5.31	5.628	40	
26	5.31	5.472	40	
27	5.31	5.489	40	
28	5.31	5.274	40	
29	5.31	5.533	40	
30	5.31	5.501	40	
31	5.31	5.277	40	
32	5.31	5.438	40	
33	5.31	5.662	40	
34	5.31	5.471	40	
35	5.31	5.659	40	
36	5.31	5.571	40	
37	5.31	5.537	40	
38	5.31	5.676	40	
39	5.31	5.654	40	
40	5.31	5.588	40	
41	5.31	5.703	40	
42	5.31	5.376	40	
43	5.31	5.302	40	*
44	5.31	5.428	40	
45	5.31	5.601	40	
46	5.31	5.707	40	
47	5.31	5.502	40	
48	5.31	5.359	40	
49	5.31	5.47	40	

50	5.31	5.406	40	
51	5.31	5.312	40	*
52	5.31	5.669	40	
53	5.31	5.446	40	
54	5.31	5.426	40	
55	5.31	5.651	40	
56	5.31	5.259	40	
57	5.31	5.447	40	
58	5.31	5.487	40	
59	5.31	5.422	40	
60	5.31	5.631	40	
61	5.31	5.322	40	*
62	5.31	5.625	40	
63	5.31	5.64	40	
64	5.31	5.463	40	
65	5.31	5.696	40	
66	5.31	5.403	40	
67	5.31	5.62	40	
68	5.31	5.717	40	
69	5.31	5.667	40	
70	5.31	5.338	40	
71	5.31	5.658	40	
72	5.31	5.596	40	
73	5.31	5.366	40	
74	5.31	5.265	40	
75	5.31	5.68	40	
76	5.31	5.559	40	
77	5.31	5.283	40	
78	5.31	5.56	40	
79	5.31	5.427	40	
80	5.31	5.546	40	
81	5.31	5.37	40	
82	5.31	5.466	40	
83	5.31	5.711	40	
84	5.31	5.293	40	*
85	5.31	5.313	40	*
86	5.31	5.465	40	
87	5.31	5.513	40	
88	5.31	5.349	40	
89	5.31	5.271	40	
90	5.31	5.253	40	
91	5.31	5.614	40	
92	5.31	5.384	40	
93	5.31	5.474	40	
94	5.31	5.482	40	
95	5.31	5.323	40	*
96	5.31	5.257	40	
97	5.31	5.382	40	
98	5.31	5.531	40	
99	5.31	5.494	40	
100	5.31	5.615	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.397	40	
2	5.31	5.508	40	
3	5.31	5.543	40	
4	5.31	5.662	40	
5	5.31	5.469	40	
6	5.31	5.281	40	
7	5.31	5.628	40	
8	5.31	5.582	40	
9	5.31	5.42	40	
10	5.31	5.665	40	
11	5.31	5.44	40	
12	5.31	5.695	40	
13	5.31	5.431	40	
14	5.31	5.724	40	
15	5.31	5.4	40	
16	5.31	5.466	40	
17	5.31	5.492	40	
18	5.31	5.435	40	
19	5.31	5.428	40	
20	5.31	5.27	40	
21	5.31	5.489	40	
22	5.31	5.54	40	
23	5.31	5.581	40	
24	5.31	5.338	40	
25	5.31	5.529	40	
26	5.31	5.591	40	
27	5.31	5.434	40	
28	5.31	5.527	40	
29	5.31	5.342	40	
30	5.31	5.367	40	
31	5.31	5.36	40	
32	5.31	5.329	40	*
33	5.31	5.558	40	
34	5.31	5.376	40	
35	5.31	5.426	40	
36	5.31	5.476	40	
37	5.31	5.586	40	
38	5.31	5.692	40	
39	5.31	5.478	40	
40	5.31	5.404	40	
41	5.31	5.684	40	
42	5.31	5.635	40	
43	5.31	5.39	40	
44	5.31	5.345	40	
45	5.31	5.602	40	
46	5.31	5.673	40	
47	5.31	5.413	40	
48	5.31	5.618	40	
49	5.31	5.6	40	

50	5.31	5.52	40	
51	5.31	5.398	40	
52	5.31	5.365	40	
53	5.31	5.418	40	
54	5.31	5.419	40	
55	5.31	5.277	40	
56	5.31	5.308	40	*
57	5.31	5.705	40	
58	5.31	5.515	40	
59	5.31	5.382	40	
60	5.31	5.585	40	
61	5.31	5.474	40	
62	5.31	5.401	40	
63	5.31	5.505	40	
64	5.31	5.451	40	
65	5.31	5.324	40	*
66	5.31	5.723	40	
67	5.31	5.271	40	
68	5.31	5.319	40	*
69	5.31	5.331	40	
70	5.31	5.334	40	
71	5.31	5.615	40	
72	5.31	5.541	40	
73	5.31	5.346	40	
74	5.31	5.709	40	
75	5.31	5.616	40	
76	5.31	5.644	40	
77	5.31	5.576	40	
78	5.31	5.518	40	
79	5.31	5.383	40	
80	5.31	5.493	40	
81	5.31	5.348	40	
82	5.31	5.573	40	
83	5.31	5.361	40	
84	5.31	5.511	40	
85	5.31	5.63	40	
86	5.31	5.381	40	
87	5.31	5.347	40	
88	5.31	5.524	40	
89	5.31	5.265	40	
90	5.31	5.597	40	
91	5.31	5.425	40	
92	5.31	5.676	40	
93	5.31	5.313	40	*
94	5.31	5.648	40	
95	5.31	5.563	40	
96	5.31	5.587	40	
97	5.31	5.679	40	
98	5.31	5.369	40	
99	5.31	5.685	40	
100	5.31	5.592	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.66	40	
2	5.31	5.693	40	
3	5.31	5.674	40	
4	5.31	5.414	40	
5	5.31	5.428	40	
6	5.31	5.371	40	
7	5.31	5.321	40	*
8	5.31	5.347	40	
9	5.31	5.595	40	
10	5.31	5.651	40	
11	5.31	5.695	40	
12	5.31	5.421	40	
13	5.31	5.281	40	
14	5.31	5.469	40	
15	5.31	5.703	40	
16	5.31	5.458	40	
17	5.31	5.664	40	
18	5.31	5.294	40	*
19	5.31	5.559	40	
20	5.31	5.286	40	
21	5.31	5.609	40	
22	5.31	5.453	40	
23	5.31	5.571	40	
24	5.31	5.563	40	
25	5.31	5.509	40	
26	5.31	5.448	40	
27	5.31	5.64	40	
28	5.31	5.419	40	
29	5.31	5.389	40	
30	5.31	5.374	40	
31	5.31	5.641	40	
32	5.31	5.672	40	
33	5.31	5.524	40	
34	5.31	5.486	40	
35	5.31	5.525	40	
36	5.31	5.282	40	
37	5.31	5.705	40	
38	5.31	5.617	40	
39	5.31	5.652	40	
40	5.31	5.297	40	*
41	5.31	5.273	40	
42	5.31	5.68	40	
43	5.31	5.543	40	
44	5.31	5.537	40	
45	5.31	5.724	40	
46	5.31	5.518	40	
47	5.31	5.593	40	
48	5.31	5.683	40	
49	5.31	5.707	40	

50	5.31	5.564	40	
51	5.31	5.542	40	
52	5.31	5.536	40	
53	5.31	5.311	40	*
54	5.31	5.457	40	
55	5.31	5.711	40	
56	5.31	5.702	40	
57	5.31	5.283	40	
58	5.31	5.516	40	
59	5.31	5.302	40	*
60	5.31	5.33	40	*
61	5.31	5.691	40	
62	5.31	5.622	40	
63	5.31	5.42	40	
64	5.31	5.586	40	
65	5.31	5.459	40	
66	5.31	5.496	40	
67	5.31	5.499	40	
68	5.31	5.253	40	
69	5.31	5.456	40	
70	5.31	5.579	40	
71	5.31	5.254	40	
72	5.31	5.366	40	
73	5.31	5.413	40	
74	5.31	5.341	40	
75	5.31	5.375	40	
76	5.31	5.72	40	
77	5.31	5.309	40	*
78	5.31	5.268	40	
79	5.31	5.411	40	
80	5.31	5.497	40	
81	5.31	5.266	40	
82	5.31	5.634	40	
83	5.31	5.528	40	
84	5.31	5.395	40	
85	5.31	5.372	40	
86	5.31	5.308	40	*
87	5.31	5.572	40	
88	5.31	5.376	40	
89	5.31	5.688	40	
90	5.31	5.55	40	
91	5.31	5.449	40	
92	5.31	5.378	40	
93	5.31	5.574	40	
94	5.31	5.498	40	
95	5.31	5.511	40	
96	5.31	5.354	40	
97	5.31	5.582	40	
98	5.31	5.635	40	
99	5.31	5.434	40	
100	5.31	5.451	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.723	40	
2	5.31	5.574	40	
3	5.31	5.365	40	
4	5.31	5.251	40	
5	5.31	5.697	40	
6	5.31	5.711	40	
7	5.31	5.658	40	
8	5.31	5.391	40	
9	5.31	5.278	40	
10	5.31	5.367	40	
11	5.31	5.498	40	
12	5.31	5.671	40	
13	5.31	5.628	40	
14	5.31	5.672	40	
15	5.31	5.557	40	
16	5.31	5.667	40	
17	5.31	5.51	40	
18	5.31	5.709	40	
19	5.31	5.435	40	
20	5.31	5.542	40	
21	5.31	5.546	40	
22	5.31	5.363	40	
23	5.31	5.533	40	
24	5.31	5.676	40	
25	5.31	5.295	40	*
26	5.31	5.59	40	
27	5.31	5.264	40	
28	5.31	5.614	40	
29	5.31	5.257	40	
30	5.31	5.494	40	
31	5.31	5.481	40	
32	5.31	5.717	40	
33	5.31	5.623	40	
34	5.31	5.334	40	
35	5.31	5.458	40	
36	5.31	5.555	40	
37	5.31	5.615	40	
38	5.31	5.596	40	
39	5.31	5.718	40	
40	5.31	5.685	40	
41	5.31	5.629	40	
42	5.31	5.489	40	
43	5.31	5.518	40	
44	5.31	5.516	40	
45	5.31	5.439	40	
46	5.31	5.479	40	
47	5.31	5.58	40	
48	5.31	5.266	40	
49	5.31	5.38	40	

50	5.31	5.641	40	
51	5.31	5.675	40	
52	5.31	5.339	40	
53	5.31	5.669	40	
54	5.31	5.698	40	
55	5.31	5.477	40	
56	5.31	5.394	40	
57	5.31	5.396	40	
58	5.31	5.577	40	
59	5.31	5.683	40	
60	5.31	5.287	40	
61	5.31	5.559	40	
62	5.31	5.452	40	
63	5.31	5.399	40	
64	5.31	5.471	40	
65	5.31	5.275	40	
66	5.31	5.427	40	
67	5.31	5.654	40	
68	5.31	5.534	40	
69	5.31	5.706	40	
70	5.31	5.703	40	
71	5.31	5.432	40	
72	5.31	5.305	40	*
73	5.31	5.271	40	
74	5.31	5.341	40	
75	5.31	5.353	40	
76	5.31	5.285	40	
77	5.31	5.358	40	
78	5.31	5.301	40	*
79	5.31	5.49	40	
80	5.31	5.567	40	
81	5.31	5.466	40	
82	5.31	5.486	40	
83	5.31	5.296	40	*
84	5.31	5.679	40	
85	5.31	5.632	40	
86	5.31	5.575	40	
87	5.31	5.53	40	
88	5.31	5.302	40	*
89	5.31	5.661	40	
90	5.31	5.561	40	
91	5.31	5.586	40	
92	5.31	5.543	40	
93	5.31	5.425	40	
94	5.31	5.424	40	
95	5.31	5.648	40	
96	5.31	5.702	40	
97	5.31	5.329	40	*
98	5.31	5.448	40	
99	5.31	5.621	40	
100	5.31	5.343	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.357	40	
2	5.31	5.413	40	
3	5.31	5.464	40	
4	5.31	5.691	40	
5	5.31	5.559	40	
6	5.31	5.534	40	
7	5.31	5.276	40	
8	5.31	5.393	40	
9	5.31	5.321	40	*
10	5.31	5.618	40	
11	5.31	5.72	40	
12	5.31	5.342	40	
13	5.31	5.394	40	
14	5.31	5.352	40	
15	5.31	5.619	40	
16	5.31	5.667	40	
17	5.31	5.636	40	
18	5.31	5.305	40	*
19	5.31	5.716	40	
20	5.31	5.508	40	
21	5.31	5.7	40	
22	5.31	5.628	40	
23	5.31	5.551	40	
24	5.31	5.326	40	*
25	5.31	5.535	40	
26	5.31	5.47	40	
27	5.31	5.556	40	
28	5.31	5.289	40	
29	5.31	5.623	40	
30	5.31	5.415	40	
31	5.31	5.536	40	
32	5.31	5.335	40	
33	5.31	5.33	40	*
34	5.31	5.679	40	
35	5.31	5.346	40	
36	5.31	5.624	40	
37	5.31	5.692	40	
38	5.31	5.64	40	
39	5.31	5.297	40	*
40	5.31	5.273	40	
41	5.31	5.384	40	
42	5.31	5.498	40	
43	5.31	5.651	40	
44	5.31	5.668	40	
45	5.31	5.317	40	*
46	5.31	5.3	40	*
47	5.31	5.456	40	
48	5.31	5.621	40	
49	5.31	5.565	40	

50	5.31	5.632	40	
51	5.31	5.581	40	
52	5.31	5.39	40	
53	5.31	5.381	40	
54	5.31	5.53	40	
55	5.31	5.601	40	
56	5.31	5.479	40	
57	5.31	5.572	40	
58	5.31	5.617	40	
59	5.31	5.397	40	
60	5.31	5.655	40	
61	5.31	5.403	40	
62	5.31	5.351	40	
63	5.31	5.516	40	
64	5.31	5.59	40	
65	5.31	5.487	40	
66	5.31	5.442	40	
67	5.31	5.358	40	
68	5.31	5.478	40	
69	5.31	5.412	40	
70	5.31	5.278	40	
71	5.31	5.622	40	
72	5.31	5.611	40	
73	5.31	5.389	40	
74	5.31	5.444	40	
75	5.31	5.318	40	*
76	5.31	5.254	40	
77	5.31	5.524	40	
78	5.31	5.468	40	
79	5.31	5.65	40	
80	5.31	5.371	40	
81	5.31	5.325	40	*
82	5.31	5.257	40	
83	5.31	5.391	40	
84	5.31	5.485	40	
85	5.31	5.605	40	
86	5.31	5.547	40	
87	5.31	5.28	40	
88	5.31	5.548	40	
89	5.31	5.649	40	
90	5.31	5.586	40	
91	5.31	5.277	40	
92	5.31	5.252	40	
93	5.31	5.356	40	
94	5.31	5.302	40	*
95	5.31	5.693	40	
96	5.31	5.528	40	
97	5.31	5.411	40	
98	5.31	5.343	40	
99	5.31	5.604	40	
100	5.31	5.499	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.535	40	
2	5.31	5.555	40	
3	5.31	5.43	40	
4	5.31	5.444	40	
5	5.31	5.639	40	
6	5.31	5.259	40	
7	5.31	5.491	40	
8	5.31	5.289	40	
9	5.31	5.305	40	*
10	5.31	5.65	40	
11	5.31	5.59	40	
12	5.31	5.428	40	
13	5.31	5.344	40	
14	5.31	5.575	40	
15	5.31	5.471	40	
16	5.31	5.436	40	
17	5.31	5.611	40	
18	5.31	5.697	40	
19	5.31	5.397	40	
20	5.31	5.26	40	
21	5.31	5.597	40	
22	5.31	5.497	40	
23	5.31	5.475	40	
24	5.31	5.342	40	
25	5.31	5.51	40	
26	5.31	5.311	40	*
27	5.31	5.362	40	
28	5.31	5.56	40	
29	5.31	5.454	40	
30	5.31	5.641	40	
31	5.31	5.662	40	
32	5.31	5.315	40	*
33	5.31	5.545	40	
34	5.31	5.593	40	
35	5.31	5.532	40	
36	5.31	5.536	40	
37	5.31	5.534	40	
38	5.31	5.704	40	
39	5.31	5.357	40	
40	5.31	5.445	40	
41	5.31	5.405	40	
42	5.31	5.303	40	*
43	5.31	5.44	40	
44	5.31	5.304	40	*
45	5.31	5.689	40	
46	5.31	5.45	40	
47	5.31	5.699	40	
48	5.31	5.675	40	
49	5.31	5.441	40	

50	5.31	5.69	40	
51	5.31	5.654	40	
52	5.31	5.435	40	
53	5.31	5.314	40	*
54	5.31	5.285	40	
55	5.31	5.358	40	
56	5.31	5.601	40	
57	5.31	5.278	40	
58	5.31	5.452	40	
59	5.31	5.569	40	
60	5.31	5.513	40	
61	5.31	5.502	40	
62	5.31	5.474	40	
63	5.31	5.722	40	
64	5.31	5.629	40	
65	5.31	5.712	40	
66	5.31	5.296	40	*
67	5.31	5.286	40	
68	5.31	5.628	40	
69	5.31	5.635	40	
70	5.31	5.307	40	*
71	5.31	5.666	40	
72	5.31	5.251	40	
73	5.31	5.488	40	
74	5.31	5.563	40	
75	5.31	5.275	40	
76	5.31	5.422	40	
77	5.31	5.418	40	
78	5.31	5.595	40	
79	5.31	5.297	40	*
80	5.31	5.312	40	*
81	5.31	5.648	40	
82	5.31	5.561	40	
83	5.31	5.701	40	
84	5.31	5.596	40	
85	5.31	5.381	40	
86	5.31	5.607	40	
87	5.31	5.417	40	
88	5.31	5.49	40	
89	5.31	5.626	40	
90	5.31	5.521	40	
91	5.31	5.514	40	
92	5.31	5.507	40	
93	5.31	5.269	40	
94	5.31	5.294	40	*
95	5.31	5.318	40	*
96	5.31	5.401	40	
97	5.31	5.724	40	
98	5.31	5.382	40	
99	5.31	5.477	40	
100	5.31	5.574	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.385	40	
2	5.31	5.549	40	
3	5.31	5.681	40	
4	5.31	5.617	40	
5	5.31	5.647	40	
6	5.31	5.42	40	
7	5.31	5.323	40	*
8	5.31	5.409	40	
9	5.31	5.633	40	
10	5.31	5.344	40	
11	5.31	5.665	40	
12	5.31	5.678	40	
13	5.31	5.668	40	
14	5.31	5.623	40	
15	5.31	5.663	40	
16	5.31	5.612	40	
17	5.31	5.401	40	
18	5.31	5.557	40	
19	5.31	5.417	40	
20	5.31	5.712	40	
21	5.31	5.496	40	
22	5.31	5.397	40	
23	5.31	5.606	40	
24	5.31	5.506	40	
25	5.31	5.672	40	
26	5.31	5.573	40	
27	5.31	5.527	40	
28	5.31	5.343	40	
29	5.31	5.662	40	
30	5.31	5.281	40	
31	5.31	5.255	40	
32	5.31	5.641	40	
33	5.31	5.626	40	
34	5.31	5.591	40	
35	5.31	5.263	40	
36	5.31	5.404	40	
37	5.31	5.616	40	
38	5.31	5.272	40	
39	5.31	5.312	40	*
40	5.31	5.684	40	
41	5.31	5.465	40	
42	5.31	5.328	40	*
43	5.31	5.469	40	
44	5.31	5.514	40	
45	5.31	5.38	40	
46	5.31	5.413	40	
47	5.31	5.579	40	
48	5.31	5.615	40	
49	5.31	5.382	40	

50	5.31	5.44	40	
51	5.31	5.661	40	
52	5.31	5.716	40	
53	5.31	5.679	40	
54	5.31	5.495	40	
55	5.31	5.685	40	
56	5.31	5.356	40	
57	5.31	5.595	40	
58	5.31	5.621	40	
59	5.31	5.318	40	*
60	5.31	5.303	40	*
61	5.31	5.392	40	
62	5.31	5.511	40	
63	5.31	5.556	40	
64	5.31	5.561	40	
65	5.31	5.297	40	*
66	5.31	5.607	40	
67	5.31	5.329	40	*
68	5.31	5.575	40	
69	5.31	5.32	40	*
70	5.31	5.693	40	
71	5.31	5.325	40	*
72	5.31	5.653	40	
73	5.31	5.676	40	
74	5.31	5.604	40	
75	5.31	5.59	40	
76	5.31	5.718	40	
77	5.31	5.619	40	
78	5.31	5.546	40	
79	5.31	5.481	40	
80	5.31	5.306	40	*
81	5.31	5.484	40	
82	5.31	5.523	40	
83	5.31	5.45	40	
84	5.31	5.614	40	
85	5.31	5.283	40	
86	5.31	5.425	40	
87	5.31	5.491	40	
88	5.31	5.535	40	
89	5.31	5.412	40	
90	5.31	5.452	40	
91	5.31	5.461	40	
92	5.31	5.49	40	
93	5.31	5.563	40	
94	5.31	5.436	40	
95	5.31	5.569	40	
96	5.31	5.453	40	
97	5.31	5.517	40	
98	5.31	5.717	40	
99	5.31	5.322	40	*
100	5.31	5.565	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.377	40	
2	5.31	5.251	40	
3	5.31	5.604	40	
4	5.31	5.559	40	
5	5.31	5.55	40	
6	5.31	5.379	40	
7	5.31	5.5	40	
8	5.31	5.427	40	
9	5.31	5.422	40	
10	5.31	5.599	40	
11	5.31	5.485	40	
12	5.31	5.491	40	
13	5.31	5.532	40	
14	5.31	5.419	40	
15	5.31	5.511	40	
16	5.31	5.273	40	
17	5.31	5.575	40	
18	5.31	5.607	40	
19	5.31	5.302	40	*
20	5.31	5.463	40	
21	5.31	5.544	40	
22	5.31	5.674	40	
23	5.31	5.433	40	
24	5.31	5.699	40	
25	5.31	5.408	40	
26	5.31	5.326	40	*
27	5.31	5.292	40	*
28	5.31	5.579	40	
29	5.31	5.342	40	
30	5.31	5.613	40	
31	5.31	5.669	40	
32	5.31	5.389	40	
33	5.31	5.499	40	
34	5.31	5.494	40	
35	5.31	5.423	40	
36	5.31	5.53	40	
37	5.31	5.66	40	
38	5.31	5.518	40	
39	5.31	5.293	40	*
40	5.31	5.257	40	
41	5.31	5.678	40	
42	5.31	5.297	40	*
43	5.31	5.311	40	*
44	5.31	5.399	40	
45	5.31	5.486	40	
46	5.31	5.412	40	
47	5.31	5.67	40	
48	5.31	5.664	40	
49	5.31	5.668	40	

50	5.31	5.545	40	
51	5.31	5.409	40	
52	5.31	5.421	40	
53	5.31	5.637	40	
54	5.31	5.647	40	
55	5.31	5.434	40	
56	5.31	5.4	40	
57	5.31	5.365	40	
58	5.31	5.687	40	
59	5.31	5.287	40	
60	5.31	5.685	40	
61	5.31	5.527	40	
62	5.31	5.641	40	
63	5.31	5.648	40	
64	5.31	5.441	40	
65	5.31	5.505	40	
66	5.31	5.472	40	
67	5.31	5.359	40	
68	5.31	5.25	40	
69	5.31	5.352	40	
70	5.31	5.448	40	
71	5.31	5.523	40	
72	5.31	5.376	40	
73	5.31	5.452	40	
74	5.31	5.464	40	
75	5.31	5.528	40	
76	5.31	5.438	40	
77	5.31	5.487	40	
78	5.31	5.546	40	
79	5.31	5.497	40	
80	5.31	5.473	40	
81	5.31	5.431	40	
82	5.31	5.445	40	
83	5.31	5.54	40	
84	5.31	5.696	40	
85	5.31	5.62	40	
86	5.31	5.424	40	
87	5.31	5.446	40	
88	5.31	5.608	40	
89	5.31	5.459	40	
90	5.31	5.474	40	
91	5.31	5.611	40	
92	5.31	5.598	40	
93	5.31	5.258	40	
94	5.31	5.506	40	
95	5.31	5.348	40	
96	5.31	5.314	40	*
97	5.31	5.476	40	
98	5.31	5.447	40	
99	5.31	5.407	40	
100	5.31	5.429	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.686	40	
2	5.31	5.456	40	
3	5.31	5.665	40	
4	5.31	5.499	40	
5	5.31	5.503	40	
6	5.31	5.41	40	
7	5.31	5.7	40	
8	5.31	5.309	40	*
9	5.31	5.368	40	
10	5.31	5.387	40	
11	5.31	5.436	40	
12	5.31	5.372	40	
13	5.31	5.497	40	
14	5.31	5.392	40	
15	5.31	5.508	40	
16	5.31	5.693	40	
17	5.31	5.701	40	
18	5.31	5.565	40	
19	5.31	5.522	40	
20	5.31	5.54	40	
21	5.31	5.328	40	*
22	5.31	5.553	40	
23	5.31	5.457	40	
24	5.31	5.646	40	
25	5.31	5.579	40	
26	5.31	5.443	40	
27	5.31	5.375	40	
28	5.31	5.394	40	
29	5.31	5.588	40	
30	5.31	5.638	40	
31	5.31	5.264	40	
32	5.31	5.408	40	
33	5.31	5.702	40	
34	5.31	5.564	40	
35	5.31	5.263	40	
36	5.31	5.677	40	
37	5.31	5.345	40	
38	5.31	5.547	40	
39	5.31	5.363	40	
40	5.31	5.625	40	
41	5.31	5.597	40	
42	5.31	5.516	40	
43	5.31	5.483	40	
44	5.31	5.598	40	
45	5.31	5.369	40	
46	5.31	5.689	40	
47	5.31	5.376	40	
48	5.31	5.587	40	
49	5.31	5.526	40	

50	5.31	5.562	40	
51	5.31	5.541	40	
52	5.31	5.72	40	
53	5.31	5.397	40	
54	5.31	5.301	40	*
55	5.31	5.631	40	
56	5.31	5.56	40	
57	5.31	5.463	40	
58	5.31	5.386	40	
59	5.31	5.306	40	*
60	5.31	5.618	40	
61	5.31	5.307	40	*
62	5.31	5.566	40	
63	5.31	5.575	40	
64	5.31	5.401	40	
65	5.31	5.34	40	
66	5.31	5.549	40	
67	5.31	5.421	40	
68	5.31	5.705	40	
69	5.31	5.684	40	
70	5.31	5.427	40	
71	5.31	5.563	40	
72	5.31	5.485	40	
73	5.31	5.419	40	
74	5.31	5.672	40	
75	5.31	5.293	40	*
76	5.31	5.444	40	
77	5.31	5.467	40	
78	5.31	5.337	40	
79	5.31	5.591	40	
80	5.31	5.626	40	
81	5.31	5.546	40	
82	5.31	5.461	40	
83	5.31	5.609	40	
84	5.31	5.619	40	
85	5.31	5.633	40	
86	5.31	5.451	40	
87	5.31	5.268	40	
88	5.31	5.595	40	
89	5.31	5.458	40	
90	5.31	5.557	40	
91	5.31	5.361	40	
92	5.31	5.364	40	
93	5.31	5.347	40	
94	5.31	5.495	40	
95	5.31	5.545	40	
96	5.31	5.709	40	
97	5.31	5.366	40	
98	5.31	5.683	40	
99	5.31	5.488	40	
100	5.31	5.559	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.334	40	
2	5.31	5.466	40	
3	5.31	5.7	40	
4	5.31	5.29	40	*
5	5.31	5.381	40	
6	5.31	5.453	40	
7	5.31	5.279	40	
8	5.31	5.602	40	
9	5.31	5.603	40	
10	5.31	5.472	40	
11	5.31	5.71	40	
12	5.31	5.55	40	
13	5.31	5.611	40	
14	5.31	5.526	40	
15	5.31	5.45	40	
16	5.31	5.605	40	
17	5.31	5.514	40	
18	5.31	5.259	40	
19	5.31	5.493	40	
20	5.31	5.682	40	
21	5.31	5.3	40	*
22	5.31	5.443	40	
23	5.31	5.315	40	*
24	5.31	5.669	40	
25	5.31	5.647	40	
26	5.31	5.374	40	
27	5.31	5.269	40	
28	5.31	5.543	40	
29	5.31	5.309	40	*
30	5.31	5.57	40	
31	5.31	5.38	40	
32	5.31	5.483	40	
33	5.31	5.589	40	
34	5.31	5.539	40	
35	5.31	5.422	40	
36	5.31	5.72	40	
37	5.31	5.715	40	
38	5.31	5.663	40	
39	5.31	5.496	40	
40	5.31	5.417	40	
41	5.31	5.559	40	
42	5.31	5.64	40	
43	5.31	5.687	40	
44	5.31	5.324	40	*
45	5.31	5.311	40	*
46	5.31	5.358	40	
47	5.31	5.362	40	
48	5.31	5.569	40	
49	5.31	5.477	40	

50	5.31	5.262	40	
51	5.31	5.693	40	
52	5.31	5.709	40	
53	5.31	5.612	40	
54	5.31	5.683	40	
55	5.31	5.659	40	
56	5.31	5.304	40	*
57	5.31	5.455	40	
58	5.31	5.326	40	*
59	5.31	5.694	40	
60	5.31	5.63	40	
61	5.31	5.319	40	*
62	5.31	5.5	40	
63	5.31	5.497	40	
64	5.31	5.296	40	*
65	5.31	5.561	40	
66	5.31	5.428	40	
67	5.31	5.341	40	
68	5.31	5.386	40	
69	5.31	5.39	40	
70	5.31	5.432	40	
71	5.31	5.698	40	
72	5.31	5.461	40	
73	5.31	5.305	40	*
74	5.31	5.649	40	
75	5.31	5.371	40	
76	5.31	5.375	40	
77	5.31	5.372	40	
78	5.31	5.308	40	*
79	5.31	5.489	40	
80	5.31	5.322	40	*
81	5.31	5.421	40	
82	5.31	5.329	40	*
83	5.31	5.454	40	
84	5.31	5.448	40	
85	5.31	5.522	40	
86	5.31	5.413	40	
87	5.31	5.523	40	
88	5.31	5.444	40	
89	5.31	5.567	40	
90	5.31	5.527	40	
91	5.31	5.575	40	
92	5.31	5.684	40	
93	5.31	5.278	40	
94	5.31	5.556	40	
95	5.31	5.566	40	
96	5.31	5.331	40	
97	5.31	5.66	40	
98	5.31	5.361	40	
99	5.31	5.485	40	
100	5.31	5.69	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.346	40	
2	5.31	5.71	40	
3	5.31	5.26	40	
4	5.31	5.377	40	
5	5.31	5.508	40	
6	5.31	5.313	40	*
7	5.31	5.56	40	
8	5.31	5.512	40	
9	5.31	5.562	40	
10	5.31	5.297	40	*
11	5.31	5.575	40	
12	5.31	5.607	40	
13	5.31	5.407	40	
14	5.31	5.694	40	
15	5.31	5.261	40	
16	5.31	5.7	40	
17	5.31	5.608	40	
18	5.31	5.543	40	
19	5.31	5.578	40	
20	5.31	5.354	40	
21	5.31	5.538	40	
22	5.31	5.281	40	
23	5.31	5.515	40	
24	5.31	5.287	40	
25	5.31	5.452	40	
26	5.31	5.388	40	
27	5.31	5.362	40	
28	5.31	5.662	40	
29	5.31	5.352	40	
30	5.31	5.345	40	
31	5.31	5.396	40	
32	5.31	5.432	40	
33	5.31	5.274	40	
34	5.31	5.559	40	
35	5.31	5.35	40	
36	5.31	5.52	40	
37	5.31	5.286	40	
38	5.31	5.528	40	
39	5.31	5.327	40	*
40	5.31	5.691	40	
41	5.31	5.427	40	
42	5.31	5.493	40	
43	5.31	5.401	40	
44	5.31	5.457	40	
45	5.31	5.716	40	
46	5.31	5.696	40	
47	5.31	5.502	40	
48	5.31	5.532	40	
49	5.31	5.405	40	

50	5.31	5.335	40	
51	5.31	5.618	40	
52	5.31	5.585	40	
53	5.31	5.583	40	
54	5.31	5.655	40	
55	5.31	5.531	40	
56	5.31	5.366	40	
57	5.31	5.699	40	
58	5.31	5.296	40	*
59	5.31	5.555	40	
60	5.31	5.259	40	
61	5.31	5.524	40	
62	5.31	5.458	40	
63	5.31	5.548	40	
64	5.31	5.494	40	
65	5.31	5.269	40	
66	5.31	5.72	40	
67	5.31	5.59	40	
68	5.31	5.571	40	
69	5.31	5.467	40	
70	5.31	5.675	40	
71	5.31	5.554	40	
72	5.31	5.451	40	
73	5.31	5.367	40	
74	5.31	5.66	40	
75	5.31	5.406	40	
76	5.31	5.415	40	
77	5.31	5.704	40	
78	5.31	5.331	40	
79	5.31	5.311	40	*
80	5.31	5.535	40	
81	5.31	5.283	40	
82	5.31	5.503	40	
83	5.31	5.279	40	
84	5.31	5.692	40	
85	5.31	5.55	40	
86	5.31	5.523	40	
87	5.31	5.351	40	
88	5.31	5.564	40	
89	5.31	5.27	40	
90	5.31	5.501	40	
91	5.31	5.363	40	
92	5.31	5.361	40	
93	5.31	5.723	40	
94	5.31	5.328	40	*
95	5.31	5.438	40	
96	5.31	5.299	40	*
97	5.31	5.712	40	
98	5.31	5.653	40	
99	5.31	5.539	40	
100	5.31	5.649	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.562	40	
2	5.31	5.716	40	
3	5.31	5.462	40	
4	5.31	5.559	40	
5	5.31	5.301	40	*
6	5.31	5.364	40	
7	5.31	5.681	40	
8	5.31	5.517	40	
9	5.31	5.621	40	
10	5.31	5.382	40	
11	5.31	5.513	40	
12	5.31	5.307	40	*
13	5.31	5.325	40	*
14	5.31	5.413	40	
15	5.31	5.276	40	
16	5.31	5.448	40	
17	5.31	5.645	40	
18	5.31	5.28	40	
19	5.31	5.545	40	
20	5.31	5.702	40	
21	5.31	5.482	40	
22	5.31	5.485	40	
23	5.31	5.269	40	
24	5.31	5.33	40	*
25	5.31	5.311	40	*
26	5.31	5.723	40	
27	5.31	5.638	40	
28	5.31	5.326	40	*
29	5.31	5.578	40	
30	5.31	5.63	40	
31	5.31	5.715	40	
32	5.31	5.39	40	
33	5.31	5.484	40	
34	5.31	5.648	40	
35	5.31	5.468	40	
36	5.31	5.478	40	
37	5.31	5.499	40	
38	5.31	5.51	40	
39	5.31	5.698	40	
40	5.31	5.488	40	
41	5.31	5.434	40	
42	5.31	5.597	40	
43	5.31	5.439	40	
44	5.31	5.384	40	
45	5.31	5.539	40	
46	5.31	5.409	40	
47	5.31	5.534	40	
48	5.31	5.368	40	
49	5.31	5.686	40	

50	5.31	5.486	40	
51	5.31	5.701	40	
52	5.31	5.568	40	
53	5.31	5.292	40	*
54	5.31	5.435	40	
55	5.31	5.654	40	
56	5.31	5.474	40	
57	5.31	5.262	40	
58	5.31	5.536	40	
59	5.31	5.627	40	
60	5.31	5.428	40	
61	5.31	5.564	40	
62	5.31	5.251	40	
63	5.31	5.362	40	
64	5.31	5.305	40	*
65	5.31	5.59	40	
66	5.31	5.329	40	*
67	5.31	5.549	40	
68	5.31	5.273	40	
69	5.31	5.383	40	
70	5.31	5.696	40	
71	5.31	5.659	40	
72	5.31	5.521	40	
73	5.31	5.422	40	
74	5.31	5.643	40	
75	5.31	5.378	40	
76	5.31	5.366	40	
77	5.31	5.714	40	
78	5.31	5.451	40	
79	5.31	5.5	40	
80	5.31	5.463	40	
81	5.31	5.538	40	
82	5.31	5.525	40	
83	5.31	5.518	40	
84	5.31	5.608	40	
85	5.31	5.36	40	
86	5.31	5.263	40	
87	5.31	5.682	40	
88	5.31	5.68	40	
89	5.31	5.461	40	
90	5.31	5.619	40	
91	5.31	5.37	40	
92	5.31	5.652	40	
93	5.31	5.497	40	
94	5.31	5.641	40	
95	5.31	5.283	40	
96	5.31	5.526	40	
97	5.31	5.271	40	
98	5.31	5.693	40	
99	5.31	5.394	40	
100	5.31	5.441	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.663	40	
2	5.31	5.297	40	*
3	5.31	5.401	40	
4	5.31	5.4	40	
5	5.31	5.463	40	
6	5.31	5.609	40	
7	5.31	5.62	40	
8	5.31	5.491	40	
9	5.31	5.307	40	*
10	5.31	5.379	40	
11	5.31	5.261	40	
12	5.31	5.508	40	
13	5.31	5.518	40	
14	5.31	5.42	40	
15	5.31	5.298	40	*
16	5.31	5.305	40	*
17	5.31	5.256	40	
18	5.31	5.483	40	
19	5.31	5.35	40	
20	5.31	5.617	40	
21	5.31	5.718	40	
22	5.31	5.495	40	
23	5.31	5.654	40	
24	5.31	5.316	40	*
25	5.31	5.664	40	
26	5.31	5.675	40	
27	5.31	5.451	40	
28	5.31	5.309	40	*
29	5.31	5.455	40	
30	5.31	5.484	40	
31	5.31	5.722	40	
32	5.31	5.588	40	
33	5.31	5.536	40	
34	5.31	5.482	40	
35	5.31	5.621	40	
36	5.31	5.344	40	
37	5.31	5.6	40	
38	5.31	5.431	40	
39	5.31	5.553	40	
40	5.31	5.684	40	
41	5.31	5.612	40	
42	5.31	5.607	40	
43	5.31	5.356	40	
44	5.31	5.312	40	*
45	5.31	5.67	40	
46	5.31	5.499	40	
47	5.31	5.459	40	
48	5.31	5.72	40	
49	5.31	5.541	40	

50	5.31	5.606	40	
51	5.31	5.466	40	
52	5.31	5.7	40	
53	5.31	5.573	40	
54	5.31	5.528	40	
55	5.31	5.369	40	
56	5.31	5.589	40	
57	5.31	5.572	40	
58	5.31	5.655	40	
59	5.31	5.554	40	
60	5.31	5.447	40	
61	5.31	5.49	40	
62	5.31	5.357	40	
63	5.31	5.614	40	
64	5.31	5.36	40	
65	5.31	5.445	40	
66	5.31	5.633	40	
67	5.31	5.48	40	
68	5.31	5.557	40	
69	5.31	5.694	40	
70	5.31	5.561	40	
71	5.31	5.647	40	
72	5.31	5.538	40	
73	5.31	5.548	40	
74	5.31	5.397	40	
75	5.31	5.29	40	*
76	5.31	5.51	40	
77	5.31	5.295	40	*
78	5.31	5.707	40	
79	5.31	5.328	40	*
80	5.31	5.257	40	
81	5.31	5.346	40	
82	5.31	5.608	40	
83	5.31	5.47	40	
84	5.31	5.274	40	
85	5.31	5.361	40	
86	5.31	5.487	40	
87	5.31	5.623	40	
88	5.31	5.601	40	
89	5.31	5.65	40	
90	5.31	5.265	40	
91	5.31	5.692	40	
92	5.31	5.259	40	
93	5.31	5.408	40	
94	5.31	5.264	40	
95	5.31	5.327	40	*
96	5.31	5.669	40	
97	5.31	5.515	40	
98	5.31	5.343	40	
99	5.31	5.404	40	
100	5.31	5.352	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.432	40	
2	5.31	5.546	40	
3	5.31	5.278	40	
4	5.31	5.612	40	
5	5.31	5.53	40	
6	5.31	5.331	40	
7	5.31	5.27	40	
8	5.31	5.458	40	
9	5.31	5.474	40	
10	5.31	5.298	40	*
11	5.31	5.452	40	
12	5.31	5.613	40	
13	5.31	5.629	40	
14	5.31	5.531	40	
15	5.31	5.64	40	
16	5.31	5.453	40	
17	5.31	5.669	40	
18	5.31	5.438	40	
19	5.31	5.709	40	
20	5.31	5.547	40	
21	5.31	5.306	40	*
22	5.31	5.372	40	
23	5.31	5.588	40	
24	5.31	5.631	40	
25	5.31	5.427	40	
26	5.31	5.292	40	*
27	5.31	5.528	40	
28	5.31	5.374	40	
29	5.31	5.307	40	*
30	5.31	5.634	40	
31	5.31	5.604	40	
32	5.31	5.711	40	
33	5.31	5.674	40	
34	5.31	5.643	40	
35	5.31	5.481	40	
36	5.31	5.363	40	
37	5.31	5.576	40	
38	5.31	5.447	40	
39	5.31	5.337	40	
40	5.31	5.565	40	
41	5.31	5.7	40	
42	5.31	5.608	40	
43	5.31	5.467	40	
44	5.31	5.423	40	
45	5.31	5.296	40	*
46	5.31	5.301	40	*
47	5.31	5.404	40	
48	5.31	5.501	40	
49	5.31	5.632	40	

50	5.31	5.336	40	
51	5.31	5.633	40	
52	5.31	5.656	40	
53	5.31	5.321	40	*
54	5.31	5.638	40	
55	5.31	5.428	40	
56	5.31	5.714	40	
57	5.31	5.665	40	
58	5.31	5.616	40	
59	5.31	5.562	40	
60	5.31	5.329	40	*
61	5.31	5.32	40	*
62	5.31	5.561	40	
63	5.31	5.54	40	
64	5.31	5.261	40	
65	5.31	5.324	40	*
66	5.31	5.578	40	
67	5.31	5.325	40	*
68	5.31	5.371	40	
69	5.31	5.489	40	
70	5.31	5.436	40	
71	5.31	5.381	40	
72	5.31	5.411	40	
73	5.31	5.627	40	
74	5.31	5.646	40	
75	5.31	5.602	40	
76	5.31	5.309	40	*
77	5.31	5.659	40	
78	5.31	5.495	40	
79	5.31	5.657	40	
80	5.31	5.525	40	
81	5.31	5.666	40	
82	5.31	5.398	40	
83	5.31	5.654	40	
84	5.31	5.327	40	*
85	5.31	5.4	40	
86	5.31	5.297	40	*
87	5.31	5.445	40	
88	5.31	5.473	40	
89	5.31	5.719	40	
90	5.31	5.475	40	
91	5.31	5.351	40	
92	5.31	5.641	40	
93	5.31	5.265	40	
94	5.31	5.585	40	
95	5.31	5.649	40	
96	5.31	5.661	40	
97	5.31	5.409	40	
98	5.31	5.63	40	
99	5.31	5.708	40	
100	5.31	5.302	40	*

TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.31	5.416	40	
2	5.31	5.27	40	
3	5.31	5.439	40	
4	5.31	5.252	40	
5	5.31	5.454	40	
6	5.31	5.377	40	
7	5.31	5.444	40	
8	5.31	5.501	40	
9	5.31	5.407	40	
10	5.31	5.581	40	
11	5.31	5.709	40	
12	5.31	5.62	40	
13	5.31	5.424	40	
14	5.31	5.71	40	
15	5.31	5.602	40	
16	5.31	5.368	40	
17	5.31	5.387	40	
18	5.31	5.553	40	
19	5.31	5.478	40	
20	5.31	5.427	40	
21	5.31	5.69	40	
22	5.31	5.277	40	
23	5.31	5.443	40	
24	5.31	5.41	40	
25	5.31	5.551	40	
26	5.31	5.563	40	
27	5.31	5.471	40	
28	5.31	5.359	40	
29	5.31	5.44	40	
30	5.31	5.68	40	
31	5.31	5.656	40	
32	5.31	5.42	40	
33	5.31	5.342	40	
34	5.31	5.671	40	
35	5.31	5.379	40	
36	5.31	5.345	40	
37	5.31	5.295	40	*
38	5.31	5.381	40	
39	5.31	5.649	40	
40	5.31	5.498	40	
41	5.31	5.479	40	
42	5.31	5.356	40	
43	5.31	5.251	40	
44	5.31	5.686	40	
45	5.31	5.349	40	
46	5.31	5.404	40	
47	5.31	5.332	40	
48	5.31	5.39	40	
49	5.31	5.292	40	*

50	5.31	5.263	40	
51	5.31	5.644	40	
52	5.31	5.544	40	
53	5.31	5.357	40	
54	5.31	5.548	40	
55	5.31	5.672	40	
56	5.31	5.613	40	
57	5.31	5.623	40	
58	5.31	5.687	40	
59	5.31	5.612	40	
60	5.31	5.701	40	
61	5.31	5.507	40	
62	5.31	5.647	40	
63	5.31	5.451	40	
64	5.31	5.536	40	
65	5.31	5.43	40	
66	5.31	5.477	40	
67	5.31	5.276	40	
68	5.31	5.598	40	
69	5.31	5.678	40	
70	5.31	5.716	40	
71	5.31	5.605	40	
72	5.31	5.603	40	
73	5.31	5.663	40	
74	5.31	5.422	40	
75	5.31	5.599	40	
76	5.31	5.351	40	
77	5.31	5.253	40	
78	5.31	5.467	40	
79	5.31	5.574	40	
80	5.31	5.527	40	
81	5.31	5.719	40	
82	5.31	5.366	40	
83	5.31	5.353	40	
84	5.31	5.681	40	
85	5.31	5.433	40	
86	5.31	5.437	40	
87	5.31	5.282	40	
88	5.31	5.421	40	
89	5.31	5.542	40	
90	5.31	5.532	40	
91	5.31	5.578	40	
92	5.31	5.707	40	
93	5.31	5.657	40	
94	5.31	5.694	40	
95	5.31	5.596	40	
96	5.31	5.483	40	
97	5.31	5.646	40	
98	5.31	5.697	40	
99	5.31	5.607	40	
100	5.31	5.279	40	

802.11ac (VHT40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.667	40	
2	5.51	5.553	40	
3	5.51	5.614	40	
4	5.51	5.534	40	
5	5.51	5.343	40	
6	5.51	5.529	40	*
7	5.51	5.642	40	
8	5.51	5.317	40	
9	5.51	5.295	40	
10	5.51	5.437	40	
11	5.51	5.371	40	
12	5.51	5.37	40	
13	5.51	5.687	40	
14	5.51	5.358	40	
15	5.51	5.514	40	*
16	5.51	5.515	40	*
17	5.51	5.554	40	
18	5.51	5.27	40	
19	5.51	5.424	40	
20	5.51	5.717	40	
21	5.51	5.398	40	
22	5.51	5.313	40	
23	5.51	5.281	40	
24	5.51	5.436	40	
25	5.51	5.708	40	
26	5.51	5.261	40	
27	5.51	5.4	40	
28	5.51	5.357	40	
29	5.51	5.464	40	
30	5.51	5.52	40	*
31	5.51	5.715	40	
32	5.51	5.456	40	
33	5.51	5.339	40	
34	5.51	5.291	40	
35	5.51	5.595	40	
36	5.51	5.496	40	*
37	5.51	5.699	40	
38	5.51	5.253	40	
39	5.51	5.646	40	
40	5.51	5.689	40	
41	5.51	5.494	40	*
42	5.51	5.36	40	
43	5.51	5.645	40	
44	5.51	5.466	40	
45	5.51	5.539	40	
46	5.51	5.517	40	*
47	5.51	5.519	40	*

48	5.51	5.272	40	
49	5.51	5.406	40	
50	5.51	5.635	40	
51	5.51	5.526	40	*
52	5.51	5.479	40	
53	5.51	5.441	40	
54	5.51	5.279	40	
55	5.51	5.676	40	
56	5.51	5.504	40	*
57	5.51	5.619	40	
58	5.51	5.399	40	
59	5.51	5.637	40	
60	5.51	5.41	40	
61	5.51	5.349	40	
62	5.51	5.461	40	
63	5.51	5.431	40	
64	5.51	5.572	40	
65	5.51	5.277	40	
66	5.51	5.308	40	
67	5.51	5.713	40	
68	5.51	5.659	40	
69	5.51	5.251	40	
70	5.51	5.402	40	
71	5.51	5.648	40	
72	5.51	5.643	40	
73	5.51	5.474	40	
74	5.51	5.491	40	*
75	5.51	5.359	40	
76	5.51	5.565	40	
77	5.51	5.678	40	
78	5.51	5.429	40	
79	5.51	5.697	40	
80	5.51	5.462	40	
81	5.51	5.602	40	
82	5.51	5.533	40	
83	5.51	5.558	40	
84	5.51	5.348	40	
85	5.51	5.716	40	
86	5.51	5.458	40	
87	5.51	5.478	40	
88	5.51	5.465	40	
89	5.51	5.484	40	
90	5.51	5.652	40	
91	5.51	5.446	40	
92	5.51	5.266	40	
93	5.51	5.355	40	
94	5.51	5.481	40	
95	5.51	5.435	40	
96	5.51	5.677	40	
97	5.51	5.579	40	
98	5.51	5.305	40	
99	5.51	5.433	40	
100	5.51	5.662	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.519	40	*
2	5.51	5.574	40	
3	5.51	5.702	40	
4	5.51	5.381	40	
5	5.51	5.719	40	
6	5.51	5.335	40	
7	5.51	5.361	40	
8	5.51	5.403	40	
9	5.51	5.522	40	*
10	5.51	5.704	40	
11	5.51	5.338	40	
12	5.51	5.446	40	
13	5.51	5.264	40	
14	5.51	5.59	40	
15	5.51	5.279	40	
16	5.51	5.661	40	
17	5.51	5.648	40	
18	5.51	5.616	40	
19	5.51	5.651	40	
20	5.51	5.438	40	
21	5.51	5.635	40	
22	5.51	5.303	40	
23	5.51	5.276	40	
24	5.51	5.655	40	
25	5.51	5.256	40	
26	5.51	5.288	40	
27	5.51	5.483	40	
28	5.51	5.557	40	
29	5.51	5.432	40	
30	5.51	5.499	40	*
31	5.51	5.412	40	
32	5.51	5.681	40	
33	5.51	5.294	40	
34	5.51	5.668	40	
35	5.51	5.671	40	
36	5.51	5.407	40	
37	5.51	5.552	40	
38	5.51	5.3	40	
39	5.51	5.433	40	
40	5.51	5.547	40	
41	5.51	5.566	40	
42	5.51	5.533	40	
43	5.51	5.586	40	
44	5.51	5.321	40	
45	5.51	5.501	40	*
46	5.51	5.354	40	
47	5.51	5.603	40	
48	5.51	5.281	40	
49	5.51	5.31	40	

50	5.51	5.708	40	
51	5.51	5.315	40	
52	5.51	5.664	40	
53	5.51	5.527	40	*
54	5.51	5.657	40	
55	5.51	5.274	40	
56	5.51	5.595	40	
57	5.51	5.346	40	
58	5.51	5.326	40	
59	5.51	5.28	40	
60	5.51	5.397	40	
61	5.51	5.677	40	
62	5.51	5.389	40	
63	5.51	5.6	40	
64	5.51	5.465	40	
65	5.51	5.408	40	
66	5.51	5.283	40	
67	5.51	5.544	40	
68	5.51	5.284	40	
69	5.51	5.618	40	
70	5.51	5.492	40	*
71	5.51	5.65	40	
72	5.51	5.376	40	
73	5.51	5.576	40	
74	5.51	5.373	40	
75	5.51	5.62	40	
76	5.51	5.689	40	
77	5.51	5.51	40	*
78	5.51	5.472	40	
79	5.51	5.517	40	*
80	5.51	5.273	40	
81	5.51	5.453	40	
82	5.51	5.25	40	
83	5.51	5.43	40	
84	5.51	5.325	40	
85	5.51	5.589	40	
86	5.51	5.491	40	*
87	5.51	5.633	40	
88	5.51	5.259	40	
89	5.51	5.624	40	
90	5.51	5.538	40	
91	5.51	5.358	40	
92	5.51	5.658	40	
93	5.51	5.61	40	
94	5.51	5.37	40	
95	5.51	5.487	40	
96	5.51	5.322	40	
97	5.51	5.305	40	
98	5.51	5.447	40	
99	5.51	5.628	40	
100	5.51	5.636	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.312	40	
2	5.51	5.715	40	
3	5.51	5.354	40	
4	5.51	5.315	40	
5	5.51	5.6	40	
6	5.51	5.585	40	
7	5.51	5.545	40	
8	5.51	5.449	40	
9	5.51	5.364	40	
10	5.51	5.66	40	
11	5.51	5.341	40	
12	5.51	5.417	40	
13	5.51	5.314	40	
14	5.51	5.352	40	
15	5.51	5.51	40	*
16	5.51	5.423	40	
17	5.51	5.634	40	
18	5.51	5.385	40	
19	5.51	5.386	40	
20	5.51	5.348	40	
21	5.51	5.518	40	*
22	5.51	5.699	40	
23	5.51	5.438	40	
24	5.51	5.526	40	*
25	5.51	5.356	40	
26	5.51	5.516	40	*
27	5.51	5.555	40	
28	5.51	5.503	40	*
29	5.51	5.4	40	
30	5.51	5.355	40	
31	5.51	5.666	40	
32	5.51	5.461	40	
33	5.51	5.561	40	
34	5.51	5.432	40	
35	5.51	5.611	40	
36	5.51	5.342	40	
37	5.51	5.38	40	
38	5.51	5.263	40	
39	5.51	5.684	40	
40	5.51	5.722	40	
41	5.51	5.35	40	
42	5.51	5.277	40	
43	5.51	5.591	40	
44	5.51	5.258	40	
45	5.51	5.708	40	
46	5.51	5.283	40	
47	5.51	5.318	40	
48	5.51	5.373	40	
49	5.51	5.72	40	

50	5.51	5.602	40	
51	5.51	5.546	40	
52	5.51	5.488	40	
53	5.51	5.349	40	
54	5.51	5.568	40	
55	5.51	5.458	40	
56	5.51	5.269	40	
57	5.51	5.519	40	*
58	5.51	5.319	40	
59	5.51	5.579	40	
60	5.51	5.667	40	
61	5.51	5.621	40	
62	5.51	5.42	40	
63	5.51	5.451	40	
64	5.51	5.323	40	
65	5.51	5.413	40	
66	5.51	5.372	40	
67	5.51	5.393	40	
68	5.51	5.327	40	
69	5.51	5.701	40	
70	5.51	5.675	40	
71	5.51	5.583	40	
72	5.51	5.603	40	
73	5.51	5.411	40	
74	5.51	5.552	40	
75	5.51	5.677	40	
76	5.51	5.558	40	
77	5.51	5.614	40	
78	5.51	5.709	40	
79	5.51	5.52	40	*
80	5.51	5.424	40	
81	5.51	5.607	40	
82	5.51	5.343	40	
83	5.51	5.288	40	
84	5.51	5.335	40	
85	5.51	5.637	40	
86	5.51	5.257	40	
87	5.51	5.499	40	*
88	5.51	5.485	40	
89	5.51	5.498	40	*
90	5.51	5.713	40	
91	5.51	5.655	40	
92	5.51	5.646	40	
93	5.51	5.668	40	
94	5.51	5.59	40	
95	5.51	5.589	40	
96	5.51	5.454	40	
97	5.51	5.455	40	
98	5.51	5.682	40	
99	5.51	5.474	40	
100	5.51	5.653	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.366	40	
2	5.51	5.629	40	
3	5.51	5.573	40	
4	5.51	5.402	40	
5	5.51	5.604	40	
6	5.51	5.411	40	
7	5.51	5.544	40	
8	5.51	5.585	40	
9	5.51	5.386	40	
10	5.51	5.319	40	
11	5.51	5.521	40	*
12	5.51	5.333	40	
13	5.51	5.324	40	
14	5.51	5.646	40	
15	5.51	5.534	40	
16	5.51	5.638	40	
17	5.51	5.509	40	*
18	5.51	5.378	40	
19	5.51	5.437	40	
20	5.51	5.6	40	
21	5.51	5.398	40	
22	5.51	5.648	40	
23	5.51	5.389	40	
24	5.51	5.436	40	
25	5.51	5.465	40	
26	5.51	5.558	40	
27	5.51	5.459	40	
28	5.51	5.455	40	
29	5.51	5.391	40	
30	5.51	5.267	40	
31	5.51	5.543	40	
32	5.51	5.583	40	
33	5.51	5.35	40	
34	5.51	5.66	40	
35	5.51	5.335	40	
36	5.51	5.382	40	
37	5.51	5.311	40	
38	5.51	5.42	40	
39	5.51	5.531	40	
40	5.51	5.633	40	
41	5.51	5.547	40	
42	5.51	5.527	40	*
43	5.51	5.368	40	
44	5.51	5.47	40	
45	5.51	5.471	40	
46	5.51	5.49	40	*
47	5.51	5.435	40	
48	5.51	5.429	40	
49	5.51	5.264	40	

50	5.51	5.268	40	
51	5.51	5.325	40	
52	5.51	5.715	40	
53	5.51	5.556	40	
54	5.51	5.336	40	
55	5.51	5.537	40	
56	5.51	5.609	40	
57	5.51	5.377	40	
58	5.51	5.472	40	
59	5.51	5.288	40	
60	5.51	5.307	40	
61	5.51	5.504	40	*
62	5.51	5.587	40	
63	5.51	5.475	40	
64	5.51	5.3	40	
65	5.51	5.669	40	
66	5.51	5.261	40	
67	5.51	5.559	40	
68	5.51	5.326	40	
69	5.51	5.304	40	
70	5.51	5.679	40	
71	5.51	5.328	40	
72	5.51	5.488	40	
73	5.51	5.652	40	
74	5.51	5.416	40	
75	5.51	5.332	40	
76	5.51	5.65	40	
77	5.51	5.388	40	
78	5.51	5.401	40	
79	5.51	5.645	40	
80	5.51	5.533	40	
81	5.51	5.303	40	
82	5.51	5.314	40	
83	5.51	5.353	40	
84	5.51	5.552	40	
85	5.51	5.704	40	
86	5.51	5.394	40	
87	5.51	5.28	40	
88	5.51	5.414	40	
89	5.51	5.271	40	
90	5.51	5.607	40	
91	5.51	5.647	40	
92	5.51	5.372	40	
93	5.51	5.701	40	
94	5.51	5.302	40	
95	5.51	5.263	40	
96	5.51	5.318	40	
97	5.51	5.602	40	
98	5.51	5.283	40	
99	5.51	5.294	40	
100	5.51	5.569	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.333	40	
2	5.51	5.719	40	
3	5.51	5.463	40	
4	5.51	5.423	40	
5	5.51	5.619	40	
6	5.51	5.527	40	*
7	5.51	5.359	40	
8	5.51	5.603	40	
9	5.51	5.47	40	
10	5.51	5.704	40	
11	5.51	5.418	40	
12	5.51	5.589	40	
13	5.51	5.517	40	*
14	5.51	5.546	40	
15	5.51	5.57	40	
16	5.51	5.521	40	*
17	5.51	5.698	40	
18	5.51	5.556	40	
19	5.51	5.578	40	
20	5.51	5.499	40	*
21	5.51	5.656	40	
22	5.51	5.251	40	
23	5.51	5.519	40	*
24	5.51	5.681	40	
25	5.51	5.259	40	
26	5.51	5.454	40	
27	5.51	5.373	40	
28	5.51	5.484	40	
29	5.51	5.402	40	
30	5.51	5.724	40	
31	5.51	5.299	40	
32	5.51	5.599	40	
33	5.51	5.374	40	
34	5.51	5.591	40	
35	5.51	5.447	40	
36	5.51	5.344	40	
37	5.51	5.552	40	
38	5.51	5.626	40	
39	5.51	5.377	40	
40	5.51	5.371	40	
41	5.51	5.342	40	
42	5.51	5.528	40	*
43	5.51	5.387	40	
44	5.51	5.354	40	
45	5.51	5.722	40	
46	5.51	5.536	40	
47	5.51	5.325	40	
48	5.51	5.507	40	*
49	5.51	5.666	40	

50	5.51	5.437	40	
51	5.51	5.266	40	
52	5.51	5.601	40	
53	5.51	5.692	40	
54	5.51	5.682	40	
55	5.51	5.474	40	
56	5.51	5.495	40	*
57	5.51	5.498	40	*
58	5.51	5.482	40	
59	5.51	5.543	40	
60	5.51	5.38	40	
61	5.51	5.298	40	
62	5.51	5.288	40	
63	5.51	5.258	40	
64	5.51	5.401	40	
65	5.51	5.306	40	
66	5.51	5.712	40	
67	5.51	5.468	40	
68	5.51	5.457	40	
69	5.51	5.341	40	
70	5.51	5.365	40	
71	5.51	5.649	40	
72	5.51	5.475	40	
73	5.51	5.586	40	
74	5.51	5.515	40	*
75	5.51	5.485	40	
76	5.51	5.677	40	
77	5.51	5.502	40	*
78	5.51	5.689	40	
79	5.51	5.4	40	
80	5.51	5.442	40	
81	5.51	5.48	40	
82	5.51	5.384	40	
83	5.51	5.355	40	
84	5.51	5.424	40	
85	5.51	5.282	40	
86	5.51	5.415	40	
87	5.51	5.516	40	*
88	5.51	5.531	40	
89	5.51	5.663	40	
90	5.51	5.525	40	*
91	5.51	5.37	40	
92	5.51	5.568	40	
93	5.51	5.455	40	
94	5.51	5.404	40	
95	5.51	5.303	40	
96	5.51	5.537	40	
97	5.51	5.405	40	
98	5.51	5.456	40	
99	5.51	5.627	40	
100	5.51	5.652	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.644	40	
2	5.51	5.365	40	
3	5.51	5.677	40	
4	5.51	5.318	40	
5	5.51	5.55	40	
6	5.51	5.595	40	
7	5.51	5.545	40	
8	5.51	5.63	40	
9	5.51	5.503	40	*
10	5.51	5.524	40	*
11	5.51	5.432	40	
12	5.51	5.544	40	
13	5.51	5.72	40	
14	5.51	5.383	40	
15	5.51	5.349	40	
16	5.51	5.361	40	
17	5.51	5.391	40	
18	5.51	5.321	40	
19	5.51	5.402	40	
20	5.51	5.508	40	*
21	5.51	5.463	40	
22	5.51	5.552	40	
23	5.51	5.681	40	
24	5.51	5.409	40	
25	5.51	5.466	40	
26	5.51	5.528	40	*
27	5.51	5.353	40	
28	5.51	5.289	40	
29	5.51	5.451	40	
30	5.51	5.569	40	
31	5.51	5.593	40	
32	5.51	5.396	40	
33	5.51	5.654	40	
34	5.51	5.316	40	
35	5.51	5.691	40	
36	5.51	5.5	40	*
37	5.51	5.425	40	
38	5.51	5.46	40	
39	5.51	5.637	40	
40	5.51	5.384	40	
41	5.51	5.333	40	
42	5.51	5.453	40	
43	5.51	5.696	40	
44	5.51	5.45	40	
45	5.51	5.345	40	
46	5.51	5.252	40	
47	5.51	5.682	40	
48	5.51	5.313	40	
49	5.51	5.407	40	

50	5.51	5.634	40	
51	5.51	5.52	40	*
52	5.51	5.255	40	
53	5.51	5.413	40	
54	5.51	5.253	40	
55	5.51	5.356	40	
56	5.51	5.285	40	
57	5.51	5.551	40	
58	5.51	5.433	40	
59	5.51	5.653	40	
60	5.51	5.31	40	
61	5.51	5.467	40	
62	5.51	5.495	40	*
63	5.51	5.478	40	
64	5.51	5.418	40	
65	5.51	5.621	40	
66	5.51	5.369	40	
67	5.51	5.649	40	
68	5.51	5.502	40	*
69	5.51	5.265	40	
70	5.51	5.388	40	
71	5.51	5.317	40	
72	5.51	5.461	40	
73	5.51	5.587	40	
74	5.51	5.481	40	
75	5.51	5.42	40	
76	5.51	5.579	40	
77	5.51	5.686	40	
78	5.51	5.39	40	
79	5.51	5.709	40	
80	5.51	5.334	40	
81	5.51	5.549	40	
82	5.51	5.521	40	*
83	5.51	5.624	40	
84	5.51	5.488	40	
85	5.51	5.379	40	
86	5.51	5.618	40	
87	5.51	5.268	40	
88	5.51	5.53	40	*
89	5.51	5.51	40	*
90	5.51	5.632	40	
91	5.51	5.561	40	
92	5.51	5.362	40	
93	5.51	5.474	40	
94	5.51	5.477	40	
95	5.51	5.626	40	
96	5.51	5.469	40	
97	5.51	5.641	40	
98	5.51	5.305	40	
99	5.51	5.352	40	
100	5.51	5.438	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.564	40	
2	5.51	5.593	40	
3	5.51	5.656	40	
4	5.51	5.378	40	
5	5.51	5.461	40	
6	5.51	5.306	40	
7	5.51	5.501	40	*
8	5.51	5.582	40	
9	5.51	5.253	40	
10	5.51	5.673	40	
11	5.51	5.436	40	
12	5.51	5.558	40	
13	5.51	5.307	40	
14	5.51	5.437	40	
15	5.51	5.551	40	
16	5.51	5.532	40	
17	5.51	5.678	40	
18	5.51	5.344	40	
19	5.51	5.611	40	
20	5.51	5.506	40	*
21	5.51	5.517	40	*
22	5.51	5.401	40	
23	5.51	5.399	40	
24	5.51	5.46	40	
25	5.51	5.309	40	
26	5.51	5.536	40	
27	5.51	5.69	40	
28	5.51	5.34	40	
29	5.51	5.276	40	
30	5.51	5.493	40	*
31	5.51	5.616	40	
32	5.51	5.456	40	
33	5.51	5.329	40	
34	5.51	5.271	40	
35	5.51	5.499	40	*
36	5.51	5.723	40	
37	5.51	5.695	40	
38	5.51	5.537	40	
39	5.51	5.602	40	
40	5.51	5.287	40	
41	5.51	5.313	40	
42	5.51	5.342	40	
43	5.51	5.284	40	
44	5.51	5.381	40	
45	5.51	5.489	40	
46	5.51	5.671	40	
47	5.51	5.405	40	
48	5.51	5.293	40	
49	5.51	5.52	40	*

50	5.51	5.393	40	
51	5.51	5.29	40	
52	5.51	5.522	40	*
53	5.51	5.667	40	
54	5.51	5.503	40	*
55	5.51	5.514	40	*
56	5.51	5.442	40	
57	5.51	5.707	40	
58	5.51	5.685	40	
59	5.51	5.649	40	
60	5.51	5.366	40	
61	5.51	5.607	40	
62	5.51	5.652	40	
63	5.51	5.598	40	
64	5.51	5.533	40	
65	5.51	5.39	40	
66	5.51	5.35	40	
67	5.51	5.529	40	*
68	5.51	5.462	40	
69	5.51	5.282	40	
70	5.51	5.534	40	
71	5.51	5.665	40	
72	5.51	5.495	40	*
73	5.51	5.496	40	*
74	5.51	5.507	40	*
75	5.51	5.554	40	
76	5.51	5.653	40	
77	5.51	5.451	40	
78	5.51	5.523	40	*
79	5.51	5.511	40	*
80	5.51	5.502	40	*
81	5.51	5.296	40	
82	5.51	5.64	40	
83	5.51	5.298	40	
84	5.51	5.455	40	
85	5.51	5.315	40	
86	5.51	5.357	40	
87	5.51	5.579	40	
88	5.51	5.36	40	
89	5.51	5.468	40	
90	5.51	5.473	40	
91	5.51	5.549	40	
92	5.51	5.283	40	
93	5.51	5.617	40	
94	5.51	5.705	40	
95	5.51	5.316	40	
96	5.51	5.619	40	
97	5.51	5.604	40	
98	5.51	5.51	40	*
99	5.51	5.638	40	
100	5.51	5.302	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.259	40	
2	5.51	5.389	40	
3	5.51	5.415	40	
4	5.51	5.362	40	
5	5.51	5.696	40	
6	5.51	5.302	40	
7	5.51	5.658	40	
8	5.51	5.292	40	
9	5.51	5.401	40	
10	5.51	5.636	40	
11	5.51	5.644	40	
12	5.51	5.501	40	*
13	5.51	5.615	40	
14	5.51	5.46	40	
15	5.51	5.421	40	
16	5.51	5.273	40	
17	5.51	5.382	40	
18	5.51	5.268	40	
19	5.51	5.621	40	
20	5.51	5.558	40	
21	5.51	5.267	40	
22	5.51	5.317	40	
23	5.51	5.551	40	
24	5.51	5.566	40	
25	5.51	5.492	40	*
26	5.51	5.618	40	
27	5.51	5.286	40	
28	5.51	5.428	40	
29	5.51	5.262	40	
30	5.51	5.309	40	
31	5.51	5.258	40	
32	5.51	5.628	40	
33	5.51	5.399	40	
34	5.51	5.591	40	
35	5.51	5.497	40	*
36	5.51	5.456	40	
37	5.51	5.597	40	
38	5.51	5.275	40	
39	5.51	5.32	40	
40	5.51	5.669	40	
41	5.51	5.458	40	
42	5.51	5.624	40	
43	5.51	5.625	40	
44	5.51	5.67	40	
45	5.51	5.717	40	
46	5.51	5.724	40	
47	5.51	5.638	40	
48	5.51	5.554	40	
49	5.51	5.375	40	

50	5.51	5.337	40	
51	5.51	5.521	40	*
52	5.51	5.343	40	
53	5.51	5.252	40	
54	5.51	5.512	40	*
55	5.51	5.514	40	*
56	5.51	5.605	40	
57	5.51	5.556	40	
58	5.51	5.276	40	
59	5.51	5.604	40	
60	5.51	5.537	40	
61	5.51	5.534	40	
62	5.51	5.547	40	
63	5.51	5.414	40	
64	5.51	5.489	40	
65	5.51	5.596	40	
66	5.51	5.355	40	
67	5.51	5.583	40	
68	5.51	5.293	40	
69	5.51	5.487	40	
70	5.51	5.617	40	
71	5.51	5.543	40	
72	5.51	5.459	40	
73	5.51	5.711	40	
74	5.51	5.36	40	
75	5.51	5.561	40	
76	5.51	5.485	40	
77	5.51	5.692	40	
78	5.51	5.332	40	
79	5.51	5.586	40	
80	5.51	5.357	40	
81	5.51	5.285	40	
82	5.51	5.318	40	
83	5.51	5.323	40	
84	5.51	5.639	40	
85	5.51	5.506	40	*
86	5.51	5.438	40	
87	5.51	5.694	40	
88	5.51	5.666	40	
89	5.51	5.502	40	*
90	5.51	5.454	40	
91	5.51	5.579	40	
92	5.51	5.72	40	
93	5.51	5.652	40	
94	5.51	5.633	40	
95	5.51	5.422	40	
96	5.51	5.593	40	
97	5.51	5.598	40	
98	5.51	5.723	40	
99	5.51	5.504	40	*
100	5.51	5.274	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.564	40	
2	5.51	5.612	40	
3	5.51	5.469	40	
4	5.51	5.293	40	
5	5.51	5.421	40	
6	5.51	5.668	40	
7	5.51	5.453	40	
8	5.51	5.488	40	
9	5.51	5.395	40	
10	5.51	5.506	40	*
11	5.51	5.449	40	
12	5.51	5.527	40	*
13	5.51	5.577	40	
14	5.51	5.402	40	
15	5.51	5.255	40	
16	5.51	5.492	40	*
17	5.51	5.713	40	
18	5.51	5.256	40	
19	5.51	5.714	40	
20	5.51	5.583	40	
21	5.51	5.711	40	
22	5.51	5.282	40	
23	5.51	5.497	40	*
24	5.51	5.464	40	
25	5.51	5.541	40	
26	5.51	5.257	40	
27	5.51	5.654	40	
28	5.51	5.34	40	
29	5.51	5.558	40	
30	5.51	5.499	40	*
31	5.51	5.517	40	*
32	5.51	5.635	40	
33	5.51	5.42	40	
34	5.51	5.253	40	
35	5.51	5.599	40	
36	5.51	5.666	40	
37	5.51	5.272	40	
38	5.51	5.511	40	*
39	5.51	5.317	40	
40	5.51	5.621	40	
41	5.51	5.438	40	
42	5.51	5.638	40	
43	5.51	5.389	40	
44	5.51	5.32	40	
45	5.51	5.701	40	
46	5.51	5.312	40	
47	5.51	5.697	40	
48	5.51	5.717	40	
49	5.51	5.428	40	

50	5.51	5.43	40	
51	5.51	5.29	40	
52	5.51	5.58	40	
53	5.51	5.534	40	
54	5.51	5.567	40	
55	5.51	5.294	40	
56	5.51	5.692	40	
57	5.51	5.55	40	
58	5.51	5.457	40	
59	5.51	5.512	40	*
60	5.51	5.478	40	
61	5.51	5.269	40	
62	5.51	5.463	40	
63	5.51	5.574	40	
64	5.51	5.503	40	*
65	5.51	5.663	40	
66	5.51	5.501	40	*
67	5.51	5.604	40	
68	5.51	5.387	40	
69	5.51	5.369	40	
70	5.51	5.652	40	
71	5.51	5.723	40	
72	5.51	5.276	40	
73	5.51	5.393	40	
74	5.51	5.411	40	
75	5.51	5.546	40	
76	5.51	5.458	40	
77	5.51	5.33	40	
78	5.51	5.486	40	
79	5.51	5.586	40	
80	5.51	5.485	40	
81	5.51	5.597	40	
82	5.51	5.385	40	
83	5.51	5.481	40	
84	5.51	5.547	40	
85	5.51	5.261	40	
86	5.51	5.392	40	
87	5.51	5.598	40	
88	5.51	5.684	40	
89	5.51	5.444	40	
90	5.51	5.671	40	
91	5.51	5.593	40	
92	5.51	5.515	40	*
93	5.51	5.305	40	
94	5.51	5.345	40	
95	5.51	5.573	40	
96	5.51	5.504	40	*
97	5.51	5.391	40	
98	5.51	5.673	40	
99	5.51	5.687	40	
100	5.51	5.433	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.593	40	
2	5.51	5.492	40	*
3	5.51	5.291	40	
4	5.51	5.677	40	
5	5.51	5.618	40	
6	5.51	5.405	40	
7	5.51	5.517	40	*
8	5.51	5.64	40	
9	5.51	5.273	40	
10	5.51	5.692	40	
11	5.51	5.71	40	
12	5.51	5.352	40	
13	5.51	5.499	40	*
14	5.51	5.326	40	
15	5.51	5.449	40	
16	5.51	5.627	40	
17	5.51	5.716	40	
18	5.51	5.621	40	
19	5.51	5.476	40	
20	5.51	5.357	40	
21	5.51	5.718	40	
22	5.51	5.392	40	
23	5.51	5.37	40	
24	5.51	5.676	40	
25	5.51	5.706	40	
26	5.51	5.604	40	
27	5.51	5.544	40	
28	5.51	5.389	40	
29	5.51	5.656	40	
30	5.51	5.538	40	
31	5.51	5.552	40	
32	5.51	5.454	40	
33	5.51	5.345	40	
34	5.51	5.68	40	
35	5.51	5.487	40	
36	5.51	5.689	40	
37	5.51	5.557	40	
38	5.51	5.397	40	
39	5.51	5.427	40	
40	5.51	5.578	40	
41	5.51	5.415	40	
42	5.51	5.306	40	
43	5.51	5.368	40	
44	5.51	5.36	40	
45	5.51	5.401	40	
46	5.51	5.417	40	
47	5.51	5.378	40	
48	5.51	5.572	40	
49	5.51	5.45	40	

50	5.51	5.407	40	
51	5.51	5.434	40	
52	5.51	5.574	40	
53	5.51	5.254	40	
54	5.51	5.685	40	
55	5.51	5.589	40	
56	5.51	5.416	40	
57	5.51	5.591	40	
58	5.51	5.543	40	
59	5.51	5.704	40	
60	5.51	5.597	40	
61	5.51	5.366	40	
62	5.51	5.478	40	
63	5.51	5.614	40	
64	5.51	5.409	40	
65	5.51	5.554	40	
66	5.51	5.617	40	
67	5.51	5.616	40	
68	5.51	5.263	40	
69	5.51	5.573	40	
70	5.51	5.483	40	
71	5.51	5.657	40	
72	5.51	5.356	40	
73	5.51	5.344	40	
74	5.51	5.513	40	*
75	5.51	5.29	40	
76	5.51	5.46	40	
77	5.51	5.383	40	
78	5.51	5.522	40	*
79	5.51	5.697	40	
80	5.51	5.666	40	
81	5.51	5.439	40	
82	5.51	5.565	40	
83	5.51	5.438	40	
84	5.51	5.678	40	
85	5.51	5.475	40	
86	5.51	5.494	40	*
87	5.51	5.275	40	
88	5.51	5.531	40	
89	5.51	5.66	40	
90	5.51	5.711	40	
91	5.51	5.564	40	
92	5.51	5.533	40	
93	5.51	5.681	40	
94	5.51	5.346	40	
95	5.51	5.583	40	
96	5.51	5.683	40	
97	5.51	5.283	40	
98	5.51	5.551	40	
99	5.51	5.316	40	
100	5.51	5.305	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.261	40	
2	5.51	5.558	40	
3	5.51	5.274	40	
4	5.51	5.675	40	
5	5.51	5.55	40	
6	5.51	5.381	40	
7	5.51	5.594	40	
8	5.51	5.412	40	
9	5.51	5.517	40	*
10	5.51	5.406	40	
11	5.51	5.45	40	
12	5.51	5.612	40	
13	5.51	5.474	40	
14	5.51	5.641	40	
15	5.51	5.433	40	
16	5.51	5.509	40	*
17	5.51	5.618	40	
18	5.51	5.496	40	*
19	5.51	5.603	40	
20	5.51	5.565	40	
21	5.51	5.399	40	
22	5.51	5.499	40	*
23	5.51	5.546	40	
24	5.51	5.286	40	
25	5.51	5.541	40	
26	5.51	5.25	40	
27	5.51	5.627	40	
28	5.51	5.384	40	
29	5.51	5.68	40	
30	5.51	5.535	40	
31	5.51	5.48	40	
32	5.51	5.504	40	*
33	5.51	5.417	40	
34	5.51	5.581	40	
35	5.51	5.283	40	
36	5.51	5.484	40	
37	5.51	5.405	40	
38	5.51	5.606	40	
39	5.51	5.689	40	
40	5.51	5.656	40	
41	5.51	5.573	40	
42	5.51	5.668	40	
43	5.51	5.26	40	
44	5.51	5.534	40	
45	5.51	5.528	40	*
46	5.51	5.577	40	
47	5.51	5.284	40	
48	5.51	5.667	40	
49	5.51	5.72	40	

50	5.51	5.505	40	*
51	5.51	5.483	40	
52	5.51	5.611	40	
53	5.51	5.578	40	
54	5.51	5.657	40	
55	5.51	5.299	40	
56	5.51	5.652	40	
57	5.51	5.721	40	
58	5.51	5.31	40	
59	5.51	5.265	40	
60	5.51	5.723	40	
61	5.51	5.335	40	
62	5.51	5.711	40	
63	5.51	5.443	40	
64	5.51	5.293	40	
65	5.51	5.397	40	
66	5.51	5.445	40	
67	5.51	5.277	40	
68	5.51	5.591	40	
69	5.51	5.466	40	
70	5.51	5.651	40	
71	5.51	5.554	40	
72	5.51	5.638	40	
73	5.51	5.298	40	
74	5.51	5.453	40	
75	5.51	5.387	40	
76	5.51	5.672	40	
77	5.51	5.697	40	
78	5.51	5.262	40	
79	5.51	5.429	40	
80	5.51	5.64	40	
81	5.51	5.559	40	
82	5.51	5.645	40	
83	5.51	5.574	40	
84	5.51	5.658	40	
85	5.51	5.458	40	
86	5.51	5.329	40	
87	5.51	5.273	40	
88	5.51	5.58	40	
89	5.51	5.307	40	
90	5.51	5.653	40	
91	5.51	5.414	40	
92	5.51	5.454	40	
93	5.51	5.287	40	
94	5.51	5.254	40	
95	5.51	5.584	40	
96	5.51	5.642	40	
97	5.51	5.377	40	
98	5.51	5.563	40	
99	5.51	5.712	40	
100	5.51	5.473	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.683	40	
2	5.51	5.398	40	
3	5.51	5.649	40	
4	5.51	5.307	40	
5	5.51	5.58	40	
6	5.51	5.423	40	
7	5.51	5.572	40	
8	5.51	5.594	40	
9	5.51	5.543	40	
10	5.51	5.459	40	
11	5.51	5.642	40	
12	5.51	5.643	40	
13	5.51	5.522	40	*
14	5.51	5.412	40	
15	5.51	5.288	40	
16	5.51	5.417	40	
17	5.51	5.255	40	
18	5.51	5.575	40	
19	5.51	5.262	40	
20	5.51	5.51	40	*
21	5.51	5.47	40	
22	5.51	5.685	40	
23	5.51	5.477	40	
24	5.51	5.399	40	
25	5.51	5.363	40	
26	5.51	5.462	40	
27	5.51	5.625	40	
28	5.51	5.718	40	
29	5.51	5.393	40	
30	5.51	5.603	40	
31	5.51	5.36	40	
32	5.51	5.508	40	*
33	5.51	5.49	40	*
34	5.51	5.662	40	
35	5.51	5.529	40	*
36	5.51	5.281	40	
37	5.51	5.413	40	
38	5.51	5.364	40	
39	5.51	5.316	40	
40	5.51	5.442	40	
41	5.51	5.647	40	
42	5.51	5.446	40	
43	5.51	5.467	40	
44	5.51	5.544	40	
45	5.51	5.667	40	
46	5.51	5.696	40	
47	5.51	5.33	40	
48	5.51	5.449	40	
49	5.51	5.515	40	*

50	5.51	5.567	40	
51	5.51	5.589	40	
52	5.51	5.461	40	
53	5.51	5.26	40	
54	5.51	5.369	40	
55	5.51	5.68	40	
56	5.51	5.681	40	
57	5.51	5.569	40	
58	5.51	5.674	40	
59	5.51	5.486	40	
60	5.51	5.488	40	
61	5.51	5.571	40	
62	5.51	5.555	40	
63	5.51	5.503	40	*
64	5.51	5.548	40	
65	5.51	5.32	40	
66	5.51	5.351	40	
67	5.51	5.615	40	
68	5.51	5.707	40	
69	5.51	5.256	40	
70	5.51	5.384	40	
71	5.51	5.444	40	
72	5.51	5.7	40	
73	5.51	5.359	40	
74	5.51	5.269	40	
75	5.51	5.378	40	
76	5.51	5.498	40	*
77	5.51	5.322	40	
78	5.51	5.72	40	
79	5.51	5.29	40	
80	5.51	5.576	40	
81	5.51	5.63	40	
82	5.51	5.619	40	
83	5.51	5.475	40	
84	5.51	5.581	40	
85	5.51	5.452	40	
86	5.51	5.673	40	
87	5.51	5.266	40	
88	5.51	5.55	40	
89	5.51	5.588	40	
90	5.51	5.626	40	
91	5.51	5.597	40	
92	5.51	5.605	40	
93	5.51	5.617	40	
94	5.51	5.48	40	
95	5.51	5.702	40	
96	5.51	5.427	40	
97	5.51	5.507	40	*
98	5.51	5.661	40	
99	5.51	5.304	40	
100	5.51	5.373	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.631	40	
2	5.51	5.433	40	
3	5.51	5.294	40	
4	5.51	5.449	40	
5	5.51	5.257	40	
6	5.51	5.489	40	
7	5.51	5.709	40	
8	5.51	5.531	40	
9	5.51	5.488	40	
10	5.51	5.336	40	
11	5.51	5.627	40	
12	5.51	5.397	40	
13	5.51	5.264	40	
14	5.51	5.288	40	
15	5.51	5.413	40	
16	5.51	5.519	40	*
17	5.51	5.375	40	
18	5.51	5.483	40	
19	5.51	5.55	40	
20	5.51	5.425	40	
21	5.51	5.603	40	
22	5.51	5.442	40	
23	5.51	5.682	40	
24	5.51	5.587	40	
25	5.51	5.637	40	
26	5.51	5.511	40	*
27	5.51	5.459	40	
28	5.51	5.351	40	
29	5.51	5.636	40	
30	5.51	5.711	40	
31	5.51	5.254	40	
32	5.51	5.356	40	
33	5.51	5.271	40	
34	5.51	5.448	40	
35	5.51	5.45	40	
36	5.51	5.512	40	*
37	5.51	5.414	40	
38	5.51	5.426	40	
39	5.51	5.361	40	
40	5.51	5.59	40	
41	5.51	5.638	40	
42	5.51	5.53	40	*
43	5.51	5.401	40	
44	5.51	5.583	40	
45	5.51	5.623	40	
46	5.51	5.602	40	
47	5.51	5.455	40	
48	5.51	5.539	40	
49	5.51	5.378	40	

50	5.51	5.478	40	
51	5.51	5.326	40	
52	5.51	5.678	40	
53	5.51	5.598	40	
54	5.51	5.522	40	*
55	5.51	5.549	40	
56	5.51	5.595	40	
57	5.51	5.56	40	
58	5.51	5.424	40	
59	5.51	5.52	40	*
60	5.51	5.386	40	
61	5.51	5.713	40	
62	5.51	5.394	40	
63	5.51	5.403	40	
64	5.51	5.641	40	
65	5.51	5.25	40	
66	5.51	5.672	40	
67	5.51	5.666	40	
68	5.51	5.318	40	
69	5.51	5.67	40	
70	5.51	5.495	40	*
71	5.51	5.423	40	
72	5.51	5.467	40	
73	5.51	5.357	40	
74	5.51	5.471	40	
75	5.51	5.435	40	
76	5.51	5.34	40	
77	5.51	5.697	40	
78	5.51	5.49	40	*
79	5.51	5.564	40	
80	5.51	5.508	40	*
81	5.51	5.273	40	
82	5.51	5.481	40	
83	5.51	5.268	40	
84	5.51	5.491	40	*
85	5.51	5.696	40	
86	5.51	5.272	40	
87	5.51	5.69	40	
88	5.51	5.545	40	
89	5.51	5.688	40	
90	5.51	5.562	40	
91	5.51	5.278	40	
92	5.51	5.456	40	
93	5.51	5.296	40	
94	5.51	5.581	40	
95	5.51	5.527	40	*
96	5.51	5.47	40	
97	5.51	5.691	40	
98	5.51	5.575	40	
99	5.51	5.485	40	
100	5.51	5.558	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.625	40	
2	5.51	5.572	40	
3	5.51	5.311	40	
4	5.51	5.379	40	
5	5.51	5.297	40	
6	5.51	5.365	40	
7	5.51	5.649	40	
8	5.51	5.511	40	*
9	5.51	5.408	40	
10	5.51	5.381	40	
11	5.51	5.487	40	
12	5.51	5.351	40	
13	5.51	5.345	40	
14	5.51	5.646	40	
15	5.51	5.575	40	
16	5.51	5.41	40	
17	5.51	5.4	40	
18	5.51	5.382	40	
19	5.51	5.45	40	
20	5.51	5.704	40	
21	5.51	5.314	40	
22	5.51	5.361	40	
23	5.51	5.36	40	
24	5.51	5.479	40	
25	5.51	5.269	40	
26	5.51	5.562	40	
27	5.51	5.357	40	
28	5.51	5.513	40	*
29	5.51	5.512	40	*
30	5.51	5.429	40	
31	5.51	5.259	40	
32	5.51	5.27	40	
33	5.51	5.653	40	
34	5.51	5.548	40	
35	5.51	5.326	40	
36	5.51	5.716	40	
37	5.51	5.65	40	
38	5.51	5.254	40	
39	5.51	5.672	40	
40	5.51	5.723	40	
41	5.51	5.438	40	
42	5.51	5.289	40	
43	5.51	5.661	40	
44	5.51	5.521	40	*
45	5.51	5.667	40	
46	5.51	5.46	40	
47	5.51	5.366	40	
48	5.51	5.68	40	
49	5.51	5.386	40	

50	5.51	5.496	40	*
51	5.51	5.614	40	
52	5.51	5.367	40	
53	5.51	5.634	40	
54	5.51	5.626	40	
55	5.51	5.516	40	*
56	5.51	5.464	40	
57	5.51	5.267	40	
58	5.51	5.577	40	
59	5.51	5.399	40	
60	5.51	5.656	40	
61	5.51	5.292	40	
62	5.51	5.706	40	
63	5.51	5.42	40	
64	5.51	5.532	40	
65	5.51	5.417	40	
66	5.51	5.372	40	
67	5.51	5.485	40	
68	5.51	5.494	40	*
69	5.51	5.291	40	
70	5.51	5.623	40	
71	5.51	5.594	40	
72	5.51	5.566	40	
73	5.51	5.483	40	
74	5.51	5.618	40	
75	5.51	5.287	40	
76	5.51	5.261	40	
77	5.51	5.627	40	
78	5.51	5.654	40	
79	5.51	5.563	40	
80	5.51	5.333	40	
81	5.51	5.251	40	
82	5.51	5.378	40	
83	5.51	5.51	40	*
84	5.51	5.669	40	
85	5.51	5.469	40	
86	5.51	5.644	40	
87	5.51	5.665	40	
88	5.51	5.603	40	
89	5.51	5.724	40	
90	5.51	5.55	40	
91	5.51	5.697	40	
92	5.51	5.424	40	
93	5.51	5.526	40	*
94	5.51	5.461	40	
95	5.51	5.25	40	
96	5.51	5.527	40	*
97	5.51	5.369	40	
98	5.51	5.307	40	
99	5.51	5.491	40	*
100	5.51	5.617	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.566	40	
2	5.51	5.415	40	
3	5.51	5.573	40	
4	5.51	5.61	40	
5	5.51	5.574	40	
6	5.51	5.435	40	
7	5.51	5.47	40	
8	5.51	5.321	40	
9	5.51	5.341	40	
10	5.51	5.498	40	*
11	5.51	5.626	40	
12	5.51	5.417	40	
13	5.51	5.276	40	
14	5.51	5.365	40	
15	5.51	5.294	40	
16	5.51	5.529	40	*
17	5.51	5.6	40	
18	5.51	5.681	40	
19	5.51	5.648	40	
20	5.51	5.456	40	
21	5.51	5.674	40	
22	5.51	5.635	40	
23	5.51	5.445	40	
24	5.51	5.711	40	
25	5.51	5.537	40	
26	5.51	5.515	40	*
27	5.51	5.317	40	
28	5.51	5.382	40	
29	5.51	5.611	40	
30	5.51	5.463	40	
31	5.51	5.439	40	
32	5.51	5.25	40	
33	5.51	5.676	40	
34	5.51	5.486	40	
35	5.51	5.256	40	
36	5.51	5.277	40	
37	5.51	5.661	40	
38	5.51	5.266	40	
39	5.51	5.514	40	*
40	5.51	5.619	40	
41	5.51	5.606	40	
42	5.51	5.473	40	
43	5.51	5.479	40	
44	5.51	5.331	40	
45	5.51	5.543	40	
46	5.51	5.589	40	
47	5.51	5.284	40	
48	5.51	5.436	40	
49	5.51	5.333	40	

50	5.51	5.709	40	
51	5.51	5.313	40	
52	5.51	5.335	40	
53	5.51	5.469	40	
54	5.51	5.675	40	
55	5.51	5.507	40	*
56	5.51	5.677	40	
57	5.51	5.698	40	
58	5.51	5.62	40	
59	5.51	5.656	40	
60	5.51	5.401	40	
61	5.51	5.721	40	
62	5.51	5.526	40	*
63	5.51	5.442	40	
64	5.51	5.399	40	
65	5.51	5.443	40	
66	5.51	5.614	40	
67	5.51	5.539	40	
68	5.51	5.3	40	
69	5.51	5.51	40	*
70	5.51	5.701	40	
71	5.51	5.251	40	
72	5.51	5.617	40	
73	5.51	5.536	40	
74	5.51	5.525	40	*
75	5.51	5.406	40	
76	5.51	5.602	40	
77	5.51	5.565	40	
78	5.51	5.322	40	
79	5.51	5.476	40	
80	5.51	5.261	40	
81	5.51	5.357	40	
82	5.51	5.636	40	
83	5.51	5.326	40	
84	5.51	5.678	40	
85	5.51	5.591	40	
86	5.51	5.462	40	
87	5.51	5.457	40	
88	5.51	5.623	40	
89	5.51	5.576	40	
90	5.51	5.724	40	
91	5.51	5.673	40	
92	5.51	5.688	40	
93	5.51	5.713	40	
94	5.51	5.404	40	
95	5.51	5.621	40	
96	5.51	5.554	40	
97	5.51	5.716	40	
98	5.51	5.567	40	
99	5.51	5.385	40	
100	5.51	5.646	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.45	40	
2	5.51	5.281	40	
3	5.51	5.444	40	
4	5.51	5.321	40	
5	5.51	5.384	40	
6	5.51	5.533	40	
7	5.51	5.699	40	
8	5.51	5.624	40	
9	5.51	5.266	40	
10	5.51	5.339	40	
11	5.51	5.551	40	
12	5.51	5.343	40	
13	5.51	5.593	40	
14	5.51	5.467	40	
15	5.51	5.443	40	
16	5.51	5.668	40	
17	5.51	5.474	40	
18	5.51	5.664	40	
19	5.51	5.61	40	
20	5.51	5.483	40	
21	5.51	5.589	40	
22	5.51	5.273	40	
23	5.51	5.667	40	
24	5.51	5.434	40	
25	5.51	5.385	40	
26	5.51	5.465	40	
27	5.51	5.682	40	
28	5.51	5.335	40	
29	5.51	5.35	40	
30	5.51	5.406	40	
31	5.51	5.497	40	*
32	5.51	5.633	40	
33	5.51	5.601	40	
34	5.51	5.51	40	*
35	5.51	5.464	40	
36	5.51	5.556	40	
37	5.51	5.493	40	*
38	5.51	5.645	40	
39	5.51	5.577	40	
40	5.51	5.428	40	
41	5.51	5.489	40	
42	5.51	5.602	40	
43	5.51	5.586	40	
44	5.51	5.438	40	
45	5.51	5.36	40	
46	5.51	5.261	40	
47	5.51	5.268	40	
48	5.51	5.309	40	
49	5.51	5.609	40	

50	5.51	5.644	40	
51	5.51	5.517	40	*
52	5.51	5.447	40	
53	5.51	5.515	40	*
54	5.51	5.442	40	
55	5.51	5.5	40	*
56	5.51	5.479	40	
57	5.51	5.413	40	
58	5.51	5.496	40	*
59	5.51	5.534	40	
60	5.51	5.553	40	
61	5.51	5.4	40	
62	5.51	5.552	40	
63	5.51	5.448	40	
64	5.51	5.283	40	
65	5.51	5.545	40	
66	5.51	5.433	40	
67	5.51	5.369	40	
68	5.51	5.326	40	
69	5.51	5.487	40	
70	5.51	5.252	40	
71	5.51	5.393	40	
72	5.51	5.254	40	
73	5.51	5.391	40	
74	5.51	5.457	40	
75	5.51	5.566	40	
76	5.51	5.453	40	
77	5.51	5.683	40	
78	5.51	5.315	40	
79	5.51	5.279	40	
80	5.51	5.605	40	
81	5.51	5.68	40	
82	5.51	5.625	40	
83	5.51	5.685	40	
84	5.51	5.536	40	
85	5.51	5.596	40	
86	5.51	5.651	40	
87	5.51	5.449	40	
88	5.51	5.64	40	
89	5.51	5.32	40	
90	5.51	5.708	40	
91	5.51	5.698	40	
92	5.51	5.619	40	
93	5.51	5.626	40	
94	5.51	5.341	40	
95	5.51	5.591	40	
96	5.51	5.72	40	
97	5.51	5.346	40	
98	5.51	5.491	40	*
99	5.51	5.427	40	
100	5.51	5.505	40	*

TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.717	40	
2	5.51	5.295	40	
3	5.51	5.51	40	*
4	5.51	5.388	40	
5	5.51	5.704	40	
6	5.51	5.606	40	
7	5.51	5.572	40	
8	5.51	5.706	40	
9	5.51	5.394	40	
10	5.51	5.311	40	
11	5.51	5.565	40	
12	5.51	5.322	40	
13	5.51	5.485	40	
14	5.51	5.277	40	
15	5.51	5.724	40	
16	5.51	5.547	40	
17	5.51	5.646	40	
18	5.51	5.488	40	
19	5.51	5.699	40	
20	5.51	5.682	40	
21	5.51	5.603	40	
22	5.51	5.45	40	
23	5.51	5.513	40	*
24	5.51	5.438	40	
25	5.51	5.289	40	
26	5.51	5.31	40	
27	5.51	5.41	40	
28	5.51	5.366	40	
29	5.51	5.325	40	
30	5.51	5.521	40	*
31	5.51	5.501	40	*
32	5.51	5.614	40	
33	5.51	5.377	40	
34	5.51	5.659	40	
35	5.51	5.66	40	
36	5.51	5.502	40	*
37	5.51	5.48	40	
38	5.51	5.495	40	*
39	5.51	5.442	40	
40	5.51	5.439	40	
41	5.51	5.443	40	
42	5.51	5.359	40	
43	5.51	5.459	40	
44	5.51	5.412	40	
45	5.51	5.562	40	
46	5.51	5.589	40	
47	5.51	5.719	40	
48	5.51	5.514	40	*
49	5.51	5.629	40	

50	5.51	5.385	40	
51	5.51	5.345	40	
52	5.51	5.555	40	
53	5.51	5.605	40	
54	5.51	5.52	40	*
55	5.51	5.707	40	
56	5.51	5.54	40	
57	5.51	5.49	40	*
58	5.51	5.445	40	
59	5.51	5.634	40	
60	5.51	5.5	40	*
61	5.51	5.714	40	
62	5.51	5.538	40	
63	5.51	5.3	40	
64	5.51	5.458	40	
65	5.51	5.549	40	
66	5.51	5.272	40	
67	5.51	5.389	40	
68	5.51	5.623	40	
69	5.51	5.703	40	
70	5.51	5.452	40	
71	5.51	5.415	40	
72	5.51	5.564	40	
73	5.51	5.255	40	
74	5.51	5.371	40	
75	5.51	5.617	40	
76	5.51	5.505	40	*
77	5.51	5.554	40	
78	5.51	5.613	40	
79	5.51	5.46	40	
80	5.51	5.648	40	
81	5.51	5.666	40	
82	5.51	5.251	40	
83	5.51	5.331	40	
84	5.51	5.541	40	
85	5.51	5.401	40	
86	5.51	5.598	40	
87	5.51	5.356	40	
88	5.51	5.716	40	
89	5.51	5.61	40	
90	5.51	5.25	40	
91	5.51	5.262	40	
92	5.51	5.361	40	
93	5.51	5.546	40	
94	5.51	5.662	40	
95	5.51	5.693	40	
96	5.51	5.468	40	
97	5.51	5.39	40	
98	5.51	5.602	40	
99	5.51	5.314	40	
100	5.51	5.612	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.575	40	
2	5.51	5.583	40	
3	5.51	5.449	40	
4	5.51	5.344	40	
5	5.51	5.285	40	
6	5.51	5.617	40	
7	5.51	5.514	40	*
8	5.51	5.632	40	
9	5.51	5.261	40	
10	5.51	5.622	40	
11	5.51	5.689	40	
12	5.51	5.278	40	
13	5.51	5.721	40	
14	5.51	5.574	40	
15	5.51	5.682	40	
16	5.51	5.538	40	
17	5.51	5.645	40	
18	5.51	5.677	40	
19	5.51	5.296	40	
20	5.51	5.681	40	
21	5.51	5.31	40	
22	5.51	5.39	40	
23	5.51	5.424	40	
24	5.51	5.603	40	
25	5.51	5.418	40	
26	5.51	5.62	40	
27	5.51	5.303	40	
28	5.51	5.512	40	*
29	5.51	5.619	40	
30	5.51	5.293	40	
31	5.51	5.462	40	
32	5.51	5.327	40	
33	5.51	5.362	40	
34	5.51	5.652	40	
35	5.51	5.71	40	
36	5.51	5.551	40	
37	5.51	5.69	40	
38	5.51	5.509	40	*
39	5.51	5.532	40	
40	5.51	5.49	40	*
41	5.51	5.488	40	
42	5.51	5.524	40	*
43	5.51	5.542	40	
44	5.51	5.317	40	
45	5.51	5.544	40	
46	5.51	5.589	40	
47	5.51	5.683	40	
48	5.51	5.358	40	
49	5.51	5.425	40	

50	5.51	5.365	40	
51	5.51	5.697	40	
52	5.51	5.623	40	
53	5.51	5.693	40	
54	5.51	5.483	40	
55	5.51	5.374	40	
56	5.51	5.4	40	
57	5.51	5.705	40	
58	5.51	5.572	40	
59	5.51	5.668	40	
60	5.51	5.397	40	
61	5.51	5.482	40	
62	5.51	5.413	40	
63	5.51	5.471	40	
64	5.51	5.613	40	
65	5.51	5.414	40	
66	5.51	5.331	40	
67	5.51	5.639	40	
68	5.51	5.588	40	
69	5.51	5.305	40	
70	5.51	5.287	40	
71	5.51	5.543	40	
72	5.51	5.51	40	*
73	5.51	5.503	40	*
74	5.51	5.469	40	
75	5.51	5.368	40	
76	5.51	5.343	40	
77	5.51	5.33	40	
78	5.51	5.489	40	
79	5.51	5.517	40	*
80	5.51	5.402	40	
81	5.51	5.655	40	
82	5.51	5.323	40	
83	5.51	5.474	40	
84	5.51	5.353	40	
85	5.51	5.531	40	
86	5.51	5.412	40	
87	5.51	5.579	40	
88	5.51	5.335	40	
89	5.51	5.571	40	
90	5.51	5.421	40	
91	5.51	5.472	40	
92	5.51	5.673	40	
93	5.51	5.621	40	
94	5.51	5.44	40	
95	5.51	5.311	40	
96	5.51	5.577	40	
97	5.51	5.58	40	
98	5.51	5.415	40	
99	5.51	5.292	40	
100	5.51	5.565	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.708	40	
2	5.51	5.345	40	
3	5.51	5.659	40	
4	5.51	5.601	40	
5	5.51	5.506	40	*
6	5.51	5.254	40	
7	5.51	5.448	40	
8	5.51	5.531	40	
9	5.51	5.515	40	*
10	5.51	5.654	40	
11	5.51	5.308	40	
12	5.51	5.395	40	
13	5.51	5.608	40	
14	5.51	5.41	40	
15	5.51	5.332	40	
16	5.51	5.723	40	
17	5.51	5.679	40	
18	5.51	5.625	40	
19	5.51	5.394	40	
20	5.51	5.552	40	
21	5.51	5.647	40	
22	5.51	5.618	40	
23	5.51	5.638	40	
24	5.51	5.431	40	
25	5.51	5.335	40	
26	5.51	5.392	40	
27	5.51	5.599	40	
28	5.51	5.549	40	
29	5.51	5.267	40	
30	5.51	5.635	40	
31	5.51	5.344	40	
32	5.51	5.463	40	
33	5.51	5.419	40	
34	5.51	5.686	40	
35	5.51	5.407	40	
36	5.51	5.43	40	
37	5.51	5.536	40	
38	5.51	5.714	40	
39	5.51	5.62	40	
40	5.51	5.343	40	
41	5.51	5.555	40	
42	5.51	5.432	40	
43	5.51	5.339	40	
44	5.51	5.643	40	
45	5.51	5.317	40	
46	5.51	5.56	40	
47	5.51	5.563	40	
48	5.51	5.63	40	
49	5.51	5.291	40	

50	5.51	5.668	40	
51	5.51	5.379	40	
52	5.51	5.358	40	
53	5.51	5.632	40	
54	5.51	5.271	40	
55	5.51	5.279	40	
56	5.51	5.292	40	
57	5.51	5.585	40	
58	5.51	5.326	40	
59	5.51	5.301	40	
60	5.51	5.571	40	
61	5.51	5.592	40	
62	5.51	5.274	40	
63	5.51	5.526	40	*
64	5.51	5.61	40	
65	5.51	5.711	40	
66	5.51	5.535	40	
67	5.51	5.452	40	
68	5.51	5.514	40	*
69	5.51	5.622	40	
70	5.51	5.44	40	
71	5.51	5.539	40	
72	5.51	5.695	40	
73	5.51	5.495	40	*
74	5.51	5.456	40	
75	5.51	5.29	40	
76	5.51	5.5	40	*
77	5.51	5.321	40	
78	5.51	5.356	40	
79	5.51	5.717	40	
80	5.51	5.365	40	
81	5.51	5.282	40	
82	5.51	5.589	40	
83	5.51	5.348	40	
84	5.51	5.478	40	
85	5.51	5.71	40	
86	5.51	5.462	40	
87	5.51	5.642	40	
88	5.51	5.442	40	
89	5.51	5.437	40	
90	5.51	5.689	40	
91	5.51	5.295	40	
92	5.51	5.648	40	
93	5.51	5.413	40	
94	5.51	5.653	40	
95	5.51	5.465	40	
96	5.51	5.697	40	
97	5.51	5.253	40	
98	5.51	5.709	40	
99	5.51	5.376	40	
100	5.51	5.722	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.382	40	
2	5.51	5.588	40	
3	5.51	5.471	40	
4	5.51	5.509	40	*
5	5.51	5.464	40	
6	5.51	5.561	40	
7	5.51	5.59	40	
8	5.51	5.481	40	
9	5.51	5.346	40	
10	5.51	5.26	40	
11	5.51	5.319	40	
12	5.51	5.646	40	
13	5.51	5.619	40	
14	5.51	5.626	40	
15	5.51	5.479	40	
16	5.51	5.4	40	
17	5.51	5.493	40	*
18	5.51	5.543	40	
19	5.51	5.708	40	
20	5.51	5.417	40	
21	5.51	5.583	40	
22	5.51	5.698	40	
23	5.51	5.429	40	
24	5.51	5.473	40	
25	5.51	5.427	40	
26	5.51	5.549	40	
27	5.51	5.593	40	
28	5.51	5.283	40	
29	5.51	5.586	40	
30	5.51	5.65	40	
31	5.51	5.62	40	
32	5.51	5.459	40	
33	5.51	5.348	40	
34	5.51	5.67	40	
35	5.51	5.25	40	
36	5.51	5.602	40	
37	5.51	5.255	40	
38	5.51	5.373	40	
39	5.51	5.264	40	
40	5.51	5.462	40	
41	5.51	5.681	40	
42	5.51	5.285	40	
43	5.51	5.28	40	
44	5.51	5.683	40	
45	5.51	5.635	40	
46	5.51	5.701	40	
47	5.51	5.282	40	
48	5.51	5.637	40	
49	5.51	5.445	40	

50	5.51	5.648	40	
51	5.51	5.299	40	
52	5.51	5.372	40	
53	5.51	5.55	40	
54	5.51	5.277	40	
55	5.51	5.667	40	
56	5.51	5.533	40	
57	5.51	5.403	40	
58	5.51	5.397	40	
59	5.51	5.392	40	
60	5.51	5.527	40	*
61	5.51	5.441	40	
62	5.51	5.469	40	
63	5.51	5.383	40	
64	5.51	5.47	40	
65	5.51	5.666	40	
66	5.51	5.631	40	
67	5.51	5.591	40	
68	5.51	5.638	40	
69	5.51	5.338	40	
70	5.51	5.706	40	
71	5.51	5.584	40	
72	5.51	5.36	40	
73	5.51	5.57	40	
74	5.51	5.674	40	
75	5.51	5.407	40	
76	5.51	5.267	40	
77	5.51	5.453	40	
78	5.51	5.362	40	
79	5.51	5.419	40	
80	5.51	5.329	40	
81	5.51	5.574	40	
82	5.51	5.331	40	
83	5.51	5.308	40	
84	5.51	5.342	40	
85	5.51	5.428	40	
86	5.51	5.587	40	
87	5.51	5.5	40	*
88	5.51	5.538	40	
89	5.51	5.262	40	
90	5.51	5.478	40	
91	5.51	5.266	40	
92	5.51	5.456	40	
93	5.51	5.545	40	
94	5.51	5.713	40	
95	5.51	5.575	40	
96	5.51	5.287	40	
97	5.51	5.425	40	
98	5.51	5.353	40	
99	5.51	5.416	40	
100	5.51	5.437	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.417	40	
2	5.51	5.477	40	
3	5.51	5.285	40	
4	5.51	5.575	40	
5	5.51	5.337	40	
6	5.51	5.258	40	
7	5.51	5.675	40	
8	5.51	5.351	40	
9	5.51	5.654	40	
10	5.51	5.42	40	
11	5.51	5.254	40	
12	5.51	5.412	40	
13	5.51	5.648	40	
14	5.51	5.72	40	
15	5.51	5.682	40	
16	5.51	5.553	40	
17	5.51	5.496	40	*
18	5.51	5.469	40	
19	5.51	5.369	40	
20	5.51	5.292	40	
21	5.51	5.635	40	
22	5.51	5.419	40	
23	5.51	5.345	40	
24	5.51	5.589	40	
25	5.51	5.466	40	
26	5.51	5.427	40	
27	5.51	5.608	40	
28	5.51	5.511	40	*
29	5.51	5.446	40	
30	5.51	5.329	40	
31	5.51	5.259	40	
32	5.51	5.363	40	
33	5.51	5.529	40	*
34	5.51	5.402	40	
35	5.51	5.721	40	
36	5.51	5.393	40	
37	5.51	5.481	40	
38	5.51	5.335	40	
39	5.51	5.364	40	
40	5.51	5.486	40	
41	5.51	5.602	40	
42	5.51	5.588	40	
43	5.51	5.568	40	
44	5.51	5.563	40	
45	5.51	5.423	40	
46	5.51	5.355	40	
47	5.51	5.513	40	*
48	5.51	5.382	40	
49	5.51	5.327	40	

50	5.51	5.311	40	
51	5.51	5.356	40	
52	5.51	5.36	40	
53	5.51	5.642	40	
54	5.51	5.692	40	
55	5.51	5.405	40	
56	5.51	5.695	40	
57	5.51	5.428	40	
58	5.51	5.596	40	
59	5.51	5.557	40	
60	5.51	5.689	40	
61	5.51	5.415	40	
62	5.51	5.447	40	
63	5.51	5.637	40	
64	5.51	5.34	40	
65	5.51	5.518	40	*
66	5.51	5.326	40	
67	5.51	5.713	40	
68	5.51	5.555	40	
69	5.51	5.26	40	
70	5.51	5.509	40	*
71	5.51	5.624	40	
72	5.51	5.25	40	
73	5.51	5.592	40	
74	5.51	5.398	40	
75	5.51	5.693	40	
76	5.51	5.659	40	
77	5.51	5.607	40	
78	5.51	5.684	40	
79	5.51	5.473	40	
80	5.51	5.431	40	
81	5.51	5.628	40	
82	5.51	5.347	40	
83	5.51	5.281	40	
84	5.51	5.367	40	
85	5.51	5.717	40	
86	5.51	5.525	40	*
87	5.51	5.434	40	
88	5.51	5.683	40	
89	5.51	5.396	40	
90	5.51	5.516	40	*
91	5.51	5.383	40	
92	5.51	5.46	40	
93	5.51	5.359	40	
94	5.51	5.618	40	
95	5.51	5.403	40	
96	5.51	5.705	40	
97	5.51	5.581	40	
98	5.51	5.385	40	
99	5.51	5.505	40	*
100	5.51	5.358	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.444	40	
2	5.51	5.264	40	
3	5.51	5.398	40	
4	5.51	5.299	40	
5	5.51	5.583	40	
6	5.51	5.455	40	
7	5.51	5.618	40	
8	5.51	5.655	40	
9	5.51	5.274	40	
10	5.51	5.722	40	
11	5.51	5.351	40	
12	5.51	5.331	40	
13	5.51	5.587	40	
14	5.51	5.36	40	
15	5.51	5.468	40	
16	5.51	5.604	40	
17	5.51	5.594	40	
18	5.51	5.293	40	
19	5.51	5.5	40	*
20	5.51	5.277	40	
21	5.51	5.275	40	
22	5.51	5.687	40	
23	5.51	5.382	40	
24	5.51	5.635	40	
25	5.51	5.526	40	*
26	5.51	5.364	40	
27	5.51	5.493	40	*
28	5.51	5.55	40	
29	5.51	5.506	40	*
30	5.51	5.391	40	
31	5.51	5.63	40	
32	5.51	5.668	40	
33	5.51	5.358	40	
34	5.51	5.716	40	
35	5.51	5.486	40	
36	5.51	5.643	40	
37	5.51	5.549	40	
38	5.51	5.634	40	
39	5.51	5.689	40	
40	5.51	5.576	40	
41	5.51	5.551	40	
42	5.51	5.499	40	*
43	5.51	5.453	40	
44	5.51	5.602	40	
45	5.51	5.605	40	
46	5.51	5.443	40	
47	5.51	5.608	40	
48	5.51	5.517	40	*
49	5.51	5.567	40	

50	5.51	5.701	40	
51	5.51	5.46	40	
52	5.51	5.278	40	
53	5.51	5.537	40	
54	5.51	5.607	40	
55	5.51	5.362	40	
56	5.51	5.53	40	*
57	5.51	5.579	40	
58	5.51	5.289	40	
59	5.51	5.566	40	
60	5.51	5.595	40	
61	5.51	5.393	40	
62	5.51	5.448	40	
63	5.51	5.483	40	
64	5.51	5.573	40	
65	5.51	5.64	40	
66	5.51	5.304	40	
67	5.51	5.585	40	
68	5.51	5.327	40	
69	5.51	5.512	40	*
70	5.51	5.403	40	
71	5.51	5.39	40	
72	5.51	5.686	40	
73	5.51	5.584	40	
74	5.51	5.319	40	
75	5.51	5.357	40	
76	5.51	5.251	40	
77	5.51	5.427	40	
78	5.51	5.478	40	
79	5.51	5.644	40	
80	5.51	5.309	40	
81	5.51	5.348	40	
82	5.51	5.633	40	
83	5.51	5.498	40	*
84	5.51	5.417	40	
85	5.51	5.347	40	
86	5.51	5.404	40	
87	5.51	5.324	40	
88	5.51	5.711	40	
89	5.51	5.555	40	
90	5.51	5.682	40	
91	5.51	5.619	40	
92	5.51	5.624	40	
93	5.51	5.399	40	
94	5.51	5.367	40	
95	5.51	5.394	40	
96	5.51	5.545	40	
97	5.51	5.472	40	
98	5.51	5.377	40	
99	5.51	5.379	40	
100	5.51	5.374	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.423	40	
2	5.51	5.665	40	
3	5.51	5.595	40	
4	5.51	5.724	40	
5	5.51	5.483	40	
6	5.51	5.485	40	
7	5.51	5.696	40	
8	5.51	5.447	40	
9	5.51	5.443	40	
10	5.51	5.348	40	
11	5.51	5.487	40	
12	5.51	5.308	40	
13	5.51	5.317	40	
14	5.51	5.492	40	*
15	5.51	5.518	40	*
16	5.51	5.615	40	
17	5.51	5.277	40	
18	5.51	5.336	40	
19	5.51	5.634	40	
20	5.51	5.61	40	
21	5.51	5.273	40	
22	5.51	5.462	40	
23	5.51	5.318	40	
24	5.51	5.639	40	
25	5.51	5.567	40	
26	5.51	5.564	40	
27	5.51	5.707	40	
28	5.51	5.526	40	*
29	5.51	5.718	40	
30	5.51	5.516	40	*
31	5.51	5.344	40	
32	5.51	5.686	40	
33	5.51	5.392	40	
34	5.51	5.405	40	
35	5.51	5.657	40	
36	5.51	5.626	40	
37	5.51	5.532	40	
38	5.51	5.705	40	
39	5.51	5.365	40	
40	5.51	5.535	40	
41	5.51	5.287	40	
42	5.51	5.275	40	
43	5.51	5.619	40	
44	5.51	5.386	40	
45	5.51	5.316	40	
46	5.51	5.497	40	*
47	5.51	5.434	40	
48	5.51	5.304	40	
49	5.51	5.331	40	

50	5.51	5.448	40	
51	5.51	5.685	40	
52	5.51	5.258	40	
53	5.51	5.279	40	
54	5.51	5.522	40	*
55	5.51	5.613	40	
56	5.51	5.568	40	
57	5.51	5.401	40	
58	5.51	5.577	40	
59	5.51	5.498	40	*
60	5.51	5.47	40	
61	5.51	5.377	40	
62	5.51	5.622	40	
63	5.51	5.374	40	
64	5.51	5.297	40	
65	5.51	5.625	40	
66	5.51	5.667	40	
67	5.51	5.38	40	
68	5.51	5.321	40	
69	5.51	5.352	40	
70	5.51	5.661	40	
71	5.51	5.309	40	
72	5.51	5.687	40	
73	5.51	5.453	40	
74	5.51	5.499	40	*
75	5.51	5.366	40	
76	5.51	5.44	40	
77	5.51	5.683	40	
78	5.51	5.605	40	
79	5.51	5.48	40	
80	5.51	5.438	40	
81	5.51	5.433	40	
82	5.51	5.637	40	
83	5.51	5.252	40	
84	5.51	5.427	40	
85	5.51	5.281	40	
86	5.51	5.529	40	*
87	5.51	5.533	40	
88	5.51	5.586	40	
89	5.51	5.72	40	
90	5.51	5.272	40	
91	5.51	5.509	40	*
92	5.51	5.607	40	
93	5.51	5.311	40	
94	5.51	5.712	40	
95	5.51	5.284	40	
96	5.51	5.589	40	
97	5.51	5.283	40	
98	5.51	5.681	40	
99	5.51	5.523	40	*
100	5.51	5.306	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.279	40	
2	5.51	5.533	40	
3	5.51	5.252	40	
4	5.51	5.42	40	
5	5.51	5.315	40	
6	5.51	5.616	40	
7	5.51	5.612	40	
8	5.51	5.34	40	
9	5.51	5.599	40	
10	5.51	5.632	40	
11	5.51	5.365	40	
12	5.51	5.356	40	
13	5.51	5.636	40	
14	5.51	5.483	40	
15	5.51	5.694	40	
16	5.51	5.296	40	
17	5.51	5.343	40	
18	5.51	5.384	40	
19	5.51	5.531	40	
20	5.51	5.456	40	
21	5.51	5.294	40	
22	5.51	5.721	40	
23	5.51	5.472	40	
24	5.51	5.601	40	
25	5.51	5.579	40	
26	5.51	5.598	40	
27	5.51	5.41	40	
28	5.51	5.308	40	
29	5.51	5.544	40	
30	5.51	5.522	40	*
31	5.51	5.268	40	
32	5.51	5.484	40	
33	5.51	5.608	40	
34	5.51	5.383	40	
35	5.51	5.303	40	
36	5.51	5.404	40	
37	5.51	5.389	40	
38	5.51	5.351	40	
39	5.51	5.288	40	
40	5.51	5.651	40	
41	5.51	5.462	40	
42	5.51	5.565	40	
43	5.51	5.661	40	
44	5.51	5.363	40	
45	5.51	5.309	40	
46	5.51	5.388	40	
47	5.51	5.431	40	
48	5.51	5.362	40	
49	5.51	5.705	40	

50	5.51	5.685	40	
51	5.51	5.44	40	
52	5.51	5.267	40	
53	5.51	5.71	40	
54	5.51	5.663	40	
55	5.51	5.386	40	
56	5.51	5.571	40	
57	5.51	5.346	40	
58	5.51	5.583	40	
59	5.51	5.286	40	
60	5.51	5.302	40	
61	5.51	5.549	40	
62	5.51	5.63	40	
63	5.51	5.46	40	
64	5.51	5.66	40	
65	5.51	5.558	40	
66	5.51	5.589	40	
67	5.51	5.652	40	
68	5.51	5.718	40	
69	5.51	5.4	40	
70	5.51	5.391	40	
71	5.51	5.672	40	
72	5.51	5.31	40	
73	5.51	5.627	40	
74	5.51	5.347	40	
75	5.51	5.474	40	
76	5.51	5.644	40	
77	5.51	5.681	40	
78	5.51	5.614	40	
79	5.51	5.37	40	
80	5.51	5.369	40	
81	5.51	5.342	40	
82	5.51	5.493	40	*
83	5.51	5.345	40	
84	5.51	5.457	40	
85	5.51	5.447	40	
86	5.51	5.344	40	
87	5.51	5.297	40	
88	5.51	5.547	40	
89	5.51	5.27	40	
90	5.51	5.326	40	
91	5.51	5.669	40	
92	5.51	5.299	40	
93	5.51	5.482	40	
94	5.51	5.251	40	
95	5.51	5.314	40	
96	5.51	5.316	40	
97	5.51	5.675	40	
98	5.51	5.53	40	*
99	5.51	5.376	40	
100	5.51	5.517	40	*

TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.283	40	
2	5.51	5.675	40	
3	5.51	5.723	40	
4	5.51	5.434	40	
5	5.51	5.622	40	
6	5.51	5.35	40	
7	5.51	5.681	40	
8	5.51	5.435	40	
9	5.51	5.614	40	
10	5.51	5.447	40	
11	5.51	5.386	40	
12	5.51	5.684	40	
13	5.51	5.619	40	
14	5.51	5.452	40	
15	5.51	5.541	40	
16	5.51	5.601	40	
17	5.51	5.365	40	
18	5.51	5.665	40	
19	5.51	5.3	40	
20	5.51	5.354	40	
21	5.51	5.543	40	
22	5.51	5.563	40	
23	5.51	5.264	40	
24	5.51	5.649	40	
25	5.51	5.509	40	*
26	5.51	5.488	40	
27	5.51	5.553	40	
28	5.51	5.304	40	
29	5.51	5.546	40	
30	5.51	5.715	40	
31	5.51	5.698	40	
32	5.51	5.689	40	
33	5.51	5.367	40	
34	5.51	5.336	40	
35	5.51	5.318	40	
36	5.51	5.68	40	
37	5.51	5.311	40	
38	5.51	5.638	40	
39	5.51	5.374	40	
40	5.51	5.425	40	
41	5.51	5.445	40	
42	5.51	5.493	40	*
43	5.51	5.424	40	
44	5.51	5.685	40	
45	5.51	5.432	40	
46	5.51	5.408	40	
47	5.51	5.5	40	*
48	5.51	5.399	40	
49	5.51	5.564	40	

50	5.51	5.663	40	
51	5.51	5.548	40	
52	5.51	5.525	40	*
53	5.51	5.533	40	
54	5.51	5.47	40	
55	5.51	5.679	40	
56	5.51	5.641	40	
57	5.51	5.265	40	
58	5.51	5.603	40	
59	5.51	5.536	40	
60	5.51	5.486	40	
61	5.51	5.4	40	
62	5.51	5.422	40	
63	5.51	5.636	40	
64	5.51	5.551	40	
65	5.51	5.653	40	
66	5.51	5.298	40	
67	5.51	5.428	40	
68	5.51	5.392	40	
69	5.51	5.333	40	
70	5.51	5.42	40	
71	5.51	5.402	40	
72	5.51	5.538	40	
73	5.51	5.64	40	
74	5.51	5.567	40	
75	5.51	5.36	40	
76	5.51	5.669	40	
77	5.51	5.57	40	
78	5.51	5.642	40	
79	5.51	5.416	40	
80	5.51	5.709	40	
81	5.51	5.262	40	
82	5.51	5.324	40	
83	5.51	5.388	40	
84	5.51	5.31	40	
85	5.51	5.514	40	*
86	5.51	5.635	40	
87	5.51	5.369	40	
88	5.51	5.287	40	
89	5.51	5.598	40	
90	5.51	5.353	40	
91	5.51	5.322	40	
92	5.51	5.436	40	
93	5.51	5.695	40	
94	5.51	5.618	40	
95	5.51	5.446	40	
96	5.51	5.664	40	
97	5.51	5.624	40	
98	5.51	5.398	40	
99	5.51	5.703	40	
100	5.51	5.724	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.543	40	
2	5.51	5.672	40	
3	5.51	5.502	40	*
4	5.51	5.497	40	*
5	5.51	5.443	40	
6	5.51	5.704	40	
7	5.51	5.365	40	
8	5.51	5.722	40	
9	5.51	5.437	40	
10	5.51	5.417	40	
11	5.51	5.72	40	
12	5.51	5.304	40	
13	5.51	5.591	40	
14	5.51	5.251	40	
15	5.51	5.69	40	
16	5.51	5.383	40	
17	5.51	5.536	40	
18	5.51	5.643	40	
19	5.51	5.484	40	
20	5.51	5.366	40	
21	5.51	5.423	40	
22	5.51	5.324	40	
23	5.51	5.658	40	
24	5.51	5.625	40	
25	5.51	5.616	40	
26	5.51	5.422	40	
27	5.51	5.559	40	
28	5.51	5.262	40	
29	5.51	5.578	40	
30	5.51	5.677	40	
31	5.51	5.604	40	
32	5.51	5.538	40	
33	5.51	5.465	40	
34	5.51	5.594	40	
35	5.51	5.32	40	
36	5.51	5.547	40	
37	5.51	5.419	40	
38	5.51	5.34	40	
39	5.51	5.373	40	
40	5.51	5.284	40	
41	5.51	5.641	40	
42	5.51	5.407	40	
43	5.51	5.29	40	
44	5.51	5.571	40	
45	5.51	5.271	40	
46	5.51	5.308	40	
47	5.51	5.663	40	
48	5.51	5.328	40	
49	5.51	5.27	40	

50	5.51	5.343	40	
51	5.51	5.439	40	
52	5.51	5.442	40	
53	5.51	5.289	40	
54	5.51	5.476	40	
55	5.51	5.397	40	
56	5.51	5.473	40	
57	5.51	5.268	40	
58	5.51	5.514	40	*
59	5.51	5.381	40	
60	5.51	5.462	40	
61	5.51	5.719	40	
62	5.51	5.39	40	
63	5.51	5.333	40	
64	5.51	5.701	40	
65	5.51	5.315	40	
66	5.51	5.631	40	
67	5.51	5.282	40	
68	5.51	5.369	40	
69	5.51	5.589	40	
70	5.51	5.434	40	
71	5.51	5.31	40	
72	5.51	5.485	40	
73	5.51	5.695	40	
74	5.51	5.5	40	*
75	5.51	5.639	40	
76	5.51	5.375	40	
77	5.51	5.386	40	
78	5.51	5.504	40	*
79	5.51	5.524	40	*
80	5.51	5.253	40	
81	5.51	5.435	40	
82	5.51	5.378	40	
83	5.51	5.306	40	
84	5.51	5.362	40	
85	5.51	5.301	40	
86	5.51	5.498	40	*
87	5.51	5.256	40	
88	5.51	5.433	40	
89	5.51	5.539	40	
90	5.51	5.552	40	
91	5.51	5.376	40	
92	5.51	5.273	40	
93	5.51	5.57	40	
94	5.51	5.316	40	
95	5.51	5.691	40	
96	5.51	5.313	40	
97	5.51	5.287	40	
98	5.51	5.425	40	
99	5.51	5.466	40	
100	5.51	5.444	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.432	40	
2	5.51	5.597	40	
3	5.51	5.568	40	
4	5.51	5.269	40	
5	5.51	5.331	40	
6	5.51	5.623	40	
7	5.51	5.342	40	
8	5.51	5.285	40	
9	5.51	5.304	40	
10	5.51	5.678	40	
11	5.51	5.712	40	
12	5.51	5.446	40	
13	5.51	5.695	40	
14	5.51	5.259	40	
15	5.51	5.604	40	
16	5.51	5.322	40	
17	5.51	5.599	40	
18	5.51	5.703	40	
19	5.51	5.46	40	
20	5.51	5.388	40	
21	5.51	5.441	40	
22	5.51	5.553	40	
23	5.51	5.352	40	
24	5.51	5.531	40	
25	5.51	5.683	40	
26	5.51	5.656	40	
27	5.51	5.613	40	
28	5.51	5.377	40	
29	5.51	5.271	40	
30	5.51	5.361	40	
31	5.51	5.612	40	
32	5.51	5.284	40	
33	5.51	5.701	40	
34	5.51	5.326	40	
35	5.51	5.302	40	
36	5.51	5.537	40	
37	5.51	5.506	40	*
38	5.51	5.705	40	
39	5.51	5.308	40	
40	5.51	5.64	40	
41	5.51	5.675	40	
42	5.51	5.534	40	
43	5.51	5.328	40	
44	5.51	5.584	40	
45	5.51	5.706	40	
46	5.51	5.35	40	
47	5.51	5.44	40	
48	5.51	5.494	40	*
49	5.51	5.619	40	

50	5.51	5.562	40	
51	5.51	5.345	40	
52	5.51	5.713	40	
53	5.51	5.651	40	
54	5.51	5.661	40	
55	5.51	5.252	40	
56	5.51	5.394	40	
57	5.51	5.443	40	
58	5.51	5.467	40	
59	5.51	5.458	40	
60	5.51	5.275	40	
61	5.51	5.298	40	
62	5.51	5.451	40	
63	5.51	5.658	40	
64	5.51	5.53	40	*
65	5.51	5.433	40	
66	5.51	5.318	40	
67	5.51	5.337	40	
68	5.51	5.334	40	
69	5.51	5.504	40	*
70	5.51	5.427	40	
71	5.51	5.339	40	
72	5.51	5.69	40	
73	5.51	5.32	40	
74	5.51	5.389	40	
75	5.51	5.297	40	
76	5.51	5.376	40	
77	5.51	5.523	40	*
78	5.51	5.469	40	
79	5.51	5.549	40	
80	5.51	5.281	40	
81	5.51	5.516	40	*
82	5.51	5.55	40	
83	5.51	5.635	40	
84	5.51	5.639	40	
85	5.51	5.305	40	
86	5.51	5.28	40	
87	5.51	5.462	40	
88	5.51	5.601	40	
89	5.51	5.638	40	
90	5.51	5.276	40	
91	5.51	5.699	40	
92	5.51	5.663	40	
93	5.51	5.264	40	
94	5.51	5.508	40	*
95	5.51	5.668	40	
96	5.51	5.507	40	*
97	5.51	5.335	40	
98	5.51	5.256	40	
99	5.51	5.343	40	
100	5.51	5.317	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.643	40	
2	5.51	5.649	40	
3	5.51	5.679	40	
4	5.51	5.28	40	
5	5.51	5.672	40	
6	5.51	5.253	40	
7	5.51	5.618	40	
8	5.51	5.429	40	
9	5.51	5.561	40	
10	5.51	5.554	40	
11	5.51	5.495	40	*
12	5.51	5.712	40	
13	5.51	5.337	40	
14	5.51	5.417	40	
15	5.51	5.299	40	
16	5.51	5.64	40	
17	5.51	5.482	40	
18	5.51	5.692	40	
19	5.51	5.617	40	
20	5.51	5.699	40	
21	5.51	5.52	40	*
22	5.51	5.615	40	
23	5.51	5.348	40	
24	5.51	5.673	40	
25	5.51	5.628	40	
26	5.51	5.339	40	
27	5.51	5.493	40	*
28	5.51	5.431	40	
29	5.51	5.635	40	
30	5.51	5.506	40	*
31	5.51	5.295	40	
32	5.51	5.484	40	
33	5.51	5.494	40	*
34	5.51	5.458	40	
35	5.51	5.29	40	
36	5.51	5.308	40	
37	5.51	5.252	40	
38	5.51	5.424	40	
39	5.51	5.531	40	
40	5.51	5.453	40	
41	5.51	5.675	40	
42	5.51	5.473	40	
43	5.51	5.544	40	
44	5.51	5.49	40	*
45	5.51	5.492	40	*
46	5.51	5.551	40	
47	5.51	5.441	40	
48	5.51	5.654	40	
49	5.51	5.566	40	

50	5.51	5.426	40	
51	5.51	5.508	40	*
52	5.51	5.724	40	
53	5.51	5.529	40	*
54	5.51	5.575	40	
55	5.51	5.34	40	
56	5.51	5.683	40	
57	5.51	5.548	40	
58	5.51	5.386	40	
59	5.51	5.667	40	
60	5.51	5.652	40	
61	5.51	5.682	40	
62	5.51	5.581	40	
63	5.51	5.563	40	
64	5.51	5.452	40	
65	5.51	5.512	40	*
66	5.51	5.283	40	
67	5.51	5.465	40	
68	5.51	5.392	40	
69	5.51	5.423	40	
70	5.51	5.68	40	
71	5.51	5.262	40	
72	5.51	5.435	40	
73	5.51	5.701	40	
74	5.51	5.421	40	
75	5.51	5.334	40	
76	5.51	5.697	40	
77	5.51	5.257	40	
78	5.51	5.704	40	
79	5.51	5.258	40	
80	5.51	5.609	40	
81	5.51	5.394	40	
82	5.51	5.466	40	
83	5.51	5.376	40	
84	5.51	5.26	40	
85	5.51	5.527	40	*
86	5.51	5.585	40	
87	5.51	5.714	40	
88	5.51	5.319	40	
89	5.51	5.69	40	
90	5.51	5.398	40	
91	5.51	5.393	40	
92	5.51	5.474	40	
93	5.51	5.43	40	
94	5.51	5.298	40	
95	5.51	5.475	40	
96	5.51	5.721	40	
97	5.51	5.352	40	
98	5.51	5.636	40	
99	5.51	5.272	40	
100	5.51	5.38	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.723	40	
2	5.51	5.293	40	
3	5.51	5.384	40	
4	5.51	5.639	40	
5	5.51	5.546	40	
6	5.51	5.366	40	
7	5.51	5.479	40	
8	5.51	5.635	40	
9	5.51	5.442	40	
10	5.51	5.398	40	
11	5.51	5.607	40	
12	5.51	5.581	40	
13	5.51	5.516	40	*
14	5.51	5.348	40	
15	5.51	5.602	40	
16	5.51	5.322	40	
17	5.51	5.675	40	
18	5.51	5.524	40	*
19	5.51	5.561	40	
20	5.51	5.377	40	
21	5.51	5.332	40	
22	5.51	5.681	40	
23	5.51	5.431	40	
24	5.51	5.313	40	
25	5.51	5.419	40	
26	5.51	5.507	40	*
27	5.51	5.665	40	
28	5.51	5.303	40	
29	5.51	5.413	40	
30	5.51	5.521	40	*
31	5.51	5.458	40	
32	5.51	5.276	40	
33	5.51	5.41	40	
34	5.51	5.394	40	
35	5.51	5.705	40	
36	5.51	5.553	40	
37	5.51	5.344	40	
38	5.51	5.495	40	*
39	5.51	5.494	40	*
40	5.51	5.336	40	
41	5.51	5.396	40	
42	5.51	5.563	40	
43	5.51	5.422	40	
44	5.51	5.399	40	
45	5.51	5.294	40	
46	5.51	5.688	40	
47	5.51	5.566	40	
48	5.51	5.715	40	
49	5.51	5.327	40	

50	5.51	5.65	40	
51	5.51	5.582	40	
52	5.51	5.27	40	
53	5.51	5.654	40	
54	5.51	5.425	40	
55	5.51	5.341	40	
56	5.51	5.703	40	
57	5.51	5.557	40	
58	5.51	5.558	40	
59	5.51	5.282	40	
60	5.51	5.67	40	
61	5.51	5.69	40	
62	5.51	5.314	40	
63	5.51	5.601	40	
64	5.51	5.578	40	
65	5.51	5.271	40	
66	5.51	5.331	40	
67	5.51	5.454	40	
68	5.51	5.608	40	
69	5.51	5.267	40	
70	5.51	5.666	40	
71	5.51	5.535	40	
72	5.51	5.588	40	
73	5.51	5.697	40	
74	5.51	5.683	40	
75	5.51	5.699	40	
76	5.51	5.512	40	*
77	5.51	5.407	40	
78	5.51	5.722	40	
79	5.51	5.334	40	
80	5.51	5.304	40	
81	5.51	5.483	40	
82	5.51	5.323	40	
83	5.51	5.487	40	
84	5.51	5.508	40	*
85	5.51	5.592	40	
86	5.51	5.606	40	
87	5.51	5.445	40	
88	5.51	5.312	40	
89	5.51	5.352	40	
90	5.51	5.702	40	
91	5.51	5.464	40	
92	5.51	5.709	40	
93	5.51	5.318	40	
94	5.51	5.659	40	
95	5.51	5.543	40	
96	5.51	5.614	40	
97	5.51	5.51	40	*
98	5.51	5.491	40	*
99	5.51	5.622	40	
100	5.51	5.539	40	

TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.308	40	
2	5.51	5.46	40	
3	5.51	5.71	40	
4	5.51	5.597	40	
5	5.51	5.276	40	
6	5.51	5.251	40	
7	5.51	5.357	40	
8	5.51	5.667	40	
9	5.51	5.6	40	
10	5.51	5.721	40	
11	5.51	5.702	40	
12	5.51	5.545	40	
13	5.51	5.437	40	
14	5.51	5.36	40	
15	5.51	5.66	40	
16	5.51	5.482	40	
17	5.51	5.362	40	
18	5.51	5.47	40	
19	5.51	5.679	40	
20	5.51	5.649	40	
21	5.51	5.445	40	
22	5.51	5.615	40	
23	5.51	5.464	40	
24	5.51	5.632	40	
25	5.51	5.401	40	
26	5.51	5.301	40	
27	5.51	5.53	40	*
28	5.51	5.512	40	*
29	5.51	5.31	40	
30	5.51	5.405	40	
31	5.51	5.616	40	
32	5.51	5.312	40	
33	5.51	5.321	40	
34	5.51	5.271	40	
35	5.51	5.695	40	
36	5.51	5.714	40	
37	5.51	5.496	40	*
38	5.51	5.723	40	
39	5.51	5.485	40	
40	5.51	5.628	40	
41	5.51	5.653	40	
42	5.51	5.525	40	*
43	5.51	5.603	40	
44	5.51	5.562	40	
45	5.51	5.607	40	
46	5.51	5.576	40	
47	5.51	5.602	40	
48	5.51	5.288	40	
49	5.51	5.513	40	*

50	5.51	5.627	40	
51	5.51	5.491	40	*
52	5.51	5.444	40	
53	5.51	5.341	40	
54	5.51	5.657	40	
55	5.51	5.39	40	
56	5.51	5.342	40	
57	5.51	5.672	40	
58	5.51	5.349	40	
59	5.51	5.515	40	*
60	5.51	5.533	40	
61	5.51	5.311	40	
62	5.51	5.671	40	
63	5.51	5.375	40	
64	5.51	5.331	40	
65	5.51	5.287	40	
66	5.51	5.564	40	
67	5.51	5.471	40	
68	5.51	5.315	40	
69	5.51	5.426	40	
70	5.51	5.277	40	
71	5.51	5.477	40	
72	5.51	5.258	40	
73	5.51	5.307	40	
74	5.51	5.528	40	*
75	5.51	5.443	40	
76	5.51	5.633	40	
77	5.51	5.329	40	
78	5.51	5.298	40	
79	5.51	5.279	40	
80	5.51	5.683	40	
81	5.51	5.29	40	
82	5.51	5.459	40	
83	5.51	5.487	40	
84	5.51	5.7	40	
85	5.51	5.299	40	
86	5.51	5.274	40	
87	5.51	5.324	40	
88	5.51	5.553	40	
89	5.51	5.475	40	
90	5.51	5.481	40	
91	5.51	5.361	40	
92	5.51	5.278	40	
93	5.51	5.427	40	
94	5.51	5.651	40	
95	5.51	5.38	40	
96	5.51	5.624	40	
97	5.51	5.359	40	
98	5.51	5.709	40	
99	5.51	5.305	40	
100	5.51	5.261	40	

802.11ac (VHT80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.529	80	
2	5.29	5.422	80	
3	5.29	5.523	80	
4	5.29	5.326	80	*
5	5.29	5.441	80	
6	5.29	5.418	80	
7	5.29	5.454	80	
8	5.29	5.387	80	
9	5.29	5.295	80	*
10	5.29	5.386	80	
11	5.29	5.379	80	
12	5.29	5.443	80	
13	5.29	5.681	80	
14	5.29	5.427	80	
15	5.29	5.54	80	
16	5.29	5.59	80	
17	5.29	5.645	80	
18	5.29	5.628	80	
19	5.29	5.29	80	*
20	5.29	5.548	80	
21	5.29	5.622	80	
22	5.29	5.683	80	
23	5.29	5.525	80	
24	5.29	5.654	80	
25	5.29	5.428	80	
26	5.29	5.256	80	*
27	5.29	5.429	80	
28	5.29	5.298	80	*
29	5.29	5.709	80	
30	5.29	5.689	80	
31	5.29	5.417	80	
32	5.29	5.348	80	
33	5.29	5.632	80	
34	5.29	5.673	80	
35	5.29	5.485	80	
36	5.29	5.546	80	
37	5.29	5.692	80	
38	5.29	5.357	80	
39	5.29	5.564	80	
40	5.29	5.293	80	*
41	5.29	5.277	80	*
42	5.29	5.4	80	
43	5.29	5.556	80	
44	5.29	5.581	80	
45	5.29	5.491	80	
46	5.29	5.614	80	
47	5.29	5.668	80	

48	5.29	5.483	80	
49	5.29	5.5	80	
50	5.29	5.36	80	
51	5.29	5.356	80	
52	5.29	5.396	80	
53	5.29	5.478	80	
54	5.29	5.534	80	
55	5.29	5.373	80	
56	5.29	5.497	80	
57	5.29	5.538	80	
58	5.29	5.711	80	
59	5.29	5.419	80	
60	5.29	5.455	80	
61	5.29	5.437	80	
62	5.29	5.251	80	*
63	5.29	5.481	80	
64	5.29	5.267	80	*
65	5.29	5.67	80	
66	5.29	5.69	80	
67	5.29	5.331	80	
68	5.29	5.281	80	*
69	5.29	5.307	80	*
70	5.29	5.662	80	
71	5.29	5.482	80	
72	5.29	5.335	80	
73	5.29	5.3	80	*
74	5.29	5.462	80	
75	5.29	5.667	80	
76	5.29	5.494	80	
77	5.29	5.684	80	
78	5.29	5.314	80	*
79	5.29	5.333	80	
80	5.29	5.682	80	
81	5.29	5.578	80	
82	5.29	5.708	80	
83	5.29	5.35	80	
84	5.29	5.433	80	
85	5.29	5.669	80	
86	5.29	5.488	80	
87	5.29	5.264	80	*
88	5.29	5.712	80	
89	5.29	5.719	80	
90	5.29	5.616	80	
91	5.29	5.721	80	
92	5.29	5.334	80	
93	5.29	5.679	80	
94	5.29	5.371	80	
95	5.29	5.537	80	
96	5.29	5.278	80	*
97	5.29	5.652	80	
98	5.29	5.272	80	*
99	5.29	5.515	80	
100	5.29	5.31	80	*

TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.335	80	
2	5.29	5.392	80	
3	5.29	5.263	80	*
4	5.29	5.611	80	
5	5.29	5.318	80	*
6	5.29	5.256	80	*
7	5.29	5.625	80	
8	5.29	5.285	80	*
9	5.29	5.289	80	*
10	5.29	5.353	80	
11	5.29	5.51	80	
12	5.29	5.671	80	
13	5.29	5.267	80	*
14	5.29	5.257	80	*
15	5.29	5.502	80	
16	5.29	5.255	80	*
17	5.29	5.295	80	*
18	5.29	5.658	80	
19	5.29	5.489	80	
20	5.29	5.411	80	
21	5.29	5.655	80	
22	5.29	5.361	80	
23	5.29	5.423	80	
24	5.29	5.437	80	
25	5.29	5.53	80	
26	5.29	5.598	80	
27	5.29	5.534	80	
28	5.29	5.549	80	
29	5.29	5.393	80	
30	5.29	5.378	80	
31	5.29	5.461	80	
32	5.29	5.457	80	
33	5.29	5.522	80	
34	5.29	5.656	80	
35	5.29	5.593	80	
36	5.29	5.32	80	*
37	5.29	5.359	80	
38	5.29	5.43	80	
39	5.29	5.415	80	
40	5.29	5.659	80	
41	5.29	5.595	80	
42	5.29	5.694	80	
43	5.29	5.702	80	
44	5.29	5.509	80	
45	5.29	5.707	80	
46	5.29	5.278	80	*
47	5.29	5.372	80	
48	5.29	5.588	80	
49	5.29	5.59	80	

50	5.29	5.292	80	*
51	5.29	5.585	80	
52	5.29	5.527	80	
53	5.29	5.721	80	
54	5.29	5.668	80	
55	5.29	5.433	80	
56	5.29	5.646	80	
57	5.29	5.66	80	
58	5.29	5.553	80	
59	5.29	5.375	80	
60	5.29	5.554	80	
61	5.29	5.436	80	
62	5.29	5.696	80	
63	5.29	5.703	80	
64	5.29	5.439	80	
65	5.29	5.334	80	
66	5.29	5.526	80	
67	5.29	5.628	80	
68	5.29	5.661	80	
69	5.29	5.407	80	
70	5.29	5.403	80	
71	5.29	5.626	80	
72	5.29	5.612	80	
73	5.29	5.562	80	
74	5.29	5.387	80	
75	5.29	5.651	80	
76	5.29	5.297	80	*
77	5.29	5.682	80	
78	5.29	5.716	80	
79	5.29	5.418	80	
80	5.29	5.501	80	
81	5.29	5.508	80	
82	5.29	5.582	80	
83	5.29	5.379	80	
84	5.29	5.451	80	
85	5.29	5.486	80	
86	5.29	5.692	80	
87	5.29	5.67	80	
88	5.29	5.513	80	
89	5.29	5.567	80	
90	5.29	5.596	80	
91	5.29	5.262	80	*
92	5.29	5.524	80	
93	5.29	5.561	80	
94	5.29	5.615	80	
95	5.29	5.313	80	*
96	5.29	5.422	80	
97	5.29	5.324	80	*
98	5.29	5.394	80	
99	5.29	5.279	80	*
100	5.29	5.569	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.478	80	
2	5.29	5.71	80	
3	5.29	5.498	80	
4	5.29	5.41	80	
5	5.29	5.723	80	
6	5.29	5.594	80	
7	5.29	5.282	80	*
8	5.29	5.553	80	
9	5.29	5.473	80	
10	5.29	5.255	80	*
11	5.29	5.512	80	
12	5.29	5.685	80	
13	5.29	5.303	80	*
14	5.29	5.388	80	
15	5.29	5.662	80	
16	5.29	5.431	80	
17	5.29	5.261	80	*
18	5.29	5.537	80	
19	5.29	5.295	80	*
20	5.29	5.453	80	
21	5.29	5.404	80	
22	5.29	5.563	80	
23	5.29	5.402	80	
24	5.29	5.467	80	
25	5.29	5.45	80	
26	5.29	5.457	80	
27	5.29	5.338	80	
28	5.29	5.613	80	
29	5.29	5.276	80	*
30	5.29	5.605	80	
31	5.29	5.549	80	
32	5.29	5.285	80	*
33	5.29	5.374	80	
34	5.29	5.484	80	
35	5.29	5.564	80	
36	5.29	5.336	80	
37	5.29	5.493	80	
38	5.29	5.485	80	
39	5.29	5.587	80	
40	5.29	5.384	80	
41	5.29	5.506	80	
42	5.29	5.47	80	
43	5.29	5.72	80	
44	5.29	5.436	80	
45	5.29	5.545	80	
46	5.29	5.638	80	
47	5.29	5.409	80	
48	5.29	5.599	80	
49	5.29	5.347	80	

50	5.29	5.621	80	
51	5.29	5.659	80	
52	5.29	5.548	80	
53	5.29	5.505	80	
54	5.29	5.371	80	
55	5.29	5.408	80	
56	5.29	5.496	80	
57	5.29	5.297	80	*
58	5.29	5.38	80	
59	5.29	5.567	80	
60	5.29	5.332	80	
61	5.29	5.314	80	*
62	5.29	5.572	80	
63	5.29	5.538	80	
64	5.29	5.528	80	
65	5.29	5.614	80	
66	5.29	5.349	80	
67	5.29	5.596	80	
68	5.29	5.609	80	
69	5.29	5.571	80	
70	5.29	5.654	80	
71	5.29	5.458	80	
72	5.29	5.267	80	*
73	5.29	5.362	80	
74	5.29	5.288	80	*
75	5.29	5.422	80	
76	5.29	5.264	80	*
77	5.29	5.403	80	
78	5.29	5.681	80	
79	5.29	5.258	80	*
80	5.29	5.711	80	
81	5.29	5.715	80	
82	5.29	5.446	80	
83	5.29	5.568	80	
84	5.29	5.401	80	
85	5.29	5.683	80	
86	5.29	5.292	80	*
87	5.29	5.361	80	
88	5.29	5.425	80	
89	5.29	5.566	80	
90	5.29	5.713	80	
91	5.29	5.395	80	
92	5.29	5.265	80	*
93	5.29	5.339	80	
94	5.29	5.623	80	
95	5.29	5.706	80	
96	5.29	5.66	80	
97	5.29	5.343	80	
98	5.29	5.368	80	
99	5.29	5.346	80	
100	5.29	5.373	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.302	80	*
2	5.29	5.283	80	*
3	5.29	5.542	80	
4	5.29	5.561	80	
5	5.29	5.266	80	*
6	5.29	5.538	80	
7	5.29	5.293	80	*
8	5.29	5.48	80	
9	5.29	5.624	80	
10	5.29	5.285	80	*
11	5.29	5.655	80	
12	5.29	5.463	80	
13	5.29	5.711	80	
14	5.29	5.692	80	
15	5.29	5.536	80	
16	5.29	5.448	80	
17	5.29	5.281	80	*
18	5.29	5.445	80	
19	5.29	5.352	80	
20	5.29	5.518	80	
21	5.29	5.552	80	
22	5.29	5.453	80	
23	5.29	5.533	80	
24	5.29	5.716	80	
25	5.29	5.462	80	
26	5.29	5.645	80	
27	5.29	5.598	80	
28	5.29	5.503	80	
29	5.29	5.371	80	
30	5.29	5.347	80	
31	5.29	5.345	80	
32	5.29	5.469	80	
33	5.29	5.467	80	
34	5.29	5.507	80	
35	5.29	5.525	80	
36	5.29	5.723	80	
37	5.29	5.517	80	
38	5.29	5.404	80	
39	5.29	5.632	80	
40	5.29	5.339	80	
41	5.29	5.437	80	
42	5.29	5.274	80	*
43	5.29	5.39	80	
44	5.29	5.338	80	
45	5.29	5.444	80	
46	5.29	5.47	80	
47	5.29	5.29	80	*
48	5.29	5.356	80	
49	5.29	5.395	80	

50	5.29	5.487	80	
51	5.29	5.665	80	
52	5.29	5.521	80	
53	5.29	5.4	80	
54	5.29	5.571	80	
55	5.29	5.602	80	
56	5.29	5.564	80	
57	5.29	5.66	80	
58	5.29	5.535	80	
59	5.29	5.669	80	
60	5.29	5.6	80	
61	5.29	5.631	80	
62	5.29	5.59	80	
63	5.29	5.435	80	
64	5.29	5.587	80	
65	5.29	5.688	80	
66	5.29	5.491	80	
67	5.29	5.479	80	
68	5.29	5.72	80	
69	5.29	5.332	80	
70	5.29	5.668	80	
71	5.29	5.328	80	*
72	5.29	5.622	80	
73	5.29	5.666	80	
74	5.29	5.537	80	
75	5.29	5.568	80	
76	5.29	5.253	80	*
77	5.29	5.555	80	
78	5.29	5.45	80	
79	5.29	5.654	80	
80	5.29	5.26	80	*
81	5.29	5.522	80	
82	5.29	5.28	80	*
83	5.29	5.465	80	
84	5.29	5.581	80	
85	5.29	5.363	80	
86	5.29	5.397	80	
87	5.29	5.715	80	
88	5.29	5.449	80	
89	5.29	5.671	80	
90	5.29	5.476	80	
91	5.29	5.677	80	
92	5.29	5.306	80	*
93	5.29	5.637	80	
94	5.29	5.514	80	
95	5.29	5.574	80	
96	5.29	5.592	80	
97	5.29	5.588	80	
98	5.29	5.354	80	
99	5.29	5.256	80	*
100	5.29	5.683	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.477	80	
2	5.29	5.276	80	*
3	5.29	5.465	80	
4	5.29	5.273	80	*
5	5.29	5.33	80	*
6	5.29	5.523	80	
7	5.29	5.281	80	*
8	5.29	5.678	80	
9	5.29	5.561	80	
10	5.29	5.31	80	*
11	5.29	5.385	80	
12	5.29	5.405	80	
13	5.29	5.587	80	
14	5.29	5.659	80	
15	5.29	5.573	80	
16	5.29	5.639	80	
17	5.29	5.334	80	
18	5.29	5.65	80	
19	5.29	5.662	80	
20	5.29	5.268	80	*
21	5.29	5.54	80	
22	5.29	5.272	80	*
23	5.29	5.543	80	
24	5.29	5.63	80	
25	5.29	5.512	80	
26	5.29	5.424	80	
27	5.29	5.613	80	
28	5.29	5.469	80	
29	5.29	5.283	80	*
30	5.29	5.565	80	
31	5.29	5.548	80	
32	5.29	5.451	80	
33	5.29	5.569	80	
34	5.29	5.316	80	*
35	5.29	5.675	80	
36	5.29	5.508	80	
37	5.29	5.434	80	
38	5.29	5.707	80	
39	5.29	5.305	80	*
40	5.29	5.361	80	
41	5.29	5.433	80	
42	5.29	5.668	80	
43	5.29	5.427	80	
44	5.29	5.608	80	
45	5.29	5.542	80	
46	5.29	5.383	80	
47	5.29	5.417	80	
48	5.29	5.39	80	
49	5.29	5.555	80	

50	5.29	5.724	80	
51	5.29	5.298	80	*
52	5.29	5.619	80	
53	5.29	5.351	80	
54	5.29	5.328	80	*
55	5.29	5.409	80	
56	5.29	5.296	80	*
57	5.29	5.597	80	
58	5.29	5.507	80	
59	5.29	5.352	80	
60	5.29	5.705	80	
61	5.29	5.621	80	
62	5.29	5.687	80	
63	5.29	5.624	80	
64	5.29	5.684	80	
65	5.29	5.402	80	
66	5.29	5.446	80	
67	5.29	5.52	80	
68	5.29	5.563	80	
69	5.29	5.438	80	
70	5.29	5.48	80	
71	5.29	5.46	80	
72	5.29	5.387	80	
73	5.29	5.318	80	*
74	5.29	5.615	80	
75	5.29	5.28	80	*
76	5.29	5.574	80	
77	5.29	5.545	80	
78	5.29	5.32	80	*
79	5.29	5.34	80	
80	5.29	5.468	80	
81	5.29	5.353	80	
82	5.29	5.704	80	
83	5.29	5.256	80	*
84	5.29	5.259	80	*
85	5.29	5.64	80	
86	5.29	5.459	80	
87	5.29	5.274	80	*
88	5.29	5.35	80	
89	5.29	5.603	80	
90	5.29	5.386	80	
91	5.29	5.367	80	
92	5.29	5.51	80	
93	5.29	5.546	80	
94	5.29	5.344	80	
95	5.29	5.671	80	
96	5.29	5.378	80	
97	5.29	5.686	80	
98	5.29	5.41	80	
99	5.29	5.711	80	
100	5.29	5.56	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.316	80	*
2	5.29	5.512	80	
3	5.29	5.392	80	
4	5.29	5.559	80	
5	5.29	5.541	80	
6	5.29	5.259	80	*
7	5.29	5.602	80	
8	5.29	5.381	80	
9	5.29	5.724	80	
10	5.29	5.657	80	
11	5.29	5.662	80	
12	5.29	5.538	80	
13	5.29	5.47	80	
14	5.29	5.553	80	
15	5.29	5.43	80	
16	5.29	5.473	80	
17	5.29	5.347	80	
18	5.29	5.367	80	
19	5.29	5.251	80	*
20	5.29	5.489	80	
21	5.29	5.624	80	
22	5.29	5.327	80	*
23	5.29	5.412	80	
24	5.29	5.329	80	*
25	5.29	5.622	80	
26	5.29	5.361	80	
27	5.29	5.422	80	
28	5.29	5.404	80	
29	5.29	5.446	80	
30	5.29	5.569	80	
31	5.29	5.479	80	
32	5.29	5.432	80	
33	5.29	5.393	80	
34	5.29	5.398	80	
35	5.29	5.682	80	
36	5.29	5.488	80	
37	5.29	5.543	80	
38	5.29	5.433	80	
39	5.29	5.651	80	
40	5.29	5.273	80	*
41	5.29	5.349	80	
42	5.29	5.267	80	*
43	5.29	5.619	80	
44	5.29	5.374	80	
45	5.29	5.66	80	
46	5.29	5.631	80	
47	5.29	5.309	80	*
48	5.29	5.71	80	
49	5.29	5.594	80	

50	5.29	5.38	80	
51	5.29	5.703	80	
52	5.29	5.669	80	
53	5.29	5.434	80	
54	5.29	5.581	80	
55	5.29	5.655	80	
56	5.29	5.263	80	*
57	5.29	5.36	80	
58	5.29	5.455	80	
59	5.29	5.297	80	*
60	5.29	5.29	80	*
61	5.29	5.659	80	
62	5.29	5.59	80	
63	5.29	5.526	80	
64	5.29	5.518	80	
65	5.29	5.301	80	*
66	5.29	5.707	80	
67	5.29	5.639	80	
68	5.29	5.69	80	
69	5.29	5.509	80	
70	5.29	5.597	80	
71	5.29	5.483	80	
72	5.29	5.49	80	
73	5.29	5.464	80	
74	5.29	5.448	80	
75	5.29	5.352	80	
76	5.29	5.688	80	
77	5.29	5.265	80	*
78	5.29	5.685	80	
79	5.29	5.397	80	
80	5.29	5.346	80	
81	5.29	5.705	80	
82	5.29	5.426	80	
83	5.29	5.701	80	
84	5.29	5.709	80	
85	5.29	5.578	80	
86	5.29	5.293	80	*
87	5.29	5.5	80	
88	5.29	5.501	80	
89	5.29	5.375	80	
90	5.29	5.637	80	
91	5.29	5.435	80	
92	5.29	5.454	80	
93	5.29	5.272	80	*
94	5.29	5.704	80	
95	5.29	5.719	80	
96	5.29	5.723	80	
97	5.29	5.531	80	
98	5.29	5.519	80	
99	5.29	5.643	80	
100	5.29	5.718	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.595	80	
2	5.29	5.344	80	
3	5.29	5.363	80	
4	5.29	5.328	80	*
5	5.29	5.575	80	
6	5.29	5.371	80	
7	5.29	5.378	80	
8	5.29	5.623	80	
9	5.29	5.276	80	*
10	5.29	5.318	80	*
11	5.29	5.404	80	
12	5.29	5.399	80	
13	5.29	5.407	80	
14	5.29	5.635	80	
15	5.29	5.479	80	
16	5.29	5.434	80	
17	5.29	5.589	80	
18	5.29	5.454	80	
19	5.29	5.663	80	
20	5.29	5.692	80	
21	5.29	5.338	80	
22	5.29	5.314	80	*
23	5.29	5.277	80	*
24	5.29	5.499	80	
25	5.29	5.428	80	
26	5.29	5.309	80	*
27	5.29	5.655	80	
28	5.29	5.262	80	*
29	5.29	5.319	80	*
30	5.29	5.442	80	
31	5.29	5.346	80	
32	5.29	5.441	80	
33	5.29	5.592	80	
34	5.29	5.311	80	*
35	5.29	5.576	80	
36	5.29	5.537	80	
37	5.29	5.355	80	
38	5.29	5.253	80	*
39	5.29	5.43	80	
40	5.29	5.337	80	
41	5.29	5.257	80	*
42	5.29	5.516	80	
43	5.29	5.353	80	
44	5.29	5.258	80	*
45	5.29	5.402	80	
46	5.29	5.515	80	
47	5.29	5.483	80	
48	5.29	5.643	80	
49	5.29	5.251	80	*

50	5.29	5.417	80	
51	5.29	5.266	80	*
52	5.29	5.709	80	
53	5.29	5.552	80	
54	5.29	5.553	80	
55	5.29	5.502	80	
56	5.29	5.316	80	*
57	5.29	5.271	80	*
58	5.29	5.606	80	
59	5.29	5.32	80	*
60	5.29	5.423	80	
61	5.29	5.373	80	
62	5.29	5.347	80	
63	5.29	5.352	80	
64	5.29	5.272	80	*
65	5.29	5.511	80	
66	5.29	5.521	80	
67	5.29	5.327	80	*
68	5.29	5.72	80	
69	5.29	5.503	80	
70	5.29	5.301	80	*
71	5.29	5.671	80	
72	5.29	5.625	80	
73	5.29	5.518	80	
74	5.29	5.341	80	
75	5.29	5.572	80	
76	5.29	5.362	80	
77	5.29	5.26	80	*
78	5.29	5.571	80	
79	5.29	5.41	80	
80	5.29	5.564	80	
81	5.29	5.414	80	
82	5.29	5.354	80	
83	5.29	5.382	80	
84	5.29	5.291	80	*
85	5.29	5.478	80	
86	5.29	5.467	80	
87	5.29	5.525	80	
88	5.29	5.433	80	
89	5.29	5.599	80	
90	5.29	5.384	80	
91	5.29	5.264	80	*
92	5.29	5.614	80	
93	5.29	5.596	80	
94	5.29	5.35	80	
95	5.29	5.443	80	
96	5.29	5.659	80	
97	5.29	5.336	80	
98	5.29	5.722	80	
99	5.29	5.588	80	
100	5.29	5.31	80	*

TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.71	80	
2	5.29	5.403	80	
3	5.29	5.606	80	
4	5.29	5.359	80	
5	5.29	5.671	80	
6	5.29	5.436	80	
7	5.29	5.286	80	*
8	5.29	5.482	80	
9	5.29	5.581	80	
10	5.29	5.544	80	
11	5.29	5.308	80	*
12	5.29	5.26	80	*
13	5.29	5.378	80	
14	5.29	5.384	80	
15	5.29	5.667	80	
16	5.29	5.261	80	*
17	5.29	5.259	80	*
18	5.29	5.72	80	
19	5.29	5.396	80	
20	5.29	5.416	80	
21	5.29	5.643	80	
22	5.29	5.584	80	
23	5.29	5.494	80	
24	5.29	5.492	80	
25	5.29	5.406	80	
26	5.29	5.414	80	
27	5.29	5.328	80	*
28	5.29	5.598	80	
29	5.29	5.674	80	
30	5.29	5.295	80	*
31	5.29	5.618	80	
32	5.29	5.29	80	*
33	5.29	5.62	80	
34	5.29	5.503	80	
35	5.29	5.596	80	
36	5.29	5.496	80	
37	5.29	5.609	80	
38	5.29	5.319	80	*
39	5.29	5.47	80	
40	5.29	5.358	80	
41	5.29	5.413	80	
42	5.29	5.708	80	
43	5.29	5.402	80	
44	5.29	5.307	80	*
45	5.29	5.394	80	
46	5.29	5.568	80	
47	5.29	5.669	80	
48	5.29	5.586	80	
49	5.29	5.615	80	

50	5.29	5.678	80	
51	5.29	5.607	80	
52	5.29	5.293	80	*
53	5.29	5.446	80	
54	5.29	5.531	80	
55	5.29	5.642	80	
56	5.29	5.369	80	
57	5.29	5.331	80	
58	5.29	5.58	80	
59	5.29	5.59	80	
60	5.29	5.449	80	
61	5.29	5.572	80	
62	5.29	5.386	80	
63	5.29	5.459	80	
64	5.29	5.504	80	
65	5.29	5.641	80	
66	5.29	5.631	80	
67	5.29	5.521	80	
68	5.29	5.489	80	
69	5.29	5.344	80	
70	5.29	5.525	80	
71	5.29	5.577	80	
72	5.29	5.476	80	
73	5.29	5.703	80	
74	5.29	5.5	80	
75	5.29	5.613	80	
76	5.29	5.533	80	
77	5.29	5.334	80	
78	5.29	5.45	80	
79	5.29	5.383	80	
80	5.29	5.357	80	
81	5.29	5.587	80	
82	5.29	5.6	80	
83	5.29	5.44	80	
84	5.29	5.483	80	
85	5.29	5.39	80	
86	5.29	5.306	80	*
87	5.29	5.365	80	
88	5.29	5.694	80	
89	5.29	5.297	80	*
90	5.29	5.657	80	
91	5.29	5.656	80	
92	5.29	5.681	80	
93	5.29	5.497	80	
94	5.29	5.316	80	*
95	5.29	5.262	80	*
96	5.29	5.398	80	
97	5.29	5.545	80	
98	5.29	5.431	80	
99	5.29	5.254	80	*
100	5.29	5.35	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.629	80	
2	5.29	5.268	80	*
3	5.29	5.713	80	
4	5.29	5.435	80	
5	5.29	5.542	80	
6	5.29	5.436	80	
7	5.29	5.717	80	
8	5.29	5.565	80	
9	5.29	5.639	80	
10	5.29	5.368	80	
11	5.29	5.62	80	
12	5.29	5.499	80	
13	5.29	5.397	80	
14	5.29	5.609	80	
15	5.29	5.359	80	
16	5.29	5.367	80	
17	5.29	5.377	80	
18	5.29	5.493	80	
19	5.29	5.583	80	
20	5.29	5.576	80	
21	5.29	5.433	80	
22	5.29	5.369	80	
23	5.29	5.625	80	
24	5.29	5.292	80	*
25	5.29	5.357	80	
26	5.29	5.484	80	
27	5.29	5.697	80	
28	5.29	5.699	80	
29	5.29	5.556	80	
30	5.29	5.442	80	
31	5.29	5.266	80	*
32	5.29	5.409	80	
33	5.29	5.632	80	
34	5.29	5.374	80	
35	5.29	5.663	80	
36	5.29	5.702	80	
37	5.29	5.456	80	
38	5.29	5.654	80	
39	5.29	5.681	80	
40	5.29	5.549	80	
41	5.29	5.507	80	
42	5.29	5.392	80	
43	5.29	5.567	80	
44	5.29	5.451	80	
45	5.29	5.5	80	
46	5.29	5.51	80	
47	5.29	5.337	80	
48	5.29	5.464	80	
49	5.29	5.423	80	

50	5.29	5.68	80	
51	5.29	5.691	80	
52	5.29	5.474	80	
53	5.29	5.521	80	
54	5.29	5.389	80	
55	5.29	5.329	80	*
56	5.29	5.514	80	
57	5.29	5.336	80	
58	5.29	5.65	80	
59	5.29	5.6	80	
60	5.29	5.458	80	
61	5.29	5.322	80	*
62	5.29	5.61	80	
63	5.29	5.254	80	*
64	5.29	5.303	80	*
65	5.29	5.652	80	
66	5.29	5.341	80	
67	5.29	5.579	80	
68	5.29	5.461	80	
69	5.29	5.438	80	
70	5.29	5.536	80	
71	5.29	5.424	80	
72	5.29	5.616	80	
73	5.29	5.532	80	
74	5.29	5.362	80	
75	5.29	5.256	80	*
76	5.29	5.678	80	
77	5.29	5.577	80	
78	5.29	5.477	80	
79	5.29	5.363	80	
80	5.29	5.384	80	
81	5.29	5.347	80	
82	5.29	5.396	80	
83	5.29	5.721	80	
84	5.29	5.448	80	
85	5.29	5.382	80	
86	5.29	5.503	80	
87	5.29	5.54	80	
88	5.29	5.56	80	
89	5.29	5.308	80	*
90	5.29	5.606	80	
91	5.29	5.381	80	
92	5.29	5.489	80	
93	5.29	5.343	80	
94	5.29	5.605	80	
95	5.29	5.551	80	
96	5.29	5.513	80	
97	5.29	5.528	80	
98	5.29	5.689	80	
99	5.29	5.566	80	
100	5.29	5.386	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.642	80	
2	5.29	5.534	80	
3	5.29	5.688	80	
4	5.29	5.412	80	
5	5.29	5.5	80	
6	5.29	5.532	80	
7	5.29	5.686	80	
8	5.29	5.475	80	
9	5.29	5.261	80	*
10	5.29	5.7	80	
11	5.29	5.288	80	*
12	5.29	5.429	80	
13	5.29	5.657	80	
14	5.29	5.356	80	
15	5.29	5.629	80	
16	5.29	5.403	80	
17	5.29	5.343	80	
18	5.29	5.398	80	
19	5.29	5.458	80	
20	5.29	5.367	80	
21	5.29	5.449	80	
22	5.29	5.418	80	
23	5.29	5.401	80	
24	5.29	5.426	80	
25	5.29	5.591	80	
26	5.29	5.624	80	
27	5.29	5.608	80	
28	5.29	5.582	80	
29	5.29	5.702	80	
30	5.29	5.44	80	
31	5.29	5.603	80	
32	5.29	5.504	80	
33	5.29	5.348	80	
34	5.29	5.484	80	
35	5.29	5.667	80	
36	5.29	5.287	80	*
37	5.29	5.384	80	
38	5.29	5.719	80	
39	5.29	5.62	80	
40	5.29	5.327	80	*
41	5.29	5.687	80	
42	5.29	5.507	80	
43	5.29	5.679	80	
44	5.29	5.556	80	
45	5.29	5.71	80	
46	5.29	5.433	80	
47	5.29	5.505	80	
48	5.29	5.56	80	
49	5.29	5.333	80	

50	5.29	5.716	80	
51	5.29	5.721	80	
52	5.29	5.538	80	
53	5.29	5.423	80	
54	5.29	5.652	80	
55	5.29	5.519	80	
56	5.29	5.498	80	
57	5.29	5.454	80	
58	5.29	5.59	80	
59	5.29	5.334	80	
60	5.29	5.488	80	
61	5.29	5.515	80	
62	5.29	5.467	80	
63	5.29	5.265	80	*
64	5.29	5.626	80	
65	5.29	5.643	80	
66	5.29	5.445	80	
67	5.29	5.692	80	
68	5.29	5.404	80	
69	5.29	5.432	80	
70	5.29	5.578	80	
71	5.29	5.713	80	
72	5.29	5.537	80	
73	5.29	5.66	80	
74	5.29	5.313	80	*
75	5.29	5.706	80	
76	5.29	5.663	80	
77	5.29	5.53	80	
78	5.29	5.674	80	
79	5.29	5.414	80	
80	5.29	5.639	80	
81	5.29	5.363	80	
82	5.29	5.627	80	
83	5.29	5.319	80	*
84	5.29	5.315	80	*
85	5.29	5.408	80	
86	5.29	5.654	80	
87	5.29	5.386	80	
88	5.29	5.294	80	*
89	5.29	5.676	80	
90	5.29	5.61	80	
91	5.29	5.273	80	*
92	5.29	5.405	80	
93	5.29	5.552	80	
94	5.29	5.362	80	
95	5.29	5.664	80	
96	5.29	5.378	80	
97	5.29	5.295	80	*
98	5.29	5.659	80	
99	5.29	5.558	80	
100	5.29	5.49	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.62	80	
2	5.29	5.599	80	
3	5.29	5.649	80	
4	5.29	5.403	80	
5	5.29	5.627	80	
6	5.29	5.518	80	
7	5.29	5.291	80	*
8	5.29	5.515	80	
9	5.29	5.49	80	
10	5.29	5.583	80	
11	5.29	5.534	80	
12	5.29	5.272	80	*
13	5.29	5.388	80	
14	5.29	5.475	80	
15	5.29	5.614	80	
16	5.29	5.53	80	
17	5.29	5.623	80	
18	5.29	5.492	80	
19	5.29	5.526	80	
20	5.29	5.407	80	
21	5.29	5.552	80	
22	5.29	5.562	80	
23	5.29	5.647	80	
24	5.29	5.577	80	
25	5.29	5.268	80	*
26	5.29	5.348	80	
27	5.29	5.696	80	
28	5.29	5.364	80	
29	5.29	5.568	80	
30	5.29	5.466	80	
31	5.29	5.723	80	
32	5.29	5.531	80	
33	5.29	5.313	80	*
34	5.29	5.335	80	
35	5.29	5.503	80	
36	5.29	5.305	80	*
37	5.29	5.671	80	
38	5.29	5.431	80	
39	5.29	5.719	80	
40	5.29	5.338	80	
41	5.29	5.276	80	*
42	5.29	5.576	80	
43	5.29	5.395	80	
44	5.29	5.572	80	
45	5.29	5.65	80	
46	5.29	5.306	80	*
47	5.29	5.717	80	
48	5.29	5.402	80	
49	5.29	5.633	80	

50	5.29	5.496	80	
51	5.29	5.494	80	
52	5.29	5.51	80	
53	5.29	5.396	80	
54	5.29	5.487	80	
55	5.29	5.471	80	
56	5.29	5.438	80	
57	5.29	5.677	80	
58	5.29	5.391	80	
59	5.29	5.374	80	
60	5.29	5.341	80	
61	5.29	5.409	80	
62	5.29	5.548	80	
63	5.29	5.334	80	
64	5.29	5.344	80	
65	5.29	5.418	80	
66	5.29	5.544	80	
67	5.29	5.644	80	
68	5.29	5.432	80	
69	5.29	5.636	80	
70	5.29	5.654	80	
71	5.29	5.602	80	
72	5.29	5.507	80	
73	5.29	5.343	80	
74	5.29	5.38	80	
75	5.29	5.556	80	
76	5.29	5.517	80	
77	5.29	5.575	80	
78	5.29	5.685	80	
79	5.29	5.436	80	
80	5.29	5.372	80	
81	5.29	5.579	80	
82	5.29	5.319	80	*
83	5.29	5.652	80	
84	5.29	5.329	80	*
85	5.29	5.596	80	
86	5.29	5.541	80	
87	5.29	5.54	80	
88	5.29	5.571	80	
89	5.29	5.456	80	
90	5.29	5.72	80	
91	5.29	5.46	80	
92	5.29	5.604	80	
93	5.29	5.504	80	
94	5.29	5.625	80	
95	5.29	5.656	80	
96	5.29	5.688	80	
97	5.29	5.635	80	
98	5.29	5.259	80	*
99	5.29	5.326	80	*
100	5.29	5.702	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.709	80	
2	5.29	5.693	80	
3	5.29	5.515	80	
4	5.29	5.417	80	
5	5.29	5.594	80	
6	5.29	5.672	80	
7	5.29	5.263	80	*
8	5.29	5.343	80	
9	5.29	5.578	80	
10	5.29	5.586	80	
11	5.29	5.628	80	
12	5.29	5.635	80	
13	5.29	5.473	80	
14	5.29	5.612	80	
15	5.29	5.66	80	
16	5.29	5.373	80	
17	5.29	5.641	80	
18	5.29	5.677	80	
19	5.29	5.513	80	
20	5.29	5.714	80	
21	5.29	5.68	80	
22	5.29	5.618	80	
23	5.29	5.383	80	
24	5.29	5.28	80	*
25	5.29	5.551	80	
26	5.29	5.721	80	
27	5.29	5.355	80	
28	5.29	5.715	80	
29	5.29	5.441	80	
30	5.29	5.685	80	
31	5.29	5.318	80	*
32	5.29	5.458	80	
33	5.29	5.667	80	
34	5.29	5.265	80	*
35	5.29	5.636	80	
36	5.29	5.308	80	*
37	5.29	5.305	80	*
38	5.29	5.39	80	
39	5.29	5.496	80	
40	5.29	5.459	80	
41	5.29	5.353	80	
42	5.29	5.422	80	
43	5.29	5.704	80	
44	5.29	5.429	80	
45	5.29	5.451	80	
46	5.29	5.658	80	
47	5.29	5.603	80	
48	5.29	5.326	80	*
49	5.29	5.468	80	

50	5.29	5.544	80	
51	5.29	5.286	80	*
52	5.29	5.616	80	
53	5.29	5.302	80	*
54	5.29	5.328	80	*
55	5.29	5.584	80	
56	5.29	5.321	80	*
57	5.29	5.527	80	
58	5.29	5.348	80	
59	5.29	5.51	80	
60	5.29	5.542	80	
61	5.29	5.507	80	
62	5.29	5.692	80	
63	5.29	5.555	80	
64	5.29	5.69	80	
65	5.29	5.381	80	
66	5.29	5.48	80	
67	5.29	5.531	80	
68	5.29	5.447	80	
69	5.29	5.331	80	
70	5.29	5.425	80	
71	5.29	5.65	80	
72	5.29	5.722	80	
73	5.29	5.596	80	
74	5.29	5.713	80	
75	5.29	5.431	80	
76	5.29	5.613	80	
77	5.29	5.405	80	
78	5.29	5.395	80	
79	5.29	5.49	80	
80	5.29	5.253	80	*
81	5.29	5.662	80	
82	5.29	5.461	80	
83	5.29	5.277	80	*
84	5.29	5.282	80	*
85	5.29	5.501	80	
86	5.29	5.415	80	
87	5.29	5.261	80	*
88	5.29	5.52	80	
89	5.29	5.718	80	
90	5.29	5.517	80	
91	5.29	5.705	80	
92	5.29	5.659	80	
93	5.29	5.505	80	
94	5.29	5.583	80	
95	5.29	5.599	80	
96	5.29	5.694	80	
97	5.29	5.711	80	
98	5.29	5.404	80	
99	5.29	5.712	80	
100	5.29	5.443	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.344	80	
2	5.29	5.364	80	
3	5.29	5.376	80	
4	5.29	5.577	80	
5	5.29	5.588	80	
6	5.29	5.67	80	
7	5.29	5.466	80	
8	5.29	5.337	80	
9	5.29	5.326	80	*
10	5.29	5.384	80	
11	5.29	5.259	80	*
12	5.29	5.38	80	
13	5.29	5.71	80	
14	5.29	5.385	80	
15	5.29	5.39	80	
16	5.29	5.317	80	*
17	5.29	5.374	80	
18	5.29	5.513	80	
19	5.29	5.427	80	
20	5.29	5.51	80	
21	5.29	5.33	80	*
22	5.29	5.372	80	
23	5.29	5.688	80	
24	5.29	5.645	80	
25	5.29	5.318	80	*
26	5.29	5.282	80	*
27	5.29	5.556	80	
28	5.29	5.679	80	
29	5.29	5.49	80	
30	5.29	5.293	80	*
31	5.29	5.281	80	*
32	5.29	5.335	80	
33	5.29	5.338	80	
34	5.29	5.426	80	
35	5.29	5.32	80	*
36	5.29	5.489	80	
37	5.29	5.356	80	
38	5.29	5.397	80	
39	5.29	5.253	80	*
40	5.29	5.612	80	
41	5.29	5.53	80	
42	5.29	5.339	80	
43	5.29	5.349	80	
44	5.29	5.593	80	
45	5.29	5.458	80	
46	5.29	5.37	80	
47	5.29	5.553	80	
48	5.29	5.36	80	
49	5.29	5.275	80	*

50	5.29	5.606	80	
51	5.29	5.496	80	
52	5.29	5.659	80	
53	5.29	5.409	80	
54	5.29	5.46	80	
55	5.29	5.457	80	
56	5.29	5.578	80	
57	5.29	5.465	80	
58	5.29	5.585	80	
59	5.29	5.425	80	
60	5.29	5.324	80	*
61	5.29	5.329	80	*
62	5.29	5.717	80	
63	5.29	5.695	80	
64	5.29	5.406	80	
65	5.29	5.597	80	
66	5.29	5.461	80	
67	5.29	5.471	80	
68	5.29	5.358	80	
69	5.29	5.521	80	
70	5.29	5.656	80	
71	5.29	5.252	80	*
72	5.29	5.544	80	
73	5.29	5.474	80	
74	5.29	5.551	80	
75	5.29	5.415	80	
76	5.29	5.291	80	*
77	5.29	5.411	80	
78	5.29	5.627	80	
79	5.29	5.258	80	*
80	5.29	5.601	80	
81	5.29	5.626	80	
82	5.29	5.346	80	
83	5.29	5.691	80	
84	5.29	5.387	80	
85	5.29	5.297	80	*
86	5.29	5.462	80	
87	5.29	5.529	80	
88	5.29	5.681	80	
89	5.29	5.632	80	
90	5.29	5.333	80	
91	5.29	5.301	80	*
92	5.29	5.598	80	
93	5.29	5.5	80	
94	5.29	5.429	80	
95	5.29	5.621	80	
96	5.29	5.418	80	
97	5.29	5.251	80	*
98	5.29	5.54	80	
99	5.29	5.724	80	
100	5.29	5.524	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.572	80	
2	5.29	5.304	80	*
3	5.29	5.674	80	
4	5.29	5.469	80	
5	5.29	5.63	80	
6	5.29	5.585	80	
7	5.29	5.513	80	
8	5.29	5.36	80	
9	5.29	5.408	80	
10	5.29	5.27	80	*
11	5.29	5.321	80	*
12	5.29	5.34	80	
13	5.29	5.574	80	
14	5.29	5.632	80	
15	5.29	5.511	80	
16	5.29	5.642	80	
17	5.29	5.518	80	
18	5.29	5.495	80	
19	5.29	5.716	80	
20	5.29	5.264	80	*
21	5.29	5.338	80	
22	5.29	5.373	80	
23	5.29	5.459	80	
24	5.29	5.479	80	
25	5.29	5.39	80	
26	5.29	5.682	80	
27	5.29	5.605	80	
28	5.29	5.362	80	
29	5.29	5.594	80	
30	5.29	5.523	80	
31	5.29	5.434	80	
32	5.29	5.332	80	
33	5.29	5.538	80	
34	5.29	5.354	80	
35	5.29	5.563	80	
36	5.29	5.301	80	*
37	5.29	5.394	80	
38	5.29	5.419	80	
39	5.29	5.522	80	
40	5.29	5.376	80	
41	5.29	5.315	80	*
42	5.29	5.622	80	
43	5.29	5.404	80	
44	5.29	5.68	80	
45	5.29	5.568	80	
46	5.29	5.441	80	
47	5.29	5.302	80	*
48	5.29	5.386	80	
49	5.29	5.499	80	

50	5.29	5.271	80	*
51	5.29	5.436	80	
52	5.29	5.618	80	
53	5.29	5.515	80	
54	5.29	5.283	80	*
55	5.29	5.58	80	
56	5.29	5.609	80	
57	5.29	5.367	80	
58	5.29	5.668	80	
59	5.29	5.327	80	*
60	5.29	5.325	80	*
61	5.29	5.26	80	*
62	5.29	5.396	80	
63	5.29	5.562	80	
64	5.29	5.71	80	
65	5.29	5.503	80	
66	5.29	5.349	80	
67	5.29	5.635	80	
68	5.29	5.588	80	
69	5.29	5.452	80	
70	5.29	5.423	80	
71	5.29	5.426	80	
72	5.29	5.546	80	
73	5.29	5.416	80	
74	5.29	5.335	80	
75	5.29	5.537	80	
76	5.29	5.368	80	
77	5.29	5.527	80	
78	5.29	5.608	80	
79	5.29	5.677	80	
80	5.29	5.263	80	*
81	5.29	5.639	80	
82	5.29	5.392	80	
83	5.29	5.424	80	
84	5.29	5.361	80	
85	5.29	5.663	80	
86	5.29	5.288	80	*
87	5.29	5.526	80	
88	5.29	5.57	80	
89	5.29	5.366	80	
90	5.29	5.474	80	
91	5.29	5.445	80	
92	5.29	5.417	80	
93	5.29	5.628	80	
94	5.29	5.472	80	
95	5.29	5.55	80	
96	5.29	5.379	80	
97	5.29	5.306	80	*
98	5.29	5.33	80	*
99	5.29	5.701	80	
100	5.29	5.448	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.34	80	
2	5.29	5.72	80	
3	5.29	5.427	80	
4	5.29	5.572	80	
5	5.29	5.39	80	
6	5.29	5.526	80	
7	5.29	5.371	80	
8	5.29	5.399	80	
9	5.29	5.426	80	
10	5.29	5.27	80	*
11	5.29	5.56	80	
12	5.29	5.723	80	
13	5.29	5.471	80	
14	5.29	5.609	80	
15	5.29	5.407	80	
16	5.29	5.451	80	
17	5.29	5.32	80	*
18	5.29	5.344	80	
19	5.29	5.35	80	
20	5.29	5.389	80	
21	5.29	5.707	80	
22	5.29	5.597	80	
23	5.29	5.395	80	
24	5.29	5.482	80	
25	5.29	5.393	80	
26	5.29	5.496	80	
27	5.29	5.625	80	
28	5.29	5.466	80	
29	5.29	5.267	80	*
30	5.29	5.362	80	
31	5.29	5.254	80	*
32	5.29	5.713	80	
33	5.29	5.478	80	
34	5.29	5.594	80	
35	5.29	5.619	80	
36	5.29	5.517	80	
37	5.29	5.65	80	
38	5.29	5.702	80	
39	5.29	5.425	80	
40	5.29	5.519	80	
41	5.29	5.255	80	*
42	5.29	5.672	80	
43	5.29	5.604	80	
44	5.29	5.447	80	
45	5.29	5.473	80	
46	5.29	5.404	80	
47	5.29	5.47	80	
48	5.29	5.71	80	
49	5.29	5.618	80	

50	5.29	5.373	80	
51	5.29	5.608	80	
52	5.29	5.264	80	*
53	5.29	5.348	80	
54	5.29	5.317	80	*
55	5.29	5.364	80	
56	5.29	5.289	80	*
57	5.29	5.414	80	
58	5.29	5.323	80	*
59	5.29	5.435	80	
60	5.29	5.441	80	
61	5.29	5.63	80	
62	5.29	5.614	80	
63	5.29	5.375	80	
64	5.29	5.541	80	
65	5.29	5.535	80	
66	5.29	5.6	80	
67	5.29	5.436	80	
68	5.29	5.61	80	
69	5.29	5.664	80	
70	5.29	5.298	80	*
71	5.29	5.304	80	*
72	5.29	5.641	80	
73	5.29	5.368	80	
74	5.29	5.463	80	
75	5.29	5.59	80	
76	5.29	5.682	80	
77	5.29	5.537	80	
78	5.29	5.599	80	
79	5.29	5.488	80	
80	5.29	5.402	80	
81	5.29	5.668	80	
82	5.29	5.536	80	
83	5.29	5.484	80	
84	5.29	5.443	80	
85	5.29	5.261	80	*
86	5.29	5.621	80	
87	5.29	5.49	80	
88	5.29	5.513	80	
89	5.29	5.654	80	
90	5.29	5.424	80	
91	5.29	5.366	80	
92	5.29	5.589	80	
93	5.29	5.684	80	
94	5.29	5.7	80	
95	5.29	5.448	80	
96	5.29	5.673	80	
97	5.29	5.309	80	*
98	5.29	5.627	80	
99	5.29	5.391	80	
100	5.29	5.638	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.614	80	
2	5.29	5.591	80	
3	5.29	5.634	80	
4	5.29	5.299	80	*
5	5.29	5.603	80	
6	5.29	5.282	80	*
7	5.29	5.314	80	*
8	5.29	5.629	80	
9	5.29	5.379	80	
10	5.29	5.553	80	
11	5.29	5.429	80	
12	5.29	5.25	80	*
13	5.29	5.329	80	*
14	5.29	5.389	80	
15	5.29	5.292	80	*
16	5.29	5.371	80	
17	5.29	5.347	80	
18	5.29	5.38	80	
19	5.29	5.339	80	
20	5.29	5.663	80	
21	5.29	5.51	80	
22	5.29	5.53	80	
23	5.29	5.68	80	
24	5.29	5.592	80	
25	5.29	5.405	80	
26	5.29	5.63	80	
27	5.29	5.363	80	
28	5.29	5.286	80	*
29	5.29	5.384	80	
30	5.29	5.529	80	
31	5.29	5.671	80	
32	5.29	5.399	80	
33	5.29	5.328	80	*
34	5.29	5.686	80	
35	5.29	5.289	80	*
36	5.29	5.351	80	
37	5.29	5.266	80	*
38	5.29	5.702	80	
39	5.29	5.312	80	*
40	5.29	5.564	80	
41	5.29	5.699	80	
42	5.29	5.524	80	
43	5.29	5.323	80	*
44	5.29	5.374	80	
45	5.29	5.428	80	
46	5.29	5.27	80	*
47	5.29	5.497	80	
48	5.29	5.547	80	
49	5.29	5.362	80	

50	5.29	5.439	80	
51	5.29	5.415	80	
52	5.29	5.319	80	*
53	5.29	5.383	80	
54	5.29	5.719	80	
55	5.29	5.306	80	*
56	5.29	5.37	80	
57	5.29	5.509	80	
58	5.29	5.617	80	
59	5.29	5.576	80	
60	5.29	5.397	80	
61	5.29	5.285	80	*
62	5.29	5.694	80	
63	5.29	5.602	80	
64	5.29	5.372	80	
65	5.29	5.359	80	
66	5.29	5.696	80	
67	5.29	5.419	80	
68	5.29	5.707	80	
69	5.29	5.309	80	*
70	5.29	5.681	80	
71	5.29	5.582	80	
72	5.29	5.468	80	
73	5.29	5.613	80	
74	5.29	5.346	80	
75	5.29	5.718	80	
76	5.29	5.62	80	
77	5.29	5.35	80	
78	5.29	5.601	80	
79	5.29	5.554	80	
80	5.29	5.712	80	
81	5.29	5.679	80	
82	5.29	5.49	80	
83	5.29	5.57	80	
84	5.29	5.71	80	
85	5.29	5.688	80	
86	5.29	5.263	80	*
87	5.29	5.517	80	
88	5.29	5.356	80	
89	5.29	5.393	80	
90	5.29	5.392	80	
91	5.29	5.424	80	
92	5.29	5.39	80	
93	5.29	5.644	80	
94	5.29	5.568	80	
95	5.29	5.557	80	
96	5.29	5.516	80	
97	5.29	5.673	80	
98	5.29	5.577	80	
99	5.29	5.717	80	
100	5.29	5.466	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.617	80	
2	5.29	5.538	80	
3	5.29	5.368	80	
4	5.29	5.616	80	
5	5.29	5.268	80	*
6	5.29	5.529	80	
7	5.29	5.554	80	
8	5.29	5.281	80	*
9	5.29	5.508	80	
10	5.29	5.652	80	
11	5.29	5.559	80	
12	5.29	5.335	80	
13	5.29	5.551	80	
14	5.29	5.366	80	
15	5.29	5.565	80	
16	5.29	5.645	80	
17	5.29	5.526	80	
18	5.29	5.57	80	
19	5.29	5.528	80	
20	5.29	5.265	80	*
21	5.29	5.348	80	
22	5.29	5.638	80	
23	5.29	5.683	80	
24	5.29	5.536	80	
25	5.29	5.338	80	
26	5.29	5.612	80	
27	5.29	5.684	80	
28	5.29	5.653	80	
29	5.29	5.655	80	
30	5.29	5.458	80	
31	5.29	5.49	80	
32	5.29	5.303	80	*
33	5.29	5.297	80	*
34	5.29	5.584	80	
35	5.29	5.621	80	
36	5.29	5.569	80	
37	5.29	5.698	80	
38	5.29	5.657	80	
39	5.29	5.4	80	
40	5.29	5.557	80	
41	5.29	5.636	80	
42	5.29	5.389	80	
43	5.29	5.615	80	
44	5.29	5.396	80	
45	5.29	5.547	80	
46	5.29	5.518	80	
47	5.29	5.392	80	
48	5.29	5.448	80	
49	5.29	5.647	80	

50	5.29	5.474	80	
51	5.29	5.255	80	*
52	5.29	5.405	80	
53	5.29	5.383	80	
54	5.29	5.682	80	
55	5.29	5.298	80	*
56	5.29	5.319	80	*
57	5.29	5.339	80	
58	5.29	5.463	80	
59	5.29	5.343	80	
60	5.29	5.66	80	
61	5.29	5.629	80	
62	5.29	5.403	80	
63	5.29	5.434	80	
64	5.29	5.318	80	*
65	5.29	5.55	80	
66	5.29	5.664	80	
67	5.29	5.694	80	
68	5.29	5.572	80	
69	5.29	5.573	80	
70	5.29	5.453	80	
71	5.29	5.587	80	
72	5.29	5.541	80	
73	5.29	5.562	80	
74	5.29	5.287	80	*
75	5.29	5.311	80	*
76	5.29	5.446	80	
77	5.29	5.252	80	*
78	5.29	5.588	80	
79	5.29	5.51	80	
80	5.29	5.289	80	*
81	5.29	5.257	80	*
82	5.29	5.578	80	
83	5.29	5.706	80	
84	5.29	5.67	80	
85	5.29	5.723	80	
86	5.29	5.35	80	
87	5.29	5.556	80	
88	5.29	5.552	80	
89	5.29	5.464	80	
90	5.29	5.595	80	
91	5.29	5.614	80	
92	5.29	5.625	80	
93	5.29	5.259	80	*
94	5.29	5.43	80	
95	5.29	5.598	80	
96	5.29	5.386	80	
97	5.29	5.359	80	
98	5.29	5.511	80	
99	5.29	5.678	80	
100	5.29	5.266	80	*

TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.252	80	*
2	5.29	5.562	80	
3	5.29	5.487	80	
4	5.29	5.381	80	
5	5.29	5.276	80	*
6	5.29	5.458	80	
7	5.29	5.391	80	
8	5.29	5.464	80	
9	5.29	5.399	80	
10	5.29	5.485	80	
11	5.29	5.481	80	
12	5.29	5.603	80	
13	5.29	5.373	80	
14	5.29	5.344	80	
15	5.29	5.332	80	
16	5.29	5.722	80	
17	5.29	5.419	80	
18	5.29	5.496	80	
19	5.29	5.414	80	
20	5.29	5.542	80	
21	5.29	5.263	80	*
22	5.29	5.339	80	
23	5.29	5.699	80	
24	5.29	5.695	80	
25	5.29	5.524	80	
26	5.29	5.611	80	
27	5.29	5.29	80	*
28	5.29	5.453	80	
29	5.29	5.266	80	*
30	5.29	5.494	80	
31	5.29	5.493	80	
32	5.29	5.702	80	
33	5.29	5.287	80	*
34	5.29	5.57	80	
35	5.29	5.606	80	
36	5.29	5.698	80	
37	5.29	5.532	80	
38	5.29	5.431	80	
39	5.29	5.648	80	
40	5.29	5.581	80	
41	5.29	5.665	80	
42	5.29	5.52	80	
43	5.29	5.387	80	
44	5.29	5.567	80	
45	5.29	5.366	80	
46	5.29	5.274	80	*
47	5.29	5.333	80	
48	5.29	5.529	80	
49	5.29	5.654	80	

50	5.29	5.499	80	
51	5.29	5.575	80	
52	5.29	5.645	80	
53	5.29	5.362	80	
54	5.29	5.383	80	
55	5.29	5.564	80	
56	5.29	5.357	80	
57	5.29	5.574	80	
58	5.29	5.637	80	
59	5.29	5.625	80	
60	5.29	5.41	80	
61	5.29	5.669	80	
62	5.29	5.279	80	*
63	5.29	5.408	80	
64	5.29	5.307	80	*
65	5.29	5.267	80	*
66	5.29	5.428	80	
67	5.29	5.476	80	
68	5.29	5.313	80	*
69	5.29	5.368	80	
70	5.29	5.294	80	*
71	5.29	5.612	80	
72	5.29	5.58	80	
73	5.29	5.518	80	
74	5.29	5.334	80	
75	5.29	5.258	80	*
76	5.29	5.429	80	
77	5.29	5.551	80	
78	5.29	5.626	80	
79	5.29	5.597	80	
80	5.29	5.342	80	
81	5.29	5.652	80	
82	5.29	5.254	80	*
83	5.29	5.53	80	
84	5.29	5.541	80	
85	5.29	5.56	80	
86	5.29	5.721	80	
87	5.29	5.372	80	
88	5.29	5.416	80	
89	5.29	5.687	80	
90	5.29	5.504	80	
91	5.29	5.321	80	*
92	5.29	5.282	80	*
93	5.29	5.425	80	
94	5.29	5.657	80	
95	5.29	5.417	80	
96	5.29	5.284	80	*
97	5.29	5.639	80	
98	5.29	5.618	80	
99	5.29	5.261	80	*
100	5.29	5.51	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.257	80	*
2	5.29	5.667	80	
3	5.29	5.367	80	
4	5.29	5.523	80	
5	5.29	5.665	80	
6	5.29	5.625	80	
7	5.29	5.629	80	
8	5.29	5.396	80	
9	5.29	5.391	80	
10	5.29	5.577	80	
11	5.29	5.576	80	
12	5.29	5.668	80	
13	5.29	5.617	80	
14	5.29	5.387	80	
15	5.29	5.71	80	
16	5.29	5.62	80	
17	5.29	5.692	80	
18	5.29	5.541	80	
19	5.29	5.484	80	
20	5.29	5.307	80	*
21	5.29	5.549	80	
22	5.29	5.471	80	
23	5.29	5.319	80	*
24	5.29	5.399	80	
25	5.29	5.553	80	
26	5.29	5.348	80	
27	5.29	5.709	80	
28	5.29	5.581	80	
29	5.29	5.551	80	
30	5.29	5.446	80	
31	5.29	5.607	80	
32	5.29	5.335	80	
33	5.29	5.265	80	*
34	5.29	5.55	80	
35	5.29	5.425	80	
36	5.29	5.277	80	*
37	5.29	5.642	80	
38	5.29	5.379	80	
39	5.29	5.684	80	
40	5.29	5.675	80	
41	5.29	5.43	80	
42	5.29	5.289	80	*
43	5.29	5.687	80	
44	5.29	5.686	80	
45	5.29	5.559	80	
46	5.29	5.702	80	
47	5.29	5.3	80	*
48	5.29	5.627	80	
49	5.29	5.267	80	*

50	5.29	5.433	80	
51	5.29	5.505	80	
52	5.29	5.424	80	
53	5.29	5.276	80	*
54	5.29	5.574	80	
55	5.29	5.34	80	
56	5.29	5.305	80	*
57	5.29	5.339	80	
58	5.29	5.486	80	
59	5.29	5.455	80	
60	5.29	5.512	80	
61	5.29	5.535	80	
62	5.29	5.322	80	*
63	5.29	5.467	80	
64	5.29	5.286	80	*
65	5.29	5.623	80	
66	5.29	5.508	80	
67	5.29	5.369	80	
68	5.29	5.372	80	
69	5.29	5.309	80	*
70	5.29	5.563	80	
71	5.29	5.656	80	
72	5.29	5.717	80	
73	5.29	5.545	80	
74	5.29	5.404	80	
75	5.29	5.719	80	
76	5.29	5.473	80	
77	5.29	5.498	80	
78	5.29	5.362	80	
79	5.29	5.416	80	
80	5.29	5.346	80	
81	5.29	5.7	80	
82	5.29	5.327	80	*
83	5.29	5.532	80	
84	5.29	5.524	80	
85	5.29	5.501	80	
86	5.29	5.403	80	
87	5.29	5.571	80	
88	5.29	5.364	80	
89	5.29	5.354	80	
90	5.29	5.655	80	
91	5.29	5.601	80	
92	5.29	5.515	80	
93	5.29	5.635	80	
94	5.29	5.45	80	
95	5.29	5.345	80	
96	5.29	5.64	80	
97	5.29	5.373	80	
98	5.29	5.592	80	
99	5.29	5.301	80	*
100	5.29	5.427	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.423	80	
2	5.29	5.396	80	
3	5.29	5.607	80	
4	5.29	5.475	80	
5	5.29	5.288	80	*
6	5.29	5.667	80	
7	5.29	5.523	80	
8	5.29	5.653	80	
9	5.29	5.282	80	*
10	5.29	5.626	80	
11	5.29	5.265	80	*
12	5.29	5.462	80	
13	5.29	5.425	80	
14	5.29	5.465	80	
15	5.29	5.701	80	
16	5.29	5.387	80	
17	5.29	5.637	80	
18	5.29	5.4	80	
19	5.29	5.334	80	
20	5.29	5.562	80	
21	5.29	5.599	80	
22	5.29	5.695	80	
23	5.29	5.445	80	
24	5.29	5.545	80	
25	5.29	5.636	80	
26	5.29	5.646	80	
27	5.29	5.593	80	
28	5.29	5.304	80	*
29	5.29	5.594	80	
30	5.29	5.542	80	
31	5.29	5.623	80	
32	5.29	5.538	80	
33	5.29	5.36	80	
34	5.29	5.692	80	
35	5.29	5.375	80	
36	5.29	5.433	80	
37	5.29	5.424	80	
38	5.29	5.496	80	
39	5.29	5.709	80	
40	5.29	5.325	80	*
41	5.29	5.397	80	
42	5.29	5.557	80	
43	5.29	5.302	80	*
44	5.29	5.56	80	
45	5.29	5.352	80	
46	5.29	5.493	80	
47	5.29	5.345	80	
48	5.29	5.597	80	
49	5.29	5.374	80	

50	5.29	5.43	80	
51	5.29	5.289	80	*
52	5.29	5.722	80	
53	5.29	5.694	80	
54	5.29	5.576	80	
55	5.29	5.688	80	
56	5.29	5.554	80	
57	5.29	5.506	80	
58	5.29	5.72	80	
59	5.29	5.259	80	*
60	5.29	5.514	80	
61	5.29	5.391	80	
62	5.29	5.661	80	
63	5.29	5.699	80	
64	5.29	5.455	80	
65	5.29	5.676	80	
66	5.29	5.529	80	
67	5.29	5.612	80	
68	5.29	5.71	80	
69	5.29	5.712	80	
70	5.29	5.278	80	*
71	5.29	5.499	80	
72	5.29	5.605	80	
73	5.29	5.262	80	*
74	5.29	5.287	80	*
75	5.29	5.584	80	
76	5.29	5.469	80	
77	5.29	5.54	80	
78	5.29	5.677	80	
79	5.29	5.297	80	*
80	5.29	5.339	80	
81	5.29	5.57	80	
82	5.29	5.453	80	
83	5.29	5.28	80	*
84	5.29	5.713	80	
85	5.29	5.488	80	
86	5.29	5.578	80	
87	5.29	5.674	80	
88	5.29	5.679	80	
89	5.29	5.615	80	
90	5.29	5.533	80	
91	5.29	5.294	80	*
92	5.29	5.326	80	*
93	5.29	5.716	80	
94	5.29	5.438	80	
95	5.29	5.46	80	
96	5.29	5.485	80	
97	5.29	5.358	80	
98	5.29	5.614	80	
99	5.29	5.381	80	
100	5.29	5.429	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.658	80	
2	5.29	5.567	80	
3	5.29	5.641	80	
4	5.29	5.334	80	
5	5.29	5.271	80	*
6	5.29	5.326	80	*
7	5.29	5.603	80	
8	5.29	5.493	80	
9	5.29	5.422	80	
10	5.29	5.532	80	
11	5.29	5.671	80	
12	5.29	5.704	80	
13	5.29	5.501	80	
14	5.29	5.4	80	
15	5.29	5.438	80	
16	5.29	5.702	80	
17	5.29	5.354	80	
18	5.29	5.425	80	
19	5.29	5.293	80	*
20	5.29	5.374	80	
21	5.29	5.424	80	
22	5.29	5.545	80	
23	5.29	5.696	80	
24	5.29	5.255	80	*
25	5.29	5.465	80	
26	5.29	5.695	80	
27	5.29	5.345	80	
28	5.29	5.582	80	
29	5.29	5.506	80	
30	5.29	5.574	80	
31	5.29	5.573	80	
32	5.29	5.633	80	
33	5.29	5.254	80	*
34	5.29	5.287	80	*
35	5.29	5.276	80	*
36	5.29	5.48	80	
37	5.29	5.373	80	
38	5.29	5.697	80	
39	5.29	5.377	80	
40	5.29	5.722	80	
41	5.29	5.63	80	
42	5.29	5.689	80	
43	5.29	5.447	80	
44	5.29	5.462	80	
45	5.29	5.619	80	
46	5.29	5.32	80	*
47	5.29	5.618	80	
48	5.29	5.677	80	
49	5.29	5.327	80	*

50	5.29	5.267	80	*
51	5.29	5.421	80	
52	5.29	5.463	80	
53	5.29	5.369	80	
54	5.29	5.389	80	
55	5.29	5.49	80	
56	5.29	5.507	80	
57	5.29	5.535	80	
58	5.29	5.688	80	
59	5.29	5.584	80	
60	5.29	5.399	80	
61	5.29	5.605	80	
62	5.29	5.346	80	
63	5.29	5.353	80	
64	5.29	5.484	80	
65	5.29	5.594	80	
66	5.29	5.459	80	
67	5.29	5.665	80	
68	5.29	5.352	80	
69	5.29	5.368	80	
70	5.29	5.486	80	
71	5.29	5.439	80	
72	5.29	5.65	80	
73	5.29	5.525	80	
74	5.29	5.341	80	
75	5.29	5.351	80	
76	5.29	5.599	80	
77	5.29	5.593	80	
78	5.29	5.358	80	
79	5.29	5.554	80	
80	5.29	5.301	80	*
81	5.29	5.614	80	
82	5.29	5.472	80	
83	5.29	5.528	80	
84	5.29	5.335	80	
85	5.29	5.563	80	
86	5.29	5.522	80	
87	5.29	5.442	80	
88	5.29	5.46	80	
89	5.29	5.473	80	
90	5.29	5.526	80	
91	5.29	5.307	80	*
92	5.29	5.51	80	
93	5.29	5.27	80	*
94	5.29	5.512	80	
95	5.29	5.509	80	
96	5.29	5.495	80	
97	5.29	5.393	80	
98	5.29	5.624	80	
99	5.29	5.323	80	*
100	5.29	5.621	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.6	80	
2	5.29	5.54	80	
3	5.29	5.292	80	*
4	5.29	5.295	80	*
5	5.29	5.681	80	
6	5.29	5.506	80	
7	5.29	5.621	80	
8	5.29	5.641	80	
9	5.29	5.578	80	
10	5.29	5.376	80	
11	5.29	5.589	80	
12	5.29	5.572	80	
13	5.29	5.25	80	*
14	5.29	5.642	80	
15	5.29	5.697	80	
16	5.29	5.692	80	
17	5.29	5.469	80	
18	5.29	5.499	80	
19	5.29	5.269	80	*
20	5.29	5.402	80	
21	5.29	5.458	80	
22	5.29	5.546	80	
23	5.29	5.414	80	
24	5.29	5.409	80	
25	5.29	5.653	80	
26	5.29	5.529	80	
27	5.29	5.408	80	
28	5.29	5.375	80	
29	5.29	5.561	80	
30	5.29	5.531	80	
31	5.29	5.411	80	
32	5.29	5.37	80	
33	5.29	5.705	80	
34	5.29	5.674	80	
35	5.29	5.452	80	
36	5.29	5.567	80	
37	5.29	5.613	80	
38	5.29	5.307	80	*
39	5.29	5.597	80	
40	5.29	5.437	80	
41	5.29	5.262	80	*
42	5.29	5.346	80	
43	5.29	5.479	80	
44	5.29	5.482	80	
45	5.29	5.507	80	
46	5.29	5.359	80	
47	5.29	5.439	80	
48	5.29	5.442	80	
49	5.29	5.695	80	

50	5.29	5.605	80	
51	5.29	5.432	80	
52	5.29	5.704	80	
53	5.29	5.57	80	
54	5.29	5.345	80	
55	5.29	5.657	80	
56	5.29	5.342	80	
57	5.29	5.563	80	
58	5.29	5.583	80	
59	5.29	5.698	80	
60	5.29	5.404	80	
61	5.29	5.324	80	*
62	5.29	5.588	80	
63	5.29	5.466	80	
64	5.29	5.436	80	
65	5.29	5.556	80	
66	5.29	5.703	80	
67	5.29	5.515	80	
68	5.29	5.302	80	*
69	5.29	5.472	80	
70	5.29	5.304	80	*
71	5.29	5.602	80	
72	5.29	5.301	80	*
73	5.29	5.634	80	
74	5.29	5.486	80	
75	5.29	5.575	80	
76	5.29	5.253	80	*
77	5.29	5.276	80	*
78	5.29	5.618	80	
79	5.29	5.701	80	
80	5.29	5.418	80	
81	5.29	5.434	80	
82	5.29	5.327	80	*
83	5.29	5.484	80	
84	5.29	5.58	80	
85	5.29	5.487	80	
86	5.29	5.5	80	
87	5.29	5.516	80	
88	5.29	5.279	80	*
89	5.29	5.707	80	
90	5.29	5.329	80	*
91	5.29	5.467	80	
92	5.29	5.716	80	
93	5.29	5.457	80	
94	5.29	5.586	80	
95	5.29	5.497	80	
96	5.29	5.49	80	
97	5.29	5.349	80	
98	5.29	5.267	80	*
99	5.29	5.52	80	
100	5.29	5.382	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.664	80	
2	5.29	5.314	80	*
3	5.29	5.558	80	
4	5.29	5.442	80	
5	5.29	5.37	80	
6	5.29	5.599	80	
7	5.29	5.578	80	
8	5.29	5.519	80	
9	5.29	5.364	80	
10	5.29	5.457	80	
11	5.29	5.43	80	
12	5.29	5.339	80	
13	5.29	5.646	80	
14	5.29	5.591	80	
15	5.29	5.612	80	
16	5.29	5.423	80	
17	5.29	5.403	80	
18	5.29	5.5	80	
19	5.29	5.503	80	
20	5.29	5.672	80	
21	5.29	5.288	80	*
22	5.29	5.633	80	
23	5.29	5.301	80	*
24	5.29	5.25	80	*
25	5.29	5.692	80	
26	5.29	5.59	80	
27	5.29	5.653	80	
28	5.29	5.608	80	
29	5.29	5.676	80	
30	5.29	5.657	80	
31	5.29	5.508	80	
32	5.29	5.717	80	
33	5.29	5.674	80	
34	5.29	5.377	80	
35	5.29	5.51	80	
36	5.29	5.602	80	
37	5.29	5.459	80	
38	5.29	5.453	80	
39	5.29	5.498	80	
40	5.29	5.274	80	*
41	5.29	5.284	80	*
42	5.29	5.298	80	*
43	5.29	5.559	80	
44	5.29	5.437	80	
45	5.29	5.513	80	
46	5.29	5.69	80	
47	5.29	5.619	80	
48	5.29	5.549	80	
49	5.29	5.406	80	

50	5.29	5.425	80	
51	5.29	5.475	80	
52	5.29	5.491	80	
53	5.29	5.424	80	
54	5.29	5.413	80	
55	5.29	5.387	80	
56	5.29	5.52	80	
57	5.29	5.601	80	
58	5.29	5.289	80	*
59	5.29	5.33	80	*
60	5.29	5.544	80	
61	5.29	5.48	80	
62	5.29	5.433	80	
63	5.29	5.351	80	
64	5.29	5.486	80	
65	5.29	5.573	80	
66	5.29	5.655	80	
67	5.29	5.629	80	
68	5.29	5.538	80	
69	5.29	5.253	80	*
70	5.29	5.376	80	
71	5.29	5.267	80	*
72	5.29	5.697	80	
73	5.29	5.586	80	
74	5.29	5.295	80	*
75	5.29	5.546	80	
76	5.29	5.27	80	*
77	5.29	5.637	80	
78	5.29	5.683	80	
79	5.29	5.594	80	
80	5.29	5.321	80	*
81	5.29	5.259	80	*
82	5.29	5.55	80	
83	5.29	5.556	80	
84	5.29	5.282	80	*
85	5.29	5.699	80	
86	5.29	5.414	80	
87	5.29	5.529	80	
88	5.29	5.543	80	
89	5.29	5.483	80	
90	5.29	5.678	80	
91	5.29	5.669	80	
92	5.29	5.331	80	
93	5.29	5.651	80	
94	5.29	5.679	80	
95	5.29	5.588	80	
96	5.29	5.616	80	
97	5.29	5.718	80	
98	5.29	5.648	80	
99	5.29	5.493	80	
100	5.29	5.454	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.411	80	
2	5.29	5.273	80	*
3	5.29	5.355	80	
4	5.29	5.495	80	
5	5.29	5.362	80	
6	5.29	5.644	80	
7	5.29	5.579	80	
8	5.29	5.593	80	
9	5.29	5.68	80	
10	5.29	5.435	80	
11	5.29	5.264	80	*
12	5.29	5.369	80	
13	5.29	5.52	80	
14	5.29	5.275	80	*
15	5.29	5.439	80	
16	5.29	5.61	80	
17	5.29	5.26	80	*
18	5.29	5.413	80	
19	5.29	5.4	80	
20	5.29	5.669	80	
21	5.29	5.648	80	
22	5.29	5.427	80	
23	5.29	5.329	80	*
24	5.29	5.578	80	
25	5.29	5.485	80	
26	5.29	5.36	80	
27	5.29	5.408	80	
28	5.29	5.356	80	
29	5.29	5.647	80	
30	5.29	5.5	80	
31	5.29	5.537	80	
32	5.29	5.253	80	*
33	5.29	5.627	80	
34	5.29	5.696	80	
35	5.29	5.588	80	
36	5.29	5.289	80	*
37	5.29	5.431	80	
38	5.29	5.555	80	
39	5.29	5.503	80	
40	5.29	5.474	80	
41	5.29	5.638	80	
42	5.29	5.278	80	*
43	5.29	5.605	80	
44	5.29	5.314	80	*
45	5.29	5.551	80	
46	5.29	5.376	80	
47	5.29	5.517	80	
48	5.29	5.505	80	
49	5.29	5.528	80	

50	5.29	5.312	80	*
51	5.29	5.524	80	
52	5.29	5.436	80	
53	5.29	5.554	80	
54	5.29	5.708	80	
55	5.29	5.651	80	
56	5.29	5.257	80	*
57	5.29	5.678	80	
58	5.29	5.71	80	
59	5.29	5.288	80	*
60	5.29	5.384	80	
61	5.29	5.661	80	
62	5.29	5.313	80	*
63	5.29	5.516	80	
64	5.29	5.677	80	
65	5.29	5.484	80	
66	5.29	5.489	80	
67	5.29	5.251	80	*
68	5.29	5.365	80	
69	5.29	5.268	80	*
70	5.29	5.311	80	*
71	5.29	5.307	80	*
72	5.29	5.272	80	*
73	5.29	5.276	80	*
74	5.29	5.666	80	
75	5.29	5.687	80	
76	5.29	5.317	80	*
77	5.29	5.475	80	
78	5.29	5.62	80	
79	5.29	5.34	80	
80	5.29	5.377	80	
81	5.29	5.271	80	*
82	5.29	5.574	80	
83	5.29	5.301	80	*
84	5.29	5.568	80	
85	5.29	5.515	80	
86	5.29	5.553	80	
87	5.29	5.479	80	
88	5.29	5.282	80	*
89	5.29	5.616	80	
90	5.29	5.367	80	
91	5.29	5.41	80	
92	5.29	5.451	80	
93	5.29	5.325	80	*
94	5.29	5.634	80	
95	5.29	5.628	80	
96	5.29	5.606	80	
97	5.29	5.531	80	
98	5.29	5.263	80	*
99	5.29	5.404	80	
100	5.29	5.38	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.455	80	
2	5.29	5.638	80	
3	5.29	5.477	80	
4	5.29	5.411	80	
5	5.29	5.553	80	
6	5.29	5.338	80	
7	5.29	5.439	80	
8	5.29	5.398	80	
9	5.29	5.632	80	
10	5.29	5.537	80	
11	5.29	5.444	80	
12	5.29	5.575	80	
13	5.29	5.369	80	
14	5.29	5.622	80	
15	5.29	5.532	80	
16	5.29	5.414	80	
17	5.29	5.273	80	*
18	5.29	5.494	80	
19	5.29	5.355	80	
20	5.29	5.388	80	
21	5.29	5.289	80	*
22	5.29	5.705	80	
23	5.29	5.385	80	
24	5.29	5.524	80	
25	5.29	5.707	80	
26	5.29	5.521	80	
27	5.29	5.277	80	*
28	5.29	5.582	80	
29	5.29	5.42	80	
30	5.29	5.316	80	*
31	5.29	5.518	80	
32	5.29	5.323	80	*
33	5.29	5.501	80	
34	5.29	5.257	80	*
35	5.29	5.688	80	
36	5.29	5.436	80	
37	5.29	5.641	80	
38	5.29	5.483	80	
39	5.29	5.631	80	
40	5.29	5.495	80	
41	5.29	5.478	80	
42	5.29	5.578	80	
43	5.29	5.448	80	
44	5.29	5.384	80	
45	5.29	5.597	80	
46	5.29	5.579	80	
47	5.29	5.7	80	
48	5.29	5.392	80	
49	5.29	5.557	80	

50	5.29	5.686	80	
51	5.29	5.362	80	
52	5.29	5.5	80	
53	5.29	5.341	80	
54	5.29	5.465	80	
55	5.29	5.712	80	
56	5.29	5.307	80	*
57	5.29	5.645	80	
58	5.29	5.462	80	
59	5.29	5.347	80	
60	5.29	5.281	80	*
61	5.29	5.419	80	
62	5.29	5.486	80	
63	5.29	5.503	80	
64	5.29	5.716	80	
65	5.29	5.377	80	
66	5.29	5.481	80	
67	5.29	5.644	80	
68	5.29	5.556	80	
69	5.29	5.287	80	*
70	5.29	5.268	80	*
71	5.29	5.28	80	*
72	5.29	5.408	80	
73	5.29	5.584	80	
74	5.29	5.652	80	
75	5.29	5.476	80	
76	5.29	5.599	80	
77	5.29	5.43	80	
78	5.29	5.623	80	
79	5.29	5.714	80	
80	5.29	5.574	80	
81	5.29	5.363	80	
82	5.29	5.675	80	
83	5.29	5.59	80	
84	5.29	5.613	80	
85	5.29	5.359	80	
86	5.29	5.26	80	*
87	5.29	5.633	80	
88	5.29	5.466	80	
89	5.29	5.284	80	*
90	5.29	5.467	80	
91	5.29	5.619	80	
92	5.29	5.656	80	
93	5.29	5.49	80	
94	5.29	5.379	80	
95	5.29	5.283	80	*
96	5.29	5.356	80	
97	5.29	5.526	80	
98	5.29	5.381	80	
99	5.29	5.527	80	
100	5.29	5.438	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.63	80	
2	5.29	5.536	80	
3	5.29	5.338	80	
4	5.29	5.409	80	
5	5.29	5.34	80	
6	5.29	5.706	80	
7	5.29	5.586	80	
8	5.29	5.483	80	
9	5.29	5.563	80	
10	5.29	5.72	80	
11	5.29	5.587	80	
12	5.29	5.435	80	
13	5.29	5.33	80	*
14	5.29	5.293	80	*
15	5.29	5.35	80	
16	5.29	5.655	80	
17	5.29	5.686	80	
18	5.29	5.661	80	
19	5.29	5.326	80	*
20	5.29	5.259	80	*
21	5.29	5.288	80	*
22	5.29	5.4	80	
23	5.29	5.522	80	
24	5.29	5.514	80	
25	5.29	5.442	80	
26	5.29	5.455	80	
27	5.29	5.627	80	
28	5.29	5.31	80	*
29	5.29	5.495	80	
30	5.29	5.596	80	
31	5.29	5.378	80	
32	5.29	5.619	80	
33	5.29	5.543	80	
34	5.29	5.429	80	
35	5.29	5.437	80	
36	5.29	5.698	80	
37	5.29	5.569	80	
38	5.29	5.45	80	
39	5.29	5.645	80	
40	5.29	5.474	80	
41	5.29	5.554	80	
42	5.29	5.257	80	*
43	5.29	5.518	80	
44	5.29	5.448	80	
45	5.29	5.276	80	*
46	5.29	5.591	80	
47	5.29	5.389	80	
48	5.29	5.574	80	
49	5.29	5.291	80	*

50	5.29	5.582	80	
51	5.29	5.433	80	
52	5.29	5.711	80	
53	5.29	5.416	80	
54	5.29	5.598	80	
55	5.29	5.397	80	
56	5.29	5.583	80	
57	5.29	5.452	80	
58	5.29	5.673	80	
59	5.29	5.564	80	
60	5.29	5.715	80	
61	5.29	5.39	80	
62	5.29	5.588	80	
63	5.29	5.644	80	
64	5.29	5.68	80	
65	5.29	5.292	80	*
66	5.29	5.617	80	
67	5.29	5.56	80	
68	5.29	5.71	80	
69	5.29	5.546	80	
70	5.29	5.365	80	
71	5.29	5.553	80	
72	5.29	5.266	80	*
73	5.29	5.339	80	
74	5.29	5.646	80	
75	5.29	5.576	80	
76	5.29	5.52	80	
77	5.29	5.332	80	
78	5.29	5.366	80	
79	5.29	5.692	80	
80	5.29	5.647	80	
81	5.29	5.427	80	
82	5.29	5.603	80	
83	5.29	5.643	80	
84	5.29	5.407	80	
85	5.29	5.272	80	*
86	5.29	5.328	80	*
87	5.29	5.298	80	*
88	5.29	5.53	80	
89	5.29	5.503	80	
90	5.29	5.318	80	*
91	5.29	5.32	80	*
92	5.29	5.702	80	
93	5.29	5.648	80	
94	5.29	5.541	80	
95	5.29	5.481	80	
96	5.29	5.548	80	
97	5.29	5.446	80	
98	5.29	5.578	80	
99	5.29	5.444	80	
100	5.29	5.714	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.469	80	
2	5.29	5.679	80	
3	5.29	5.719	80	
4	5.29	5.547	80	
5	5.29	5.681	80	
6	5.29	5.418	80	
7	5.29	5.721	80	
8	5.29	5.674	80	
9	5.29	5.393	80	
10	5.29	5.254	80	*
11	5.29	5.293	80	*
12	5.29	5.362	80	
13	5.29	5.404	80	
14	5.29	5.351	80	
15	5.29	5.433	80	
16	5.29	5.313	80	*
17	5.29	5.559	80	
18	5.29	5.398	80	
19	5.29	5.359	80	
20	5.29	5.51	80	
21	5.29	5.533	80	
22	5.29	5.294	80	*
23	5.29	5.373	80	
24	5.29	5.6	80	
25	5.29	5.383	80	
26	5.29	5.503	80	
27	5.29	5.691	80	
28	5.29	5.278	80	*
29	5.29	5.521	80	
30	5.29	5.297	80	*
31	5.29	5.567	80	
32	5.29	5.334	80	
33	5.29	5.543	80	
34	5.29	5.675	80	
35	5.29	5.468	80	
36	5.29	5.566	80	
37	5.29	5.716	80	
38	5.29	5.261	80	*
39	5.29	5.484	80	
40	5.29	5.703	80	
41	5.29	5.48	80	
42	5.29	5.437	80	
43	5.29	5.368	80	
44	5.29	5.554	80	
45	5.29	5.525	80	
46	5.29	5.698	80	
47	5.29	5.582	80	
48	5.29	5.568	80	
49	5.29	5.548	80	

50	5.29	5.722	80	
51	5.29	5.432	80	
52	5.29	5.583	80	
53	5.29	5.5	80	
54	5.29	5.49	80	
55	5.29	5.609	80	
56	5.29	5.507	80	
57	5.29	5.412	80	
58	5.29	5.282	80	*
59	5.29	5.367	80	
60	5.29	5.449	80	
61	5.29	5.683	80	
62	5.29	5.344	80	
63	5.29	5.613	80	
64	5.29	5.28	80	*
65	5.29	5.578	80	
66	5.29	5.338	80	
67	5.29	5.67	80	
68	5.29	5.66	80	
69	5.29	5.713	80	
70	5.29	5.621	80	
71	5.29	5.611	80	
72	5.29	5.633	80	
73	5.29	5.534	80	
74	5.29	5.709	80	
75	5.29	5.562	80	
76	5.29	5.708	80	
77	5.29	5.426	80	
78	5.29	5.262	80	*
79	5.29	5.723	80	
80	5.29	5.446	80	
81	5.29	5.271	80	*
82	5.29	5.43	80	
83	5.29	5.618	80	
84	5.29	5.597	80	
85	5.29	5.673	80	
86	5.29	5.343	80	
87	5.29	5.408	80	
88	5.29	5.532	80	
89	5.29	5.514	80	
90	5.29	5.718	80	
91	5.29	5.705	80	
92	5.29	5.3	80	*
93	5.29	5.717	80	
94	5.29	5.506	80	
95	5.29	5.599	80	
96	5.29	5.286	80	*
97	5.29	5.508	80	
98	5.29	5.306	80	*
99	5.29	5.315	80	*
100	5.29	5.594	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.294	80	*
2	5.29	5.721	80	
3	5.29	5.63	80	
4	5.29	5.59	80	
5	5.29	5.723	80	
6	5.29	5.531	80	
7	5.29	5.591	80	
8	5.29	5.37	80	
9	5.29	5.662	80	
10	5.29	5.608	80	
11	5.29	5.545	80	
12	5.29	5.34	80	
13	5.29	5.338	80	
14	5.29	5.614	80	
15	5.29	5.473	80	
16	5.29	5.393	80	
17	5.29	5.575	80	
18	5.29	5.503	80	
19	5.29	5.709	80	
20	5.29	5.543	80	
21	5.29	5.689	80	
22	5.29	5.475	80	
23	5.29	5.688	80	
24	5.29	5.683	80	
25	5.29	5.539	80	
26	5.29	5.428	80	
27	5.29	5.461	80	
28	5.29	5.293	80	*
29	5.29	5.334	80	
30	5.29	5.446	80	
31	5.29	5.655	80	
32	5.29	5.53	80	
33	5.29	5.601	80	
34	5.29	5.49	80	
35	5.29	5.341	80	
36	5.29	5.561	80	
37	5.29	5.261	80	*
38	5.29	5.304	80	*
39	5.29	5.635	80	
40	5.29	5.36	80	
41	5.29	5.606	80	
42	5.29	5.667	80	
43	5.29	5.645	80	
44	5.29	5.699	80	
45	5.29	5.585	80	
46	5.29	5.328	80	*
47	5.29	5.255	80	*
48	5.29	5.607	80	
49	5.29	5.455	80	

50	5.29	5.384	80	
51	5.29	5.675	80	
52	5.29	5.496	80	
53	5.29	5.648	80	
54	5.29	5.581	80	
55	5.29	5.339	80	
56	5.29	5.376	80	
57	5.29	5.573	80	
58	5.29	5.409	80	
59	5.29	5.564	80	
60	5.29	5.553	80	
61	5.29	5.52	80	
62	5.29	5.31	80	*
63	5.29	5.362	80	
64	5.29	5.277	80	*
65	5.29	5.587	80	
66	5.29	5.367	80	
67	5.29	5.412	80	
68	5.29	5.562	80	
69	5.29	5.434	80	
70	5.29	5.519	80	
71	5.29	5.486	80	
72	5.29	5.719	80	
73	5.29	5.62	80	
74	5.29	5.68	80	
75	5.29	5.392	80	
76	5.29	5.674	80	
77	5.29	5.576	80	
78	5.29	5.625	80	
79	5.29	5.544	80	
80	5.29	5.634	80	
81	5.29	5.379	80	
82	5.29	5.263	80	*
83	5.29	5.515	80	
84	5.29	5.325	80	*
85	5.29	5.433	80	
86	5.29	5.363	80	
87	5.29	5.652	80	
88	5.29	5.449	80	
89	5.29	5.408	80	
90	5.29	5.425	80	
91	5.29	5.65	80	
92	5.29	5.556	80	
93	5.29	5.497	80	
94	5.29	5.684	80	
95	5.29	5.44	80	
96	5.29	5.391	80	
97	5.29	5.692	80	
98	5.29	5.582	80	
99	5.29	5.35	80	
100	5.29	5.331	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.388	80	
2	5.29	5.326	80	*
3	5.29	5.587	80	
4	5.29	5.47	80	
5	5.29	5.424	80	
6	5.29	5.702	80	
7	5.29	5.676	80	
8	5.29	5.687	80	
9	5.29	5.545	80	
10	5.29	5.42	80	
11	5.29	5.501	80	
12	5.29	5.538	80	
13	5.29	5.265	80	*
14	5.29	5.692	80	
15	5.29	5.255	80	*
16	5.29	5.261	80	*
17	5.29	5.336	80	
18	5.29	5.601	80	
19	5.29	5.588	80	
20	5.29	5.397	80	
21	5.29	5.573	80	
22	5.29	5.63	80	
23	5.29	5.71	80	
24	5.29	5.434	80	
25	5.29	5.569	80	
26	5.29	5.507	80	
27	5.29	5.274	80	*
28	5.29	5.644	80	
29	5.29	5.287	80	*
30	5.29	5.557	80	
31	5.29	5.663	80	
32	5.29	5.657	80	
33	5.29	5.456	80	
34	5.29	5.334	80	
35	5.29	5.53	80	
36	5.29	5.295	80	*
37	5.29	5.423	80	
38	5.29	5.505	80	
39	5.29	5.499	80	
40	5.29	5.602	80	
41	5.29	5.686	80	
42	5.29	5.436	80	
43	5.29	5.376	80	
44	5.29	5.275	80	*
45	5.29	5.535	80	
46	5.29	5.369	80	
47	5.29	5.672	80	
48	5.29	5.622	80	
49	5.29	5.584	80	

50	5.29	5.331	80	
51	5.29	5.308	80	*
52	5.29	5.337	80	
53	5.29	5.515	80	
54	5.29	5.399	80	
55	5.29	5.633	80	
56	5.29	5.419	80	
57	5.29	5.533	80	
58	5.29	5.664	80	
59	5.29	5.307	80	*
60	5.29	5.288	80	*
61	5.29	5.566	80	
62	5.29	5.662	80	
63	5.29	5.268	80	*
64	5.29	5.429	80	
65	5.29	5.593	80	
66	5.29	5.691	80	
67	5.29	5.364	80	
68	5.29	5.553	80	
69	5.29	5.66	80	
70	5.29	5.433	80	
71	5.29	5.318	80	*
72	5.29	5.471	80	
73	5.29	5.577	80	
74	5.29	5.51	80	
75	5.29	5.628	80	
76	5.29	5.449	80	
77	5.29	5.529	80	
78	5.29	5.631	80	
79	5.29	5.5	80	
80	5.29	5.555	80	
81	5.29	5.673	80	
82	5.29	5.592	80	
83	5.29	5.427	80	
84	5.29	5.373	80	
85	5.29	5.503	80	
86	5.29	5.405	80	
87	5.29	5.386	80	
88	5.29	5.294	80	*
89	5.29	5.551	80	
90	5.29	5.351	80	
91	5.29	5.716	80	
92	5.29	5.511	80	
93	5.29	5.394	80	
94	5.29	5.29	80	*
95	5.29	5.389	80	
96	5.29	5.252	80	*
97	5.29	5.296	80	*
98	5.29	5.316	80	*
99	5.29	5.531	80	
100	5.29	5.677	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.279	80	*
2	5.29	5.25	80	*
3	5.29	5.252	80	*
4	5.29	5.689	80	
5	5.29	5.418	80	
6	5.29	5.525	80	
7	5.29	5.653	80	
8	5.29	5.411	80	
9	5.29	5.516	80	
10	5.29	5.405	80	
11	5.29	5.523	80	
12	5.29	5.347	80	
13	5.29	5.258	80	*
14	5.29	5.57	80	
15	5.29	5.376	80	
16	5.29	5.33	80	*
17	5.29	5.659	80	
18	5.29	5.717	80	
19	5.29	5.275	80	*
20	5.29	5.482	80	
21	5.29	5.273	80	*
22	5.29	5.686	80	
23	5.29	5.71	80	
24	5.29	5.594	80	
25	5.29	5.596	80	
26	5.29	5.697	80	
27	5.29	5.47	80	
28	5.29	5.709	80	
29	5.29	5.597	80	
30	5.29	5.609	80	
31	5.29	5.485	80	
32	5.29	5.304	80	*
33	5.29	5.301	80	*
34	5.29	5.638	80	
35	5.29	5.627	80	
36	5.29	5.453	80	
37	5.29	5.514	80	
38	5.29	5.571	80	
39	5.29	5.415	80	
40	5.29	5.46	80	
41	5.29	5.513	80	
42	5.29	5.512	80	
43	5.29	5.324	80	*
44	5.29	5.419	80	
45	5.29	5.577	80	
46	5.29	5.355	80	
47	5.29	5.499	80	
48	5.29	5.587	80	
49	5.29	5.563	80	

50	5.29	5.567	80	
51	5.29	5.633	80	
52	5.29	5.598	80	
53	5.29	5.648	80	
54	5.29	5.335	80	
55	5.29	5.423	80	
56	5.29	5.623	80	
57	5.29	5.606	80	
58	5.29	5.656	80	
59	5.29	5.422	80	
60	5.29	5.584	80	
61	5.29	5.629	80	
62	5.29	5.494	80	
63	5.29	5.6	80	
64	5.29	5.363	80	
65	5.29	5.459	80	
66	5.29	5.451	80	
67	5.29	5.489	80	
68	5.29	5.456	80	
69	5.29	5.662	80	
70	5.29	5.705	80	
71	5.29	5.682	80	
72	5.29	5.622	80	
73	5.29	5.438	80	
74	5.29	5.586	80	
75	5.29	5.68	80	
76	5.29	5.425	80	
77	5.29	5.317	80	*
78	5.29	5.52	80	
79	5.29	5.266	80	*
80	5.29	5.468	80	
81	5.29	5.409	80	
82	5.29	5.316	80	*
83	5.29	5.44	80	
84	5.29	5.503	80	
85	5.29	5.457	80	
86	5.29	5.478	80	
87	5.29	5.711	80	
88	5.29	5.51	80	
89	5.29	5.646	80	
90	5.29	5.353	80	
91	5.29	5.701	80	
92	5.29	5.655	80	
93	5.29	5.319	80	*
94	5.29	5.691	80	
95	5.29	5.436	80	
96	5.29	5.545	80	
97	5.29	5.492	80	
98	5.29	5.604	80	
99	5.29	5.372	80	
100	5.29	5.45	80	

802.11ac (VHT80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.571	80	
2	5.53	5.542	80	*
3	5.53	5.311	80	
4	5.53	5.377	80	
5	5.53	5.588	80	
6	5.53	5.281	80	
7	5.53	5.313	80	
8	5.53	5.599	80	
9	5.53	5.603	80	
10	5.53	5.317	80	
11	5.53	5.422	80	
12	5.53	5.513	80	*
13	5.53	5.259	80	
14	5.53	5.624	80	
15	5.53	5.416	80	
16	5.53	5.613	80	
17	5.53	5.633	80	
18	5.53	5.444	80	
19	5.53	5.363	80	
20	5.53	5.522	80	*
21	5.53	5.345	80	
22	5.53	5.529	80	*
23	5.53	5.722	80	
24	5.53	5.511	80	*
25	5.53	5.618	80	
26	5.53	5.265	80	
27	5.53	5.573	80	
28	5.53	5.598	80	
29	5.53	5.541	80	*
30	5.53	5.648	80	
31	5.53	5.361	80	
32	5.53	5.427	80	
33	5.53	5.68	80	
34	5.53	5.393	80	
35	5.53	5.269	80	
36	5.53	5.295	80	
37	5.53	5.551	80	*
38	5.53	5.438	80	
39	5.53	5.523	80	*
40	5.53	5.413	80	
41	5.53	5.719	80	
42	5.53	5.334	80	
43	5.53	5.506	80	*
44	5.53	5.683	80	
45	5.53	5.381	80	
46	5.53	5.704	80	
47	5.53	5.617	80	

48	5.53	5.308	80	
49	5.53	5.324	80	
50	5.53	5.268	80	
51	5.53	5.569	80	*
52	5.53	5.292	80	
53	5.53	5.342	80	
54	5.53	5.575	80	
55	5.53	5.519	80	*
56	5.53	5.621	80	
57	5.53	5.655	80	
58	5.53	5.352	80	
59	5.53	5.374	80	
60	5.53	5.723	80	
61	5.53	5.274	80	
62	5.53	5.336	80	
63	5.53	5.454	80	
64	5.53	5.706	80	
65	5.53	5.582	80	
66	5.53	5.71	80	
67	5.53	5.351	80	
68	5.53	5.641	80	
69	5.53	5.41	80	
70	5.53	5.663	80	
71	5.53	5.428	80	
72	5.53	5.639	80	
73	5.53	5.636	80	
74	5.53	5.32	80	
75	5.53	5.488	80	
76	5.53	5.565	80	*
77	5.53	5.508	80	*
78	5.53	5.262	80	
79	5.53	5.686	80	
80	5.53	5.675	80	
81	5.53	5.717	80	
82	5.53	5.515	80	*
83	5.53	5.679	80	
84	5.53	5.597	80	
85	5.53	5.406	80	
86	5.53	5.42	80	
87	5.53	5.394	80	
88	5.53	5.476	80	
89	5.53	5.483	80	
90	5.53	5.279	80	
91	5.53	5.524	80	*
92	5.53	5.538	80	*
93	5.53	5.632	80	
94	5.53	5.386	80	
95	5.53	5.426	80	
96	5.53	5.554	80	*
97	5.53	5.309	80	
98	5.53	5.682	80	
99	5.53	5.622	80	
100	5.53	5.628	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.331	80	
2	5.53	5.575	80	
3	5.53	5.305	80	
4	5.53	5.325	80	
5	5.53	5.366	80	
6	5.53	5.701	80	
7	5.53	5.316	80	
8	5.53	5.606	80	
9	5.53	5.549	80	*
10	5.53	5.659	80	
11	5.53	5.456	80	
12	5.53	5.28	80	
13	5.53	5.713	80	
14	5.53	5.506	80	*
15	5.53	5.591	80	
16	5.53	5.292	80	
17	5.53	5.572	80	
18	5.53	5.634	80	
19	5.53	5.392	80	
20	5.53	5.449	80	
21	5.53	5.348	80	
22	5.53	5.458	80	
23	5.53	5.286	80	
24	5.53	5.526	80	*
25	5.53	5.381	80	
26	5.53	5.314	80	
27	5.53	5.571	80	
28	5.53	5.423	80	
29	5.53	5.581	80	
30	5.53	5.697	80	
31	5.53	5.431	80	
32	5.53	5.719	80	
33	5.53	5.651	80	
34	5.53	5.358	80	
35	5.53	5.7	80	
36	5.53	5.356	80	
37	5.53	5.708	80	
38	5.53	5.704	80	
39	5.53	5.476	80	
40	5.53	5.615	80	
41	5.53	5.437	80	
42	5.53	5.689	80	
43	5.53	5.399	80	
44	5.53	5.346	80	
45	5.53	5.644	80	
46	5.53	5.398	80	
47	5.53	5.509	80	*
48	5.53	5.688	80	
49	5.53	5.383	80	

50	5.53	5.611	80	
51	5.53	5.308	80	
52	5.53	5.393	80	
53	5.53	5.341	80	
54	5.53	5.652	80	
55	5.53	5.521	80	*
56	5.53	5.468	80	
57	5.53	5.614	80	
58	5.53	5.324	80	
59	5.53	5.68	80	
60	5.53	5.584	80	
61	5.53	5.625	80	
62	5.53	5.696	80	
63	5.53	5.288	80	
64	5.53	5.361	80	
65	5.53	5.432	80	
66	5.53	5.415	80	
67	5.53	5.483	80	
68	5.53	5.412	80	
69	5.53	5.332	80	
70	5.53	5.508	80	*
71	5.53	5.72	80	
72	5.53	5.535	80	*
73	5.53	5.553	80	*
74	5.53	5.568	80	*
75	5.53	5.517	80	*
76	5.53	5.705	80	
77	5.53	5.617	80	
78	5.53	5.4	80	
79	5.53	5.643	80	
80	5.53	5.609	80	
81	5.53	5.347	80	
82	5.53	5.277	80	
83	5.53	5.607	80	
84	5.53	5.436	80	
85	5.53	5.653	80	
86	5.53	5.304	80	
87	5.53	5.496	80	*
88	5.53	5.525	80	*
89	5.53	5.63	80	
90	5.53	5.499	80	*
91	5.53	5.717	80	
92	5.53	5.351	80	
93	5.53	5.642	80	
94	5.53	5.327	80	
95	5.53	5.452	80	
96	5.53	5.603	80	
97	5.53	5.328	80	
98	5.53	5.283	80	
99	5.53	5.315	80	
100	5.53	5.716	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.522	80	*
2	5.53	5.635	80	
3	5.53	5.438	80	
4	5.53	5.664	80	
5	5.53	5.299	80	
6	5.53	5.368	80	
7	5.53	5.47	80	
8	5.53	5.501	80	*
9	5.53	5.661	80	
10	5.53	5.552	80	*
11	5.53	5.72	80	
12	5.53	5.64	80	
13	5.53	5.605	80	
14	5.53	5.259	80	
15	5.53	5.716	80	
16	5.53	5.667	80	
17	5.53	5.339	80	
18	5.53	5.508	80	*
19	5.53	5.505	80	*
20	5.53	5.324	80	
21	5.53	5.675	80	
22	5.53	5.452	80	
23	5.53	5.35	80	
24	5.53	5.622	80	
25	5.53	5.314	80	
26	5.53	5.265	80	
27	5.53	5.319	80	
28	5.53	5.272	80	
29	5.53	5.641	80	
30	5.53	5.274	80	
31	5.53	5.273	80	
32	5.53	5.463	80	
33	5.53	5.616	80	
34	5.53	5.253	80	
35	5.53	5.634	80	
36	5.53	5.539	80	*
37	5.53	5.512	80	*
38	5.53	5.519	80	*
39	5.53	5.3	80	
40	5.53	5.359	80	
41	5.53	5.538	80	*
42	5.53	5.671	80	
43	5.53	5.678	80	
44	5.53	5.417	80	
45	5.53	5.721	80	
46	5.53	5.297	80	
47	5.53	5.345	80	
48	5.53	5.267	80	
49	5.53	5.627	80	

50	5.53	5.486	80	
51	5.53	5.582	80	
52	5.53	5.488	80	
53	5.53	5.41	80	
54	5.53	5.447	80	
55	5.53	5.385	80	
56	5.53	5.492	80	*
57	5.53	5.487	80	
58	5.53	5.583	80	
59	5.53	5.341	80	
60	5.53	5.372	80	
61	5.53	5.576	80	
62	5.53	5.588	80	
63	5.53	5.613	80	
64	5.53	5.586	80	
65	5.53	5.296	80	
66	5.53	5.654	80	
67	5.53	5.398	80	
68	5.53	5.432	80	
69	5.53	5.357	80	
70	5.53	5.321	80	
71	5.53	5.706	80	
72	5.53	5.618	80	
73	5.53	5.276	80	
74	5.53	5.574	80	
75	5.53	5.694	80	
76	5.53	5.557	80	*
77	5.53	5.589	80	
78	5.53	5.459	80	
79	5.53	5.626	80	
80	5.53	5.478	80	
81	5.53	5.376	80	
82	5.53	5.714	80	
83	5.53	5.563	80	*
84	5.53	5.708	80	
85	5.53	5.531	80	*
86	5.53	5.45	80	
87	5.53	5.408	80	
88	5.53	5.472	80	
89	5.53	5.391	80	
90	5.53	5.48	80	
91	5.53	5.543	80	*
92	5.53	5.647	80	
93	5.53	5.477	80	
94	5.53	5.502	80	*
95	5.53	5.451	80	
96	5.53	5.271	80	
97	5.53	5.25	80	
98	5.53	5.711	80	
99	5.53	5.307	80	
100	5.53	5.695	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.557	80	*
2	5.53	5.694	80	
3	5.53	5.34	80	
4	5.53	5.381	80	
5	5.53	5.409	80	
6	5.53	5.715	80	
7	5.53	5.723	80	
8	5.53	5.329	80	
9	5.53	5.619	80	
10	5.53	5.65	80	
11	5.53	5.683	80	
12	5.53	5.261	80	
13	5.53	5.576	80	
14	5.53	5.366	80	
15	5.53	5.536	80	*
16	5.53	5.469	80	
17	5.53	5.369	80	
18	5.53	5.46	80	
19	5.53	5.597	80	
20	5.53	5.558	80	*
21	5.53	5.417	80	
22	5.53	5.423	80	
23	5.53	5.579	80	
24	5.53	5.534	80	*
25	5.53	5.414	80	
26	5.53	5.57	80	*
27	5.53	5.481	80	
28	5.53	5.69	80	
29	5.53	5.377	80	
30	5.53	5.253	80	
31	5.53	5.32	80	
32	5.53	5.422	80	
33	5.53	5.677	80	
34	5.53	5.61	80	
35	5.53	5.563	80	*
36	5.53	5.268	80	
37	5.53	5.561	80	*
38	5.53	5.415	80	
39	5.53	5.527	80	*
40	5.53	5.722	80	
41	5.53	5.356	80	
42	5.53	5.424	80	
43	5.53	5.391	80	
44	5.53	5.467	80	
45	5.53	5.337	80	
46	5.53	5.435	80	
47	5.53	5.271	80	
48	5.53	5.542	80	*
49	5.53	5.376	80	

50	5.53	5.334	80	
51	5.53	5.316	80	
52	5.53	5.492	80	*
53	5.53	5.412	80	
54	5.53	5.353	80	
55	5.53	5.459	80	
56	5.53	5.704	80	
57	5.53	5.482	80	
58	5.53	5.566	80	*
59	5.53	5.346	80	
60	5.53	5.339	80	
61	5.53	5.491	80	*
62	5.53	5.698	80	
63	5.53	5.364	80	
64	5.53	5.505	80	*
65	5.53	5.634	80	
66	5.53	5.569	80	*
67	5.53	5.662	80	
68	5.53	5.425	80	
69	5.53	5.642	80	
70	5.53	5.641	80	
71	5.53	5.296	80	
72	5.53	5.657	80	
73	5.53	5.658	80	
74	5.53	5.288	80	
75	5.53	5.621	80	
76	5.53	5.672	80	
77	5.53	5.455	80	
78	5.53	5.613	80	
79	5.53	5.264	80	
80	5.53	5.6	80	
81	5.53	5.345	80	
82	5.53	5.675	80	
83	5.53	5.325	80	
84	5.53	5.673	80	
85	5.53	5.403	80	
86	5.53	5.588	80	
87	5.53	5.321	80	
88	5.53	5.27	80	
89	5.53	5.277	80	
90	5.53	5.495	80	*
91	5.53	5.531	80	*
92	5.53	5.501	80	*
93	5.53	5.274	80	
94	5.53	5.647	80	
95	5.53	5.522	80	*
96	5.53	5.395	80	
97	5.53	5.64	80	
98	5.53	5.528	80	*
99	5.53	5.402	80	
100	5.53	5.719	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.346	80	
2	5.53	5.349	80	
3	5.53	5.423	80	
4	5.53	5.473	80	
5	5.53	5.643	80	
6	5.53	5.253	80	
7	5.53	5.719	80	
8	5.53	5.697	80	
9	5.53	5.51	80	*
10	5.53	5.554	80	*
11	5.53	5.3	80	
12	5.53	5.296	80	
13	5.53	5.694	80	
14	5.53	5.317	80	
15	5.53	5.32	80	
16	5.53	5.631	80	
17	5.53	5.461	80	
18	5.53	5.327	80	
19	5.53	5.513	80	*
20	5.53	5.354	80	
21	5.53	5.565	80	*
22	5.53	5.274	80	
23	5.53	5.654	80	
24	5.53	5.583	80	
25	5.53	5.289	80	
26	5.53	5.411	80	
27	5.53	5.275	80	
28	5.53	5.259	80	
29	5.53	5.324	80	
30	5.53	5.644	80	
31	5.53	5.7	80	
32	5.53	5.363	80	
33	5.53	5.385	80	
34	5.53	5.307	80	
35	5.53	5.557	80	*
36	5.53	5.258	80	
37	5.53	5.272	80	
38	5.53	5.409	80	
39	5.53	5.578	80	
40	5.53	5.522	80	*
41	5.53	5.664	80	
42	5.53	5.402	80	
43	5.53	5.321	80	
44	5.53	5.458	80	
45	5.53	5.591	80	
46	5.53	5.675	80	
47	5.53	5.301	80	
48	5.53	5.512	80	*
49	5.53	5.723	80	

50	5.53	5.448	80	
51	5.53	5.699	80	
52	5.53	5.379	80	
53	5.53	5.574	80	
54	5.53	5.251	80	
55	5.53	5.57	80	*
56	5.53	5.611	80	
57	5.53	5.281	80	
58	5.53	5.52	80	*
59	5.53	5.415	80	
60	5.53	5.529	80	*
61	5.53	5.342	80	
62	5.53	5.503	80	*
63	5.53	5.647	80	
64	5.53	5.414	80	
65	5.53	5.377	80	
66	5.53	5.509	80	*
67	5.53	5.462	80	
68	5.53	5.418	80	
69	5.53	5.541	80	*
70	5.53	5.495	80	*
71	5.53	5.429	80	
72	5.53	5.709	80	
73	5.53	5.395	80	
74	5.53	5.539	80	*
75	5.53	5.628	80	
76	5.53	5.471	80	
77	5.53	5.706	80	
78	5.53	5.261	80	
79	5.53	5.649	80	
80	5.53	5.353	80	
81	5.53	5.474	80	
82	5.53	5.375	80	
83	5.53	5.459	80	
84	5.53	5.454	80	
85	5.53	5.673	80	
86	5.53	5.563	80	*
87	5.53	5.602	80	
88	5.53	5.698	80	
89	5.53	5.523	80	*
90	5.53	5.279	80	
91	5.53	5.291	80	
92	5.53	5.332	80	
93	5.53	5.722	80	
94	5.53	5.378	80	
95	5.53	5.285	80	
96	5.53	5.298	80	
97	5.53	5.4	80	
98	5.53	5.384	80	
99	5.53	5.373	80	
100	5.53	5.625	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.723	80	
2	5.53	5.466	80	
3	5.53	5.619	80	
4	5.53	5.661	80	
5	5.53	5.693	80	
6	5.53	5.493	80	*
7	5.53	5.698	80	
8	5.53	5.566	80	*
9	5.53	5.637	80	
10	5.53	5.257	80	
11	5.53	5.42	80	
12	5.53	5.52	80	*
13	5.53	5.43	80	
14	5.53	5.331	80	
15	5.53	5.266	80	
16	5.53	5.616	80	
17	5.53	5.351	80	
18	5.53	5.575	80	
19	5.53	5.25	80	
20	5.53	5.417	80	
21	5.53	5.545	80	*
22	5.53	5.705	80	
23	5.53	5.626	80	
24	5.53	5.41	80	
25	5.53	5.687	80	
26	5.53	5.5	80	*
27	5.53	5.338	80	
28	5.53	5.304	80	
29	5.53	5.425	80	
30	5.53	5.411	80	
31	5.53	5.368	80	
32	5.53	5.381	80	
33	5.53	5.534	80	*
34	5.53	5.516	80	*
35	5.53	5.293	80	
36	5.53	5.352	80	
37	5.53	5.622	80	
38	5.53	5.577	80	
39	5.53	5.715	80	
40	5.53	5.695	80	
41	5.53	5.263	80	
42	5.53	5.535	80	*
43	5.53	5.45	80	
44	5.53	5.635	80	
45	5.53	5.252	80	
46	5.53	5.617	80	
47	5.53	5.573	80	
48	5.53	5.528	80	*
49	5.53	5.504	80	*

50	5.53	5.315	80	
51	5.53	5.398	80	
52	5.53	5.287	80	
53	5.53	5.478	80	
54	5.53	5.667	80	
55	5.53	5.44	80	
56	5.53	5.644	80	
57	5.53	5.536	80	*
58	5.53	5.29	80	
59	5.53	5.387	80	
60	5.53	5.547	80	*
61	5.53	5.448	80	
62	5.53	5.606	80	
63	5.53	5.262	80	
64	5.53	5.437	80	
65	5.53	5.281	80	
66	5.53	5.588	80	
67	5.53	5.537	80	*
68	5.53	5.701	80	
69	5.53	5.709	80	
70	5.53	5.328	80	
71	5.53	5.31	80	
72	5.53	5.444	80	
73	5.53	5.371	80	
74	5.53	5.7	80	
75	5.53	5.456	80	
76	5.53	5.71	80	
77	5.53	5.407	80	
78	5.53	5.314	80	
79	5.53	5.649	80	
80	5.53	5.4	80	
81	5.53	5.33	80	
82	5.53	5.319	80	
83	5.53	5.361	80	
84	5.53	5.326	80	
85	5.53	5.307	80	
86	5.53	5.527	80	*
87	5.53	5.414	80	
88	5.53	5.404	80	
89	5.53	5.656	80	
90	5.53	5.496	80	*
91	5.53	5.323	80	
92	5.53	5.394	80	
93	5.53	5.498	80	*
94	5.53	5.397	80	
95	5.53	5.519	80	*
96	5.53	5.415	80	
97	5.53	5.402	80	
98	5.53	5.445	80	
99	5.53	5.274	80	
100	5.53	5.603	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.333	80	
2	5.53	5.57	80	*
3	5.53	5.255	80	
4	5.53	5.506	80	*
5	5.53	5.64	80	
6	5.53	5.556	80	*
7	5.53	5.254	80	
8	5.53	5.282	80	
9	5.53	5.707	80	
10	5.53	5.341	80	
11	5.53	5.478	80	
12	5.53	5.668	80	
13	5.53	5.283	80	
14	5.53	5.545	80	*
15	5.53	5.613	80	
16	5.53	5.448	80	
17	5.53	5.393	80	
18	5.53	5.33	80	
19	5.53	5.629	80	
20	5.53	5.486	80	
21	5.53	5.496	80	*
22	5.53	5.25	80	
23	5.53	5.392	80	
24	5.53	5.674	80	
25	5.53	5.461	80	
26	5.53	5.297	80	
27	5.53	5.635	80	
28	5.53	5.581	80	
29	5.53	5.347	80	
30	5.53	5.289	80	
31	5.53	5.291	80	
32	5.53	5.563	80	*
33	5.53	5.608	80	
34	5.53	5.36	80	
35	5.53	5.358	80	
36	5.53	5.621	80	
37	5.53	5.696	80	
38	5.53	5.606	80	
39	5.53	5.492	80	*
40	5.53	5.535	80	*
41	5.53	5.489	80	
42	5.53	5.598	80	
43	5.53	5.58	80	
44	5.53	5.657	80	
45	5.53	5.385	80	
46	5.53	5.612	80	
47	5.53	5.702	80	
48	5.53	5.294	80	
49	5.53	5.274	80	

50	5.53	5.406	80	
51	5.53	5.694	80	
52	5.53	5.417	80	
53	5.53	5.488	80	
54	5.53	5.646	80	
55	5.53	5.615	80	
56	5.53	5.654	80	
57	5.53	5.429	80	
58	5.53	5.31	80	
59	5.53	5.407	80	
60	5.53	5.317	80	
61	5.53	5.709	80	
62	5.53	5.564	80	*
63	5.53	5.597	80	
64	5.53	5.269	80	
65	5.53	5.446	80	
66	5.53	5.275	80	
67	5.53	5.714	80	
68	5.53	5.62	80	
69	5.53	5.483	80	
70	5.53	5.251	80	
71	5.53	5.691	80	
72	5.53	5.364	80	
73	5.53	5.45	80	
74	5.53	5.528	80	*
75	5.53	5.7	80	
76	5.53	5.449	80	
77	5.53	5.435	80	
78	5.53	5.368	80	
79	5.53	5.262	80	
80	5.53	5.634	80	
81	5.53	5.286	80	
82	5.53	5.302	80	
83	5.53	5.427	80	
84	5.53	5.284	80	
85	5.53	5.477	80	
86	5.53	5.428	80	
87	5.53	5.361	80	
88	5.53	5.509	80	*
89	5.53	5.524	80	*
90	5.53	5.68	80	
91	5.53	5.551	80	*
92	5.53	5.472	80	
93	5.53	5.281	80	
94	5.53	5.537	80	*
95	5.53	5.481	80	
96	5.53	5.518	80	*
97	5.53	5.366	80	
98	5.53	5.463	80	
99	5.53	5.617	80	
100	5.53	5.513	80	*

TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.636	80	
2	5.53	5.316	80	
3	5.53	5.274	80	
4	5.53	5.259	80	
5	5.53	5.491	80	*
6	5.53	5.324	80	
7	5.53	5.51	80	*
8	5.53	5.385	80	
9	5.53	5.318	80	
10	5.53	5.602	80	
11	5.53	5.651	80	
12	5.53	5.635	80	
13	5.53	5.697	80	
14	5.53	5.422	80	
15	5.53	5.543	80	*
16	5.53	5.489	80	
17	5.53	5.562	80	*
18	5.53	5.623	80	
19	5.53	5.293	80	
20	5.53	5.461	80	
21	5.53	5.575	80	
22	5.53	5.669	80	
23	5.53	5.308	80	
24	5.53	5.298	80	
25	5.53	5.712	80	
26	5.53	5.475	80	
27	5.53	5.435	80	
28	5.53	5.396	80	
29	5.53	5.538	80	*
30	5.53	5.413	80	
31	5.53	5.646	80	
32	5.53	5.467	80	
33	5.53	5.368	80	
34	5.53	5.655	80	
35	5.53	5.566	80	*
36	5.53	5.676	80	
37	5.53	5.323	80	
38	5.53	5.516	80	*
39	5.53	5.253	80	
40	5.53	5.563	80	*
41	5.53	5.589	80	
42	5.53	5.267	80	
43	5.53	5.402	80	
44	5.53	5.331	80	
45	5.53	5.254	80	
46	5.53	5.419	80	
47	5.53	5.552	80	*
48	5.53	5.415	80	
49	5.53	5.716	80	

50	5.53	5.252	80	
51	5.53	5.627	80	
52	5.53	5.567	80	*
53	5.53	5.522	80	*
54	5.53	5.361	80	
55	5.53	5.48	80	
56	5.53	5.374	80	
57	5.53	5.4	80	
58	5.53	5.58	80	
59	5.53	5.441	80	
60	5.53	5.418	80	
61	5.53	5.416	80	
62	5.53	5.391	80	
63	5.53	5.477	80	
64	5.53	5.582	80	
65	5.53	5.266	80	
66	5.53	5.464	80	
67	5.53	5.301	80	
68	5.53	5.471	80	
69	5.53	5.648	80	
70	5.53	5.399	80	
71	5.53	5.453	80	
72	5.53	5.329	80	
73	5.53	5.339	80	
74	5.53	5.624	80	
75	5.53	5.505	80	*
76	5.53	5.351	80	
77	5.53	5.614	80	
78	5.53	5.632	80	
79	5.53	5.466	80	
80	5.53	5.56	80	*
81	5.53	5.494	80	*
82	5.53	5.296	80	
83	5.53	5.713	80	
84	5.53	5.313	80	
85	5.53	5.544	80	*
86	5.53	5.603	80	
87	5.53	5.555	80	*
88	5.53	5.45	80	
89	5.53	5.291	80	
90	5.53	5.519	80	*
91	5.53	5.708	80	
92	5.53	5.595	80	
93	5.53	5.379	80	
94	5.53	5.443	80	
95	5.53	5.256	80	
96	5.53	5.27	80	
97	5.53	5.393	80	
98	5.53	5.565	80	*
99	5.53	5.479	80	
100	5.53	5.649	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.451	80	
2	5.53	5.298	80	
3	5.53	5.254	80	
4	5.53	5.682	80	
5	5.53	5.436	80	
6	5.53	5.418	80	
7	5.53	5.263	80	
8	5.53	5.367	80	
9	5.53	5.362	80	
10	5.53	5.343	80	
11	5.53	5.556	80	*
12	5.53	5.641	80	
13	5.53	5.376	80	
14	5.53	5.575	80	
15	5.53	5.62	80	
16	5.53	5.433	80	
17	5.53	5.688	80	
18	5.53	5.673	80	
19	5.53	5.529	80	*
20	5.53	5.427	80	
21	5.53	5.679	80	
22	5.53	5.544	80	*
23	5.53	5.557	80	*
24	5.53	5.378	80	
25	5.53	5.257	80	
26	5.53	5.475	80	
27	5.53	5.291	80	
28	5.53	5.252	80	
29	5.53	5.443	80	
30	5.53	5.694	80	
31	5.53	5.602	80	
32	5.53	5.446	80	
33	5.53	5.372	80	
34	5.53	5.401	80	
35	5.53	5.537	80	*
36	5.53	5.54	80	*
37	5.53	5.693	80	
38	5.53	5.461	80	
39	5.53	5.638	80	
40	5.53	5.614	80	
41	5.53	5.359	80	
42	5.53	5.259	80	
43	5.53	5.616	80	
44	5.53	5.315	80	
45	5.53	5.41	80	
46	5.53	5.566	80	*
47	5.53	5.483	80	
48	5.53	5.284	80	
49	5.53	5.344	80	

50	5.53	5.294	80	
51	5.53	5.573	80	
52	5.53	5.272	80	
53	5.53	5.353	80	
54	5.53	5.287	80	
55	5.53	5.266	80	
56	5.53	5.509	80	*
57	5.53	5.607	80	
58	5.53	5.334	80	
59	5.53	5.696	80	
60	5.53	5.38	80	
61	5.53	5.444	80	
62	5.53	5.325	80	
63	5.53	5.303	80	
64	5.53	5.7	80	
65	5.53	5.513	80	*
66	5.53	5.581	80	
67	5.53	5.504	80	*
68	5.53	5.586	80	
69	5.53	5.681	80	
70	5.53	5.672	80	
71	5.53	5.288	80	
72	5.53	5.58	80	
73	5.53	5.521	80	*
74	5.53	5.297	80	
75	5.53	5.381	80	
76	5.53	5.579	80	
77	5.53	5.55	80	*
78	5.53	5.574	80	
79	5.53	5.304	80	
80	5.53	5.283	80	
81	5.53	5.605	80	
82	5.53	5.416	80	
83	5.53	5.445	80	
84	5.53	5.28	80	
85	5.53	5.482	80	
86	5.53	5.695	80	
87	5.53	5.354	80	
88	5.53	5.44	80	
89	5.53	5.678	80	
90	5.53	5.45	80	
91	5.53	5.597	80	
92	5.53	5.661	80	
93	5.53	5.715	80	
94	5.53	5.649	80	
95	5.53	5.293	80	
96	5.53	5.542	80	*
97	5.53	5.332	80	
98	5.53	5.498	80	*
99	5.53	5.264	80	
100	5.53	5.503	80	*

TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.52	80	*
2	5.53	5.359	80	
3	5.53	5.406	80	
4	5.53	5.529	80	*
5	5.53	5.704	80	
6	5.53	5.409	80	
7	5.53	5.325	80	
8	5.53	5.614	80	
9	5.53	5.396	80	
10	5.53	5.721	80	
11	5.53	5.31	80	
12	5.53	5.389	80	
13	5.53	5.456	80	
14	5.53	5.554	80	*
15	5.53	5.615	80	
16	5.53	5.562	80	*
17	5.53	5.599	80	
18	5.53	5.657	80	
19	5.53	5.62	80	
20	5.53	5.55	80	*
21	5.53	5.479	80	
22	5.53	5.717	80	
23	5.53	5.332	80	
24	5.53	5.439	80	
25	5.53	5.402	80	
26	5.53	5.534	80	*
27	5.53	5.642	80	
28	5.53	5.258	80	
29	5.53	5.374	80	
30	5.53	5.424	80	
31	5.53	5.595	80	
32	5.53	5.557	80	*
33	5.53	5.607	80	
34	5.53	5.341	80	
35	5.53	5.295	80	
36	5.53	5.69	80	
37	5.53	5.496	80	*
38	5.53	5.377	80	
39	5.53	5.322	80	
40	5.53	5.56	80	*
41	5.53	5.671	80	
42	5.53	5.265	80	
43	5.53	5.267	80	
44	5.53	5.324	80	
45	5.53	5.457	80	
46	5.53	5.605	80	
47	5.53	5.643	80	
48	5.53	5.407	80	
49	5.53	5.365	80	

50	5.53	5.575	80	
51	5.53	5.392	80	
52	5.53	5.412	80	
53	5.53	5.561	80	*
54	5.53	5.259	80	
55	5.53	5.262	80	
56	5.53	5.673	80	
57	5.53	5.28	80	
58	5.53	5.311	80	
59	5.53	5.326	80	
60	5.53	5.699	80	
61	5.53	5.64	80	
62	5.53	5.72	80	
63	5.53	5.519	80	*
64	5.53	5.301	80	
65	5.53	5.65	80	
66	5.53	5.27	80	
67	5.53	5.408	80	
68	5.53	5.373	80	
69	5.53	5.429	80	
70	5.53	5.484	80	
71	5.53	5.549	80	*
72	5.53	5.463	80	
73	5.53	5.445	80	
74	5.53	5.44	80	
75	5.53	5.333	80	
76	5.53	5.321	80	
77	5.53	5.526	80	*
78	5.53	5.705	80	
79	5.53	5.572	80	
80	5.53	5.462	80	
81	5.53	5.345	80	
82	5.53	5.287	80	
83	5.53	5.688	80	
84	5.53	5.664	80	
85	5.53	5.585	80	
86	5.53	5.327	80	
87	5.53	5.453	80	
88	5.53	5.339	80	
89	5.53	5.515	80	*
90	5.53	5.553	80	*
91	5.53	5.364	80	
92	5.53	5.276	80	
93	5.53	5.344	80	
94	5.53	5.386	80	
95	5.53	5.645	80	
96	5.53	5.652	80	
97	5.53	5.723	80	
98	5.53	5.596	80	
99	5.53	5.684	80	
100	5.53	5.625	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.527	80	*
2	5.53	5.34	80	
3	5.53	5.534	80	*
4	5.53	5.281	80	
5	5.53	5.279	80	
6	5.53	5.597	80	
7	5.53	5.613	80	
8	5.53	5.29	80	
9	5.53	5.332	80	
10	5.53	5.649	80	
11	5.53	5.459	80	
12	5.53	5.266	80	
13	5.53	5.724	80	
14	5.53	5.399	80	
15	5.53	5.423	80	
16	5.53	5.378	80	
17	5.53	5.365	80	
18	5.53	5.324	80	
19	5.53	5.627	80	
20	5.53	5.286	80	
21	5.53	5.693	80	
22	5.53	5.342	80	
23	5.53	5.284	80	
24	5.53	5.508	80	*
25	5.53	5.487	80	
26	5.53	5.323	80	
27	5.53	5.303	80	
28	5.53	5.379	80	
29	5.53	5.538	80	*
30	5.53	5.335	80	
31	5.53	5.283	80	
32	5.53	5.301	80	
33	5.53	5.264	80	
34	5.53	5.291	80	
35	5.53	5.628	80	
36	5.53	5.506	80	*
37	5.53	5.363	80	
38	5.53	5.404	80	
39	5.53	5.377	80	
40	5.53	5.372	80	
41	5.53	5.472	80	
42	5.53	5.526	80	*
43	5.53	5.393	80	
44	5.53	5.484	80	
45	5.53	5.523	80	*
46	5.53	5.51	80	*
47	5.53	5.673	80	
48	5.53	5.401	80	
49	5.53	5.386	80	

50	5.53	5.256	80	
51	5.53	5.721	80	
52	5.53	5.547	80	*
53	5.53	5.563	80	*
54	5.53	5.719	80	
55	5.53	5.642	80	
56	5.53	5.559	80	*
57	5.53	5.37	80	
58	5.53	5.687	80	
59	5.53	5.602	80	
60	5.53	5.473	80	
61	5.53	5.61	80	
62	5.53	5.694	80	
63	5.53	5.318	80	
64	5.53	5.71	80	
65	5.53	5.712	80	
66	5.53	5.519	80	*
67	5.53	5.553	80	*
68	5.53	5.564	80	*
69	5.53	5.518	80	*
70	5.53	5.289	80	
71	5.53	5.611	80	
72	5.53	5.558	80	*
73	5.53	5.344	80	
74	5.53	5.49	80	*
75	5.53	5.385	80	
76	5.53	5.711	80	
77	5.53	5.337	80	
78	5.53	5.706	80	
79	5.53	5.65	80	
80	5.53	5.398	80	
81	5.53	5.257	80	
82	5.53	5.653	80	
83	5.53	5.504	80	*
84	5.53	5.537	80	*
85	5.53	5.394	80	
86	5.53	5.437	80	
87	5.53	5.679	80	
88	5.53	5.306	80	
89	5.53	5.475	80	
90	5.53	5.265	80	
91	5.53	5.676	80	
92	5.53	5.52	80	*
93	5.53	5.359	80	
94	5.53	5.701	80	
95	5.53	5.3	80	
96	5.53	5.4	80	
97	5.53	5.695	80	
98	5.53	5.529	80	*
99	5.53	5.419	80	
100	5.53	5.33	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.252	80	
2	5.53	5.625	80	
3	5.53	5.261	80	
4	5.53	5.53	80	*
5	5.53	5.646	80	
6	5.53	5.265	80	
7	5.53	5.482	80	
8	5.53	5.26	80	
9	5.53	5.334	80	
10	5.53	5.516	80	*
11	5.53	5.554	80	*
12	5.53	5.346	80	
13	5.53	5.316	80	
14	5.53	5.686	80	
15	5.53	5.4	80	
16	5.53	5.402	80	
17	5.53	5.304	80	
18	5.53	5.365	80	
19	5.53	5.62	80	
20	5.53	5.609	80	
21	5.53	5.598	80	
22	5.53	5.392	80	
23	5.53	5.368	80	
24	5.53	5.282	80	
25	5.53	5.684	80	
26	5.53	5.541	80	*
27	5.53	5.465	80	
28	5.53	5.409	80	
29	5.53	5.44	80	
30	5.53	5.417	80	
31	5.53	5.504	80	*
32	5.53	5.704	80	
33	5.53	5.583	80	
34	5.53	5.323	80	
35	5.53	5.718	80	
36	5.53	5.593	80	
37	5.53	5.325	80	
38	5.53	5.308	80	
39	5.53	5.366	80	
40	5.53	5.307	80	
41	5.53	5.301	80	
42	5.53	5.423	80	
43	5.53	5.715	80	
44	5.53	5.507	80	*
45	5.53	5.468	80	
46	5.53	5.427	80	
47	5.53	5.405	80	
48	5.53	5.433	80	
49	5.53	5.438	80	

50	5.53	5.344	80	
51	5.53	5.314	80	
52	5.53	5.333	80	
53	5.53	5.628	80	
54	5.53	5.298	80	
55	5.53	5.695	80	
56	5.53	5.32	80	
57	5.53	5.457	80	
58	5.53	5.632	80	
59	5.53	5.706	80	
60	5.53	5.385	80	
61	5.53	5.29	80	
62	5.53	5.389	80	
63	5.53	5.455	80	
64	5.53	5.343	80	
65	5.53	5.524	80	*
66	5.53	5.428	80	
67	5.53	5.644	80	
68	5.53	5.451	80	
69	5.53	5.287	80	
70	5.53	5.648	80	
71	5.53	5.722	80	
72	5.53	5.603	80	
73	5.53	5.35	80	
74	5.53	5.645	80	
75	5.53	5.45	80	
76	5.53	5.279	80	
77	5.53	5.312	80	
78	5.53	5.38	80	
79	5.53	5.382	80	
80	5.53	5.253	80	
81	5.53	5.361	80	
82	5.53	5.436	80	
83	5.53	5.719	80	
84	5.53	5.679	80	
85	5.53	5.413	80	
86	5.53	5.473	80	
87	5.53	5.342	80	
88	5.53	5.63	80	
89	5.53	5.674	80	
90	5.53	5.72	80	
91	5.53	5.297	80	
92	5.53	5.475	80	
93	5.53	5.709	80	
94	5.53	5.617	80	
95	5.53	5.573	80	
96	5.53	5.605	80	
97	5.53	5.46	80	
98	5.53	5.448	80	
99	5.53	5.474	80	
100	5.53	5.552	80	*

TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.634	80	
2	5.53	5.513	80	*
3	5.53	5.359	80	
4	5.53	5.579	80	
5	5.53	5.293	80	
6	5.53	5.364	80	
7	5.53	5.566	80	*
8	5.53	5.615	80	
9	5.53	5.64	80	
10	5.53	5.619	80	
11	5.53	5.683	80	
12	5.53	5.403	80	
13	5.53	5.325	80	
14	5.53	5.482	80	
15	5.53	5.475	80	
16	5.53	5.527	80	*
17	5.53	5.567	80	*
18	5.53	5.56	80	*
19	5.53	5.251	80	
20	5.53	5.264	80	
21	5.53	5.523	80	*
22	5.53	5.432	80	
23	5.53	5.429	80	
24	5.53	5.413	80	
25	5.53	5.698	80	
26	5.53	5.651	80	
27	5.53	5.568	80	*
28	5.53	5.43	80	
29	5.53	5.296	80	
30	5.53	5.487	80	
31	5.53	5.261	80	
32	5.53	5.6	80	
33	5.53	5.554	80	*
34	5.53	5.49	80	*
35	5.53	5.648	80	
36	5.53	5.712	80	
37	5.53	5.588	80	
38	5.53	5.345	80	
39	5.53	5.501	80	*
40	5.53	5.302	80	
41	5.53	5.507	80	*
42	5.53	5.414	80	
43	5.53	5.263	80	
44	5.53	5.576	80	
45	5.53	5.479	80	
46	5.53	5.696	80	
47	5.53	5.42	80	
48	5.53	5.657	80	
49	5.53	5.718	80	

50	5.53	5.704	80	
51	5.53	5.307	80	
52	5.53	5.335	80	
53	5.53	5.324	80	
54	5.53	5.253	80	
55	5.53	5.305	80	
56	5.53	5.381	80	
57	5.53	5.452	80	
58	5.53	5.687	80	
59	5.53	5.61	80	
60	5.53	5.284	80	
61	5.53	5.36	80	
62	5.53	5.558	80	*
63	5.53	5.496	80	*
64	5.53	5.275	80	
65	5.53	5.288	80	
66	5.53	5.68	80	
67	5.53	5.508	80	*
68	5.53	5.493	80	*
69	5.53	5.626	80	
70	5.53	5.666	80	
71	5.53	5.603	80	
72	5.53	5.589	80	
73	5.53	5.478	80	
74	5.53	5.341	80	
75	5.53	5.506	80	*
76	5.53	5.336	80	
77	5.53	5.69	80	
78	5.53	5.449	80	
79	5.53	5.448	80	
80	5.53	5.269	80	
81	5.53	5.392	80	
82	5.53	5.322	80	
83	5.53	5.495	80	*
84	5.53	5.57	80	*
85	5.53	5.694	80	
86	5.53	5.256	80	
87	5.53	5.329	80	
88	5.53	5.484	80	
89	5.53	5.443	80	
90	5.53	5.701	80	
91	5.53	5.37	80	
92	5.53	5.282	80	
93	5.53	5.565	80	*
94	5.53	5.502	80	*
95	5.53	5.675	80	
96	5.53	5.631	80	
97	5.53	5.563	80	*
98	5.53	5.394	80	
99	5.53	5.31	80	
100	5.53	5.396	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.602	80	
2	5.53	5.298	80	
3	5.53	5.44	80	
4	5.53	5.534	80	*
5	5.53	5.672	80	
6	5.53	5.546	80	*
7	5.53	5.516	80	*
8	5.53	5.624	80	
9	5.53	5.713	80	
10	5.53	5.251	80	
11	5.53	5.276	80	
12	5.53	5.565	80	*
13	5.53	5.661	80	
14	5.53	5.475	80	
15	5.53	5.453	80	
16	5.53	5.407	80	
17	5.53	5.501	80	*
18	5.53	5.526	80	*
19	5.53	5.325	80	
20	5.53	5.442	80	
21	5.53	5.323	80	
22	5.53	5.273	80	
23	5.53	5.473	80	
24	5.53	5.673	80	
25	5.53	5.372	80	
26	5.53	5.502	80	*
27	5.53	5.547	80	*
28	5.53	5.316	80	
29	5.53	5.303	80	
30	5.53	5.542	80	*
31	5.53	5.286	80	
32	5.53	5.368	80	
33	5.53	5.437	80	
34	5.53	5.654	80	
35	5.53	5.388	80	
36	5.53	5.578	80	
37	5.53	5.675	80	
38	5.53	5.708	80	
39	5.53	5.426	80	
40	5.53	5.55	80	*
41	5.53	5.435	80	
42	5.53	5.68	80	
43	5.53	5.322	80	
44	5.53	5.511	80	*
45	5.53	5.317	80	
46	5.53	5.495	80	*
47	5.53	5.266	80	
48	5.53	5.632	80	
49	5.53	5.711	80	

50	5.53	5.319	80	
51	5.53	5.636	80	
52	5.53	5.709	80	
53	5.53	5.421	80	
54	5.53	5.652	80	
55	5.53	5.269	80	
56	5.53	5.631	80	
57	5.53	5.37	80	
58	5.53	5.695	80	
59	5.53	5.267	80	
60	5.53	5.585	80	
61	5.53	5.493	80	*
62	5.53	5.571	80	
63	5.53	5.337	80	
64	5.53	5.582	80	
65	5.53	5.324	80	
66	5.53	5.463	80	
67	5.53	5.32	80	
68	5.53	5.655	80	
69	5.53	5.499	80	*
70	5.53	5.382	80	
71	5.53	5.433	80	
72	5.53	5.395	80	
73	5.53	5.265	80	
74	5.53	5.474	80	
75	5.53	5.536	80	*
76	5.53	5.522	80	*
77	5.53	5.703	80	
78	5.53	5.721	80	
79	5.53	5.579	80	
80	5.53	5.31	80	
81	5.53	5.416	80	
82	5.53	5.53	80	*
83	5.53	5.414	80	
84	5.53	5.588	80	
85	5.53	5.384	80	
86	5.53	5.481	80	
87	5.53	5.54	80	*
88	5.53	5.4	80	
89	5.53	5.529	80	*
90	5.53	5.369	80	
91	5.53	5.409	80	
92	5.53	5.521	80	*
93	5.53	5.268	80	
94	5.53	5.714	80	
95	5.53	5.348	80	
96	5.53	5.389	80	
97	5.53	5.716	80	
98	5.53	5.387	80	
99	5.53	5.399	80	
100	5.53	5.373	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.308	80	
2	5.53	5.407	80	
3	5.53	5.599	80	
4	5.53	5.374	80	
5	5.53	5.721	80	
6	5.53	5.257	80	
7	5.53	5.395	80	
8	5.53	5.321	80	
9	5.53	5.414	80	
10	5.53	5.6	80	
11	5.53	5.712	80	
12	5.53	5.336	80	
13	5.53	5.362	80	
14	5.53	5.457	80	
15	5.53	5.546	80	*
16	5.53	5.694	80	
17	5.53	5.466	80	
18	5.53	5.511	80	*
19	5.53	5.607	80	
20	5.53	5.648	80	
21	5.53	5.423	80	
22	5.53	5.716	80	
23	5.53	5.29	80	
24	5.53	5.277	80	
25	5.53	5.378	80	
26	5.53	5.313	80	
27	5.53	5.587	80	
28	5.53	5.443	80	
29	5.53	5.68	80	
30	5.53	5.646	80	
31	5.53	5.299	80	
32	5.53	5.633	80	
33	5.53	5.267	80	
34	5.53	5.591	80	
35	5.53	5.402	80	
36	5.53	5.376	80	
37	5.53	5.272	80	
38	5.53	5.708	80	
39	5.53	5.435	80	
40	5.53	5.282	80	
41	5.53	5.471	80	
42	5.53	5.519	80	*
43	5.53	5.57	80	*
44	5.53	5.717	80	
45	5.53	5.406	80	
46	5.53	5.672	80	
47	5.53	5.592	80	
48	5.53	5.573	80	
49	5.53	5.461	80	

50	5.53	5.618	80	
51	5.53	5.668	80	
52	5.53	5.536	80	*
53	5.53	5.636	80	
54	5.53	5.306	80	
55	5.53	5.309	80	
56	5.53	5.452	80	
57	5.53	5.62	80	
58	5.53	5.477	80	
59	5.53	5.357	80	
60	5.53	5.361	80	
61	5.53	5.651	80	
62	5.53	5.577	80	
63	5.53	5.389	80	
64	5.53	5.588	80	
65	5.53	5.418	80	
66	5.53	5.657	80	
67	5.53	5.715	80	
68	5.53	5.259	80	
69	5.53	5.522	80	*
70	5.53	5.296	80	
71	5.53	5.533	80	*
72	5.53	5.634	80	
73	5.53	5.606	80	
74	5.53	5.474	80	
75	5.53	5.453	80	
76	5.53	5.358	80	
77	5.53	5.437	80	
78	5.53	5.677	80	
79	5.53	5.501	80	*
80	5.53	5.702	80	
81	5.53	5.353	80	
82	5.53	5.356	80	
83	5.53	5.629	80	
84	5.53	5.351	80	
85	5.53	5.714	80	
86	5.53	5.284	80	
87	5.53	5.354	80	
88	5.53	5.391	80	
89	5.53	5.449	80	
90	5.53	5.549	80	*
91	5.53	5.271	80	
92	5.53	5.635	80	
93	5.53	5.584	80	
94	5.53	5.346	80	
95	5.53	5.434	80	
96	5.53	5.649	80	
97	5.53	5.478	80	
98	5.53	5.355	80	
99	5.53	5.369	80	
100	5.53	5.255	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.287	80	
2	5.53	5.362	80	
3	5.53	5.445	80	
4	5.53	5.291	80	
5	5.53	5.398	80	
6	5.53	5.379	80	
7	5.53	5.631	80	
8	5.53	5.326	80	
9	5.53	5.393	80	
10	5.53	5.526	80	*
11	5.53	5.514	80	*
12	5.53	5.711	80	
13	5.53	5.671	80	
14	5.53	5.656	80	
15	5.53	5.332	80	
16	5.53	5.381	80	
17	5.53	5.696	80	
18	5.53	5.673	80	
19	5.53	5.5	80	*
20	5.53	5.316	80	
21	5.53	5.531	80	*
22	5.53	5.345	80	
23	5.53	5.704	80	
24	5.53	5.713	80	
25	5.53	5.49	80	*
26	5.53	5.478	80	
27	5.53	5.492	80	*
28	5.53	5.389	80	
29	5.53	5.473	80	
30	5.53	5.665	80	
31	5.53	5.598	80	
32	5.53	5.627	80	
33	5.53	5.307	80	
34	5.53	5.312	80	
35	5.53	5.689	80	
36	5.53	5.472	80	
37	5.53	5.254	80	
38	5.53	5.609	80	
39	5.53	5.483	80	
40	5.53	5.706	80	
41	5.53	5.644	80	
42	5.53	5.423	80	
43	5.53	5.635	80	
44	5.53	5.4	80	
45	5.53	5.27	80	
46	5.53	5.674	80	
47	5.53	5.355	80	
48	5.53	5.717	80	
49	5.53	5.589	80	

50	5.53	5.554	80	*
51	5.53	5.684	80	
52	5.53	5.289	80	
53	5.53	5.475	80	
54	5.53	5.275	80	
55	5.53	5.517	80	*
56	5.53	5.539	80	*
57	5.53	5.54	80	*
58	5.53	5.715	80	
59	5.53	5.327	80	
60	5.53	5.655	80	
61	5.53	5.591	80	
62	5.53	5.593	80	
63	5.53	5.663	80	
64	5.53	5.453	80	
65	5.53	5.703	80	
66	5.53	5.597	80	
67	5.53	5.461	80	
68	5.53	5.685	80	
69	5.53	5.64	80	
70	5.53	5.559	80	*
71	5.53	5.309	80	
72	5.53	5.543	80	*
73	5.53	5.642	80	
74	5.53	5.718	80	
75	5.53	5.273	80	
76	5.53	5.569	80	*
77	5.53	5.582	80	
78	5.53	5.577	80	
79	5.53	5.415	80	
80	5.53	5.528	80	*
81	5.53	5.458	80	
82	5.53	5.374	80	
83	5.53	5.563	80	*
84	5.53	5.487	80	
85	5.53	5.401	80	
86	5.53	5.501	80	*
87	5.53	5.515	80	*
88	5.53	5.527	80	*
89	5.53	5.315	80	
90	5.53	5.614	80	
91	5.53	5.286	80	
92	5.53	5.449	80	
93	5.53	5.629	80	
94	5.53	5.318	80	
95	5.53	5.382	80	
96	5.53	5.611	80	
97	5.53	5.523	80	*
98	5.53	5.314	80	
99	5.53	5.621	80	
100	5.53	5.256	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.452	80	
2	5.53	5.277	80	
3	5.53	5.712	80	
4	5.53	5.703	80	
5	5.53	5.434	80	
6	5.53	5.361	80	
7	5.53	5.252	80	
8	5.53	5.544	80	*
9	5.53	5.283	80	
10	5.53	5.684	80	
11	5.53	5.58	80	
12	5.53	5.501	80	*
13	5.53	5.632	80	
14	5.53	5.669	80	
15	5.53	5.529	80	*
16	5.53	5.54	80	*
17	5.53	5.331	80	
18	5.53	5.36	80	
19	5.53	5.714	80	
20	5.53	5.279	80	
21	5.53	5.541	80	*
22	5.53	5.586	80	
23	5.53	5.51	80	*
24	5.53	5.724	80	
25	5.53	5.313	80	
26	5.53	5.715	80	
27	5.53	5.645	80	
28	5.53	5.69	80	
29	5.53	5.486	80	
30	5.53	5.455	80	
31	5.53	5.648	80	
32	5.53	5.655	80	
33	5.53	5.472	80	
34	5.53	5.44	80	
35	5.53	5.484	80	
36	5.53	5.516	80	*
37	5.53	5.312	80	
38	5.53	5.524	80	*
39	5.53	5.6	80	
40	5.53	5.604	80	
41	5.53	5.551	80	*
42	5.53	5.381	80	
43	5.53	5.605	80	
44	5.53	5.299	80	
45	5.53	5.704	80	
46	5.53	5.659	80	
47	5.53	5.55	80	*
48	5.53	5.29	80	
49	5.53	5.615	80	

50	5.53	5.559	80	*
51	5.53	5.687	80	
52	5.53	5.547	80	*
53	5.53	5.462	80	
54	5.53	5.506	80	*
55	5.53	5.53	80	*
56	5.53	5.306	80	
57	5.53	5.37	80	
58	5.53	5.379	80	
59	5.53	5.708	80	
60	5.53	5.526	80	*
61	5.53	5.437	80	
62	5.53	5.34	80	
63	5.53	5.321	80	
64	5.53	5.563	80	*
65	5.53	5.711	80	
66	5.53	5.716	80	
67	5.53	5.461	80	
68	5.53	5.512	80	*
69	5.53	5.62	80	
70	5.53	5.583	80	
71	5.53	5.336	80	
72	5.53	5.431	80	
73	5.53	5.374	80	
74	5.53	5.322	80	
75	5.53	5.332	80	
76	5.53	5.309	80	
77	5.53	5.435	80	
78	5.53	5.422	80	
79	5.53	5.56	80	*
80	5.53	5.389	80	
81	5.53	5.475	80	
82	5.53	5.533	80	*
83	5.53	5.276	80	
84	5.53	5.33	80	
85	5.53	5.491	80	*
86	5.53	5.707	80	
87	5.53	5.588	80	
88	5.53	5.404	80	
89	5.53	5.419	80	
90	5.53	5.263	80	
91	5.53	5.505	80	*
92	5.53	5.509	80	*
93	5.53	5.485	80	
94	5.53	5.27	80	
95	5.53	5.521	80	*
96	5.53	5.357	80	
97	5.53	5.337	80	
98	5.53	5.344	80	
99	5.53	5.301	80	
100	5.53	5.271	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.665	80	
2	5.53	5.711	80	
3	5.53	5.461	80	
4	5.53	5.5	80	*
5	5.53	5.587	80	
6	5.53	5.544	80	*
7	5.53	5.468	80	
8	5.53	5.272	80	
9	5.53	5.294	80	
10	5.53	5.669	80	
11	5.53	5.25	80	
12	5.53	5.504	80	*
13	5.53	5.541	80	*
14	5.53	5.585	80	
15	5.53	5.515	80	*
16	5.53	5.348	80	
17	5.53	5.372	80	
18	5.53	5.445	80	
19	5.53	5.435	80	
20	5.53	5.437	80	
21	5.53	5.666	80	
22	5.53	5.334	80	
23	5.53	5.387	80	
24	5.53	5.631	80	
25	5.53	5.402	80	
26	5.53	5.331	80	
27	5.53	5.691	80	
28	5.53	5.566	80	*
29	5.53	5.443	80	
30	5.53	5.345	80	
31	5.53	5.263	80	
32	5.53	5.436	80	
33	5.53	5.503	80	*
34	5.53	5.701	80	
35	5.53	5.41	80	
36	5.53	5.315	80	
37	5.53	5.547	80	*
38	5.53	5.528	80	*
39	5.53	5.521	80	*
40	5.53	5.543	80	*
41	5.53	5.485	80	
42	5.53	5.417	80	
43	5.53	5.565	80	*
44	5.53	5.298	80	
45	5.53	5.328	80	
46	5.53	5.427	80	
47	5.53	5.477	80	
48	5.53	5.311	80	
49	5.53	5.305	80	

50	5.53	5.629	80	
51	5.53	5.363	80	
52	5.53	5.577	80	
53	5.53	5.392	80	
54	5.53	5.592	80	
55	5.53	5.37	80	
56	5.53	5.332	80	
57	5.53	5.411	80	
58	5.53	5.534	80	*
59	5.53	5.559	80	*
60	5.53	5.422	80	
61	5.53	5.618	80	
62	5.53	5.628	80	
63	5.53	5.36	80	
64	5.53	5.556	80	*
65	5.53	5.552	80	*
66	5.53	5.273	80	
67	5.53	5.433	80	
68	5.53	5.499	80	*
69	5.53	5.48	80	
70	5.53	5.382	80	
71	5.53	5.679	80	
72	5.53	5.604	80	
73	5.53	5.314	80	
74	5.53	5.626	80	
75	5.53	5.583	80	
76	5.53	5.44	80	
77	5.53	5.557	80	*
78	5.53	5.653	80	
79	5.53	5.451	80	
80	5.53	5.374	80	
81	5.53	5.394	80	
82	5.53	5.71	80	
83	5.53	5.512	80	*
84	5.53	5.296	80	
85	5.53	5.51	80	*
86	5.53	5.615	80	
87	5.53	5.484	80	
88	5.53	5.67	80	
89	5.53	5.714	80	
90	5.53	5.698	80	
91	5.53	5.303	80	
92	5.53	5.494	80	*
93	5.53	5.644	80	
94	5.53	5.673	80	
95	5.53	5.284	80	
96	5.53	5.527	80	*
97	5.53	5.7	80	
98	5.53	5.572	80	
99	5.53	5.356	80	
100	5.53	5.407	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.639	80	
2	5.53	5.722	80	
3	5.53	5.346	80	
4	5.53	5.667	80	
5	5.53	5.375	80	
6	5.53	5.543	80	*
7	5.53	5.698	80	
8	5.53	5.338	80	
9	5.53	5.429	80	
10	5.53	5.619	80	
11	5.53	5.39	80	
12	5.53	5.29	80	
13	5.53	5.364	80	
14	5.53	5.273	80	
15	5.53	5.555	80	*
16	5.53	5.373	80	
17	5.53	5.463	80	
18	5.53	5.656	80	
19	5.53	5.655	80	
20	5.53	5.278	80	
21	5.53	5.648	80	
22	5.53	5.34	80	
23	5.53	5.423	80	
24	5.53	5.301	80	
25	5.53	5.697	80	
26	5.53	5.626	80	
27	5.53	5.493	80	*
28	5.53	5.477	80	
29	5.53	5.652	80	
30	5.53	5.715	80	
31	5.53	5.491	80	*
32	5.53	5.563	80	*
33	5.53	5.397	80	
34	5.53	5.535	80	*
35	5.53	5.329	80	
36	5.53	5.473	80	
37	5.53	5.614	80	
38	5.53	5.428	80	
39	5.53	5.718	80	
40	5.53	5.335	80	
41	5.53	5.504	80	*
42	5.53	5.38	80	
43	5.53	5.682	80	
44	5.53	5.5	80	*
45	5.53	5.708	80	
46	5.53	5.486	80	
47	5.53	5.268	80	
48	5.53	5.411	80	
49	5.53	5.251	80	

50	5.53	5.636	80	
51	5.53	5.328	80	
52	5.53	5.354	80	
53	5.53	5.61	80	
54	5.53	5.668	80	
55	5.53	5.379	80	
56	5.53	5.57	80	*
57	5.53	5.274	80	
58	5.53	5.552	80	*
59	5.53	5.546	80	*
60	5.53	5.475	80	
61	5.53	5.629	80	
62	5.53	5.498	80	*
63	5.53	5.481	80	
64	5.53	5.673	80	
65	5.53	5.616	80	
66	5.53	5.453	80	
67	5.53	5.684	80	
68	5.53	5.427	80	
69	5.53	5.567	80	*
70	5.53	5.25	80	
71	5.53	5.497	80	*
72	5.53	5.582	80	
73	5.53	5.32	80	
74	5.53	5.709	80	
75	5.53	5.4	80	
76	5.53	5.399	80	
77	5.53	5.595	80	
78	5.53	5.269	80	
79	5.53	5.422	80	
80	5.53	5.53	80	*
81	5.53	5.585	80	
82	5.53	5.706	80	
83	5.53	5.43	80	
84	5.53	5.455	80	
85	5.53	5.292	80	
86	5.53	5.343	80	
87	5.53	5.695	80	
88	5.53	5.367	80	
89	5.53	5.312	80	
90	5.53	5.438	80	
91	5.53	5.383	80	
92	5.53	5.532	80	*
93	5.53	5.634	80	
94	5.53	5.604	80	
95	5.53	5.587	80	
96	5.53	5.286	80	
97	5.53	5.598	80	
98	5.53	5.264	80	
99	5.53	5.448	80	
100	5.53	5.466	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.346	80	
2	5.53	5.7	80	
3	5.53	5.49	80	*
4	5.53	5.484	80	
5	5.53	5.441	80	
6	5.53	5.434	80	
7	5.53	5.313	80	
8	5.53	5.268	80	
9	5.53	5.342	80	
10	5.53	5.297	80	
11	5.53	5.467	80	
12	5.53	5.607	80	
13	5.53	5.61	80	
14	5.53	5.687	80	
15	5.53	5.681	80	
16	5.53	5.624	80	
17	5.53	5.289	80	
18	5.53	5.319	80	
19	5.53	5.377	80	
20	5.53	5.344	80	
21	5.53	5.664	80	
22	5.53	5.274	80	
23	5.53	5.707	80	
24	5.53	5.542	80	*
25	5.53	5.401	80	
26	5.53	5.694	80	
27	5.53	5.423	80	
28	5.53	5.649	80	
29	5.53	5.381	80	
30	5.53	5.677	80	
31	5.53	5.646	80	
32	5.53	5.451	80	
33	5.53	5.251	80	
34	5.53	5.564	80	*
35	5.53	5.71	80	
36	5.53	5.638	80	
37	5.53	5.307	80	
38	5.53	5.52	80	*
39	5.53	5.322	80	
40	5.53	5.305	80	
41	5.53	5.674	80	
42	5.53	5.656	80	
43	5.53	5.364	80	
44	5.53	5.299	80	
45	5.53	5.688	80	
46	5.53	5.393	80	
47	5.53	5.673	80	
48	5.53	5.655	80	
49	5.53	5.296	80	

50	5.53	5.617	80	
51	5.53	5.534	80	*
52	5.53	5.302	80	
53	5.53	5.629	80	
54	5.53	5.26	80	
55	5.53	5.693	80	
56	5.53	5.616	80	
57	5.53	5.66	80	
58	5.53	5.577	80	
59	5.53	5.44	80	
60	5.53	5.287	80	
61	5.53	5.718	80	
62	5.53	5.612	80	
63	5.53	5.309	80	
64	5.53	5.276	80	
65	5.53	5.481	80	
66	5.53	5.493	80	*
67	5.53	5.701	80	
68	5.53	5.413	80	
69	5.53	5.64	80	
70	5.53	5.347	80	
71	5.53	5.583	80	
72	5.53	5.312	80	
73	5.53	5.68	80	
74	5.53	5.491	80	*
75	5.53	5.435	80	
76	5.53	5.33	80	
77	5.53	5.579	80	
78	5.53	5.27	80	
79	5.53	5.653	80	
80	5.53	5.384	80	
81	5.53	5.507	80	*
82	5.53	5.525	80	*
83	5.53	5.412	80	
84	5.53	5.253	80	
85	5.53	5.521	80	*
86	5.53	5.631	80	
87	5.53	5.602	80	
88	5.53	5.568	80	*
89	5.53	5.407	80	
90	5.53	5.722	80	
91	5.53	5.561	80	*
92	5.53	5.716	80	
93	5.53	5.548	80	*
94	5.53	5.555	80	*
95	5.53	5.545	80	*
96	5.53	5.492	80	*
97	5.53	5.432	80	
98	5.53	5.547	80	*
99	5.53	5.337	80	
100	5.53	5.383	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.325	80	
2	5.53	5.383	80	
3	5.53	5.355	80	
4	5.53	5.445	80	
5	5.53	5.457	80	
6	5.53	5.654	80	
7	5.53	5.507	80	*
8	5.53	5.323	80	
9	5.53	5.665	80	
10	5.53	5.462	80	
11	5.53	5.587	80	
12	5.53	5.719	80	
13	5.53	5.697	80	
14	5.53	5.562	80	*
15	5.53	5.53	80	*
16	5.53	5.302	80	
17	5.53	5.646	80	
18	5.53	5.536	80	*
19	5.53	5.32	80	
20	5.53	5.626	80	
21	5.53	5.336	80	
22	5.53	5.373	80	
23	5.53	5.651	80	
24	5.53	5.289	80	
25	5.53	5.598	80	
26	5.53	5.523	80	*
27	5.53	5.322	80	
28	5.53	5.271	80	
29	5.53	5.525	80	*
30	5.53	5.604	80	
31	5.53	5.321	80	
32	5.53	5.524	80	*
33	5.53	5.588	80	
34	5.53	5.442	80	
35	5.53	5.721	80	
36	5.53	5.553	80	*
37	5.53	5.69	80	
38	5.53	5.385	80	
39	5.53	5.441	80	
40	5.53	5.609	80	
41	5.53	5.613	80	
42	5.53	5.693	80	
43	5.53	5.446	80	
44	5.53	5.645	80	
45	5.53	5.3	80	
46	5.53	5.677	80	
47	5.53	5.476	80	
48	5.53	5.286	80	
49	5.53	5.465	80	

50	5.53	5.365	80	
51	5.53	5.672	80	
52	5.53	5.396	80	
53	5.53	5.423	80	
54	5.53	5.493	80	*
55	5.53	5.36	80	
56	5.53	5.453	80	
57	5.53	5.307	80	
58	5.53	5.47	80	
59	5.53	5.574	80	
60	5.53	5.579	80	
61	5.53	5.463	80	
62	5.53	5.674	80	
63	5.53	5.313	80	
64	5.53	5.482	80	
65	5.53	5.623	80	
66	5.53	5.332	80	
67	5.53	5.666	80	
68	5.53	5.497	80	*
69	5.53	5.635	80	
70	5.53	5.509	80	*
71	5.53	5.275	80	
72	5.53	5.64	80	
73	5.53	5.601	80	
74	5.53	5.33	80	
75	5.53	5.263	80	
76	5.53	5.317	80	
77	5.53	5.308	80	
78	5.53	5.61	80	
79	5.53	5.514	80	*
80	5.53	5.477	80	
81	5.53	5.331	80	
82	5.53	5.35	80	
83	5.53	5.459	80	
84	5.53	5.649	80	
85	5.53	5.427	80	
86	5.53	5.4	80	
87	5.53	5.714	80	
88	5.53	5.438	80	
89	5.53	5.657	80	
90	5.53	5.304	80	
91	5.53	5.72	80	
92	5.53	5.371	80	
93	5.53	5.532	80	*
94	5.53	5.426	80	
95	5.53	5.503	80	*
96	5.53	5.467	80	
97	5.53	5.284	80	
98	5.53	5.534	80	*
99	5.53	5.359	80	
100	5.53	5.66	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.473	80	
2	5.53	5.617	80	
3	5.53	5.472	80	
4	5.53	5.612	80	
5	5.53	5.359	80	
6	5.53	5.4	80	
7	5.53	5.679	80	
8	5.53	5.592	80	
9	5.53	5.702	80	
10	5.53	5.438	80	
11	5.53	5.442	80	
12	5.53	5.339	80	
13	5.53	5.705	80	
14	5.53	5.53	80	*
15	5.53	5.399	80	
16	5.53	5.499	80	*
17	5.53	5.666	80	
18	5.53	5.357	80	
19	5.53	5.444	80	
20	5.53	5.7	80	
21	5.53	5.402	80	
22	5.53	5.489	80	
23	5.53	5.651	80	
24	5.53	5.369	80	
25	5.53	5.652	80	
26	5.53	5.518	80	*
27	5.53	5.604	80	
28	5.53	5.523	80	*
29	5.53	5.463	80	
30	5.53	5.271	80	
31	5.53	5.485	80	
32	5.53	5.329	80	
33	5.53	5.312	80	
34	5.53	5.418	80	
35	5.53	5.252	80	
36	5.53	5.358	80	
37	5.53	5.421	80	
38	5.53	5.536	80	*
39	5.53	5.428	80	
40	5.53	5.386	80	
41	5.53	5.589	80	
42	5.53	5.284	80	
43	5.53	5.488	80	
44	5.53	5.588	80	
45	5.53	5.64	80	
46	5.53	5.66	80	
47	5.53	5.577	80	
48	5.53	5.295	80	
49	5.53	5.59	80	

50	5.53	5.286	80	
51	5.53	5.494	80	*
52	5.53	5.294	80	
53	5.53	5.31	80	
54	5.53	5.513	80	*
55	5.53	5.561	80	*
56	5.53	5.456	80	
57	5.53	5.61	80	
58	5.53	5.274	80	
59	5.53	5.493	80	*
60	5.53	5.376	80	
61	5.53	5.662	80	
62	5.53	5.336	80	
63	5.53	5.655	80	
64	5.53	5.313	80	
65	5.53	5.659	80	
66	5.53	5.672	80	
67	5.53	5.46	80	
68	5.53	5.422	80	
69	5.53	5.316	80	
70	5.53	5.375	80	
71	5.53	5.305	80	
72	5.53	5.595	80	
73	5.53	5.528	80	*
74	5.53	5.367	80	
75	5.53	5.654	80	
76	5.53	5.337	80	
77	5.53	5.593	80	
78	5.53	5.324	80	
79	5.53	5.678	80	
80	5.53	5.688	80	
81	5.53	5.267	80	
82	5.53	5.299	80	
83	5.53	5.703	80	
84	5.53	5.416	80	
85	5.53	5.465	80	
86	5.53	5.318	80	
87	5.53	5.663	80	
88	5.53	5.266	80	
89	5.53	5.309	80	
90	5.53	5.341	80	
91	5.53	5.423	80	
92	5.53	5.262	80	
93	5.53	5.541	80	*
94	5.53	5.433	80	
95	5.53	5.569	80	*
96	5.53	5.411	80	
97	5.53	5.622	80	
98	5.53	5.567	80	*
99	5.53	5.467	80	
100	5.53	5.498	80	*

TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.308	80	
2	5.53	5.451	80	
3	5.53	5.708	80	
4	5.53	5.624	80	
5	5.53	5.386	80	
6	5.53	5.353	80	
7	5.53	5.316	80	
8	5.53	5.378	80	
9	5.53	5.478	80	
10	5.53	5.434	80	
11	5.53	5.383	80	
12	5.53	5.384	80	
13	5.53	5.474	80	
14	5.53	5.704	80	
15	5.53	5.72	80	
16	5.53	5.412	80	
17	5.53	5.712	80	
18	5.53	5.541	80	*
19	5.53	5.66	80	
20	5.53	5.655	80	
21	5.53	5.336	80	
22	5.53	5.409	80	
23	5.53	5.583	80	
24	5.53	5.466	80	
25	5.53	5.588	80	
26	5.53	5.44	80	
27	5.53	5.642	80	
28	5.53	5.332	80	
29	5.53	5.295	80	
30	5.53	5.686	80	
31	5.53	5.629	80	
32	5.53	5.521	80	*
33	5.53	5.468	80	
34	5.53	5.472	80	
35	5.53	5.381	80	
36	5.53	5.58	80	
37	5.53	5.494	80	*
38	5.53	5.699	80	
39	5.53	5.687	80	
40	5.53	5.36	80	
41	5.53	5.649	80	
42	5.53	5.529	80	*
43	5.53	5.639	80	
44	5.53	5.387	80	
45	5.53	5.49	80	*
46	5.53	5.585	80	
47	5.53	5.263	80	
48	5.53	5.359	80	
49	5.53	5.476	80	

50	5.53	5.561	80	*
51	5.53	5.461	80	
52	5.53	5.69	80	
53	5.53	5.501	80	*
54	5.53	5.671	80	
55	5.53	5.342	80	
56	5.53	5.617	80	
57	5.53	5.301	80	
58	5.53	5.589	80	
59	5.53	5.339	80	
60	5.53	5.413	80	
61	5.53	5.562	80	*
62	5.53	5.596	80	
63	5.53	5.626	80	
64	5.53	5.713	80	
65	5.53	5.278	80	
66	5.53	5.317	80	
67	5.53	5.465	80	
68	5.53	5.374	80	
69	5.53	5.262	80	
70	5.53	5.527	80	*
71	5.53	5.592	80	
72	5.53	5.469	80	
73	5.53	5.52	80	*
74	5.53	5.493	80	*
75	5.53	5.698	80	
76	5.53	5.623	80	
77	5.53	5.625	80	
78	5.53	5.302	80	
79	5.53	5.651	80	
80	5.53	5.535	80	*
81	5.53	5.627	80	
82	5.53	5.473	80	
83	5.53	5.554	80	*
84	5.53	5.452	80	
85	5.53	5.43	80	
86	5.53	5.507	80	*
87	5.53	5.424	80	
88	5.53	5.398	80	
89	5.53	5.528	80	*
90	5.53	5.408	80	
91	5.53	5.338	80	
92	5.53	5.449	80	
93	5.53	5.5	80	*
94	5.53	5.265	80	
95	5.53	5.346	80	
96	5.53	5.271	80	
97	5.53	5.681	80	
98	5.53	5.484	80	
99	5.53	5.632	80	
100	5.53	5.341	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.519	80	*
2	5.53	5.317	80	
3	5.53	5.609	80	
4	5.53	5.318	80	
5	5.53	5.53	80	*
6	5.53	5.695	80	
7	5.53	5.342	80	
8	5.53	5.46	80	
9	5.53	5.435	80	
10	5.53	5.72	80	
11	5.53	5.618	80	
12	5.53	5.619	80	
13	5.53	5.686	80	
14	5.53	5.44	80	
15	5.53	5.322	80	
16	5.53	5.257	80	
17	5.53	5.482	80	
18	5.53	5.392	80	
19	5.53	5.656	80	
20	5.53	5.462	80	
21	5.53	5.701	80	
22	5.53	5.548	80	*
23	5.53	5.691	80	
24	5.53	5.372	80	
25	5.53	5.646	80	
26	5.53	5.51	80	*
27	5.53	5.454	80	
28	5.53	5.314	80	
29	5.53	5.664	80	
30	5.53	5.569	80	*
31	5.53	5.436	80	
32	5.53	5.438	80	
33	5.53	5.431	80	
34	5.53	5.468	80	
35	5.53	5.707	80	
36	5.53	5.296	80	
37	5.53	5.594	80	
38	5.53	5.346	80	
39	5.53	5.71	80	
40	5.53	5.534	80	*
41	5.53	5.258	80	
42	5.53	5.405	80	
43	5.53	5.572	80	
44	5.53	5.406	80	
45	5.53	5.286	80	
46	5.53	5.315	80	
47	5.53	5.442	80	
48	5.53	5.54	80	*
49	5.53	5.363	80	

50	5.53	5.628	80	
51	5.53	5.543	80	*
52	5.53	5.293	80	
53	5.53	5.31	80	
54	5.53	5.542	80	*
55	5.53	5.639	80	
56	5.53	5.597	80	
57	5.53	5.424	80	
58	5.53	5.505	80	*
59	5.53	5.478	80	
60	5.53	5.55	80	*
61	5.53	5.541	80	*
62	5.53	5.666	80	
63	5.53	5.324	80	
64	5.53	5.705	80	
65	5.53	5.325	80	
66	5.53	5.59	80	
67	5.53	5.605	80	
68	5.53	5.403	80	
69	5.53	5.493	80	*
70	5.53	5.698	80	
71	5.53	5.504	80	*
72	5.53	5.43	80	
73	5.53	5.724	80	
74	5.53	5.338	80	
75	5.53	5.718	80	
76	5.53	5.486	80	
77	5.53	5.384	80	
78	5.53	5.378	80	
79	5.53	5.641	80	
80	5.53	5.675	80	
81	5.53	5.261	80	
82	5.53	5.657	80	
83	5.53	5.264	80	
84	5.53	5.49	80	*
85	5.53	5.673	80	
86	5.53	5.396	80	
87	5.53	5.285	80	
88	5.53	5.65	80	
89	5.53	5.632	80	
90	5.53	5.52	80	*
91	5.53	5.4	80	
92	5.53	5.659	80	
93	5.53	5.284	80	
94	5.53	5.359	80	
95	5.53	5.703	80	
96	5.53	5.566	80	*
97	5.53	5.622	80	
98	5.53	5.394	80	
99	5.53	5.421	80	
100	5.53	5.557	80	*

TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.427	80	
2	5.53	5.271	80	
3	5.53	5.344	80	
4	5.53	5.523	80	*
5	5.53	5.671	80	
6	5.53	5.397	80	
7	5.53	5.542	80	*
8	5.53	5.616	80	
9	5.53	5.358	80	
10	5.53	5.409	80	
11	5.53	5.585	80	
12	5.53	5.557	80	*
13	5.53	5.262	80	
14	5.53	5.64	80	
15	5.53	5.664	80	
16	5.53	5.505	80	*
17	5.53	5.714	80	
18	5.53	5.391	80	
19	5.53	5.699	80	
20	5.53	5.552	80	*
21	5.53	5.556	80	*
22	5.53	5.422	80	
23	5.53	5.497	80	*
24	5.53	5.684	80	
25	5.53	5.42	80	
26	5.53	5.522	80	*
27	5.53	5.689	80	
28	5.53	5.605	80	
29	5.53	5.706	80	
30	5.53	5.641	80	
31	5.53	5.386	80	
32	5.53	5.426	80	
33	5.53	5.25	80	
34	5.53	5.361	80	
35	5.53	5.708	80	
36	5.53	5.336	80	
37	5.53	5.609	80	
38	5.53	5.593	80	
39	5.53	5.693	80	
40	5.53	5.437	80	
41	5.53	5.287	80	
42	5.53	5.598	80	
43	5.53	5.357	80	
44	5.53	5.439	80	
45	5.53	5.266	80	
46	5.53	5.662	80	
47	5.53	5.441	80	
48	5.53	5.525	80	*
49	5.53	5.331	80	

50	5.53	5.452	80	
51	5.53	5.465	80	
52	5.53	5.32	80	
53	5.53	5.72	80	
54	5.53	5.337	80	
55	5.53	5.559	80	*
56	5.53	5.589	80	
57	5.53	5.267	80	
58	5.53	5.498	80	*
59	5.53	5.425	80	
60	5.53	5.321	80	
61	5.53	5.639	80	
62	5.53	5.713	80	
63	5.53	5.705	80	
64	5.53	5.454	80	
65	5.53	5.328	80	
66	5.53	5.606	80	
67	5.53	5.663	80	
68	5.53	5.633	80	
69	5.53	5.279	80	
70	5.53	5.45	80	
71	5.53	5.579	80	
72	5.53	5.362	80	
73	5.53	5.529	80	*
74	5.53	5.654	80	
75	5.53	5.451	80	
76	5.53	5.487	80	
77	5.53	5.583	80	
78	5.53	5.68	80	
79	5.53	5.561	80	*
80	5.53	5.502	80	*
81	5.53	5.61	80	
82	5.53	5.393	80	
83	5.53	5.702	80	
84	5.53	5.413	80	
85	5.53	5.644	80	
86	5.53	5.537	80	*
87	5.53	5.448	80	
88	5.53	5.44	80	
89	5.53	5.434	80	
90	5.53	5.385	80	
91	5.53	5.504	80	*
92	5.53	5.411	80	
93	5.53	5.339	80	
94	5.53	5.322	80	
95	5.53	5.474	80	
96	5.53	5.468	80	
97	5.53	5.443	80	
98	5.53	5.611	80	
99	5.53	5.575	80	
100	5.53	5.701	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.659	80	
2	5.53	5.486	80	
3	5.53	5.434	80	
4	5.53	5.537	80	*
5	5.53	5.523	80	*
6	5.53	5.504	80	*
7	5.53	5.416	80	
8	5.53	5.397	80	
9	5.53	5.584	80	
10	5.53	5.379	80	
11	5.53	5.39	80	
12	5.53	5.644	80	
13	5.53	5.395	80	
14	5.53	5.585	80	
15	5.53	5.36	80	
16	5.53	5.587	80	
17	5.53	5.341	80	
18	5.53	5.49	80	*
19	5.53	5.524	80	*
20	5.53	5.413	80	
21	5.53	5.29	80	
22	5.53	5.596	80	
23	5.53	5.649	80	
24	5.53	5.255	80	
25	5.53	5.336	80	
26	5.53	5.47	80	
27	5.53	5.646	80	
28	5.53	5.614	80	
29	5.53	5.389	80	
30	5.53	5.289	80	
31	5.53	5.297	80	
32	5.53	5.42	80	
33	5.53	5.705	80	
34	5.53	5.404	80	
35	5.53	5.273	80	
36	5.53	5.391	80	
37	5.53	5.462	80	
38	5.53	5.544	80	*
39	5.53	5.347	80	
40	5.53	5.435	80	
41	5.53	5.712	80	
42	5.53	5.55	80	*
43	5.53	5.514	80	*
44	5.53	5.452	80	
45	5.53	5.32	80	
46	5.53	5.357	80	
47	5.53	5.576	80	
48	5.53	5.517	80	*
49	5.53	5.642	80	

50	5.53	5.342	80	
51	5.53	5.467	80	
52	5.53	5.72	80	
53	5.53	5.463	80	
54	5.53	5.636	80	
55	5.53	5.312	80	
56	5.53	5.291	80	
57	5.53	5.377	80	
58	5.53	5.315	80	
59	5.53	5.269	80	
60	5.53	5.69	80	
61	5.53	5.534	80	*
62	5.53	5.595	80	
63	5.53	5.713	80	
64	5.53	5.61	80	
65	5.53	5.325	80	
66	5.53	5.689	80	
67	5.53	5.519	80	*
68	5.53	5.668	80	
69	5.53	5.476	80	
70	5.53	5.657	80	
71	5.53	5.338	80	
72	5.53	5.442	80	
73	5.53	5.498	80	*
74	5.53	5.493	80	*
75	5.53	5.635	80	
76	5.53	5.597	80	
77	5.53	5.388	80	
78	5.53	5.59	80	
79	5.53	5.354	80	
80	5.53	5.428	80	
81	5.53	5.449	80	
82	5.53	5.558	80	*
83	5.53	5.447	80	
84	5.53	5.532	80	*
85	5.53	5.666	80	
86	5.53	5.695	80	
87	5.53	5.432	80	
88	5.53	5.343	80	
89	5.53	5.7	80	
90	5.53	5.408	80	
91	5.53	5.426	80	
92	5.53	5.295	80	
93	5.53	5.396	80	
94	5.53	5.682	80	
95	5.53	5.603	80	
96	5.53	5.45	80	
97	5.53	5.508	80	*
98	5.53	5.66	80	
99	5.53	5.382	80	
100	5.53	5.601	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.563	80	*
2	5.53	5.541	80	*
3	5.53	5.532	80	*
4	5.53	5.598	80	
5	5.53	5.408	80	
6	5.53	5.693	80	
7	5.53	5.463	80	
8	5.53	5.27	80	
9	5.53	5.566	80	*
10	5.53	5.709	80	
11	5.53	5.334	80	
12	5.53	5.545	80	*
13	5.53	5.524	80	*
14	5.53	5.707	80	
15	5.53	5.717	80	
16	5.53	5.416	80	
17	5.53	5.573	80	
18	5.53	5.45	80	
19	5.53	5.445	80	
20	5.53	5.265	80	
21	5.53	5.293	80	
22	5.53	5.511	80	*
23	5.53	5.371	80	
24	5.53	5.317	80	
25	5.53	5.28	80	
26	5.53	5.36	80	
27	5.53	5.523	80	*
28	5.53	5.436	80	
29	5.53	5.594	80	
30	5.53	5.711	80	
31	5.53	5.448	80	
32	5.53	5.273	80	
33	5.53	5.365	80	
34	5.53	5.498	80	*
35	5.53	5.671	80	
36	5.53	5.646	80	
37	5.53	5.274	80	
38	5.53	5.54	80	*
39	5.53	5.507	80	*
40	5.53	5.326	80	
41	5.53	5.583	80	
42	5.53	5.394	80	
43	5.53	5.582	80	
44	5.53	5.537	80	*
45	5.53	5.58	80	
46	5.53	5.72	80	
47	5.53	5.491	80	*
48	5.53	5.59	80	
49	5.53	5.51	80	*

50	5.53	5.663	80	
51	5.53	5.392	80	
52	5.53	5.622	80	
53	5.53	5.375	80	
54	5.53	5.355	80	
55	5.53	5.479	80	
56	5.53	5.376	80	
57	5.53	5.651	80	
58	5.53	5.61	80	
59	5.53	5.333	80	
60	5.53	5.309	80	
61	5.53	5.299	80	
62	5.53	5.589	80	
63	5.53	5.665	80	
64	5.53	5.517	80	*
65	5.53	5.289	80	
66	5.53	5.354	80	
67	5.53	5.704	80	
68	5.53	5.438	80	
69	5.53	5.464	80	
70	5.53	5.316	80	
71	5.53	5.659	80	
72	5.53	5.267	80	
73	5.53	5.291	80	
74	5.53	5.614	80	
75	5.53	5.276	80	
76	5.53	5.351	80	
77	5.53	5.313	80	
78	5.53	5.697	80	
79	5.53	5.533	80	*
80	5.53	5.257	80	
81	5.53	5.439	80	
82	5.53	5.668	80	
83	5.53	5.325	80	
84	5.53	5.617	80	
85	5.53	5.501	80	*
86	5.53	5.407	80	
87	5.53	5.453	80	
88	5.53	5.607	80	
89	5.53	5.363	80	
90	5.53	5.708	80	
91	5.53	5.345	80	
92	5.53	5.722	80	
93	5.53	5.292	80	
94	5.53	5.275	80	
95	5.53	5.695	80	
96	5.53	5.543	80	*
97	5.53	5.629	80	
98	5.53	5.52	80	*
99	5.53	5.306	80	
100	5.53	5.305	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.493	80	*
2	5.53	5.434	80	
3	5.53	5.709	80	
4	5.53	5.373	80	
5	5.53	5.31	80	
6	5.53	5.386	80	
7	5.53	5.435	80	
8	5.53	5.689	80	
9	5.53	5.552	80	*
10	5.53	5.459	80	
11	5.53	5.708	80	
12	5.53	5.276	80	
13	5.53	5.516	80	*
14	5.53	5.256	80	
15	5.53	5.301	80	
16	5.53	5.487	80	
17	5.53	5.685	80	
18	5.53	5.544	80	*
19	5.53	5.721	80	
20	5.53	5.527	80	*
21	5.53	5.645	80	
22	5.53	5.381	80	
23	5.53	5.341	80	
24	5.53	5.293	80	
25	5.53	5.432	80	
26	5.53	5.257	80	
27	5.53	5.263	80	
28	5.53	5.264	80	
29	5.53	5.636	80	
30	5.53	5.452	80	
31	5.53	5.401	80	
32	5.53	5.515	80	*
33	5.53	5.526	80	*
34	5.53	5.633	80	
35	5.53	5.626	80	
36	5.53	5.25	80	
37	5.53	5.366	80	
38	5.53	5.449	80	
39	5.53	5.642	80	
40	5.53	5.469	80	
41	5.53	5.439	80	
42	5.53	5.317	80	
43	5.53	5.591	80	
44	5.53	5.543	80	*
45	5.53	5.501	80	*
46	5.53	5.713	80	
47	5.53	5.65	80	
48	5.53	5.612	80	
49	5.53	5.396	80	

50	5.53	5.702	80	
51	5.53	5.365	80	
52	5.53	5.492	80	*
53	5.53	5.389	80	
54	5.53	5.267	80	
55	5.53	5.711	80	
56	5.53	5.497	80	*
57	5.53	5.632	80	
58	5.53	5.448	80	
59	5.53	5.53	80	*
60	5.53	5.354	80	
61	5.53	5.652	80	
62	5.53	5.715	80	
63	5.53	5.313	80	
64	5.53	5.359	80	
65	5.53	5.521	80	*
66	5.53	5.52	80	*
67	5.53	5.694	80	
68	5.53	5.519	80	*
69	5.53	5.478	80	
70	5.53	5.275	80	
71	5.53	5.445	80	
72	5.53	5.602	80	
73	5.53	5.4	80	
74	5.53	5.424	80	
75	5.53	5.472	80	
76	5.53	5.723	80	
77	5.53	5.387	80	
78	5.53	5.635	80	
79	5.53	5.714	80	
80	5.53	5.576	80	
81	5.53	5.61	80	
82	5.53	5.588	80	
83	5.53	5.684	80	
84	5.53	5.399	80	
85	5.53	5.67	80	
86	5.53	5.429	80	
87	5.53	5.617	80	
88	5.53	5.347	80	
89	5.53	5.446	80	
90	5.53	5.27	80	
91	5.53	5.307	80	
92	5.53	5.601	80	
93	5.53	5.606	80	
94	5.53	5.511	80	*
95	5.53	5.627	80	
96	5.53	5.376	80	
97	5.53	5.7	80	
98	5.53	5.68	80	
99	5.53	5.513	80	*
100	5.53	5.274	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.381	80	
2	5.53	5.32	80	
3	5.53	5.609	80	
4	5.53	5.583	80	
5	5.53	5.477	80	
6	5.53	5.635	80	
7	5.53	5.377	80	
8	5.53	5.305	80	
9	5.53	5.534	80	*
10	5.53	5.514	80	*
11	5.53	5.519	80	*
12	5.53	5.672	80	
13	5.53	5.365	80	
14	5.53	5.578	80	
15	5.53	5.39	80	
16	5.53	5.615	80	
17	5.53	5.416	80	
18	5.53	5.348	80	
19	5.53	5.373	80	
20	5.53	5.388	80	
21	5.53	5.449	80	
22	5.53	5.533	80	*
23	5.53	5.285	80	
24	5.53	5.596	80	
25	5.53	5.573	80	
26	5.53	5.48	80	
27	5.53	5.389	80	
28	5.53	5.314	80	
29	5.53	5.453	80	
30	5.53	5.709	80	
31	5.53	5.408	80	
32	5.53	5.548	80	*
33	5.53	5.254	80	
34	5.53	5.599	80	
35	5.53	5.617	80	
36	5.53	5.601	80	
37	5.53	5.445	80	
38	5.53	5.405	80	
39	5.53	5.71	80	
40	5.53	5.606	80	
41	5.53	5.6	80	
42	5.53	5.584	80	
43	5.53	5.379	80	
44	5.53	5.516	80	*
45	5.53	5.276	80	
46	5.53	5.603	80	
47	5.53	5.54	80	*
48	5.53	5.642	80	
49	5.53	5.724	80	

50	5.53	5.562	80	*
51	5.53	5.302	80	
52	5.53	5.691	80	
53	5.53	5.452	80	
54	5.53	5.27	80	
55	5.53	5.7	80	
56	5.53	5.628	80	
57	5.53	5.484	80	
58	5.53	5.417	80	
59	5.53	5.446	80	
60	5.53	5.511	80	*
61	5.53	5.693	80	
62	5.53	5.363	80	
63	5.53	5.427	80	
64	5.53	5.51	80	*
65	5.53	5.49	80	*
66	5.53	5.651	80	
67	5.53	5.299	80	
68	5.53	5.471	80	
69	5.53	5.723	80	
70	5.53	5.509	80	*
71	5.53	5.336	80	
72	5.53	5.457	80	
73	5.53	5.432	80	
74	5.53	5.482	80	
75	5.53	5.414	80	
76	5.53	5.486	80	
77	5.53	5.345	80	
78	5.53	5.488	80	
79	5.53	5.579	80	
80	5.53	5.692	80	
81	5.53	5.607	80	
82	5.53	5.333	80	
83	5.53	5.275	80	
84	5.53	5.264	80	
85	5.53	5.643	80	
86	5.53	5.654	80	
87	5.53	5.337	80	
88	5.53	5.616	80	
89	5.53	5.602	80	
90	5.53	5.353	80	
91	5.53	5.485	80	
92	5.53	5.476	80	
93	5.53	5.308	80	
94	5.53	5.542	80	*
95	5.53	5.423	80	
96	5.53	5.571	80	
97	5.53	5.676	80	
98	5.53	5.629	80	
99	5.53	5.545	80	*
100	5.53	5.332	80	

TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.49	80	*
2	5.53	5.481	80	
3	5.53	5.659	80	
4	5.53	5.399	80	
5	5.53	5.663	80	
6	5.53	5.389	80	
7	5.53	5.469	80	
8	5.53	5.384	80	
9	5.53	5.482	80	
10	5.53	5.255	80	
11	5.53	5.335	80	
12	5.53	5.285	80	
13	5.53	5.353	80	
14	5.53	5.514	80	*
15	5.53	5.494	80	*
16	5.53	5.283	80	
17	5.53	5.592	80	
18	5.53	5.293	80	
19	5.53	5.507	80	*
20	5.53	5.675	80	
21	5.53	5.706	80	
22	5.53	5.585	80	
23	5.53	5.718	80	
24	5.53	5.682	80	
25	5.53	5.666	80	
26	5.53	5.273	80	
27	5.53	5.385	80	
28	5.53	5.558	80	*
29	5.53	5.566	80	*
30	5.53	5.475	80	
31	5.53	5.699	80	
32	5.53	5.538	80	*
33	5.53	5.496	80	*
34	5.53	5.462	80	
35	5.53	5.254	80	
36	5.53	5.362	80	
37	5.53	5.476	80	
38	5.53	5.414	80	
39	5.53	5.608	80	
40	5.53	5.644	80	
41	5.53	5.646	80	
42	5.53	5.532	80	*
43	5.53	5.434	80	
44	5.53	5.391	80	
45	5.53	5.517	80	*
46	5.53	5.275	80	
47	5.53	5.515	80	*
48	5.53	5.629	80	
49	5.53	5.484	80	

50	5.53	5.721	80	
51	5.53	5.6	80	
52	5.53	5.713	80	
53	5.53	5.3	80	
54	5.53	5.715	80	
55	5.53	5.436	80	
56	5.53	5.493	80	*
57	5.53	5.423	80	
58	5.53	5.542	80	*
59	5.53	5.486	80	
60	5.53	5.378	80	
61	5.53	5.635	80	
62	5.53	5.528	80	*
63	5.53	5.602	80	
64	5.53	5.427	80	
65	5.53	5.641	80	
66	5.53	5.662	80	
67	5.53	5.331	80	
68	5.53	5.347	80	
69	5.53	5.37	80	
70	5.53	5.452	80	
71	5.53	5.673	80	
72	5.53	5.393	80	
73	5.53	5.497	80	*
74	5.53	5.328	80	
75	5.53	5.687	80	
76	5.53	5.554	80	*
77	5.53	5.555	80	*
78	5.53	5.323	80	
79	5.53	5.661	80	
80	5.53	5.403	80	
81	5.53	5.376	80	
82	5.53	5.537	80	*
83	5.53	5.31	80	
84	5.53	5.633	80	
85	5.53	5.319	80	
86	5.53	5.359	80	
87	5.53	5.363	80	
88	5.53	5.367	80	
89	5.53	5.429	80	
90	5.53	5.302	80	
91	5.53	5.343	80	
92	5.53	5.465	80	
93	5.53	5.669	80	
94	5.53	5.259	80	
95	5.53	5.262	80	
96	5.53	5.606	80	
97	5.53	5.358	80	
98	5.53	5.599	80	
99	5.53	5.498	80	*
100	5.53	5.565	80	*