












SHENZHEN


















CO.LTD







SHENZHEN

















CO LTD







SHENZHEN





BCTC
 BCTC
 PPR
 Report







Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.

Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	DC 3.7V
Test Mode:	(5260-5320MHz)		

Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	21.048	Pass
NVNT	a	5280	21.102	Pass
NVNT	a	5320	20.999	Pass
NVNT	n20	5260	21.253	Pass
NVNT	n20	5280	21.127	Pass
NVNT	n20	5320	21.26	Pass
NVNT	n40	5270	39.281	Pass
NVNT	n40	5310	39.313	Pass
NVNT	ac20	5260	21.093	Pass
NVNT	ac20	5280	21.452	Pass
NVNT	ac20	5320	21.207	Pass
NVNT	ac40	5270	39.303	Pass
NVNT	ac40	5310	39.351	Pass
NVNT	ac80	5290	82.689	Pass
NVNT	ax20	5260	20.932	Pass
NVNT	ax20	5280	21.002	Pass
NVNT	ax20	5320	21.235	Pass
NVNT	ax40	5270	40.196	Pass
NVNT	ax40	5310	40.006	Pass
NVNT	ax80	5290	80.649	Pass




Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5260	16.582
NVNT	a	5280	16.578
NVNT	a	5320	16.561
NVNT	n20	5260	17.689
NVNT	n20	5280	17.685
NVNT	n20	5320	17.718
NVNT	n40	5270	36.172
NVNT	n40	5310	36.153
NVNT	ac20	5260	17.758
NVNT	ac20	5280	17.764
NVNT	ac20	5320	17.722
NVNT	ac40	5270	36.187
NVNT	ac40	5310	36.192
NVNT	ac80	5290	75.579
NVNT	ax20	5260	18.828
NVNT	ax20	5280	18.892
NVNT	ax20	5320	18.872
NVNT	ax40	5270	37.627
NVNT	ax40	5310	37.643
NVNT	ax80	5290	77.095



Test Graphs



-26dB Bandwidth NVNT a 5260MHz Ant1







-26dB Bandwidth NVNT a 5280MHz Ant1



















CO. LTD





SHENZHEN









Test Graphs



OBW NVNT a 5260MHz Ant1







OBW NVNT a 5280MHz Ant1







CO. LTD





















CO., LTD.



SHENZHEN






Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.


Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	DC 3.7V
Test Mode:	(5500-5700MHz)		

Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	20.875	Pass
NVNT	a	5580	21.308	Pass
NVNT	a	5700	20.805	Pass
NVNT	n20	5500	21.431	Pass
NVNT	n20	5580	21.179	Pass
NVNT	n20	5700	21.448	Pass
NVNT	n40	5510	39.296	Pass
NVNT	n40	5550	38.974	Pass
NVNT	n40	5670	39.627	Pass
NVNT	ac20	5500	21.082	Pass
NVNT	ac20	5580	21.339	Pass
NVNT	ac20	5700	22.114	Pass
NVNT	ac40	5510	39.536	Pass
NVNT	ac40	5550	39.573	Pass
NVNT	ac40	5670	51.401	Pass
NVNT	ac80	5530	80.277	Pass
NVNT	ax20	5500	20.662	Pass
NVNT	ax20	5580	21.264	Pass
NVNT	ax20	5700	21.113	Pass
NVNT	ax40	5510	39.972	Pass
NVNT	ax40	5550	39.868	Pass
NVNT	ax40	5670	43.507	Pass
NVNT	ax80	5530	80.819	Pass

TEC
TC
OVB
t See



Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5500	16.593
NVNT	a	5580	16.584
NVNT	a	5700	16.6
NVNT	n20	5500	17.704
NVNT	n20	5580	17.68
NVNT	n20	5700	17.717
NVNT	n40	5510	36.083
NVNT	n40	5550	36.123
NVNT	n40	5670	36.165
NVNT	ac20	5500	17.694
NVNT	ac20	5580	17.759
NVNT	ac20	5700	17.785
NVNT	ac40	5510	36.137
NVNT	ac40	5550	36.179
NVNT	ac40	5670	36.304
NVNT	ac80	5530	75.421
NVNT	ax20	5500	18.841
NVNT	ax20	5580	18.915
NVNT	ax20	5700	18.93
NVNT	ax40	5510	37.551
NVNT	ax40	5550	37.601
NVNT	ax40	5670	37.588
NVNT	ax80	5530	76.963



Test Graphs



-26dB Bandwidth NVNT a 5500MHz Ant1





-26dB Bandwidth NVNT a 5580MHz Ant1



CO. LTD





SHEINZHEN

