



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 09:42:32

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 734MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 09:46:14

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 734MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:32:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	131.1824	-84.42	peak	20.03	-64.39	-13.00	150	175	-51.39	
*	145.1503	-84.28	peak	20.79	-63.49	-13.00	150	215	-50.49	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:43:05

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	73.9480	-85.03	peak	21.36	-63.67	-13.00	150	355	-50.67	
	143.7876	-85.49	peak	20.78	-64.71	-13.00	150	240	-51.71	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:38:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7995	-28.92	peak	-7.93	-36.85	-13.00	150	145	-23.85	
	624.8496	-35.23	peak	-3.80	-39.03	-13.00	150	220	-26.03	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:36:06

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6992	-29.66	peak	-12.88	-42.54	-13.00	150	75	-29.54	
*	499.7995	-33.92	peak	-7.19	-41.11	-13.00	150	290	-28.11	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:51:32

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1763.527	-38.33	peak	3.69	-34.64	-13.00	150	205	-21.64	
	3494.990	-60.70	peak	4.04	-56.66	-13.00	150	95	-43.66	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:56:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2208.417	-44.22	peak	7.40	-36.82	-13.00	150	260	-23.82	
	2527.054	-45.37	peak	6.23	-39.14	-13.00	150	315	-26.14	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:52:23

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:57:16

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 09:53:34

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 09:58:41

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 737.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:34:38

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	133.2265	-83.10	peak	20.12	-62.98	-13.00	150	135	-49.98	
	145.8317	-85.35	peak	20.84	-64.51	-13.00	150	255	-51.51	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:41:17

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.2886	-84.79	peak	21.34	-63.45	-13.00	150	155	-50.45	
	153.3267	-85.72	peak	22.10	-63.62	-13.00	150	290	-50.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:41:21

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	374.7495	-28.98	peak	-10.02	-39.00	-13.00	150	300	-26.00	
*	499.7995	-29.48	peak	-7.93	-37.41	-13.00	150	185	-24.41	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:51:02

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6992	-29.17	peak	-12.88	-42.05	-13.00	150	185	-29.05	
*	499.7995	-33.94	peak	-7.19	-41.13	-13.00	150	255	-28.13	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:03:03

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1757.515	-47.61	peak	3.69	-43.92	-13.00	150	135	-30.92	
	3476.954	-51.84	peak	4.01	-47.83	-13.00	150	220	-34.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:06:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1757.515	-42.49	peak	5.97	-36.52	-13.00	150	295	-23.52	
	3476.954	-52.29	peak	8.25	-44.04	-13.00	150	80	-31.04	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:03:51

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 10:07:38

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 10:04:50

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:08:26

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 DownLink 10M 741MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:05:13

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	106.6533	-81.66	peak	20.21	-61.45	-13.00	150	165	-48.45	
	143.4470	-83.15	peak	20.67	-62.48	-13.00	150	110	-49.48	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:19:14

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	106.6533	-81.71	peak	21.85	-59.86	-13.00	150	320	-46.86	
*	130.1603	-79.90	peak	20.55	-59.35	-13.00	150	275	-46.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:09:48

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-30.07	peak	-9.57	-39.64	-13.00	150	165	-26.64	
	499.7996	-33.05	peak	-7.93	-40.98	-13.00	150	110	-27.98	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:12:04

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-30.15	peak	-12.88	-43.03	-13.00	150	245	-30.03	
	499.7996	-36.40	peak	-7.19	-43.59	-13.00	150	100	-30.59	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3


Data :#1

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 12:57:59

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1120.241	-43.64	peak	3.64	-40.00	-13.00	150	135	-27.00	
*	1949.900	-28.48	peak	3.79	-24.69	-13.00	150	105	-11.69	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:25:32

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1120.241	-45.26	peak	3.46	-41.80	-13.00	150	315	-28.80	
*	1943.888	-25.36	peak	7.75	-17.61	-13.00	150	260	-4.61	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 12:59:26

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 01:26:20

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 01:00:50

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:27:29

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 704MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:07:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.1022	-82.95	peak	21.40	-61.55	-13.00	150	165	-48.55	
*	106.6533	-81.60	peak	20.21	-61.39	-13.00	150	210	-48.39	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:17:26

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	106.6533	-81.70	peak	21.85	-59.85	-13.00	150	215	-46.85	
*	129.8196	-78.83	peak	20.56	-58.27	-13.00	150	300	-45.27	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:18:30

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.54MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-29.98	peak	-9.57	-39.55	-13.00	150	150	-26.55	
	499.7996	-32.19	peak	-7.93	-40.12	-13.00	150	115	-27.12	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:15:48

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-28.16	peak	-12.88	-41.04	-13.00	150	155	-28.04	
	499.7996	-37.79	peak	-7.19	-44.98	-13.00	150	190	-31.98	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:05:55

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.5MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1120.241	-43.12	peak	3.64	-39.48	-13.00	150	160	-26.48	
*	1949.900	-29.25	peak	3.79	-25.46	-13.00	150	90	-12.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:20:51

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1120.241	-46.46	peak	3.46	-43.00	-13.00	150	75	-30.00	
*	1943.888	-25.92	peak	7.75	-18.17	-13.00	150	245	-5.17	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3


Data :#2

Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 01:07:09

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:21:53

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 01:08:02

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:22:46

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 707.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:09:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.1022	-83.27	peak	21.40	-61.87	-13.00	150	145	-48.87	
*	106.6533	-80.81	peak	20.21	-60.60	-13.00	150	90	-47.60	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:15:30

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	106.6533	-80.91	peak	21.85	-59.06	-13.00	150	285	-46.06	
*	130.1603	-79.07	peak	20.55	-58.52	-13.00	150	325	-45.52	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:21:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-29.86	peak	-9.57	-39.43	-13.00	150	135	-26.43	
	499.7996	-33.00	peak	-7.93	-40.93	-13.00	150	80	-27.93	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:24:16

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-29.05	peak	-12.88	-41.93	-13.00	150	285	-28.93	
	405.2104	-33.35	peak	-12.00	-45.35	-13.00	150	190	-32.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #1

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 01:11:27

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1120.241	-44.16	peak	3.64	-40.52	-13.00	150	35	-27.52	
*	1949.900	-29.93	peak	3.79	-26.14	-13.00	150	160	-13.14	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:16:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1120.241	-45.47	peak	3.46	-42.01	-13.00	150	265	-29.01	
*	1949.900	-26.55	peak	7.81	-18.74	-13.00	150	175	-5.74	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:12:22

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 01:16:57

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 01:13:24

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:18:05

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 12 UpLink 10M 711MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:36:59

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	133.2265	-84.92	peak	20.12	-64.80	-13.00	150	25	-51.80	
*	143.7876	-84.83	peak	20.69	-64.14	-13.00	150	160	-51.14	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:39:12

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.9260	-85.07	peak	21.42	-63.65	-13.00	150	195	-50.65	
*	153.3267	-85.64	peak	22.10	-63.54	-13.00	150	285	-50.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:04:48

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-31.57	peak	-7.93	-39.50	-13.00	150	255	-26.50	
	624.8497	-35.84	peak	-3.80	-39.64	-13.00	150	140	-26.64	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:07:22

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	499.7996	-36.14	peak	-7.19	-43.33	-13.00	150	85	-30.33	
*	624.8497	-37.36	peak	-5.79	-43.15	-13.00	150	330	-30.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 08:56:19

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1120.241	-45.27	peak	3.64	-41.63	-13.00	150	110	-28.63	
	1492.986	-51.57	peak	3.55	-48.02	-13.00	150	210	-35.02	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:03:09

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1120.241	-39.90	peak	3.46	-36.44	-13.00	150	205	-23.44	
	1498.998	-52.32	peak	3.50	-48.82	-13.00	150	310	-35.82	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 08:57:43

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:04:29

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 08:58:34

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 09:05:25

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 DownLink 10M 751MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:11:12

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.1022	-82.52	peak	21.40	-61.12	-13.00	150	210	-48.12	
*	106.6533	-81.09	peak	20.21	-60.88	-13.00	150	155	-47.88	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:13:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	106.6533	-81.32	peak	21.85	-59.47	-13.00	150	65	-46.47	
*	130.5010	-78.56	peak	20.54	-58.02	-13.00	150	285	-45.02	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:49:32

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	499.7996	-32.30	peak	-7.93	-40.23	-13.00	150	320	-27.23	
*	624.8497	-33.40	peak	-3.80	-37.20	-13.00	150	110	-24.20	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2025/5/10

Temperature: 23.1 °C

Time: 上午 09:51:42

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-29.73	peak	-12.88	-42.61	-13.00	150	255	-29.61	
	499.7996	-35.76	peak	-7.19	-42.95	-13.00	150	300	-29.95	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #1

Date: 2025/5/10

Temperature: 23.1 °C

Time: 上午 10:25:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1120.241	-42.19	peak	3.64	-38.55	-13.00	150	135	-25.55	
*	1949.900	-33.60	peak	3.79	-29.81	-13.00	150	105	-16.81	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:30:01

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1120.241	-45.45	peak	3.46	-41.99	-13.00	150	290	-28.99	
*	1955.912	-29.14	peak	7.87	-21.27	-13.00	150	230	-8.27	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:26:25

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:30:52

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3


Data :#3

Date: 2025/5/10

Temperature:23.1 °C

Time: 上午 10:27:32

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:32:24

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 13 UpLink 10M 782MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:48:40

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	131.1824	-83.08	peak	22.18	-60.90	-13.00	150	135	-47.90	
	153.3267	-85.42	peak	23.54	-61.88	-13.00	150	195	-48.88	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:19:12

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	73.2665	-85.29	peak	23.55	-61.74	-13.00	150	85	-48.74	
	131.1824	-86.07	peak	22.67	-63.40	-13.00	150	245	-50.40	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:14:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-26.12	peak	-12.26	-38.38	-13.00	150	135	-25.38	
*	624.8497	-36.59	peak	-1.65	-38.24	-13.00	150	190	-25.24	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 01:16:30

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-36.04	peak	-5.04	-41.08	-13.00	150	255	-28.08	
	624.8497	-37.45	peak	-3.64	-41.09	-13.00	150	90	-28.09	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:25:11

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:29:44

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:26:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-49.57	peak	6.65	-42.92	-13.00	150	185	-29.92	
*	7006.012	-53.29	peak	11.12	-42.17	-13.00	150	140	-29.17	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:30:33

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-52.16	peak	6.66	-45.50	-13.00	150	315	-32.50	
*	7462.926	-52.77	peak	11.04	-41.73	-13.00	150	220	-28.73	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:27:14

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #8

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:31:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:27:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:31:33

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:27:38

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	--------------------	------------------	----------	----------------------	-----------------	----------------	-----------------	-------------------	----------------	---------



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:31:45

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:51:02

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	132.2044	-84.66	peak	22.22	-62.44	-13.00	150	155	-49.44	
*	146.5130	-81.33	peak	23.04	-58.29	-13.00	150	205	-45.29	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:16:54

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	69.5190	-85.45	peak	23.68	-61.77	-13.00	150	240	-48.77	
	106.3126	-87.33	peak	24.03	-63.30	-13.00	150	95	-50.30	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 01:11:47

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	499.7996	-32.44	peak	-5.78	-38.22	-13.00	150	105	-25.22	
*	624.8497	-35.66	peak	-1.65	-37.31	-13.00	150	165	-24.31	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:18:51

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-31.12	peak	-10.73	-41.85	-13.00	150	200	-28.85	
*	499.7996	-35.77	peak	-5.04	-40.81	-13.00	150	315	-27.81	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:35:45

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:40:06

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:36:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	7006.012	-53.90	peak	11.12	-42.78	-13.00	150	165	-29.78	
	7462.926	-54.88	peak	9.98	-44.90	-13.00	150	185	-31.90	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:40:56

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-52.13	peak	6.66	-45.47	-13.00	150	255	-32.47	
*	7462.926	-54.01	peak	11.04	-42.97	-13.00	150	305	-29.97	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:37:26

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #8

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:41:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:37:39

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:42:02

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:37:51

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:42:14

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1962.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:53:26

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	131.5230	-84.29	peak	22.19	-62.10	-13.00	150	165	-49.10	
*	144.8096	-83.64	peak	22.92	-60.72	-13.00	150	100	-47.72	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:15:02

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	73.6071	-84.51	peak	23.53	-60.98	-13.00	150	280	-47.98	
	132.2044	-86.02	peak	22.64	-63.38	-13.00	150	210	-50.38	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:09:39

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-30.28	peak	-5.78	-36.06	-13.00	150	165	-23.06	
	624.8497	-37.09	peak	-1.65	-38.74	-13.00	150	195	-25.74	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:20:56

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-35.16	peak	-5.04	-40.20	-13.00	150	255	-27.20	
	624.8497	-37.52	peak	-3.64	-41.16	-13.00	150	285	-28.16	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:45:33

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:50:35

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:46:39

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-50.74	peak	6.65	-44.09	-13.00	150	130	-31.09	
*	7006.012	-53.72	peak	11.12	-42.60	-13.00	150	155	-29.60	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:51:23

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-51.24	peak	6.66	-44.58	-13.00	150	315	-31.58	
*	7462.926	-53.73	peak	11.04	-42.69	-13.00	150	285	-29.69	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:47:27

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #8

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:52:18

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:47:39

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:52:30

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:47:51

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:52:42

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 DownLink 20M 1985MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:22:48

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.1022	-82.88	peak	23.55	-59.33	-13.00	150	155	-46.33	
*	106.6533	-81.55	peak	22.36	-59.19	-13.00	150	80	-46.19	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 06:05:31

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	106.6533	-80.48	peak	24.00	-56.48	-13.00	150	75	-43.48	
	130.1603	-79.18	peak	22.70	-56.48	-13.00	150	245	-43.48	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:40:29

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-29.96	peak	-7.42	-37.38	-13.00	150	135	-24.38	
	499.7996	-34.65	peak	-5.78	-40.43	-13.00	150	205	-27.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:18:01

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-28.83	peak	-10.73	-39.56	-13.00	150	235	-26.56	
	499.7996	-36.69	peak	-5.04	-41.73	-13.00	150	305	-28.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:16:40

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2821.643	-31.09	peak	4.53	-26.56	-13.00	150	150	-13.56	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:24:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2821.643	-27.85	peak	9.16	-18.69	-13.00	150	330	-5.69	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:17:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	7006.012	-48.61	peak	11.12	-37.49	-13.00	150	130	-24.49	
	7462.926	-51.41	peak	9.98	-41.43	-13.00	150	210	-28.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #7

Date: 2025/5/10

Temperature: 23.1 °C

Time: 上午 11:25:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	7006.012	-52.24	peak	10.93	-41.31	-13.00	150	75	-28.31	
*	7462.926	-48.35	peak	11.04	-37.31	-13.00	150	285	-24.31	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/5/10

Temperature: 23.1 °C

Time: 上午 11:18:22

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8

Date: 2025/5/10

Temperature: 23.1 °C

Time: 上午 11:26:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:18:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:26:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/10

Temperature:23.1 °C

Time: 上午 11:18:46

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:26:24

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1860MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:24:56

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.1022	-82.99	peak	23.55	-59.44	-13.00	150	120	-46.44	
*	106.6533	-80.85	peak	22.36	-58.49	-13.00	150	195	-45.49	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 06:03:44

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	106.6533	-81.03	peak	24.00	-57.03	-13.00	150	15	-44.03	
*	130.5010	-79.58	peak	22.69	-56.89	-13.00	150	270	-43.89	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:42:21

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-30.06	peak	-7.42	-37.48	-13.00	150	315	-24.48	
	499.7996	-32.21	peak	-5.78	-37.99	-13.00	150	110	-24.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2025/5/10

Temperature: 23.1 °C

Time: 上午 09:15:09

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-30.23	peak	-10.73	-40.96	-13.00	150	245	-27.96	
	405.2104	-33.33	peak	-9.85	-43.18	-13.00	150	80	-30.18	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:30:19

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2803.607	-30.51	peak	4.45	-26.06	-13.00	150	45	-13.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:53:22

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2809.619	-27.88	peak	9.13	-18.75	-13.00	150	325	-5.75	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:31:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	7006.012	-49.09	peak	11.12	-37.97	-13.00	150	135	-24.97	
	7462.926	-51.89	peak	9.98	-41.91	-13.00	150	90	-28.91	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:54:11

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-46.39	peak	6.66	-39.73	-13.00	150	285	-26.73	
*	7462.926	-47.82	peak	11.04	-36.78	-13.00	150	65	-23.78	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/5/10

Temperature:23.1 °C

Time: 上午 11:32:29

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:54:59

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:32:41

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:55:10

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	--------------------	------------------	----------	----------------------	-----------------	----------------	-----------------	-------------------	----------------	---------



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:32:53

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:55:22

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1882.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:27:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	90.3006	-78.68	peak	23.97	-54.71	-13.00	150	165	-41.71	
	139.3587	-80.00	peak	22.54	-57.46	-13.00	150	105	-44.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 06:02:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	106.6533	-80.68	peak	24.00	-56.68	-13.00	150	85	-43.68	
*	130.5010	-78.57	peak	22.69	-55.88	-13.00	150	235	-42.88	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:44:52

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-29.89	peak	-7.42	-37.31	-13.00	150	165	-24.31	
	499.7996	-34.26	peak	-5.78	-40.04	-13.00	150	60	-27.04	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:12:54

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-30.50	peak	-10.73	-41.23	-13.00	150	350	-28.23	
	405.2104	-33.25	peak	-9.85	-43.10	-13.00	150	245	-30.10	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:35:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2785.571	-32.05	peak	4.37	-27.68	-13.00	150	75	-14.68	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:41:06

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2785.571	-29.95	peak	9.06	-20.89	-13.00	150	330	-7.89	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:36:38

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	7006.012	-49.09	peak	11.12	-37.97	-13.00	150	145	-24.97	
	7462.926	-51.75	peak	9.98	-41.77	-13.00	150	250	-28.77	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:41:54

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	7006.012	-51.56	peak	10.93	-40.63	-13.00	150	225	-27.63	
*	7462.926	-48.31	peak	11.04	-37.27	-13.00	150	305	-24.27	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3

Date: 2025/5/10

Temperature:23.1 °C

Time: 上午 11:38:18

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:43:11

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:38:30

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:43:23

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/10

Temperature:23.1 °C

Time: 上午 11:38:42

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:43:35

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 25 UpLink 20M 1905MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:04:28

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	132.5451	-84.39	peak	22.24	-62.15	-13.00	150	165	-49.15	
*	145.1503	-82.52	peak	22.94	-59.58	-13.00	150	110	-46.58	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:07:14

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	68.1563	-85.64	peak	23.54	-62.10	-13.00	150	310	-49.10	
	131.1824	-85.34	peak	22.67	-62.67	-13.00	150	245	-49.67	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:47:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-29.10	peak	-5.78	-34.88	-13.00	150	255	-21.88	
	559.1182	-32.90	peak	-4.73	-37.63	-13.00	150	135	-24.63	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:50:11

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-35.09	peak	-5.04	-40.13	-13.00	150	80	-27.13	
	624.8497	-37.20	peak	-3.64	-40.84	-13.00	150	175	-27.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 10:27:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:32:25

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:28:36

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-49.48	peak	6.65	-42.83	-13.00	150	245	-29.83	
*	7006.012	-53.92	peak	11.12	-42.80	-13.00	150	100	-29.80	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:33:15

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-51.75	peak	6.66	-45.09	-13.00	150	35	-32.09	
*	7462.926	-53.60	peak	11.04	-42.56	-13.00	150	165	-29.56	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 10:29:35

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3


Data :#8

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 10:34:03

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:29:47

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

File :3

Radiated Emission Measurement

Operator: Sora


Data :#9

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 10:34:15

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:30:00

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 10:34:27

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 DownLink 10M 2355MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:30:08

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	106.6533	-81.15	peak	22.36	-58.79	-13.00	150	315	-45.79	
	143.4470	-82.88	peak	22.82	-60.06	-13.00	150	145	-47.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:59:56

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	106.6533	-81.23	peak	24.00	-57.23	-13.00	150	75	-44.23	
*	130.5010	-78.93	peak	22.69	-56.24	-13.00	150	215	-43.24	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:53:08

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-30.07	peak	-7.42	-37.49	-13.00	150	150	-24.49	
	499.7996	-33.67	peak	-5.78	-39.45	-13.00	150	90	-26.45	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:10:53

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-29.11	peak	-10.73	-39.84	-13.00	150	165	-26.84	
	499.7996	-36.69	peak	-5.04	-41.73	-13.00	150	110	-28.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:56:36

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3


Data :#6

Date: 2025/5/10

Temperature:23.1 °C

Time: 上午 11:02:02

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:58:02

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-47.15	peak	6.65	-40.50	-13.00	150	135	-27.50	
*	7006.012	-48.41	peak	11.12	-37.29	-13.00	150	160	-24.29	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:03:11

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4977.956	-44.82	peak	6.66	-38.16	-13.00	150	315	-25.16	
*	7462.926	-48.59	peak	11.04	-37.55	-13.00	150	200	-24.55	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:59:14

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:04:20

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:59:26

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:04:32

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:59:39

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:04:44

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 30 UpLink 10M 2310MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:55:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	131.5230	-84.20	peak	22.19	-62.01	-13.00	150	135	-49.01	
	144.8096	-85.61	peak	22.92	-62.69	-13.00	150	185	-49.69	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:12:57

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	54.1884	-86.06	peak	22.78	-63.28	-13.00	150	140	-50.28	
*	69.8597	-85.45	peak	23.72	-61.73	-13.00	150	275	-48.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:28:32

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-28.61	peak	-12.26	-40.87	-13.00	150	155	-27.87	
*	499.7996	-34.21	peak	-5.78	-39.99	-13.00	150	205	-26.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 01:40:09

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	374.7495	-33.78	peak	-9.31	-43.09	-13.00	150	215	-30.09	
*	499.7996	-34.36	peak	-5.04	-39.40	-13.00	150	295	-26.40	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:07:56

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:12:12

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:08:44

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5843.687	-53.81	peak	11.50	-42.31	-13.00	150	45	-29.31	
*	7006.012	-52.95	peak	11.12	-41.83	-13.00	150	160	-28.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:13:00

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5843.687	-50.09	peak	12.74	-37.35	-13.00	150	135	-24.35	
	7462.926	-51.66	peak	11.04	-40.62	-13.00	150	255	-27.62	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:09:38

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:13:54

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:09:50

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:14:06

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:10:02

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:14:18

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:59:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	131.5230	-84.50	peak	22.19	-62.31	-13.00	150	145	-49.31	
*	146.5130	-83.05	peak	23.04	-60.01	-13.00	150	190	-47.01	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:11:09

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	54.5291	-85.63	peak	22.78	-62.85	-13.00	150	95	-49.85	
*	72.9260	-85.76	peak	23.57	-62.19	-13.00	150	45	-49.19	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:30:36

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-32.46	peak	-5.78	-38.24	-13.00	150	135	-25.24	
	624.8497	-38.99	peak	-1.65	-40.64	-13.00	150	85	-27.64	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:37:28

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-34.91	peak	-5.04	-39.95	-13.00	150	235	-26.95	
	624.8497	-38.64	peak	-3.64	-42.28	-13.00	150	290	-29.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:57:44

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:02:38

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin