



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:58:41

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5843.687	-54.46	peak	11.50	-42.96	-13.00	150	130	-29.96	
*	7006.012	-52.51	peak	11.12	-41.39	-13.00	150	280	-28.39	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #7

Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 11:03:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5843.687	-48.68	peak	12.74	-35.94	-13.00	150	315	-22.94	
	7462.926	-52.50	peak	11.04	-41.46	-13.00	150	260	-28.46	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 10:59:38

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

File :3

Radiated Emission Measurement

Operator: Sora

Data :#8

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:04:26

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:59:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:04:38

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:00:03

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 11:04:50

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2155MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:02:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	131.8637	-84.24	peak	22.21	-62.03	-13.00	150	180	-49.03	
	144.8096	-85.10	peak	22.92	-62.18	-13.00	150	135	-49.18	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 04:09:12

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	73.6071	-85.08	peak	23.53	-61.55	-13.00	150	315	-48.55	
	116.1924	-87.01	peak	23.29	-63.72	-13.00	150	220	-50.72	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:32:58

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-27.15	peak	-12.26	-39.41	-13.00	150	135	-26.41	
*	499.7996	-32.03	peak	-5.78	-37.81	-13.00	150	155	-24.81	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:35:30

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-34.28	peak	-5.04	-39.32	-13.00	150	155	-26.32	
	624.8497	-41.60	peak	-3.64	-45.24	-13.00	150	200	-32.24	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:47:10

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:51:11

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 10:47:59

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5843.687	-54.56	peak	11.50	-43.06	-13.00	150	195	-30.06	
*	7006.012	-53.33	peak	11.12	-42.21	-13.00	150	240	-29.21	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:51:59

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5843.687	-49.37	peak	12.74	-36.63	-13.00	150	245	-23.63	
	7462.926	-52.91	peak	11.04	-41.87	-13.00	150	295	-28.87	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3

Date: 2025/5/9

Temperature:23.1 °C

Time: 上午 10:48:47

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:52:47

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:48:59

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2025/5/9

Temperature: 23.1 °C

Time: 上午 10:52:59

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5

Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 上午 10:49:11

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/5/9

Temperature:23.1 °C

0.0 dBm

Time: 上午 10:53:12

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 DownLink 20M 2170MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:32:17

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	81.1022	-82.93	peak	23.55	-59.38	-13.00	150	340	-46.38	
	108.6974	-81.87	peak	22.26	-59.61	-13.00	150	125	-46.61	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:58:10

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	106.6533	-81.04	peak	24.00	-57.04	-13.00	150	255	-44.04	
*	130.5010	-79.16	peak	22.69	-56.47	-13.00	150	290	-43.47	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:55:57

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-29.98	peak	-7.42	-37.40	-13.00	150	165	-24.40	
	499.7996	-33.77	peak	-5.78	-39.55	-13.00	150	200	-26.55	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:08:14

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-29.89	peak	-10.73	-40.62	-13.00	150	65	-27.62	
	499.7996	-36.95	peak	-5.04	-41.99	-13.00	150	105	-28.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:06:32

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1192.385	-31.31	peak	5.77	-25.54	-13.00	150	140	-12.54	
	3609.218	-43.08	peak	6.62	-36.46	-13.00	150	205	-23.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:33:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1198.397	-26.70	peak	5.62	-21.08	-13.00	150	75	-8.08	
	3609.218	-45.92	peak	10.31	-35.61	-13.00	150	260	-22.61	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:07:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:34:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 12:08:13

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:35:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:08:25

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 12:35:32

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 12:08:37

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 12:35:45

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1720MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:34:26

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	90.3006	-78.56	peak	23.97	-54.59	-13.00	150	185	-41.59	
	143.4470	-78.66	peak	22.82	-55.84	-13.00	150	140	-42.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:56:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	106.6533	-81.09	peak	24.00	-57.09	-13.00	150	165	-44.09	
	131.1824	-80.04	peak	22.67	-57.37	-13.00	150	240	-44.37	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:58:09

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-30.00	peak	-7.42	-37.42	-13.00	150	35	-24.42	
	499.7996	-33.23	peak	-5.78	-39.01	-13.00	150	185	-26.01	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:06:09

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-31.09	peak	-10.73	-41.82	-13.00	150	230	-28.82	
	405.2104	-33.18	peak	-9.85	-43.03	-13.00	150	90	-30.03	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #1

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 12:11:40

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1162.325	-30.92	peak	5.78	-25.14	-13.00	150	135	-12.14	
	3501.002	-47.83	peak	6.20	-41.63	-13.00	150	90	-28.63	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #6

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 12:27:57

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1168.337	-27.60	peak	5.62	-21.98	-13.00	150	355	-8.98	
	3507.014	-47.78	peak	10.43	-37.35	-13.00	150	250	-24.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:12:36

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 12:28:48

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3

Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 12:13:26

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:30:10

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:13:38

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:30:22

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 12:13:50

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:30:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1755MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:36:23

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.7074	-75.63	peak	23.52	-52.11	-13.00	150	170	-39.11	
	143.4470	-79.78	peak	22.82	-56.96	-13.00	150	135	-43.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:54:43

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	106.6533	-81.07	peak	24.00	-57.07	-13.00	150	245	-44.07	
	130.1603	-79.98	peak	22.70	-57.28	-13.00	150	290	-44.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:00:49

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-30.06	peak	-7.42	-37.48	-13.00	150	205	-24.48	
	499.7996	-34.99	peak	-5.78	-40.77	-13.00	150	165	-27.77	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:03:01

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-29.27	peak	-10.73	-40.00	-13.00	150	320	-27.00	
	405.2104	-33.36	peak	-9.85	-43.21	-13.00	150	260	-30.21	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 12:16:29

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1150.301	-33.30	peak	5.78	-27.52	-13.00	150	135	-14.52	
	3464.930	-52.69	peak	6.14	-46.55	-13.00	150	45	-33.55	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:22:41

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1138.276	-26.19	peak	5.61	-20.58	-13.00	150	315	-7.58	
	3434.870	-53.89	peak	10.33	-43.56	-13.00	150	225	-30.56	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:17:59

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:23:30

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3

Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 12:19:29

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:24:57

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 12:19:41

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:25:09

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:19:53

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 12:25:22

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : LTE Band 66 UpLink 20M 1770MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:27:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	132.5451	-82.15	peak	22.24	-59.91	-13.00	150	185	-46.91	
*	145.8317	-81.95	peak	22.99	-58.96	-13.00	150	65	-45.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:40:22

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	73.2665	-84.31	peak	23.55	-60.76	-13.00	150	195	-47.76	
	105.6313	-87.55	peak	24.08	-63.47	-13.00	150	220	-50.47	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:03:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	374.7495	-30.28	peak	-7.87	-38.15	-13.00	150	135	-25.15	
*	405.2104	-27.20	peak	-7.42	-34.62	-13.00	150	240	-21.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:17:49

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	405.2104	-32.16	peak	-9.85	-42.01	-13.00	150	315	-29.01	
*	499.7996	-35.29	peak	-5.04	-40.33	-13.00	150	115	-27.33	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1

Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 02:55:45

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:18:51

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:57:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4525.641	-37.31	peak	7.51	-29.80	-13.00	150	190	-16.80	
	4980.769	-47.31	peak	6.65	-40.66	-13.00	150	120	-27.66	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:20:26

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4525.641	-25.43	peak	7.39	-18.04	-13.00	150	300	-5.04	
	7576.923	-53.28	peak	11.16	-42.12	-13.00	150	215	-29.12	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 02:58:27

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 03:21:18

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 02:58:38

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:21:29

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 02:58:49

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #11

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:21:40

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6

Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 02:59:56

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#12


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:23:21

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:29:37

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	131.5230	-83.47	peak	22.19	-61.28	-13.00	150	165	-48.28	
*	146.5130	-79.02	peak	23.04	-55.98	-13.00	150	250	-42.98	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:38:27

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.6293	-84.81	peak	23.47	-61.34	-13.00	150	315	-48.34	
	132.5451	-85.22	peak	22.63	-62.59	-13.00	150	205	-49.59	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:07:30

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-27.48	peak	-7.42	-34.90	-13.00	150	205	-21.90	
	499.7996	-32.21	peak	-5.78	-37.99	-13.00	150	165	-24.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:15:12

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	405.2104	-31.97	peak	-9.85	-41.82	-13.00	150	75	-28.82	
*	499.7996	-34.21	peak	-5.04	-39.25	-13.00	150	245	-26.25	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:02:11

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:26:03

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:04:22

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4525.641	-37.88	peak	7.51	-30.37	-13.00	150	135	-17.37	
	7685.897	-50.97	peak	10.68	-40.29	-13.00	150	220	-27.29	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #8

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 03:28:02

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4525.641	-25.98	peak	7.39	-18.59	-13.00	150	255	-5.59	
	7705.128	-34.96	peak	11.34	-23.62	-13.00	150	230	-10.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 03:05:47

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 03:29:08

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:05:58

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:29:21

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:06:09

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#11


Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 03:29:32

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 03:08:12

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#12

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:30:34

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:32:54

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	131.5230	-82.88	peak	22.19	-60.69	-13.00	150	210	-47.69	
*	145.8317	-82.04	peak	22.99	-59.05	-13.00	150	165	-46.05	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:35:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9260	-84.98	peak	23.57	-61.41	-13.00	150	245	-48.41	
	116.8737	-86.22	peak	23.24	-62.98	-13.00	150	305	-49.98	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/9

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:10:02

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-27.58	peak	-7.42	-35.00	-13.00	150	135	-22.00	
	499.7996	-32.37	peak	-5.78	-38.15	-13.00	150	95	-25.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 03:12:37

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	405.2104	-31.60	peak	-9.85	-41.45	-13.00	150	325	-28.45	
*	499.7996	-34.80	peak	-5.04	-39.84	-13.00	150	190	-26.84	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:10:06

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:33:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 03:11:32

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4525.641	-37.56	peak	7.51	-30.05	-13.00	150	235	-17.05	
	7814.103	-55.81	peak	11.22	-44.59	-13.00	150	145	-31.59	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:34:25

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4525.641	-25.10	peak	7.39	-17.71	-13.00	150	100	-4.71	
	7801.282	-41.39	peak	11.47	-29.92	-13.00	150	255	-16.92	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 03:12:20

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 03:36:23

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:12:31

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:36:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3


Data :#5

Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 03:12:42

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#11


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:36:45

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:13:47

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#12


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:38:11

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 DownLink 100M 3930MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:38:38

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	81.1022	-84.53	peak	23.55	-60.98	-13.00	150	315	-47.98	
	106.6533	-83.51	peak	22.36	-61.15	-13.00	150	110	-48.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:52:32

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	106.6533	-80.66	peak	24.00	-56.66	-13.00	150	325	-43.66	
	129.8196	-80.20	peak	22.71	-57.49	-13.00	150	195	-44.49	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:33:21

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-29.95	peak	-7.42	-37.37	-13.00	150	110	-24.37	
	499.7996	-34.31	peak	-5.78	-40.09	-13.00	150	165	-27.09	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:26:57

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-30.54	peak	-10.73	-41.27	-13.00	150	255	-28.27	
*	499.7996	-35.95	peak	-5.04	-40.99	-13.00	150	135	-27.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 01:50:34

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:31:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:51:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4980.769	-46.85	peak	6.65	-40.20	-13.00	150	135	-27.20	
	6948.718	-54.34	peak	11.19	-43.15	-13.00	150	100	-30.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 02:32:30

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4980.769	-44.86	peak	6.65	-38.21	-13.00	150	225	-25.21	
	6948.718	-57.09	peak	11.17	-45.92	-13.00	150	270	-32.92	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:52:41

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #9

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 02:33:22

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:52:52

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:33:33

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 01:53:04

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #11

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:33:44

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:55:46

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #12


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 02:35:43

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:40:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.1022	-84.98	peak	23.55	-61.43	-13.00	150	135	-48.43	
*	108.6974	-83.49	peak	22.26	-61.23	-13.00	150	185	-48.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:47:10

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	36.4730	-68.65	peak	23.44	-45.21	-13.00	150	260	-32.21	
	68.8377	-71.91	peak	23.61	-48.30	-13.00	150	215	-35.30	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:35:38

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-30.07	peak	-7.42	-37.49	-13.00	150	135	-24.49	
	499.7996	-32.08	peak	-5.78	-37.86	-13.00	150	220	-24.86	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 09:29:08

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-30.61	peak	-10.73	-41.34	-13.00	150	35	-28.34	
	405.2104	-33.25	peak	-9.85	-43.10	-13.00	150	195	-30.10	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:58:15

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 02:24:01

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:00:17

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4980.769	-47.24	peak	6.65	-40.59	-13.00	150	305	-27.59	
	6948.718	-54.34	peak	11.19	-43.15	-13.00	150	165	-30.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 02:26:12

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4525.641	-50.97	peak	7.39	-43.58	-13.00	150	255	-30.58	
*	4980.769	-44.88	peak	6.65	-38.23	-13.00	150	70	-25.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 02:01:16

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 02:27:21

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:01:28

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:27:32

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:01:39

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#11


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:27:43

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:02:42

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#12

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:29:22

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:42:31

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	79.7395	-84.22	peak	23.51	-60.71	-13.00	150	135	-47.71	
	106.6533	-83.51	peak	22.36	-61.15	-13.00	150	175	-48.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2025/5/9

Temperature: 23.1 °C

Time: 下午 05:44:39

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6293	-83.04	peak	23.47	-59.57	-13.00	150	275	-46.57	
*	130.5010	-80.37	peak	22.69	-57.68	-13.00	150	65	-44.68	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 上午 08:37:42

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	405.2104	-29.99	peak	-7.42	-37.41	-13.00	150	55	-24.41	
	499.7996	-33.96	peak	-5.78	-39.74	-13.00	150	115	-26.74	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2025/5/10

Temperature: 23.1 °C

Time: 上午 09:30:55

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-28.62	peak	-10.73	-39.35	-13.00	150	320	-26.35	
	499.7996	-37.44	peak	-5.04	-42.48	-13.00	150	240	-29.48	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:04:59

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2025/5/10

Temperature: 23.1 °C

Time: 下午 02:18:52

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:06:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4980.769	-47.52	peak	6.65	-40.87	-13.00	150	200	-27.87	
	6948.718	-54.23	peak	11.19	-43.04	-13.00	150	155	-30.04	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:19:42

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4525.641	-51.59	peak	7.39	-44.20	-13.00	150	280	-31.20	
*	4980.769	-44.82	peak	6.65	-38.17	-13.00	150	245	-25.17	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3

Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 02:08:07

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:20:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:08:21

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10

Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:20:56

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2025/5/10

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:08:36

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#11

Date: 2025/5/10

Temperature:23.1 °C

Time: 下午 02:21:07

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:11:09

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#12

Date: 2025/5/10

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:22:08

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22504-24316

M/N:

Test Mode : NR n77 UpLink 100M 3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin