

APPENDIX REPORT

Project No.	SHT2009042405EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT20090424010	Model No.	R10
Start test date	2020/9/25	Finish date	2020/9/25
Temperature	25°C	Humidity	50%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhuo

Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS




Appendix A: Conducted Peak Output Power




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	17.61	15.08	≤ 30.00	Pass
	06	16.73	14.27		
	11	15.45	13.02		
802.11g	01	16.70	14.01	≤ 30.00	Pass
	06	15.74	13.11		
	11	14.60	12.08		
802.11n (HT20)	01	16.43	13.70	≤ 30.00	Pass
	06	15.42	12.87		
	11	14.04	11.45		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	3.80	≤8.00	Pass
	06	3.31		
	11	1.85		
802.11g	01	-7.38	≤8.00	Pass
	06	-8.55		
	11	-9.61		
802.11n(HT20)	01	-8.14	≤8.00	Pass
	06	-8.78		
	11	-10.42		


Type:		802.11 b
CH01		

Type:	802.11 g
CH01	 25.SEP.2000 10:54:04
CH06	 25.SEP.2000 10:59:43
CH11	 25.SEP.2000 11:02:31

Type:	802.11n(HT20)
CH01	 Spectrum plot for CH01. The plot shows a frequency sweep from 2.412 GHz to 2.4169950 GHz. The y-axis ranges from -80 dBm to 10 dBm. The x-axis shows frequency in GHz. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 30 dB, SWI 279 us (~1.5 ms), BW 30 kHz, VBW 100 kHz, Mode Auto FFT. The count is 100/100. The plot is dated 25.SEP.2000 11:07:10.
CH06	 Spectrum plot for CH06. The plot shows a frequency sweep from 2.437 GHz to 2.4419950 GHz. The y-axis ranges from -80 dBm to 10 dBm. The x-axis shows frequency in GHz. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 30 dB, SWI 279 us (~1.5 ms), BW 30 kHz, VBW 100 kHz, Mode Auto FFT. The count is 100/100. The plot is dated 25.SEP.2000 11:11:41.
CH11	 Spectrum plot for CH11. The plot shows a frequency sweep from 2.462 GHz to 2.4669950 GHz. The y-axis ranges from -80 dBm to 10 dBm. The x-axis shows frequency in GHz. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 30 dB, SWI 279 us (~1.5 ms), BW 30 kHz, VBW 100 kHz, Mode Auto FFT. The count is 100/100. The plot is dated 25.SEP.2000 11:15:03.

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	9.81	≥0.5	Pass
	06	9.84		
	11	9.36		
802.11g	01	16.41	≥0.5	Pass
	06	16.41		
	11	16.41		
802.11n(HT20)	01	17.64	≥0.5	Pass
	06	17.64		
	11	17.64		




Type:		802.11 g
CH01	<	

Appendix report page: 10 of 28

Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	12.26	-	Pass
	06	12.23		
	11	12.14		
802.11g	01	17.26	-	Pass
	06	17.29		
	11	17.32		
802.11n(HT20)	01	18.01	-	Pass
	06	18.04		
	11	18.04		




Appendix report page: 13 of 28

Type:


802.11n(HT20)

CH01




Date: 25.SEP.2009 11:08:53

CH06



Date: 25.SEP.2009 11:10:02

CH11




Date: 25.SEP.2009 11:12:54

Appendix E: Duty Cycle

Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	8.36	8.41	99.4%	0.1
11g	2437	1.39	1.42	97.9%	0.7
11n20	2437	1.29	1.36	94.9%	0.8











Appendix F: Band edge and Spurious Emissions (conducted)




Test Item:	Bandedge	Type:	802.11 b																																										
CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 Frequency Sweep M1 -15.350 dBm M1[1] 4.66 dBm 2.413440 GHz M2[1] -39.31 dBm 2.390000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.472 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41344 GHz</td><td>4.66 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-39.31 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-50.06 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.65 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.398928 GHz</td><td>-34.65 dBm</td><td></td><td></td></tr></table> Date: 25.SEP.2020 10:41:14			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41344 GHz	4.66 dBm			M2	1		2.4 GHz	-39.31 dBm			M3	1		2.39 GHz	-50.06 dBm			M4	1		2.31 GHz	-63.65 dBm			M5	1		2.398928 GHz	-34.65 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41344 GHz	4.66 dBm																																									
M2	1		2.4 GHz	-39.31 dBm																																									
M3	1		2.39 GHz	-50.06 dBm																																									
M4	1		2.31 GHz	-63.65 dBm																																									
M5	1		2.398928 GHz	-34.65 dBm																																									
CH11	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 Frequency Sweep M1 -17.110 dBm M1[1] 2.89 dBm 2.461471 GHz M2[1] -54.14 dBm 2.483500 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.461471 GHz</td><td>2.89 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-54.14 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-61.77 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484496 GHz</td><td>-54.15 dBm</td><td></td><td></td></tr></table> Date: 25.SEP.2020 10:48:06			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461471 GHz	2.89 dBm			M2	1		2.4835 GHz	-54.14 dBm			M3	1		2.5 GHz	-61.77 dBm			M4	1		2.484496 GHz	-54.15 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.461471 GHz	2.89 dBm																																									
M2	1		2.4835 GHz	-54.14 dBm																																									
M3	1		2.5 GHz	-61.77 dBm																																									
M4	1		2.484496 GHz	-54.15 dBm																																									




Test Item:	Bandedge	Type:	802.11 g																																										
CH01	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1 M2 M3 M4 M5 -22.640 dBm -2.58 dBm -36.70 dBm -45.57 dBm -63.79 dBm -34.07 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41445 GHz</td><td>-2.58 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-36.70 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-45.57 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.79 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399712 GHz</td><td>-34.07 dBm</td><td></td><td></td></tr></table> Date: 25.SEP.2020 10:54:14			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41445 GHz	-2.58 dBm			M2	1		2.4 GHz	-36.70 dBm			M3	1		2.39 GHz	-45.57 dBm			M4	1		2.31 GHz	-63.79 dBm			M5	1		2.399712 GHz	-34.07 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41445 GHz	-2.58 dBm																																									
M2	1		2.4 GHz	-36.70 dBm																																									
M3	1		2.39 GHz	-45.57 dBm																																									
M4	1		2.31 GHz	-63.79 dBm																																									
M5	1		2.399712 GHz	-34.07 dBm																																									
CH11	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1 M2 M3 M4 -24.360 dBm -4.36 dBm -50.45 dBm -59.64 dBm -45.76 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.455716 GHz</td><td>-4.36 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-50.45 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.64 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.48368 GHz</td><td>-45.76 dBm</td><td></td><td></td></tr></table> Date: 25.SEP.2020 11:02:41			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.455716 GHz	-4.36 dBm			M2	1		2.4835 GHz	-50.45 dBm			M3	1		2.5 GHz	-59.64 dBm			M4	1		2.48368 GHz	-45.76 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.455716 GHz	-4.36 dBm																																									
M2	1		2.4835 GHz	-50.45 dBm																																									
M3	1		2.5 GHz	-59.64 dBm																																									
M4	1		2.48368 GHz	-45.76 dBm																																									




Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz M1[1] 2.91 dBm 2.414450 GHz M2[1] -38.73 dBm 2.400000 GHz 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41445 GHz</td><td>-2.91 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-38.73 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-45.29 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-64.21 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399712 GHz</td><td>-38.44 dBm</td><td></td><td></td></tr></table> Date: 25.SEP.2000 11:07:20			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41445 GHz	-2.91 dBm			M2	1		2.4 GHz	-38.73 dBm			M3	1		2.39 GHz	-45.29 dBm			M4	1		2.31 GHz	-64.21 dBm			M5	1		2.399712 GHz	-38.44 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41445 GHz	-2.91 dBm																																									
M2	1		2.4 GHz	-38.73 dBm																																									
M3	1		2.39 GHz	-45.29 dBm																																									
M4	1		2.31 GHz	-64.21 dBm																																									
M5	1		2.399712 GHz	-38.44 dBm																																									
CH11	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz M1[1] -4.95 dBm 2.4644920 GHz M2[1] -48.33 dBm 2.4835000 GHz 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.464492 GHz</td><td>-4.95 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-46.95 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.74 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484208 GHz</td><td>-46.50 dBm</td><td></td><td></td></tr></table> Date: 25.SEP.2000 11:15:13			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.464492 GHz	-4.95 dBm			M2	1		2.4835 GHz	-46.95 dBm			M3	1		2.5 GHz	-59.74 dBm			M4	1		2.484208 GHz	-46.50 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.464492 GHz	-4.95 dBm																																									
M2	1		2.4835 GHz	-46.95 dBm																																									
M3	1		2.5 GHz	-59.74 dBm																																									
M4	1		2.484208 GHz	-46.50 dBm																																									




Test Item:	SE	Type:	802.11 b
CH01 Reference level		 Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] 4.77 dBm 2.4134990 GHz 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 25.SEP.2020 10:41:21	
CH01 30MHz~1000MHz		 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.59 dBm 552.6020 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 25.SEP.2020 10:41:37	
CH01 1GHz~26GHz		 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -45.00 dBm 4.825333 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 25.SEP.2020 10:41:54	




CH06 Reference level	
CH06 30MHz~1000MHz	
CH06 1GHz~26GHz	




CH11 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 1.04 ms VSW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -3.69 dBm 2.4614910 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 25.SEP.2020 10:48:13
CH11 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 30.1 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.69 dBm 550.5650 MHz H1 -16.310 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 25.SEP.2020 10:48:29
CH11 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 250 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -42.60 dBm 4.923333 GHz H1 -16.310 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 25.SEP.2020 10:48:45




Test Item:	SE	Type:	802.11 g
CH01 Reference level			
CH01 30MHz~1000MHz			
CH01 1GHz~26GHz			

CH06 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 1.04 ms VSW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -2.97 dBm 2.4307360 GHz CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 25.SEP.2020 10:58:49
CH06 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 30.1 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -61.05 dBm 456.4790 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 25.SEP.2020 11:00:05
CH06 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 250 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -52.03 dBm 25.985833 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 25.SEP.2020 11:00:21

CH11 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 1.04 ms VSW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -4.30 dBm 2.4557360 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 25.SEP.2020 11:02:48
CH11 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 30.1 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.39 dBm 550.8890 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 25.SEP.2020 11:03:04
CH11 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWF 250 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -51.45 dBm 25.94667 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 25.SEP.2020 11:03:20

Test Item:	SE	Type:	802.11 n(HT20)
CH01 Reference level			
CH01 30MHz~1000MHz			
CH01 1GHz~26GHz			

CH06 Reference level	
CH06 30MHz~1000MHz	
CH06 1GHz~26GHz	

CH11 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 1.04 ms VSW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -4.89 dBm 2.4557360 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 25.SEP.2020 11:15:20
CH11 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 30.1 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -59.95 dBm 553.3780 MHz H1 -24.800 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 25.SEP.2020 11:15:36
CH11 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 250 ms VSW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -52.99 dBm 25.959167 GHz H1 -24.800 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 25.SEP.2020 11:15:52

-----End of Report-----