

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.23	-25	Pass	2985
30	1000	0.1	RMS	909.791	-55.84	-25	Pass	9700
1000	2490	1	RMS	2427.958	-41.83	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.03	60	Pass	601
2580	3000	1	RMS	2659.1	-40.54	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.91	-25	Pass	9000
12000	26000	1	RMS	25947.996	-30.86	-25	Pass	14000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.31	-25	Pass	2985
30	1000	0.1	RMS	995.099	-55.87	-25	Pass	9700
1000	2490	1	RMS	2454.976	-41.87	-25	Pass	1490
2490	2580	1	RMS	2504.7	23.01	60	Pass	601
2580	3000	1	RMS	2660.5	-40.53	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.9	-25	Pass	9000
12000	26000	1	RMS	25959.997	-30.79	-25	Pass	14000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.38	-25	Pass	2985
30	1000	0.1	RMS	903.39	-55.92	-25	Pass	9700
1000	2490	1	RMS	2454.976	-41.82	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.99	60	Pass	601
2580	3000	1	RMS	2659.8	-40.53	-25	Pass	601
3000	12000	1	RMS	11917.991	-48.84	-25	Pass	9000
12000	26000	1	RMS	25947.996	-30.76	-25	Pass	14000



1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.35	-25	Pass	2985
30	1000	0.1	RMS	998	-55.91	-25	Pass	9700
1000	2490	1	RMS	2419.953	-41.85	-25	Pass	1490
2490	2580	1	RMS	2504.7	21.97	60	Pass	601
2580	3000	1	RMS	2659.8	-40.54	-25	Pass	601
3000	12000	1	RMS	11928.992	-48.87	-25	Pass	9000
12000	26000	1	RMS	25953.997	-30.84	-25	Pass	14000



END