

Recreational Vehicle Long Range High Performance Wifi
Extender and Omnidirectional Television Antenna



CA-1000 WIFI

SIMPLE SETUP GUIDE

NOTICE

Please make sure you understand and agree with self-installation terms and conditions. If you fail to self-install for any other reason other than Continuu.us issued equipment failure, you will require professional installation that may result in a service charge.

STEP 1 - CONNECTING TO ANTENNA WIFI

To connect to the antenna, use your electronic device to select the wifi network automatically generated by the CA-1000 WiFi.

- A) CT_2.4G_XXXX is the default name for the CA-1000 Wifi.
- B) The XXXX at the end of the network name will be the last 4 digits of the MAC address of the CA-1000 Wifi.

STEP 2 - CONFIGURING THE CA-1000 WIFI


To configure the CA-1000 Wifi you will need to access the CA-1000 Wifi IP address.

- A) 192.168.246.9 *(QR Code Provided on right)*
- B) Open a web browser on your electronic device and type in the above IP in the address bar.

Use this QR
code to access
the WiFi IP
address



STEP 3 - LOG IN



The login screen is divided into two main sections. The left section has a dark blue background and features the Continuu.us logo (a stylized infinity symbol) and the text "Hello, Lets Get Started...". The right section has a light gray background and contains the text "Please enter your password". Below this text is a login form with a "Password" label, a text input field, and a yellow "Login" button.

If steps 1 and 2 are done correctly, you will see this screen above, prompting you to log in and configure the CA-1000 Wifi

- A) password: admin
- B) Use the default password to log in to the CA-1000 Wifi configuration page.

STEP 4 - LOCATING WIFI NETWORKS

First,

Click the 'Scan' button next to the preferred WiFi Frequency you would like to repeat. We suggest starting with the 2.4G as it is the most widely used.

[Password & Language Settings](#) [System Management](#) [CONTINU.US WEBSITE](#) [HOME](#)

2.4G

SSID: CT_2.4G_2EF1
BSSID: F0:41:C8:E3:2E:F1



Scan



Edit

5.8G

SSID: CT_5.8G_306E
BSSID: F0:41:C8:E3:30:6E



Scan



Edit

The next step is to select an existing WiFi network to repeat.

- A)** Click the yscanfi button under the 2.4 G network section

Note: To connect to a 5.2G/5.8 G network, follow the same instructions as above, but click the 'scan' button underneath the 5.2G/ 5.8G sections.

STEP 5 - JOINING A WIFI NETWORK

to the WiFi

[CONTINU.US WEBSITE](#) [HOME](#)



maxenergy2.4G

57%

WPA - PSK



Join

After the CA-1000 is finished scanning for networks, a list of available WiFi networks will populate.

- A)** Click the yJoin Networkfi button beside the Wifi network you wish to repeat.

Note: networks with password protection will not be able to be repeated, unless you have the password to unlock the network.


STEP 6 - NETWORK SECURITY

password for the WiFi network you selected. If the network does not have a password, simply leave the field blank.

Click 'Submit' to proceed

Connect to a network

PassWord:

 Specify the secret encryption key here.

Submit

Back to scan results

After selecting a network to join, you will need to enter a password.

- A) If the network is unsecure, press the ysubmitfi button.
- B) If the network requires a password, enter the network password and press ysubmitfi

STEP 7 - NETWORK VERIFICATION

Verify the ESSID matches the network name you selected.

Click 'Save & Apply'.

[Password & Language Settings](#) [System Management](#) [CONTINU.US WEBSITE](#) [HOME](#)

Connect to a network

General Setup

Mode

Client

ESSID

maxenergy2.4G

BSSID

78:D3:8D:E2:F6:40


Save & Apply

Reset

After you have successfully selected a network to repeat, network ESSID information will populate on the next screen.

- A) Verify that the ESSID and the network name that you selected match.
- B) Click the ySave & Applyfi button.

STEP 8 - CONNECTING TO THE NEW NETWORK



Once all steps are correctly completed, a new network will be created. And the CA-1000 Wifi will reboot.

- A)** Please allow a few minutes for the CA-1000 WiFi to reboot.
- B)** After the CA-1000 Wifi Reboots, a new network will become available.
- C)** Connect to the new network 'CT_2.4G_XXXX'

STEP 9 - CONGRATULATIONS

Congratulations, you are now connected to a new network with WiFi access. As long as the original WiFi network is active, and in range, you will have access to the internet.

If the network is no longer available, you will need to restart the process with a new WiFi network to repeat.

CUSTOMER SERVICE

Please contact our Customer Support line at (0574)87099431 if you notice any missing or damaged pieces.

Please visit us Online at www.maxenergy.com to learn more about maxenergy products.

216 Wai Huan East Road, Zhuangqiao Street, Jiangbei District, Ningbo China 315032

FCC Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The user manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. In cases where the manual is provided only in a form other than paper, such as on a computer disk or over the Internet, the information required by this section may be included in the manual in that alternative form, provided the user can reasonably be expected to have the capability to access information in that form.

For a Class B digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the

interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. this equipment should be installed and operated with minimum distance 20cm between the radiator & your body.