Model: FT001



Information

1. Input Voltage: 100VAC-240VAC (Wide Voltage Universal)

2. Input Voltage Frequency: The rated input frequency is 50 Hz/60 Hz, and the input frequency range is 47-63 Hz.

3. Standby input power: 0.5W.

4. Conversion efficiency: over 86%

5. 3.5mm interface: 5W wireless fast charging interface. The main control adopts Lingtong chip of Taiwan Lingyang Science and Technology. Its stability and compatibility are superior to other products. The 3.5mm interface is built-in wireless charging main board, with built-in power supply, external coil connection, main board and coil separation mode, wireless charging main board and coil separation, mobile phone charging will not be affected by the temperature of the main board, making charging. The speed has increased dramatically.

Installation and use method

As shown in the figure: the main engine can be inserted into the slot, the base has magnets, strong adsorption, making your equipment more stable, mobile phone flat panel and other equipment can be put into the slot of the base card.

Folding mode of wireless charger:

Just buckle the back baffle directly:

Hold both ends of the charger and fold them in the middle

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

-- Increase the separation between the equipment and receiver.

-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help.

This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

The equipment complies with FCC radiation exposure limits set forth for an

uncontrolled environment. During the operation of device a distance 15cm surrounding the device and 20cm above the top surface of the device must be respected