



Appendix D

RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: Rugged Tablet PC

Test Model: TABIC3

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





D.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	23.288	---	Pass
NVNT	a	5200	Ant1	30	---	Pass
NVNT	a	5240	Ant1	30	---	Pass
NVNT	n20	5180	Ant1	30	---	Pass
NVNT	n20	5200	Ant1	30	---	Pass
NVNT	n20	5240	Ant1	30	---	Pass
NVNT	n40	5190	Ant1	59.943	---	Pass
NVNT	n40	5230	Ant1	59.931	---	Pass
NVNT	ac20	5180	Ant1	29.889	---	Pass
NVNT	ac20	5200	Ant1	29.681	---	Pass
NVNT	ac20	5240	Ant1	30	---	Pass
NVNT	ac40	5190	Ant1	58.605	---	Pass
NVNT	ac40	5230	Ant1	59.746	---	Pass
NVNT	ac80	5210	Ant1	119.268	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5240MHz Ant1



-26dB Bandwidth NVNT n20 5180MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5200MHz Ant1



-26dB Bandwidth NVNT n20 5240MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5180MHz Ant1



-26dB Bandwidth NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1






-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1





D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.52	2.93	15.45	24	Pass
NVNT	a	5200	Ant1	12.12	2.93	15.05	24	Pass
NVNT	a	5240	Ant1	11.55	2.36	13.91	24	Pass
NVNT	n20	5180	Ant1	12.08	2.32	14.4	24	Pass
NVNT	n20	5200	Ant1	12.1	2.75	14.85	24	Pass
NVNT	n20	5240	Ant1	11.52	2.56	14.08	24	Pass
NVNT	n40	5190	Ant1	11.24	3.7	14.94	24	Pass
NVNT	n40	5230	Ant1	10.45	3.46	13.91	24	Pass
NVNT	ac20	5180	Ant1	11.49	2.39	13.88	24	Pass
NVNT	ac20	5200	Ant1	11.51	3.7	15.21	24	Pass
NVNT	ac20	5240	Ant1	11.58	3.7	15.28	24	Pass
NVNT	ac40	5190	Ant1	10.1	2.96	13.06	24	Pass
NVNT	ac40	5230	Ant1	10.7	3.01	13.71	24	Pass
NVNT	ac80	5210	Ant1	9.29	5.59	14.88	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




D.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	2.57	2.93	5.50	11	Pass
NVNT	a	5200	Ant1	2.32	2.93	5.25	11	Pass
NVNT	a	5240	Ant1	1.38	2.36	3.74	11	Pass
NVNT	n20	5180	Ant1	2.51	2.32	4.83	11	Pass
NVNT	n20	5200	Ant1	1.69	2.75	4.44	11	Pass
NVNT	n20	5240	Ant1	1.42	2.56	3.98	11	Pass
NVNT	n40	5190	Ant1	-1.43	3.7	2.27	11	Pass
NVNT	n40	5230	Ant1	-2.28	3.46	1.18	11	Pass
NVNT	ac20	5180	Ant1	1.45	2.39	3.84	11	Pass
NVNT	ac20	5200	Ant1	1.47	3.7	5.17	11	Pass
NVNT	ac20	5240	Ant1	1.59	3.7	5.29	11	Pass
NVNT	ac40	5190	Ant1	-2.83	2.96	0.13	11	Pass
NVNT	ac40	5230	Ant1	-2.2	3.01	0.81	11	Pass
NVNT	ac80	5210	Ant1	-5.85	5.59	-0.26	11	Pass

Test Graphs


PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1






PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1






PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1






PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1






PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1






Test Graphs

PSD NVNT a 5180MHz Ant2



PSD NVNT a 5200MHz Ant2





D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-49.4	4.94	-	50.80	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-58.32	4.94	2.93	41.88	Average	54	Pass
NVNT	a	5180	Ant1	5149.6	-38.43	4.94	-	61.77	Peak	68.2	Pass
NVNT	a	5180	Ant1	5149.6	-48.82	4.94	2.93	51.38	Average	54	Pass
NVNT	a	5180	Ant1	5150	-38.2	4.94	-	62.00	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-48.4	4.94	2.93	51.80	Average	54	Pass
NVNT	a	5240	Ant1	5350	-49.09	4.94	-	51.11	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-58.35	4.94	2.36	41.85	Average	54	Pass
NVNT	a	5240	Ant1	5389.2	-46.92	4.94	-	53.28	Peak	68.2	Pass
NVNT	a	5240	Ant1	5361.84	-57.38	4.94	2.36	42.82	Average	54	Pass
NVNT	a	5240	Ant1	5460	-48.84	4.94	-	51.36	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-57.86	4.94	2.36	42.34	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-48.07	4.94	-	52.13	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-58.36	4.94	2.32	41.84	Average	54	Pass
NVNT	n20	5180	Ant1	5148.2	-36.62	4.94	-	63.58	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-49.41	4.94	2.32	50.79	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-35.47	4.94	-	64.73	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-49.9	4.94	2.32	50.30	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-48.78	4.94	-	51.42	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-57.69	4.94	2.56	42.51	Average	54	Pass
NVNT	n20	5240	Ant1	5369.52	-45.81	4.94	-	54.39	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5381.04	-57.29	4.94	2.56	42.91	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-50.69	4.94	-	49.51	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-58.17	4.94	2.56	42.03	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-50.63	4.94	-	49.57	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-58.15	4.94	3.7	42.05	Average	54	Pass
NVNT	n40	5190	Ant1	5148.97	-35.92	4.94	-	64.28	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5148.97	-50.15	4.94	3.7	50.05	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-36.16	4.94	-	64.04	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-51.2	4.94	3.7	49.00	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-50.34	4.94	-	49.86	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.16	4.94	3.46	43.04	Average	54	Pass
NVNT	n40	5230	Ant1	5369.28	-47.34	4.94	-	52.86	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5357.4	-56.88	4.94	3.46	43.32	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-49.46	4.94	-	50.74	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-58.37	4.94	3.46	41.83	Average	54	Pass






NVNT	ac20	5180	Ant1	4500	-49.89	4.94	-	50.31	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4500	-58.39	4.94	2.39	41.81	Average	54	Pass
NVNT	ac20	5180	Ant1	5149.6	-35.84	4.94	-	64.36	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5149.6	-50.25	4.94	2.39	49.95	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-37.7	4.94	-	62.50	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-50.12	4.94	2.39	50.08	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-50.2	4.94	-	50.00	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-57.96	4.94	3.7	42.24	Average	54	Pass
NVNT	ac20	5240	Ant1	5407.44	-47.29	4.94	-	52.91	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5351.52	-57.27	4.94	3.7	42.93	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-50.03	4.94	-	50.17	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-57.63	4.94	3.7	42.57	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-50.44	4.94	-	49.76	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-58.41	4.94	2.96	41.79	Average	54	Pass
NVNT	ac40	5190	Ant1	5142.4	-35.6	4.94	-	64.60	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-49.47	4.94	2.96	50.73	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-35.98	4.94	-	64.22	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-49.47	4.94	2.96	50.73	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-49.8	4.94	-	50.40	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-57.82	4.94	3.01	42.38	Average	54	Pass
NVNT	ac40	5230	Ant1	5403.84	-46.59	4.94	-	53.61	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5357.4	-57.03	4.94	3.01	43.17	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-49.28	4.94	-	50.92	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-58.39	4.94	3.01	41.81	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-48.89	4.94	-	51.31	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-56.83	4.94	5.59	43.37	Average	54	Pass
NVNT	ac80	5210	Ant1	5371.56	-46.29	4.94	-	53.91	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5360.67	-56.19	4.94	5.59	44.01	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-49.66	4.94	-	50.54	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-57.62	4.94	5.59	42.58	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-49.68	4.94	-	50.52	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-58.8	4.94	5.59	41.40	Average	54	Pass
NVNT	ac80	5210	Ant1	5147.01	-35.69	4.94	-	64.51	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5147.8	-50.83	4.94	5.59	49.37	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-40.95	4.94	-	59.25	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-52.57	4.94	5.59	47.63	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak



Restrict Band NVNT a 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT n20 5180MHz Ant1 Peak



Restrict Band NVNT n20 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak



Restrict Band NVNT ac20 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5240MHz Ant1 Peak



Restrict Band NVNT ac20 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5190MHz Ant1 Peak



Restrict Band NVNT ac40 5190MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ac40 5230MHz Ant1 Peak



Restrict Band NVNT ac40 5230MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant1Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5180	Ant1	5180	0	0	25	Pass
NVNT	ac20	5200	Ant1	5200	0	0	25	Pass
NVNT	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	ac40	5190	Ant1	5190	0	0	25	Pass
NVNT	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant1	5209.92	-80000	-15.36	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT ac20 5180MHz Ant1



Freq. Stability NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT ac20 5240MHz Ant1




Freq. Stability NVNT ac40 5190MHz Ant1






Freq. Stability NVNT ac40 5230MHz Ant1



Freq. Stability NVNT ac80 5210MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	95.67	0.19	0.72
NVNT	a	5200	Ant1	50.91	2.93	8.93
NVNT	a	5240	Ant1	58.03	2.36	8.93
NVNT	n20	5180	Ant1	58.55	2.32	8.85
NVNT	n20	5200	Ant1	53.08	2.75	8.93
NVNT	n20	5240	Ant1	55.45	2.56	8.93
NVNT	n40	5190	Ant1	42.69	3.7	13.7
NVNT	n40	5230	Ant1	45.06	3.46	13.7
NVNT	ac20	5180	Ant1	57.65	2.39	8.3
NVNT	ac20	5200	Ant1	42.7	3.7	8.33
NVNT	ac20	5240	Ant1	42.7	3.7	8.33
NVNT	ac40	5190	Ant1	50.62	2.96	12.35
NVNT	ac40	5230	Ant1	50	3.01	12.5
NVNT	ac80	5210	Ant1	27.62	5.59	17.24




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5180MHz Ant1



Duty Cycle NVNT a 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT a 5240MHz Ant1



Duty Cycle NVNT n20 5180MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT n20 5200MHz Ant1



Duty Cycle NVNT n20 5240MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1






Duty Cycle NVNT ac20 5240MHz Ant1



Duty Cycle NVNT ac40 5190MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Duty Cycle NVNT ac40 5230MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant1

