

EXHIBIT A. RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →
 30M-1G
 WIFI2.4G- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_13.58.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RE

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01

RefEmission Test case_FCC_Part15C_FCC 15.247(2.4G) 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.000	26.78	-23.91	40.0	-13.22	Peak	360.00	300	Horizontal	Pass
2	48.668	30.59	-19.23	40.0	-9.41	Peak	0.00	200	Horizontal	Pass
3	119.945	36.45	-22.48	43.5	-7.05	Peak	124.00	200	Horizontal	Pass
4	167.948	38.27	-23.21	43.5	-5.23	Peak	96.70	200	Horizontal	Pass
5	311.957	38.98	-17.57	46.0	-7.02	Peak	67.80	100	Horizontal	Pass
6	359.960	43.76	-16.33	46.0	-2.24	Peak	64.10	100	Horizontal	Pass

WIFI2.4G-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_13.51.35

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: XCJ

Test Standard: RE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.940	32.45	-23.27	40.0	-7.55	Peak	315.20	100	Vertical	Pass
2	44.304	32.41	-19.50	40.0	-7.59	Peak	307.50	100	Vertical	Pass
3	71.942	33.06	-24.20	40.0	-6.94	Peak	81.30	100	Vertical	Pass
4	119.945	37.72	-22.48	43.5	-5.78	Peak	109.10	100	Vertical	Pass
5	167.948	35.50	-23.21	43.5	-8.00	Peak	163.20	100	Vertical	Pass
6	360.000	43.62	-16.33	46.0	-2.38	Peak	32.20	117	Vertical	Pass
6*	360.000	42.92	-16.33	46.0	-3.08	QP	32.20	117	Vertical	Pass

1-18G

WIFI2.4G-B- Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-01_18.04.05

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: XCJ

Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1248.469	41.37	-13.20	74.0	-32.63	Peak	159.40	100	Vertical	Pass
1**	1248.469	31.07	-13.20	54.0	-22.93	AV	159.40	100	Vertical	Pass
2	1930.134	42.90	-11.53	74.0	-31.10	Peak	297.20	100	Vertical	Pass
2**	1930.134	32.88	-11.53	54.0	-21.12	AV	297.20	100	Vertical	Pass
3	2391.326	57.80	-5.19	74.0	-16.20	Peak	195.30	100	Vertical	Pass
3**	2391.326	51.86	-5.19	54.0	-2.14	AV	195.30	100	Vertical	Pass
4	3618.423	50.46	-1.75	74.0	-23.54	Peak	0.10	100	Vertical	Pass
4**	3618.423	39.76	-1.75	54.0	-14.24	AV	0.10	100	Vertical	Pass
5	6009.624	56.56	2.72	74.0	-17.44	Peak	162.60	100	Vertical	Pass
5**	6009.624	45.53	2.72	54.0	-8.47	AV	162.60	100	Vertical	Pass
6	6942.507	59.72	5.15	74.0	-14.28	Peak	341.20	100	Vertical	Pass
6**	6942.507	49.40	5.15	54.0	-4.60	AV	341.20	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.17.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8055.736	30.45	-0.61	74.0	-43.55	Peak	198.70	100	Horizontal	Pass
1**	8055.736	21.49	-0.61	54.0	-32.51	AV	198.70	100	Horizontal	Pass
2	8798.050	32.78	0.00	74.0	-41.22	Peak	73.00	100	Horizontal	Pass
2**	8798.050	24.05	0.00	54.0	-29.95	AV	73.00	100	Horizontal	Pass
3	11244.939	39.75	6.83	74.0	-34.25	Peak	267.60	100	Horizontal	Pass
3**	11244.939	31.25	6.83	54.0	-22.75	AV	267.60	100	Horizontal	Pass
4	14167.458	47.34	14.11	74.0	-26.66	Peak	182.60	100	Horizontal	Pass
4**	14167.458	39.00	14.11	54.0	-15.00	AV	182.60	100	Horizontal	Pass
5	17527.118	49.66	15.56	74.0	-24.34	Peak	360.00	100	Horizontal	Pass
5**	17527.118	41.04	15.56	54.0	-12.96	AV	360.00	100	Horizontal	Pass
6	18000.000	56.34	22.92	74.0	-17.66	Peak	287.60	100	Horizontal	Pass
6**	18000.000	47.26	22.92	54.0	-6.74	AV	287.60	100	Horizontal	Pass

WIFI2.4G-B-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.41.32

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1284.964	42.62	-12.89	74.0	-31.38	Peak	115.50	100	Vertical	Pass
1**	1284.964	31.56	-12.89	54.0	-22.44	AV	115.50	100	Vertical	Pass
2	2237.095	47.42	-8.11	74.0	-26.58	Peak	52.50	100	Vertical	Pass
2**	2237.095	36.46	-8.11	54.0	-17.54	AV	52.50	100	Vertical	Pass
3	2391.076	57.29	-5.58	74.0	-16.71	Peak	333.60	100	Vertical	Pass
3**	2391.076	53.09	-5.58	54.0	-0.91	AV	333.60	100	Vertical	Pass
4	2486.814	52.13	-1.90	74.0	-21.87	Peak	25.40	100	Vertical	Pass
4**	2486.814	42.45	-1.90	54.0	-11.55	AV	25.40	100	Vertical	Pass
5	5590.676	55.72	1.50	74.0	-18.28	Peak	23.40	100	Vertical	Pass
5**	5590.676	45.15	1.50	54.0	-8.85	AV	23.40	100	Vertical	Pass
6	6755.031	59.33	4.90	74.0	-14.67	Peak	359.50	100	Vertical	Pass
6**	6755.031	48.58	4.90	54.0	-5.42	AV	359.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_11.33.31

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7943.014	30.71	-1.69	74.0	-43.29	Peak	360.00	100	Vertical	Pass
1**	7943.014	22.64	-1.69	54.0	-31.36	AV	360.00	100	Vertical	Pass
2	9144.464	33.80	2.24	74.0	-40.20	Peak	0.00	100	Vertical	Pass
2**	9144.464	25.34	2.24	54.0	-28.66	AV	0.00	100	Vertical	Pass
3	10134.216	36.97	4.37	74.0	-37.03	Peak	336.20	100	Vertical	Pass
3**	10134.216	28.32	4.37	54.0	-25.68	AV	336.20	100	Vertical	Pass
4	11310.922	40.24	7.19	74.0	-33.76	Peak	78.00	100	Vertical	Pass
4**	11310.922	30.41	7.19	54.0	-23.59	AV	78.00	100	Vertical	Pass
5	14164.709	46.70	14.02	74.0	-27.30	Peak	348.20	100	Vertical	Pass
5**	14164.709	37.84	14.02	54.0	-16.16	AV	348.20	100	Vertical	Pass
6	18000.000	56.07	22.92	74.0	-17.93	Peak	117.50	100	Vertical	Pass
6**	18000.000	47.24	22.92	54.0	-6.76	AV	117.50	100	Vertical	Pass

WIFI2.4G-B-Middle channel-Horizontal-TX

Test result

Project Number: 1744444

Test Time: 2021-11-04_10.05.32

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ


Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01

REmission Test case FCC Part 15C FCC 15.247(2.4G) 1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1095.488	41.24	-14.22	74.0	-32.76	Peak	116.20	100	Horizontal	Pass
1**	1095.488	30.11	-14.22	54.0	-23.89	AV	116.20	100	Horizontal	Pass
2	1627.922	43.01	-12.99	74.0	-30.99	Peak	84.40	100	Horizontal	Pass
2**	1627.922	32.23	-12.99	54.0	-21.77	AV	84.40	100	Horizontal	Pass
3	2390.326	53.08	-5.90	74.0	-20.92	Peak	29.40	100	Horizontal	Pass
3**	2390.326	43.65	-5.90	54.0	-10.35	AV	29.40	100	Horizontal	Pass
4	2487.314	52.77	-1.89	74.0	-21.23	Peak	65.30	100	Horizontal	Pass
4**	2487.314	42.76	-1.89	54.0	-11.24	AV	65.30	100	Horizontal	Pass
5	4873.766	54.34	0.05	74.0	-19.66	Peak	287.80	100	Horizontal	Pass
5**	4873.766	49.78	0.05	54.0	-4.22	AV	287.80	100	Horizontal	Pass
6	6970.004	60.03	5.33	74.0	-13.97	Peak	226.90	100	Horizontal	Pass
6**	6970.004	49.57	5.33	54.0	-4.43	AV	226.90	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10:18:49

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7981.505	30.41	-1.33	74.0	-43.59	Peak	286.00	100	Horizontal	Pass
1**	7981.505	21.50	-1.33	54.0	-32.50	AV	286.00	100	Horizontal	Pass
2	8996.001	32.81	2.65	74.0	-41.19	Peak	185.70	100	Horizontal	Pass
2**	8996.001	23.99	2.65	54.0	-30.01	AV	185.70	100	Horizontal	Pass
3	10125.969	36.78	4.44	74.0	-37.22	Peak	189.40	100	Horizontal	Pass
3**	10125.969	29.38	4.44	54.0	-24.62	AV	189.40	100	Horizontal	Pass
4	11200.950	39.62	6.27	74.0	-34.38	Peak	350.90	100	Horizontal	Pass
4**	11200.950	30.34	6.27	54.0	-23.66	AV	350.90	100	Horizontal	Pass
5	14197.701	47.25	14.55	74.0	-26.75	Peak	93.60	100	Horizontal	Pass
5**	14197.701	38.89	14.55	54.0	-15.11	AV	93.60	100	Horizontal	Pass
6	17818.545	53.00	17.14	74.0	-21.00	Peak	93.60	100	Horizontal	Pass
6**	17818.545	44.14	17.14	54.0	-9.86	AV	93.60	100	Horizontal	Pass

WIFI2.4G-B-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.44.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.937	42.82	-13.06	74.0	-31.18	Peak	140.30	100	Vertical	Pass
1**	1500.937	31.71	-13.06	54.0	-22.29	AV	140.30	100	Vertical	Pass
2	2235.096	47.49	-8.11	74.0	-26.51	Peak	34.30	100	Vertical	Pass
2**	2235.096	36.64	-8.11	54.0	-17.36	AV	34.30	100	Vertical	Pass
3	2458.568	52.37	-2.58	74.0	-21.63	Peak	65.80	100	Vertical	Pass
3**	2458.568	42.42	-2.58	54.0	-11.58	AV	65.80	100	Vertical	Pass
4	2961.255	49.90	-3.41	74.0	-24.10	Peak	10.20	100	Vertical	Pass
4**	2961.255	39.84	-3.41	54.0	-14.16	AV	10.20	100	Vertical	Pass
5	4873.766	53.56	0.05	74.0	-20.44	Peak	347.70	100	Vertical	Pass
5**	4873.766	48.76	0.05	54.0	-5.24	AV	347.70	100	Vertical	Pass
6	6917.510	59.70	5.07	74.0	-14.30	Peak	156.50	100	Vertical	Pass
6**	6917.510	49.61	5.07	54.0	-4.39	AV	156.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_11.35.07

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: XCJ

Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8066.733	30.62	-0.84	74.0	-43.38	Peak	333.30	100	Vertical	Pass
1**	8066.733	21.26	-0.84	54.0	-32.74	AV	333.30	100	Vertical	Pass
2	8740.315	33.00	-0.32	74.0	-41.00	Peak	131.30	100	Vertical	Pass
2**	8740.315	22.74	-0.32	54.0	-31.26	AV	131.30	100	Vertical	Pass
3	10120.470	37.68	4.49	74.0	-36.32	Peak	30.30	100	Vertical	Pass
3**	10120.470	28.44	4.49	54.0	-25.56	AV	30.30	100	Vertical	Pass
4	12383.154	40.69	7.15	74.0	-33.31	Peak	57.20	100	Vertical	Pass
4**	12383.154	31.98	7.15	54.0	-22.02	AV	57.20	100	Vertical	Pass
5	14227.943	46.92	13.86	74.0	-27.08	Peak	299.00	100	Vertical	Pass
5**	14227.943	37.81	13.86	54.0	-16.19	AV	299.00	100	Vertical	Pass
6	18000.000	55.43	22.92	74.0	-18.57	Peak	64.90	100	Vertical	Pass
6**	18000.000	46.94	22.92	54.0	-7.06	AV	64.90	100	Vertical	Pass

WIFI2.4G-B-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.03.09

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1084.489	41.40	-14.24	74.0	-32.60	Peak	0.60	100	Horizontal	Pass
1**	1084.489	30.22	-14.24	54.0	-23.78	AV	0.60	100	Horizontal	Pass
2	2032.121	44.99	-10.65	74.0	-29.01	Peak	294.40	100	Horizontal	Pass
2**	2032.121	34.23	-10.65	54.0	-19.77	AV	294.40	100	Horizontal	Pass
3	2459.068	53.18	-2.56	74.0	-20.82	Peak	32.50	100	Horizontal	Pass
3**	2459.068	45.24	-2.56	54.0	-8.76	AV	32.50	100	Horizontal	Pass
4	3670.416	51.04	-1.80	74.0	-22.96	Peak	21.90	100	Horizontal	Pass
4**	3670.416	40.72	-1.80	54.0	-13.28	AV	21.90	100	Horizontal	Pass
5	4923.760	55.83	0.16	74.0	-18.17	Peak	276.70	100	Horizontal	Pass
5**	4923.760	52.26	0.16	54.0	-1.74	AV	276.70	100	Horizontal	Pass
6	6817.023	59.16	5.12	74.0	-14.84	Peak	78.70	100	Horizontal	Pass
6**	6817.023	49.03	5.12	54.0	-4.97	AV	78.70	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.20.24

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7956.761	30.38	-1.57	74.0	-43.62	Peak	83.20	100	Horizontal	Pass
1**	7956.761	21.75	-1.57	54.0	-32.25	AV	83.20	100	Horizontal	Pass
2	9314.921	35.46	2.03	74.0	-38.54	Peak	341.70	100	Horizontal	Pass
2**	9314.921	27.11	2.03	54.0	-26.89	AV	341.70	100	Horizontal	Pass
3	11231.192	40.11	6.64	74.0	-33.89	Peak	357.00	100	Horizontal	Pass
3**	11231.192	30.73	6.64	54.0	-23.27	AV	357.00	100	Horizontal	Pass
4	14197.701	47.18	14.55	74.0	-26.82	Peak	119.30	100	Horizontal	Pass
4**	14197.701	39.13	14.55	54.0	-14.87	AV	119.30	100	Horizontal	Pass
5	17472.132	49.80	16.29	74.0	-24.20	Peak	167.50	100	Horizontal	Pass
5**	17472.132	41.80	16.29	54.0	-12.20	AV	167.50	100	Horizontal	Pass
6	18000.000	54.80	22.92	74.0	-19.20	Peak	171.80	100	Horizontal	Pass
6**	18000.000	46.90	22.92	54.0	-7.10	AV	171.80	100	Horizontal	Pass

WIFI2.4G-B-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.46.49

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.959	42.53	-12.91	74.0	-31.47	Peak	93.00	100	Vertical	Pass
1**	1329.959	31.64	-12.91	54.0	-22.36	AV	93.00	100	Vertical	Pass
2	2196.100	46.40	-7.88	74.0	-27.60	Peak	253.30	100	Vertical	Pass
2**	2196.100	36.44	-7.88	54.0	-17.56	AV	253.30	100	Vertical	Pass
3	2490.314	52.45	-2.63	74.0	-21.55	Peak	333.90	100	Vertical	Pass
3**	2490.314	43.36	-2.63	54.0	-10.64	AV	333.90	100	Vertical	Pass
4	3614.423	50.79	-1.86	74.0	-23.21	Peak	183.70	100	Vertical	Pass
4**	3614.423	40.57	-1.86	54.0	-13.43	AV	183.70	100	Vertical	Pass
5	4923.260	56.15	0.16	74.0	-17.85	Peak	310.40	100	Vertical	Pass
5**	4923.260	49.85	0.16	54.0	-4.15	AV	310.40	100	Vertical	Pass
6	6794.526	59.02	5.18	74.0	-14.98	Peak	53.70	100	Vertical	Pass
6**	6794.526	48.77	5.18	54.0	-5.23	AV	53.70	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_11.36.49

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8052.987	30.46	-0.56	74.0	-43.54	Peak	104.50	100	Vertical	Pass
1**	8052.987	22.16	-0.56	54.0	-31.84	AV	104.50	100	Vertical	Pass
2	9279.180	34.86	1.53	74.0	-39.14	Peak	297.90	100	Vertical	Pass
2**	9279.180	25.45	1.53	54.0	-28.55	AV	297.90	100	Vertical	Pass
3	10821.545	39.02	5.78	74.0	-34.98	Peak	254.00	100	Vertical	Pass
3**	10821.545	30.35	5.78	54.0	-23.65	AV	254.00	100	Vertical	Pass
4	14189.453	47.66	14.73	74.0	-26.34	Peak	213.90	100	Vertical	Pass
4**	14189.453	38.92	14.73	54.0	-15.08	AV	213.90	100	Vertical	Pass
5	14761.310	47.45	13.84	74.0	-26.55	Peak	309.60	100	Vertical	Pass
5**	14761.310	38.52	13.84	54.0	-15.48	AV	309.60	100	Vertical	Pass
6	17980.755	55.44	21.73	74.0	-18.56	Peak	351.90	100	Vertical	Pass
6**	17980.755	46.34	21.73	54.0	-7.66	AV	351.90	100	Vertical	Pass

WIFI2.4G-G-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_09.39.14

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: XCJ

Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.985	40.95	-14.10	74.0	-33.05	Peak	0.70	100	Horizontal	Pass
1**	1119.985	30.32	-14.10	54.0	-23.68	AV	0.70	100	Horizontal	Pass
2	1440.445	43.85	-12.73	74.0	-30.15	Peak	170.00	100	Horizontal	Pass
2**	1440.445	32.66	-12.73	54.0	-21.34	AV	170.00	100	Horizontal	Pass
3	2391.826	59.55	-4.42	74.0	-14.45	Peak	31.30	100	Horizontal	Pass
3**	2391.826	49.37	-4.42	54.0	-4.63	AV	31.30	100	Horizontal	Pass
4	3395.951	50.10	-4.56	74.0	-23.90	Peak	162.70	100	Horizontal	Pass
4**	3395.951	39.26	-4.56	54.0	-14.74	AV	162.70	100	Horizontal	Pass
5	4716.785	53.67	-0.11	74.0	-20.33	Peak	360.00	100	Horizontal	Pass
5**	4716.785	43.52	-0.11	54.0	-10.48	AV	360.00	100	Horizontal	Pass
6	6433.571	59.15	3.82	74.0	-14.85	Peak	312.80	100	Horizontal	Pass
6**	6433.571	48.24	3.82	54.0	-5.76	AV	312.80	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.24.18

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: XCJ

Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8228.943	30.73	-1.41	74.0	-43.27	Peak	148.00	100	Horizontal	Pass
1**	8228.943	20.82	-1.41	54.0	-33.18	AV	148.00	100	Horizontal	Pass
2	9980.255	37.18	4.40	74.0	-36.82	Peak	28.50	100	Horizontal	Pass
2**	9980.255	27.78	4.40	54.0	-26.22	AV	28.50	100	Horizontal	Pass
3	12457.386	41.39	7.53	74.0	-32.61	Peak	195.00	100	Horizontal	Pass
3**	12457.386	32.54	7.53	54.0	-21.46	AV	195.00	100	Horizontal	Pass
4	14200.450	47.29	14.49	74.0	-26.71	Peak	202.70	100	Horizontal	Pass
4**	14200.450	38.12	14.49	54.0	-15.88	AV	202.70	100	Horizontal	Pass
5	17466.633	49.74	16.19	74.0	-24.26	Peak	323.20	100	Horizontal	Pass
5**	17466.633	41.38	16.19	54.0	-12.62	AV	323.20	100	Horizontal	Pass
6	17829.543	53.93	17.36	74.0	-20.07	Peak	139.70	100	Horizontal	Pass
6**	17829.543	43.78	17.36	54.0	-10.22	AV	139.70	100	Horizontal	Pass

WIFI2.4G-G-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.49.29

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.945	43.66	-12.72	74.0	-30.34	Peak	0.80	100	Vertical	Pass
1**	1439.945	32.65	-12.72	54.0	-21.35	AV	0.80	100	Vertical	Pass
2	2291.839	48.27	-7.42	74.0	-25.73	Peak	21.40	100	Vertical	Pass
2**	2291.839	36.62	-7.42	54.0	-17.38	AV	21.40	100	Vertical	Pass
3	2392.076	55.56	-4.15	74.0	-18.44	Peak	329.90	100	Vertical	Pass
3**	2392.076	45.94	-4.15	54.0	-8.06	AV	329.90	100	Vertical	Pass
4	2473.316	52.60	-2.19	74.0	-21.40	Peak	286.10	100	Vertical	Pass
4**	2473.316	41.40	-2.19	54.0	-12.60	AV	286.10	100	Vertical	Pass
5	5081.740	54.59	1.15	74.0	-19.41	Peak	155.00	100	Vertical	Pass
5**	5081.740	44.18	1.15	54.0	-9.82	AV	155.00	100	Vertical	Pass
6	6767.029	59.12	5.03	74.0	-14.88	Peak	306.70	100	Vertical	Pass
6**	6767.029	49.01	5.03	54.0	-4.99	AV	306.70	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_13.06.34

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7208.948	26.00	-3.68	74.0	-48.00	Peak	333.60	100	Vertical	Pass
1**	7208.948	19.53	-3.68	54.0	-34.47	AV	333.60	100	Vertical	Pass
2	9441.390	34.94	2.63	74.0	-39.06	Peak	301.50	100	Vertical	Pass
2**	9441.390	26.32	2.63	54.0	-27.68	AV	301.50	100	Vertical	Pass
3	10821.545	38.76	5.78	74.0	-35.24	Peak	204.50	100	Vertical	Pass
3**	10821.545	29.84	5.78	54.0	-24.16	AV	204.50	100	Vertical	Pass
4	12443.639	41.19	7.47	74.0	-32.81	Peak	329.90	100	Vertical	Pass
4**	12443.639	33.17	7.47	54.0	-20.83	AV	329.90	100	Vertical	Pass
5	14183.954	46.98	14.63	74.0	-27.02	Peak	333.60	100	Vertical	Pass
5**	14183.954	38.82	14.63	54.0	-15.18	AV	333.60	100	Vertical	Pass
6	18000.000	54.83	22.92	74.0	-19.17	Peak	92.70	100	Vertical	Pass
6**	18000.000	47.55	22.92	54.0	-6.45	AV	92.70	100	Vertical	Pass

WIFI2.4G-G-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.09.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1238.220	41.82	-13.20	74.0	-32.18	Peak	308.30	100	Horizontal	Pass
1**	1238.220	31.33	-13.20	54.0	-22.67	AV	308.30	100	Horizontal	Pass
2	2043.370	45.23	-10.43	74.0	-28.77	Peak	287.90	100	Horizontal	Pass
2**	2043.370	34.50	-10.43	54.0	-19.50	AV	287.90	100	Horizontal	Pass
3	2456.818	52.31	-2.63	74.0	-21.69	Peak	276.80	100	Horizontal	Pass
3**	2456.818	42.03	-2.63	54.0	-11.97	AV	276.80	100	Horizontal	Pass
4	3772.403	50.46	-1.81	74.0	-23.54	Peak	109.60	100	Horizontal	Pass
4**	3772.403	40.49	-1.81	54.0	-13.51	AV	109.60	100	Horizontal	Pass
5	5166.229	54.69	1.13	74.0	-19.31	Peak	21.30	100	Horizontal	Pass
5**	5166.229	44.34	1.13	54.0	-9.66	AV	21.30	100	Horizontal	Pass
6	6942.507	59.64	5.15	74.0	-14.36	Peak	248.60	100	Horizontal	Pass
6**	6942.507	49.20	5.15	54.0	-4.80	AV	248.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.22.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8215.196	30.43	-1.25	74.0	-43.57	Peak	145.20	100	Horizontal	Pass
1**	8215.196	21.50	-1.25	54.0	-32.50	AV	145.20	100	Horizontal	Pass
2	9972.007	37.30	4.49	74.0	-36.70	Peak	113.70	100	Horizontal	Pass
2**	9972.007	27.62	4.49	54.0	-26.38	AV	113.70	100	Horizontal	Pass
3	11583.104	39.82	6.36	74.0	-34.18	Peak	173.30	100	Horizontal	Pass
3**	11583.104	30.51	6.36	54.0	-23.49	AV	173.30	100	Horizontal	Pass
4	13103.474	43.11	8.77	74.0	-30.89	Peak	161.60	100	Horizontal	Pass
4**	13103.474	33.34	8.77	54.0	-20.66	AV	161.60	100	Horizontal	Pass
5	14186.703	47.84	14.72	74.0	-26.16	Peak	272.50	100	Horizontal	Pass
5**	14186.703	38.31	14.72	54.0	-15.69	AV	272.50	100	Horizontal	Pass
6	17477.631	50.43	16.40	74.0	-23.57	Peak	339.20	100	Horizontal	Pass
6**	17477.631	41.10	16.40	54.0	-12.90	AV	339.20	100	Horizontal	Pass

WIFI2.4G-G-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.52.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01

Revision: Test case_FCC_Part 15C_FCC 15.247.2AG_10MHz-70MHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1300.462	42.18	-12.78	74.0	-31.82	Peak	260.10	100	Vertical	Pass
1**	1300.462	31.50	-12.78	54.0	-22.50	AV	260.10	100	Vertical	Pass
2	2198.850	48.00	-7.92	74.0	-26.00	Peak	59.00	100	Vertical	Pass
2**	2198.850	36.30	-7.92	54.0	-17.70	AV	59.00	100	Vertical	Pass
3	2392.326	51.25	-4.14	74.0	-22.75	Peak	323.10	100	Vertical	Pass
3**	2392.326	40.94	-4.14	54.0	-13.06	AV	323.10	100	Vertical	Pass
4	2475.566	52.20	-2.12	74.0	-21.80	Peak	121.70	100	Vertical	Pass
4**	2475.566	42.95	-2.12	54.0	-11.05	AV	121.70	100	Vertical	Pass
5	2838.020	50.43	-3.94	74.0	-23.57	Peak	109.70	100	Vertical	Pass
5**	2838.020	39.54	-3.94	54.0	-14.46	AV	109.70	100	Vertical	Pass
6	6494.063	58.29	3.87	74.0	-15.71	Peak	360.10	100	Vertical	Pass
6**	6494.063	47.28	3.87	54.0	-6.72	AV	360.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_13.08.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7948.513	30.03	-1.65	74.0	-43.97	Peak	269.50	100	Vertical	Pass
1**	7948.513	21.68	-1.65	54.0	-32.32	AV	269.50	100	Vertical	Pass
2	9312.172	34.40	1.99	74.0	-39.60	Peak	261.50	100	Vertical	Pass
2**	9312.172	26.34	1.99	54.0	-27.66	AV	261.50	100	Vertical	Pass
3	10785.804	37.94	5.28	74.0	-36.06	Peak	167.60	100	Vertical	Pass
3**	10785.804	28.55	5.28	54.0	-25.45	AV	167.60	100	Vertical	Pass
4	11280.680	39.70	7.29	74.0	-34.30	Peak	100.80	100	Vertical	Pass
4**	11280.680	30.58	7.29	54.0	-23.42	AV	100.80	100	Vertical	Pass
5	14194.951	47.50	14.61	74.0	-26.50	Peak	288.90	100	Vertical	Pass
5**	14194.951	38.46	14.61	54.0	-15.54	AV	288.90	100	Vertical	Pass
6	17991.752	54.69	22.41	74.0	-19.31	Peak	50.50	100	Vertical	Pass
6**	17991.752	47.02	22.41	54.0	-6.98	AV	50.50	100	Vertical	Pass

WIFI2.4G-G-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.12.02

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01

Revision: Test case FCC Part 15C FCC 15.247.2 AG 15.46-75dB



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1235.221	42.11	-13.23	74.0	-31.89	Peak	316.00	100	Horizontal	Pass
1**	1235.221	31.17	-13.23	54.0	-22.83	AV	316.00	100	Horizontal	Pass
2	2139.608	46.65	-9.03	74.0	-27.35	Peak	44.20	100	Horizontal	Pass
2**	2139.608	36.08	-9.03	54.0	-17.92	AV	44.20	100	Horizontal	Pass
3	2486.314	53.35	-1.91	74.0	-20.65	Peak	292.20	100	Horizontal	Pass
3**	2486.314	43.03	-1.91	54.0	-10.97	AV	292.20	100	Horizontal	Pass
4	2872.016	50.68	-3.80	74.0	-23.32	Peak	59.60	100	Horizontal	Pass
4**	2872.016	39.18	-3.80	54.0	-14.82	AV	59.60	100	Horizontal	Pass
5	4710.786	54.77	-0.07	74.0	-19.23	Peak	299.90	100	Horizontal	Pass
5**	4710.786	43.26	-0.07	54.0	-10.74	AV	299.90	100	Horizontal	Pass
6	6838.020	59.82	5.07	74.0	-14.18	Peak	252.30	100	Horizontal	Pass
6**	6838.020	48.87	5.07	54.0	-5.13	AV	252.30	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.14.56

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7041.240	25.74	-5.27	74.0	-48.26	Peak	141.20	100	Horizontal	Pass
1**	7041.240	17.97	-5.27	54.0	-36.03	AV	141.20	100	Horizontal	Pass
2	8481.880	31.58	-1.21	74.0	-42.42	Peak	255.80	100	Horizontal	Pass
2**	8481.880	22.50	-1.21	54.0	-31.50	AV	255.80	100	Horizontal	Pass
3	11214.696	39.90	6.43	74.0	-34.10	Peak	259.80	100	Horizontal	Pass
3**	11214.696	31.48	6.43	54.0	-22.52	AV	259.80	100	Horizontal	Pass
4	14194.951	46.82	14.61	74.0	-27.18	Peak	124.80	100	Horizontal	Pass
4**	14194.951	38.74	14.61	54.0	-15.26	AV	124.80	100	Horizontal	Pass
5	14758.560	47.18	13.81	74.0	-26.82	Peak	279.90	100	Horizontal	Pass
5**	14758.560	39.04	13.81	54.0	-14.96	AV	279.90	100	Horizontal	Pass
6	17994.501	55.43	22.58	74.0	-18.57	Peak	129.10	100	Horizontal	Pass
6**	17994.501	46.75	22.58	54.0	-7.25	AV	129.10	100	Horizontal	Pass

WIFI2.4G-G-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.54.50

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1288.214	42.26	-12.93	74.0	-31.74	Peak	262.90	100	Vertical	Pass
1**	1288.214	31.65	-12.93	54.0	-22.35	AV	262.90	100	Vertical	Pass
2	2048.119	44.25	-10.31	74.0	-29.75	Peak	187.50	100	Vertical	Pass
2**	2048.119	34.68	-10.31	54.0	-19.32	AV	187.50	100	Vertical	Pass
3	2475.816	52.00	-2.12	74.0	-22.00	Peak	22.60	100	Vertical	Pass
3**	2475.816	42.69	-2.12	54.0	-11.31	AV	22.60	100	Vertical	Pass
4	2973.753	50.23	-3.26	74.0	-23.77	Peak	128.80	100	Vertical	Pass
4**	2973.753	39.31	-3.26	54.0	-14.69	AV	128.80	100	Vertical	Pass
5	5155.731	54.62	1.14	74.0	-19.38	Peak	139.90	100	Vertical	Pass
5**	5155.731	43.78	1.14	54.0	-10.22	AV	139.90	100	Vertical	Pass
6	6756.030	59.09	4.91	74.0	-14.91	Peak	11.10	100	Vertical	Pass
6**	6756.030	48.47	4.91	54.0	-5.53	AV	11.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_13.10.06

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8050.237	30.22	-0.50	74.0	-43.78	Peak	324.30	100	Vertical	Pass
1**	8050.237	22.15	-0.50	54.0	-31.85	AV	324.30	100	Vertical	Pass
2	9422.144	34.93	2.62	74.0	-39.07	Peak	238.80	100	Vertical	Pass
2**	9422.144	26.10	2.62	54.0	-27.90	AV	238.80	100	Vertical	Pass
3	10843.539	39.51	6.09	74.0	-34.49	Peak	261.70	100	Vertical	Pass
3**	10843.539	30.51	6.09	54.0	-23.49	AV	261.70	100	Vertical	Pass
4	12394.151	41.71	7.22	74.0	-32.29	Peak	195.20	100	Vertical	Pass
4**	12394.151	31.78	7.22	54.0	-22.22	AV	195.20	100	Vertical	Pass
5	14186.703	47.42	14.72	74.0	-26.58	Peak	324.30	100	Vertical	Pass
5**	14186.703	38.56	14.72	54.0	-15.44	AV	324.30	100	Vertical	Pass
6	17991.752	54.91	22.41	74.0	-19.09	Peak	76.30	100	Vertical	Pass
6**	17991.752	47.12	22.41	54.0	-6.88	AV	76.30	100	Vertical	Pass

WIFI2.4G-N-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_09.42.58

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1245.219	42.79	-13.19	74.0	-31.21	Peak	83.60	100	Horizontal	Pass
1**	1245.219	31.43	-13.19	54.0	-22.57	AV	83.60	100	Horizontal	Pass
2	1580.927	42.14	-13.06	74.0	-31.86	Peak	215.10	100	Horizontal	Pass
2**	1580.927	32.23	-13.06	54.0	-21.77	AV	215.10	100	Horizontal	Pass
3	2391.326	58.31	-5.19	74.0	-15.69	Peak	36.10	100	Horizontal	Pass
3**	2391.326	47.85	-5.19	54.0	-6.15	AV	36.10	100	Horizontal	Pass
4	2487.064	52.25	-1.89	74.0	-21.75	Peak	282.10	100	Horizontal	Pass
4**	2487.064	42.85	-1.89	54.0	-11.15	AV	282.10	100	Horizontal	Pass
5	4460.317	53.28	-0.88	74.0	-20.72	Peak	121.30	100	Horizontal	Pass
5**	4460.317	42.00	-0.88	54.0	-12.00	AV	121.30	100	Horizontal	Pass
6	6627.047	59.22	4.44	74.0	-14.78	Peak	88.90	100	Horizontal	Pass
6**	6627.047	48.02	4.44	54.0	-5.98	AV	88.90	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.27.14

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8052.987	31.33	-0.56	74.0	-42.67	Peak	13.90	100	Horizontal	Pass
1**	8052.987	22.73	-0.56	54.0	-31.27	AV	13.90	100	Horizontal	Pass
2	9955.511	37.20	4.64	74.0	-36.80	Peak	345.10	100	Horizontal	Pass
2**	9955.511	29.23	4.64	54.0	-24.77	AV	345.10	100	Horizontal	Pass
3	11253.187	40.13	6.94	74.0	-33.87	Peak	271.50	100	Horizontal	Pass
3**	11253.187	30.86	6.94	54.0	-23.14	AV	271.50	100	Horizontal	Pass
4	14197.701	47.11	14.55	74.0	-26.89	Peak	194.90	100	Horizontal	Pass
4**	14197.701	38.43	14.55	54.0	-15.57	AV	194.90	100	Horizontal	Pass
5	17463.884	50.28	16.14	74.0	-23.72	Peak	345.10	100	Horizontal	Pass
5**	17463.884	41.40	16.14	54.0	-12.60	AV	345.10	100	Horizontal	Pass
6	18000.000	55.65	22.92	74.0	-18.35	Peak	308.60	100	Horizontal	Pass
6**	18000.000	47.37	22.92	54.0	-6.63	AV	308.60	100	Horizontal	Pass

WIFI2.4G-N-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_10.57.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1314.711	41.87	-12.77	74.0	-32.13	Peak	345.60	100	Vertical	Pass
1**	1314.711	31.48	-12.77	54.0	-22.52	AV	345.60	100	Vertical	Pass
2	2223.347	46.71	-8.13	74.0	-27.29	Peak	281.30	100	Vertical	Pass
2**	2223.347	35.94	-8.13	54.0	-18.06	AV	281.30	100	Vertical	Pass
3	2392.576	54.20	-4.14	74.0	-19.80	Peak	332.90	100	Vertical	Pass
3**	2392.576	44.76	-4.14	54.0	-9.24	AV	332.90	100	Vertical	Pass
4	2458.318	51.80	-2.59	74.0	-22.20	Peak	112.30	100	Vertical	Pass
4**	2458.318	42.46	-2.59	54.0	-11.54	AV	112.30	100	Vertical	Pass
5	2851.269	50.12	-3.86	74.0	-23.88	Peak	0.80	100	Vertical	Pass
5**	2851.269	39.72	-3.86	54.0	-14.28	AV	0.80	100	Vertical	Pass
6	6641.545	58.81	4.51	74.0	-15.19	Peak	84.90	100	Vertical	Pass
6**	6641.545	48.01	4.51	54.0	-5.99	AV	84.90	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_13.12.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7959.510	31.14	-1.54	74.0	-42.86	Peak	90.00	100	Vertical	Pass
1**	7959.510	21.95	-1.54	54.0	-32.05	AV	90.00	100	Vertical	Pass
2	9155.461	34.47	2.42	74.0	-39.53	Peak	0.00	100	Vertical	Pass
2**	9155.461	25.61	2.42	54.0	-28.39	AV	0.00	100	Vertical	Pass
3	10821.545	38.59	5.78	74.0	-35.41	Peak	320.10	100	Vertical	Pass
3**	10821.545	30.46	5.78	54.0	-23.54	AV	320.10	100	Vertical	Pass
4	11621.595	39.84	6.13	74.0	-34.16	Peak	51.10	100	Vertical	Pass
4**	11621.595	31.60	6.13	54.0	-22.40	AV	51.10	100	Vertical	Pass
5	14186.703	48.15	14.72	74.0	-25.85	Peak	5.70	100	Vertical	Pass
5**	14186.703	38.88	14.72	54.0	-15.12	AV	5.70	100	Vertical	Pass
6	17477.631	50.27	16.40	74.0	-23.73	Peak	264.80	100	Vertical	Pass
6**	17477.631	41.84	16.40	54.0	-12.16	AV	264.80	100	Vertical	Pass

WIFI2.4G-N-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_09.56.48

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1058.743	40.02	-14.34	74.0	-33.98	Peak	142.20	100	Horizontal	Pass
1**	1058.743	30.29	-14.34	54.0	-23.71	AV	142.20	100	Horizontal	Pass
2	1943.382	44.14	-11.31	74.0	-29.86	Peak	308.10	100	Horizontal	Pass
2**	1943.382	33.57	-11.31	54.0	-20.43	AV	308.10	100	Horizontal	Pass
3	2476.065	53.09	-2.11	74.0	-20.91	Peak	229.00	100	Horizontal	Pass
3**	2476.065	42.45	-2.11	54.0	-11.55	AV	229.00	100	Horizontal	Pass
4	3029.496	49.82	-4.36	74.0	-24.18	Peak	299.20	100	Horizontal	Pass
4**	3029.496	39.30	-4.36	54.0	-14.70	AV	299.20	100	Horizontal	Pass
5	4045.869	52.24	-0.87	74.0	-21.76	Peak	295.20	100	Horizontal	Pass
5**	4045.869	41.50	-0.87	54.0	-12.50	AV	295.20	100	Horizontal	Pass
6	6783.527	59.40	5.20	74.0	-14.60	Peak	323.30	100	Horizontal	Pass
6**	6783.527	48.66	5.20	54.0	-5.34	AV	323.30	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.28.48

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8061.235	30.83	-0.72	74.0	-43.17	Peak	107.60	100	Horizontal	Pass
1**	8061.235	21.49	-0.72	54.0	-32.51	AV	107.60	100	Horizontal	Pass
2	9504.624	35.06	2.94	74.0	-38.94	Peak	284.90	100	Horizontal	Pass
2**	9504.624	25.75	2.94	54.0	-28.25	AV	284.90	100	Horizontal	Pass
3	10805.049	38.52	5.54	74.0	-35.48	Peak	143.10	100	Horizontal	Pass
3**	10805.049	29.20	5.54	54.0	-24.80	AV	143.10	100	Horizontal	Pass
4	12413.397	40.92	7.32	74.0	-33.08	Peak	182.90	100	Horizontal	Pass
4**	12413.397	31.74	7.32	54.0	-22.26	AV	182.90	100	Horizontal	Pass
5	14747.563	48.14	13.69	74.0	-25.86	Peak	83.20	100	Horizontal	Pass
5**	14747.563	38.10	13.69	54.0	-15.90	AV	83.20	100	Horizontal	Pass
6	17821.295	52.18	17.19	74.0	-21.82	Peak	338.00	100	Horizontal	Pass
6**	17821.295	44.42	17.19	54.0	-9.58	AV	338.00	100	Horizontal	Pass

WIFI2.4G-N-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_11.02.43

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.945	43.28	-12.72	74.0	-30.72	Peak	329.00	100	Vertical	Pass
1**	1439.945	32.55	-12.72	54.0	-21.45	AV	329.00	100	Vertical	Pass
2	1793.401	42.98	-12.45	74.0	-31.02	Peak	259.50	100	Vertical	Pass
2**	1793.401	32.07	-12.45	54.0	-21.93	AV	259.50	100	Vertical	Pass
3	2427.322	52.04	-3.36	74.0	-21.96	Peak	159.10	100	Vertical	Pass
3**	2427.322	40.82	-3.36	54.0	-13.18	AV	159.10	100	Vertical	Pass
4	3659.418	50.82	-1.62	74.0	-23.18	Peak	276.10	100	Vertical	Pass
4**	3659.418	40.57	-1.62	54.0	-13.43	AV	276.10	100	Vertical	Pass
5	5761.655	56.10	2.16	74.0	-17.90	Peak	0.00	100	Vertical	Pass
5**	5761.655	45.45	2.16	54.0	-8.55	AV	0.00	100	Vertical	Pass
6	6765.029	59.27	5.01	74.0	-14.73	Peak	0.00	100	Vertical	Pass
6**	6765.029	49.17	5.01	54.0	-4.83	AV	0.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_13.14.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8074.981	30.34	-1.01	74.0	-43.66	Peak	242.50	100	Vertical	Pass
1**	8074.981	21.19	-1.01	54.0	-32.81	AV	242.50	100	Vertical	Pass
2	9424.894	34.72	2.62	74.0	-39.28	Peak	278.00	100	Vertical	Pass
2**	9424.894	25.65	2.62	54.0	-28.35	AV	278.00	100	Vertical	Pass
3	10194.701	37.74	4.16	74.0	-36.26	Peak	270.00	100	Vertical	Pass
3**	10194.701	28.47	4.16	54.0	-25.53	AV	270.00	100	Vertical	Pass
4	12432.642	40.58	7.42	74.0	-33.42	Peak	162.50	100	Vertical	Pass
4**	12432.642	32.08	7.42	54.0	-21.92	AV	162.50	100	Vertical	Pass
5	13166.708	42.81	9.01	74.0	-31.19	Peak	146.70	100	Vertical	Pass
5**	13166.708	34.29	9.01	54.0	-19.71	AV	146.70	100	Vertical	Pass
6	14186.703	47.11	14.72	74.0	-26.89	Peak	18.60	100	Vertical	Pass
6**	14186.703	38.49	14.72	54.0	-15.51	AV	18.60	100	Vertical	Pass

WIFI2.4G-N-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_09:59:14

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1253.218	42.32	-13.22	74.0	-31.68	Peak	190.10	100	Horizontal	Pass
1**	1253.218	31.99	-13.22	54.0	-22.01	AV	190.10	100	Horizontal	Pass
2	2172.853	47.08	-8.40	74.0	-26.92	Peak	257.40	100	Horizontal	Pass
2**	2172.853	36.22	-8.40	54.0	-17.78	AV	257.40	100	Horizontal	Pass
3	2485.564	52.16	-1.92	74.0	-21.84	Peak	94.70	100	Horizontal	Pass
3**	2485.564	42.35	-1.92	54.0	-11.65	AV	94.70	100	Horizontal	Pass
4	2842.770	50.98	-3.86	74.0	-23.02	Peak	8.20	100	Horizontal	Pass
4**	2842.770	40.15	-3.86	54.0	-13.85	AV	8.20	100	Horizontal	Pass
5	3647.419	51.35	-1.55	74.0	-22.65	Peak	136.70	100	Horizontal	Pass
5**	3647.419	40.25	-1.55	54.0	-13.75	AV	136.70	100	Horizontal	Pass
6	6761.030	59.40	4.96	74.0	-14.60	Peak	315.00	100	Horizontal	Pass
6**	6761.030	48.47	4.96	54.0	-5.53	AV	315.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.30.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8025.494	30.41	-0.74	74.0	-43.59	Peak	52.80	100	Horizontal	Pass
1**	8025.494	22.31	-0.74	54.0	-31.69	AV	52.80	100	Horizontal	Pass
2	9504.624	35.15	2.94	74.0	-38.85	Peak	353.40	100	Horizontal	Pass
2**	9504.624	26.04	2.94	54.0	-27.96	AV	353.40	100	Horizontal	Pass
3	10843.539	39.46	6.09	74.0	-34.54	Peak	2.90	100	Horizontal	Pass
3**	10843.539	29.73	6.09	54.0	-24.27	AV	2.90	100	Horizontal	Pass
4	12443.639	41.13	7.47	74.0	-32.87	Peak	349.70	100	Horizontal	Pass
4**	12443.639	32.59	7.47	54.0	-21.41	AV	349.70	100	Horizontal	Pass
5	14192.202	47.47	14.67	74.0	-26.53	Peak	0.00	100	Horizontal	Pass
5**	14192.202	38.45	14.67	54.0	-15.55	AV	0.00	100	Horizontal	Pass
6	18000.000	55.05	22.92	74.0	-18.95	Peak	330.30	100	Horizontal	Pass
6**	18000.000	47.25	22.92	54.0	-6.75	AV	330.30	100	Horizontal	Pass

WIFI2.4G-N-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-05_14.07.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1270.716	44.74	-13.01	74.0	-29.26	Peak	180.50	100	Vertical	Pass
1**	1270.716	31.63	-13.01	54.0	-22.37	AV	180.50	100	Vertical	Pass
2	1933.133	43.51	-11.48	74.0	-30.49	Peak	203.70	100	Vertical	Pass
2**	1933.133	32.61	-11.48	54.0	-21.39	AV	203.70	100	Vertical	Pass
3	2401.825	51.23	-4.02	74.0	-22.77	Peak	0.70	100	Vertical	Pass
3**	2401.825	40.56	-4.02	54.0	-13.44	AV	0.70	100	Vertical	Pass
4	3652.918	50.23	-1.58	74.0	-23.77	Peak	329.10	100	Vertical	Pass
4**	3652.918	39.86	-1.58	54.0	-14.14	AV	329.10	100	Vertical	Pass
5	4517.310	53.20	-0.13	74.0	-20.80	Peak	118.50	100	Vertical	Pass
5**	4517.310	42.62	-0.13	54.0	-11.38	AV	118.50	100	Vertical	Pass
6	5955.131	56.56	1.99	74.0	-17.44	Peak	224.40	100	Vertical	Pass
6**	5955.131	45.14	1.99	54.0	-8.86	AV	224.40	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_13.15.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8019.995	30.45	-0.83	74.0	-43.55	Peak	26.70	100	Vertical	Pass
1**	8019.995	22.11	-0.83	54.0	-31.89	AV	26.70	100	Vertical	Pass
2	9185.704	34.28	2.08	74.0	-39.72	Peak	322.30	100	Vertical	Pass
2**	9185.704	25.76	2.08	54.0	-28.24	AV	322.30	100	Vertical	Pass
3	11126.718	40.12	5.63	74.0	-33.88	Peak	0.60	100	Vertical	Pass
3**	11126.718	31.12	5.63	54.0	-22.88	AV	0.60	100	Vertical	Pass
4	14183.954	47.10	14.63	74.0	-26.90	Peak	167.80	100	Vertical	Pass
4**	14183.954	39.10	14.63	54.0	-14.90	AV	167.80	100	Vertical	Pass
5	14750.312	46.98	13.72	74.0	-27.02	Peak	124.60	100	Vertical	Pass
5**	14750.312	38.15	13.72	54.0	-15.85	AV	124.60	100	Vertical	Pass
6	17991.752	54.94	22.41	74.0	-19.06	Peak	81.00	100	Vertical	Pass
6**	17991.752	46.30	22.41	54.0	-7.70	AV	81.00	100	Vertical	Pass

WIFI2.4G-N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_09:47:03

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.478	42.28	-13.54	74.0	-31.72	Peak	262.90	100	Horizontal	Pass
1**	1179.478	31.08	-13.54	54.0	-22.92	AV	262.90	100	Horizontal	Pass
2	1473.691	43.69	-12.89	74.0	-30.31	Peak	262.90	100	Horizontal	Pass
2**	1473.691	33.12	-12.89	54.0	-20.88	AV	262.90	100	Horizontal	Pass
3	2392.076	53.33	-4.15	74.0	-20.67	Peak	27.10	100	Horizontal	Pass
3**	2392.076	44.24	-4.15	54.0	-9.76	AV	27.10	100	Horizontal	Pass
4	2817.523	50.31	-4.37	74.0	-23.69	Peak	309.90	100	Horizontal	Pass
4**	2817.523	39.79	-4.37	54.0	-14.21	AV	309.90	100	Horizontal	Pass
5	4047.369	51.73	-0.85	74.0	-22.27	Peak	0.40	100	Horizontal	Pass
5**	4047.369	41.54	-0.85	54.0	-12.46	AV	0.40	100	Horizontal	Pass
6	6819.523	59.91	5.11	74.0	-14.09	Peak	198.50	100	Horizontal	Pass
6**	6819.523	49.20	5.11	54.0	-4.80	AV	198.50	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.32.31

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8052.987	30.79	-0.56	74.0	-43.21	Peak	305.80	100	Horizontal	Pass
1**	8052.987	22.28	-0.56	54.0	-31.72	AV	305.80	100	Horizontal	Pass
2	11478.630	40.26	6.83	74.0	-33.74	Peak	358.30	100	Horizontal	Pass
2**	11478.630	30.86	6.83	54.0	-23.14	AV	358.30	100	Horizontal	Pass
3	14203.199	46.77	14.42	74.0	-27.23	Peak	278.40	100	Horizontal	Pass
3**	14203.199	38.19	14.42	54.0	-15.81	AV	278.40	100	Horizontal	Pass
4	14527.618	47.60	12.50	74.0	-26.40	Peak	302.10	100	Horizontal	Pass
4**	14527.618	37.92	12.50	54.0	-16.08	AV	302.10	100	Horizontal	Pass
5	17480.380	50.42	16.45	74.0	-23.58	Peak	359.20	100	Horizontal	Pass
5**	17480.380	41.98	16.45	54.0	-12.02	AV	359.20	100	Horizontal	Pass
6	18000.000	55.48	22.92	74.0	-18.52	Peak	2.50	100	Horizontal	Pass
6**	18000.000	47.57	22.92	54.0	-6.43	AV	2.50	100	Horizontal	Pass

WIFI2.4G-N40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_11.17.31

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.945	42.78	-12.72	74.0	-31.22	Peak	137.20	100	Vertical	Pass
1**	1439.945	32.50	-12.72	54.0	-21.50	AV	137.20	100	Vertical	Pass
2	2288.339	47.70	-7.51	74.0	-26.30	Peak	14.90	100	Vertical	Pass
2**	2288.339	37.31	-7.51	54.0	-16.69	AV	14.90	100	Vertical	Pass
3	2391.326	51.12	-5.19	74.0	-22.88	Peak	331.10	100	Vertical	Pass
3**	2391.326	41.54	-5.19	54.0	-12.46	AV	331.10	100	Vertical	Pass
4	2883.265	50.01	-3.85	74.0	-23.99	Peak	109.00	100	Vertical	Pass
4**	2883.265	39.09	-3.85	54.0	-14.91	AV	109.00	100	Vertical	Pass
5	4249.844	51.95	-1.59	74.0	-22.05	Peak	88.30	100	Vertical	Pass
5**	4249.844	40.97	-1.59	54.0	-13.03	AV	88.30	100	Vertical	Pass
6	6839.520	58.98	5.06	74.0	-15.02	Peak	187.10	100	Vertical	Pass
6**	6839.520	49.02	5.06	54.0	-4.98	AV	187.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_11.29.42

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7310.672	26.90	-3.28	74.0	-47.10	Peak	88.40	100	Vertical	Pass
1**	7310.672	19.75	-3.28	54.0	-34.25	AV	88.40	100	Vertical	Pass
2	9405.649	35.18	2.65	74.0	-38.82	Peak	76.00	100	Vertical	Pass
2**	9405.649	26.01	2.65	54.0	-27.99	AV	76.00	100	Vertical	Pass
3	11203.699	39.41	6.30	74.0	-34.59	Peak	349.50	100	Vertical	Pass
3**	11203.699	30.99	6.30	54.0	-23.01	AV	349.50	100	Vertical	Pass
4	13202.449	42.48	9.09	74.0	-31.52	Peak	139.40	100	Vertical	Pass
4**	13202.449	33.15	9.09	54.0	-20.85	AV	139.40	100	Vertical	Pass
5	14208.698	46.40	14.30	74.0	-27.60	Peak	289.50	100	Vertical	Pass
5**	14208.698	38.10	14.30	54.0	-15.90	AV	289.50	100	Vertical	Pass
6	18000.000	54.71	22.92	74.0	-19.29	Peak	358.10	100	Vertical	Pass
6**	18000.000	47.72	22.92	54.0	-6.28	AV	358.10	100	Vertical	Pass

WIFI2.4G-N40-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_11.14.46

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.708	42.44	-12.85	74.0	-31.56	Peak	78.80	100	Vertical	Pass
1**	1335.708	31.48	-12.85	54.0	-22.52	AV	78.80	100	Vertical	Pass
2	1439.695	42.80	-12.72	74.0	-31.20	Peak	13.90	100	Vertical	Pass
2**	1439.695	32.58	-12.72	54.0	-21.42	AV	13.90	100	Vertical	Pass
3	2401.825	55.01	-4.02	74.0	-18.99	Peak	246.20	100	Vertical	Pass
3**	2401.825	51.59	-4.02	54.0	-2.41	AV	246.20	100	Vertical	Pass
4	2474.566	51.79	-2.15	74.0	-22.21	Peak	113.40	100	Vertical	Pass
4**	2474.566	42.65	-2.15	54.0	-11.35	AV	113.40	100	Vertical	Pass
5	3000.000	50.25	-3.04	74.0	-23.75	Peak	276.80	100	Vertical	Pass
5**	3000.000	39.94	-3.04	54.0	-14.06	AV	276.80	100	Vertical	Pass
6	6688.039	59.70	4.49	74.0	-14.30	Peak	324.90	100	Vertical	Pass
6**	6688.039	47.99	4.49	54.0	-6.01	AV	324.90	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.34.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8030.992	30.36	-0.65	74.0	-43.64	Peak	1.90	100	Horizontal	Pass
1**	8030.992	21.76	-0.65	54.0	-32.24	AV	1.90	100	Horizontal	Pass
2	9342.414	35.67	2.45	74.0	-38.33	Peak	114.90	100	Horizontal	Pass
2**	9342.414	25.59	2.45	54.0	-28.41	AV	114.90	100	Horizontal	Pass
3	11489.628	40.19	6.88	74.0	-33.81	Peak	90.20	100	Horizontal	Pass
3**	11489.628	31.13	6.88	54.0	-22.87	AV	90.20	100	Horizontal	Pass
4	13216.196	43.04	9.14	74.0	-30.96	Peak	173.30	100	Horizontal	Pass
4**	13216.196	33.83	9.14	54.0	-20.17	AV	173.30	100	Horizontal	Pass
5	14192.202	46.89	14.67	74.0	-27.11	Peak	200.50	100	Horizontal	Pass
5**	14192.202	39.11	14.67	54.0	-14.89	AV	200.50	100	Horizontal	Pass
6	17857.036	53.49	17.50	74.0	-20.51	Peak	248.70	100	Horizontal	Pass
6**	17857.036	43.94	17.50	54.0	-10.06	AV	248.70	100	Horizontal	Pass

WIFI2.4G-N40-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_11.23.44

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1288.464	41.57	-12.93	74.0	-32.43	Peak	164.70	100	Vertical	Pass
1**	1288.464	31.49	-12.93	54.0	-22.51	AV	164.70	100	Vertical	Pass
2	2159.105	45.80	-8.67	74.0	-28.20	Peak	304.60	100	Vertical	Pass
2**	2159.105	35.77	-8.67	54.0	-18.23	AV	304.60	100	Vertical	Pass
3	2486.564	52.54	-1.90	74.0	-21.46	Peak	316.70	100	Vertical	Pass
3**	2486.564	42.90	-1.90	54.0	-11.10	AV	316.70	100	Vertical	Pass
4	2890.764	50.27	-3.86	74.0	-23.73	Peak	133.20	100	Vertical	Pass
4**	2890.764	39.35	-3.86	54.0	-14.65	AV	133.20	100	Vertical	Pass
5	5171.229	54.52	1.13	74.0	-19.48	Peak	0.00	100	Vertical	Pass
5**	5171.229	44.00	1.13	54.0	-10.00	AV	0.00	100	Vertical	Pass
6	6767.029	58.98	5.03	74.0	-15.02	Peak	210.60	100	Vertical	Pass
6**	6767.029	48.40	5.03	54.0	-5.60	AV	210.60	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_11.27.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7967.758	31.30	-1.46	74.0	-42.70	Peak	208.80	100	Vertical	Pass
1**	7967.758	21.79	-1.46	54.0	-32.21	AV	208.80	100	Vertical	Pass
2	9801.550	35.50	3.26	74.0	-38.50	Peak	80.00	100	Vertical	Pass
2**	9801.550	26.32	3.26	54.0	-27.68	AV	80.00	100	Vertical	Pass
3	11189.953	39.32	6.17	74.0	-34.68	Peak	0.00	100	Vertical	Pass
3**	11189.953	30.58	6.17	54.0	-23.42	AV	0.00	100	Vertical	Pass
4	13128.218	42.35	8.88	74.0	-31.65	Peak	253.30	100	Vertical	Pass
4**	13128.218	33.06	8.88	54.0	-20.94	AV	253.30	100	Vertical	Pass
5	14478.130	47.04	12.86	74.0	-26.96	Peak	281.40	100	Vertical	Pass
5**	14478.130	38.23	12.86	54.0	-15.77	AV	281.40	100	Vertical	Pass
6	17994.501	55.35	22.58	74.0	-18.65	Peak	289.10	100	Vertical	Pass
6**	17994.501	47.41	22.58	54.0	-6.59	AV	289.10	100	Vertical	Pass

WIFI2.4G-N40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_09.53.15

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: XCJ

Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.229	42.36	-13.59	74.0	-31.64	Peak	228.40	100	Horizontal	Pass
1**	1164.229	30.85	-13.59	54.0	-23.15	AV	228.40	100	Horizontal	Pass
2	1996.875	43.85	-10.99	74.0	-30.15	Peak	109.50	100	Horizontal	Pass
2**	1996.875	34.26	-10.99	54.0	-19.74	AV	109.50	100	Horizontal	Pass
3	2386.827	52.40	-6.87	74.0	-21.60	Peak	30.10	100	Horizontal	Pass
3**	2386.827	41.47	-6.87	54.0	-12.53	AV	30.10	100	Horizontal	Pass
4	2475.816	52.45	-2.12	74.0	-21.55	Peak	85.10	100	Horizontal	Pass
4**	2475.816	42.82	-2.12	54.0	-11.18	AV	85.10	100	Horizontal	Pass
5	3736.908	50.85	-1.94	74.0	-23.15	Peak	206.80	100	Horizontal	Pass
5**	3736.908	40.21	-1.94	54.0	-13.79	AV	206.80	100	Horizontal	Pass
6	6966.504	59.81	5.30	74.0	-14.19	Peak	101.20	100	Horizontal	Pass
6**	6966.504	49.38	5.30	54.0	-4.62	AV	101.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_10.35.56

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7989.753	30.66	-1.24	74.0	-43.34	Peak	275.90	100	Horizontal	Pass
1**	7989.753	21.07	-1.24	54.0	-32.93	AV	275.90	100	Horizontal	Pass
2	9375.406	35.47	2.63	74.0	-38.53	Peak	219.70	100	Horizontal	Pass
2**	9375.406	25.43	2.63	54.0	-28.57	AV	219.70	100	Horizontal	Pass
3	11162.459	39.59	5.96	74.0	-34.41	Peak	87.50	100	Horizontal	Pass
3**	11162.459	30.73	5.96	54.0	-23.27	AV	87.50	100	Horizontal	Pass
4	12457.386	41.36	7.53	74.0	-32.64	Peak	83.20	100	Horizontal	Pass
4**	12457.386	33.16	7.53	54.0	-20.84	AV	83.20	100	Horizontal	Pass
5	14153.712	47.10	13.67	74.0	-26.90	Peak	18.60	100	Horizontal	Pass
5**	14153.712	38.45	13.67	54.0	-15.55	AV	18.60	100	Horizontal	Pass
6	17991.752	54.66	22.41	74.0	-19.34	Peak	42.40	100	Horizontal	Pass
6**	17991.752	46.53	22.41	54.0	-7.47	AV	42.40	100	Horizontal	Pass

WIFI2.4G-N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-04_11.20.04

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1343.207	42.74	-12.79	74.0	-31.26	Peak	88.70	100	Vertical	Pass
1**	1343.207	31.72	-12.79	54.0	-22.28	AV	88.70	100	Vertical	Pass
2	2145.357	46.35	-8.94	74.0	-27.65	Peak	1.90	100	Vertical	Pass
2**	2145.357	35.93	-8.94	54.0	-18.07	AV	1.90	100	Vertical	Pass
3	2477.065	52.49	-2.08	74.0	-21.51	Peak	172.40	100	Vertical	Pass
3**	2477.065	41.77	-2.08	54.0	-12.23	AV	172.40	100	Vertical	Pass
4	3651.419	51.44	-1.57	74.0	-22.56	Peak	106.20	100	Vertical	Pass
4**	3651.419	40.23	-1.57	54.0	-13.77	AV	106.20	100	Vertical	Pass
5	5592.176	56.13	1.52	74.0	-17.87	Peak	126.00	100	Vertical	Pass
5**	5592.176	45.49	1.52	54.0	-8.51	AV	126.00	100	Vertical	Pass
6	6927.509	59.64	5.09	74.0	-14.36	Peak	62.00	100	Vertical	Pass
6**	6927.509	49.34	5.09	54.0	-4.66	AV	62.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-11-04_11.31.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8036.491	30.66	-0.57	74.0	-43.34	Peak	259.60	100	Vertical	Pass
1**	8036.491	21.91	-0.57	54.0	-32.09	AV	259.60	100	Vertical	Pass
2	9383.654	35.48	2.66	74.0	-38.52	Peak	322.30	100	Vertical	Pass
2**	9383.654	26.61	2.66	54.0	-27.39	AV	322.30	100	Vertical	Pass
3	11236.691	39.38	6.72	74.0	-34.62	Peak	19.20	100	Vertical	Pass
3**	11236.691	31.52	6.72	54.0	-22.48	AV	19.20	100	Vertical	Pass
4	12454.636	41.42	7.52	74.0	-32.58	Peak	7.80	100	Vertical	Pass
4**	12454.636	33.08	7.52	54.0	-20.92	AV	7.80	100	Vertical	Pass
5	14211.447	46.89	14.24	74.0	-27.11	Peak	212.00	100	Vertical	Pass
5**	14211.447	38.69	14.24	54.0	-15.31	AV	212.00	100	Vertical	Pass
6	18000.000	55.25	22.92	74.0	-18.75	Peak	275.00	100	Vertical	Pass
6**	18000.000	47.28	22.92	54.0	-6.72	AV	275.00	100	Vertical	Pass

WIFI2.4G-Bandedge -B-Low channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2021-11-01_17.53.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E21100025-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: RSE

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.95	-9.96	74.0	-17.05	Peak	199.81	100	H	Pass
1**	2390.000	49.89	-9.96	54.0	-4.11	AV	199.81	100	H	Pass

WIFI2.4G-Bandedge -B-Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2021-11-01_16.42.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.56	-9.96	74.0	-19.44	Peak	58.61	100	V	Pass
1**	2390.000	47.53	-9.96	54.0	-6.47	AV	58.61	100	V	Pass

WIFI2.4G-Bandedge -B-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2021-11-01_18.00.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E21100025-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: RSE

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.19	-9.51	74.0	-19.81	Peak	204.02	100	H	Pass
1**	2483.500	47.69	-9.51	54.0	-6.31	AV	204.02	100	H	Pass

WIFI2.4G-Bandedge -B-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-01_16:51:20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.80	-9.51	74.0	-19.20	Peak	57.54	100	V	Pass
1**	2483.500	48.34	-9.51	54.0	-5.66	AV	57.54	100	V	Pass

WIFI2.4G-Bandedge -G-Low channel- Horizontal –TX

Test result

Project Number: Certification

Test Time: 2021-11-01_17.54.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E21100025-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: RSE


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RF Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.97	-9.96	74.0	-10.03	Peak	202.26	100	H	Pass
1**	2390.000	52.52	-9.96	54.0	-1.48	AV	202.26	100	H	Pass

WIFI2.4G-Bandedge -G-Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2021-11-01_16.44.52

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54


Test Engineer: XCJ

Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.81	-9.96	74.0	-14.19	Peak	35.63	100	V	Pass
1**	2390.000	50.26	-9.96	54.0	-3.74	AV	35.63	100	V	Pass

WIFI2.4G-Bandedge -G-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2021-11-01_17:58:55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E21100025-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: RSE

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.06	-9.51	74.0	-13.94	Peak	208.33	100	H	Pass
1**	2483.500	50.67	-9.51	54.0	-3.33	AV	208.33	100	H	Pass

WIFI2.4G-Bandedge -G-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-01_16.49.41

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.12	-9.51	74.0	-13.88	Peak	55.40	100	V	Pass
1**	2483.500	49.92	-9.51	54.0	-4.08	AV	55.40	100	V	Pass

WIFI2.4G-Bandedge -N-Low channel- Horizontal –TX

Test result

Project Number: Certification

Test Time: 2021-11-01_17:56:04

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E21100025-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: RSE

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.26	-9.96	74.0	-8.74	Peak	203.40	100	H	Pass
1**	2390.000	53.79	-9.96	54.0	-0.21	AV	203.40	100	H	Pass

WIFI2.4G-Bandedge -N-Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2021-11-01_16.46.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.83	-9.96	74.0	-12.17	Peak	59.69	100	V	Pass
1**	2390.000	51.38	-9.96	54.0	-2.62	AV	59.69	100	V	Pass

WiFi2.4G-Bandedge -N-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2021-11-01_17:57:31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E21100025-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: RSE


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RF Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.91	-9.51	74.0	-14.09	Peak	210.76	100	H	Pass
1**	2483.500	51.15	-9.51	54.0	-2.85	AV	210.76	100	H	Pass

WIFI2.4G-Bandedge -N-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-01_16.48.07

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ


Test Standard: RSE

Work Addition: normal

Load: full load

Remark: DR-RSE01-E21100025-01#01

REmission Test case_FCC_Part15C_FCC 15.247(2.4G)_bandedge 2483



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.27	-9.51	74.0	-13.73	Peak	60.37	100	V	Pass
1**	2483.500	50.12	-9.51	54.0	-3.88	AV	60.37	100	V	Pass

WiFi2.4G-Bandedge –N40-Low channel- Horizontal –TX

Test result

Project Number: Certification

Test Time: 2021-11-05_14.10.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: RSE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21100025-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.95	-9.96	74.0	-21.05	Peak	223.77	100	H	Pass
1**	2390.000	44.01	-9.96	54.0	-9.99	AV	223.77	100	H	Pass

WiFi2.4G-Bandedge –N40-Low channel- Vertical –TX

Test result

Project Number: Certification

Test Time: 2021-11-01_17.44.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E21100025-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: RSE

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.15	-9.96	74.0	-13.85	Peak	147.50	100	V	Pass
1**	2390.000	52.17	-9.96	54.0	-1.83	AV	147.50	100	V	Pass

WIFI2.4G-Bandedge –N40-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2021-11-01_17.49.56

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E21100025-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: RSE

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.19	-9.51	74.0	-13.81	Peak	208.39	100	V	Pass
1**	2483.500	52.01	-9.51	54.0	-1.99	AV	208.39	100	V	Pass

WiFi2.4G-Bandedge –N40-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-11-01_17.47.10

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E21100025-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: RSE

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.02	-9.51	74.0	-14.98	Peak	145.57	100	V	Pass
1**	2483.500	50.51	-9.51	54.0	-3.49	AV	145.57	100	V	Pass