

Appendix A

RF Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: Bluetooth earphone

Trade Mark: saiyo

Test Model: SY-TWS1

FCC ID: 2AT3WSY-TWS1

Environmental Conditions

Temperature:	23.5° C
Relative Humidity:	50%
ATM Pressure:	100.0 kPa
Test Engineer:	Gary Qian
Supervised by:	Eden Hu


A.1 20 dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit(MHz)	Verdict
GFSK	LCH	0.863	Not Specified	PASS
GFSK	MCH	0.863	Not Specified	PASS
GFSK	HCH	0.888	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.226	Not Specified	PASS
$\pi/4$ DQPSK	MCH	1.287	Not Specified	PASS
$\pi/4$ DQPSK	HCH	1.218	Not Specified	PASS
8DPSK	LCH	1.233	Not Specified	PASS
8DPSK	MCH	1.235	Not Specified	PASS
8DPSK	HCH	1.233	Not Specified	PASS


Test Graph


Graphs

GFSK/LCH




GFSK/MCH







π /4DQPSK/MCH




π /4DQPSK/HCH




8DPSK/LCH



8DPSK/MCH




8DPSK/HCH




A.2 Dwell Time


Mode	Packet	Channel	Burst Width [s/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	0.002874	106.7	0.306653	0.4	PASS
GFSK	DH5	MCH	0.002874	106.7	0.306666	0.4	PASS
GFSK	DH5	HCH	0.002874	106.7	0.306646	0.4	PASS
$\pi/4$ DQPSK	2DH5	LCH	0.002888	106.7	0.308124	0.4	PASS
$\pi/4$ DQPSK	2DH5	MCH	0.002884	106.7	0.307747	0.4	PASS
$\pi/4$ DQPSK	2DH5	HCH	0.002884	106.7	0.307738	0.4	PASS
8DPSK	3DH5	LCH	0.002884	106.7	0.307736	0.4	PASS
8DPSK	3DH5	MCH	0.002885	106.7	0.307799	0.4	PASS
8DPSK	3DH5	HCH	0.002889	106.7	0.308237	0.4	PASS

Test Graph







$\pi/4$ DQPSK
_2DH5/LCH




$\pi/4$ DQPSK
_2DH5/MCH




$\pi/4$ DQPSK
_2DH5/HCH



8DPSK_3DH5/LCH







A.3 Carrier Frequency Separation


Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.010	0.575	PASS
GFSK	MCH	1.003	0.575	PASS
GFSK	HCH	0.994	0.592	PASS
$\pi/4$ DQPSK	LCH	0.991	0.817	PASS
$\pi/4$ DQPSK	MCH	0.999	0.858	PASS
$\pi/4$ DQPSK	HCH	0.988	0.812	PASS
8DPSK	LCH	1.003	0.822	PASS
8DPSK	MCH	1.007	0.823	PASS
8DPSK	HCH	0.994	0.822	PASS

Test Graph







8DPSK/LCH



8DPSK/MCH




8DPSK/HCH




A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel[N]	Limit[N]	Verdict
GFSK	Hop	79	>=15	PASS
$\pi/4$ DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graph







A.5 Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-1.273	21	PASS
GFSK	MCH	-1.289	21	PASS
GFSK	HCH	-1.417	21	PASS
$\pi/4$ DQPSK	LCH	-1.293	21	PASS
$\pi/4$ DQPSK	MCH	-1.372	21	PASS
$\pi/4$ DQPSK	HCH	-1.503	21	PASS
8DPSK	LCH	-1.092	21	PASS
8DPSK	MCH	-1.104	21	PASS
8DPSK	HCH	-1.234	21	PASS


Test Graph





GFSK/MCH




GFSK/HCH










A.6 Band-edge for RF Conducted Emissions

Type	Carrier Frequency(MHz)	Frequency(MHz)	Carrier Frequency Power [dBm]	Bandedge Peak(dBm)	Upper limit(dBm)	Conclusion
1DH5	2402	2400	-1.517	-54.95	-21.517	Pass
1DH5	2480	2486.412	-1.74	-56.091	-21.74	Pass
2DH5	2402	2400	-1.544	-55.75	-21.544	Pass
2DH5	2480	2500	-5.498	-58.71	-25.498	Pass
3DH5	2402	2400	-5.467	-54.95	-25.467	Pass
3DH5	2480	2500	-1.508	-58.3	-21.508	Pass
1DH5-Hopping	2402	2400	-1.626	-55.98	-21.626	Pass
1DH5-Hopping	2480	2483.5	-1.478	-57.73	-21.478	Pass
2DH5-Hopping	2402	2400	-2.875	-57.81	-22.875	Pass
2DH5-Hopping	2480	2500	-2.233	-57.2	-22.233	Pass
3DH5-Hopping	2402	2400	-1.431	-57.02	-21.431	Pass
3DH5-Hopping	2480	2500	-1.669	-57.35	-21.669	Pass


Test Graph

Graphs


GFSK/LCH/No Hop




GFSK/HCH/No Hop




$\pi/4$ DQPSK/LCH/No
Hop




$\pi/4$ DQPSK/HCH/No
Hop




8DPSK/LCH/No Hop




8DPSK/HCH/No Hop




GFSK/LCH/Hop




GFSK/HCH/Hop




$\pi/4$ DQPSK/LCH/Hop




$\pi/4$ DQPSK/HCH/Hop




8DPSK/LCH/Hop



8DPSK/HCH/Hop




A.7 RF Conducted Spurious Emissions Test Graph




GFSK MCH Graphs

Pref



Frequency
Auto Tune
Center Freq 2.441000000 GHz
Start Freq 2.440000000 GHz
Stop Freq 2.442000000 GHz
CF Step 200.000 kHz Auto Man
Freq Offset 0 Hz


Puw




Frequency
Auto Tune
Center Freq 13.250004500 GHz
Start Freq 9.000 kHz
Stop Freq 26.500000000 GHz
CF Step 2.649999100 GHz Auto Man
Freq Offset 0 Hz

GFSK HCH Graphs

Pref




Puw




$\pi/4$ DQPSK LCH_Graphs

Pref



Frequency
Auto Tune
Center Freq 2.402000000 GHz
Start Freq 2.401000000 GHz
Stop Freq 2.403000000 GHz
CF Step 200.000 kHz Auto
Freq Offset 0 Hz


Puw



Frequency
Auto Tune
Center Freq 13.250004500 GHz
Start Freq 9.000 kHz
Stop Freq 26.500000000 GHz
CF Step 2.649999100 GHz Auto
Freq Offset 0 Hz


$\pi/4$ DQPSK MCH Graphs

Pref



Frequency
Auto Tune
Center Freq 2.441000000 GHz
Start Freq 2.440000000 GHz
Stop Freq 2.442000000 GHz
CF Step 200.000 kHz Auto Man
Freq Offset 0 Hz


Puw




Frequency
Auto Tune
Center Freq 13.250004500 GHz
Start Freq 9.000 kHz
Stop Freq 26.500000000 GHz
CF Step 2.649999100 GHz Auto Man
Freq Offset 0 Hz

$\pi/4$ DQPSK HCH Graphs

Pref




Puw




8DPSK LCH_Graphs

Pref




Puw




8DPSK_MCH_Graphs

Pref




Puw




8DPSK HCH_Graphs

Pref



Puw




A.8 Restrict-band band-edge measurements


Type	Carrier Frequency (MHz)	Frequency(M Hz)	Gain	Ground Factor	Peak Value(dBm)	E [dBuV/m]	Limit [dBuV/m]	Conclusion
1DH5	2402	2310.00	2.50	0.00	-49.32	48.38	74.00	Pass
1DH5	2480	2498.18	2.50	0.00	-44.97	52.73	74.00	Pass
2DH5	2402	2310.00	2.50	0.00	-49.25	48.45	74.00	Pass
2DH5	2480	2500.00	2.50	0.00	-48.77	48.93	74.00	Pass
3DH5	2402	2310.00	2.50	0.00	-47.86	49.84	74.00	Pass
3DH5	2480	2483.50	2.50	0.00	-49.12	48.58	74.00	Pass

Type	Carrier Frequency (MHz)	Frequency(M Hz)	Gain	Ground Factor	Average Value(dBm)	E [dBuV/m]	Limit [dBuV/m]	Conclusion
1DH5	2402	2390.00	2.50	0.00	-57.09	40.61	54	Pass
1DH5	2480	2483.50	2.50	0.00	-55.81	41.89	54	Pass
2DH5	2402	2390.00	2.50	0.00	-57.18	40.52	54	Pass
2DH5	2480	2483.50	2.50	0.00	-55.76	41.94	54	Pass
3DH5	2402	2390.00	2.50	0.00	-57.18	40.52	54	Pass
3DH5	2480	2483.50	2.50	0.00	-55.72	41.98	54	Pass


Restrict-band band-edge measurements_2402_PEAK_DH5




Restrict-band band-edge measurements_2402_AV_DH5




Restrict-band band-edge measurements_2480_PEAK_DH5




Restrict-band band-edge measurements_2480_AV_DH5




Restrict-band band-edge measurements_2402_PEAK_2DH5




Restrict-band band-edge measurements_2402_AV_2DH5




Restrict-band band-edge measurements_2480_PEAK_2DH5




Restrict-band band-edge measurements_2480_AV_2DH5




Restrict-band band-edge measurements_2402_PEAK_3DH5



Restrict-band band-edge measurements_2402_AV_3DH5



Restrict-band band-edge measurements_2480_PEAK_3DH5



Restrict-band band-edge measurements_2480_AV_3DH5

