




6dB Bandwidth

Test Result

Mode	Channel	Center Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
BLE 1M	0	2402	0.6621	≥0.5	PASS
	19	2440	0.6599		PASS
	39	2480	0.6629		PASS
BLE 2M	0	2402	1.169		PASS
	19	2440	1.168		PASS
	39	2480	1.165		PASS

Test Graphs


 BLE 1M_Channel 0	 BLE 2M_Channel 0
 BLE 1M_Channel 19	 BLE 2M_Channel 19
 BLE 1M_Channel 39	 BLE 2M_Channel 39

Appendix A4. Power Spectral Density

Test Result

Mode	Channel	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
BLE 1M	0	-22.308	≤ 8	PASS
	19	-23.319	≤ 8	PASS
	39	-22.230	≤ 8	PASS
BLE 2M	0	-24.286	≤ 8	PASS
	19	-27.347	≤ 8	PASS
	39	-27.154	≤ 8	PASS

Test Graphs



Appendix A5. Conducted Out Of Band Emission

Test Result

Mode	Channel	OOB Emission Frequency (MHz)	OOB Emission Level (dBm)	Limit (dBm)	Over Limit (dB)	Result
BLE 1M	0	2394.82	-52.140	-25.68	-26.460	PASS
		2400.00	-54.576	-25.68	-28.896	PASS
		4802.40	-68.587	-25.68	-42.907	PASS
		5243.10	-53.724	-25.68	-28.044	PASS
		7207.00	-68.096	-25.68	-42.416	PASS
		9608.50	-67.352	-25.68	-41.672	PASS
	19	4880.42	-66.395	-26.59	-39.805	PASS
		7321.86	-68.863	-26.59	-42.273	PASS
		9760.18	-69.355	-26.59	-42.765	PASS
		24757.2	-55.431	-26.59	-28.841	PASS
	39	2483.50	-54.475	-25.79	-28.685	PASS
		4959.08	-67.831	-25.79	-42.041	PASS
		7440.47	-67.862	-25.79	-42.072	PASS
		9920.62	-69.336	-25.79	-43.546	PASS
		24747.8	-55.577	-25.79	-29.787	PASS
BLE 2M	0	2400.00	-37.324	-26.14	-11.184	PASS
		4804.26	-68.306	-26.14	-42.166	PASS
		7205.13	-65.975	-26.14	-39.835	PASS
		9606.62	-68.175	-26.14	-42.035	PASS
		24751.5	-56.102	-26.14	-29.962	PASS
	19	4879.80	-67.252	-28.57	-38.682	PASS
		7318.74	-68.326	-28.57	-39.756	PASS
		9760.81	-69.142	-28.57	-40.572	PASS
		24920.1	-56.056	-28.57	-27.486	PASS
	39	2483.50	-54.117	-28.19	-25.927	PASS
		4959.08	-68.591	-28.19	-40.401	PASS
		7441.10	-67.302	-28.19	-39.112	PASS
		9920.62	-69.303	-28.19	-41.113	PASS
		24634.2	-55.516	-28.19	-27.326	PASS


Test Graphs




In-Band Reference Level
BLE 1M_Channel 0




In-Band Reference Level
BLE 2M_Channel 0




Out Of Band Emission
BLE 1M_Channel 0



Out Of Band Emission
BLE 2M_Channel 0



30.0 MHz - 25000.0 MHz
BLE 1M_Channel 0




30.0 MHz - 25000.0 MHz
BLE 2M_Channel 0




In-Band Reference Level
BLE 1M_Channel 19



In-Band Reference Level
BLE 2M_Channel 19



30.0 MHz - 25000.0 MHz
BLE 1M_Channel 19




30.0 MHz - 25000.0 MHz
BLE 2M_Channel 19



In-Band Reference Level
BLE 1M_Channel 39



In-Band Reference Level
BLE 2M_Channel 39



*****END OF APPENDIX A*****

Appendix B _ Radiated Test Data and AC Power-Line Conducted Emission Test Data

1. Radiated Spurious Emission

For 9 kHz ~ 30 MHz

Note:The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.


Distance extrapolation factor = $40 \log (\text{specific distance/test distance})$ (dB);

Limit line = specific limits(dBμV) + distance extrapolation factor.

For 30 MHz ~ 1 GHz:


Note:All modes have been tested, only worst case(TX_1M_2402MHz)mode was recorded in the test report if no any others.

TX_1M_2402MHz Horizontal




Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	85.748	21.2	40.0	18.8	14.8	29.7	1.2	H
2	124.569	22.3	43.5	21.2	17.0	32.4	1.4	H
3	235.403	31.8	46.0	14.2	17.0	32.6	1.9	H
4	265.210	36.5	46.0	9.5	18.1	32.2	2.0	H
5	392.095	21.2	46.0	24.8	21.2	32.1	2.4	H
6	603.539	25.5	46.0	20.5	26.0	32.4	3.0	H

TX_1M_2402MHz Vertical




Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	87.265	26.2	40.0	13.8	14.8	29.9	1.2	V
2	104.903	24.8	43.5	18.7	15.2	31.5	1.3	V
3	125.446	24.7	43.5	18.8	17.0	32.5	1.5	V
4	166.651	22.9	43.5	20.6	18.0	33.5	1.6	V
5	271.325	30.1	46.0	15.9	18.3	32.1	2.0	V
6	600.373	25.4	46.0	20.6	26.0	32.3	3.0	V

TX_2M_2402MHzHorizontal



Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	104.536	23.0	43.5	20.5	15.2	31.5	1.3	H
2	160.909	23.2	43.5	20.3	18.4	33.5	1.6	H
3	266.142	36.6	46.0	9.4	18.1	32.2	2.0	H
4	328.463	23.3	46.0	22.7	19.8	32.2	2.2	H
5	465.599	21.0	46.0	25.0	23.1	33.3	2.6	H
6	600.373	24.9	46.0	21.1	26.0	32.3	3.0	H

TX_2M_2402MHzVertical




Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	86.655	26.5	40.0	13.5	14.8	29.8	1.2	V
2	104.536	24.7	43.5	18.8	15.2	31.5	1.3	V
3	123.916	24.2	43.5	19.3	16.9	32.4	1.4	V
4	167.530	22.3	43.5	21.2	18.0	33.5	1.6	V
5	269.428	30.7	46.0	15.3	18.2	32.1	2.0	V
6	632.797	24.8	46.0	21.2	26.2	32.8	3.1	V

For 1 GHz ~ 18GHz

Note:


- 1.The all data rate modes had been test, but only worse test data was recorded in the test report.
- 2.In frequency ranges 18 ~25GHz no any other harmonic emissions detected which are tested to compliance with the limit. No recording in the test report. No any other emissions level which are attenuated less than 20dB below the limit. No recording in the test report.
- 3.We used the filter to test and the main frequency was filtered out.

TX_1M_2402MHz Horizontal




Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	3028.100	38.0	74.0	36.0	29.4	58.7	6.5	H
2	5550.050	43.9	74.0	30.1	33.0	58.3	7.9	H
3	7364.800	49.2	74.0	24.8	36.2	58.7	10.2	H
4	9439.650	51.3	74.0	22.7	38.1	60.8	10.9	H
5	11301.150	54.8	74.0	19.2	38.7	58.8	12.0	H
6	14266.800	55.8	74.0	18.2	39.6	59.4	12.3	H
Avg								
1	3028.100	28.5	54.0	25.5	29.4	58.7	6.5	H
2	5550.050	34.5	54.0	19.5	33.0	58.3	7.9	H
3	7364.800	39.8	54.0	14.2	36.2	58.7	10.2	H
4	9439.650	43.0	54.0	11.0	38.1	60.8	10.9	H
5	11301.150	46.8	54.0	7.2	38.7	58.8	12.0	H
6	14266.800	47.9	54.0	6.1	39.6	59.4	12.3	H

TX_1M_2402MHz Vertical




Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	3485.400	39.4	74.0	34.6	29.5	58.2	6.9	V
2	5302.700	42.0	74.0	32.0	33.0	58.9	7.4	V
3	7500.800	49.1	74.0	24.9	36.3	58.1	10.0	V
4	9927.550	52.1	74.0	21.9	38.4	60.6	10.7	V
5	12599.100	55.2	74.0	18.8	39.4	59.0	12.4	V
6	15296.150	57.9	74.0	16.1	38.9	58.8	13.2	V
Avg								
1	3485.400	29.9	54.0	24.1	29.5	58.2	6.9	V
2	5302.700	33.4	54.0	20.6	33.0	58.9	7.4	V
3	7500.800	40.1	54.0	13.9	36.3	58.1	10.0	V
4	9927.550	42.8	54.0	11.2	38.4	60.6	10.7	V
5	12599.100	46.3	54.0	7.7	39.4	59.0	12.4	V
6	15296.150	49.0	54.0	5.0	38.9	58.8	13.2	V

TX_1M_2480MHz Horizontal




Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	3572.100	39.1	74.0	34.9	29.7	58.2	6.9	H
2	5819.500	44.3	74.0	29.7	33.7	59.1	8.4	H
3	7365.650	49.3	74.0	24.7	36.2	58.7	10.2	H
4	10140.900	53.3	74.0	20.7	38.4	60.3	10.8	H
5	12662.000	55.2	74.0	18.8	39.5	58.8	12.4	H
6	15048.800	57.7	74.0	16.3	39.1	58.3	12.7	H
Avg								
1	3572.100	29.9	54.0	24.1	29.7	58.2	6.9	H
2	5819.500	35.4	54.0	18.6	33.7	59.1	8.4	H
3	7365.650	41.2	54.0	12.8	36.2	58.7	10.2	H
4	10140.900	44.6	54.0	9.4	38.4	60.3	10.8	H
5	12662.000	47.6	54.0	6.4	39.5	58.8	12.4	H
6	15048.800	48.0	54.0	6.0	39.1	58.3	12.7	H

TX_1M_2480MHz Vertical




Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	3306.900	38.7	74.0	35.3	29.5	58.4	6.7	V
2	5497.350	43.8	74.0	30.2	32.9	58.2	7.8	V
3	7367.350	49.2	74.0	24.8	36.2	58.7	10.2	V
4	9446.450	52.7	74.0	21.3	38.1	60.8	10.9	V
5	10855.750	55.4	74.0	18.6	38.6	58.5	11.6	V
6	14137.600	56.0	74.0	18.0	39.7	59.7	12.3	V
Avg								
1	3306.900	29.2	54.0	24.8	29.5	58.4	6.7	V
2	5497.350	36.4	54.0	17.6	32.9	58.2	7.8	V
3	7367.350	41.0	54.0	13.0	36.2	58.7	10.2	V
4	9446.450	43.7	54.0	10.3	38.1	60.8	10.9	V
5	10855.750	46.6	54.0	7.4	38.6	58.5	11.6	V
6	14137.600	47.9	54.0	6.1	39.7	59.7	12.3	V

TX_2M_2402MHz Horizontal




Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	3057.000	38.3	74.0	35.7	29.4	58.6	6.5	H
2	4518.150	40.8	74.0	33.2	31.7	59.4	7.8	H
3	6530.950	47.5	74.0	26.5	35.3	58.7	9.3	H
4	9446.450	51.7	74.0	22.3	38.1	60.8	10.9	H
5	11187.250	55.8	74.0	18.2	38.7	58.6	11.9	H
6	14134.200	56.5	74.0	17.5	39.7	59.7	12.3	H
Avg								
1	3057.000	28.3	54.0	25.7	29.4	58.6	6.5	H
2	4518.150	32.0	54.0	22.0	31.7	59.4	7.8	H
3	6530.950	38.3	54.0	15.7	35.3	58.7	9.3	H
4	9446.450	43.9	54.0	10.1	38.1	60.8	10.9	H
5	11187.250	47.9	54.0	6.1	38.7	58.6	11.9	H
6	14134.200	47.5	54.0	6.5	39.7	59.7	12.3	H

TX_2M_2402MHz Vertical




Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2764.600	37.3	74.0	36.7	28.6	59.2	6.2	V
2	3928.250	40.7	74.0	33.3	30.7	58.0	7.2	V
3	6256.400	46.1	74.0	27.9	34.7	59.1	9.0	V
4	8417.100	49.6	74.0	24.4	37.3	60.7	11.2	V
5	10735.050	55.7	74.0	18.3	38.5	58.8	11.4	V
6	14336.500	57.0	74.0	17.0	39.6	59.3	12.3	V
Avg								
1	2764.600	27.6	54.0	26.4	28.6	59.2	6.2	V
2	3928.250	31.3	54.0	22.7	30.7	58.0	7.2	V
3	6256.400	37.3	54.0	16.7	34.7	59.1	9.0	V
4	8417.100	39.7	54.0	14.3	37.3	60.7	11.2	V
5	10735.050	46.7	54.0	7.3	38.5	58.8	11.4	V
6	14336.500	47.4	54.0	6.6	39.6	59.3	12.3	V

TX_2M_2480MHz Horizontal



Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2846.200	37.6	74.0	36.4	28.8	59.0	6.3	H
2	4470.550	40.9	74.0	33.1	31.6	59.3	7.8	H
3	6978.900	47.8	74.0	26.2	36.0	60.4	10.5	H
4	9435.400	52.1	74.0	21.9	38.1	60.8	10.9	H
5	10790.300	55.5	74.0	18.5	38.6	58.7	11.5	H
6	15293.600	58.1	74.0	15.9	38.9	58.8	13.2	H
Avg								
1	2846.200	28.2	54.0	25.8	28.8	59.0	6.3	H
2	4470.550	32.1	54.0	21.9	31.6	59.3	7.8	H
3	6978.900	38.7	54.0	15.3	36.0	60.4	10.5	H
4	9435.400	43.3	54.0	10.7	38.1	60.8	10.9	H
5	10790.300	46.9	54.0	7.1	38.6	58.7	11.5	H
6	15293.600	49.3	54.0	4.7	38.9	58.8	13.2	H


TX_2M_2480MHz Vertical



Mk.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2900.600	37.1	74.0	36.9	29.0	58.9	6.4	V
2	4400.850	41.3	74.0	32.7	31.5	59.1	7.7	V
3	6780.850	47.7	74.0	26.3	35.7	59.7	10.0	V
4	9442.200	52.2	74.0	21.8	38.1	60.8	10.9	V
5	12587.200	55.0	74.0	19.0	39.4	59.0	12.4	V
6	15178.850	57.4	74.0	16.6	39.0	58.5	12.9	V
Avg								
1	2900.600	27.6	54.0	26.4	29.0	58.9	6.4	V
2	4400.850	31.0	54.0	23.0	31.5	59.1	7.7	V
3	6780.850	38.4	54.0	15.6	35.7	59.7	10.0	V
4	9442.200	44.3	54.0	9.7	38.1	60.8	10.9	V
5	12587.200	45.7	54.0	8.3	39.4	59.0	12.4	V
6	15178.850	49.5	54.0	4.5	39.0	58.5	12.9	V


2. Test Result of Restricted Band

GFSK-Low
TX_1M_2402MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBμV/m)	(dBμV/m)	(dB)	(dB/m)	(dB)	(dB)	
Avg								
1	2390.052	27.2	105.2	78.0	27.4	59.6	5.7	H
2	2340.880	27.6	54.0	26.4	27.2	59.5	5.6	H

TX_1M_2402MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBμV/m)	(dBμV/m)	(dB)	(dB/m)	(dB)	(dB)	
Avg								
1	2390.052	29.2	105.2	76.0	27.4	59.6	5.7	V
2	2337.182	32.4	54.0	21.6	27.2	59.5	5.6	V

GFSK-Low
TX_1M_2402MHz Horizontal



Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2390.052	39.2	125.2	86.0	27.4	59.6	5.7	H
2	2349.221	40.6	74.0	33.4	27.3	59.5	5.6	H


TX_1M_2402MHz Vertical



Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2390.052	42.6	125.2	82.6	27.4	59.6	5.7	V
2	2337.367	44.2	74.0	29.8	27.2	59.5	5.6	V


GFSK-High

TX_1M_2480MHz Horizontal




Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Avg								
1	2483.652	27.8	54.0	26.2	27.6	59.7	5.8	H
2	2493.290	31.0	54.0	23.0	27.6	59.7	5.8	H

TX_1M_2480MHz Vertical




Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Avg								
1	2483.652	30.7	54.0	23.3	27.6	59.7	5.8	V
2	2498.025	33.9	54.0	20.1	27.6	59.7	5.8	V

GFSK- High
TX_1M_2480MHz Horizontal




Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2483.456	39.8	125.2	85.4	27.6	59.7	5.8	H
2	2495.854	45.8	74.0	28.2	27.6	59.7	5.8	H

TX_1M_2480MHz Vertical




Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2483.456	41.8	125.2	83.4	27.6	59.7	5.8	V
2	2492.896	52.9	74.0	21.1	27.6	59.7	5.8	V

GFSK-Low
TX_2M_2402MHz Horizontal




Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Avg								
1	2390.052	27.5	105.2	77.7	27.4	59.6	5.7	H
2	2358.151	27.9	54.0	26.1	27.3	59.6	5.7	H

TX_2M_2402MHz Vertical




Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Avg								
1	2390.052	30.5	105.2	74.7	27.4	59.6	5.7	V
2	2336.813	32.2	54.0	21.8	27.2	59.5	5.6	V

GFSK-Low
TX_2M_2402MHz Horizontal



Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2390.052	39.7	125.2	85.5	27.4	59.6	5.7	H
2	2330.172	41.1	74.0	32.9	27.2	59.5	5.6	H


TX_2M_2402MHz Vertical



Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2390.052	43.3	125.2	81.9	27.4	59.6	5.7	V
2	2384.957	45.9	74.0	28.1	27.3	59.6	5.7	V


GFSK-High

TX_2M_2480MHz Horizontal




Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Avg								
1	2483.456	27.9	105.2	77.3	27.6	59.7	5.8	H
2	2493.290	30.9	54.0	23.1	27.6	59.7	5.8	H

TX_2M_2480MHz Vertical




Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Avg								
1	2483.456	29.6	105.2	75.6	27.6	59.7	5.8	V
2	2499.012	36.1	54.0	17.9	27.6	59.7	5.8	V

GFSK- High
TX_2M_2480MHz Horizontal



Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2483.652	40.3	74.0	33.7	27.6	59.7	5.8	H
2	2497.038	46.3	74.0	27.7	27.6	59.7	5.8	H

TX_2M_2480MHz Vertical



Mk.	Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	2483.652	41.9	74.0	32.1	27.6	59.7	5.8	V
2	2492.896	52.8	74.0	21.2	27.6	59.7	5.8	V

3. AC Power-Line Conducted Emission Test Data

Note: this item is not applicable.

*****END OF APPENDIX B*****