



Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.077056	-59.96	-13
2	0.15	30	10	0.154975	-59.97	-13
3	30	1000	100	715.466666666667	-56.89	-13
4	1000	26000	1000	3420.83333333333	-35.6	-13

Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.1018532	-60.99	-13
2	0.15	30	10	0.405715	-62.25	-13
3	30	1000	100	931.776666666667	-56.55	-13
4	1000	26000	1000	3480.83333333333	-34.13	-13

Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0914944	-62.43	-13
2	0.15	30	10	0.15398	-62.09	-13
3	30	1000	100	922.529333333333	-55.72	-13
4	1000	26000	1000	3540.83333333333	-34.71	-13

Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.1017451	-60.72	-13
2	0.15	30	10	0.15796	-57.97	-13
3	30	1000	100	571.745	-56.79	-13
4	1000	26000	1000	3421.66666666667	-35.16	-13

Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0772017	-61.1	-13
2	0.15	30	10	0.15	-60.03	-13
3	30	1000	100	536.728	-56.88	-13
4	1000	26000	1000	3476.6666666667	-33.6	-13

Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.1018579	-62.82	-13
2	0.15	30	10	0.15199	-60.13	-13
3	30	1000	100	949.075	-56.6	-13
4	1000	26000	1000	3531.6666666667	-33.61	-13

Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.1011623	-60.06	-13
2	0.15	30	10	0.156965	-55.38	-13
3	30	1000	100	736.257	-56.14	-13
4	1000	26000	1000	3421.6666666667	-38.47	-13

Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0608739	-61.57	-13
2	0.15	30	10	0.15	-58.33	-13
3	30	1000	100	901.06	-56.67	-13
4	1000	26000	1000	3471.6666666667	-36.38	-13

Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0779537	-62.02	-13
2	0.15	30	10	0.15597	-59.01	-13
3	30	1000	100	820.388333333333	-56.57	-13
4	1000	26000	1000	3522.5	-34.39	-13

Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.1009508	-59.9	-13
2	0.15	30	10	0.15	-59.13	-13
3	30	1000	100	680.514333333333	-56.85	-13
4	1000	26000	1000	3420	-35.95	-13

Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0778127	-61.72	-13
2	0.15	30	10	0.16592	-59.02	-13
3	30	1000	100	855.955	-55.83	-13
4	1000	26000	1000	3487.5	-34.18	-13

Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.1008427	-61.2	-13
2	0.15	30	10	0.15199	-61.64	-13
3	30	1000	100	842.8923333333333	-56.03	-13
4	1000	26000	1000	3554.166666666667	-33.23	-13

Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.1018062	-61.94	-13
2	0.15	30	10	0.15	-59.31	-13
3	30	1000	100	933.781333333333	-56.54	-13
4	1000	26000	1000	3419.16666666667	-34.85	-13

Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0778644	-61.77	-13
2	0.15	30	10	0.15	-58.55	-13
3	30	1000	100	897.923666666667	-56.72	-13
4	1000	26000	1000	3485	-36.02	-13

Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0



*****END OF APPENDIX A*****

Appendix B _ Radiated Test Data

LTE Band 2

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.09	-34.07	12.60	12.93	-34.40	-13.00	-21.40	H
5551.88	-35.43	13.10	17.11	-39.44	-13.00	-26.44	H
7402.67	-32.21	11.50	22.20	-42.91	-13.00	-29.91	H
3701.09	-35.14	12.60	12.93	-35.47	-13.00	-22.47	V
5551.88	-34.26	13.10	17.11	-38.27	-13.00	-25.27	V
7402.67	-31.93	11.50	22.20	-42.63	-13.00	-29.63	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.26	-34.67	12.60	12.93	-35.00	-13.00	-22.00	H
5639.90	-35.48	13.10	17.11	-39.49	-13.00	-26.49	H
7519.95	-33.04	11.50	22.20	-43.74	-13.00	-30.74	H
3760.26	-35.35	12.60	12.93	-35.68	-13.00	-22.68	V
5639.90	-34.34	13.10	17.11	-38.35	-13.00	-25.35	V
7519.95	-32.05	11.50	22.20	-42.75	-13.00	-29.75	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.44	-34.02	12.60	12.93	-34.35	-13.00	-21.35	H
5727.47	-35.23	13.10	17.11	-39.24	-13.00	-26.24	H
7637.10	-32.69	11.50	22.20	-43.39	-13.00	-30.39	H
3818.44	-35.10	12.60	12.93	-35.43	-13.00	-22.43	V
5727.47	-35.22	13.10	17.11	-39.23	-13.00	-26.23	V
7637.10	-32.62	11.50	22.20	-43.32	-13.00	-30.32	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3703.04	-33.45	12.60	12.93	-33.78	-13.00	-20.78	H
5554.11	-35.34	13.10	17.11	-39.35	-13.00	-26.35	H
7405.96	-32.28	11.50	22.20	-42.98	-13.00	-29.98	H
3703.04	-34.79	12.60	12.93	-35.12	-13.00	-22.12	V
5554.11	-34.07	13.10	17.11	-38.08	-13.00	-25.08	V
7405.96	-33.16	11.50	22.20	-43.86	-13.00	-30.86	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.06	-34.34	12.60	12.93	-34.67	-13.00	-21.67	H
5639.93	-34.07	13.10	17.11	-38.08	-13.00	-25.08	H
7520.20	-32.28	11.50	22.20	-42.98	-13.00	-29.98	H
3760.06	-34.67	12.60	12.93	-35.00	-13.00	-22.00	V
5639.93	-34.08	13.10	17.11	-38.09	-13.00	-25.09	V
7520.20	-33.01	11.50	22.20	-43.71	-13.00	-30.71	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3816.93	-34.69	12.60	12.93	-35.02	-13.00	-22.02	H
5725.55	-35.14	13.10	17.11	-39.15	-13.00	-26.15	H
7633.88	-32.23	11.50	22.20	-42.93	-13.00	-29.93	H
3816.93	-35.18	12.60	12.93	-35.51	-13.00	-22.51	V
5725.55	-34.00	13.10	17.11	-38.01	-13.00	-25.01	V
7633.88	-32.38	11.50	22.20	-43.08	-13.00	-30.08	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.47	-33.58	12.60	12.93	-33.91	-13.00	-20.91	H
5557.44	-34.13	13.10	17.11	-38.14	-13.00	-25.14	H
7410.26	-33.12	11.50	22.20	-43.82	-13.00	-30.82	H
3705.47	-35.72	12.60	12.93	-36.05	-13.00	-23.05	V
5557.44	-34.52	13.10	17.11	-38.53	-13.00	-25.53	V
7410.26	-32.80	11.50	22.20	-43.50	-13.00	-30.50	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.80	-34.57	12.60	12.93	-34.90	-13.00	-21.90	H
5639.92	-34.42	13.10	17.11	-38.43	-13.00	-25.43	H
7519.99	-32.58	11.50	22.20	-43.28	-13.00	-30.28	H
3759.80	-34.94	12.60	12.93	-35.27	-13.00	-22.27	V
5639.92	-35.10	13.10	17.11	-39.11	-13.00	-26.11	V
7519.99	-32.43	11.50	22.20	-43.13	-13.00	-30.13	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.05	-34.59	12.60	12.93	-34.92	-13.00	-21.92	H
5722.30	-34.89	13.10	17.11	-38.90	-13.00	-25.90	H
7629.99	-32.16	11.50	22.20	-42.86	-13.00	-29.86	H
3815.05	-34.69	12.60	12.93	-35.02	-13.00	-22.02	V
5722.30	-34.86	13.10	17.11	-38.87	-13.00	-25.87	V
7629.99	-32.21	11.50	22.20	-42.91	-13.00	-29.91	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.01	-33.76	12.60	12.93	-34.09	-13.00	-21.09	H
5565.19	-35.28	13.10	17.11	-39.29	-13.00	-26.29	H
7420.13	-33.57	11.50	22.20	-44.27	-13.00	-31.27	H
3710.01	-36.00	12.60	12.93	-36.33	-13.00	-23.33	V
5565.19	-34.03	13.10	17.11	-38.04	-13.00	-25.04	V
7420.13	-31.78	11.50	22.20	-42.48	-13.00	-29.48	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.25	-34.34	12.60	12.93	-34.67	-13.00	-21.67	H
5639.94	-34.44	13.10	17.11	-38.45	-13.00	-25.45	H
7520.19	-33.64	11.50	22.20	-44.34	-13.00	-31.34	H
3760.25	-35.97	12.60	12.93	-36.30	-13.00	-23.30	V
5639.94	-34.51	13.10	17.11	-38.52	-13.00	-25.52	V
7520.19	-33.17	11.50	22.20	-43.87	-13.00	-30.87	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.27	-33.84	12.60	12.93	-34.17	-13.00	-21.17	H
5715.07	-34.35	13.10	17.11	-38.36	-13.00	-25.36	H
7619.85	-32.67	11.50	22.20	-43.37	-13.00	-30.37	H
3810.27	-35.02	12.60	12.93	-35.35	-13.00	-22.35	V
5715.07	-34.00	13.10	17.11	-38.01	-13.00	-25.01	V
7619.85	-31.75	11.50	22.20	-42.45	-13.00	-29.45	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.80	-33.51	12.60	12.93	-33.84	-13.00	-20.84	H
5572.20	-35.47	13.10	17.11	-39.48	-13.00	-26.48	H
7430.84	-32.51	11.50	22.20	-43.21	-13.00	-30.21	H
3714.80	-34.77	12.60	12.93	-35.10	-13.00	-22.10	V
5572.20	-34.44	13.10	17.11	-38.45	-13.00	-25.45	V
7430.84	-32.65	11.50	22.20	-43.35	-13.00	-30.35	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.89	-33.68	12.60	12.93	-34.01	-13.00	-21.01	H
5639.93	-35.44	13.10	17.11	-39.45	-13.00	-26.45	H
7519.99	-32.21	11.50	22.20	-42.91	-13.00	-29.91	H
3759.89	-35.55	12.60	12.93	-35.88	-13.00	-22.88	V
5639.93	-34.11	13.10	17.11	-38.12	-13.00	-25.12	V
7519.99	-32.96	11.50	22.20	-43.66	-13.00	-30.66	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.07	-33.64	12.60	12.93	-33.97	-13.00	-20.97	H
5707.29	-34.90	13.10	17.11	-38.91	-13.00	-25.91	H
7610.16	-33.17	11.50	22.20	-43.87	-13.00	-30.87	H
3805.07	-35.68	12.60	12.93	-36.01	-13.00	-23.01	V
5707.29	-33.92	13.10	17.11	-37.93	-13.00	-24.93	V
7610.16	-31.97	11.50	22.20	-42.67	-13.00	-29.67	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.23	-34.07	12.60	12.93	-34.40	-13.00	-21.40	H
5580.35	-34.12	13.10	17.11	-38.13	-13.00	-25.13	H
7439.85	-33.55	11.50	22.20	-44.25	-13.00	-31.25	H
3720.23	-35.40	12.60	12.93	-35.73	-13.00	-22.73	V
5580.35	-34.14	13.10	17.11	-38.15	-13.00	-25.15	V
7439.85	-32.61	11.50	22.20	-43.31	-13.00	-30.31	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.19	-33.78	12.60	12.93	-34.11	-13.00	-21.11	H
5639.85	-34.39	13.10	17.11	-38.40	-13.00	-25.40	H
7520.13	-33.27	11.50	22.20	-43.97	-13.00	-30.97	H
3760.19	-34.91	12.60	12.93	-35.24	-13.00	-22.24	V
5639.85	-34.63	13.10	17.11	-38.64	-13.00	-25.64	V
7520.13	-32.88	11.50	22.20	-43.58	-13.00	-30.58	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.04	-34.11	12.60	12.93	-34.44	-13.00	-21.44	H
5700.00	-34.13	13.10	17.11	-38.14	-13.00	-25.14	H
7599.75	-32.77	11.50	22.20	-43.47	-13.00	-30.47	H
3800.04	-35.84	12.60	12.93	-36.17	-13.00	-23.17	V
5700.00	-33.88	13.10	17.11	-37.89	-13.00	-24.89	V
7599.75	-32.79	11.50	22.20	-43.49	-13.00	-30.49	V

LTE Band 4

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.11	-33.69	12.90	12.56	-33.35	-13.00	-20.35	H
5131.93	-35.26	13.10	16.32	-38.48	-13.00	-25.48	H
6842.52	-32.35	12.33	21.13	-41.15	-13.00	-28.15	H
3421.11	-35.77	12.90	12.56	-35.43	-13.00	-22.43	V
5131.93	-34.53	13.10	16.32	-37.75	-13.00	-24.75	V
6842.52	-32.60	12.33	21.13	-41.40	-13.00	-28.40	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.88	-34.02	12.90	12.56	-33.68	-13.00	-20.68	H
5196.91	-35.32	13.10	16.32	-38.54	-13.00	-25.54	H
6930.10	-32.83	12.33	21.13	-41.63	-13.00	-28.63	H
3464.88	-34.83	12.90	12.56	-34.49	-13.00	-21.49	V
5196.91	-34.55	13.10	16.32	-37.77	-13.00	-24.77	V
6930.10	-32.21	12.33	21.13	-41.01	-13.00	-28.01	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.34	-34.48	12.90	12.56	-34.14	-13.00	-21.14	H
5262.46	-34.58	13.10	16.32	-37.80	-13.00	-24.80	H
7015.37	-32.77	12.33	21.13	-41.57	-13.00	-28.57	H
3508.34	-34.91	12.90	12.56	-34.57	-13.00	-21.57	V
5262.46	-34.93	13.10	16.32	-38.15	-13.00	-25.15	V
7015.37	-33.10	12.33	21.13	-41.90	-13.00	-28.90	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.95	-33.87	12.90	12.56	-33.53	-13.00	-20.53	H
5136.03	-34.76	13.10	16.32	-37.98	-13.00	-24.98	H
6848.63	-33.16	12.33	21.13	-41.96	-13.00	-28.96	H
3423.95	-34.71	12.90	12.56	-34.37	-13.00	-21.37	V
5136.03	-33.92	13.10	16.32	-37.14	-13.00	-24.14	V
6848.63	-31.80	12.33	21.13	-40.60	-13.00	-27.60	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.72	-34.49	12.90	12.56	-34.15	-13.00	-21.15	H
5196.86	-35.41	13.10	16.32	-38.63	-13.00	-25.63	H
6930.15	-33.49	12.33	21.13	-42.29	-13.00	-29.29	H
3464.72	-35.68	12.90	12.56	-35.34	-13.00	-22.34	V
5196.86	-35.06	13.10	16.32	-38.28	-13.00	-25.28	V
6930.15	-31.79	12.33	21.13	-40.59	-13.00	-27.59	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.27	-34.16	12.90	12.56	-33.82	-13.00	-20.82	H
5261.86	-34.49	13.10	16.32	-37.71	-13.00	-24.71	H
7012.80	-32.42	12.33	21.13	-41.22	-13.00	-28.22	H
3506.27	-34.53	12.90	12.56	-34.19	-13.00	-21.19	V
5261.86	-35.21	13.10	16.32	-38.43	-13.00	-25.43	V
7012.80	-32.17	12.33	21.13	-40.97	-13.00	-27.97	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.93	-34.80	12.90	12.56	-34.46	-13.00	-21.46	H
5137.22	-34.37	13.10	16.32	-37.59	-13.00	-24.59	H
6849.78	-32.42	12.33	21.13	-41.22	-13.00	-28.22	H
3424.93	-35.71	12.90	12.56	-35.37	-13.00	-22.37	V
5137.22	-34.20	13.10	16.32	-37.42	-13.00	-24.42	V
6849.78	-32.89	12.33	21.13	-41.69	-13.00	-28.69	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.65	-33.76	12.90	12.56	-33.42	-13.00	-20.42	H
5196.61	-35.11	13.10	16.32	-38.33	-13.00	-25.33	H
6929.97	-33.06	12.33	21.13	-41.86	-13.00	-28.86	H
3464.65	-34.55	12.90	12.56	-34.21	-13.00	-21.21	V
5196.61	-34.31	13.10	16.32	-37.53	-13.00	-24.53	V
6929.97	-32.81	12.33	21.13	-41.61	-13.00	-28.61	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3504.89	-33.83	12.90	12.56	-33.49	-13.00	-20.49	H
5256.93	-35.11	13.10	16.32	-38.33	-13.00	-25.33	H
7009.74	-33.41	12.33	21.13	-42.21	-13.00	-29.21	H
3504.89	-35.77	12.90	12.56	-35.43	-13.00	-22.43	V
5256.93	-34.39	13.10	16.32	-37.61	-13.00	-24.61	V
7009.74	-33.15	12.33	21.13	-41.95	-13.00	-28.95	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.78	-34.10	12.90	12.56	-33.76	-13.00	-20.76	H
5145.11	-34.01	13.10	16.32	-37.23	-13.00	-24.23	H
6860.24	-32.88	12.33	21.13	-41.68	-13.00	-28.68	H
3429.78	-35.98	12.90	12.56	-35.64	-13.00	-22.64	V
5145.11	-34.94	13.10	16.32	-38.16	-13.00	-25.16	V
6860.24	-32.59	12.33	21.13	-41.39	-13.00	-28.39	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.40	-34.45	12.90	12.56	-34.11	-13.00	-21.11	H
5196.57	-35.09	13.10	16.32	-38.31	-13.00	-25.31	H
6929.43	-33.56	12.33	21.13	-42.36	-13.00	-29.36	H
3464.40	-35.20	12.90	12.56	-34.86	-13.00	-21.86	V
5196.57	-34.59	13.10	16.32	-37.81	-13.00	-24.81	V
6929.43	-31.72	12.33	21.13	-40.52	-13.00	-27.52	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.40	-33.84	12.90	12.56	-33.50	-13.00	-20.50	H
5250.00	-34.40	13.10	16.32	-37.62	-13.00	-24.62	H
7000.01	-32.64	12.33	21.13	-41.44	-13.00	-28.44	H
3500.40	-35.91	12.90	12.56	-35.57	-13.00	-22.57	V
5250.00	-34.31	13.10	16.32	-37.53	-13.00	-24.53	V
7000.01	-32.55	12.33	21.13	-41.35	-13.00	-28.35	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.83	-33.85	12.90	12.56	-33.51	-13.00	-20.51	H
5152.27	-34.99	13.10	16.32	-38.21	-13.00	-25.21	H
6870.33	-33.29	12.33	21.13	-42.09	-13.00	-29.09	H
3434.83	-35.18	12.90	12.56	-34.84	-13.00	-21.84	V
5152.27	-34.86	13.10	16.32	-38.08	-13.00	-25.08	V
6870.33	-32.00	12.33	21.13	-40.80	-13.00	-27.80	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.79	-34.34	12.90	12.56	-34.00	-13.00	-21.00	H
5196.64	-34.30	13.10	16.32	-37.52	-13.00	-24.52	H
6929.71	-33.50	12.33	21.13	-42.30	-13.00	-29.30	H
3464.79	-35.13	12.90	12.56	-34.79	-13.00	-21.79	V
5196.64	-34.97	13.10	16.32	-38.19	-13.00	-25.19	V
6929.71	-32.09	12.33	21.13	-40.89	-13.00	-27.89	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.36	-34.87	12.90	12.56	-34.53	-13.00	-21.53	H
5241.94	-35.28	13.10	16.32	-38.50	-13.00	-25.50	H
6990.33	-32.69	12.33	21.13	-41.49	-13.00	-28.49	H
3495.36	-35.96	12.90	12.56	-35.62	-13.00	-22.62	V
5241.94	-34.02	13.10	16.32	-37.24	-13.00	-24.24	V
6990.33	-33.17	12.33	21.13	-41.97	-13.00	-28.97	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.31	-34.31	12.90	12.56	-33.97	-13.00	-20.97	H
5159.94	-34.32	13.10	16.32	-37.54	-13.00	-24.54	H
6880.67	-32.52	12.33	21.13	-41.32	-13.00	-28.32	H
3440.31	-36.01	12.90	12.56	-35.67	-13.00	-22.67	V
5159.94	-35.10	13.10	16.32	-38.32	-13.00	-25.32	V
6880.67	-32.05	12.33	21.13	-40.85	-13.00	-27.85	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.72	-33.99	12.90	12.56	-33.65	-13.00	-20.65	H
5196.36	-35.03	13.10	16.32	-38.25	-13.00	-25.25	H
6929.80	-32.43	12.33	21.13	-41.23	-13.00	-28.23	H
3464.72	-34.74	12.90	12.56	-34.40	-13.00	-21.40	V
5196.36	-34.30	13.10	16.32	-37.52	-13.00	-24.52	V
6929.80	-31.80	12.33	21.13	-40.60	-13.00	-27.60	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.33	-33.79	12.90	12.56	-33.45	-13.00	-20.45	H
5235.12	-34.81	13.10	16.32	-38.03	-13.00	-25.03	H
6979.61	-33.47	12.33	21.13	-42.27	-13.00	-29.27	H
3490.33	-34.75	12.90	12.56	-34.41	-13.00	-21.41	V
5235.12	-34.10	13.10	16.32	-37.32	-13.00	-24.32	V
6979.61	-31.79	12.33	21.13	-40.59	-13.00	-27.59	V

LTE Band 5

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.88	-34.16	9.56	9.72	-34.32	-13.00	-21.32	H
2473.40	-34.13	10.50	10.86	-34.49	-13.00	-21.49	H
3298.39	-33.39	12.78	11.57	-32.18	-13.00	-19.18	H
1648.88	-35.71	9.56	9.72	-35.87	-13.00	-22.87	V
2473.40	-33.78	10.50	10.86	-34.14	-13.00	-21.14	V
3298.39	-32.01	12.78	11.57	-30.80	-13.00	-17.80	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.54	-33.88	9.56	9.72	-34.04	-13.00	-21.04	H
2509.18	-34.78	10.50	10.86	-35.14	-13.00	-22.14	H
3345.78	-32.66	12.78	11.57	-31.45	-13.00	-18.45	H
1672.54	-35.11	9.56	9.72	-35.27	-13.00	-22.27	V
2509.18	-34.11	10.50	10.86	-34.47	-13.00	-21.47	V
3345.78	-32.44	12.78	11.57	-31.23	-13.00	-18.23	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.24	-34.18	9.56	9.72	-34.34	-13.00	-21.34	H
2544.54	-34.32	10.50	10.86	-34.68	-13.00	-21.68	H
3392.85	-32.39	12.78	11.57	-31.18	-13.00	-18.18	H
1696.24	-34.53	9.56	9.72	-34.69	-13.00	-21.69	V
2544.54	-34.56	10.50	10.86	-34.92	-13.00	-21.92	V
3392.85	-31.79	12.78	11.57	-30.58	-13.00	-17.58	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.16	-34.46	9.56	9.72	-34.62	-13.00	-21.62	H
2475.98	-34.69	10.50	10.86	-35.05	-13.00	-22.05	H
3301.39	-32.55	12.78	11.57	-31.34	-13.00	-18.34	H
1650.16	-35.12	9.56	9.72	-35.28	-13.00	-22.28	V
2475.98	-35.12	10.50	10.86	-35.48	-13.00	-22.48	V
3301.39	-32.68	12.78	11.57	-31.47	-13.00	-18.47	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.08	-34.06	9.56	9.72	-34.22	-13.00	-21.22	H
2509.03	-34.15	10.50	10.86	-34.51	-13.00	-21.51	H
3345.57	-32.67	12.78	11.57	-31.46	-13.00	-18.46	H
1672.08	-35.79	9.56	9.72	-35.95	-13.00	-22.95	V
2509.03	-34.67	10.50	10.86	-35.03	-13.00	-22.03	V
3345.57	-33.00	12.78	11.57	-31.79	-13.00	-18.79	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.53	-34.55	9.56	9.72	-34.71	-13.00	-21.71	H
2541.90	-34.91	10.50	10.86	-35.27	-13.00	-22.27	H
3389.13	-32.16	12.78	11.57	-30.95	-13.00	-17.95	H
1694.53	-35.69	9.56	9.72	-35.85	-13.00	-22.85	V
2541.90	-34.82	10.50	10.86	-35.18	-13.00	-22.18	V
3389.13	-33.10	12.78	11.57	-31.89	-13.00	-18.89	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.31	-33.86	9.56	9.72	-34.02	-13.00	-21.02	H
2478.53	-35.04	10.50	10.86	-35.40	-13.00	-22.40	H
3305.47	-33.39	12.78	11.57	-32.18	-13.00	-19.18	H
1652.31	-34.93	9.56	9.72	-35.09	-13.00	-22.09	V
2478.53	-35.02	10.50	10.86	-35.38	-13.00	-22.38	V
3305.47	-32.91	12.78	11.57	-31.70	-13.00	-18.70	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.26	-34.47	9.56	9.72	-34.63	-13.00	-21.63	H
2508.91	-35.39	10.50	10.86	-35.75	-13.00	-22.75	H
3345.27	-32.51	12.78	11.57	-31.30	-13.00	-18.30	H
1672.26	-35.77	9.56	9.72	-35.93	-13.00	-22.93	V
2508.91	-34.29	10.50	10.86	-34.65	-13.00	-21.65	V
3345.27	-33.10	12.78	11.57	-31.89	-13.00	-18.89	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.09	-34.39	9.56	9.72	-34.55	-13.00	-21.55	H
2538.68	-34.32	10.50	10.86	-34.68	-13.00	-21.68	H
3385.84	-32.79	12.78	11.57	-31.58	-13.00	-18.58	H
1692.09	-35.04	9.56	9.72	-35.20	-13.00	-22.20	V
2538.68	-33.86	10.50	10.86	-34.22	-13.00	-21.22	V
3385.84	-33.02	12.78	11.57	-31.81	-13.00	-18.81	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.77	-34.02	9.56	9.72	-34.18	-13.00	-21.18	H
2486.28	-34.37	10.50	10.86	-34.73	-13.00	-21.73	H
3315.34	-33.48	12.78	11.57	-32.27	-13.00	-19.27	H
1657.77	-34.92	9.56	9.72	-35.08	-13.00	-22.08	V
2486.28	-34.74	10.50	10.86	-35.10	-13.00	-22.10	V
3315.34	-32.59	12.78	11.57	-31.38	-13.00	-18.38	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.54	-34.50	9.56	9.72	-34.66	-13.00	-21.66	H
2508.66	-35.29	10.50	10.86	-35.65	-13.00	-22.65	H
3345.18	-33.33	12.78	11.57	-32.12	-13.00	-19.12	H
1672.54	-35.68	9.56	9.72	-35.84	-13.00	-22.84	V
2508.66	-35.05	10.50	10.86	-35.41	-13.00	-22.41	V
3345.18	-32.31	12.78	11.57	-31.10	-13.00	-18.10	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.61	-33.54	9.56	9.72	-33.70	-13.00	-20.70	H
2531.47	-35.27	10.50	10.86	-35.63	-13.00	-22.63	H
3375.45	-33.46	12.78	11.57	-32.25	-13.00	-19.25	H
1687.61	-35.93	9.56	9.72	-36.09	-13.00	-23.09	V
2531.47	-34.73	10.50	10.86	-35.09	-13.00	-22.09	V
3375.45	-33.07	12.78	11.57	-31.86	-13.00	-18.86	V

LTE Band 25

LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.33	-33.57	12.60	12.93	-33.90	-13.00	-20.90	H
5552.12	-34.19	13.10	17.11	-38.20	-13.00	-25.20	H
7402.48	-32.34	11.50	22.20	-43.04	-13.00	-30.04	H
3701.33	-35.30	12.60	12.93	-35.63	-13.00	-22.63	V
5552.12	-34.35	13.10	17.11	-38.36	-13.00	-25.36	V
7402.48	-32.81	11.50	22.20	-43.51	-13.00	-30.51	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.81	-34.00	12.60	12.93	-34.33	-13.00	-21.33	H
5640.29	-34.29	13.10	17.11	-38.30	-13.00	-25.30	H
7520.19	-32.82	11.50	22.20	-43.52	-13.00	-30.52	H
3759.81	-35.47	12.60	12.93	-35.80	-13.00	-22.80	V
5640.29	-35.15	13.10	17.11	-39.16	-13.00	-26.16	V
7520.19	-32.52	11.50	22.20	-43.22	-13.00	-30.22	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.40	-34.77	12.60	12.93	-35.10	-13.00	-22.10	H
5727.43	-34.92	13.10	17.11	-38.93	-13.00	-25.93	H
7637.03	-32.68	11.50	22.20	-43.38	-13.00	-30.38	H
3818.40	-35.11	12.60	12.93	-35.44	-13.00	-22.44	V
5727.43	-33.83	13.10	17.11	-37.84	-13.00	-24.84	V
7637.03	-32.51	11.50	22.20	-43.21	-13.00	-30.21	V

LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3703.24	-34.43	12.60	12.93	-34.76	-13.00	-21.76	H
5554.18	-34.02	13.10	17.11	-38.03	-13.00	-25.03	H
7405.68	-32.15	11.50	22.20	-42.85	-13.00	-29.85	H
3703.24	-35.31	12.60	12.93	-35.64	-13.00	-22.64	V
5554.18	-35.11	13.10	17.11	-39.12	-13.00	-26.12	V
7405.68	-32.28	11.50	22.20	-42.98	-13.00	-29.98	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.01	-34.15	12.60	12.93	-34.48	-13.00	-21.48	H
5640.03	-34.49	13.10	17.11	-38.50	-13.00	-25.50	H
7519.95	-32.17	11.50	22.20	-42.87	-13.00	-29.87	H
3760.01	-34.97	12.60	12.93	-35.30	-13.00	-22.30	V
5640.03	-34.60	13.10	17.11	-38.61	-13.00	-25.61	V
7519.95	-32.66	11.50	22.20	-43.36	-13.00	-30.36	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3816.87	-34.12	12.60	12.93	-34.45	-13.00	-21.45	H
5725.21	-35.07	13.10	17.11	-39.08	-13.00	-26.08	H
7634.02	-32.83	11.50	22.20	-43.53	-13.00	-30.53	H
3816.87	-34.62	12.60	12.93	-34.95	-13.00	-21.95	V
5725.21	-33.85	13.10	17.11	-37.86	-13.00	-24.86	V
7634.02	-31.81	11.50	22.20	-42.51	-13.00	-29.51	V

LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.23	-34.02	12.60	12.93	-34.35	-13.00	-21.35	H
5557.26	-34.21	13.10	17.11	-38.22	-13.00	-25.22	H
7410.24	-32.90	11.50	22.20	-43.60	-13.00	-30.60	H
3705.23	-35.58	12.60	12.93	-35.91	-13.00	-22.91	V
5557.26	-35.10	13.10	17.11	-39.11	-13.00	-26.11	V
7410.24	-32.48	11.50	22.20	-43.18	-13.00	-30.18	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.81	-34.28	12.60	12.93	-34.61	-13.00	-21.61	H
5639.93	-34.50	13.10	17.11	-38.51	-13.00	-25.51	H
7520.20	-32.66	11.50	22.20	-43.36	-13.00	-30.36	H
3759.81	-35.33	12.60	12.93	-35.66	-13.00	-22.66	V
5639.93	-34.64	13.10	17.11	-38.65	-13.00	-25.65	V
7520.20	-32.93	11.50	22.20	-43.63	-13.00	-30.63	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3814.96	-34.79	12.60	12.93	-35.12	-13.00	-22.12	H
5722.10	-34.84	13.10	17.11	-38.85	-13.00	-25.85	H
7630.01	-33.16	11.50	22.20	-43.86	-13.00	-30.86	H
3814.96	-35.23	12.60	12.93	-35.56	-13.00	-22.56	V
5722.10	-34.95	13.10	17.11	-38.96	-13.00	-25.96	V
7630.01	-31.76	11.50	22.20	-42.46	-13.00	-29.46	V

LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.34	-34.03	12.60	12.93	-34.36	-13.00	-21.36	H
5565.01	-34.46	13.10	17.11	-38.47	-13.00	-25.47	H
7420.14	-32.36	11.50	22.20	-43.06	-13.00	-30.06	H
3710.34	-35.12	12.60	12.93	-35.45	-13.00	-22.45	V
5565.01	-34.99	13.10	17.11	-39.00	-13.00	-26.00	V
7420.14	-32.51	11.50	22.20	-43.21	-13.00	-30.21	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.20	-33.76	12.60	12.93	-34.09	-13.00	-21.09	H
5640.18	-35.33	13.10	17.11	-39.34	-13.00	-26.34	H
7520.28	-32.90	11.50	22.20	-43.60	-13.00	-30.60	H
3760.20	-34.86	12.60	12.93	-35.19	-13.00	-22.19	V
5640.18	-34.99	13.10	17.11	-39.00	-13.00	-26.00	V
7520.28	-32.67	11.50	22.20	-43.37	-13.00	-30.37	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.11	-33.53	12.60	12.93	-33.86	-13.00	-20.86	H
5714.83	-34.31	13.10	17.11	-38.32	-13.00	-25.32	H
7619.88	-32.52	11.50	22.20	-43.22	-13.00	-30.22	H
3810.11	-35.19	12.60	12.93	-35.52	-13.00	-22.52	V
5714.83	-34.84	13.10	17.11	-38.85	-13.00	-25.85	V
7619.88	-32.04	11.50	22.20	-42.74	-13.00	-29.74	V

LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.96	-34.77	12.60	12.93	-35.10	-13.00	-22.10	H
5572.29	-34.28	13.10	17.11	-38.29	-13.00	-25.29	H
7430.85	-32.46	11.50	22.20	-43.16	-13.00	-30.16	H
3714.96	-36.01	12.60	12.93	-36.34	-13.00	-23.34	V
5572.29	-34.71	13.10	17.11	-38.72	-13.00	-25.72	V
7430.85	-32.46	11.50	22.20	-43.16	-13.00	-30.16	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.97	-34.14	12.60	12.93	-34.47	-13.00	-21.47	H
5640.26	-35.31	13.10	17.11	-39.32	-13.00	-26.32	H
7520.19	-33.48	11.50	22.20	-44.18	-13.00	-31.18	H
3759.97	-34.68	12.60	12.93	-35.01	-13.00	-22.01	V
5640.26	-34.38	13.10	17.11	-38.39	-13.00	-25.39	V
7520.19	-31.75	11.50	22.20	-42.45	-13.00	-29.45	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.00	-34.61	12.60	12.93	-34.94	-13.00	-21.94	H
5707.53	-34.33	13.10	17.11	-38.34	-13.00	-25.34	H
7610.20	-32.91	11.50	22.20	-43.61	-13.00	-30.61	H
3805.00	-34.61	12.60	12.93	-34.94	-13.00	-21.94	V
5707.53	-34.14	13.10	17.11	-38.15	-13.00	-25.15	V
7610.20	-32.20	11.50	22.20	-42.90	-13.00	-29.90	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.27	-34.40	12.60	12.93	-34.73	-13.00	-21.73	H
5580.13	-35.23	13.10	17.11	-39.24	-13.00	-26.24	H
7439.86	-33.01	11.50	22.20	-43.71	-13.00	-30.71	H
3720.27	-34.59	12.60	12.93	-34.92	-13.00	-21.92	V
5580.13	-34.06	13.10	17.11	-38.07	-13.00	-25.07	V
7439.86	-32.03	11.50	22.20	-42.73	-13.00	-29.73	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.16	-34.65	12.60	12.93	-34.98	-13.00	-21.98	H
5639.95	-34.54	13.10	17.11	-38.55	-13.00	-25.55	H
7519.87	-32.34	11.50	22.20	-43.04	-13.00	-30.04	H
3760.16	-34.78	12.60	12.93	-35.11	-13.00	-22.11	V
5639.95	-33.92	13.10	17.11	-37.93	-13.00	-24.93	V
7519.87	-33.02	11.50	22.20	-43.72	-13.00	-30.72	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.12	-33.45	12.60	12.93	-33.78	-13.00	-20.78	H
5700.00	-34.18	13.10	17.11	-38.19	-13.00	-25.19	H
7599.83	-32.47	11.50	22.20	-43.17	-13.00	-30.17	H
3800.12	-36.01	12.60	12.93	-36.34	-13.00	-23.34	V
5700.00	-34.71	13.10	17.11	-38.72	-13.00	-25.72	V
7599.83	-31.95	11.50	22.20	-42.65	-13.00	-29.65	V

LTE Band 26(824-849)

LTE Band 26 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.12	-33.98	9.56	9.72	-34.14	-13.00	-21.14	H
2473.64	-34.28	10.50	10.86	-34.64	-13.00	-21.64	H
3298.90	-32.52	12.78	11.57	-31.31	-13.00	-18.31	H
1649.12	-35.37	9.56	9.72	-35.53	-13.00	-22.53	V
2473.64	-33.84	10.50	10.86	-34.20	-13.00	-21.20	V
3298.90	-33.03	12.78	11.57	-31.82	-13.00	-18.82	V
LTE Band 26 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.01	-34.57	9.56	9.72	-34.73	-13.00	-21.73	H
2508.97	-35.21	10.50	10.86	-35.57	-13.00	-22.57	H
3346.02	-32.37	12.78	11.57	-31.16	-13.00	-18.16	H
1673.01	-35.42	9.56	9.72	-35.58	-13.00	-22.58	V
2508.97	-34.57	10.50	10.86	-34.93	-13.00	-21.93	V
3346.02	-31.85	12.78	11.57	-30.64	-13.00	-17.64	V
LTE Band 26 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.43	-33.67	9.56	9.72	-33.83	-13.00	-20.83	H
2544.50	-35.01	10.50	10.86	-35.37	-13.00	-22.37	H
3393.23	-33.41	12.78	11.57	-32.20	-13.00	-19.20	H
1696.43	-35.69	9.56	9.72	-35.85	-13.00	-22.85	V
2544.50	-35.11	10.50	10.86	-35.47	-13.00	-22.47	V
3393.23	-32.55	12.78	11.57	-31.34	-13.00	-18.34	V

LTE Band 26 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.09	-33.77	9.56	9.72	-33.93	-13.00	-20.93	H
2476.22	-34.95	10.50	10.86	-35.31	-13.00	-22.31	H
3301.71	-33.33	12.78	11.57	-32.12	-13.00	-19.12	H
1651.09	-35.59	9.56	9.72	-35.75	-13.00	-22.75	V
2476.22	-35.10	10.50	10.86	-35.46	-13.00	-22.46	V
3301.71	-32.35	12.78	11.57	-31.14	-13.00	-18.14	V
LTE Band 26 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.26	-34.69	9.56	9.72	-34.85	-13.00	-21.85	H
2509.18	-35.11	10.50	10.86	-35.47	-13.00	-22.47	H
3345.88	-32.85	12.78	11.57	-31.64	-13.00	-18.64	H
1673.26	-34.85	9.56	9.72	-35.01	-13.00	-22.01	V
2509.18	-34.53	10.50	10.86	-34.89	-13.00	-21.89	V
3345.88	-31.83	12.78	11.57	-30.62	-13.00	-17.62	V
LTE Band 26 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.47	-33.86	9.56	9.72	-34.02	-13.00	-21.02	H
2542.02	-35.21	10.50	10.86	-35.57	-13.00	-22.57	H
3390.27	-32.96	12.78	11.57	-31.75	-13.00	-18.75	H
1695.47	-35.28	9.56	9.72	-35.44	-13.00	-22.44	V
2542.02	-34.76	10.50	10.86	-35.12	-13.00	-22.12	V
3390.27	-32.23	12.78	11.57	-31.02	-13.00	-18.02	V

LTE Band 26 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.81	-34.43	9.56	9.72	-34.59	-13.00	-21.59	H
2479.28	-34.84	10.50	10.86	-35.20	-13.00	-22.20	H
3306.69	-32.63	12.78	11.57	-31.42	-13.00	-18.42	H
1652.81	-35.52	9.56	9.72	-35.68	-13.00	-22.68	V
2479.28	-34.81	10.50	10.86	-35.17	-13.00	-22.17	V
3306.69	-31.96	12.78	11.57	-30.75	-13.00	-17.75	V
LTE Band 26 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.95	-34.10	9.56	9.72	-34.26	-13.00	-21.26	H
2509.02	-35.13	10.50	10.86	-35.49	-13.00	-22.49	H
3346.06	-32.64	12.78	11.57	-31.43	-13.00	-18.43	H
1672.95	-34.91	9.56	9.72	-35.07	-13.00	-22.07	V
2509.02	-34.47	10.50	10.86	-34.83	-13.00	-21.83	V
3346.06	-32.77	12.78	11.57	-31.56	-13.00	-18.56	V
LTE Band 26 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.39	-34.51	9.56	9.72	-34.67	-13.00	-21.67	H
2539.06	-35.00	10.50	10.86	-35.36	-13.00	-22.36	H
3386.25	-33.47	12.78	11.57	-32.26	-13.00	-19.26	H
1693.39	-35.26	9.56	9.72	-35.42	-13.00	-22.42	V
2539.06	-34.21	10.50	10.86	-34.57	-13.00	-21.57	V
3386.25	-31.80	12.78	11.57	-30.59	-13.00	-17.59	V

LTE Band 26 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.76	-34.00	9.56	9.72	-34.16	-13.00	-21.16	H
2486.66	-34.72	10.50	10.86	-35.08	-13.00	-22.08	H
3315.56	-32.60	12.78	11.57	-31.39	-13.00	-18.39	H
1657.76	-34.70	9.56	9.72	-34.86	-13.00	-21.86	V
2486.66	-34.08	10.50	10.86	-34.44	-13.00	-21.44	V
3315.56	-32.60	12.78	11.57	-31.39	-13.00	-18.39	V
LTE Band 26 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.10	-33.84	9.56	9.72	-34.00	-13.00	-21.00	H
2508.92	-34.84	10.50	10.86	-35.20	-13.00	-22.20	H
3346.01	-33.11	12.78	11.57	-31.90	-13.00	-18.90	H
1673.10	-35.32	9.56	9.72	-35.48	-13.00	-22.48	V
2508.92	-34.78	10.50	10.86	-35.14	-13.00	-22.14	V
3346.01	-32.38	12.78	11.57	-31.17	-13.00	-18.17	V
LTE Band 26 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1688.38	-34.76	9.56	9.72	-34.92	-13.00	-21.92	H
2532.47	-34.13	10.50	10.86	-34.49	-13.00	-21.49	H
3376.09	-33.17	12.78	11.57	-31.96	-13.00	-18.96	H
1688.38	-34.71	9.56	9.72	-34.87	-13.00	-21.87	V
2532.47	-33.91	10.50	10.86	-34.27	-13.00	-21.27	V
3376.09	-32.37	12.78	11.57	-31.16	-13.00	-18.16	V

LTE Band 26 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.26	-34.41	9.56	9.72	-34.57	-13.00	-21.57	H
2494.31	-33.99	10.50	10.86	-34.35	-13.00	-21.35	H
3325.76	-32.48	12.78	11.57	-31.27	-13.00	-18.27	H
1663.26	-35.25	9.56	9.72	-35.41	-13.00	-22.41	V
2494.31	-35.23	10.50	10.86	-35.59	-13.00	-22.59	V
3325.76	-32.00	12.78	11.57	-30.79	-13.00	-17.79	V
LTE Band 26 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.80	-34.79	9.56	9.72	-34.95	-13.00	-21.95	H
2509.09	-34.78	10.50	10.86	-35.14	-13.00	-22.14	H
3346.24	-33.44	12.78	11.57	-32.23	-13.00	-19.23	H
1672.80	-35.25	9.56	9.72	-35.41	-13.00	-22.41	V
2509.09	-33.82	10.50	10.86	-34.18	-13.00	-21.18	V
3346.24	-31.88	12.78	11.57	-30.67	-13.00	-17.67	V
LTE Band 26 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.35	-33.88	9.56	9.72	-34.04	-13.00	-21.04	H
2524.07	-34.41	10.50	10.86	-34.77	-13.00	-21.77	H
3366.29	-32.27	12.78	11.57	-31.06	-13.00	-18.06	H
1683.35	-35.89	9.56	9.72	-36.05	-13.00	-23.05	V
2524.07	-34.91	10.50	10.86	-35.27	-13.00	-22.27	V
3366.29	-33.05	12.78	11.57	-31.84	-13.00	-18.84	V

LTE Band 66

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3421.43	-33.98	12.90	12.56	-33.64	-13.00	-20.64	H
5131.73	-34.52	13.10	16.32	-37.74	-13.00	-24.74	H
6842.76	-33.09	12.33	21.13	-41.89	-13.00	-28.89	H
3421.43	-35.55	12.90	12.56	-35.21	-13.00	-22.21	V
5131.73	-34.55	13.10	16.32	-37.77	-13.00	-24.77	V
6842.76	-32.73	12.33	21.13	-41.53	-13.00	-28.53	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3489.82	-34.64	12.90	12.56	-34.30	-13.00	-21.30	H
5235.24	-34.92	13.10	16.32	-38.14	-13.00	-25.14	H
6979.90	-32.29	12.33	21.13	-41.09	-13.00	-28.09	H
3489.82	-35.13	12.90	12.56	-34.79	-13.00	-21.79	V
5235.24	-34.41	13.10	16.32	-37.63	-13.00	-24.63	V
6979.90	-32.34	12.33	21.13	-41.14	-13.00	-28.14	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3557.87	-33.45	12.90	12.56	-33.11	-13.00	-20.11	H
5336.79	-35.00	13.10	16.32	-38.22	-13.00	-25.22	H
7117.00	-32.90	12.33	21.13	-41.70	-13.00	-28.70	H
3557.87	-35.99	12.90	12.56	-35.65	-13.00	-22.65	V
5336.79	-34.72	13.10	16.32	-37.94	-13.00	-24.94	V
7117.00	-32.29	12.33	21.13	-41.09	-13.00	-28.09	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3422.86	-34.57	12.90	12.56	-34.23	-13.00	-21.23	H
5134.21	-35.49	13.10	16.32	-38.71	-13.00	-25.71	H
6846.19	-32.98	12.33	21.13	-41.78	-13.00	-28.78	H
3422.86	-34.66	12.90	12.56	-34.32	-13.00	-21.32	V
5134.21	-34.15	13.10	16.32	-37.37	-13.00	-24.37	V
6846.19	-32.50	12.33	21.13	-41.30	-13.00	-28.30	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.09	-34.78	12.90	12.56	-34.44	-13.00	-21.44	H
5234.94	-34.36	13.10	16.32	-37.58	-13.00	-24.58	H
6979.85	-32.63	12.33	21.13	-41.43	-13.00	-28.43	H
3490.09	-35.90	12.90	12.56	-35.56	-13.00	-22.56	V
5234.94	-34.94	13.10	16.32	-38.16	-13.00	-25.16	V
6979.85	-31.78	12.33	21.13	-40.58	-13.00	-27.58	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3556.99	-33.89	12.90	12.56	-33.55	-13.00	-20.55	H
5262.25	-35.38	13.10	16.32	-38.60	-13.00	-25.60	H
7113.81	-32.33	12.33	21.13	-41.13	-13.00	-28.13	H
3556.99	-34.52	12.90	12.56	-34.18	-13.00	-21.18	V
5262.25	-33.96	13.10	16.32	-37.18	-13.00	-24.18	V
7113.81	-32.32	12.33	21.13	-41.12	-13.00	-28.12	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3425.09	-33.71	12.90	12.56	-33.37	-13.00	-20.37	H
5137.40	-34.52	13.10	16.32	-37.74	-13.00	-24.74	H
6850.05	-33.53	12.33	21.13	-42.33	-13.00	-29.33	H
3425.09	-35.46	12.90	12.56	-35.12	-13.00	-22.12	V
5137.40	-34.92	13.10	16.32	-38.14	-13.00	-25.14	V
6850.05	-32.29	12.33	21.13	-41.09	-13.00	-28.09	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3489.84	-34.72	12.90	12.56	-34.38	-13.00	-21.38	H
5234.84	-34.32	13.10	16.32	-37.54	-13.00	-24.54	H
6979.94	-32.79	12.33	21.13	-41.59	-13.00	-28.59	H
3489.84	-34.86	12.90	12.56	-34.52	-13.00	-21.52	V
5234.84	-34.42	13.10	16.32	-37.64	-13.00	-24.64	V
6979.94	-32.35	12.33	21.13	-41.15	-13.00	-28.15	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3557.75	-34.02	12.90	12.56	-33.68	-13.00	-20.68	H
5235.06	-35.22	13.10	16.32	-38.44	-13.00	-25.44	H
7109.78	-33.43	12.33	21.13	-42.23	-13.00	-29.23	H
3557.75	-35.92	12.90	12.56	-35.58	-13.00	-22.58	V
5235.06	-34.75	13.10	16.32	-37.97	-13.00	-24.97	V
7109.78	-31.72	12.33	21.13	-40.52	-13.00	-27.52	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.80	-34.04	12.90	12.56	-33.70	-13.00	-20.70	H
5145.10	-34.84	13.10	16.32	-38.06	-13.00	-25.06	H
6880.11	-32.64	12.33	21.13	-41.44	-13.00	-28.44	H
3429.80	-35.00	12.90	12.56	-34.66	-13.00	-21.66	V
5145.10	-33.92	13.10	16.32	-37.14	-13.00	-24.14	V
6880.11	-32.15	12.33	21.13	-40.95	-13.00	-27.95	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.17	-33.64	12.90	12.56	-33.30	-13.00	-20.30	H
5234.90	-34.74	13.10	16.32	-37.96	-13.00	-24.96	H
6979.93	-32.67	12.33	21.13	-41.47	-13.00	-28.47	H
3490.17	-35.87	12.90	12.56	-35.53	-13.00	-22.53	V
5234.90	-34.04	13.10	16.32	-37.26	-13.00	-24.26	V
6979.93	-31.90	12.33	21.13	-40.70	-13.00	-27.70	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.81	-34.37	12.90	12.56	-34.03	-13.00	-21.03	H
5235.39	-34.19	13.10	16.32	-37.41	-13.00	-24.41	H
7100.12	-32.76	12.33	21.13	-41.56	-13.00	-28.56	H
3550.81	-35.83	12.90	12.56	-35.49	-13.00	-22.49	V
5235.39	-34.21	13.10	16.32	-37.43	-13.00	-24.43	V
7100.12	-32.30	12.33	21.13	-41.10	-13.00	-28.10	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3434.84	-33.89	12.90	12.56	-33.55	-13.00	-20.55	H
5152.43	-34.24	13.10	16.32	-37.46	-13.00	-24.46	H
6869.96	-32.91	12.33	21.13	-41.71	-13.00	-28.71	H
3434.84	-35.66	12.90	12.56	-35.32	-13.00	-22.32	V
5152.43	-34.59	13.10	16.32	-37.81	-13.00	-24.81	V
6869.96	-33.09	12.33	21.13	-41.89	-13.00	-28.89	V
LTE Band 66 /15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3490.07	-34.30	12.90	12.56	-33.96	-13.00	-20.96	H
5235.10	-34.19	13.10	16.32	-37.41	-13.00	-24.41	H
6979.93	-33.59	12.33	21.13	-42.39	-13.00	-29.39	H
3490.07	-35.97	12.90	12.56	-35.63	-13.00	-22.63	V
5235.10	-34.45	13.10	16.32	-37.67	-13.00	-24.67	V
6979.93	-31.87	12.33	21.13	-40.67	-13.00	-27.67	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3544.76	-33.57	12.90	12.56	-33.23	-13.00	-20.23	H
5332.38	-34.16	13.10	16.32	-37.38	-13.00	-24.38	H
7090.22	-33.11	12.33	21.13	-41.91	-13.00	-28.91	H
3544.76	-34.54	12.90	12.56	-34.20	-13.00	-21.20	V
5332.38	-34.99	13.10	16.32	-38.21	-13.00	-25.21	V
7090.22	-32.94	12.33	21.13	-41.74	-13.00	-28.74	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.10	-34.73	12.90	12.56	-34.39	-13.00	-21.39	H
5159.89	-34.56	13.10	16.32	-37.78	-13.00	-24.78	H
6880.03	-32.39	12.33	21.13	-41.19	-13.00	-28.19	H
3440.10	-34.88	12.90	12.56	-34.54	-13.00	-21.54	V
5159.89	-35.05	13.10	16.32	-38.27	-13.00	-25.27	V
6880.03	-33.05	12.33	21.13	-41.85	-13.00	-28.85	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.08	-33.52	12.90	12.56	-33.18	-13.00	-20.18	H
5235.26	-34.48	13.10	16.32	-37.70	-13.00	-24.70	H
6980.00	-33.64	12.33	21.13	-42.44	-13.00	-29.44	H
3490.08	-35.76	12.90	12.56	-35.42	-13.00	-22.42	V
5235.26	-33.77	13.10	16.32	-36.99	-13.00	-23.99	V
6980.00	-33.12	12.33	21.13	-41.92	-13.00	-28.92	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0 / The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.20	-34.61	12.90	12.56	-34.27	-13.00	-21.27	H
5309.88	-34.40	13.10	16.32	-37.62	-13.00	-24.62	H
7080.91	-33.31	12.33	21.13	-42.11	-13.00	-29.11	H
3540.20	-35.75	12.90	12.56	-35.41	-13.00	-22.41	V
5309.88	-35.14	13.10	16.32	-38.36	-13.00	-25.36	V
7080.91	-33.09	12.33	21.13	-41.89	-13.00	-28.89	V

*****END OF APPENDIX B*****

Appendix C _ Test Setup

Conducted for RF




Radiated Emissions for 9kHz~30MHz




Radiated Emissions for 30MHz~1GHz



Radiated Emissions for 1GHz~18GHz



Radiated Emissions for above 18GHz



*****END OF APPENDIX C*****