

RF EXPOSURE REPORT

OF

Applicant: GadgeTek Inc.
7F.-5,NO.369,FUXING N.RD.,SONGSHAN DIST.,TAIPEI CITY
10541,TAIWAN

Product Name: Wireless Charging

Brand Name: GTI

Model No.: GWD901C

Model Difference: N/A

Report Number: T190313W11-RP

FCC ID 2AT5G-GWD901C

FCC Rule Part Part 2.1091

Issue Date: Aug. 08, 2019

Date of Test: May 23, 2019 ~ Aug. 01, 2019

Date of EUT Received: May 23, 2019

Issued by Compliance Certification Services Inc. Wugu Lab.
No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891,
Taiwan. (R.O.C.)
service@ccsrf.com

Note: The test Result was tested by Compliance Certification Services Inc. The test data, data evaluation, test procedures, and equipment configurations shown in this report were given in ANSI C63.10: 2013 and compliance standards. The test results of this report relate only to the tested sample (EUT) identified in this report.

The test Report of full or partial shall not copy. Without written approval of Compliance Certification Services Inc. (Wugu Laboratory).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Tested By: _____
Henry Chiang / EngineerApproved By: _____
Kevin Tsai / Deputy Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

| Report Number | Revision | Description | Effected Page | Issue Date | Revised By |
|---------------|----------|------------------------------|---------------|---------------|------------|
| T190313W11-MF | Rev.00 | Initial creation of document | All | Aug. 08, 2019 | Elle Chang |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1 MAXIMUM PERMISSIBLE EXPOSURE (MPE)

1.1 Standard Applicable

According to §1.1307(b)(1) and , systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

According to §1.1310 and §2.1093 RF exposure is calculated.

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

FCC KDB 680106 D01 RF Exposure Wireless Charging App v03

1.2 Limits for Maximum Permissive Exposure (MPE)

| Frequency Range (MHz) | Electric Field Strength(E) (V/m) | Magnetic Field Strength(H) (A/m) | Power Density (mW/cm ²) | Averaging Time (minute) |
|---|----------------------------------|----------------------------------|-------------------------------------|-------------------------|
| Limits for Occupational / Controlled Exposure | | | | |
| 0.3-3.0 | 614 | 1.63 | *(100) | 6 |
| 3.0-30 | 1842/f | 4.89/f | *(900/f ²) | 6 |
| 30-300 | 61.4 | 0.163 | 1.0 | 6 |
| 300-1500 | / | / | F/300 | 6 |
| 1500-15000 | / | / | 5 | 6 |
| Frequency Range (MHz) | Electric Field Strength(E) (V/m) | Magnetic Field Strength(H) (A/m) | Power Density (mW/cm ²) | Averaging Time (minute) |
| Limits for General Population/Uncontrolled Exposure | | | | |
| 0.3-1.34 | 614 | 1.63 | *(100) | 30 |
| 1.34-30 | 824/f | 2.19/f | *(180/f ²) | 30 |
| 30-300 | 27.5 | 0.073 | 0.2 | 30 |
| 300-1500 | / | / | F/1500 | 30 |
| 1500-15000 | / | / | 1.0 | 30 |

F = frequency in MHz

* = Plane-wave equipment power density

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.3 Equipment Used in Tested System

| Item | Equipment | Mfr/Brand | Model /Type No. | Series No. | Data Cable | Power Cord |
|------|-----------|-----------|-----------------|------------|------------|------------|
| 1. | NA | --- | --- | --- | --- | --- |

1.4 The Worst Charging Condition:

| Ancillary Equipment | Charging Condition | Verdict |
|---------------------|--------------------|---------|
| Load | Full Loading | PASS |
| Load | 99% Loading | PASS |
| Load | 90% Loading | PASS |
| Load | 50% Loading | PASS |
| Load | 10% Loading | PASS |
| Load | 1% Loading | PASS |

Note: For Wireless Power Consortium Qi specification, a lower operating frequency or high duty cycle result in the transfer of a higher amount of power and charging current.

1.5 Measurement Procedure:

1. For devices designed for typical desktop applications, such a wireless charging pads, RF exposure evaluation should be conducted assuming a user separation distance of 10 cm, 15 cm and 20 cm. E and H field strength measurements or numerical modeling may be used to demonstrate compliance. Measurements should be made from all sides and the top of the primary/client pair, with the 10 cm, 15 cm and 20 cm measured from the center of the probe(s) to the edge of the device. Emissions between 100 kHz to 300 kHz should be assessed versus the limits at 300 kHz in Table 1 of Section 1.1310: 614 V/m and 1.63 A/m.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6 Measurement Equipment Used:

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|-----------------------|-------|--------------|---------------|------------|------------|
| BROADBAND FIELD METER | NARDA | NBM-520 | D-0924 | 2018/10/26 | 2019/10/26 |

1.7 Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.8 Maximum Permissible Exposure (MPE) Evaluation:

Ambient temperature: 24.6°C Relative humidity: 62% Test Date: 07/29/2019

Full Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 10 cm | 0.31 | 0.0069 |
| Back | 10 cm | 0.34 | 0.0033 |
| Left | 10 cm | 0.33 | 0.0068 |
| Right | 10 cm | 0.3 | 0.0095 |
| Top | 10 cm | 0.15 | 0.0075 |
| Bottom | 10 cm | 0.35 | 0.0062 |
| Limit | | 614 | 0.815 |

99% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 10 cm | 0.26 | 0.0087 |
| Back | 10 cm | 0.23 | 0.0038 |
| Left | 10 cm | 0.24 | 0.0045 |
| Right | 10 cm | 0.36 | 0.0095 |
| Top | 10 cm | 0.22 | 0.0060 |
| Bottom | 10 cm | 0.19 | 0.0063 |
| Limit | | 614 | 0.815 |

90% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 10 cm | 0.33 | 0.0060 |
| Back | 10 cm | 0.18 | 0.0036 |
| Left | 10 cm | 0.32 | 0.0041 |
| Right | 10 cm | 0.37 | 0.0074 |
| Top | 10 cm | 0.21 | 0.0073 |
| Bottom | 10 cm | 0.31 | 0.0040 |
| Limit | | 614 | 0.815 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

50% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 10 cm | 0.24 | 0.0055 |
| Back | 10 cm | 0.24 | 0.0064 |
| Left | 10 cm | 0.25 | 0.0049 |
| Right | 10 cm | 0.31 | 0.0082 |
| Top | 10 cm | 0.19 | 0.0068 |
| Bottom | 10 cm | 0.27 | 0.0065 |
| Limit | | 614 | 0.815 |

10% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 10 cm | 0.32 | 0.0077 |
| Back | 10 cm | 0.35 | 0.0071 |
| Left | 10 cm | 0.19 | 0.0065 |
| Right | 10 cm | 0.33 | 0.0093 |
| Top | 10 cm | 0.24 | 0.0045 |
| Bottom | 10 cm | 0.21 | 0.0038 |
| Limit | | 614 | 0.815 |

1% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 10 cm | 0.34 | 0.0072 |
| Back | 10 cm | 0.26 | 0.0046 |
| Left | 10 cm | 0.32 | 0.0055 |
| Right | 10 cm | 0.39 | 0.0069 |
| Top | 10 cm | 0.11 | 0.0077 |
| Bottom | 10 cm | 0.34 | 0.0065 |
| Limit | | 614 | 0.815 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Full Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 15 cm | 0.31 | 0.0032 |
| Back | 15 cm | 0.26 | 0.0022 |
| Left | 15 cm | 0.22 | 0.0045 |
| Right | 15 cm | 0.2 | 0.0086 |
| Top | 15 cm | 0.1 | 0.0032 |
| Bottom | 15 cm | 0.31 | 0.0017 |
| Limit | | 614 | 0.815 |

99% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 15 cm | 0.23 | 0.0068 |
| Back | 15 cm | 0.19 | 0.0036 |
| Left | 15 cm | 0.22 | 0.0036 |
| Right | 15 cm | 0.29 | 0.0069 |
| Top | 15 cm | 0.17 | 0.0036 |
| Bottom | 15 cm | 0.13 | 0.0032 |
| Limit | | 614 | 0.815 |

90% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 15 cm | 0.13 | 0.0038 |
| Back | 15 cm | 0.19 | 0.0034 |
| Left | 15 cm | 0.32 | 0.0016 |
| Right | 15 cm | 0.26 | 0.0067 |
| Top | 15 cm | 0.15 | 0.0055 |
| Bottom | 15 cm | 0.2 | 0.0013 |
| Limit | | 614 | 0.815 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



50% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 15 cm | 0.17 | 0.0052 |
| Back | 15 cm | 0.22 | 0.0047 |
| Left | 15 cm | 0.24 | 0.0042 |
| Right | 15 cm | 0.3 | 0.0050 |
| Top | 15 cm | 0.15 | 0.0041 |
| Bottom | 15 cm | 0.24 | 0.0024 |
| Limit | | 614 | 0.815 |

10% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 15 cm | 0.18 | 0.0057 |
| Back | 15 cm | 0.27 | 0.0034 |
| Left | 15 cm | 0.12 | 0.0031 |
| Right | 15 cm | 0.24 | 0.0071 |
| Top | 15 cm | 0.14 | 0.0041 |
| Bottom | 15 cm | 0.2 | 0.0022 |
| Limit | | 614 | 0.815 |

1% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 15 cm | 0.19 | 0.0041 |
| Back | 15 cm | 0.25 | 0.0026 |
| Left | 15 cm | 0.27 | 0.0014 |
| Right | 15 cm | 0.29 | 0.0062 |
| Top | 15 cm | 0.12 | 0.0049 |
| Bottom | 15 cm | 0.21 | 0.0044 |
| Limit | | 614 | 0.815 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Full Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 20 cm | 0.09 | 0.0028 |
| Back | 20 cm | 0.22 | 0.0018 |
| Left | 20 cm | 0.09 | 0.0013 |
| Right | 20 cm | 0.2 | 0.0066 |
| Top | 20 cm | 0.05 | 0.0026 |
| Bottom | 20 cm | 0.3 | 0.0015 |
| Limit | | 614 | 0.815 |

99% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 20 cm | 0.15 | 0.0045 |
| Back | 20 cm | 0.21 | 0.0010 |
| Left | 20 cm | 0.12 | 0.0030 |
| Right | 20 cm | 0.21 | 0.0044 |
| Top | 20 cm | 0.14 | 0.0037 |
| Bottom | 20 cm | 0.13 | 0.0014 |
| Limit | | 614 | 0.815 |

90% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 20 cm | 0.13 | 0.0023 |
| Back | 20 cm | 0.13 | 0.0010 |
| Left | 20 cm | 0.18 | 0.0014 |
| Right | 20 cm | 0.24 | 0.0058 |
| Top | 20 cm | 0.08 | 0.0023 |
| Bottom | 20 cm | 0.16 | 0.0019 |
| Limit | | 614 | 0.815 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

50% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 20 cm | 0.12 | 0.0025 |
| Back | 20 cm | 0.13 | 0.0024 |
| Left | 20 cm | 0.16 | 0.0016 |
| Right | 20 cm | 0.13 | 0.0035 |
| Top | 20 cm | 0.11 | 0.0033 |
| Bottom | 20 cm | 0.21 | 0.0015 |
| Limit | | 614 | 0.815 |

10% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 20 cm | 0.14 | 0.0053 |
| Back | 20 cm | 0.16 | 0.0017 |
| Left | 20 cm | 0.11 | 0.0016 |
| Right | 20 cm | 0.21 | 0.0031 |
| Top | 20 cm | 0.08 | 0.0030 |
| Bottom | 20 cm | 0.12 | 0.0025 |
| Limit | | 614 | 0.815 |

1% Loading

| Maximum Permissible Exposure | | | |
|------------------------------|---------------|------|--------|
| Probe from EUT Side | Test Distance | V/m | A/m |
| Front | 20 cm | 0.18 | 0.0019 |
| Back | 20 cm | 0.23 | 0.0023 |
| Left | 20 cm | 0.21 | 0.0014 |
| Right | 20 cm | 0.26 | 0.0056 |
| Top | 20 cm | 0.09 | 0.0029 |
| Bottom | 20 cm | 0.19 | 0.0019 |
| Limit | | 614 | 0.815 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.