

# Revenue Sensor

*REV-GB • Revenue sensor for installation at the POS*



The revenue sensor can fetch receipts printed at the POS. There is no need to change the cash register neither the pos-printer.

The sensor acquires power and internet access via ethernet cable. The sensor is connected to the cash register and the pos-printer.

The printed receipt will be sent to the sensalytics revenue engine. The revenue engine structures the receipt and stores analysable data.

## REV-GB/U USB Version

### Requirements

- Usb port at an external pos printer
- Installation of the switch between the cash register and pos printer
- Power port
- Access to the internet via ethernet (check firewall settings at the last page)


### Pack List

- 1 x Box
- 1 x power adapter for box
- 1 x Mini-USB to USB A cable
- 1 x ethernet cable

## Installation instructions


1. Print a receipt, before installing the box for making sure the printing process works
2. Shut down the printer

Only proceed if receipt printing was successful




3. Unplug the usb cable from the cash register.


4. Plug in the cable into the usb-port labeled with "Printer" at the box



5. Connect the attached usb-cable at the cash registers usb-port and on the other side with the box using the "Cash Register" port




6. Connect box via Ethernet cable with dhcp-enabled router



## 7. Plug the power supply into the box



## 8. Turn on the printer



## 9. Print a receipt to make sure the process is not interrupted

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference
2. This device must accept any interference received, including interference that may cause undesired operation

Changes or modifications to this equipment not expressly approved in writing by PPA15 GmbH could violate compliance with FCC rules and void the user's authority to operate the equipment

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.