



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 1 of 61

Applicant : Shanghai HUVITZ Co., Ltd.
Address of Applicant : Building 1, No. 150, Renjie Road, Fengxian, Shanghai

Product Name : Automatic Visual Acuity Tester
Model No. : CDC-1,SB-404
Brand Name : CHAROPS, Specsavers
Sample No. : E21120035-02#01
E21120035-03#01

FCC ID : 2AT8E-CDC1

Standards : FCC CFR47 Part 15, Subpart C

Date of Receipt : 2021-12-10
Date of Test : 2021-12-10 ~ 2022-03-08
Date of Issue : 2022-03-08

Remark:

This report details the results of the testing carried out on one sample, the results contained in this report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

Prepared by:

Erik Yang

(Erik Yang)

Reviewed by:

Jennifer Zhou

(Jennifer Zhou)

Approved by:

Guoyou Chi

(Authorized signatory: Guoyou Chi)





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 2 of 61

Contents

1	GENERAL INFORMATION.....	3
1.1	TESTING LABORATORY.....	3
1.2	DETAILS OF APPLICATION.....	3
1.3	DETAILS OF EUT.....	3
1.4	TEST METHODOLOGY.....	4
1.5	TEST SUMMARY.....	4
2	TEST CONDITION.....	5
2.1	ENVIRONMENTAL CONDITIONS.....	5
2.2	EQUIPMENT LIST.....	5
2.3	MEASUREMENT UNCERTAINTY.....	5
3	TEST SET-UP AND OPERATION MODES.....	6
3.1	DETAILS OF TEST MODE.....	6
3.2	SPECIAL ACCESSORIES AND AUXILIARY EQUIPMENT.....	7
3.3	SUPPORT SOFTWARE.....	7
3.4	TEST SETUP DIAGRAM.....	8
4	TEST RESULTS.....	10
4.1	TRANSMITTER REQUIREMENT & TEST SUITES.....	10
4.1.1	<i>Antenna Requirement</i>	10
4.1.2	<i>Peak Output Power</i>	11
4.1.3	<i>6dB Bandwidth</i>	12
4.1.4	<i>Power Spectral Density</i>	19
4.1.5	<i>Conducted Spurious Emission & Authorized-band band-edge</i>	26
4.1.6	<i>Radiated Spurious Emission</i>	49
4.1.7	<i>Band Edge (Restricted-band band-edge)</i>	50
4.2	MAINS EMISSIONS.....	51
4.2.1	<i>Conducted Emission on AC Mains</i>	51
5	APPENDIXES.....	54
5.1	PHOTOGRAPHS OF THE SAMPLE.....	54
5.2	SET-UP FOR CONDUCTED EMISSIONS.....	57
5.3	SET-UP FOR CONDUCTED RF TEST AT ANTENNA PORT.....	58
5.4	SET-UP FOR SPURIOUS EMISSIONS BELOW 1GHZ.....	58
5.5	SET-UP FOR SPURIOUS EMISSIONS ABOVE 1GHZ.....	59



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 3 of 61

1 General Information

1.1 Testing Laboratory

Company Name	ICAS Testing Technology Service (Shanghai) Co., Ltd.
Address	No.1298, Pingan Road, Minhang District, Shanghai, China
Telephone	0086 21-51682999
Fax	0086 21-54711112
Homepage	www.icasiso.com

1.2 Details of Application

Applicant Company Name	Shanghai HUVITZ Co., Ltd.
Address	Building 1, No. 150, Renjie Road, Fengxian, Shanghai
Contact Person	Jiaqiang.zhuo
Telephone	18621890304
Email	jiaqiang.zhuo@aliyun.com
Manufacturer Company Name	Shanghai HUVITZ Co., Ltd.
Address	Building 1, No. 150, Renjie Road, Fengxian, Shanghai
Factory Company Name	Shanghai HUVITZ Co., Ltd.
Address	Building 1, No. 150, Renjie Road, Fengxian, Shanghai

1.3 Details of EUT

Product Name	Automatic Visual Acuity Tester
Test Model No.Brand Name	CHAROPS
Series Model No. Brand Name	Specsavers
Test Model No.	CDC-1
Series Model No.	SB-404
Difference Description	The difference between models is for different market sale, the other (hardware and software) was the same as before.
FCC ID	2AT8E-CDC1
Mode of Operation	WLAN 802.11b/g/n(HT20/40)
Frequency Range	2400MHz ~ 2483.5MHz
Channel Separation	5 MHz
Modulation Type	DSSS, OFDM
Antenna Type	Internal Antenna
Antenna Gain	2dBi
Test Voltage	DC 12V 5A by adapter (which received AC 100-240V 50/60Hz power)
Hardware version	V100A



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 4 of 61

Software version	V1.0.0
Test SW Version	BL410_R; BL410_E
RF power setting in TEST SW	Linux operation Command

1.4 Test Methodology

47 CFR Part 15, Subpart C	Miscellaneous Wireless Communications Services
KDB Publication 558074 D01 v05r02	15.247 Meas Guidance.
ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

Note(s):

All test items were verified and recorded according to the standards and without any addition/deviation/exclusion during the test.

1.5 Test Summary

Test Item	FCC Rules	Requirement	Result
Antenna Requirement	FCC Part 15.247(b)(4), Part 15.203	FCC Part 15.247(b)(4), Part 15.203	PASS
Peak Output Power	FCC Part 15.247(b)(3)	ANSI C63.10-2013, Clause 11.9.1 KDB 558074 D01 v05r02, Clause 8.3.1	PASS
6dB Bandwidth	FCC Part 15.247(a)(2)	ANSI C63.10-2013, Clause 11.8.1 KDB 558074 D01 v05r02, Clause 8.2	PASS
Power Spectral Density	FCC Part 15.247(e)	ANSI C63.10-2013, Clause 11.10.2 KDB 558074 D01 v05r02, Clause 8.4	PASS
Conducted Spurious Emission & Authorized-band band-edge	FCC Part 15.247(d)	ANSI C63.10-2013, Clause 11.11.1(a) KDB 558074 D01 v05r02, Clause 8.5	PASS
Radiated Spurious Emission	FCC Part 15.247(d), 15.205, 15.209	ANSI C63.10-2013, Clause 11.12 KDB 558074 D01 v05r02, Clause 8.6	PASS
Band Edge (Restricted-band band-edge)	FCC Part 15.247(d), 15.205, 15.209	ANSI C63.10-2013, Clause 11.13 KDB 558074 D01 v05r02, Clause 8.7	PASS
Conducted Emission on AC Mains	FCC Part 15.207(a)	ANSI C63.10-2013, Clause 6.2	PASS



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 5 of 61

2 Test Condition

2.1 Environmental conditions

Temperature (°C)	18-25
Humidity (%RH)	40-65
Barometric Pressure (mbar)	960-1060

2.2 Equipment List

Name of Equipment	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due Date
Spectrum Analyzer	Keysight	N9020B	MY59260184	2021-08-17	2022-08-16
Spectrum Analyzer	Rohde & Schwarz	FSV40N	101450	2021-06-10	2022-06-09
EMI Test Receiver	Rohde & Schwarz	ESPI3	100173	2021-06-10	2022-06-09
EMI Test Receiver	Rohde & Schwarz	ESR 7	101911	2021-06-10	2022-06-09
V-network	SCHWARZBECK	NSLK 8127	8127-902	2021-06-10	2022-06-09
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	100687	2021-08-13	2022-08-12
Broadband Antenna	SCHWARZBECK	VULB9163	9163-1037	2021-06-08	2022-06-07
Horn Antenna-18G	SCHWARZBECK	BBHA9120D	9120D-1775	2021-06-08	2022-06-07
Loop Antenna	SCHWARZBECK	FMZB 1513	N/A	2020-11-23	2022-11-22
Horn Antenna-40G	YINGLIAN	LB-180400-KF	N/A	2021-06-12	2022-06-11
EMC chamber 9*6*6 (L*W*H)	CHANGNING	966	N/A	2020-06-09	2023-06-08
Shielded Enclosure 8*5*4 (L*W*H)	CHANGNING	854	N/A	2020-06-09	2023-06-08
Test Software	BL	BL410_E	N/A	N/A	N/A
Test Software	BL	BL410_R	N/A	N/A	N/A

2.3 Measurement Uncertainty

Parameter	Frequency	Uncertainty
Antenna Port Conducted Emission	< 1GHz	± 1.5 dB
	> 1GHz	± 1.5 dB
Radiated Emission	30 MHz – 1 GHz	± 3.42 dB
	> 1GHz	± 4.20 dB
Conducted Emission on AC Mains	9 kHz to 30 MHz	± 1.71 dB



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 6 of 61

3 Test Set-up and Operation Modes

3.1 Details of Test Mode

Using test software (Linux operation Command) was control EUT work in continuous transmitter and receiver mode.
Select test channel as below:

For 802.11b/g/n (HT20)

Channel	Frequency
The lowest channel(CH1)	2412MHz
The middle channel(CH6)	2437MHz
The highest channel(CH11)	2462MHz

For 802.11n(HT40)

Channel	Frequency
The lowest channel(CH3)	2422MHz
The middle channel(CH6)	2437MHz
The highest channel(CH9)	2452MHz

Through Pre-scan under all rate at lowest channel, the data rate as below table described is the worst case, so we choose these data rate for test.

Type	Data rate
802.11b	1Mbps
802.11g	6Mbps
802.11n(20M)	MCS7
802.11n(40M)	MCS7

The basic operation modes are:

- A. On
 - 1. WLAN mode
 - a. Transmitting
 - i. Low Channel
 - ii. Middle Channel
 - iii. High Channel
 - b. Receiving
- B. Standby
- C. Off



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 7 of 61

3.2 Special Accessories and Auxiliary Equipment

Description	Manufacturer	Model No.	Serial No.
Power Adapter	DELTA ELECTRONICS, INC.	MEA-065A12C	N/A
Keyboard	DELL	KB216P	N/A

3.3 Support Software

Description	Manufacturer	Software Name
Command	N/A	N/A



TEST REPORT


Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 8 of 61


3.4 Test Setup Diagram

Diagram of Measurement Configuration for Radiation Test



Note: Measurements above 1GHz are done with a table height of 1.5m. In addition, there is RF absorbing material on the floor of the test site for above 1GHz measurement.

Diagram of Measurement Equipment Configuration for Conduction Measurement






TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 9 of 61

Diagram of Measurement Equipment Configuration for Transmitter Measurement





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 10 of 61

4 Test Results

4.1 Transmitter Requirement & Test Suites

4.1.1 Antenna Requirement

RESULT:

PASS

Test standard : FCC Part 15.247(b)(4), Part 15.203

Requirement : The use of approved antennas only with directional gains that do not exceed 6dBi

According to the manufacturer declaration, the EUT has an antenna with a directional gain of 2dBi. The antenna is an Internal antenna with no possibility of replacement with a non-approved antenna by the end-user.

Therefore, the EUT is considered to comply with this provision.



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 11 of 61

4.1.2 Peak Output Power

RESULT:

PASS

Test standard : FCC Part 15.247(b)(3)

Requirement : ANSI C63.10-2013, Clause 11.9.1
KDB 558074 D01 v05r02, Clause 8.3.1

Kind of test site : Shielded room

Test setup

Test Channel : Low/Middle/High

Operation Mode : A.1.a

Ambient temperature : 19°C

Relative humidity : 53%

Table 1: Peak Output Power

Test Mode	Test Channel (MHz)	Measured Peak Power		Limit (W)
		(dBm)	(mW)	
802.11b	2412	14.96	31.33	≤1
	2437	14.93	31.12	
	2462	14.77	29.99	
802.11g	2412	11.26	13.37	
	2437	12.32	17.06	
	2462	10.69	11.72	
802.11n(HT20)	2412	11.15	13.03	
	2437	11.47	14.03	
	2462	10.87	12.22	
802.11n(HT40)	2422	9.51	8.93	
	2437	10.02	10.05	
	2452	9.03	8.00	



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 12 of 61

4.1.3 6dB Bandwidth

RESULT:

PASS

Test standard : FCC Part 15.247(a)(2)

Requirement : ANSI C63.10-2013, Clause 11.8.1
KDB 558074 D01 v05r02, Clause 8.2

Kind of test site : Shielded room

Test setup

Test Channel : Low/Middle/High

Operation Mode : A.1.a

Ambient temperature : 25°C

Relative humidity : 52%

Table 2: 6dB Bandwidth

Test Mode	Test Channel (MHz)	6dB Bandwidth (MHz)	6 dB Bandwidth Limit (MHz)
802.11b	2412	10.04	≥0.5
	2437	9.62	
	2462	10.09	
802.11g	2412	14.17	
	2437	14.41	
	2462	12.51	
802.11n(HT20)	2412	13.87	
	2437	16.34	
	2462	15.82	
802.11n(HT40)	2422	35.10	
	2437	32.65	
	2452	33.75	



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 13 of 61

Figure 1: 6dB Bandwidth, 802.11b, 2412MHz





Figure 2: 6dB Bandwidth, 802.11b, 2437MHz





TEST REPORT

Report No.: SHE21120035-02AE


Date: 2022-03-08

Page 14 of 61

Figure 3: 6dB Bandwidth, 802.11b, 2462MHz



Figure 4: 6dB Bandwidth, 802.11g, 2412MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 15 of 61

Figure 5: 6dB Bandwidth, 802.11g, 2437MHz



Figure 6: 6dB Bandwidth, 802.11g, 2462MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 16 of 61

Figure 7: 6dB Bandwidth, 802.11n(HT20), 2412MHz




Figure 8: 6dB Bandwidth, 802.11n(HT20), 2437MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 17 of 61

Figure 9: 6dB Bandwidth, 802.11n(HT20), 2462MHz





Figure 10: 6dB Bandwidth, 802.11n(HT40), 2422MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 18 of 61

Figure 11: 6dB Bandwidth, 802.11n(HT40), 2437MHz





Figure 12: 6dB Bandwidth, 802.11n(HT40), 2452MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 19 of 61

4.1.4 Power Spectral Density

RESULT:

PASS

Test standard : FCC Part 15.247(e)
Requirement : ANSI C63.10-2013, Clause 11.10.2
KDB 558074 D01 v05r02, Clause 8.4
Kind of test site : Shielded room

Test setup

Test Channel : Low/Middle/High
Operation Mode : A.1.a
Ambient temperature : 25°C
Relative humidity : 52%

Table 3: Power Spectral Density

Test Mode	Test Channel (MHz)	Measured Result (dBm/3kHz)	Limit (dBm/3kHz)
802.11b	2412	-8.79	≤8
	2437	-8.66	
	2462	-8.45	
802.11g	2412	-14.44	
	2437	-11.96	
	2462	-14.41	
802.11n(HT20)	2412	-15.24	
	2437	-14.47	
	2462	-14.45	
802.11n(HT40)	2422	-18.45	
	2437	-19.42	
	2452	-20.51	



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 20 of 61

Figure 13: Power Spectral Density, 802.11b, 2412MHz



Figure 14: Power Spectral Density, 802.11b, 2437MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 21 of 61

Figure 15: Power Spectral Density, 802.11b, 2462MHz





Figure 16: Power Spectral Density, 802.11g, 2412MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 22 of 61

Figure 17: Power Spectral Density, 802.11g, 2437MHz





Figure 18: Power Spectral Density, 802.11g, 2462MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 23 of 61

Figure 19: Power Spectral Density, 802.11n(HT20), 2412MHz





Figure 20: Power Spectral Density, 802.11n(HT20), 2437MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 24 of 61

Figure 21: Power Spectral Density, 802.11n(HT20), 2462MHz




Figure 22: Power Spectral Density, 802.11n(HT40), 2422MHz





TEST REPORT

Report No.: SHE21120035-02AE


Date: 2022-03-08

Page 25 of 61

Figure 23: Power Spectral Density, 802.11n(HT40), 2437MHz



Figure 24: Power Spectral Density, 802.11n(HT40), 2452MHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 26 of 61

4.1.5 Conducted Spurious Emission & Authorized-band band-edge

RESULT:

PASS

Test standard : FCC Part 15.247(d), 15.209
Requirement : ANSI C63.10-2013, Clause 11.11.1(a)
KDB 558074 D01 v05r02, Clause 8.5
Kind of test site : Shielded room

Test setup

Test Channel : Low/Middle/High for spurious, Low/High for Band
Edge
Operation Mode : A.1.a
Ambient temperature : 25°C
Relative humidity : 52%

For details refer to following test plot.



TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 27 of 61

Figure 25: Conducted Spurious Emission & Authorized-band band-edge, 802.11b, 2412MHz Carrier Level



Band Edge






TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 28 of 61

Conducted spurious emissions 30MHz-25GHz





TEST REPORT

Report No.: SHE21120035-02AE


Date: 2022-03-08

Page 29 of 61

Figure 26: Conducted Spurious Emission & Authorized-band band-edge, 802.11b, 2437MHz Carrier Level



Conducted spurious emissions 30MHz-25GHz





TEST REPORT

Report No.: SHE21120035-02AE

Date: 2022-03-08

Page 30 of 61

