

Appendix R

Test Information:

Sample No.:	35QJ-2	Test Date:	2025/08/03~2025/08/04
Test Site:	RF	Test Mode:	Transmitting
Tester:	Usain Ou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.2-26.1	Relative Humidity: (%)	51-57	ATM Pressure: (kPa)	99.9-100.1
-----------------------------	-----------	----------------------------------	-------	-------------------------------	------------

Frequency stability vs. temperature & Frequency stability vs. voltage Compliance

FCC For 90S

LTE B26_1

Mode	Environment	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
			(Hz)	(ppm)		
15MHz_QPSK_75@0	TN/VN	821.5	-7.7	-0.009	±2.5	Pass
15MHz_16QAM_75@0		821.5	-5.8	-0.007	±2.5	Pass
15MHz_QPSK_75@0	TN/VH	821.5	-2.44	-0.003	±2.5	Pass
15MHz_16QAM_75@0		821.5	3.63	0.004	±2.5	Pass
15MHz_QPSK_75@0	TN/VL	821.5	-0.42	-0.001	±2.5	Pass
15MHz_16QAM_75@0		821.5	-7.66	-0.009	±2.5	Pass
15MHz_QPSK_75@0	T1/VN	821.5	-2.46	-0.003	±2.5	Pass
15MHz_16QAM_75@0		821.5	-2.93	-0.004	±2.5	Pass
15MHz_QPSK_75@0	T2/VN	821.5	0.91	0.001	±2.5	Pass
15MHz_16QAM_75@0		821.5	-7.93	-0.010	±2.5	Pass
15MHz_QPSK_75@0	T3/VN	821.5	1.53	0.002	±2.5	Pass
15MHz_16QAM_75@0		821.5	2.3	0.003	±2.5	Pass
15MHz_QPSK_75@0	T4/VN	821.5	1.41	0.002	±2.5	Pass
15MHz_16QAM_75@0		821.5	-4.08	-0.005	±2.5	Pass
15MHz_QPSK_75@0	T5/VN	821.5	0.71	0.001	±2.5	Pass
15MHz_16QAM_75@0		821.5	-1.89	-0.002	±2.5	Pass
15MHz_QPSK_75@0	T6/VN	821.5	2.33	0.003	±2.5	Pass
15MHz_16QAM_75@0		821.5	1.31	0.002	±2.5	Pass
15MHz_QPSK_75@0	T7/VN	821.5	1.87	0.002	±2.5	Pass
15MHz_16QAM_75@0		821.5	-1.7	-0.002	±2.5	Pass
15MHz_QPSK_75@0	T8/VN	821.5	-3.92	-0.005	±2.5	Pass
15MHz_16QAM_75@0		821.5	1.43	0.002	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

LTE B26_3

Mode	Environment	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
			(Hz)	(ppm)		
15MHz_QPSK_75@0	TN/VN	824	-9.12	-0.011	±2.5	Pass
15MHz_16QAM_75@0		824	-8.11	-0.010	±2.5	Pass
15MHz_QPSK_75@0	TN/VH	824	-2.54	-0.003	±2.5	Pass
15MHz_16QAM_75@0		824	-7.23	-0.009	±2.5	Pass
15MHz_QPSK_75@0	TN/VL	824	-1.96	-0.002	±2.5	Pass
15MHz_16QAM_75@0		824	-8.64	-0.010	±2.5	Pass
15MHz_QPSK_75@0	T1/VN	824	4.55	0.006	±2.5	Pass
15MHz_16QAM_75@0		824	-2.15	-0.003	±2.5	Pass
15MHz_QPSK_75@0	T2/VN	824	-7.56	-0.009	±2.5	Pass
15MHz_16QAM_75@0		824	-0.26	0.000	±2.5	Pass
15MHz_QPSK_75@0	T3/VN	824	9.68	0.012	±2.5	Pass
15MHz_16QAM_75@0		824	6.36	0.008	±2.5	Pass
15MHz_QPSK_75@0	T4/VN	824	-4.05	-0.005	±2.5	Pass
15MHz_16QAM_75@0		824	-4.28	-0.005	±2.5	Pass
15MHz_QPSK_75@0	T5/VN	824	-6.91	-0.008	±2.5	Pass
15MHz_16QAM_75@0		824	1.37	0.002	±2.5	Pass
15MHz_QPSK_75@0	T6/VN	824	1.18	0.001	±2.5	Pass
15MHz_16QAM_75@0		824	-8.93	-0.011	±2.5	Pass
15MHz_QPSK_75@0	T7/VN	824	-2.78	-0.003	±2.5	Pass
15MHz_16QAM_75@0		824	-1.67	-0.002	±2.5	Pass
15MHz_QPSK_75@0	T8/VN	824	-9.54	-0.012	±2.5	Pass
15MHz_16QAM_75@0		824	-4.17	-0.005	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

FCC Part 22H

LTE Band 5

Mode	Environment	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
			(Hz)	(ppm)		
10MHz_QPSK_50@0	TN/VN	836.5	-3.9	-0.005	±2.5	Pass
10MHz_16QAM_50@0		836.5	-6.6	-0.008	±2.5	Pass
10MHz_QPSK_50@0	TN/VH	836.5	-2.79	-0.003	±2.5	Pass
10MHz_16QAM_50@0		836.5	2.59	0.003	±2.5	Pass
10MHz_QPSK_50@0	TN/VL	836.5	-2.82	-0.003	±2.5	Pass
10MHz_16QAM_50@0		836.5	-1.67	-0.002	±2.5	Pass
10MHz_QPSK_50@0	T1/VN	836.5	7.01	0.008	±2.5	Pass
10MHz_16QAM_50@0		836.5	-7.58	-0.009	±2.5	Pass
10MHz_QPSK_50@0	T2/VN	836.5	-6.07	-0.007	±2.5	Pass
10MHz_16QAM_50@0		836.5	0.98	0.001	±2.5	Pass
10MHz_QPSK_50@0	T3/VN	836.5	2.2	0.003	±2.5	Pass
10MHz_16QAM_50@0		836.5	-1.15	-0.001	±2.5	Pass
10MHz_QPSK_50@0	T4/VN	836.5	3.27	0.004	±2.5	Pass
10MHz_16QAM_50@0		836.5	0.64	0.001	±2.5	Pass
10MHz_QPSK_50@0	T5/VN	836.5	6.68	0.008	±2.5	Pass
10MHz_16QAM_50@0		836.5	0.9	0.001	±2.5	Pass
10MHz_QPSK_50@0	T6/VN	836.5	-3.49	-0.004	±2.5	Pass
10MHz_16QAM_50@0		836.5	-4.94	-0.006	±2.5	Pass
10MHz_QPSK_50@0	T7/VN	836.5	3.25	0.004	±2.5	Pass
10MHz_16QAM_50@0		836.5	5.49	0.007	±2.5	Pass
10MHz_QPSK_50@0	T8/VN	836.5	7.14	0.009	±2.5	Pass
10MHz_16QAM_50@0		836.5	6.45	0.008	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

LTE B26_2

Mode	Environment	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
			(Hz)	(ppm)		
15MHz_QPSK_75@0	TN/VN	836.5	-5.1	-0.006	±2.5	Pass
15MHz_16QAM_75@0		836.5	-4.3	-0.005	±2.5	Pass
15MHz_QPSK_75@0	TN/VH	836.5	-6.25	-0.007	±2.5	Pass
15MHz_16QAM_75@0		836.5	2.19	0.003	±2.5	Pass
15MHz_QPSK_75@0	TN/VL	836.5	-6.3	-0.008	±2.5	Pass
15MHz_16QAM_75@0		836.5	1.8	0.002	±2.5	Pass
15MHz_QPSK_75@0	T1/VN	836.5	2.88	0.003	±2.5	Pass
15MHz_16QAM_75@0		836.5	-4.01	-0.005	±2.5	Pass
15MHz_QPSK_75@0	T2/VN	836.5	-4.03	-0.005	±2.5	Pass
15MHz_16QAM_75@0		836.5	1.93	0.002	±2.5	Pass
15MHz_QPSK_75@0	T3/VN	836.5	-3.99	-0.005	±2.5	Pass
15MHz_16QAM_75@0		836.5	2.93	0.004	±2.5	Pass
15MHz_QPSK_75@0	T4/VN	836.5	4.08	0.005	±2.5	Pass
15MHz_16QAM_75@0		836.5	4.81	0.006	±2.5	Pass
15MHz_QPSK_75@0	T5/VN	836.5	6.93	0.008	±2.5	Pass
15MHz_16QAM_75@0		836.5	-2.06	-0.002	±2.5	Pass
15MHz_QPSK_75@0	T6/VN	836.5	7.24	0.009	±2.5	Pass
15MHz_16QAM_75@0		836.5	-0.54	-0.001	±2.5	Pass
15MHz_QPSK_75@0	T7/VN	836.5	5.37	0.006	±2.5	Pass
15MHz_16QAM_75@0		836.5	2.26	0.003	±2.5	Pass
15MHz_QPSK_75@0	T8/VN	836.5	-3.44	-0.004	±2.5	Pass
15MHz_16QAM_75@0		836.5	3.41	0.004	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

FCC Part 24E

LTE Band 2

Mode	Environment	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	TN/VN	1851.069	1908.931	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.129	1908.931	1850 ~ 1910	Pass
20MHz_QPSK_100@0	TN/VH	1851.032	1908.970	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.115	1908.843	1850 ~ 1910	Pass
20MHz_QPSK_100@0	TN/VL	1851.187	1908.878	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.030	1908.869	1850 ~ 1910	Pass
20MHz_QPSK_100@0	T1/VN	1851.041	1908.874	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.098	1908.835	1850 ~ 1910	Pass
20MHz_QPSK_100@0	T2/VN	1851.128	1908.992	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.101	1908.948	1850 ~ 1910	Pass
20MHz_QPSK_100@0	T3/VN	1851.171	1908.987	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.169	1908.922	1850 ~ 1910	Pass
20MHz_QPSK_100@0	T4/VN	1851.142	1908.810	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.061	1908.899	1850 ~ 1910	Pass
20MHz_QPSK_100@0	T5/VN	1851.013	1908.927	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.099	1908.910	1850 ~ 1910	Pass
20MHz_QPSK_100@0	T6/VN	1851.114	1908.945	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.090	1908.991	1850 ~ 1910	Pass
20MHz_QPSK_100@0	T7/VN	1851.153	1908.861	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.062	1908.932	1850 ~ 1910	Pass
20MHz_QPSK_100@0	T8/VN	1851.088	1908.929	1850 ~ 1910	Pass
20MHz_16QAM_100@0		1851.113	1908.824	1850 ~ 1910	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

FCC Part 27

LTE Band 4

Mode	Environment	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	TN/VN	1711.100	1753.832	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.074	1753.896	1710 ~ 1755	Pass
20MHz_QPSK_100@0	TN/VH	1711.067	1753.842	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.098	1753.916	1710 ~ 1755	Pass
20MHz_QPSK_100@0	TN/VL	1711.028	1753.890	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.183	1753.995	1710 ~ 1755	Pass
20MHz_QPSK_100@0	T1/VN	1711.193	1753.955	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.102	1753.884	1710 ~ 1755	Pass
20MHz_QPSK_100@0	T2/VN	1711.040	1753.868	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.090	1753.913	1710 ~ 1755	Pass
20MHz_QPSK_100@0	T3/VN	1711.185	1753.826	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.098	1753.863	1710 ~ 1755	Pass
20MHz_QPSK_100@0	T4/VN	1711.071	1753.812	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.178	1753.881	1710 ~ 1755	Pass
20MHz_QPSK_100@0	T5/VN	1711.024	1753.815	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.176	1753.811	1710 ~ 1755	Pass
20MHz_QPSK_100@0	T6/VN	1711.100	1753.952	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.056	1753.800	1710 ~ 1755	Pass
20MHz_QPSK_100@0	T7/VN	1711.112	1753.946	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.100	1753.900	1710 ~ 1755	Pass
20MHz_QPSK_100@0	T8/VN	1711.101	1753.890	1710 ~ 1755	Pass
20MHz_16QAM_100@0		1711.051	1753.825	1710 ~ 1755	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

LTE Band 7

Mode	Environment	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	TN/VN	2501.076	2568.921	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.196	2568.832	2500 ~ 2570	Pass
20MHz_QPSK_100@0	TN/VH	2501.099	2568.864	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.107	2568.826	2500 ~ 2570	Pass
20MHz_QPSK_100@0	TN/VL	2501.059	2568.973	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.106	2568.885	2500 ~ 2570	Pass
20MHz_QPSK_100@0	T1/VN	2501.110	2568.871	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.137	2568.883	2500 ~ 2570	Pass
20MHz_QPSK_100@0	T2/VN	2501.150	2568.900	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.133	2568.976	2500 ~ 2570	Pass
20MHz_QPSK_100@0	T3/VN	2501.038	2568.792	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.034	2568.856	2500 ~ 2570	Pass
20MHz_QPSK_100@0	T4/VN	2501.101	2568.958	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.171	2568.849	2500 ~ 2570	Pass
20MHz_QPSK_100@0	T5/VN	2501.013	2568.909	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.032	2568.901	2500 ~ 2570	Pass
20MHz_QPSK_100@0	T6/VN	2501.136	2568.975	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.113	2568.880	2500 ~ 2570	Pass
20MHz_QPSK_100@0	T7/VN	2501.143	2568.830	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.128	2568.842	2500 ~ 2570	Pass
20MHz_QPSK_100@0	T8/VN	2501.089	2568.872	2500 ~ 2570	Pass
20MHz_16QAM_100@0		2501.117	2568.838	2500 ~ 2570	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

LTE Band 12

Mode	Environment	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	TN/VN	699.649	715.416	699 ~ 716	Pass
10MHz_16QAM_50@0		699.516	715.554	699 ~ 716	Pass
10MHz_QPSK_50@0	TN/VH	699.613	715.450	699 ~ 716	Pass
10MHz_16QAM_50@0		699.583	715.540	699 ~ 716	Pass
10MHz_QPSK_50@0	TN/VL	699.657	715.531	699 ~ 716	Pass
10MHz_16QAM_50@0		699.562	715.490	699 ~ 716	Pass
10MHz_QPSK_50@0	T1/VN	699.637	715.583	699 ~ 716	Pass
10MHz_16QAM_50@0		699.520	715.418	699 ~ 716	Pass
10MHz_QPSK_50@0	T2/VN	699.557	715.570	699 ~ 716	Pass
10MHz_16QAM_50@0		699.645	715.556	699 ~ 716	Pass
10MHz_QPSK_50@0	T3/VN	699.644	715.467	699 ~ 716	Pass
10MHz_16QAM_50@0		699.584	715.456	699 ~ 716	Pass
10MHz_QPSK_50@0	T4/VN	699.610	715.421	699 ~ 716	Pass
10MHz_16QAM_50@0		699.520	715.547	699 ~ 716	Pass
10MHz_QPSK_50@0	T5/VN	699.598	715.497	699 ~ 716	Pass
10MHz_16QAM_50@0		699.687	715.556	699 ~ 716	Pass
10MHz_QPSK_50@0	T6/VN	699.668	715.595	699 ~ 716	Pass
10MHz_16QAM_50@0		699.582	715.564	699 ~ 716	Pass
10MHz_QPSK_50@0	T7/VN	699.639	715.510	699 ~ 716	Pass
10MHz_16QAM_50@0		699.510	715.432	699 ~ 716	Pass
10MHz_QPSK_50@0	T8/VN	699.690	715.501	699 ~ 716	Pass
10MHz_16QAM_50@0		699.608	715.575	699 ~ 716	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

LTE Band 13, TN/VN

Mode	Environment	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	TN/VN	777.606	786.407	777 ~ 787	Pass
10MHz_16QAM_50@0		777.527	786.534	777 ~ 787	Pass
10MHz_QPSK_50@0	TN/VH	777.535	786.561	777 ~ 787	Pass
10MHz_16QAM_50@0		777.651	786.456	777 ~ 787	Pass
10MHz_QPSK_50@0	TN/VL	777.585	786.485	777 ~ 787	Pass
10MHz_16QAM_50@0		777.676	786.532	777 ~ 787	Pass
10MHz_QPSK_50@0	T1/VN	777.626	786.469	777 ~ 787	Pass
10MHz_16QAM_50@0		777.521	786.559	777 ~ 787	Pass
10MHz_QPSK_50@0	T2/VN	777.671	786.545	777 ~ 787	Pass
10MHz_16QAM_50@0		777.506	786.565	777 ~ 787	Pass
10MHz_QPSK_50@0	T3/VN	777.523	786.534	777 ~ 787	Pass
10MHz_16QAM_50@0		777.586	786.410	777 ~ 787	Pass
10MHz_QPSK_50@0	T4/VN	777.538	786.417	777 ~ 787	Pass
10MHz_16QAM_50@0		777.587	786.501	777 ~ 787	Pass
10MHz_QPSK_50@0	T5/VN	777.532	786.460	777 ~ 787	Pass
10MHz_16QAM_50@0		777.620	786.409	777 ~ 787	Pass
10MHz_QPSK_50@0	T6/VN	777.524	786.502	777 ~ 787	Pass
10MHz_16QAM_50@0		777.641	786.472	777 ~ 787	Pass
10MHz_QPSK_50@0	T7/VN	777.640	786.412	777 ~ 787	Pass
10MHz_16QAM_50@0		777.510	786.434	777 ~ 787	Pass
10MHz_QPSK_50@0	T8/VN	777.622	786.583	777 ~ 787	Pass
10MHz_16QAM_50@0		777.650	786.448	777 ~ 787	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

LTE Band 17

Mode	Environment	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	TN/VN	704.693	715.502	704 ~ 716	Pass
10MHz_16QAM_50@0		704.611	715.416	704 ~ 716	Pass
10MHz_QPSK_50@0	TN/VH	704.609	715.592	704 ~ 716	Pass
10MHz_16QAM_50@0		704.651	715.567	704 ~ 716	Pass
10MHz_QPSK_50@0	TN/VL	704.643	715.521	704 ~ 716	Pass
10MHz_16QAM_50@0		704.558	715.528	704 ~ 716	Pass
10MHz_QPSK_50@0	T1/VN	704.521	715.483	704 ~ 716	Pass
10MHz_16QAM_50@0		704.638	715.511	704 ~ 716	Pass
10MHz_QPSK_50@0	T2/VN	704.525	715.582	704 ~ 716	Pass
10MHz_16QAM_50@0		704.553	715.503	704 ~ 716	Pass
10MHz_QPSK_50@0	T3/VN	704.569	715.449	704 ~ 716	Pass
10MHz_16QAM_50@0		704.617	715.481	704 ~ 716	Pass
10MHz_QPSK_50@0	T4/VN	704.607	715.502	704 ~ 716	Pass
10MHz_16QAM_50@0		704.526	715.469	704 ~ 716	Pass
10MHz_QPSK_50@0	T5/VN	704.662	715.413	704 ~ 716	Pass
10MHz_16QAM_50@0		704.559	715.532	704 ~ 716	Pass
10MHz_QPSK_50@0	T6/VN	704.549	715.413	704 ~ 716	Pass
10MHz_16QAM_50@0		704.508	715.499	704 ~ 716	Pass
10MHz_QPSK_50@0	T7/VN	704.675	715.549	704 ~ 716	Pass
10MHz_16QAM_50@0		704.560	715.592	704 ~ 716	Pass
10MHz_QPSK_50@0	T8/VN	704.604	715.428	704 ~ 716	Pass
10MHz_16QAM_50@0		704.698	715.561	704 ~ 716	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.85V; VL: 3.25V; VH: 4.4V.

***** **END** *****