


























Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.687
NVNT	a	5200	Ant1	16.633
NVNT	a	5240	Ant1	16.369
NVNT	a	5180	Ant2	16.51
NVNT	a	5200	Ant2	16.534
NVNT	a	5240	Ant2	16.471
NVNT	n20	5180	Ant1	17.884
NVNT	n20	5200	Ant1	17.713
NVNT	n20	5240	Ant1	17.521
NVNT	n20	5180	Ant2	17.722
NVNT	n20	5200	Ant2	17.698
NVNT	n20	5240	Ant2	17.557
NVNT	n40	5190	Ant1	36.338
NVNT	n40	5230	Ant1	36.092
NVNT	n40	5190	Ant2	36.38
NVNT	n40	5230	Ant2	36.122
NVNT	ac20	5180	Ant1	17.926
NVNT	ac20	5200	Ant1	17.662
NVNT	ac20	5240	Ant1	17.593
NVNT	ac20	5180	Ant2	17.671
NVNT	ac20	5200	Ant2	17.743
NVNT	ac20	5240	Ant2	17.578
NVNT	ac40	5190	Ant1	36.296
NVNT	ac40	5230	Ant1	36.116
NVNT	ac40	5190	Ant2	36.296
NVNT	ac40	5230	Ant2	36.116
NVNT	ac80	5210	Ant1	75.892
NVNT	ac80	5210	Ant2	75.892
NVNT	ax20	5180	Ant1	18.877
NVNT	ax20	5200	Ant1	18.904
NVNT	ax20	5240	Ant1	18.859
NVNT	ax20	5180	Ant2	18.928
NVNT	ax20	5200	Ant2	18.952
NVNT	ax20	5240	Ant2	18.838
NVNT	ax40	5190	Ant1	37.694
NVNT	ax40	5230	Ant1	37.526
NVNT	ax40	5190	Ant2	37.682
NVNT	ax40	5230	Ant2	37.562
NVNT	ax80	5210	Ant1	77.392
NVNT	ax80	5210	Ant2	77.428


Test Graphs


OBW NVNT a 5180MHz Ant1





OBW NVNT a 5200MHz Ant1


























































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-8.21	0.47	-7.74	11	Pass
NVNT	a	5200	Ant1	-5.67	0.45	-5.22	11	Pass
NVNT	a	5240	Ant1	-7.03	0.44	-6.59	11	Pass
NVNT	a	5180	Ant2	-6.08	0.49	-5.59	11	Pass
NVNT	a	5200	Ant2	-7.66	0.45	-7.21	11	Pass
NVNT	a	5240	Ant2	-7.06	0.45	-6.61	11	Pass
NVNT	n20	5180	Ant1	-7.81	0.5	-7.31	11	Pass
NVNT	n20	5200	Ant1	-8.05	0.48	-7.57	11	Pass
NVNT	n20	5240	Ant1	-7.28	0.47	-6.81	11	Pass
NVNT	n20	5180	Ant2	-8.63	0.51	-8.12	11	Pass
NVNT	n20	5200	Ant2	-7.17	0.47	-6.7	11	Pass
NVNT	n20	5240	Ant2	-8.48	0.48	-8	11	Pass
NVNT	n40	5190	Ant1	-12.53	0.93	-11.6	11	Pass
NVNT	n40	5230	Ant1	-14.03	0.89	-13.14	11	Pass
NVNT	n40	5190	Ant2	-14.87	0.92	-13.95	11	Pass
NVNT	n40	5230	Ant2	-15.42	0.89	-14.53	11	Pass
NVNT	ac20	5180	Ant1	-8.73	0.5	-8.23	11	Pass
NVNT	ac20	5200	Ant1	-8.46	0.48	-7.98	11	Pass
NVNT	ac20	5240	Ant1	-7.9	0.47	-7.43	11	Pass
NVNT	ac20	5180	Ant2	-8.31	0.5	-7.81	11	Pass
NVNT	ac20	5200	Ant2	-7.95	0.47	-7.48	11	Pass
NVNT	ac20	5240	Ant2	-7.78	0.47	-7.31	11	Pass
NVNT	ac40	5190	Ant1	-12.96	0.92	-12.04	11	Pass
NVNT	ac40	5230	Ant1	-14.66	0.94	-13.72	11	Pass
NVNT	ac40	5190	Ant2	-11.56	0.91	-10.65	11	Pass
NVNT	ac40	5230	Ant2	-13.27	0.89	-12.38	11	Pass
NVNT	ac80	5210	Ant1	-20.37	1.74	-18.63	11	Pass
NVNT	ac80	5210	Ant2	-22.76	1.65	-21.11	11	Pass
NVNT	ax20	5180	Ant1	-9.4	0.62	-8.78	11	Pass
NVNT	ax20	5200	Ant1	-10.07	0.59	-9.48	11	Pass
NVNT	ax20	5240	Ant1	-10.4	0.6	-9.8	11	Pass
NVNT	ax20	5180	Ant2	-9.46	0.63	-8.83	11	Pass
NVNT	ax20	5200	Ant2	-10.41	0.6	-9.81	11	Pass
NVNT	ax20	5240	Ant2	-11.26	0.59	-10.67	11	Pass
NVNT	ax40	5190	Ant1	-15	1.1	-13.9	11	Pass
NVNT	ax40	5230	Ant1	-9.16	1.06	-8.1	11	Pass
NVNT	ax40	5190	Ant2	-13.54	1.1	-12.44	11	Pass
NVNT	ax40	5230	Ant2	-15.34	1.06	-14.28	11	Pass
NVNT	ax80	5210	Ant1	-20.28	1.83	-18.45	11	Pass
NVNT	ax80	5210	Ant2	-20.83	1.84	-18.99	11	Pass

Test Graphs

PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1

