


































































3. Maximum Conducted Output Power



3.1 Test Result



Test Mode	Frequency (MHz)	Tx Type	Measured Output Power (dBm)	Limit (dBm)	Verdict
			Ant 1		
802.11a	5180	SISO	4.56	≤23.98	PASS
	5200	SISO	3.93	≤23.98	PASS
	5240	SISO	4.52	≤23.98	PASS
	5260	SISO	4.56	≤23.98	PASS
	5300	SISO	3.97	≤23.98	PASS
	5320	SISO	3.61	≤23.98	PASS
	5500	SISO	3.78	≤23.98	PASS
	5580	SISO	4.86	≤23.98	PASS
	5600	SISO	3.28	≤23.98	PASS
	5700	SISO	4.41	≤23.98	PASS
	5745	SISO	4.49	≤30.00	PASS
	5785	SISO	4.16	≤30.00	PASS
	5825	SISO	4.97	≤30.00	PASS
802.11n(HT20)	5180	SISO	4.72	≤23.98	PASS
	5200	SISO	4.63	≤23.98	PASS
	5240	SISO	4.78	≤23.98	PASS
	5260	SISO	4.45	≤23.98	PASS
	5300	SISO	3.72	≤23.98	PASS
	5320	SISO	4.19	≤23.98	PASS
	5500	SISO	3.56	≤23.98	PASS
	5580	SISO	4.67	≤23.98	PASS
	5600	SISO	3.13	≤23.98	PASS
	5700	SISO	5.02	≤23.98	PASS
	5745	SISO	3.81	≤30.00	PASS
	5785	SISO	3.18	≤30.00	PASS
	5825	SISO	5.09	≤30.00	PASS
802.11n(HT40)	5190	SISO	3.49	≤23.98	PASS
	5230	SISO	4.17	≤23.98	PASS
	5270	SISO	3.95	≤23.98	PASS
	5310	SISO	3.98	≤23.98	PASS
	5510	SISO	4.67	≤23.98	PASS
	5550	SISO	3.98	≤23.98	PASS
	5590	SISO	4.78	≤23.98	PASS
	5670	SISO	4.67	≤23.98	PASS
	5755	SISO	3.74	≤30.00	PASS
	5795	SISO	4.68	≤30.00	PASS
802.11ac(VHT20)	5180	SISO	4.42	≤23.98	PASS
	5200	SISO	4.38	≤23.98	PASS
	5240	SISO	4.52	≤23.98	PASS
	5260	SISO	4.68	≤23.98	PASS
	5300	SISO	3.11	≤23.98	PASS
	5320	SISO	4.49	≤23.98	PASS
	5500	SISO	2.95	≤23.98	PASS
	5580	SISO	3.70	≤23.98	PASS
	5600	SISO	4.42	≤23.98	PASS
	5700	SISO	4.81	≤23.98	PASS
	5745	SISO	3.78	≤30.00	PASS
	5785	SISO	3.93	≤30.00	PASS
	5825	SISO	4.19	≤30.00	PASS
802.11ac(VHT40)	5190	SISO	1.04	≤23.98	PASS



	5230	SISO	3.02	≤ 23.98	PASS
	5270	SISO	2.59	≤ 23.98	PASS
	5310	SISO	3.00	≤ 23.98	PASS
	5510	SISO	4.73	≤ 23.98	PASS
	5550	SISO	4.72	≤ 23.98	PASS
	5590	SISO	3.56	≤ 23.98	PASS
	5670	SISO	4.72	≤ 23.98	PASS
	5755	SISO	4.23	≤ 30.00	PASS
802.11ac(VHT80)	5795	SISO	4.51	≤ 30.00	PASS
	5210	SISO	3.46	≤ 23.98	PASS
	5290	SISO	3.91	≤ 23.98	PASS
	5530	SISO	4.70	≤ 23.98	PASS
	5610	SISO	3.93	≤ 23.98	PASS
	5775	SISO	4.66	≤ 30.00	PASS



3.2 Test Graph










































































































4. Maximum Power Spectral Density (PSD)



4.1 Test Result



Test Mode	Frequency (MHz)	Tx Type	Maximum Power Spectral Density (dBm/MHz)	Limits (dBm/MHz)	Verdict
			Ant 1		
802.11a	5180	SISO	-6.59	≤ 11	PASS
	5200	SISO	-7.29	≤ 11	PASS
	5240	SISO	-6.65	≤ 11	PASS
	5260	SISO	-6.86	≤ 11	PASS
	5300	SISO	-7.16	≤ 11	PASS
	5320	SISO	-7.47	≤ 11	PASS
	5500	SISO	-7.29	≤ 11	PASS
	5580	SISO	-6.26	≤ 11	PASS
	5600	SISO	-7.81	≤ 11	PASS
802.11n(HT20)	5700	SISO	-3.57	≤ 11	PASS
	5180	SISO	-6.52	≤ 11	PASS
	5200	SISO	-6.66	≤ 11	PASS
	5240	SISO	-6.66	≤ 11	PASS
	5260	SISO	-6.91	≤ 11	PASS
	5300	SISO	-7.67	≤ 11	PASS
	5320	SISO	-7.18	≤ 11	PASS
	5500	SISO	-7.69	≤ 11	PASS
	5580	SISO	-6.72	≤ 11	PASS
802.11n(HT40)	5600	SISO	-8.19	≤ 11	PASS
	5700	SISO	-6.11	≤ 11	PASS
	5190	SISO	-11.10	≤ 11	PASS



	5230	SISO	-10.57	≤11	PASS
	5270	SISO	-10.85	≤11	PASS
	5310	SISO	-10.69	≤11	PASS
	5510	SISO	-9.79	≤11	PASS
	5550	SISO	-10.33	≤11	PASS
	5590	SISO	-9.79	≤11	PASS
802.11ac(VHT20)	5670	SISO	-9.96	≤11	PASS
	5180	SISO	-7.01	≤11	PASS
	5200	SISO	-7.10	≤11	PASS
	5240	SISO	-7.11	≤11	PASS
	5260	SISO	-6.84	≤11	PASS
	5300	SISO	-8.45	≤11	PASS
	5320	SISO	-7.00	≤11	PASS
	5500	SISO	-8.15	≤11	PASS
	5580	SISO	-7.52	≤11	PASS
	5600	SISO	-6.47	≤11	PASS
802.11ac(VHT40)	5700	SISO	-6.28	≤11	PASS
	5190	SISO	-6.04	≤11	PASS
	5230	SISO	-4.61	≤11	PASS
	5270	SISO	-4.93	≤11	PASS
	5310	SISO	-5.21	≤11	PASS
	5510	SISO	-9.32	≤11	PASS
	5550	SISO	-9.35	≤11	PASS
	5590	SISO	-10.64	≤11	PASS
802.11ac(VHT80)	5670	SISO	-9.79	≤11	PASS
	5210	SISO	-12.58	≤11	PASS
	5290	SISO	-12.51	≤11	PASS
	5530	SISO	-11.55	≤11	PASS
	5610	SISO	-11.92	≤11	PASS



Test Mode	Frequency (MHz)	Tx Type	Maximum Power Spectral Density (dBm/500kHz)	Limits (dBm/500kHz)	Verdict
			Ant 1		
802.11a	5745	SISO	-8.80	≤30	PASS
	5785	SISO	-8.81	≤30	PASS
	5825	SISO	-8.31	≤30	PASS
802.11n(HT20)	5745	SISO	-9.50	≤30	PASS
	5785	SISO	-10.14	≤30	PASS
	5825	SISO	-8.27	≤30	PASS
802.11n(HT40)	5755	SISO	-13.73	≤30	PASS
	5795	SISO	-12.53	≤30	PASS
802.11ac(VHT20)	5745	SISO	-8.98	≤30	PASS
	5785	SISO	-9.19	≤30	PASS
	5825	SISO	-8.92	≤30	PASS
802.11ac(VHT40)	5755	SISO	-13.17	≤30	PASS
	5795	SISO	-12.82	≤30	PASS
802.11ac(VHT80)	5775	SISO	-14.06	≤30	PASS



4.2 Test Graph




















































































































5. Frequency Stability

5.1 Test Result

Test Condition	Test Mode	Test Frequency [MHz]	Ant	Result [ppm]	Limit [ppm]	Verdict
NTNV	802.11a	5180	1	-4.10	<=20	PASS
		5200	1	-3.85	<=20	PASS
		5240	1	-3.82	<=20	PASS
		5260	1	-7.6	<=20	PASS
		5300	1	-3.77	<=20	PASS
		5320	1	-3.76	<=20	PASS
		5500	1	-7.27	<=20	PASS
		5580	1	-3.58	<=20	PASS
		5600	1	-7.14	<=20	PASS
		5700	1	-3.51	<=20	PASS
		5745	1	-6.96	<=20	PASS
		5785	1	-3.46	<=20	PASS
		5825	1	-6.87	<=20	PASS
	802.11n	5190	1	-3.26	<=20	PASS
		5230	1	-7.65	<=20	PASS
		5270	1	-7.59	<=20	PASS
		5310	1	-7.53	<=20	PASS
		5510	1	-3.68	<=20	PASS
		5550	1	-7.21	<=20	PASS
		5590	1	-7.16	<=20	PASS
		5670	1	-7.05	<=20	PASS
		5755	1	-6.95	<=20	PASS
		5795	1	-6.9	<=20	PASS
	802.11ac	5210	1	-6.34	<=20	PASS
		5290	1	-15.12	<=20	PASS
		5530	1	-5.36	<=20	PASS
		5610	1	-3.64	<=20	PASS
		5775	1	-6.33	<=20	PASS