

User's Manual

Ceiling Speaker

FCC ID:2ATJE10-8184

Model Name:10-8184

Parameter

Model: 10-8184

Weight: 0.9kg

External dimensions: 126mm*126mm

Height: 120mm

Trumpet line length: 3m

Trumpet unit:3 inches

Impedance: 8oumu

Input: 12V/2A

Output: 5W

ABS material basin

ABS materials have good impact resistance, heat resistance, low temperature resistance, chemical and drug resistance and electrical properties, as well as easy to process, product size stability, good surface gloss performance, etc.. It is a widely used thermoplastic engineering plastics.

High quality basin paper

It has the advantages of rigidity and flexibility, high internal damping, and easy mixing with other materials. The timbre is naturally thick and the bass is plump.

High-end magnetic steel

The sound effects are related to the magnetic field strength of magnetic steel.

The trumpet adopts high-quality magnetic steel, magnetic steel is strong, and the horn is sensitive.

Trumpet junction post

Used for connecting horn 2, easy to operate, easy to install

Metal mount clasp

Can swing up and down, sophisticated installation clip design, simple and convenient installation

Installation Steps

1.Open two holes in the ceiling first

2.connect the horn cable

3.Open the spring on the product by hand

- 4.Place the spring clip in the hole and let go to attach the product to the ceiling
- 5.Connect the power cord
- 6.Connect 3.5 stereo audio lines(use wireless connection can not connect this line)

Steps of pairing

- 1、Power the product.
- 2、Open the Bluetooth device of the mobile phone and search for Bluetooth device.Click to connect the device after searching for ThermaSol Bluetooth device.

Bluetooth connection successful prompt after the pairing is successful

Charging method

Charge via the charging plug, Charge the product through a charger of 1A or much, Voltage 12V.

Which functions does the product have?

- 1.3.5 mm stereo playback
- 2.Bluetooth Play

Bluetooth signal distance?

The Bluetooth signals have an effective distance of 10m.However,you are expected to use the product within a distance of 3m to 5m because the wireless signals transmitted by mobile phone will suffer decline,loss or interference in long-distance transmission and result in discontinuous sounds,a poor sound effect or disconnection(the product will try for reconnection when it is in the effective distance again).

Precautions

- 1.Do not put the product in the hot place;
- 2.Don't keep the product under the sun for a long time;
- 3.In order to avoid product damage or safety hazard,please do not remove the product or use an inverrcorrect charger;
- 4.Keep away from children and people with intellectual disabilities and avoid injuries.

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.