



Maintenance of the Detector

Golden Rain is a high-quality electronic device that has been designed and packaged in a thin, durable housing. Careful attention to your detector is essential to ensure continuous reliability.

General Detector & Accessory Maintenance

Do not use solvent to clean. Use a damp cloth with a mild soap detergent.

- Do not expose it to excessive heat / cold for longer than necessary (eg in a car or overnight).
- Do not expose accessories listed as waterproof to liquid or excessive moisture.
- Do not allow children to play with the detector or accessories, small parts may pose danger of suffocation.
- Do not turn on or turn off the internal battery.
- Charge the detector only in accordance with the instructions in this manual.
- Avoid charging the detector under extreme temperature conditions.
- Do not dispose of the detector in fire as this may cause an explosion.
- Do not expose the detector or accessories to sharp objects; this may cause scratches and damage.

Golden Rain Detector Care

- If water leaks in the headphone socket, carefully dry it with a warm air dryer to prevent corrosion and / or incorrect headphone connection.
- Do not leave the detector in extreme cold or heat for too long. Covering it when not in use will help for protection. Avoid leaving in a vehicle in hot weather.
- Never allow the detector to come into contact with petrol or other petroleum-based fluids.
- If the upper or lower shafts are clearly scratched, wipe thoroughly with a damp cloth
- Make sure the coil cable is in good condition (not broken) and not subject to excessive stress.
- Take precautions when moving or storing the detector. Although the detector is made of the highest quality materials and has undergone tough endurance testing, the screen may cause scratches or serious damage if not handled with care.
- Do not expose the detector to extreme temperature conditions

The logo consists of a stylized, swirling 'G' shape followed by the words 'Golden Rain' in a bold, sans-serif font.

Technical Specifications

Detection Modes	General Discrimination ST Reject
Discrimination	Automatic
Iron Reject	Yes
Frequency	11.5 - 12.5 kHz
Sensitivity	5 Graded
Ground Balance	Manual
Depth Calculation	Manual
Length (Assembled)	105-130cm
Weight	
Search Coil	31cm DD Standart 41cm DD
Headphone	
Display	3.5" TFT
Light Setting	adjustable between 1 -10
Sound Setting	Adjustable between 1 -25
Battery	Li-ion
Battery Life	6 hours
Warranty	2 years

 *Ugur Detector reserves the right to respond to ongoing technical progress by making changes in design, equipment and specifications at any time.*

Visit the website for the latest specs.

 **Golden Rain**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.