

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.11	-25	Pass	2985
30	1000	0.1	RMS	983.298	-55.91	-25	Pass	9700
1000	2490	1	RMS	2452.975	-41.68	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.57	60	Pass	601
2580	3000	1	RMS	2659.1	-40.8	-25	Pass	601
3000	12000	1	RMS	11925.992	-48.7	-25	Pass	9000
12000	26000	1	RMS	25934.995	-30.57	-25	Pass	14000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.16	-25	Pass	2985
30	1000	0.1	RMS	907.49	-53.5	-25	Pass	9700
1000	2490	1	RMS	2427.958	-41.7	-25	Pass	1490
2490	2580	1	RMS	2504.7	21.47	60	Pass	601
2580	3000	1	RMS	2658.4	-40.82	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.7	-25	Pass	9000
12000	26000	1	RMS	25948.996	-30.37	-25	Pass	14000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.35	-25	Pass	2985
30	1000	0.1	RMS	865.186	-55.58	-25	Pass	9700
1000	2490	1	RMS	2449.973	-41.68	-25	Pass	1490
2490	2580	1	RMS	2500.35	20.77	60	Pass	601
2580	3000	1	RMS	2658.4	-40.77	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.73	-25	Pass	9000
12000	26000	1	RMS	25956.997	-30.43	-25	Pass	14000



1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.15	-25	Pass	2985
30	1000	0.1	RMS	899.49	-55.65	-25	Pass	9700
1000	2490	1	RMS	2449.973	-41.68	-25	Pass	1490
2490	2580	1	RMS	2504.7	20.68	60	Pass	601
2580	3000	1	RMS	2659.8	-40.8	-25	Pass	601
3000	12000	1	RMS	11913.99	-48.68	-25	Pass	9000
12000	26000	1	RMS	25988.999	-30.57	-25	Pass	14000



END