



August 5th, 2025

RE : Module Approval Checklist
FCC ID : 2ATQRA40

| Item | Requirements | Requirement Met | EUT |
|------|---|-----------------|--|
| 1. | The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly | Yes | The module is equipped with its own shielding case. |
| 2. | The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal | Yes | The module has buffered modulation / data inputs. |
| 3. | The module must contain power supply regulation on the module | Yes | The module has its own power supply regulation. |
| 4. | The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per §§ 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b) | Yes | Not applicable to licensed modules. |
| 5. | The module must demonstrate compliance in a stand-alone configuration | Yes | The module was tested on an evaluation board, and not inside another device during testing |
| 6. | The module must be labeled with its permanently affixed FCC ID label, or use an electronic display | Yes | The module transmitter will be labeled with its own FCC ID, and for OEM integration the integration manual contains labeling instructions for the host device per Part 15.212 (vi) |
| 7. | The module must comply with all specific rules applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee | Yes | The module complies with all applicable rules and the integration manual contains all requirements that must be addressed by the system integrator. |
| 8. | The module must comply with RF exposure requirements | Yes | The modular transmitter complies with RF exposure requirement. |

Sincerely,

Michael Green
michael.green@skydio.com