



Profile: 2150775R	Page No.: 445
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5580MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.609	40.339	-29.391	74.000	4.271	PK
2	*	16740.000	48.562	38.076	-25.438	74.000	10.485	PK

Profile: 2150775R	Page No.: 446
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5580MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.262	39.992	-29.738	74.000	4.271	PK
2	*	16740.000	49.739	39.253	-24.261	74.000	10.485	PK

Profile: 2150775R	Page No.: 447
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5700MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.808	38.080	-31.192	74.000	4.729	PK
2	*	17100.000	50.986	39.458	-23.014	74.000	11.528	PK

Profile: 2150775R	Page No.: 448
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5700MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.190	38.462	-30.810	74.000	4.729	PK
2	*	17100.000	50.932	39.404	-23.068	74.000	11.528	PK

Profile: 2150775R	Page No.: 449
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.057	38.428	-30.943	74.000	4.629	PK
2	*	17235.000	50.109	36.661	-23.891	74.000	13.448	PK

Profile: 2150775R	Page No.: 450
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.511	38.882	-30.489	74.000	4.629	PK
2	*	17235.000	51.304	37.856	-22.696	74.000	13.448	PK

Profile: 2150775R	Page No.: 451
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.964	39.051	-29.036	74.000	5.913	PK
2	*	17355.000	49.950	38.730	-24.050	74.000	11.221	PK

Profile: 2150775R	Page No.: 452
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.697	38.784	-29.303	74.000	5.913	PK
2	*	17355.000	49.282	38.062	-24.718	74.000	11.221	PK

Profile: 2150775R	Page No.: 453
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.103	38.603	-28.897	74.000	6.501	PK
2	*	17475.000	50.058	38.753	-23.942	74.000	11.306	PK

Profile: 2150775R	Page No.: 454
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.946	38.446	-29.054	74.000	6.501	PK
2	*	17475.000	48.160	36.855	-25.840	74.000	11.306	PK

Profile: 2150775R	Page No.: 455
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.196	40.755	-28.804	74.000	4.442	PK
2	*	15570.000	46.608	38.089	-27.392	74.000	8.520	PK

Profile: 2150775R	Page No.: 456
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.677	39.236	-30.323	74.000	4.442	PK
2	*	15570.000	45.773	37.254	-28.227	74.000	8.520	PK

Profile: 2150775R	Page No.: 457
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5230MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.101	40.361	-28.899	74.000	4.740	PK
2	*	15690.000	47.584	38.160	-26.416	74.000	9.425	PK

Profile: 2150775R	Page No.: 458
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5230MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.380	39.640	-29.620	74.000	4.740	PK
2	*	15690.000	47.387	37.963	-26.613	74.000	9.425	PK

Profile: 2150775R	Page No.: 459
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5270MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.205	39.284	-29.795	74.000	4.921	PK
2	*	15810.000	47.670	38.997	-26.330	74.000	8.673	PK

Profile: 2150775R	Page No.: 460
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5270MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.647	38.726	-30.353	74.000	4.921	PK
2	*	15810.000	46.876	38.203	-27.124	74.000	8.673	PK

Profile: 2150775R	Page No.: 461
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.971	39.865	-30.029	74.000	4.105	PK
2	*	15930.000	48.730	39.081	-25.270	74.000	9.648	PK

Profile: 2150775R	Page No.: 462
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.908	38.802	-31.092	74.000	4.105	PK
2	*	15930.000	48.821	39.172	-25.179	74.000	9.648	PK

Profile: 2150775R	Page No.: 463
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.396	39.691	-29.604	74.000	4.706	PK
2	*	16530.000	49.450	39.845	-24.550	74.000	9.605	PK

Profile: 2150775R	Page No.: 464
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.326	39.621	-29.674	74.000	4.706	PK
2	*	16530.000	47.628	38.023	-26.372	74.000	9.605	PK

Profile: 2150775R	Page No.: 465
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5590MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	44.280	39.448	-29.720	74.000	4.832	PK
2	*	16770.000	49.627	38.677	-24.373	74.000	10.950	PK

Profile: 2150775R	Page No.: 466
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5590MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	46.063	41.231	-27.937	74.000	4.832	PK
2	*	16770.000	50.268	39.318	-23.732	74.000	10.950	PK

Profile: 2150775R	Page No.: 467
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5670MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.952	39.142	-29.048	74.000	5.810	PK
2	*	17010.000	49.655	38.717	-24.345	74.000	10.938	PK

Profile: 2150775R	Page No.: 468
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5670MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.349	38.539	-29.651	74.000	5.810	PK
2	*	17010.000	48.973	38.035	-25.027	74.000	10.938	PK

Profile: 2150775R	Page No.: 469
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5755MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.000	39.287	-30.000	74.000	4.713	PK
2	*	17265.000	51.111	38.635	-22.889	74.000	12.476	PK

Profile: 2150775R	Page No.: 470
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5755MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.225	38.512	-30.775	74.000	4.713	PK
2	*	17265.000	49.714	37.238	-24.286	74.000	12.476	PK

Profile: 2150775R	Page No.: 471
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5795MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.535	40.389	-27.465	74.000	6.146	PK
2	*	17385.000	50.380	39.008	-23.620	74.000	11.373	PK

Profile: 2150775R	Page No.: 472
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5795MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.600	38.454	-29.400	74.000	6.146	PK
2	*	17385.000	48.177	36.805	-25.823	74.000	11.373	PK

Profile: 2150775R	Page No.: 473
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.828	41.463	-28.172	74.000	4.365	PK
2	*	15630.000	48.125	39.572	-25.875	74.000	8.553	PK

Profile: 2150775R	Page No.: 474
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.300	39.935	-29.700	74.000	4.365	PK
2	*	15630.000	46.531	37.978	-27.469	74.000	8.553	PK

Profile: 2150775R	Page No.: 475
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.208	40.133	-29.792	74.000	4.075	PK
2	*	15870.000	48.060	39.556	-25.940	74.000	8.503	PK

Profile: 2150775R	Page No.: 476
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.943	39.868	-30.057	74.000	4.075	PK
2	*	15870.000	47.554	39.050	-26.446	74.000	8.503	PK

Profile: 2150775R	Page No.: 477
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.882	39.002	-31.118	74.000	3.879	PK
2	*	16590.000	49.800	38.531	-24.200	74.000	11.269	PK

Profile: 2150775R	Page No.: 478
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.415	39.535	-30.585	74.000	3.879	PK
2	*	16590.000	49.450	38.181	-24.550	74.000	11.269	PK

Profile: 2150775R	Page No.: 479
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5775MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.419	38.770	-29.581	74.000	5.649	PK
2	*	17325.000	50.962	39.019	-23.038	74.000	11.943	PK


Profile: 2150775R	Page No.: 480
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5775MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.978	38.329	-30.022	74.000	5.649	PK
2	*	17325.000	50.561	38.618	-23.439	74.000	11.943	PK


MIMO

Profile: 2150775R	Page No.: 313
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.687	41.966	-28.313	74.000	3.722	PK
2	*	15540.000	46.188	38.835	-27.812	74.000	7.352	PK

Profile: 2150775R	Page No.: 314
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.581	41.860	-28.419	74.000	3.722	PK
2	*	15540.000	45.814	38.461	-28.186	74.000	7.352	PK

Profile: 2150775R	Page No.: 315
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5220MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.244	38.421	-30.756	74.000	4.823	PK
2	*	15660.000	46.682	37.905	-27.318	74.000	8.776	PK

Profile: 2150775R	Page No.: 316
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5220MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.031	39.208	-29.969	74.000	4.823	PK
2	*	15660.000	46.954	38.177	-27.046	74.000	8.776	PK

Profile: 2150775R	Page No.: 317
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5240MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.906	39.186	-30.094	74.000	4.719	PK
2	*	15720.000	47.493	37.928	-26.507	74.000	9.565	PK

Profile: 2150775R	Page No.: 318
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5240MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.567	37.847	-31.433	74.000	4.719	PK
2	*	15720.000	47.909	38.344	-26.091	74.000	9.565	PK

Profile: 2150775R	Page No.: 319
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5260MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.069	39.641	-28.931	74.000	5.428	PK
2	*	15780.000	46.834	38.159	-27.166	74.000	8.674	PK

Profile: 2150775R	Page No.: 320
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5260MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.257	38.829	-29.743	74.000	5.428	PK
2	*	15780.000	47.642	38.967	-26.358	74.000	8.674	PK

Profile: 2150775R	Page No.: 321
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5300MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.559	38.899	-30.441	74.000	4.660	PK
2	*	15900.000	48.629	39.842	-25.371	74.000	8.787	PK

Profile: 2150775R	Page No.: 322
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5300MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.264	37.604	-31.736	74.000	4.660	PK
2	*	15900.000	48.325	39.538	-25.675	74.000	8.787	PK

Profile: 2150775R	Page No.: 323
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.023	38.704	-30.977	74.000	4.319	PK
2	*	15960.000	49.055	38.805	-24.945	74.000	10.250	PK

Profile: 2150775R	Page No.: 324
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.287	37.968	-31.713	74.000	4.319	PK
2	*	15960.000	49.286	39.036	-24.714	74.000	10.250	PK

Profile: 2150775R	Page No.: 325
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.976	38.584	-31.024	74.000	4.392	PK
2	*	16500.000	48.381	38.697	-25.619	74.000	9.684	PK

Profile: 2150775R	Page No.: 326
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.392	38.000	-31.608	74.000	4.392	PK
2	*	16500.000	47.194	37.510	-26.806	74.000	9.684	PK

Profile: 2150775R	Page No.: 327
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5580MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.081	38.811	-30.919	74.000	4.271	PK
2	*	16740.000	48.947	38.461	-25.053	74.000	10.485	PK

Profile: 2150775R	Page No.: 328
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5580MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.875	38.605	-31.125	74.000	4.271	PK
2	*	16740.000	50.189	39.703	-23.811	74.000	10.485	PK

Profile: 2150775R	Page No.: 329
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5700MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.854	37.126	-32.146	74.000	4.729	PK
2	*	17100.000	50.436	38.908	-23.564	74.000	11.528	PK

Profile: 2150775R	Page No.: 330
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5700MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.514	37.786	-31.486	74.000	4.729	PK
2	*	17100.000	51.232	39.704	-22.768	74.000	11.528	PK

Profile: 2150775R	Page No.: 331
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.667	39.038	-30.333	74.000	4.629	PK
2	*	17235.000	50.819	37.371	-23.181	74.000	13.448	PK

Profile: 2150775R	Page No.: 332
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.089	39.460	-29.911	74.000	4.629	PK
2	*	17235.000	51.557	38.109	-22.443	74.000	13.448	PK

Profile: 2150775R	Page No.: 333
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.731	38.818	-29.269	74.000	5.913	PK
2	*	17355.000	48.400	37.180	-25.600	74.000	11.221	PK

Profile: 2150775R	Page No.: 334
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.104	39.191	-28.896	74.000	5.913	PK
2	*	17355.000	48.744	37.524	-25.256	74.000	11.221	PK

Profile: 2150775R	Page No.: 335
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.057	37.557	-29.943	74.000	6.501	PK
2	*	17475.000	49.465	38.160	-24.535	74.000	11.306	PK

Profile: 2150775R	Page No.: 336
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.541	37.041	-30.459	74.000	6.501	PK
2	*	17475.000	48.889	37.584	-25.111	74.000	11.306	PK

Profile: 2150775R	Page No.: 337
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.714	40.993	-29.286	74.000	3.722	PK
2	*	15540.000	46.042	38.689	-27.958	74.000	7.352	PK

Profile: 2150775R	Page No.: 338
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.954	41.233	-29.046	74.000	3.722	PK
2	*	15540.000	46.245	38.892	-27.755	74.000	7.352	PK

Profile: 2150775R	Page No.: 339
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.984	39.161	-30.016	74.000	4.823	PK
2	*	15660.000	45.795	37.018	-28.205	74.000	8.776	PK

Profile: 2150775R	Page No.: 340
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.498	39.675	-29.502	74.000	4.823	PK
2	*	15660.000	46.532	37.755	-27.468	74.000	8.776	PK

Profile: 2150775R	Page No.: 341
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.511	39.791	-29.489	74.000	4.719	PK
2	*	15720.000	47.460	37.895	-26.540	74.000	9.565	PK

Profile: 2150775R	Page No.: 342
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.546	41.826	-27.454	74.000	4.719	PK
2	*	15720.000	47.937	38.372	-26.063	74.000	9.565	PK

Profile: 2150775R	Page No.: 343
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.749	38.321	-30.251	74.000	5.428	PK
2	*	15780.000	46.778	38.103	-27.222	74.000	8.674	PK

Profile: 2150775R	Page No.: 344
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.769	39.341	-29.231	74.000	5.428	PK
2	*	15780.000	47.610	38.935	-26.390	74.000	8.674	PK

Profile: 2150775R	Page No.: 345
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.074	39.414	-29.926	74.000	4.660	PK
2	*	15900.000	47.676	38.889	-26.324	74.000	8.787	PK

Profile: 2150775R	Page No.: 346
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.784	40.124	-29.216	74.000	4.660	PK
2	*	15900.000	49.571	40.784	-24.429	74.000	8.787	PK

Profile: 2150775R	Page No.: 347
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.547	38.228	-31.453	74.000	4.319	PK
2	*	15960.000	50.085	39.835	-23.915	74.000	10.250	PK

Profile: 2150775R	Page No.: 348
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.195	38.876	-30.805	74.000	4.319	PK
2	*	15960.000	48.524	38.274	-25.476	74.000	10.250	PK

Profile: 2150775R	Page No.: 349
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	47.552	43.160	-26.448	74.000	4.392	PK
2	*	16500.000	48.653	38.969	-25.347	74.000	9.684	PK

Profile: 2150775R	Page No.: 350
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	47.156	42.764	-26.844	74.000	4.392	PK
2	*	16500.000	49.611	39.927	-24.389	74.000	9.684	PK

Profile: 2150775R	Page No.: 351
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.950	38.680	-31.050	74.000	4.271	PK
2	*	16740.000	50.053	39.567	-23.947	74.000	10.485	PK

Profile: 2150775R	Page No.: 352
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.159	39.889	-29.841	74.000	4.271	PK
2	*	16740.000	50.044	39.558	-23.956	74.000	10.485	PK

Profile: 2150775R	Page No.: 353
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.701	36.973	-32.299	74.000	4.729	PK
2	*	17100.000	50.816	39.288	-23.184	74.000	11.528	PK

Profile: 2150775R	Page No.: 354
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.334	38.606	-30.666	74.000	4.729	PK
2	*	17100.000	51.232	39.704	-22.768	74.000	11.528	PK

Profile: 2150775R	Page No.: 355
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.827	40.198	-29.173	74.000	4.629	PK
2	*	17235.000	51.391	37.943	-22.609	74.000	13.448	PK

Profile: 2150775R	Page No.: 356
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.197	40.568	-28.803	74.000	4.629	PK
2	*	17235.000	50.416	36.968	-23.584	74.000	13.448	PK

Profile: 2150775R	Page No.: 357
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.095	39.182	-28.905	74.000	5.913	PK
2	*	17355.000	49.753	38.533	-24.247	74.000	11.221	PK

Profile: 2150775R	Page No.: 358
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.582	38.669	-29.418	74.000	5.913	PK
2	*	17355.000	49.097	37.877	-24.903	74.000	11.221	PK

Profile: 2150775R	Page No.: 359
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.157	37.657	-29.843	74.000	6.501	PK
2	*	17475.000	49.629	38.324	-24.371	74.000	11.306	PK

Profile: 2150775R	Page No.: 360
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.498	37.998	-29.502	74.000	6.501	PK
2	*	17475.000	48.431	37.126	-25.569	74.000	11.306	PK

Profile: 2150775R	Page No.: 361
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.668	41.227	-28.332	74.000	4.442	PK
2	*	15570.000	48.120	39.601	-25.880	74.000	8.520	PK

Profile: 2150775R	Page No.: 362
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.624	41.183	-28.376	74.000	4.442	PK
2	*	15570.000	46.945	38.426	-27.055	74.000	8.520	PK

Profile: 2150775R	Page No.: 363
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5230MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.910	40.170	-29.090	74.000	4.740	PK
2	*	15690.000	47.897	38.473	-26.103	74.000	9.425	PK

Profile: 2150775R	Page No.: 364
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5230MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.938	40.198	-29.062	74.000	4.740	PK
2	*	15690.000	48.703	39.279	-25.297	74.000	9.425	PK

Profile: 2150775R	Page No.: 365
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5270MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.230	39.309	-29.770	74.000	4.921	PK
2	*	15810.000	48.213	39.540	-25.787	74.000	8.673	PK

Profile: 2150775R	Page No.: 366
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5270MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.462	39.541	-29.538	74.000	4.921	PK
2	*	15810.000	48.279	39.606	-25.721	74.000	8.673	PK

Profile: 2150775R	Page No.: 367
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.636	39.530	-30.364	74.000	4.105	PK
2	*	15930.000	49.149	39.500	-24.851	74.000	9.648	PK

Profile: 2150775R	Page No.: 368
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.366	39.260	-30.634	74.000	4.105	PK
2	*	15930.000	48.146	38.497	-25.854	74.000	9.648	PK

Profile: 2150775R	Page No.: 369
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.901	39.196	-30.099	74.000	4.706	PK
2	*	16530.000	47.887	38.282	-26.113	74.000	9.605	PK

Profile: 2150775R	Page No.: 370
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.816	38.111	-31.184	74.000	4.706	PK
2	*	16530.000	46.844	37.239	-27.156	74.000	9.605	PK

Profile: 2150775R	Page No.: 371
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5590MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	45.352	40.520	-28.648	74.000	4.832	PK
2	*	16770.000	49.828	38.878	-24.172	74.000	10.950	PK

Profile: 2150775R	Page No.: 372
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5590MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	45.070	40.238	-28.930	74.000	4.832	PK
2	*	16770.000	50.203	39.253	-23.797	74.000	10.950	PK

Profile: 2150775R	Page No.: 373
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5670MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.067	38.257	-29.933	74.000	5.810	PK
2	*	17010.000	49.847	38.909	-24.153	74.000	10.938	PK

Profile: 2150775R	Page No.: 374
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5670MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.013	38.203	-29.987	74.000	5.810	PK
2	*	17010.000	50.165	39.227	-23.835	74.000	10.938	PK

Profile: 2150775R	Page No.: 375
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5755MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.429	38.716	-30.571	74.000	4.713	PK
2	*	17265.000	50.692	38.216	-23.308	74.000	12.476	PK

Profile: 2150775R	Page No.: 376
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5755MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.988	39.275	-30.012	74.000	4.713	PK
2	*	17265.000	50.526	38.050	-23.474	74.000	12.476	PK

Profile: 2150775R	Page No.: 377
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5795MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.195	39.049	-28.805	74.000	6.146	PK
2	*	17385.000	50.846	39.474	-23.154	74.000	11.373	PK

Profile: 2150775R	Page No.: 378
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5795MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.145	36.999	-30.855	74.000	6.146	PK
2	*	17385.000	50.216	38.844	-23.784	74.000	11.373	PK

Profile: 2150775R	Page No.: 379
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.117	40.396	-29.883	74.000	3.722	PK
2	*	15540.000	46.629	39.276	-27.371	74.000	7.352	PK

Profile: 2150775R	Page No.: 380
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.145	39.424	-30.855	74.000	3.722	PK
2	*	15540.000	46.540	39.187	-27.460	74.000	7.352	PK

Profile: 2150775R	Page No.: 381
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5220MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.521	38.698	-30.479	74.000	4.823	PK
2	*	15660.000	46.871	38.094	-27.129	74.000	8.776	PK

Profile: 2150775R	Page No.: 382
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5220MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.585	38.762	-30.415	74.000	4.823	PK
2	*	15660.000	46.775	37.998	-27.225	74.000	8.776	PK

Profile: 2150775R	Page No.: 383
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5240MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.649	38.929	-30.351	74.000	4.719	PK
2	*	15720.000	48.882	39.317	-25.118	74.000	9.565	PK

Profile: 2150775R	Page No.: 384
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5240MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.704	39.984	-29.296	74.000	4.719	PK
2	*	15720.000	48.642	39.077	-25.358	74.000	9.565	PK

Profile: 2150775R	Page No.: 385
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5260MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.012	37.584	-30.988	74.000	5.428	PK
2	*	15780.000	48.469	39.794	-25.531	74.000	8.674	PK

Profile: 2150775R	Page No.: 386
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5260MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.838	39.410	-29.162	74.000	5.428	PK
2	*	15780.000	48.868	40.193	-25.132	74.000	8.674	PK

Profile: 2150775R	Page No.: 387
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5300MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.008	38.348	-30.992	74.000	4.660	PK
2	*	15900.000	48.352	39.565	-25.648	74.000	8.787	PK

Profile: 2150775R	Page No.: 388
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5300MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.688	38.028	-31.312	74.000	4.660	PK
2	*	15900.000	48.854	40.067	-25.146	74.000	8.787	PK

Profile: 2150775R	Page No.: 389
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.083	37.764	-31.917	74.000	4.319	PK
2	*	15960.000	49.769	39.519	-24.231	74.000	10.250	PK

Profile: 2150775R	Page No.: 390
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.833	37.514	-32.167	74.000	4.319	PK
2	*	15960.000	48.769	38.519	-25.231	74.000	10.250	PK

Profile: 2150775R	Page No.: 391
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.902	38.510	-31.098	74.000	4.392	PK
2	*	16500.000	48.586	38.902	-25.414	74.000	9.684	PK

Profile: 2150775R	Page No.: 392
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.855	39.463	-30.145	74.000	4.392	PK
2	*	16500.000	49.682	39.998	-24.318	74.000	9.684	PK

Profile: 2150775R	Page No.: 393
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5580MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.776	38.506	-31.224	74.000	4.271	PK
2	*	16740.000	50.190	39.704	-23.810	74.000	10.485	PK

Profile: 2150775R	Page No.: 394
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5580MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.406	39.136	-30.594	74.000	4.271	PK
2	*	16740.000	48.442	37.956	-25.558	74.000	10.485	PK

Profile: 2150775R	Page No.: 395
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5700MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.820	37.092	-32.180	74.000	4.729	PK
2	*	17100.000	50.955	39.427	-23.045	74.000	11.528	PK

Profile: 2150775R	Page No.: 396
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5700MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.456	37.728	-31.544	74.000	4.729	PK
2	*	17100.000	50.678	39.150	-23.322	74.000	11.528	PK

Profile: 2150775R	Page No.: 397
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.907	38.278	-31.093	74.000	4.629	PK
2	*	17235.000	53.027	39.579	-20.973	74.000	13.448	PK

Profile: 2150775R	Page No.: 398
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.307	37.678	-31.693	74.000	4.629	PK
2	*	17235.000	52.118	38.670	-21.882	74.000	13.448	PK

Profile: 2150775R	Page No.: 399
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.851	38.938	-29.149	74.000	5.913	PK
2	*	17355.000	48.610	37.390	-25.390	74.000	11.221	PK

Profile: 2150775R	Page No.: 400
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.120	38.207	-29.880	74.000	5.913	PK
2	*	17355.000	49.124	37.904	-24.876	74.000	11.221	PK

Profile: 2150775R	Page No.: 401
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.768	39.268	-28.232	74.000	6.501	PK
2	*	17475.000	49.646	38.341	-24.354	74.000	11.306	PK

Profile: 2150775R	Page No.: 402
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.773	39.273	-28.227	74.000	6.501	PK
2	*	17475.000	49.478	38.173	-24.522	74.000	11.306	PK

Profile: 2150775R	Page No.: 403
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.123	39.682	-29.877	74.000	4.442	PK
2	*	15570.000	46.380	37.861	-27.620	74.000	8.520	PK

Profile: 2150775R	Page No.: 404
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.507	40.066	-29.493	74.000	4.442	PK
2	*	15570.000	49.047	40.528	-24.953	74.000	8.520	PK

Profile: 2150775R	Page No.: 405
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5230MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.086	39.346	-29.914	74.000	4.740	PK
2	*	15690.000	48.139	38.715	-25.861	74.000	9.425	PK

Profile: 2150775R	Page No.: 406
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5230MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.337	39.597	-29.663	74.000	4.740	PK
2	*	15690.000	46.996	37.572	-27.004	74.000	9.425	PK

Profile: 2150775R	Page No.: 407
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5270MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.524	37.603	-31.476	74.000	4.921	PK
2	*	15810.000	48.838	40.165	-25.162	74.000	8.673	PK

Profile: 2150775R	Page No.: 408
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5270MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.715	37.794	-31.285	74.000	4.921	PK
2	*	15810.000	47.681	39.008	-26.319	74.000	8.673	PK

Profile: 2150775R	Page No.: 409
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.103	37.997	-31.897	74.000	4.105	PK
2	*	15930.000	49.784	40.135	-24.216	74.000	9.648	PK

Profile: 2150775R	Page No.: 410
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.844	37.738	-32.156	74.000	4.105	PK
2	*	15930.000	47.778	38.129	-26.222	74.000	9.648	PK

Profile: 2150775R	Page No.: 411
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.446	39.741	-29.554	74.000	4.706	PK
2	*	16530.000	48.626	39.021	-25.374	74.000	9.605	PK

Profile: 2150775R	Page No.: 412
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.890	39.185	-30.110	74.000	4.706	PK
2	*	16530.000	48.618	39.013	-25.382	74.000	9.605	PK

Profile: 2150775R	Page No.: 413
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5590MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	45.151	40.319	-28.849	74.000	4.832	PK
2	*	16770.000	50.659	39.709	-23.341	74.000	10.950	PK

Profile: 2150775R	Page No.: 414
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5590MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	44.081	39.249	-29.919	74.000	4.832	PK
2	*	16770.000	49.326	38.376	-24.674	74.000	10.950	PK

Profile: 2150775R	Page No.: 415
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5670MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.058	37.248	-30.942	74.000	5.810	PK
2	*	17010.000	50.139	39.201	-23.861	74.000	10.938	PK

Profile: 2150775R	Page No.: 416
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5670MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.868	37.058	-31.132	74.000	5.810	PK
2	*	17010.000	49.444	38.506	-24.556	74.000	10.938	PK

Profile: 2150775R	Page No.: 417
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5755MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.733	39.020	-30.267	74.000	4.713	PK
2	*	17265.000	50.482	38.006	-23.518	74.000	12.476	PK

Profile: 2150775R	Page No.: 418
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5755MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.127	38.414	-30.873	74.000	4.713	PK
2	*	17265.000	50.118	37.642	-23.882	74.000	12.476	PK

Profile: 2150775R	Page No.: 419
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5795MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.056	36.910	-30.944	74.000	6.146	PK
2	*	17385.000	49.646	38.274	-24.354	74.000	11.373	PK

Profile: 2150775R	Page No.: 420
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5795MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.299	37.153	-30.701	74.000	6.146	PK
2	*	17385.000	48.650	37.278	-25.350	74.000	11.373	PK

Profile: 2150775R	Page No.: 421
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.797	41.432	-28.203	74.000	4.365	PK
2	*	15630.000	48.562	40.009	-25.438	74.000	8.553	PK

Profile: 2150775R	Page No.: 422
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.160	38.795	-30.840	74.000	4.365	PK
2	*	15630.000	47.501	38.948	-26.499	74.000	8.553	PK

Profile: 2150775R	Page No.: 423
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.390	38.315	-31.610	74.000	4.075	PK
2	*	15870.000	47.364	38.860	-26.636	74.000	8.503	PK

Profile: 2150775R	Page No.: 424
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.961	37.886	-32.039	74.000	4.075	PK
2	*	15870.000	47.779	39.275	-26.221	74.000	8.503	PK

Profile: 2150775R	Page No.: 425
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.523	39.643	-30.477	74.000	3.879	PK
2	*	16590.000	50.510	39.241	-23.490	74.000	11.269	PK

Profile: 2150775R	Page No.: 426
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.271	39.391	-30.729	74.000	3.879	PK
2	*	16590.000	48.550	37.281	-25.450	74.000	11.269	PK

Profile: 2150775R	Page No.: 427
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5775MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.764	38.115	-30.236	74.000	5.649	PK
2	*	17325.000	51.860	39.917	-22.140	74.000	11.943	PK

Profile: 2150775R	Page No.: 428
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5775MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.004	38.355	-29.996	74.000	5.649	PK
2	*	17325.000	51.250	39.307	-22.750	74.000	11.943	PK

Profile: 2150775R	Page No.: 429
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) MIMO	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.311	40.590	-29.689	74.000	3.722	PK
2	*	15540.000	46.506	39.153	-27.494	74.000	7.352	PK

Profile: 2150775R	Page No.: 430
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) MIMO	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.070	39.349	-30.930	74.000	3.722	PK
2	*	15540.000	45.013	37.660	-28.987	74.000	7.352	PK