



Profile: 2150775R	Page No.: 59
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	58.232	16.837	-15.768	74.000	41.395	PK

Profile: 2150775R	Page No.: 60
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.499	6.104	-6.501	54.000	41.395	AV

Profile: 2150775R	Page No.: 61
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	65.375	23.743	-8.625	74.000	41.632	PK

Profile: 2150775R	Page No.: 62
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.909	10.277	-2.091	54.000	41.632	AV

Profile: 2150775R	Page No.: 63
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	62.304	20.672	-11.696	74.000	41.632	PK

Profile: 2150775R	Page No.: 64
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.708	7.076	-5.292	54.000	41.632	AV

Profile: 2150775R	Page No.: 65
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:42
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5686.980	73.821	31.747	-21.776	95.597	42.074	PK
2		5694.295	76.171	34.142	-24.823	100.995	42.030	PK
3		5703.370	78.284	36.237	-27.861	106.145	42.048	PK

Profile: 2150775R	Page No.: 66
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:45
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5686.980	69.794	27.720	-25.803	95.597	42.074	PK
2		5694.955	71.542	29.511	-29.940	101.481	42.030	PK
3		5702.710	73.919	31.873	-32.041	105.960	42.046	PK

Profile: 2150775R	Page No.: 67
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:47
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5688.485	60.781	18.722	-35.927	96.708	42.059	PK
2		5698.735	64.374	22.336	-39.894	104.268	42.038	PK
3		5710.522	68.676	26.627	-39.473	108.149	42.048	PK
4		5864.888	63.928	21.916	-44.101	108.029	42.011	PK
5		5874.625	60.582	18.515	-44.723	105.305	42.068	PK
6		5885.080	60.134	17.983	-37.581	97.716	42.151	PK

Profile: 2150775R	Page No.: 68
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:50
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5687.665	58.814	16.747	-37.288	96.102	42.067	PK
2		5702.322	61.250	19.205	-44.601	105.851	42.045	PK
3		5721.695	69.459	27.482	-45.206	114.666	41.977	PK
4		5859.660	63.566	21.579	-45.927	109.493	41.987	PK
5		5863.965	60.692	18.686	-47.595	108.287	42.007	PK
6		5881.902	59.404	17.283	-40.670	100.074	42.120	PK

Profile: 2150775R	Page No.: 69
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5869.640	74.352	32.313	-32.347	106.699	42.039	PK
2		5877.520	72.150	30.066	-31.178	103.328	42.084	PK
3	*	5887.120	71.033	28.862	-25.169	96.202	42.172	PK

Profile: 2150775R	Page No.: 70
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:54
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5875.360	67.816	25.745	-37.116	104.932	42.071	PK
2		5880.320	67.835	25.730	-33.413	101.248	42.105	PK
3	*	5886.760	67.317	25.149	-29.153	96.469	42.167	PK

Profile: 2150775R	Page No.: 71
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.741	21.533	-11.259	74.000	41.208	PK

Profile: 2150775R	Page No.: 72
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.614	10.406	-2.386	54.000	41.208	AV

Profile: 2150775R	Page No.: 73
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	59.034	17.826	-14.966	74.000	41.208	PK

Profile: 2150775R	Page No.: 74
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.356	6.148	-6.644	54.000	41.208	AV

Profile: 2150775R	Page No.: 75
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	62.745	21.350	-11.255	74.000	41.395	PK

Profile: 2150775R	Page No.: 76
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.548	10.153	-2.452	54.000	41.395	AV

Profile: 2150775R	Page No.: 77
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	57.243	15.848	-16.757	74.000	41.395	PK

Profile: 2150775R	Page No.: 78
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.052	5.657	-6.948	54.000	41.395	AV

Profile: 2150775R	Page No.: 79
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.740	67.249	25.591	-6.751	74.000	41.658	PK
2		5460.000	64.054	22.422	-9.946	74.000	41.632	PK

Profile: 2150775R	Page No.: 80
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.885	10.253	-2.115	54.000	41.632	AV

Profile: 2150775R	Page No.: 81
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5454.580	61.508	19.832	-12.492	74.000	41.676	PK
2		5460.000	59.014	17.382	-14.986	74.000	41.632	PK

Profile: 2150775R	Page No.: 82
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.324	6.692	-5.676	54.000	41.632	AV

Profile: 2150775R	Page No.: 83
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5755MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5685.975	82.153	40.069	-12.702	94.854	42.084	PK
2		5694.230	85.916	43.887	-15.031	100.947	42.029	PK
3		5704.240	89.596	47.547	-16.793	106.389	42.049	PK

Profile: 2150775R	Page No.: 84
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5755MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5687.665	78.657	36.590	-17.445	96.102	42.067	PK
2		5693.125	79.642	37.615	-20.490	100.132	42.027	PK
3		5697.805	82.678	40.642	-20.904	103.583	42.036	PK

Profile: 2150775R	Page No.: 85
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:32
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5795MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5873.800	78.889	36.826	-26.647	105.535	42.063	PK
2		5883.385	73.605	31.470	-25.368	98.973	42.135	PK
3	*	5887.030	71.608	29.438	-24.661	96.269	42.171	PK

Profile: 2150775R	Page No.: 86
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5795MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5875.353	71.822	29.751	-33.115	104.938	42.071	PK
2		5886.220	69.717	27.555	-27.152	96.870	42.163	PK
3	*	5889.257	68.971	26.779	-25.647	94.618	42.192	PK

Profile: 2150775R	Page No.: 87
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.686	20.478	-12.314	74.000	41.208	PK

Profile: 2150775R	Page No.: 88
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.934	10.726	-2.066	54.000	41.208	AV

Profile: 2150775R	Page No.: 89
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	57.099	15.891	-16.901	74.000	41.208	PK

Profile: 2150775R	Page No.: 90
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.699	6.491	-6.301	54.000	41.208	AV

Profile: 2150775R	Page No.: 91
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.484	23.089	-9.516	74.000	41.395	PK

Profile: 2150775R	Page No.: 92
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.633	10.238	-2.367	54.000	41.395	AV

Profile: 2150775R	Page No.: 93
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	56.879	15.484	-17.121	74.000	41.395	PK

Profile: 2150775R	Page No.: 94
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.395	6.000	-6.605	54.000	41.395	AV

Profile: 2150775R	Page No.: 95
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	66.756	25.124	-7.244	74.000	41.632	PK

Profile: 2150775R	Page No.: 96
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 04:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.753	10.121	-2.247	54.000	41.632	AV

Profile: 2150775R	Page No.: 97
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 04:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	61.814	20.182	-12.186	74.000	41.632	PK

Profile: 2150775R	Page No.: 98
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 04:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.897	7.265	-5.103	54.000	41.632	AV

Profile: 2150775R	Page No.: 99
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5775MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5650.000	65.356	23.304	-2.844	68.200	42.052	PK
2		5660.875	67.487	25.413	-8.788	76.275	42.074	PK
3		5683.125	77.096	34.984	-15.653	92.749	42.112	PK
4		5878.250	68.763	26.675	-34.022	102.785	42.088	PK
5		5888.750	65.374	23.187	-29.620	94.994	42.187	PK
6		5897.250	65.640	23.365	-23.056	88.696	42.275	PK

Profile: 2150775R	Page No.: 100
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5775MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5652.625	62.342	20.291	-7.808	70.151	42.052	PK
2		5661.250	64.397	22.320	-12.156	76.553	42.078	PK
3		5678.500	70.112	27.955	-19.218	89.330	42.157	PK
4		5880.125	63.907	21.804	-37.486	101.393	42.103	PK
5		5885.000	63.128	20.977	-34.647	97.775	42.151	PK
6		5897.000	61.396	19.125	-27.485	88.881	42.272	PK

Profile: 2150775R	Page No.: 101
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	67.365	26.157	-6.635	74.000	41.208	PK

Profile: 2150775R	Page No.: 102
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.869	10.661	-2.131	54.000	41.208	AV

Profile: 2150775R	Page No.: 103
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	59.310	18.102	-14.690	74.000	41.208	PK

Profile: 2150775R	Page No.: 104
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.206	5.998	-6.794	54.000	41.208	AV

Profile: 2150775R	Page No.: 105
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	65.361	23.966	-8.639	74.000	41.395	PK

Profile: 2150775R	Page No.: 106
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.029	9.634	-2.971	54.000	41.395	AV

Profile: 2150775R	Page No.: 107
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.104	17.709	-14.896	74.000	41.395	PK

Profile: 2150775R	Page No.: 108
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.215	5.820	-6.785	54.000	41.395	AV

Profile: 2150775R	Page No.: 109
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	67.446	25.814	-6.554	74.000	41.632	PK

Profile: 2150775R	Page No.: 110
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.817	10.185	-2.183	54.000	41.632	AV

Profile: 2150775R	Page No.: 111
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.360	63.414	21.760	-10.586	74.000	41.654	PK
2		5460.000	61.542	19.910	-12.458	74.000	41.632	PK

Profile: 2150775R	Page No.: 112
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.518	6.886	-5.482	54.000	41.632	AV

Profile: 2150775R	Page No.: 113
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:03
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5688.080	74.174	32.111	-22.235	96.409	42.063	PK
2		5695.780	78.380	36.348	-23.710	102.090	42.032	PK
3	*	5704.910	84.649	42.599	-21.927	106.577	42.050	PK

Profile: 2150775R	Page No.: 114
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:06
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5688.685	69.144	27.087	-27.711	96.855	42.057	PK
2		5695.725	74.104	32.072	-27.945	102.049	42.032	PK
3	*	5702.655	78.518	36.472	-27.427	105.945	42.046	PK

Profile: 2150775R	Page No.: 115
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:08
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5686.435	64.412	22.333	-30.782	95.194	42.079	PK
2		5701.195	70.271	28.228	-35.264	105.535	42.043	PK
3		5718.620	72.621	30.624	-37.793	110.414	41.997	PK
4		5857.405	72.471	30.491	-37.654	110.126	41.980	PK
5		5874.522	65.453	23.386	-39.881	105.334	42.067	PK
6		5882.312	65.465	23.340	-34.305	99.770	42.125	PK

Profile: 2150775R	Page No.: 116
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:10
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5686.640	60.191	18.114	-35.154	95.345	42.078	PK
2		5701.297	67.838	25.795	-37.726	105.564	42.043	PK
3		5716.058	67.523	25.510	-42.174	109.698	42.014	PK
4		5859.660	65.944	23.957	-43.549	109.493	41.987	PK
5		5867.245	65.243	23.218	-42.126	107.369	42.025	PK
6		5883.850	61.004	18.865	-37.624	98.628	42.139	PK

Profile: 2150775R	Page No.: 117
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:12
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5875.680	75.995	33.922	-28.699	104.695	42.073	PK
2		5881.240	73.702	31.588	-26.863	100.565	42.114	PK
3	*	5886.800	72.266	30.098	-24.174	96.440	42.168	PK

Profile: 2150775R	Page No.: 118
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5872.160	73.808	31.755	-32.186	105.994	42.053	PK
2		5880.680	69.251	27.142	-31.730	100.981	42.108	PK
3	*	5887.720	66.317	24.140	-29.440	95.757	42.177	PK

Profile: 2150775R	Page No.: 119
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5140.775	69.996	28.961	-4.004	74.000	41.035	PK
2		5150.000	68.403	27.195	-5.597	74.000	41.208	PK

Profile: 2150775R	Page No.: 120
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.341	10.133	-2.659	54.000	41.208	AV

Profile: 2150775R	Page No.: 121
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5145.390	63.640	22.528	-10.360	74.000	41.112	PK
2		5150.000	61.023	19.815	-12.977	74.000	41.208	PK

Profile: 2150775R	Page No.: 122
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.968	6.760	-6.032	54.000	41.208	AV

Profile: 2150775R	Page No.: 123
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.774	23.379	-9.226	74.000	41.395	PK
2	*	5358.765	66.457	25.067	-7.543	74.000	41.390	PK

Profile: 2150775R	Page No.: 124
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.540	10.145	-2.460	54.000	41.395	AV

Profile: 2150775R	Page No.: 125
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	58.508	17.113	-15.492	74.000	41.395	PK

Profile: 2150775R	Page No.: 126
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.241	5.846	-6.759	54.000	41.395	AV

Profile: 2150775R	Page No.: 127
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.910	70.141	28.492	-3.859	74.000	41.650	PK
2		5460.000	65.327	23.695	-8.673	74.000	41.632	PK

Profile: 2150775R	Page No.: 128
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.708	10.076	-2.292	54.000	41.632	AV

Profile: 2150775R	Page No.: 129
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.820	63.946	22.296	-10.054	74.000	41.649	PK
2		5460.000	60.743	19.111	-13.257	74.000	41.632	PK

Profile: 2150775R	Page No.: 130
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.764	6.132	-6.236	54.000	41.632	AV

Profile: 2150775R	Page No.: 131
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:55
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5755MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5685.650	83.320	41.233	-11.294	94.614	42.087	PK
2		5695.725	87.965	45.933	-14.084	102.049	42.032	PK
3		5707.685	95.770	53.714	-11.584	107.354	42.056	PK

Profile: 2150775R	Page No.: 132
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:57
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5755MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5686.885	78.421	36.346	-17.105	95.526	42.075	PK
2		5693.320	80.797	38.770	-19.478	100.276	42.027	PK
3		5703.330	87.141	45.094	-18.993	106.134	42.048	PK

Profile: 2150775R	Page No.: 133
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:59
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5795MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5876.230	79.042	36.966	-25.244	104.286	42.077	PK
2		5880.280	76.048	33.943	-25.230	101.278	42.105	PK
3	*	5888.110	73.211	31.030	-22.257	95.468	42.181	PK

Profile: 2150775R	Page No.: 134
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:01
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5795MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5873.665	73.185	31.123	-32.388	105.573	42.062	PK
2		5881.225	70.374	28.260	-30.202	100.576	42.114	PK
3	*	5889.190	70.822	28.631	-23.845	94.667	42.191	PK

Profile: 2150775R	Page No.: 135
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5141.250	63.247	22.204	-10.753	74.000	41.043	PK
2		5150.000	61.959	20.751	-12.041	74.000	41.208	PK

Profile: 2150775R	Page No.: 136
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.606	10.398	-2.394	54.000	41.208	AV

Profile: 2150775R	Page No.: 137
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	57.143	15.935	-16.857	74.000	41.208	PK

Profile: 2150775R	Page No.: 138
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.310	6.102	-6.690	54.000	41.208	AV

Profile: 2150775R	Page No.: 139
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.352	22.957	-9.648	74.000	41.395	PK
2	*	5353.425	67.296	25.893	-6.704	74.000	41.403	PK

Profile: 2150775R	Page No.: 140
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.665	10.270	-2.335	54.000	41.395	AV

Profile: 2150775R	Page No.: 141
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	56.862	15.467	-17.138	74.000	41.395	PK

Profile: 2150775R	Page No.: 142
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.964	5.569	-7.036	54.000	41.395	AV

Profile: 2150775R	Page No.: 143
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.050	69.762	28.090	-4.238	74.000	41.672	PK
2		5460.000	66.220	24.588	-7.780	74.000	41.632	PK

Profile: 2150775R	Page No.: 144
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.812	10.180	-2.188	54.000	41.632	AV

Profile: 2150775R	Page No.: 145
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.460	63.440	21.795	-10.560	74.000	41.644	PK
2		5460.000	61.045	19.413	-12.955	74.000	41.632	PK

Profile: 2150775R	Page No.: 146
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.181	6.549	-5.819	54.000	41.632	AV

Profile: 2150775R	Page No.: 147
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5775MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5651.000	65.959	23.907	-2.984	68.943	42.052	PK
2		5658.500	67.332	25.278	-7.181	74.513	42.054	PK
3		5675.875	73.303	31.120	-14.085	87.388	42.183	PK
4		5880.000	69.811	27.709	-31.675	101.486	42.102	PK
5		5884.125	67.365	25.223	-31.059	98.424	42.142	PK
6		5899.000	65.465	23.166	-21.936	87.401	42.299	PK

Profile: 2150775R	Page No.: 148
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:36
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5775MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5652.250	61.936	19.884	-7.936	69.872	42.052	PK
2		5665.375	65.984	23.872	-13.629	79.612	42.111	PK
3		5687.125	73.004	30.931	-22.700	95.704	42.073	PK
4		5869.250	70.324	28.287	-36.485	106.808	42.037	PK
5		5881.500	64.175	22.058	-36.198	100.372	42.117	PK
6		5894.375	61.913	19.671	-28.913	90.825	42.242	PK

Profile: 2150775R	Page No.: 1
Engineer: Tongben	
Site: AC5	Time: 2019/07/04 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	67.860	26.652	-6.140	74.000	41.208	PK

Profile: 2150775R	Page No.: 2
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.651	10.443	-2.349	54.000	41.208	AV

Profile: 2150775R	Page No.: 3
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.103	22.895	-9.897	74.000	41.208	PK

Profile: 2150775R	Page No.: 4
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.008	7.800	-4.992	54.000	41.208	AV

Profile: 2150775R	Page No.: 5
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 22:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	68.389	26.994	-5.611	74.000	41.395	PK
2	*	5351.775	69.314	27.909	-4.686	74.000	41.405	PK

Profile: 2150775R	Page No.: 6
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 22:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.388	9.993	-2.612	54.000	41.395	AV

Profile: 2150775R	Page No.: 7
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 22:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	63.871	22.476	-10.129	74.000	41.395	PK

Profile: 2150775R	Page No.: 8
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 22:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.724	6.329	-6.276	54.000	41.395	AV

Profile: 2150775R	Page No.: 9
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.800	70.414	28.772	-3.586	74.000	41.642	PK
2		5460.000	68.592	26.960	-5.408	74.000	41.632	PK

Profile: 2150775R	Page No.: 10
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 22:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.849	10.217	-2.151	54.000	41.632	AV

Profile: 2150775R	Page No.: 11
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a Ant 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.640	65.900	24.241	-8.100	74.000	41.659	PK
2		5460.000	63.081	21.449	-10.919	74.000	41.632	PK

Profile: 2150775R	Page No.: 12
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.965	6.333	-6.035	54.000	41.632	AV

Profile: 2150775R	Page No.: 13
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5685.935	72.601	30.517	-22.224	94.825	42.084	PK
2		5693.030	75.800	33.773	-24.262	100.062	42.027	PK
3		5696.385	77.252	35.219	-25.283	102.536	42.033	PK

Profile: 2150775R	Page No.: 14
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5687.915	70.387	28.322	-25.900	96.287	42.065	PK
2		5692.535	71.223	29.197	-28.474	99.697	42.025	PK
3		5698.750	75.354	33.316	-28.925	104.279	42.038	PK

Profile: 2150775R	Page No.: 15
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:11
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5686.845	63.126	21.051	-32.371	95.497	42.076	PK
2		5694.942	66.733	24.702	-34.739	101.472	42.030	PK
3		5701.400	69.423	27.380	-36.169	105.593	42.043	PK
4		5871.652	66.289	24.239	-39.847	106.136	42.050	PK
5		5882.107	64.971	22.848	-34.951	99.922	42.123	PK
6		5888.155	60.775	18.594	-34.660	95.435	42.182	PK

Profile: 2150775R	Page No.: 16
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:13
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a Ant 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5689.510	60.630	18.581	-36.834	97.464	42.049	PK
2		5694.635	62.851	20.821	-38.395	101.245	42.030	PK
3		5702.322	65.322	23.277	-40.529	105.851	42.045	PK
4		5874.625	63.023	20.956	-42.282	105.305	42.068	PK
5		5881.902	61.544	19.423	-38.530	100.074	42.120	PK
6	*	5888.155	59.992	17.811	-35.443	95.435	42.182	PK

Profile: 2150775R	Page No.: 17
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5881.680	72.706	30.588	-27.532	100.239	42.118	PK
2	*	5886.920	74.007	31.838	-22.343	96.351	42.170	PK
3		5889.520	70.977	28.782	-23.446	94.423	42.195	PK

Profile: 2150775R	Page No.: 18
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5881.000	70.104	27.992	-30.640	100.743	42.112	PK
2		5883.560	69.477	27.340	-29.367	98.843	42.137	PK
3	*	5887.600	69.287	27.111	-26.560	95.846	42.176	PK

Profile: 2150775R	Page No.: 19
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.553	24.345	-8.447	74.000	41.208	PK

Profile: 2150775R	Page No.: 20
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.233	10.025	-2.767	54.000	41.208	AV

Profile: 2150775R	Page No.: 21
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.626	20.418	-12.374	74.000	41.208	PK

Profile: 2150775R	Page No.: 22
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.883	7.675	-5.117	54.000	41.208	AV

Profile: 2150775R	Page No.: 23
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.308	22.913	-9.692	74.000	41.395	PK

Profile: 2150775R	Page No.: 24
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.205	9.810	-2.795	54.000	41.395	AV

Profile: 2150775R	Page No.: 25
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	60.284	18.889	-13.716	74.000	41.395	PK

Profile: 2150775R	Page No.: 26
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.395	7.000	-5.605	54.000	41.395	AV

Profile: 2150775R	Page No.: 27
Engineer: Tongben	
Site: AC5	Time: 2021/06/16 - 23:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	66.380	24.748	-7.620	74.000	41.632	PK

Profile: 2150775R	Page No.: 28
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.366	9.734	-2.634	54.000	41.632	AV

Profile: 2150775R	Page No.: 29
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	61.224	19.592	-12.776	74.000	41.632	PK

Profile: 2150775R	Page No.: 30
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.721	8.089	-4.279	54.000	41.632	AV

Profile: 2150775R	Page No.: 31
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.015	75.804	33.750	-21.295	97.099	42.054	PK
2		5694.130	76.884	34.855	-23.989	100.873	42.029	PK
3		5699.300	79.275	37.236	-25.409	104.684	42.040	PK

Profile: 2150775R	Page No.: 32
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:12
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.180	71.133	29.081	-26.087	97.221	42.053	PK
2		5695.615	74.018	31.986	-27.950	101.968	42.032	PK
3		5703.260	77.896	35.849	-28.218	106.114	42.047	PK

Profile: 2150775R	Page No.: 33
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:13
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.740	64.491	22.454	-33.881	98.372	42.037	PK
2		5699.965	69.078	27.037	-36.097	105.174	42.040	PK
3		5710.215	71.666	29.615	-36.397	108.063	42.051	PK
4		5867.962	67.565	25.536	-39.603	107.168	42.030	PK
5		5873.498	66.404	24.343	-39.216	105.620	42.061	PK
6		5883.850	63.679	21.540	-34.949	98.628	42.139	PK

Profile: 2150775R	Page No.: 34
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:16
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5688.587	60.591	18.533	-36.192	96.783	42.058	PK
2		5696.583	65.368	23.334	-37.314	102.682	42.034	PK
3		5706.525	68.028	25.975	-39.001	107.029	42.053	PK
4		5874.317	63.519	21.453	-41.872	105.391	42.065	PK
5		5883.645	61.211	19.074	-37.569	98.780	42.138	PK
6		5888.667	58.860	16.674	-36.195	95.055	42.186	PK

Profile: 2150775R	Page No.: 35
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:18
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5879.640	72.805	30.706	-28.949	101.753	42.099	PK
2		5886.320	72.896	30.733	-23.899	96.796	42.163	PK
3	*	5888.840	72.870	30.682	-22.057	94.927	42.188	PK

Profile: 2150775R	Page No.: 36
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:21
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5879.680	69.721	27.622	-32.003	101.723	42.099	PK
2		5882.960	69.173	27.042	-30.116	99.289	42.131	PK
3	*	5888.800	69.545	27.357	-25.412	94.957	42.187	PK

Profile: 2150775R	Page No.: 37
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 00:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.926	23.718	-9.074	74.000	41.208	PK

Profile: 2150775R	Page No.: 38
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.232	10.024	-2.768	54.000	41.208	AV

Profile: 2150775R	Page No.: 39
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 20:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	63.789	22.581	-10.211	74.000	41.208	PK

Profile: 2150775R	Page No.: 40
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 20:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.751	9.543	-3.249	54.000	41.208	AV

Profile: 2150775R	Page No.: 41
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.484	23.089	-9.516	74.000	41.395	PK

Profile: 2150775R	Page No.: 42
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.637	10.242	-2.363	54.000	41.395	AV

Profile: 2150775R	Page No.: 43
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.216	17.821	-14.784	74.000	41.395	PK

Profile: 2150775R	Page No.: 44
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.471	7.076	-5.529	54.000	41.395	AV

Profile: 2150775R	Page No.: 45
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	66.781	25.149	-7.219	74.000	41.632	PK

Profile: 2150775R	Page No.: 46
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.791	10.159	-2.209	54.000	41.632	AV

Profile: 2150775R	Page No.: 47
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.020	61.914	20.250	-12.086	74.000	41.664	PK
2		5460.000	59.801	18.169	-14.199	74.000	41.632	PK

Profile: 2150775R	Page No.: 48
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.989	7.357	-5.011	54.000	41.632	AV

Profile: 2150775R	Page No.: 49
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5755MHz by 802.11n(40MHz) Ant 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5686.300	82.675	40.594	-12.420	95.094	42.080	PK
2		5688.965	82.133	40.078	-14.930	97.062	42.055	PK
3		5693.190	85.460	43.433	-14.720	100.180	42.027	PK

Profile: 2150775R	Page No.: 50
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:26
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5755MHz by 802.11n(40MHz) Ant 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5685.845	78.661	36.576	-16.097	94.758	42.085	PK
2		5690.330	78.405	36.364	-19.664	98.070	42.041	PK
3		5693.710	80.056	38.028	-20.507	100.563	42.028	PK

Profile: 2150775R	Page No.: 51
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5795MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5872.855	78.603	36.546	-27.197	105.800	42.057	PK
2		5880.685	75.378	33.269	-25.600	100.977	42.108	PK
3	*	5885.950	75.167	33.007	-21.903	97.070	42.160	PK

Profile: 2150775R	Page No.: 52
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5795MHz by 802.11n(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5872.112	76.092	34.039	-29.916	106.007	42.053	PK
2		5883.385	71.181	29.046	-27.792	98.973	42.135	PK
3	*	5886.692	69.341	27.174	-27.179	96.520	42.167	PK

Profile: 2150775R	Page No.: 53
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.811	23.603	-9.189	74.000	41.208	PK

Profile: 2150775R	Page No.: 54
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.733	10.525	-2.267	54.000	41.208	AV

Profile: 2150775R	Page No.: 55
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	63.561	22.353	-10.439	74.000	41.208	PK

Profile: 2150775R	Page No.: 56
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.883	7.675	-5.117	54.000	41.208	AV

Profile: 2150775R	Page No.: 57
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.853	23.458	-9.147	74.000	41.395	PK

Profile: 2150775R	Page No.: 58
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.618	10.223	-2.382	54.000	41.395	AV

Profile: 2150775R	Page No.: 59
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	60.425	19.030	-13.575	74.000	41.395	PK

Profile: 2150775R	Page No.: 60
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.666	7.271	-5.334	54.000	41.395	AV

Profile: 2150775R	Page No.: 61
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	64.913	23.281	-9.087	74.000	41.632	PK

Profile: 2150775R	Page No.: 62
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.881	10.249	-2.119	54.000	41.632	AV

Profile: 2150775R	Page No.: 63
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	60.582	18.950	-13.418	74.000	41.632	PK

Profile: 2150775R	Page No.: 64
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.026	7.394	-4.974	54.000	41.632	AV

Profile: 2150775R	Page No.: 65
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:16
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5686.485	71.898	29.819	-23.333	95.231	42.078	PK
2	*	5688.905	74.387	32.332	-22.631	97.018	42.055	PK
3		5694.185	76.861	34.832	-24.053	100.914	42.029	PK

Profile: 2150775R	Page No.: 66
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:18
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5688.795	70.123	28.067	-26.813	96.937	42.056	PK
2		5694.295	71.734	29.705	-29.260	100.995	42.030	PK
3		5703.260	74.176	32.129	-31.938	106.114	42.047	PK

Profile: 2150775R	Page No.: 67
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:20
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5690.535	64.346	22.307	-33.875	98.221	42.039	PK
2	*	5696.583	68.813	26.779	-33.869	102.682	42.034	PK
3		5706.627	70.112	28.058	-36.946	107.058	42.054	PK
4		5869.910	66.611	24.571	-40.012	106.623	42.040	PK
5		5874.317	65.544	23.478	-39.847	105.391	42.065	PK
6		5883.235	64.007	21.874	-35.077	99.084	42.133	PK

Profile: 2150775R	Page No.: 68
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5689.510	59.695	17.646	-37.769	97.464	42.049	PK
2		5694.020	62.200	20.171	-38.592	100.792	42.029	PK
3		5710.420	67.025	24.976	-41.095	108.120	42.049	PK
4		5860.070	65.774	23.785	-43.605	109.379	41.988	PK
5		5869.808	64.127	22.087	-42.525	106.652	42.040	PK
6	*	5888.053	58.746	16.566	-36.764	95.510	42.180	PK

Profile: 2150775R	Page No.: 69
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:25
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5877.080	73.832	31.751	-29.822	103.655	42.082	PK
2		5881.960	72.447	30.326	-27.584	100.031	42.121	PK
3	*	5888.840	71.707	29.519	-23.220	94.927	42.188	PK

Profile: 2150775R	Page No.: 70
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac(20MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5877.560	68.116	26.032	-35.182	103.298	42.084	PK
2		5882.880	66.618	24.488	-32.730	99.348	42.130	PK
3	*	5888.840	66.962	24.774	-27.965	94.927	42.188	PK

Profile: 2150775R	Page No.: 71
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	66.899	25.691	-7.101	74.000	41.208	PK

Profile: 2150775R	Page No.: 72
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.635	10.427	-2.365	54.000	41.208	AV

Profile: 2150775R	Page No.: 73
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.272	21.064	-11.728	74.000	41.208	PK

Profile: 2150775R	Page No.: 74
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.910	7.702	-5.090	54.000	41.208	AV

Profile: 2150775R	Page No.: 75
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.838	23.443	-9.162	74.000	41.395	PK

Profile: 2150775R	Page No.: 76
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.019	9.624	-2.981	54.000	41.395	AV

Profile: 2150775R	Page No.: 77
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	57.936	16.541	-16.064	74.000	41.395	PK
2	*	5351.030	60.569	19.168	-13.431	74.000	41.401	PK

Profile: 2150775R	Page No.: 78
Engineer: Tongben	
Site: AC5	Time: 2021/06/17 - 22:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.847	6.452	-6.153	54.000	41.395	AV