



|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 79             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/17 - 22:47 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5456.470        | 65.268                 | 23.607               | -8.732          | 74.000         | 41.661      | PK   |
| 2  |      | 5460.000        | 62.747                 | 21.115               | -11.253         | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 80             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/17 - 22:55 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.460                 | 9.828                | -2.540          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 81             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/17 - 22:56 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 59.415                 | 17.783               | -14.585         | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 82             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/17 - 22:57 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 48.428                 | 6.796                | -5.572          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 83             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/17 - 22:59 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5755MHz by 802.11ac(40MHz) Ant 2 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5685.780        | 82.830                 | 40.744               | -11.881         | 94.710         | 42.086      | PK   |
| 2  |      | 5689.485        | 84.526                 | 42.477               | -12.920         | 97.446         | 42.049      | PK   |
| 3  |      | 5694.230        | 86.027                 | 43.998               | -14.920         | 100.947        | 42.029      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 84             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/17 - 23:19 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5755MHz by 802.11ac(40MHz) Ant 2 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5685.390        | 79.547                 | 37.457               | -14.876         | 94.422         | 42.090      | PK   |
| 2  |      | 5692.410        | 80.237                 | 38.211               | -19.368         | 99.604         | 42.025      | PK   |
| 3  |      | 5699.300        | 81.230                 | 39.191               | -23.454         | 104.684        | 42.040      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 85             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/17 - 23:22 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5795MHz by 802.11ac(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5873.732        | 81.789                 | 39.727               | -23.765         | 105.554        | 42.062      | PK   |
| 2  |      | 5882.643        | 77.270                 | 35.142               | -22.254         | 99.524         | 42.128      | PK   |
| 3  | *    | 5887.975        | 77.170                 | 34.990               | -18.399         | 95.568         | 42.179      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 86             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/17 - 23:50 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5795MHz by 802.11ac(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5873.260        | 75.701                 | 33.642               | -29.985         | 105.686        | 42.060      | PK   |
| 2  |      | 5883.385        | 71.847                 | 29.712               | -27.126         | 98.973         | 42.135      | PK   |
| 3  | *    | 5887.098        | 69.668                 | 27.497               | -26.551         | 96.219         | 42.171      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 87             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/17 - 23:57 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 66.021                 | 24.813               | -7.979          | 74.000         | 41.208      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 88             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 00:03 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.085                 | 9.877                | -2.915          | 54.000         | 41.208      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 89             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:12 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5145.375        | 65.822                 | 24.711               | -8.178          | 74.000         | 41.112      | PK   |
| 2  |      | 5150.000        | 63.095                 | 21.887               | -10.905         | 74.000         | 41.208      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 90             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:14 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 49.711                 | 8.503                | -4.289          | 54.000         | 41.208      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 91             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:15 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 62.751                 | 21.356               | -11.249         | 74.000         | 41.395      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 92             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:19 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 51.325                 | 9.930                | -2.675          | 54.000         | 41.395      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 93             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:21 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 57.837                 | 16.442               | -16.163         | 74.000         | 41.395      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 94             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:22 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 47.917                 | 6.522                | -6.083          | 54.000         | 41.395      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 95             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:26 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 67.556                 | 25.924               | -6.444          | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 96             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:30 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.977                 | 10.345               | -2.023          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 97             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5459.560        | 65.014                 | 23.378               | -8.986          | 74.000         | 41.636      | PK   |
| 2  |      | 5460.000        | 62.710                 | 21.078               | -11.290         | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 98             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:37 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 50.037                 | 8.405                | -3.963          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 99             |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:38 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5775MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5652.125        | 67.140                 | 25.088               | -2.640          | 69.779         | 42.052      | PK   |
| 2  |      | 5654.875        | 67.684                 | 25.633               | -4.138          | 71.822         | 42.051      | PK   |
| 3  |      | 5668.500        | 70.331                 | 28.194               | -11.597         | 81.928         | 42.138      | PK   |
| 4  |      | 5883.625        | 71.243                 | 29.106               | -27.552         | 98.795         | 42.137      | PK   |
| 5  |      | 5891.250        | 69.749                 | 27.538               | -23.391         | 93.141         | 42.211      | PK   |
| 6  |      | 5899.000        | 67.102                 | 24.803               | -20.299         | 87.401         | 42.299      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 100            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:47 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5775MHz by 802.11ac(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5653.250        | 65.282                 | 23.231               | -5.333          | 70.615         | 42.051      | PK   |
| 2  |      | 5661.750        | 65.280                 | 23.199               | -11.644         | 76.924         | 42.081      | PK   |
| 3  |      | 5667.875        | 66.989                 | 24.857               | -14.476         | 81.465         | 42.132      | PK   |
| 4  |      | 5884.000        | 67.939                 | 25.798               | -30.578         | 98.517         | 42.141      | PK   |
| 5  |      | 5890.250        | 67.222                 | 25.020               | -26.660         | 93.882         | 42.201      | PK   |
| 6  |      | 5897.625        | 63.531                 | 21.251               | -24.888         | 88.419         | 42.280      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 101            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:49 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 66.832                 | 25.624               | -7.168          | 74.000         | 41.208      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 102            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:52 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.495                 | 10.287               | -2.505          | 54.000         | 41.208      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 103            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:53 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 64.169                 | 22.961               | -9.831          | 74.000         | 41.208      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 104            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 20:58 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 49.768                 | 8.560                | -4.232          | 54.000         | 41.208      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 105            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5350.000        | 63.682                 | 22.287               | -10.318         | 74.000         | 41.395      | PK   |
| 2  | *    | 5352.450        | 65.112                 | 23.707               | -8.888          | 74.000         | 41.405      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 106            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 21:07 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 51.774                 | 10.379               | -2.226          | 54.000         | 41.395      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 107            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 21:45 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 64.323                 | 22.928               | -9.677          | 74.000         | 41.395      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 108            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 21:48 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 49.191                 | 7.796                | -4.809          | 54.000         | 41.395      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 109            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 21:55 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5457.360        | 66.502                 | 24.848               | -7.498          | 74.000         | 41.654      | PK   |
| 2  |      | 5460.000        | 64.010                 | 22.378               | -9.990          | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 110            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:13 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.667                 | 10.035               | -2.333          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 111            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:35 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5457.680        | 63.957                 | 22.306               | -10.043         | 74.000         | 41.651      | PK   |
| 2  |      | 5460.000        | 62.919                 | 21.287               | -11.081         | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 112            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:37 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 49.265                 | 7.633                | -4.735          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 113            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:39 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5687.475        | 72.604                 | 30.535               | -23.358         | 95.962         | 42.069      | PK   |
| 2  |      | 5692.480        | 75.004                 | 32.978               | -24.652         | 99.656         | 42.025      | PK   |
| 3  | *    | 5695.505        | 79.112                 | 37.080               | -22.775         | 101.887        | 42.032      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 114            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:42 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5690.225        | 70.078                 | 28.036               | -27.914         | 97.992         | 42.043      | PK   |
| 2  | *    | 5696.385        | 76.605                 | 34.572               | -25.930         | 102.536        | 42.033      | PK   |
| 3  |      | 5703.315        | 79.125                 | 37.078               | -27.004         | 106.130        | 42.047      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 115            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:44 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz) Ant 2 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5685.308        | 66.548                 | 24.458               | -27.813         | 94.362         | 42.090      | PK   |
| 2  |      | 5697.505        | 68.992                 | 26.956               | -34.370         | 103.361        | 42.035      | PK   |
| 3  |      | 5705.500        | 70.160                 | 28.109               | -36.581         | 106.742        | 42.051      | PK   |
| 4  |      | 5874.010        | 67.017                 | 24.953               | -38.460         | 105.477        | 42.064      | PK   |
| 5  |      | 5884.055        | 65.702                 | 23.561               | -32.774         | 98.476         | 42.141      | PK   |
| 6  |      | 5889.795        | 64.848                 | 22.651               | -29.371         | 94.219         | 42.197      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 116            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:47 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5685.922        | 63.343                 | 21.259               | -31.472         | 94.815         | 42.084      | PK   |
| 2  |      | 5689.510        | 63.597                 | 21.548               | -33.867         | 97.464         | 42.049      | PK   |
| 3  |      | 5696.993        | 67.541                 | 25.506               | -35.443         | 102.984        | 42.035      | PK   |
| 4  |      | 5874.215        | 63.627                 | 21.562               | -41.793         | 105.419        | 42.065      | PK   |
| 5  |      | 5884.772        | 64.746                 | 22.598               | -33.198         | 97.944         | 42.149      | PK   |
| 6  | *    | 5890.000        | 62.877                 | 20.678               | -31.190         | 94.067         | 42.199      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 117            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:50 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5880.360        | 76.660                 | 34.554               | -24.559         | 101.219        | 42.105      | PK   |
| 2  |      | 5883.360        | 73.072                 | 30.937               | -25.920         | 98.992         | 42.135      | PK   |
| 3  |      | 5888.400        | 69.754                 | 27.570               | -25.500         | 95.253         | 42.184      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 118            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:52 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5879.400        | 74.858                 | 32.762               | -27.073         | 101.931        | 42.096      | PK   |
| 2  |      | 5882.640        | 70.329                 | 28.201               | -29.197         | 99.526         | 42.128      | PK   |
| 3  | *    | 5887.040        | 69.253                 | 27.083               | -27.008         | 96.262         | 42.171      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 119            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:54 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5140.775        | 67.947                 | 26.912               | -6.053          | 74.000         | 41.035      | PK   |
| 2  |      | 5150.000        | 64.799                 | 23.591               | -9.201          | 74.000         | 41.208      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 120            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 22:58 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.432                 | 10.224               | -2.568          | 54.000         | 41.208      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 121            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:02 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5142.550        | 67.673                 | 26.609               | -6.327          | 74.000         | 41.064      | PK   |
| 2  |      | 5150.000        | 65.986                 | 24.778               | -8.014          | 74.000         | 41.208      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 122            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:04 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5190MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 49.253                 | 8.045                | -4.747          | 54.000         | 41.208      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 123            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:06 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5350.000        | 63.794                 | 22.399               | -10.206         | 74.000         | 41.395      | PK   |
| 2  | *    | 5353.835        | 66.144                 | 24.742               | -7.856          | 74.000         | 41.401      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 124            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:09 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 51.255                 | 9.860                | -2.745          | 54.000         | 41.395      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 125            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:12 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5350.000        | 58.288                 | 16.893               | -15.712         | 74.000         | 41.395      | PK   |
| 2  | *    | 5350.350        | 62.633                 | 21.236               | -11.367         | 74.000         | 41.397      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 126            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:13 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 47.588                 | 6.193                | -6.412          | 54.000         | 41.395      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 127            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:21 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5458.180        | 68.368                 | 26.721               | -5.632          | 74.000         | 41.647      | PK   |
| 2  |      | 5460.000        | 64.021                 | 22.389               | -9.979          | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 128            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:23 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.812                 | 10.180               | -2.188          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 129            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:25 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5458.000        | 63.280                 | 21.632               | -10.720         | 74.000         | 41.649      | PK   |
| 2  |      | 5460.000        | 60.511                 | 18.879               | -13.489         | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 130            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:26 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 48.523                 | 6.891                | -5.477          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 131            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:28 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5755MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5686.755        | 82.826                 | 40.750               | -12.604         | 95.430         | 42.077      | PK   |
| 2  |      | 5692.410        | 86.091                 | 44.065               | -13.514         | 99.604         | 42.025      | PK   |
| 3  |      | 5700.210        | 88.809                 | 46.768               | -16.450         | 105.259        | 42.041      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 132            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:31 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5755MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5685.845        | 78.257                 | 36.172               | -16.501         | 94.758         | 42.085      | PK   |
| 2  |      | 5691.175        | 80.512                 | 38.479               | -18.181         | 98.693         | 42.033      | PK   |
| 3  |      | 5700.795        | 84.701                 | 42.659               | -20.722         | 105.423        | 42.042      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 133            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:33 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5795MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5874.542        | 81.705                 | 39.638               | -23.623         | 105.328        | 42.067      | PK   |
| 2  |      | 5882.575        | 78.170                 | 36.043               | -21.404         | 99.574         | 42.127      | PK   |
| 3  | *    | 5887.030        | 76.675                 | 34.505               | -19.594         | 96.269         | 42.171      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 134            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:37 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5795MHz by 802.11ax(40MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5872.585        | 77.874                 | 35.818               | -28.002         | 105.875        | 42.056      | PK   |
| 2  |      | 5881.833        | 75.375                 | 33.255               | -24.750         | 100.125        | 42.120      | PK   |
| 3  | *    | 5889.527        | 73.410                 | 31.215               | -21.008         | 94.418         | 42.195      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 135            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:39 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 69.793                 | 28.585               | -4.207          | 74.000         | 41.208      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 136            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:44 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.400                 | 10.192               | -2.600          | 54.000         | 41.208      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 137            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:52 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 67.021                 | 25.813               | -6.979          | 74.000         | 41.208      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 138            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:54 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5210MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 50.303                 | 9.095                | -3.697          | 54.000         | 41.208      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 139            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:56 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 63.729                 | 22.334               | -10.271         | 74.000         | 41.395      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 140            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/18 - 23:59 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 51.760                 | 10.365               | -2.240          | 54.000         | 41.395      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 141            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/19 - 00:03 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 59.112                 | 17.717               | -14.888         | 74.000         | 41.395      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 142            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/19 - 00:05 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 48.003                 | 6.608                | -5.997          | 54.000         | 41.395      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 143            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/19 - 00:07 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5454.170        | 65.927                 | 24.248               | -8.073          | 74.000         | 41.679      | PK   |
| 2  |      | 5460.000        | 63.926                 | 22.294               | -10.074         | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 144            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/19 - 00:10 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.634                 | 10.002               | -2.366          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 145            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/19 - 00:15 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5456.920        | 64.151                 | 22.494               | -9.849          | 74.000         | 41.657      | PK   |
| 2  |      | 5460.000        | 61.080                 | 19.448               | -12.920         | 74.000         | 41.632      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 146            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/19 - 00:17 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 48.466                 | 6.834                | -5.534          | 54.000         | 41.632      | AV   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 147            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/19 - 00:20 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5651.250        | 66.890                 | 24.838               | -2.239          | 69.129         | 42.052      | PK   |
| 2  |      | 5654.375        | 67.210                 | 25.159               | -4.240          | 71.451         | 42.051      | PK   |
| 3  |      | 5658.625        | 67.309                 | 25.254               | -7.296          | 74.606         | 42.056      | PK   |
| 4  |      | 5882.000        | 69.857                 | 27.736               | -30.144         | 100.001        | 42.121      | PK   |
| 5  |      | 5892.500        | 66.831                 | 24.608               | -25.383         | 92.214         | 42.223      | PK   |
| 6  |      | 5898.625        | 65.738                 | 23.444               | -21.941         | 87.678         | 42.294      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 2150775R                                          | Page No.: 148            |
| Engineer: Tongben                                          |                          |
| Site: AC5                                                  | Time: 2021/06/19 - 00:22 |
| Limit: FCC-15.407 new new                                  | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                        | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                 | Power: AC 120V/60Hz      |
| Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5651.625        | 62.954                 | 20.902               | -6.454          | 69.408         | 42.052      | PK   |
| 2  |      | 5656.625        | 65.016                 | 22.965               | -8.106          | 73.121         | 42.051      | PK   |
| 3  |      | 5669.500        | 66.303                 | 24.157               | -16.366         | 82.669         | 42.145      | PK   |
| 4  |      | 5883.375        | 67.711                 | 25.576               | -31.270         | 98.981         | 42.135      | PK   |
| 5  |      | 5889.250        | 63.733                 | 21.541               | -30.890         | 94.623         | 42.191      | PK   |
| 6  |      | 5896.125        | 63.973                 | 21.714               | -25.556         | 89.529         | 42.259      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 1              |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2019/07/04 - 20:25 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5180MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 66.196                 | 24.988               | -7.804          | 74.000         | 41.208      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 2              |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 20:25 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5180MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.711                 | 10.503               | -2.289          | 54.000         | 41.208      | AV   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 3              |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 20:27 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Vertical       |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5180MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 65.411                 | 24.203               | -8.589          | 74.000         | 41.208      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 4              |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 20:31 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Vertical       |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5180MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 50.765                 | 9.557                | -3.235          | 54.000         | 41.208      | AV   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 5              |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 20:57 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 64.796                 | 23.401               | -9.204          | 74.000         | 41.395      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 6              |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 21:00 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 51.769                 | 10.374               | -2.231          | 54.000         | 41.395      | AV   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 7              |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 21:02 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Vertical       |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 59.636                 | 18.241               | -14.364         | 74.000         | 41.395      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 8              |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 21:03 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Vertical       |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 45.599                 | 4.204                | -8.401          | 54.000         | 41.395      | AV   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 9              |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 21:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5459.520        | 71.374                 | 29.738               | -2.626          | 74.000         | 41.636      | PK   |
| 2  |      | 5460.000        | 69.031                 | 27.399               | -4.969          | 74.000         | 41.632      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 10             |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 21:26 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.880                 | 10.248               | -2.120          | 54.000         | 41.632      | AV   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 11             |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 21:30 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Vertical       |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 67.477                 | 25.845               | -6.523          | 74.000         | 41.632      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 12             |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 21:32 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Vertical       |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 49.702                 | 8.070                | -4.298          | 54.000         | 41.632      | AV   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 13             |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 21:49 |
| Limit: FCC-15.407 new new                         | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5745MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5717.340        | 94.431                 | 52.426               | -15.625         | 110.056        | 42.005      | PK   |
| 2  |      | 5722.070        | 99.059                 | 57.084               | -16.462         | 115.521        | 41.975      | PK   |
| 3  |      | 5730.210        | 103.271                | 61.362               | -18.929         | 122.200        | 41.908      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 14             |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 21:58 |
| Limit: FCC-15.407 new new                         | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Vertical       |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5745MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5715.580        | 90.400                 | 48.384               | -19.164         | 109.564        | 42.016      | PK   |
| 2  |      | 5725.425        | 99.807                 | 57.853               | -22.393         | 122.200        | 41.954      | PK   |
| 3  |      | 5730.210        | 102.850                | 60.941               | -19.350         | 122.200        | 41.908      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 15             |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 22:00 |
| Limit: FCC-15.407 new new                         | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5785MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5707.345        | 70.129                 | 28.074               | -37.130         | 107.259        | 42.055      | PK   |
| 2  | *    | 5713.700        | 73.781                 | 31.753               | -35.257         | 109.038        | 42.029      | PK   |
| 3  |      | 5724.053        | 74.017                 | 32.055               | -46.024         | 120.042        | 41.962      | PK   |
| 4  |      | 5853.100        | 71.039                 | 29.073               | -44.091         | 115.131        | 41.967      | PK   |
| 5  |      | 5858.635        | 70.894                 | 28.910               | -38.887         | 109.781        | 41.984      | PK   |
| 6  |      | 5864.272        | 67.700                 | 25.692               | -40.501         | 108.201        | 42.008      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 16             |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 22:04 |
| Limit: FCC-15.407 new new                         | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Vertical       |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5785MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5703.450        | 67.124                 | 25.077               | -39.043         | 106.167        | 42.048      | PK   |
| 2  |      | 5713.700        | 69.888                 | 27.860               | -39.150         | 109.038        | 42.029      | PK   |
| 3  |      | 5723.745        | 72.053                 | 30.089               | -47.286         | 119.340        | 41.964      | PK   |
| 4  |      | 5855.663        | 69.142                 | 27.167               | -41.472         | 110.614        | 41.975      | PK   |
| 5  |      | 5862.120        | 64.866                 | 22.870               | -43.939         | 108.804        | 41.996      | PK   |
| 6  |      | 5871.038        | 62.456                 | 20.409               | -43.852         | 106.308        | 42.047      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 17             |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 22:06 |
| Limit: FCC-15.407 new new                         | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5825MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5852.600        | 93.267                 | 51.302               | -23.004         | 116.271        | 41.965      | PK   |
| 2  | *    | 5857.960        | 90.519                 | 48.537               | -19.451         | 109.970        | 41.982      | PK   |
| 3  |      | 5865.880        | 81.616                 | 39.599               | -26.135         | 107.751        | 42.017      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 2150775R                                 | Page No.: 18             |
| Engineer: Tongben                                 |                          |
| Site: AC5                                         | Time: 2021/06/04 - 22:08 |
| Limit: FCC-15.407 new new                         | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)               | Polarity: Vertical       |
| EUT: VR All-In-One Headset                        | Power: AC 120V/60Hz      |
| Note: Mode 1: Transmit at 5825MHz by 802.11a MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5855.560        | 88.121                 | 46.147               | -22.522         | 110.643        | 41.975      | PK   |
| 2  |      | 5860.840        | 84.245                 | 42.254               | -24.918         | 109.163        | 41.991      | PK   |
| 3  |      | 5865.840        | 80.043                 | 38.026               | -27.719         | 107.762        | 42.017      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 19             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:09 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 67.288                 | 26.080               | -6.712          | 74.000         | 41.208      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 20             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:16 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.744                 | 10.536               | -2.256          | 54.000         | 41.208      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 21             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:22 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 65.105                 | 23.897               | -8.895          | 74.000         | 41.208      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 22             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:23 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 50.894                 | 9.686                | -3.106          | 54.000         | 41.208      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 23             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:25 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 69.310                 | 27.915               | -4.690          | 74.000         | 41.395      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 24             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:28 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 51.574                 | 10.179               | -2.426          | 54.000         | 41.395      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 25             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:31 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 60.648                 | 19.253               | -13.352         | 74.000         | 41.395      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 26             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:33 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 48.243                 | 6.848                | -5.757          | 54.000         | 41.395      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 27             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:35 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5458.080        | 69.173                 | 27.525               | -4.827          | 74.000         | 41.648      | PK   |
| 2  |      | 5460.000        | 66.790                 | 25.158               | -7.210          | 74.000         | 41.632      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 28             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:37 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.017                 | 9.385                | -2.983          | 54.000         | 41.632      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 29             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:42 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 61.337                 | 19.705               | -12.663         | 74.000         | 41.632      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 30             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:44 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 49.641                 | 8.009                | -4.359          | 54.000         | 41.632      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 31             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:45 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5708.870        | 81.742                 | 39.684               | -25.944         | 107.686        | 42.058      | PK   |
| 2  | *    | 5720.365        | 90.407                 | 48.421               | -21.226         | 111.633        | 41.986      | PK   |
| 3  |      | 5725.535        | 96.979                 | 55.026               | -25.221         | 122.200        | 41.953      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 32             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/04 - 22:51 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5710.740        | 85.345                 | 43.298               | -22.864         | 108.210        | 42.047      | PK   |
| 2  |      | 5714.535        | 89.134                 | 47.111               | -20.138         | 109.272        | 42.024      | PK   |
| 3  | *    | 5719.210        | 91.291                 | 49.298               | -19.288         | 110.579        | 41.993      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 33             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 20:51 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) MIMO |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5709.395        | 71.840                 | 29.784               | -35.993         | 107.833        | 42.056      | PK   |
| 2  | *    | 5714.007        | 74.030                 | 32.004               | -35.094         | 109.124        | 42.026      | PK   |
| 3  |      | 5723.643        | 74.672                 | 32.707               | -44.435         | 119.107        | 41.965      | PK   |
| 4  |      | 5858.020        | 71.763                 | 29.781               | -38.190         | 109.953        | 41.983      | PK   |
| 5  |      | 5868.475        | 66.168                 | 24.136               | -40.857         | 107.025        | 42.032      | PK   |
| 6  |      | 5874.522        | 63.473                 | 21.406               | -41.861         | 105.334        | 42.067      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 34             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 20:55 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5710.933        | 67.623                 | 25.577               | -40.641         | 108.264        | 42.046      | PK   |
| 2  | *    | 5719.440        | 70.929                 | 28.937               | -39.715         | 110.643        | 41.992      | PK   |
| 3  |      | 5730.920        | 73.183                 | 31.281               | -49.017         | 122.200        | 41.902      | PK   |
| 4  |      | 5841.518        | 71.995                 | 30.043               | -50.205         | 122.200        | 41.952      | PK   |
| 5  |      | 5850.538        | 69.761                 | 27.803               | -51.212         | 120.973        | 41.959      | PK   |
| 6  |      | 5856.175        | 68.742                 | 26.766               | -41.728         | 110.470        | 41.976      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 35             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 20:58 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5858.080        | 90.340                 | 48.358               | -19.596         | 109.936        | 41.983      | PK   |
| 2  |      | 5861.040        | 85.512                 | 43.520               | -23.595         | 109.107        | 41.992      | PK   |
| 3  |      | 5881.400        | 75.394                 | 33.278               | -25.053         | 100.446        | 42.116      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 36             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:01 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5855.800        | 87.191                 | 45.216               | -23.385         | 110.576        | 41.975      | PK   |
| 2  |      | 5860.560        | 84.639                 | 42.649               | -24.602         | 109.241        | 41.991      | PK   |
| 3  |      | 5865.560        | 78.373                 | 36.358               | -29.467         | 107.841        | 42.016      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 37             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:03 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 62.181                 | 20.973               | -11.819         | 74.000         | 41.208      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 38             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:10 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.312                 | 10.104               | -2.688          | 54.000         | 41.208      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 39             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:15 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 61.585                 | 20.377               | -12.415         | 74.000         | 41.208      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 40             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:17 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 49.277                 | 8.069                | -4.723          | 54.000         | 41.208      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 41             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:19 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 64.552                 | 23.157               | -9.448          | 74.000         | 41.395      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 42             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:22 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 51.516                 | 10.121               | -2.484          | 54.000         | 41.395      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 43             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:24 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 60.365                 | 18.970               | -13.635         | 74.000         | 41.395      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 44             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:25 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 49.538                 | 8.143                | -4.462          | 54.000         | 41.395      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 45             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:27 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5455.030        | 66.035                 | 24.363               | -7.965          | 74.000         | 41.672      | PK   |
| 2  |      | 5460.000        | 62.700                 | 21.068               | -11.300         | 74.000         | 41.632      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 46             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:39 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 50.549                 | 8.917                | -3.451          | 54.000         | 41.632      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 47             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:43 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 60.897                 | 19.265               | -13.103         | 74.000         | 41.632      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 48             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:44 |
| Limit: FCC_Part15.209_RE(3m)                             | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 49.168                 | 7.536                | -4.832          | 54.000         | 41.632      | AV   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 49             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:46 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5755MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5699.300        | 89.047                 | 47.008               | -15.637         | 104.684        | 42.040      | PK   |
| 2  |      | 5708.790        | 95.465                 | 53.407               | -12.199         | 107.664        | 42.058      | PK   |
| 3  | *    | 5712.105        | 98.343                 | 56.304               | -10.249         | 108.592        | 42.039      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 50             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:49 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5755MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5704.370        | 91.094                 | 49.045               | -15.331         | 106.425        | 42.049      | PK   |
| 2  | *    | 5715.680        | 96.841                 | 54.825               | -12.751         | 109.592        | 42.016      | PK   |
| 3  |      | 5723.675        | 96.695                 | 54.730               | -22.485         | 119.180        | 41.965      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 51             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:51 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5795MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5852.808        | 87.412                 | 45.447               | -28.384         | 115.797        | 41.965      | PK   |
| 2  |      | 5857.533        | 84.476                 | 42.495               | -25.614         | 110.090        | 41.980      | PK   |
| 3  | *    | 5870.560        | 84.315                 | 42.271               | -22.127         | 106.442        | 42.044      | PK   |

|                                                          |                          |
|----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                        | Page No.: 52             |
| Engineer: Tongben                                        |                          |
| Site: AC5                                                | Time: 2021/06/07 - 21:56 |
| Limit: FCC-15.407 new new                                | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                      | Polarity: Vertical       |
| EUT: VR All-In-One Headset                               | Power: AC 120V/60Hz      |
| Note: Mode 3: Transmit at 5795MHz by 802.11n(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5856.115        | 84.635                 | 42.659               | -25.852         | 110.487        | 41.976      | PK   |
| 2  |      | 5862.663        | 82.668                 | 40.669               | -25.984         | 108.652        | 41.999      | PK   |
| 3  |      | 5869.210        | 77.301                 | 35.265               | -29.518         | 106.819        | 42.037      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 53             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 21:58 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 69.509                 | 28.301               | -4.491          | 74.000         | 41.208      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 54             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:08 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.718                 | 10.510               | -2.282          | 54.000         | 41.208      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 55             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:13 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 65.322                 | 24.114               | -8.678          | 74.000         | 41.208      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 56             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:14 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 50.606                 | 9.398                | -3.394          | 54.000         | 41.208      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 57             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:16 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 63.606                 | 22.211               | -10.394         | 74.000         | 41.395      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 58             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:18 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 51.024                 | 9.629                | -2.976          | 54.000         | 41.395      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 59             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:29 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 59.383                 | 17.988               | -14.617         | 74.000         | 41.395      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 60             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:31 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 48.554                 | 7.159                | -5.446          | 54.000         | 41.395      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 61             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:33 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 65.109                 | 23.477               | -8.891          | 74.000         | 41.632      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 62             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:35 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.420                 | 9.788                | -2.580          | 54.000         | 41.632      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 63             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:44 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 63.097                 | 21.465               | -10.903         | 74.000         | 41.632      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 64             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:46 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 49.852                 | 8.220                | -4.148          | 54.000         | 41.632      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 65             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:48 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5745MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5703.150        | 81.817                 | 39.770               | -24.266         | 106.083        | 42.047      | PK   |
| 2  |      | 5706.340        | 83.212                 | 41.159               | -23.765         | 106.977        | 42.053      | PK   |
| 3  | *    | 5712.005        | 90.231                 | 48.192               | -18.333         | 108.564        | 42.039      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 66             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:51 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5745MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5696.110        | 75.578                 | 33.545               | -26.755         | 102.333        | 42.033      | PK   |
| 2  |      | 5708.925        | 83.301                 | 41.243               | -24.400         | 107.701        | 42.058      | PK   |
| 3  | *    | 5718.110        | 91.983                 | 49.983               | -18.288         | 110.272        | 42.001      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 67             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:53 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5785MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5704.065        | 67.532                 | 25.483               | -38.808         | 106.340        | 42.048      | PK   |
| 2  | *    | 5718.107        | 72.402                 | 30.402               | -37.869         | 110.271        | 42.000      | PK   |
| 3  |      | 5724.667        | 75.557                 | 33.599               | -45.884         | 121.441        | 41.959      | PK   |
| 4  |      | 5850.947        | 71.067                 | 29.107               | -48.974         | 120.040        | 41.960      | PK   |
| 5  |      | 5859.353        | 70.156                 | 28.169               | -39.424         | 109.580        | 41.987      | PK   |
| 6  |      | 5868.783        | 64.821                 | 22.787               | -42.118         | 106.939        | 42.034      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 68             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:55 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5785MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5708.370        | 66.637                 | 24.580               | -40.909         | 107.546        | 42.058      | PK   |
| 2  | *    | 5716.058        | 69.919                 | 27.906               | -39.778         | 109.698        | 42.014      | PK   |
| 3  |      | 5724.565        | 72.365                 | 30.406               | -48.844         | 121.209        | 41.959      | PK   |
| 4  |      | 5854.842        | 67.351                 | 25.379               | -43.809         | 111.160        | 41.972      | PK   |
| 5  |      | 5864.888        | 63.548                 | 21.536               | -44.481         | 108.029        | 42.011      | PK   |
| 6  |      | 5874.317        | 60.127                 | 18.061               | -45.264         | 105.391        | 42.065      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 69             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 22:59 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5825MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5859.400        | 89.616                 | 47.629               | -19.951         | 109.566        | 41.987      | PK   |
| 2  |      | 5870.160        | 77.848                 | 35.806               | -28.706         | 106.553        | 42.041      | PK   |
| 3  |      | 5878.720        | 71.852                 | 29.761               | -30.585         | 102.436        | 42.091      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 70             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 23:01 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 4: Transmit at 5825MHz by 802.11ac(20MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5857.120        | 85.575                 | 43.596               | -24.630         | 110.205        | 41.979      | PK   |
| 2  |      | 5863.760        | 80.597                 | 38.592               | -27.748         | 108.345        | 42.005      | PK   |
| 3  |      | 5874.360        | 71.542                 | 29.476               | -33.837         | 105.379        | 42.065      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 71             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/07 - 23:05 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 65.961                 | 24.753               | -8.039          | 74.000         | 41.208      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 72             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 00:34 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.746                 | 105.38               | -2.254          | 54.000         | 41.208      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 73             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 00:39 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 62.889                 | 21.681               | -11.111         | 74.000         | 41.208      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 74             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 00:40 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 49.854                 | 8.646                | -4.146          | 54.000         | 41.208      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 75             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 00:42 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 62.577                 | 21.182               | -11.423         | 74.000         | 41.395      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 76             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 00:44 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 51.348                 | 9.953                | -2.652          | 54.000         | 41.395      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 77             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 00:56 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 58.263                 | 16.868               | -15.737         | 74.000         | 41.395      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 78             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 00:59 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 48.229                 | 6.834                | -5.771          | 54.000         | 41.395      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 79             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:00 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5456.740        | 68.560                 | 26.902               | -5.440          | 74.000         | 41.658      | PK   |
| 2  |      | 5460.000        | 63.433                 | 21.801               | -10.567         | 74.000         | 41.632      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 80             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:03 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.873                 | 10.241               | -2.127          | 54.000         | 41.632      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 81             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:07 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 59.761                 | 18.129               | -14.239         | 74.000         | 41.632      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 82             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:09 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 49.345                 | 7.713                | -4.655          | 54.000         | 41.632      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 83             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:11 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5755MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5700.470        | 88.798                 | 46.756               | -16.534         | 105.332        | 42.041      | PK   |
| 2  | *    | 5712.625        | 97.830                 | 55.795               | -10.907         | 108.737        | 42.035      | PK   |
| 3  |      | 5719.190        | 99.202                 | 57.209               | -11.371         | 110.574        | 41.993      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 84             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:14 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5755MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5703.395        | 87.714                 | 45.667               | -18.438         | 106.152        | 42.048      | PK   |
| 2  | *    | 5712.300        | 94.428                 | 52.391               | -14.218         | 108.646        | 42.038      | PK   |
| 3  |      | 5716.460        | 95.135                 | 53.124               | -14.675         | 109.810        | 42.011      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 85             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:16 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5795MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5857.870        | 88.430                 | 46.448               | -21.565         | 109.995        | 41.982      | PK   |
| 2  |      | 5863.945        | 84.745                 | 42.739               | -23.548         | 108.293        | 42.006      | PK   |
| 3  | *    | 5885.275        | 78.722                 | 36.569               | -18.849         | 97.571         | 42.153      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 86             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:22 |
| Limit: FCC-15.407 new new                                 | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 5: Transmit at 5795MHz by 802.11ac(40MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5857.803        | 86.513                 | 44.531               | -23.501         | 110.014        | 41.982      | PK   |
| 2  |      | 5867.860        | 78.747                 | 36.718               | -28.450         | 107.197        | 42.028      | PK   |
| 3  |      | 5878.053        | 74.837                 | 32.750               | -28.095         | 102.932        | 42.087      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 87             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:24 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5145.750        | 63.011                 | 21.893               | -10.989         | 74.000         | 41.117      | PK   |
| 2  |      | 5150.000        | 60.891                 | 19.683               | -13.109         | 74.000         | 41.208      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 88             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 01:28 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 51.489                 | 10.281               | -2.511          | 54.000         | 41.208      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 89             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 06:54 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 57.953                 | 16.745               | -16.047         | 74.000         | 41.208      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 90             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 06:56 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5150.000        | 48.630                 | 7.422                | -5.370          | 54.000         | 41.208      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 91             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 06:57 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5350.000        | 61.860                 | 20.465               | -12.140         | 74.000         | 41.395      | PK   |
| 2  | *    | 5356.260        | 64.165                 | 22.769               | -9.835          | 74.000         | 41.396      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 92             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 07:00 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5350.000        | 51.199                 | 9.804                | -2.801          | 54.000         | 41.395      | AV   |
| 2  | *    | 5353.005        | 51.910                 | 10.506               | -2.090          | 54.000         | 41.403      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 93             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 07:08 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 59.088                 | 17.693               | -14.912         | 74.000         | 41.395      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 94             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 07:10 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5350.000        | 49.589                 | 8.194                | -4.411          | 54.000         | 41.395      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 95             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 07:12 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 65.997                 | 24.365               | -8.003          | 74.000         | 41.632      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 96             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 07:14 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Horizontal     |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 51.774                 | 10.142               | -2.226          | 54.000         | 41.632      | AV   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 97             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 07:25 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5453.730        | 61.961                 | 20.283               | -12.039         | 74.000         | 41.678      | PK   |
| 2  |      | 5460.000        | 60.114                 | 18.482               | -13.886         | 74.000         | 41.632      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 2150775R                                         | Page No.: 98             |
| Engineer: Tongben                                         |                          |
| Site: AC5                                                 | Time: 2021/06/08 - 07:27 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00123988_(1-18GHz)                       | Polarity: Vertical       |
| EUT: VR All-In-One Headset                                | Power: AC 120V/60Hz      |
| Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5460.000        | 48.699                 | 7.067                | -5.301          | 54.000         | 41.632      | AV   |