


# 产品使用说明书

PRODUCT INSTRUCTION MANUAL




感谢您的选择,使用前请详读说明书,以便正确使用。

Thank you for your choice, please read the instructions carefully before use, in order to use correctly.

# PRODUCT OVERVIEW

## 1. General drawing

① Light perception	⑥ volume "+" / "-"	⑪ Flash light
② Front camera	⑦ Power key	⑫ NFC
③ Left custom key	⑧ Right custom key	⑬ Rear camera
④ PASM	⑨ Type-C interface	⑭ Horn
⑤ TF/SIM	⑩ DC Power interface	⑮ Scanner engine




## 2. Shortcut keys, Custom keys


No.	Function	Operating instructions
1	Screenshot	Press "Power button" and "Volume-" at the same time
2	Custom key	Setting → "Personalization" → Custom
3	Hide Virtual key board	Settings → "Language and Input Method" → "Physical Keyboard" → "Show Virtual" Keyboard is closed

# INSTALLING TF/SIM CARD


1. Please select the corresponding card slot according to the view and insert PASM/TF/SIM card, as shown in (Figure 1):
2. Two modes of SIM+TF/SIM+SIM card are supported, as shown in (Figure 2) and Figure 3:



(Figure 1)



(Figure 2)



(Figure 3)

# BAR CODE SCANNING FUNCTION

1. If your device is equipped with barcode scanning, please follow the instructions below:


\* Find the scan icon in the list of programs (Figure 1) and open it.

\* In the scanning test interface (Figure 2), press the scanning button to scan the bar code.


\* In the scan setting interface (Figure 3), multiple scan output modes can be set.



(Figure 1)



(Figure 2)



(Figure 3)

# DEVICE OPTIONAL FUNCTIONS



ID Card



NFC



Fingerprint



UHF



LF



ETC

# DEVICE CHARGING

## 1. Three charging options for the device



① DC Power interface



② Type-C Power interface



③ Docking station(Optional)

- 3-4 hours to full charge, standy time exceed 48hours.
- indicator light is red when charging, green when fully charged, and blue when scanning.

## 2. Note

- \* Charging device by docking station(Purchase seperately).
- \* To prevent excessive battery consumption,Please charge device when battery level below 20%.
- \* If the battery is already in an over consumption protection state, pls charging device 20-30mins, and it will back to normal charging.
- \* It is strictly prohibited to charge two or three charging methods at the same time.

# FAQ

## 1. How to restore factory settings?

Select "Setting" → "System" → "Reset option" → "Factory date reset"

## 2. Why can not open the PDA?

- (1) If the new device does not turn on, please make sure the sticker on battery has been removed.
- (2) Press the power button for 4s until the device screen starts to display and then release the power button.
- (3) Pls check if the battery has power, put the battery into PDA and charge it, if the screen shows charging icon, charge the PDA for some time and restart it.

## 3. PDA can not connect to the PC?

If you connect the PDA with your PC, no prompt messages, pls change another cable to test, if not work, pls change another pc.

## 4. When using scanner, there is no data but scan-light on, Why?

- (1) Go to scan setting, and check "Keyboard output".
- (2) If checked, then pls reset the scan demo for twice, and operate "OFF"--"ON".

## 5. The device cannot scan the code

- (1) Check if each scan button can be used normally.
- (2) Check if the scan engine supports the barcode.
- (3) Check if the scanning lens and barcode is clear and unobstructed.
- (4) Check the scan setting and reset.

## 6. The device can not charge

- (1) Check if the device adapter and charging port are good.
- (2) If the device hasn't been used for a long time, please keep it charged for 30 minutes.  
Then check whether the device lights on or not.
- (3) Replace the battery of the device that can be turned on normally, check the problem on battery or device.

## 7. How to use the battery correctly?

The battery is Li-ion battery, If no power, pls immediately charge it, Don't keep the battery with full power or no power for long time, The best way is to keep 50% power of the battery to store it. And if you don't use the PDA for long time, pls pull out the battery from PDA and store it.

## FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harm full interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1)This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

### Specific Absorption Rate (SAR) information:

This Device meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: Device has also been tested against this SAR limit. This device was tested for typical body-worn operations with the back of the device kept 0mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain an 0mm separation distance between the user's body and the back of the device. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.