



<h3>Common product faults</h3> <table border="1" data-bbox="501 314 1041 527"> <thead> <tr> <th>Phenomenon</th><th>Cause</th><th>Remedy</th></tr> </thead> <tbody> <tr> <td>Cannot start charging</td><td>1.The power supply does not meet requirements. 2.Unstable connection of power interface. 3.The charging distance is out of range. 4.There are other metal objects in the charging area.</td><td>1.Replace the adapter that match. 2.Reinsert the power socket. 3.using within the specified distance. 4.Remove metal foreign bodies</td></tr> <tr> <td>Charging is slow</td><td>The temperature of product is too high</td><td>1. Keep reasonable space for heat dissipation 2. Please wait until the temperature drops to room temperature before using the device</td></tr> </tbody> </table> <h3>Hazardous Substance Declaration</h3> <p> This mark is the product pollution control mark, the number of which represents the environmental service life. In this period of time, under normal conditions of use harmful substances will not cause greater pollution to the environment or damage to human life and property.</p> <table border="1" data-bbox="501 752 1041 1089"> <thead> <tr> <th rowspan="2">Name of parts</th><th colspan="6">Hazardous substance</th></tr> <tr> <th>Lead (Pb)</th><th>Mercury (Hg)</th><th>Cadmium (Cd)</th><th>Hexavalent Chromium (Cr(VI))</th><th>Polybrominated Biphenyls (PBB)</th><th>Polybrominated diphenyl ethers (PBDE)</th></tr> </thead> <tbody> <tr> <td>Electronic components</td><td>×</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr> <tr> <td>Plastic casing</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr> <tr> <td>Electroplated aluminum alloy parts</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr> <tr> <td>Non-electroplated metal parts</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr> <tr> <td>Double faced adhesive tape</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr> <tr> <td>Synthetic cork</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr> <tr> <td>Silicon parts</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr> </tbody> </table> <p>This form is in term of Stipulation SJ/T11364 ○ It means that the content of the harmful substance in a part of the part is lower than the limit requirements specified in GB/T 26572. X It means that the content of the harmful substance in a part of the part exceeds the limit requirements specified in GB/T 26572.</p>	Phenomenon	Cause	Remedy	Cannot start charging	1.The power supply does not meet requirements. 2.Unstable connection of power interface. 3.The charging distance is out of range. 4.There are other metal objects in the charging area.	1.Replace the adapter that match. 2.Reinsert the power socket. 3.using within the specified distance. 4.Remove metal foreign bodies	Charging is slow	The temperature of product is too high	1. Keep reasonable space for heat dissipation 2. Please wait until the temperature drops to room temperature before using the device	Name of parts	Hazardous substance						Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent Chromium (Cr(VI))	Polybrominated Biphenyls (PBB)	Polybrominated diphenyl ethers (PBDE)	Electronic components	×	○	○	○	○	○	Plastic casing	○	○	○	○	○	○	Electroplated aluminum alloy parts	○	○	○	○	○	○	Non-electroplated metal parts	○	○	○	○	○	○	Double faced adhesive tape	○	○	○	○	○	○	Synthetic cork	○	○	○	○	○	○	Silicon parts	○	○	○	○	○	○	<p>FCC STATEMENT: This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: 1. Keep reasonable space for heat dissipation 2. Please wait until the temperature drops to room temperature before using the device Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help. FCC Radiation Exposure Statement: This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.</p>	<h3>Product Warranty</h3> <p>The warranty services of repair, exchange and return are provided for wireless charger products in strict accordance with the provisions of Consumer Rights Protection Law of the People's Republic of China and Product Quality Law of the People's Republic of China.</p> <p>The service contents are as follows:</p> <ol style="list-style-type: none"> If any performance fault occurs in the product within 7 days from the day following the purchase (signature for receipt), you can enjoy the return or exchange services free of charge after testing and confirmation by the after-sales service center; If any performance fault occurs in the product within 8-15 days from the day following the purchase (signature for receipt), you can enjoy exchange or repair services free of charge after testing and confirmation by the after-sales service center; If any performance fault occurs in the product within 1 year from the day following the purchase (signature for receipt), you can enjoy repair services free of charge after testing and confirmation by the after-sales service center; <p>Non-warranty Provisions</p> <p>The warranty services of repair, exchange and return are not provided in one of the following cases, and only repair is provided for a fee;</p> <ol style="list-style-type: none"> Damage is caused by consumers due to improper use, repair and storage; Damage is caused due to the repairs not performed by authorized service providers designated by the Company; No valid warranty services or invoices or proof of purchase can be provided; Damage is caused due to force majeure. <p>Manufacturer: GCteq Wireless (Shenzhen) Co., Ltd Website: http://www.gcteq.com</p> <p><input checked="" type="checkbox"/> Checked <input type="checkbox"/> Certificate of qualification</p>	<p> GCteq 吉成 Power freer • 用电更自由</p> <p>GF-CH03 User manual</p>				
Phenomenon	Cause	Remedy																																																																												
Cannot start charging	1.The power supply does not meet requirements. 2.Unstable connection of power interface. 3.The charging distance is out of range. 4.There are other metal objects in the charging area.	1.Replace the adapter that match. 2.Reinsert the power socket. 3.using within the specified distance. 4.Remove metal foreign bodies																																																																												
Charging is slow	The temperature of product is too high	1. Keep reasonable space for heat dissipation 2. Please wait until the temperature drops to room temperature before using the device																																																																												
Name of parts	Hazardous substance																																																																													
	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent Chromium (Cr(VI))	Polybrominated Biphenyls (PBB)	Polybrominated diphenyl ethers (PBDE)																																																																								
Electronic components	×	○	○	○	○	○																																																																								
Plastic casing	○	○	○	○	○	○																																																																								
Electroplated aluminum alloy parts	○	○	○	○	○	○																																																																								
Non-electroplated metal parts	○	○	○	○	○	○																																																																								
Double faced adhesive tape	○	○	○	○	○	○																																																																								
Synthetic cork	○	○	○	○	○	○																																																																								
Silicon parts	○	○	○	○	○	○																																																																								
<h3>Instruction</h3>  <p>GF-CH03AC</p>	<h3>Installation</h3> <p>1. The opening size of the furniture surface is as follows:</p> 	<h3>Key function description</h3> <table border="1" data-bbox="1730 1224 2223 1796"> <thead> <tr> <th>Key icon</th> <th>Function</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td></td> <td>Cooling Cup holder</td> <td></td> </tr> <tr> <td></td> <td>Cup light</td> <td></td> </tr> <tr> <td></td> <td>Keylock</td> <td>Hold down for 3 seconds</td> </tr> <tr> <td></td> <td>Reset</td> <td></td> </tr> <tr> <td></td> <td>Open</td> <td></td> </tr> <tr> <td></td> <td>Close</td> <td></td> </tr> <tr> <td></td> <td>Lumbar Open</td> <td></td> </tr> <tr> <td></td> <td>Lumbar Close</td> <td></td> </tr> <tr> <td></td> <td>Head Open</td> <td></td> </tr> <tr> <td></td> <td>Head Close</td> <td></td> </tr> </tbody> </table>	Key icon	Function	Notes		Cooling Cup holder			Cup light			Keylock	Hold down for 3 seconds		Reset			Open			Close			Lumbar Open			Lumbar Close			Head Open			Head Close		<h3>Specification</h3> <table border="1" data-bbox="2334 1224 2858 1617"> <thead> <tr> <th>Product name</th> <th colspan="2">Embedded Multi-Functional Integrated Cup Holder</th> </tr> <tr> <th>Model</th> <th>GF-CH03AC</th> <th>GF-CH03BC</th> </tr> <tr> <th>Input Voltage</th> <td colspan="2">DC 24-36V</td> </tr> <tr> <th>Motor</th> <td colspan="2">dual motor</td> </tr> <tr> <th>Cup-holder refrigeration</th> <td colspan="2">Have</td> </tr> <tr> <th>wireless charging</th> <td>Output power</td> <td>15W Max</td> </tr> <tr> <td></td> <td>Communications standard</td> <td>Qi2.0</td> </tr> <tr> <td></td> <td>Magsafe</td> <td>Have</td> </tr> <tr> <td></td> <td>USB-A Output</td> <td>18W Max</td> </tr> <tr> <td></td> <td>Type-C Output</td> <td>20W Max</td> </tr> <tr> <td></td> <td>A+C Output</td> <td>15W Max</td> </tr> <tr> <td></td> <td>Sofa light strip</td> <td>Options</td> </tr> <tr> <td></td> <td>Protection</td> <td>Over current, over voltage, short circuit protection</td> </tr> <tr> <td>Product size</td> <td colspan="2">200mm*127mm*115mm</td> </tr> </thead> </table>	Product name	Embedded Multi-Functional Integrated Cup Holder		Model	GF-CH03AC	GF-CH03BC	Input Voltage	DC 24-36V		Motor	dual motor		Cup-holder refrigeration	Have		wireless charging	Output power	15W Max		Communications standard	Qi2.0		Magsafe	Have		USB-A Output	18W Max		Type-C Output	20W Max		A+C Output	15W Max		Sofa light strip	Options		Protection	Over current, over voltage, short circuit protection	Product size	200mm*127mm*115mm	
Key icon	Function	Notes																																																																												
	Cooling Cup holder																																																																													
	Cup light																																																																													
	Keylock	Hold down for 3 seconds																																																																												
	Reset																																																																													
	Open																																																																													
	Close																																																																													
	Lumbar Open																																																																													
	Lumbar Close																																																																													
	Head Open																																																																													
	Head Close																																																																													
Product name	Embedded Multi-Functional Integrated Cup Holder																																																																													
Model	GF-CH03AC	GF-CH03BC																																																																												
Input Voltage	DC 24-36V																																																																													
Motor	dual motor																																																																													
Cup-holder refrigeration	Have																																																																													
wireless charging	Output power	15W Max																																																																												
	Communications standard	Qi2.0																																																																												
	Magsafe	Have																																																																												
	USB-A Output	18W Max																																																																												
	Type-C Output	20W Max																																																																												
	A+C Output	15W Max																																																																												
	Sofa light strip	Options																																																																												
	Protection	Over current, over voltage, short circuit protection																																																																												
Product size	200mm*127mm*115mm																																																																													