

The measurement Above 1GHz data as follows:

GSM 850							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
GSM_ Lowest Channel							
1	1648.400	-87.72	23.50	-64.22	-13.00	-51.22	Horizontal
2	2472.600	-87.35	29.47	-57.88	-13.00	-44.88	Horizontal
3	1648.400	-89.21	23.72	-65.49	-13.00	-52.49	Vertical
4	2472.600	-88.80	29.47	-59.33	-13.00	-46.33	Vertical
GSM_ Middle Channel							
1	1673.200	-88.86	23.50	-65.36	-13.00	-52.36	Horizontal
2	2509.800	-90.70	29.47	-61.23	-13.00	-48.23	Horizontal
3	1673.200	-90.62	23.72	-66.90	-13.00	-53.90	Vertical
4	2509.800	-93.66	29.47	-64.19	-13.00	-51.19	Vertical
GSM_ Highest Channel							
1	1697.600	-90.75	23.50	-67.25	-13.00	-54.25	Horizontal
2	2546.400	-92.17	29.47	-62.70	-13.00	-49.70	Horizontal
3	1697.600	-91.35	23.72	-67.63	-13.00	-54.63	Vertical
4	2546.400	-92.96	29.47	-63.49	-13.00	-50.49	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



PCS 1900							
No.	Frequency	SA	Correction	EIRP	Limit	Margin	Ant. Pol.
	(MHz)	Reading	factor	Result	(dBm)	(dBm)	
GSM_ Lowest Channel							
1	3700.400	-88.06	32.11	-55.95	-13.00	-42.95	Horizontal
2	5550.600	-87.34	33.21	-54.13	-13.00	-41.13	Horizontal
3	3700.400	-89.41	32.09	-57.32	-13.00	-44.32	Vertical
4	5550.600	-86.77	34.03	-52.74	-13.00	-39.74	Vertical
GSM_ Middle Channel							
1	3760.000	-83.38	32.11	-51.27	-13.00	-38.27	Horizontal
2	5640.000	-86.28	33.21	-53.07	-13.00	-40.07	Horizontal
3	3760.000	-90.98	32.09	-58.89	-13.00	-45.89	Vertical
4	5640.000	-86.80	34.03	-52.77	-13.00	-39.77	Vertical
GSM_ Highest Channel							
1	3819.600	-88.17	32.11	-56.06	-13.00	-43.06	Horizontal
2	5729.400	-87.56	33.21	-54.35	-13.00	-41.35	Horizontal
3	3819.600	-89.73	32.09	-57.64	-13.00	-44.64	Vertical
4	5729.400	-88.10	34.03	-54.07	-13.00	-41.07	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



WCDMA Band II							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
RMC 12.2kbps_ Lowest Channel							
1	3704.800	-82.98	31.09	-51.89	-13.00	-38.89	Horizontal
2	5557.200	-89.62	34.14	-55.48	-13.00	-42.48	Horizontal
3	3704.800	-80.90	33.13	-47.77	-13.00	-34.77	Vertical
4	5557.200	-85.76	32.66	-53.10	-13.00	-40.10	Vertical
RMC 12.2kbps_ Middle Channel							
1	3760.000	-79.51	31.09	-48.42	-13.00	-35.42	Horizontal
2	5640.000	-88.35	34.14	-54.21	-13.00	-41.21	Horizontal
3	3760.000	-79.87	33.13	-46.74	-13.00	-33.74	Vertical
4	5640.000	-84.26	32.66	-51.60	-13.00	-38.60	Vertical
RMC 12.2kbps_ Highest Channel							
1	3815.200	-82.93	31.09	-51.84	-13.00	-38.84	Horizontal
2	5722.800	-85.94	34.14	-51.80	-13.00	-38.8	Horizontal
3	3815.200	-82.08	33.13	-48.95	-13.00	-35.95	Vertical
4	5722.800	-83.31	32.66	-50.65	-13.00	-37.65	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



WCDMA Band IV							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
RMC 12.2kbps_ Lowest Channel							
1	3424.800	-90.00	32.11	-57.89	-13.00	-44.89	Horizontal
2	5137.200	-88.73	34.13	-54.6	-13.00	-41.60	Horizontal
3	3424.800	-90.37	32.11	-58.26	-13.00	-45.26	Vertical
4	5137.200	-87.36	34.13	-53.23	-13.00	-40.23	Vertical
RMC 12.2kbps_ Middle Channel							
1	3464.800	-88.86	32.11	-56.75	-13.00	-43.75	Horizontal
2	5197.200	-87.67	34.13	-53.54	-13.00	-40.54	Horizontal
3	3464.800	-90.28	32.11	-58.17	-13.00	-45.17	Vertical
4	5197.200	-86.89	34.13	-52.76	-13.00	-39.76	Vertical
RMC 12.2kbps_ Highest Channel							
1	3505.200	-89.32	32.11	-57.21	-13.00	-44.21	Horizontal
2	5257.800	-87.15	34.13	-53.02	-13.00	-40.02	Horizontal
3	3505.200	-89.22	32.11	-57.11	-13.00	-44.11	Vertical
4	5257.800	-85.90	34.13	-51.77	-13.00	-38.77	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



WCDMA Band V							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
RMC 12.2kbps_ Lowest Channel							
1	1652.800	-83.04	23.12	-59.92	-13.00	-46.92	Horizontal
2	2479.200	-85.48	28.47	-57.01	-13.00	-44.01	Horizontal
3	1652.800	-83.01	23.12	-59.89	-13.00	-46.89	Vertical
4	2479.200	-83.21	28.47	-54.74	-13.00	-41.74	Vertical
RMC 12.2kbps_ Middle Channel							
1	1672.800	-81.47	23.12	-58.35	-13.00	-45.35	Horizontal
2	2509.200	-83.11	28.47	-54.64	-13.00	-41.64	Horizontal
3	1672.800	-83.1	23.12	-59.98	-13.00	-46.98	Vertical
4	2509.200	-81.89	28.47	-53.42	-13.00	-40.42	Vertical
RMC 12.2kbps_ Highest Channel							
1	1693.200	-80.11	23.12	-56.99	-13.00	-43.99	Horizontal
2	2539.800	-81.66	28.47	-53.19	-13.00	-40.19	Horizontal
3	1693.200	-80.67	23.12	-57.55	-13.00	-44.55	Vertical
4	2539.800	-80.81	28.47	-52.34	-13.00	-39.34	Vertical

Note:

1. Correct Factor = Antenna Factor + Cable Loss - Amplifier Gain, the value was added to Original Receiver Reading by the software automatically.
2. Result = Reading + Correct Factor.
3. Margin = Result – Limit
4. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test. Subsequently, only the worst case emissions are reported.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



14. FREQUENCY STABILITY / VARIATION OF AMBIENT TEMPERATURE

14.1 PROVISIONS APPLICABLE

14.1.1 For Hand carried battery powered equipment

Frequency stability testing is performed in accordance with the guidelines of ANSI/TIA-603-E-2016. The frequency stability of the transmitter is measured by:

- a.) Temperature: The temperature is varied from -10°C to +40°C in 10°C increments using an environmental chamber.
- b.) Primary Supply Voltage: The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 22, the frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency. For Part 24 and Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

14.1.2 For equipment powered by primary supply voltage

- 1 The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
- 2 The equipment is turned on in a “standby” condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
- 3 Frequency measurements are made at 10°C intervals ranging from -10°C to +40°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

14.2 MEASUREMENT METHOD

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a “call mode”. This is accomplished with the use of R&S CMW500 DIGITAL RADIO COMMUNICATION TESTER.

- 7 Measure the carrier frequency at room temperature.
- 8 Subject the EUT to overnight soak at -10°C. With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on channel 20175 for LTE band 4 measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
- 9 Repeat the above measurements at 10°C increments from -10°C to +40°C. Allow at least 1 1/2 hours at each temperature, unpowered, before making measurements.
- 10 Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1 1/2 hours unpowered, to allow any self-heating to stabilize, before continuing.

- 11 Subject the EUT to overnight soak at +40°C.
- 12 With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
- 13 Repeat the above measurements at 10°C increments from +40°C to -10°C. Allow at least 1 1/2 hours at each temperature, unpowered, before making measurements.
- 14 At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

14.3 MEASUREMENT SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



13.4 MEASUREMENT RESULT

Frequency Error vs. Voltage:

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.(V)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Limit (ppm)	Verdict
GSM850	GSM	LCH	TN	VL	13.37	0.016222	±2.5	PASS
			TN	VN	15.43	0.018721	±2.5	PASS
			TN	VH	13.17	0.015979	±2.5	PASS
		MCH	TN	VL	14.59	0.017440	±2.5	PASS
			TN	VN	10.59	0.012658	±2.5	PASS
			TN	VH	13.04	0.015587	±2.5	PASS
		HCH	TN	VL	20.99	0.024729	±2.5	PASS
			TN	VN	20.79	0.024493	±2.5	PASS
			TN	VH	16.14	0.019015	±2.5	PASS

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.(V)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Limit (ppm)	Verdict
GSM850	EDGE	LCH	TN	VL	20.60	0.024994	±2.5	PASS
			TN	VN	20.40	0.024751	±2.5	PASS
			TN	VH	19.57	0.023744	±2.5	PASS
		MCH	TN	VL	20.31	0.024277	±2.5	PASS
			TN	VN	22.08	0.026393	±2.5	PASS
			TN	VH	20.99	0.025090	±2.5	PASS
		HCH	TN	VL	23.63	0.027839	±2.5	PASS
			TN	VN	24.21	0.028523	±2.5	PASS
			TN	VH	22.05	0.025978	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Test Band	Test Mode	Test Channel	Test Temp.	Test Volt. (V)	Freq. Error (Hz)	Freq.vs.rated (ppm)	Verdict
PCS1900	GSM	LCH	TN	VL	32.61	0.017625	PASS
			TN	VN	26.73	0.014447	PASS
			TN	VH	38.94	0.021046	PASS
		MCH	TN	VL	20.99	0.011165	PASS
			TN	VN	16.59	0.008824	PASS
			TN	VH	21.63	0.011505	PASS
		HCH	TN	VL	17.69	0.009263	PASS
			TN	VN	14.72	0.007708	PASS
			TN	VH	17.11	0.008959	PASS

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt. (V)	Freq. Error (Hz)	Freq.vs.rated (ppm)	Verdict
PCS1900	EDGE	LCH	TN	VL	16.40	0.008864	PASS
			TN	VN	14.66	0.007923	PASS
			TN	VH	13.20	0.007134	PASS
		MCH	TN	VL	17.34	0.009223	PASS
			TN	VN	19.73	0.010495	PASS
			TN	VH	16.27	0.008654	PASS
		HCH	TN	VL	17.63	0.009231	PASS
			TN	VN	18.40	0.009635	PASS
			TN	VH	17.43	0.009127	PASS

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Frequency Error vs. Temperature:

Test Band	Test Mode	Test Channel	Test Volt.	Test Tem. (°C)	Freq. Error (Hz)	Freq. vs. rated (ppm)	Limit (ppm)	Verdict
GSM850	GSM	LCH	VN	-10	12.33	0.014960	±2.5	PASS
			VN	0	15.37	0.018648	±2.5	PASS
			VN	10	11.62	0.014099	±2.5	PASS
			VN	20	12.53	0.015203	±2.5	PASS
			VN	30	13.95	0.016926	±2.5	PASS
			VN	40	10.59	0.012849	±2.5	PASS
GSM850	GSM	MCH	VN	-10	16.53	0.019759	±2.5	PASS
			VN	0	20.73	0.024779	±2.5	PASS
			VN	10	13.69	0.016364	±2.5	PASS
			VN	20	15.56	0.018599	±2.5	PASS
			VN	30	13.75	0.016436	±2.5	PASS
			VN	40	15.88	0.018982	±2.5	PASS
GSM850	GSM	HCH	VN	-10	14.72	0.017342	±2.5	PASS
			VN	0	14.59	0.017189	±2.5	PASS
			VN	10	13.75	0.016199	±2.5	PASS
			VN	20	12.27	0.014456	±2.5	PASS
			VN	30	14.66	0.017271	±2.5	PASS
			VN	40	15.88	0.018709	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Test Band	Test Mode	Test Channel	Test Volt.	Test Tem. (°C)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Limit (ppm)	Verdict
GSM850	EDGE	LCH	VN	-10	23.12	0.028051	±2.5	PASS
			VN	0	21.47	0.026050	±2.5	PASS
			VN	10	22.05	0.026753	±2.5	PASS
			VN	20	21.92	0.026595	±2.5	PASS
			VN	30	24.05	0.029180	±2.5	PASS
			VN	40	22.05	0.026753	±2.5	PASS
GSM850	EDGE	MCH	VN	-10	22.12	0.026440	±2.5	PASS
			VN	0	19.15	0.022890	±2.5	PASS
			VN	10	22.83	0.027289	±2.5	PASS
			VN	20	21.41	0.025592	±2.5	PASS
			VN	30	20.63	0.024659	±2.5	PASS
			VN	40	22.63	0.027050	±2.5	PASS
GSM850	EDGE	HCH	VN	-10	22.44	0.026437	±2.5	PASS
			VN	0	23.02	0.027121	±2.5	PASS
			VN	10	22.66	0.026697	±2.5	PASS
			VN	20	21.28	0.025071	±2.5	PASS
			VN	30	22.50	0.026508	±2.5	PASS
			VN	40	23.92	0.028181	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Test Band	Test Mode	Test Channel	Test Volt.	Test Tem. (°C)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Verdict
PCS1900	GSM	LCH	VN	-10	39.20	0.021187	PASS
			VN	0	26.67	0.014415	PASS
			VN	10	31.19	0.016858	PASS
			VN	20	41.58	0.022473	PASS
			VN	30	35.13	0.018987	PASS
			VN	40	33.51	0.018112	PASS
PCS1900	GSM	MCH	VN	-10	20.79	0.011059	PASS
			VN	0	18.21	0.009686	PASS
			VN	10	23.31	0.012399	PASS
			VN	20	14.08	0.007489	PASS
			VN	30	19.18	0.010202	PASS
			VN	40	17.76	0.009447	PASS
PCS1900	GSM	HCH	VN	-10	14.33	0.007503	PASS
			VN	0	17.63	0.009231	PASS
			VN	10	16.47	0.008624	PASS
			VN	20	18.66	0.009771	PASS
			VN	30	18.40	0.009635	PASS
			VN	40	14.59	0.007640	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Test Band	Test Mode	Test Channel	Test Volt.	Test Tem. (°C)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Verdict
PCS1900	EDGE	LCH	VN	-10	18.21	0.009842	PASS
			VN	0	15.59	0.008426	PASS
			VN	10	20.44	0.011047	PASS
			VN	20	22.73	0.012285	PASS
			VN	30	20.73	0.011204	PASS
			VN	40	19.05	0.010296	PASS
PCS1900	EDGE	MCH	VN	-10	16.63	0.008846	PASS
			VN	0	21.73	0.011559	PASS
			VN	10	24.70	0.013138	PASS
			VN	20	16.66	0.008862	PASS
			VN	30	18.02	0.009585	PASS
			VN	40	20.05	0.010665	PASS
PCS1900	EDGE	HCH	VN	-10	15.95	0.008352	PASS
			VN	0	16.43	0.008603	PASS
			VN	10	25.31	0.013253	PASS
			VN	20	23.73	0.012425	PASS
			VN	30	16.05	0.008404	PASS
			VN	40	19.27	0.010090	PASS

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Frequency Error vs. Voltage:

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.(V)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Limit (ppm)	Verdict
WCDMA850	UMTS	LCH	TN	VL	6.64	0.01	±2.5	PASS
			TN	VN	7.58	0.01	±2.5	PASS
			TN	VH	7.98	0.01	±2.5	PASS
		MCH	TN	VL	10.03	0.01	±2.5	PASS
			TN	VN	9.70	0.01	±2.5	PASS
			TN	VH	8.64	0.01	±2.5	PASS
		HCH	TN	VL	9.58	0.01	±2.5	PASS
			TN	VN	13.32	0.02	±2.5	PASS
			TN	VH	9.69	0.01	±2.5	PASS

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.(V)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Verdict
WCDMA1700	UMTS	LCH	TN	VL	11.14	0.01	PASS
			TN	VN	8.88	0.01	PASS
			TN	VH	7.11	0.00	PASS
		MCH	TN	VL	4.32	0.00	PASS
			TN	VN	6.36	0.00	PASS
			TN	VH	9.11	0.01	PASS
		HCH	TN	VL	6.41	0.00	PASS
			TN	VN	8.07	0.00	PASS
			TN	VH	10.36	0.01	PASS

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.(V)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Verdict
WCDMA1900	UMTS	LCH	TN	VL	14.57	0.01	PASS
			TN	VN	17.27	0.01	PASS
			TN	VH	17.03	0.01	PASS
		MCH	TN	VL	14.94	0.01	PASS
			TN	VN	16.36	0.01	PASS
			TN	VH	13.50	0.01	PASS
		HCH	TN	VL	10.73	0.01	PASS
			TN	VN	10.48	0.01	PASS
			TN	VH	17.82	0.01	PASS

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Frequency Error vs. Temperature:

Test Band	Test Mode	Test Channel	Test Volt.	Test Tem. (°C)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Limit (ppm)	Verdict
WCDMA850	UMTS	LCH	VN	-10	7.11	0.01	±2.5	PASS
			VN	0	8.42	0.01	±2.5	PASS
			VN	10	10.03	0.01	±2.5	PASS
			VN	20	7.39	0.01	±2.5	PASS
			VN	30	7.75	0.01	±2.5	PASS
			VN	40	9.48	0.01	±2.5	PASS
WCDMA850	UMTS	MCH	VN	-10	10.35	0.01	±2.5	PASS
			VN	0	10.71	0.01	±2.5	PASS
			VN	10	7.46	0.01	±2.5	PASS
			VN	20	7.78	0.01	±2.5	PASS
			VN	30	8.79	0.01	±2.5	PASS
			VN	40	11.46	0.01	±2.5	PASS
WCDMA850	UMTS	HCH	VN	-10	10.18	0.01	±2.5	PASS
			VN	0	9.57	0.01	±2.5	PASS
			VN	10	11.78	0.01	±2.5	PASS
			VN	20	9.17	0.01	±2.5	PASS
			VN	30	8.27	0.01	±2.5	PASS
			VN	40	8.27	0.01	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Test Band	Test Mode	Test Channel	Test Volt.	Test Tem. (°C)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Verdict
WCDMA1700	UMTS	LCH	VN	-10	12.59	0.007352	PASS
			VN	0	9.11	0.005320	PASS
			VN	10	10.80	0.006307	PASS
			VN	20	9.89	0.005775	PASS
			VN	30	10.94	0.006388	PASS
			VN	40	8.26	0.004823	PASS
WCDMA1700	UMTS	MCH	VN	-10	7.14	0.004121	PASS
			VN	0	11.40	0.006580	PASS
			VN	10	5.86	0.003382	PASS
			VN	20	6.50	0.003752	PASS
			VN	30	4.55	0.002626	PASS
			VN	40	7.34	0.004237	PASS
WCDMA1700	UMTS	HCH	VN	-10	8.61	0.004913	PASS
			VN	0	9.99	0.005700	PASS
			VN	10	6.16	0.003515	PASS
			VN	20	11.96	0.006825	PASS
			VN	30	11.95	0.006819	PASS
			VN	40	12.10	0.006904	PASS

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Test Band	Test Mode	Test Channel	Test Volt.	Test Tem. (°C)	Freq.Error (Hz)	Freq.vs.rated (ppm)	Verdict
WCDMA1900	UMTS	LCH	VN	-10	12.86	0.006942	PASS
			VN	0	14.11	0.007617	PASS
			VN	10	13.29	0.007174	PASS
			VN	20	12.62	0.006813	PASS
			VN	30	17.52	0.009458	PASS
			VN	40	17.40	0.009393	PASS
WCDMA1900	UMTS	MCH	VN	-10	14.02	0.007569	PASS
			VN	0	12.68	0.006845	PASS
			VN	10	17.72	0.009426	PASS
			VN	20	16.85	0.008963	PASS
			VN	30	14.16	0.007532	PASS
			VN	40	16.08	0.008553	PASS
WCDMA1900	UMTS	HCH	VN	-10	12.85	0.006835	PASS
			VN	0	10.97	0.005835	PASS
			VN	10	15.93	0.008351	PASS
			VN	20	13.08	0.006857	PASS
			VN	30	12.02	0.006301	PASS
			VN	40	11.90	0.006238	PASS

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



APPENDIX A: PHOTOGRAPHS OF TEST SETUP
RADIATED SPURIOUS EMISSION

RADIATED SPURIOUS ABOVE 1G EMISSION



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



APPENDIX B: PHOTOGRAPHS OF EUT

Refer to the Report No.: AGC10849210201AP01

----END OF REPORT----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. The non-CMA report issued by AGC is only permitted to be used by the client as internal reference use and shall not be used for public demonstration purpose.
5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
9. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
10. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract or warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>

