


APPENDIX A - AC POWER LINE CONDUCTED EMISSIONS

Test Mode	TX AC80 Mode Channel 155 (UNII-3)	Phase	Line
-----------	-----------------------------------	-------	------




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F	Remark
1	0.4038	36.97	9.63	46.60	57.77	-11.17	QP	P	
2 *	0.4038	29.06	9.63	38.69	47.77	-9.08	AVG	P	
3	0.5313	21.68	9.62	31.30	56.00	-24.70	QP	P	
4	0.5313	14.43	9.62	24.05	46.00	-21.95	AVG	P	
5	1.2006	23.58	9.64	33.22	56.00	-22.78	QP	P	
6	1.2006	17.87	9.64	27.51	46.00	-18.49	AVG	P	
7	1.6357	18.12	9.65	27.77	56.00	-28.23	QP	P	
8	1.6357	12.08	9.65	21.73	46.00	-24.27	AVG	P	
9	2.0156	18.75	9.65	28.40	56.00	-27.60	QP	P	
10	2.0156	12.93	9.65	22.58	46.00	-23.42	AVG	P	
11	4.0799	20.07	9.67	29.74	56.00	-26.26	QP	P	
12	4.0799	15.01	9.67	24.68	46.00	-21.32	AVG	P	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) The test result has included the cable loss.

Test Mode	TX AC80 Mode Channel 155 (UNII-3)	Phase	Neutral
-----------	-----------------------------------	-------	---------



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F	Remark
1	0.2272	38.71	9.63	48.34	62.55	-14.21	QP	P	
2	0.2272	24.42	9.63	34.05	52.55	-18.50	AVG	P	
3	0.3964	44.55	9.62	54.17	57.93	-3.76	QP	P	
4 *	0.3964	36.15	9.62	45.77	47.93	-2.16	AVG	P	
5	0.5069	34.13	9.62	43.75	56.00	-12.25	QP	P	
6	0.5069	22.66	9.62	32.28	46.00	-13.72	AVG	P	
7	0.9166	30.93	9.64	40.57	56.00	-15.43	QP	P	
8	0.9166	21.63	9.64	31.27	46.00	-14.73	AVG	P	
9	1.3015	29.63	9.64	39.27	56.00	-16.73	QP	P	
10	1.3015	19.79	9.64	29.43	46.00	-16.57	AVG	P	
11	1.6585	29.53	9.65	39.18	56.00	-16.82	QP	P	
12	1.6585	19.70	9.65	29.35	46.00	-16.65	AVG	P	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) The test result has included the cable loss.


APPENDIX B - RADIATED EMISSION - 9 KHZ TO 30 MHZ

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

APPENDIX C - RADIATED EMISSION - 30 MHZ TO 1000 MHZ

Test Mode	TX AC80 Mode Channel 155 (UNII-3)	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	42.9305	48.72	-22.17	26.55	40.00	-13.45	QP	112	11	P	
2	458.3987	54.82	-17.61	37.21	46.00	-8.79	QP	200	348	P	
3	505.7891	52.85	-16.66	36.19	46.00	-9.81	QP	183	11	P	
4	565.9776	49.75	-14.89	34.86	46.00	-11.14	QP	200	196	P	
5	611.4623	45.49	-13.48	32.01	46.00	-13.99	QP	214	203	P	
6 *	804.2523	49.34	-9.82	39.52	46.00	-6.48	QP	199	334	P	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC80 Mode Channel 155 (UNII-3)	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	61.4343	51.64	-22.76	28.88	40.00	-11.12	QP	199	346	P	
2	80.2383	52.94	-25.88	27.06	40.00	-12.94	QP	181	4	P	
3	389.9874	52.49	-19.55	32.94	46.00	-13.06	QP	100	297	P	
4	430.3053	51.49	-18.24	33.25	46.00	-12.75	QP	125	283	P	
5 *	464.8867	53.47	-17.49	35.98	46.00	-10.02	QP	100	276	P	
6	602.9287	46.68	-13.71	32.97	46.00	-13.03	QP	206	266	P	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

APPENDIX D - RADIATED EMISSION - ABOVE 1000 MHZ


Test Result of Band edges.

TestMode	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
11A	Low	5180	-40.55	≤ -27	PASS
	High	5320	-40.48	≤ -27	PASS
	Low	5500	-38.99	≤ -27	PASS
	High	5700	-36	≤ -27	PASS
11N20SISO	Low	5180	-41.94	≤ -27	PASS
	High	5320	-41.26	≤ -27	PASS
	Low	5500	-37.9	≤ -27	PASS
	High	5700	-33.74	≤ -27	PASS
11N40SISO	Low	5190	-41.35	≤ -27	PASS
	High	5310	-39.34	≤ -27	PASS
	Low	5510	-33.23	≤ -27	PASS
	High	5670	-36.31	≤ -27	PASS
11AC20SISO	Low	5180	-42.02	≤ -27	PASS
	High	5320	-39.55	≤ -27	PASS
	Low	5500	-39.43	≤ -27	PASS
	High	5700	-32.34	≤ -27	PASS
11AC40SISO	Low	5190	-33.72	≤ -27	PASS
	High	5310	-32.13	≤ -27	PASS
	Low	5510	-32.16	≤ -27	PASS
	High	5670	-32.9	≤ -27	PASS
11AC80SISO	Low	5210	-39.71	≤ -27	PASS
	High	5290	-39.13	≤ -27	PASS
	Low	5530	-33.83	≤ -27	PASS
	High	5610	-37.19	≤ -27	PASS
11AX20SISO	Low	5180	-38.06	≤ -27	PASS
	High	5320	-40.35	≤ -27	PASS
	Low	5500	-37.59	≤ -27	PASS
	High	5700	-30.15	≤ -27	PASS
11AX40SISO	Low	5190	-30.71	≤ -27	PASS
	High	5310	-31.61	≤ -27	PASS
	Low	5510	-31.22	≤ -27	PASS
	High	5670	-32.81	≤ -27	PASS
11AX80SISO	Low	5210	-29.21	≤ -27	PASS
	High	5290	-27.92	≤ -27	PASS
	Low	5530	-27.51	≤ -27	PASS
	High	5610	-37.16	≤ -27	PASS


TestMode	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Low	5745	5650~5700	-41.74	≤4.20	PASS
			5700~5720	-39.11	≤14.99	PASS
			5720~5725	-32.08	≤27.00	PASS
			5760~5650	-42.77	≤-27	PASS
	High	5825	5850~5855	-33.99	≤25.61	PASS
			5855~5875	-35.67	≤10.54	PASS
			5875~5925	-40.97	≤-19.66	PASS
			5925~5935	-42.82	≤-27	PASS
11N20SISO	Low	5745	5650~5700	-41.79	≤8.40	PASS
			5700~5720	-37.12	≤15.32	PASS
			5720~5725	-30.97	≤27.00	PASS
			5760~5650	-42.22	≤-27	PASS
	High	5825	5850~5855	-33.05	≤15.80	PASS
			5855~5875	-35.8	≤10.16	PASS
			5875~5925	-41.78	≤-16.48	PASS
			5925~5935	-42.78	≤-27	PASS
11N40SISO	Low	5755	5650~5700	-38.37	≤9.26	PASS
			5700~5720	-28.9	≤15.58	PASS
			5720~5725	-26.25	≤19.02	PASS
			5780~5650	-43.17	≤-27	PASS
	High	5795	5850~5855	-34.4	≤18.57	PASS
			5855~5875	-37.04	≤10.10	PASS
			5875~5925	-40.48	≤-24.89	PASS
			5925~5935	-42.42	≤-27	PASS
11AC20SISO	Low	5745	5650~5700	-41.97	≤3.46	PASS
			5700~5720	-36.63	≤15.27	PASS
			5720~5725	-30.84	≤27.00	PASS
			5760~5650	-42.96	≤-27	PASS
	High	5825	5850~5855	-42.56	≤22.49	PASS
			5855~5875	-41.51	≤14.27	PASS
			5875~5925	-40.8	≤-5.62	PASS
			5925~5935	-42.23	≤-27	PASS
11AC40SISO	Low	5755	5650~5700	-38.93	≤9.84	PASS
			5700~5720	-25.98	≤15.53	PASS
			5720~5725	-24.11	≤25.71	PASS
			5780~5650	-42.8	≤-27	PASS
	High	5795	5850~5855	-35.17	≤18.57	PASS
			5855~5875	-36.08	≤10.64	PASS
			5875~5925	-41	≤-26.66	PASS
			5925~5935	-41.89	≤-27	PASS
11AC80SISO	Low	5775	5650~5700	-30.71	≤9.69	PASS
			5700~5720	-27.16	≤14.16	PASS
			5720~5725	-24.77	≤21.30	PASS
			5800~5650	-41.06	≤-27	PASS
	High	5775	5850~5855	-27.62	≤19.28	PASS
			5855~5875	-27.89	≤12.13	PASS
			5875~5925	-31.92	≤-24.26	PASS
			5925~5935	-38.77	≤-27	PASS
11AX20SISO	Low	5745	5650~5700	-42.33	≤-0.24	PASS
			5700~5720	-41.95	≤10.65	PASS
			5720~5725	-41.11	≤27.00	PASS
			5760~5650	-43.08	≤-27	PASS
	High	5825	5850~5855	-41.22	≤23.38	PASS
			5855~5875	-41.47	≤10.21	PASS
			5875~5925	-42.08	≤-21.69	PASS
			5925~5935	-42.07	≤-27	PASS
11AX40SISO	Low	5755	5650~5700	-41.5	≤0.28	PASS
			5700~5720	-33.95	≤15.53	PASS
			5720~5725	-31.22	≤26.16	PASS
			5780~5650	-42.23	≤-27	PASS
	High	5795	5850~5855	-40.43	≤24.57	PASS
			5855~5875	-41.62	≤10.30	PASS
			5875~5925	-42.31	≤8.73	PASS
			5925~5935	-43.14	≤-27	PASS

11AX80SIS O	Low	5775	5650~5700	-40.7	≤ 9.03	PASS
			5700~5720	-38.39	≤ 12.97	PASS
			5720~5725	-37.64	≤ 26.93	PASS
			5800~5650	-43.24	≤ -27	PASS
	High	5775	5850~5855	-38.94	≤ 16.23	PASS
			5855~5875	-38.93	≤ 10.78	PASS
			5875~5925	-40.71	≤ -25.85	PASS
			5925~5935	-41.72	≤ -27	PASS


11A_Ant1_Low_5180




11A_Ant1_High_5320




11A_Ant1_Low_5500




11A_Ant1_High_5700




11N20SISO Ant1 Low 5180




11N20SISO Ant1 High 5320




11N20SISO Ant1 Low 5500




11N20SISO_Ant1_High_5700




11N40SISO_Ant1_Low_5190




11N40SISO_Ant1_High_5310




11N40SISO Ant1 Low 5510




11N40SISO Ant1 High 5670




11AC20SISO Ant1 Low 5180




11AC20SISO_Ant1_High_5320




11AC20SISO_Ant1_Low_5500




11AC20SISO_Ant1_High_5700




11AC40SISO_Ant1_Low_5190




11AC40SISO_Ant1_High_5310




11AC40SISO_Ant1_Low_5510




11AC40SISO_Ant1_High_5670




11AC80SISO_Ant1_Low_5210




11AC80SISO_Ant1_High_5290




11AC80SISO_Ant1_Low_5530




11AC80SISO_Ant1_High_5610




11AX20SISO_Ant1_Low_5180




11AX20SISO_Ant1_High_5320




11AX20SISO_Ant1_Low_5500




11AX20SISO_Ant1_High_5700




11AX40SISO_Ant1_Low_5190




11AX40SISO_Ant1_High_5310




11AX40SISO_Ant1_Low_5510




11AX40SISO_Ant1_High_5670




11AX80SISO_Ant1_Low_5210




11AX80SISO_Ant1_High_5290




11AX80SISO_Ant1_Low_5530




11AX80SISO_Ant1_High_5610




11A_Ant1_Low_5745




11A_Ant1_High_5825




11N20SISO_Ant1_Low_5745



11N20SISO_Ant1_High_5825




11N40SISO Ant1 Low 5755



11N40SISO Ant1 High 5795



11AC20SISO Ant1 Low 5745




11AC20SISO_Ant1_High_5825




11AC40SISO_Ant1_Low_5755




11AC40SISO_Ant1_High_5795




11AC80SISO_Ant1_Low_5775




11AC80SISO_Ant1_High_5775



11AX20SISO_Ant1_Low_5745




11AX20SISO_Ant1_High_5825




11AX40SISO_Ant1_Low_5755




11AX40SISO_Ant1_High_5795



11AX80SISO_Ant1_Low_5775



11AX80SISO_Ant1_High_5775



ABOVE 1000 MHz

Note: All the modes have been tested and recorded worst mode in the report.

UNII-1

11A Channel 36 / 5180 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10651	H	44.32	---	9.03	53.35	---	74	54	-20.65
15523	H	43.95	---	9.87	53.82	---	74	54	-20.18
---	H	---	---	---	---	---	---	---	---
10655	V	44.15	---	9.03	53.18	---	74	54	-20.82
15542	V	43.65	---	9.88	53.53	---	74	54	-20.47
---	V	---	---	---	---	---	---	---	---
11A Channel 40 / 5200 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10601	H	42.98	---	9.09	52.07	---	74	54	-21.93
15600	H	42.62	---	9.91	52.53	---	74	54	-21.47
---	H	---	---	---	---	---	---	---	---
10601	V	43.03	---	9.09	52.12	---	74	54	-21.88
15600	V	42.97	---	9.91	52.88	---	74	54	-21.12
---	V	---	---	---	---	---	---	---	---
11A Channel 48 / 5240 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10680	H	44.05	---	9.24	53.29	---	74	54	-20.71
15722	H	42.93	---	10.01	52.94	---	74	54	-21.06
---	H	---	---	---	---	---	---	---	---
10680	V	44.69	---	9.24	53.93	---	74	54	-20.07
15722	V	42.84	---	10.01	52.85	---	74	54	-21.15
---	V	---	---	---	---	---	---	---	---

UNII-2A

11A Channel 52 / 5260 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10621	H	44.53	---	9.44	53.97	---	74	54	-20.03
15781	H	43.47	---	10.12	53.59	---	74	54	-20.41
---	H	---	---	---	---	---	---	---	---
10623	V	43.01	---	9.46	52.47	---	74	54	-21.53
15782	V	42.69	---	10.13	52.82	---	74	54	-21.18
---	V	---	---	---	---	---	---	---	---
11A Channel 56 / 5280 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10661	H	42.95	---	9.51	52.46	---	74	54	-21.54
15842	H	43.01	---	10.51	53.52	---	74	54	-20.48
---	H	---	---	---	---	---	---	---	---
10661	V	43.36	---	9.51	52.87	---	74	54	-21.13
15841	V	42.97	---	10.49	53.46	---	74	54	-20.54
---	V	---	---	---	---	---	---	---	---
11A Channel 64 / 5320 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10641	H	41.85	---	9.63	51.48	---	74	54	-22.52
15961	H	42.65	---	11.25	53.9	---	74	54	-20.10
---	H	---	---	---	---	---	---	---	---
10642	V	43.54	---	9.63	53.17	---	74	54	-20.83
15959	V	42.31	---	11.23	53.54	---	74	54	-20.46
---	V	---	---	---	---	---	---	---	---

UNII-2C

11A Channel 100 / 5500 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10651	H	43.67	---	9.15	52.82	---	74	54	-21.18
15799	H	42.64	---	10.25	52.89	---	74	54	-21.11
---	H	---	---	---	---	---	---	---	---
10758	V	42.62	---	9.99	52.61	---	74	54	-21.39
15836	V	41.96	---	10.95	52.91	---	74	54	-21.09
---	V	---	---	---	---	---	---	---	---
11A Channel 116 / 5580 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10793	H	40.36	---	10.01	50.37	---	74	54	-23.63
15902	H	41.23	---	10.79	52.02	---	74	54	-21.98
---	H	---	---	---	---	---	---	---	---
10963	V	43.24	---	10.05	53.29	---	74	54	-20.71
15991	V	40.35	---	11.93	52.28	---	74	54	-21.72
---	V	---	---	---	---	---	---	---	---
11A Channel 140 / 5700 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10789	H	43.85	---	10	53.85	---	74	54	-20.15
16199	H	40.03	---	12.04	52.07	---	74	54	-21.93
---	H	---	---	---	---	---	---	---	---
10853	V	42.69	---	10.12	52.81	---	74	54	-21.19
16014	V	41.25	---	11.32	52.57	---	74	54	-21.43
---	V	---	---	---	---	---	---	---	---

UNII-3

11A Channel 149 / 5745 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11491	H	43.13	---	9.81	52.94	---	74	54	-21.06
17736	H	40.27	---	12.96	53.23	---	74	54	-20.77
---	H	---	---	---	---	---	---	---	---
11493	V	42.51	---	9.81	52.32	---	74	54	-21.68
17735	V	39.95	---	12.95	52.90	---	74	54	-21.10
---	V	---	---	---	---	---	---	---	---
11A Channel 153 / 5765 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11531	H	44.08	---	9.91	53.99	---	74	54	-20.01
17796	H	39.04	---	13.21	52.25	---	74	54	-21.75
---	H	---	---	---	---	---	---	---	---
11532	V	43.58	---	9.92	53.50	---	74	54	-20.50
17797	V	40.01	---	13.22	53.23	---	74	54	-20.77
---	V	---	---	---	---	---	---	---	---
11A Channel 165 / 5825 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11651	H	43.53	---	10.01	53.54	---	74	54	-20.46
17478	H	38.62	---	14.01	52.63	---	74	54	-21.37
---	H	---	---	---	---	---	---	---	---
11649	V	42.63	---	9.98	52.61	---	74	54	-21.39
17477	V	39.06	---	13.99	53.05	---	74	54	-20.95
---	V	---	---	---	---	---	---	---	---

Notes:


1). Radiated emissions measured in frequency range from 9 KHz~10th harmonic or 40GHz (which is less) were made with an instrument using Peak detector mode.

- 2). Data of measurement within this frequency range shown "---" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 3). Worst case data at 1Mbps at IEEE 802.11a.
- 4). Measured Level = Reading Level + Factor, Margin = Measured Level – Limit

APPENDIXE -BANDWIDTH


TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	19.76	5170.20	5189.96	---	---
		5200	19.64	5190.16	5209.80	---	---
		5240	19.92	5230.12	5250.04	---	---
		5260	20.00	5250.00	5270.00	---	---
		5300	19.92	5290.08	5310.00	---	---
		5320	20.00	5310.16	5330.16	---	---
		5500	19.96	5490.08	5510.04	---	---
		5600	19.96	5589.96	5609.92	---	---
		5700	19.72	5690.20	5709.92	---	---
		5745	19.96	5735.04	5755.00	---	---
		5785	19.92	5775.08	5795.00	---	---
		5825	19.76	5815.12	5834.88	---	---
11N20SISO	Ant1	5180	20.12	5169.88	5190.00	---	---
		5200	20.16	5189.92	5210.08	---	---
		5240	20.04	5229.92	5249.96	---	---
		5260	20.24	5249.92	5270.16	---	---
		5300	20.04	5289.92	5309.96	---	---
		5320	20.16	5309.92	5330.08	---	---
		5500	20.44	5489.76	5510.20	---	---
		5600	20.16	5589.88	5610.04	---	---
		5700	20.12	5689.88	5710.00	---	---
		5745	20.88	5734.16	5755.04	---	---
		5785	20.12	5774.96	5795.08	---	---
		5825	20.16	5814.88	5835.04	---	---
11N40SISO	Ant1	5190	40.64	5169.52	5210.16	---	---
		5230	40.32	5209.76	5250.08	---	---
		5270	40.32	5249.84	5290.16	---	---
		5310	40.48	5289.76	5330.24	---	---
		5510	40.24	5489.76	5530.00	---	---
		5590	40.72	5569.68	5610.40	---	---
		5670	40.40	5649.68	5690.08	---	---
		5755	40.40	5734.76	5775.16	---	---
		5795	40.48	5774.68	5815.16	---	---
11AC20SISO	Ant1	5180	20.12	5169.92	5190.04	---	---
		5200	20.24	5189.96	5210.20	---	---
		5240	19.96	5230.00	5249.96	---	---
		5260	20.24	5249.84	5270.08	---	---
		5300	20.16	5289.92	5310.08	---	---
		5320	20.00	5309.92	5329.92	---	---
		5500	20.20	5489.76	5509.96	---	---
		5600	20.24	5589.84	5610.08	---	---
		5700	20.12	5689.96	5710.08	---	---
		5745	20.12	5734.96	5755.08	---	---
		5785	20.32	5774.96	5795.28	---	---
		5825	20.24	5814.80	5835.04	---	---
11AC40SISO	Ant1	5190	40.00	5169.92	5209.92	---	---
		5230	40.64	5209.52	5250.16	---	---
		5270	40.48	5249.52	5290.00	---	---
		5310	40.56	5289.84	5330.40	---	---
		5510	41.04	5489.36	5530.40	---	---
		5590	40.64	5569.44	5610.08	---	---
		5670	40.32	5649.84	5690.16	---	---
		5755	40.56	5734.76	5775.32	---	---
		5795	40.88	5774.84	5815.72	---	---
11AC80SISO	Ant1	5210	79.68	5170.16	5249.84	---	---
		5290	79.84	5250.16	5330.00	---	---
		5530	80.00	5490.00	5570.00	---	---
		5610	80.48	5569.20	5649.68	---	---
		5775	80.80	5734.20	5815.00	---	---

11A_Ant1_5180




Date: 9.JUL.2024 10:09:22

11A_Ant1_5200




Date: 9.JUL.2024 10:10:22

11A_Ant1_5240




Date: 9.JUL.2024 10:12:24

11A_Ant1_5260




Date: 9.JUL.2024 10:13:38

11A_Ant1_5300




Date: 9.JUL.2024 10:14:57

11A_Ant1_5320




Date: 9.JUL.2024 10:16:17


11A_Ant1_5500




11A_Ant1_5600




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5300




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5600




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310



11N40SISO_Ant1_5510



11N40SISO_Ant1_5590



11N40SISO_Ant1_5670