







11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5610




11AC80SISO_Ant1_5775




TestMode	Antenna	Freq(MHz)	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.32	5736.84	5753.16	0.5	PASS
		5785	16.40	5776.84	5793.24	0.5	PASS
		5825	16.32	5816.84	5833.16	0.5	PASS
11N20SISO	Ant1	5745	17.56	5736.20	5753.76	0.5	PASS
		5785	17.36	5776.44	5793.80	0.5	PASS
		5825	17.56	5816.20	5833.76	0.5	PASS
11N40SISO	Ant1	5755	20.56	5746.28	5766.84	0.5	PASS
		5795	31.28	5777.48	5808.76	0.5	PASS
11AC20SISO	Ant1	5745	15.12	5737.44	5752.56	0.5	PASS
		5785	16.20	5777.44	5793.64	0.5	PASS
		5825	15.76	5817.44	5833.20	0.5	PASS
11AC40SISO	Ant1	5755	35.12	5737.40	5772.52	0.5	PASS
		5795	35.04	5777.48	5812.52	0.5	PASS
11AC80SISO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS

11A_Ant1_5745




Date: 9.JUL.2024 12:56:43

11A_Ant1_5785




Date: 9.JUL.2024 13:01:53

11A_Ant1_5825




Date: 9.JUL.2024 13:06:43

11N20SISO_Ant1_5745




Date: 9.JUL.2024 14:01:43

11N20SISO_Ant1_5785




Date: 9.JUL.2024 14:07:27

11N20SISO_Ant1_5825




Date: 9.JUL.2024 14:12:23


11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5775




APPENDIXF -MAXIMUM OUTPUT POWER

Test Mode	Antenna	Freq(MHz)	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	---	12.94	97.90	0.09	13.03	≤23.98	PASS
		5200	---	13.59	97.90	0.09	13.68	≤23.98	PASS
		5240	---	13.12	97.20	0.12	13.24	≤23.98	PASS
		5260	---	13.36	97.20	0.12	13.48	≤23.98	PASS
		5300	---	13.99	97.18	0.12	14.11	≤23.97	PASS
		5320	---	13.58	97.90	0.09	13.67	≤23.98	PASS
		5500	---	12.69	97.90	0.09	12.78	≤23.97	PASS
		5600	---	12.00	97.20	0.12	12.12	≤23.98	PASS
		5700	---	12.56	97.89	0.09	12.65	≤23.95	PASS
		5745	---	11.85	97.20	0.12	11.97	≤30.00	PASS
		5785	---	11.77	97.90	0.09	11.86	≤30.00	PASS
11N20SISO	Ant1	5825	---	12.06	97.90	0.09	12.15	≤30.00	PASS
		5180	---	8.04	97.01	0.13	8.17	≤23.98	PASS
		5200	---	8.10	96.99	0.13	8.23	≤23.98	PASS
		5240	---	8.07	97.01	0.13	8.20	≤23.98	PASS
		5260	---	7.60	97.74	0.10	7.70	≤23.98	PASS
		5300	---	8.36	97.74	0.10	8.46	≤23.98	PASS
		5320	---	8.00	97.01	0.13	8.13	≤23.98	PASS
		5500	---	6.64	97.01	0.13	6.77	≤23.98	PASS
		5600	---	6.57	97.74	0.10	6.67	≤23.98	PASS
		5700	---	6.95	97.01	0.13	7.08	≤23.98	PASS
		5745	---	6.13	96.99	0.13	6.26	≤30.00	PASS
11N40SISO	Ant1	5785	---	6.18	97.01	0.13	6.31	≤30.00	PASS
		5825	---	6.35	97.01	0.13	6.48	≤30.00	PASS
		5190	---	8.30	94.20	0.26	8.56	≤23.98	PASS
		5230	---	7.99	95.59	0.20	8.19	≤23.98	PASS
		5270	---	7.82	94.20	0.26	8.08	≤23.98	PASS
		5310	---	8.30	95.59	0.20	8.50	≤23.98	PASS
		5510	---	6.94	94.20	0.26	7.20	≤23.98	PASS
		5590	---	6.52	95.59	0.20	6.72	≤23.98	PASS
		5670	---	5.94	95.59	0.20	6.14	≤23.98	PASS
		5755	---	5.43	94.20	0.26	5.69	≤30.00	PASS
		5795	---	5.83	94.20	0.26	6.09	≤30.00	PASS
11AC20SISO	Ant1	5180	---	11.78	80.95	0.92	12.70	≤23.98	PASS
		5200	---	11.72	80.95	0.92	12.64	≤23.98	PASS
		5240	---	11.27	80.95	0.92	12.19	≤23.98	PASS
		5260	---	11.73	80.00	0.97	12.70	≤23.97	PASS
		5300	---	12.47	85.00	0.71	13.18	≤23.98	PASS
		5320	---	12.79	80.95	0.92	13.71	≤23.98	PASS
		5500	---	11.64	80.00	0.97	12.61	≤23.97	PASS
		5600	---	10.72	80.95	0.92	11.64	≤23.98	PASS
		5700	---	10.90	85.00	0.71	11.61	≤23.98	PASS
		5745	---	9.94	80.95	0.92	10.86	≤30.00	PASS
		5785	---	10.43	80.00	0.97	11.40	≤30.00	PASS
11AC40SISO	Ant1	5825	---	10.46	80.95	0.92	11.38	≤30.00	PASS
		5190	---	11.87	71.43	1.46	13.33	≤23.98	PASS
		5230	---	12.04	71.43	1.46	13.50	≤23.98	PASS
		5270	---	11.84	71.43	1.46	13.30	≤23.98	PASS
		5310	---	12.47	71.43	1.46	13.93	≤23.98	PASS
		5510	---	11.40	71.43	1.46	12.86	≤23.98	PASS
		5590	---	11.12	71.43	1.46	12.58	≤23.98	PASS
		5670	---	10.64	71.43	1.46	12.10	≤23.98	PASS
		5755	---	9.79	71.43	1.46	11.25	≤30.00	PASS
		5795	---	10.05	71.43	1.46	11.51	≤30.00	PASS
11AC80SISO	Ant1	5210	---	7.87	63.64	1.96	9.83	≤23.98	PASS
		5290	---	7.42	43.75	3.59	11.01	≤23.98	PASS
		5530	---	6.84	63.64	1.96	8.80	≤23.98	PASS
		5610	---	5.48	70.00	1.55	7.03	≤23.98	PASS
		5775	---	4.82	70.00	1.55	6.37	≤30.00	PASS


11A_Ant1_5180




11A_Ant1_5200




11A_Ant1_5240




11A_Ant1_5260




11A_Ant1_5300




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5600




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5300




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5600




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5590




11N40SISO_Ant1_5670




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260




11AC20SISO_Ant1_5300




11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5600




11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5590




11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5610



11AC80SISO_Ant1_5775




APPENDIXG - POWER SPECTRAL DENSITY

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	2.67	≤11.00	PASS
		5200	3.17	≤11.00	PASS
		5240	2.93	≤11.00	PASS
		5260	2.52	≤11.00	PASS
		5300	3.00	≤11.00	PASS
		5320	3.05	≤11.00	PASS
		5500	1.63	≤11.00	PASS
		5600	1.12	≤11.00	PASS
		5700	1.64	≤11.00	PASS
		5745	-1.73	≤30.00	PASS
		5785	-1.70	≤30.00	PASS
		5825	-1.78	≤30.00	PASS
11N20SISO	Ant1	5180	-2.32	≤11.00	PASS
		5200	-3.10	≤11.00	PASS
		5240	-3.06	≤11.00	PASS
		5260	-3.50	≤11.00	PASS
		5300	-3.15	≤11.00	PASS
		5320	-2.63	≤11.00	PASS
		5500	-4.35	≤11.00	PASS
		5600	-4.30	≤11.00	PASS
		5700	-4.19	≤11.00	PASS
		5745	-7.81	≤30.00	PASS
		5785	-8.05	≤30.00	PASS
		5825	-7.35	≤30.00	PASS
11N40SISO	Ant1	5190	-5.46	≤11.00	PASS
		5230	-5.83	≤11.00	PASS
		5270	-5.87	≤11.00	PASS
		5310	-5.54	≤11.00	PASS
		5510	-6.14	≤11.00	PASS
		5590	-6.64	≤11.00	PASS
		5670	-7.51	≤11.00	PASS
		5755	-10.83	≤30.00	PASS
		5795	-9.95	≤30.00	PASS
11AC20SISO	Ant1	5180	1.42	≤11.00	PASS
		5200	1.06	≤11.00	PASS
		5240	0.82	≤11.00	PASS
		5260	1.54	≤11.00	PASS
		5300	1.46	≤11.00	PASS
		5320	2.24	≤11.00	PASS
		5500	1.34	≤11.00	PASS
		5600	0.46	≤11.00	PASS
		5700	0.14	≤11.00	PASS
		5745	-2.82	≤30.00	PASS
		5785	-2.98	≤30.00	PASS
		5825	-3.27	≤30.00	PASS
11AC40SISO	Ant1	5190	-1.14	≤11.00	PASS
		5230	-0.38	≤11.00	PASS
		5270	-0.50	≤11.00	PASS
		5310	0.62	≤11.00	PASS
		5510	-0.89	≤11.00	PASS
		5590	-1.05	≤11.00	PASS
		5670	-2.15	≤11.00	PASS
		5755	-5.56	≤30.00	PASS
		5795	-4.86	≤30.00	PASS
11AC80SISO	Ant1	5210	-3.35	≤11.00	PASS
		5290	-1.41	≤11.00	PASS
		5530	-7.99	≤11.00	PASS
		5610	-9.82	≤11.00	PASS
		5775	-13.56	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11A_Ant1_5180




Date: 9.JUL.2024 11:48:26

11A_Ant1_5200




Date: 9.JUL.2024 11:53:44

11A_Ant1_5240




Date: 9.JUL.2024 12:01:12


11A_Ant1_5260




11A_Ant1_5300




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5600



11A_Ant1_5700



11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5300




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5600




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310



11N40SISO_Ant1_5510



11N40SISO_Ant1_5590



11N40SISO_Ant1_5670