




**Manufacturer:** WUHAN IPASON TECHNOLOGY COMPANY

**ADDRESS:** 1801, 18th Floor, D1 District,  
Hankou North E-Commerce Building,  
88 Hankou North Avenue, Panlong City,  
Huangpu District, Wuhan.

**TEL:** 400-0055-360



**迁跃者-M  
F-MIGRATE**

**User's Manual**

[www.ipason.com](http://www.ipason.com)

VER:QYZ1.0

**迁跃者-M**  
**F-MIGRATE**

**User's Manual**

## **Copyright Notice**

Wuhan Ipson technology co., LTD. reserved all rights

All information contained in this user manual, including but not limited to, is protected by the copyright law. Without the permission of Wuhan Ipson technology co., LTD. (hereinafter referred to as "Ipson"), there must be no acts of counterfeiting, copying, excerpting, translating, distributing, etc. or other uses.

## **Disclaimer of Interest**

This user manual is provided to you in the "as is" and "under the conditions currently stated" . To the extent permitted by law, the user manual is provided without any express or implied warranty or guarantee, including but not limited to commercial bestsellers, fitness for a particular purpose, non-infringement of the rights of others and any use of this user manual or cannot use of the user manual, and the Ipson does not provide warranty or guarantee for the accuracy or reliability of any information obtained through the use of this user manual or through this user manual.

The user assumes all risks of using this user manual. The user clearly understands and agrees that Ipson and Ipson's licensees and directors, management, employees, agents, and affiliated enterprise are not responsible for any derivatives, incidental, direct, indirect, special, penalties, or any other damages (including but not limited to loss of profits, business interruption, loss of data, or other monetary losses) which may arise from this user manual, the use of this user manual, or because of the inability to Ipson and thus cannot use the user manual or any part, regardless of Whether Ipson was informed of the possibility of the above losses.

Since some countries or regions may not allow full waiver of liability or limitation of liability for such loss, the above limitations or exclusions may not apply to you.

The user shall be aware that Ipson has the right to modify this user manual at any time. This manual will be updated as soon as the product specifications or drivers are changed. For detailed instructions on the update of this user manual, please visit the climbing customer service website [www.ipason.com](http://www.ipason.com) or contact the Ipson Computer Service Center 400-0055-360 directly.

The ownership and intellectual property rights of the third-party product names or contents mentioned in this user manual shall be owned by each product or content owner and shall be protected by current intellectual property laws and international treaties.

This product will no longer be covered by Ipson's warranty and service in the following two situations:

- (1) This product has been subjected to non-Ipson authorized repairs, specification changes, parts replacement or other unauthorized actions.
- (2) The serial number of this product is illegible or lost.

## **Content**

### **Chapter 1: Meet your F-MIGRATE**

Host computer and related related accessories .....	<b>09</b>
Front view .....	<b>10</b>
Back view .....	<b>11</b>

### **Chapter 2: Use your F-MIGRATE**

Before use	
Place your F-MIGRATE .....	<b>15</b>
Connect the power adapter .....	<b>16</b>
Install the screen and connect power supply .....	<b>17</b>
Open the F-MIGRATE power supply .....	<b>18</b>

### **The appendix**


Safety instruc-	
Operational precautions .....	<b>21</b>
Precautions for use .....	<b>22</b>
Toxic and hazardous substances, element names and contents in products .....	<b>23</b>
After-sales service process description .....	<b>24</b>
Warranty description .....	<b>26</b>
Warranty Card .....	<b>27</b>

# **User's Manual**


## **Chapter 1**

### **Meet your F-MIGRATE**

## Host computer and related accessories




Host computer



Adapter



Power cable



User's manual




Foot pad

**Note:** The pictures are for reference only. Actual products may vary by region. Please focus on the actual products you purchase.

### Important! !

**During the warranty period, if the product and accessories are faulty under normal use conditions, please use the mobile phone to scan the QR code on the main body of the product, and there will be professional maintenance personnel to solve the problem for you. Or contact the official after-sales service center at: 400-0055-360.**

## Front view



### 01 The power switch


This power switch can turn the power on or off

### 02 Front cooling hole

Dissipate the heat generated by the device and lower the temperature to ensure the normal operation of the chassis

### 03 Power Indicator

## Back view



- 01 Back cooling hole**  
Dissipate the heat generated by the device and lower the temperature to ensure the normal operation of the chassis
- 02 Audio output interface**    **03 Audio input interface**
- 04 USB 3.0 connection port**  
Connection port for data transfer and backward compatibility with USB 2.0
- 05 Network connection port RJ45**  
Support standard Ethernet cable, can connect to LAN

- 06 Ipson nameplate**

- 07 COM connection port**

- 08 HDMI connection port**

High-definition multimedia interface that can send uncompressed audio and video signals, and the connection port can be connected to a display device that supports Full-HD, such as a LCD or a LCD display.

- 09 DC power input interface**

The power adapter converts AC power to DC power, and the converted power supplies power to your computer through the power input interface.


## **Chapter 2**

# **Use your F-MIGRATE**




## Before use

Place your MIGRATE




Perpendicular put



Horizontal put

**Note:** After confirming the position of the F-MIGRATE, please attach the foot pad in the box to the side where F-MIGRATE touches the table to prevent scratching.

## Connect the power supply



Please follow the steps below to connect the power adapter to the F-MIGRATE

- A: Connect the AC power cord to the AC/DC adapter
- B: Connect the AC adapter to a 100V - 220V power outlet
- C: Insert the DC power plug into the DC power jack of the F-MIGRATE

### Important!!

- It is highly recommended that you use the AC adapter and cable included in the F-MIGRATE-box.
- It is highly recommended that you use a grounded wall outlet when using the F-MIGRATE
- To remove F-MIGRATE from the main power adapter, lift the F-MIGRATE from the power outlet


## Install the screen

Please follow the instructions below to connect the screen to the F-MIGRATE and connect the cable of the display device to the HDMI port.



## Turn on the power of F-MIGRATE

Press the power button to turn on your F-MIGRATE.



# Appendix

## Safety instructions

### Operational precautions

Before using this product, please be sure to read the information provided in this manual. Dust, moisture, and temperature changes can affect the service life of the product, so please pay attention to the following:


- Do not place this product in an uneven or unstable working environment.
- When using this product, be sure to ensure effective heat dissipation around the area for heat dissipation.
- Avoid placing small pieces such as paper fragments, screws, and thread ends near the connectors, slots, and holes of the product.
- Do not insert anything into the product to avoid short circuit or damage to the circuit.
- Please use the power adapter that is configured with this product. If the wrong power adapter is used, it may cause damage to internal parts.

## Precautions for use

Before using this product, please be sure to read the information provided in this manual. Dust, moisture, and temperature changes can affect the service life of the product, so please pay attention to the following:

- Keep this product in a dry environment. Rain, moisture, liquids, etc. contain minerals that can corrode electronic circuits.
- To avoid serious damage from possible electric shock, temporarily unplug all power cords from the power supply slot before cleaning or moving the product.
- If you encounter any of the following problems or any technical problems while using this product, please contact your authorized dealer.
- Do not replace the internal accessories in the chassis. In case of failure, please contact the after-sales service personnel directly.
- If the computer main unit is damaged, do not repair it yourself. Please contact the after-sales service personnel directly.

## Name and content of toxic and harmful substances or elements in the product

Name of parts	Harmful substances					
	(pb)	(Hg)	(Hg)	(Cr(VI))	(PBB)	(PBDE)
<b>PCB assembly</b>	X	0	0	0	0	0
<b>Hard disk</b>	X	0	0	0	0	0
<b>Memory</b>	X	0	0	0	0	0
<b>Computer I/O accessories</b>	X	0	0	0	0	0
<b>Power</b>	X	0	0	0	0	0
<b>Case/accessories</b>	X	0	0	0	0	0
<p>This form is prepared in accordance with the provisions of SJ/T11364</p> <p>O: Indicates that the content of the hazardous substance in all homogeneous materials of the part is below the limit requirement specified in SJ/T11363-2006.</p> <p>X: Indicates that the content of the hazardous substance in a homogeneous material of the part exceeds the limit requirement specified in SJ/T11363-2006.</p> <p>Note: Parts marked "X" in the table cannot be replaced by hazardous substances due to global technological development limits.</p> <p>Printed circuit board assembly*: Includes printed circuit boards and their components, capacitors and connectors.</p> <p>Depending on the model, all the above components may not be included. Please refer to the actual model purchased.</p>						
 <p>Electronic information products sold within the territory of the People's Republic of China must identify this mark, and the number in the mark represents the environmentally friendly use period of the product under normal use.</p>						

## After-sales service process description

When applying for a warranty, you should provide a clear, complete and accurate sales invoice and warranty card.

This is the certificate that you are entitled to a warranty.


Where applicable, before providing services, you should:

Comply with the specified service application procedures; provide the necessary support and cooperation to provide services, including providing a system key or password and necessary venues;

To keep your data safe, be sure to back up your data that you think is important. We do not provide services for backing up and restoring data, nor do we assume corresponding legal responsibilities;

If the return of the goods occurs, please be sure to return the original packaging of the product. Do not paste any labels on the original packaging; (If there is a problem with the original packaging, the manufacturer will not be replaced, only repairs) Products are electronic products, please We will be grateful for your work on packing shockproof work.

## After-sales service process description



**Note:** The service period is from the date of signing and receiving express delivery, and the warranty period provided by the manufacturer is the basis for some accessories.

## Warranty description

The after-sales service of Ipason computer products is strictly based on the Law of the People's Republic of China on the Protection of Consumer Rights and the Law of the People's

1. The product has a performance failure within 7 days from the date of your receipt, you can choose to return, exchange or repair;

2. The product has a performance failure within 15 days from the day after signing the receipt. You can choose to exchange or repair.

3. The product has a performance failure within 3 years from the day after signing the receipt. You can choose free maintenance service.

4. Online shopping products, within 7 days from the date of your receipt, under the premise of ensuring that the products (including packaging and accessories) are intact and not installed, there is no reason to return them.

## warranty period

1. Damage caused by improper use, maintenance or storage by the user;
2. Damage caused by irresistible external factors such as fire, flood earthquake, etc.;
3. The unauthorized service provider dismantled and caused damage;
4. The repair certificate is inconsistent with the product, altered or forged;
5. Exceeding the warranty period or non-vendor commitment to free service items and content;
6. Performance indicators or technical parameters meet product design and specification standards;
7. Other cases that do not comply with the state's new three-package regulations for free processing.

In the case where the above does not belong to the scope of the three-package, the manufacturer authorized service provider can provide the fee-based service when the user needs to process it. Friendly reminder: Due to the need to use the packing box during transportation to ensure the safety of product transportation, it is recommended that you keep the box for at least 15 days from the date of receipt.

## Warranty Card

<b>ID username</b>		<b>Order number</b>	
<b>Your Name</b>		<b>Contact number</b>	
<b>Reasons for after-sales</b>			
<p>Your shipping address: If there is any change in your contact information, contact information, contact address, etc., please be sure to contact the online customer service note. No remarks are processed according to the order</p> <p>_____Province_____City_____Street_____</p> <p>_____</p>			
<p>Complaints or suggestions: If you are dissatisfied with our services, you can contact us through the following methods;</p> <p><b>E-mail: duli@ipason.com                      Tel: 027-6151 9300</b></p>			

## FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

## RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, this equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.