

FCC Part 27

RF power output

n66 , Normal

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.98	25.06	0.321	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.01	25.09	0.323	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.88	24.96	0.313	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.53	24.61	0.289	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	23.98	25.06	0.321	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	24.05	25.13	0.326	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	23.89	24.97	0.314	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	23.13	24.21	0.264	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.22	23.3	0.214	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.52	22.6	0.182	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.76	20.84	0.121	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	22.78	23.86	0.243	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	22.75	23.83	0.242	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	22.78	23.86	0.243	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	21.31	22.39	0.173	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	21.26	22.34	0.171	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	20.78	21.86	0.153	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	17.73	18.81	0.076	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.11	25.19	0.33	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.21	25.29	0.338	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.71	24.79	0.301	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.78	24.86	0.306	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	24.13	25.21	0.332	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	24.27	25.35	0.343	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	24.13	25.21	0.332	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	23.34	24.42	0.277	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	22.29	23.37	0.217	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	21.75	22.83	0.192	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	19.96	21.04	0.127	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.36	23.44	0.221	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	22.86	23.94	0.248	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	22.35	23.43	0.22	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	21.58	22.66	0.185	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	21.43	22.51	0.178	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	21	22.08	0.161	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	17.99	19.07	0.081	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.13	25.21	0.332	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.27	25.35	0.343	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.77	24.85	0.305	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.81	24.89	0.308	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	24.04	25.12	0.325	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	24.33	25.41	0.348	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	24.19	25.27	0.337	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	23.36	24.44	0.278	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.48	23.56	0.227	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.82	22.9	0.195	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	20.02	21.1	0.129	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	22.44	23.52	0.225	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	23.01	24.09	0.256	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	22.44	23.52	0.225	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	21.55	22.63	0.183	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	21.45	22.53	0.179	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	21	22.08	0.161	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	17.97	19.05	0.08	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.18	25.26	0.336	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.23	25.31	0.34	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.65	24.73	0.297	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.66	24.74	0.298	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	24.12	25.2	0.331	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	24.28	25.36	0.344	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	23.6	24.68	0.294	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	23.26	24.34	0.272	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	22.24	23.32	0.215	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	21.65	22.73	0.187	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	19.78	20.86	0.122	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	22.87	23.95	0.248	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	22.75	23.83	0.242	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	23.01	24.09	0.256	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	21.28	22.36	0.172	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	21.35	22.43	0.175	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	20.77	21.85	0.153	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	17.76	18.84	0.077	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.15	25.23	0.333	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.3	25.38	0.345	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.66	24.74	0.298	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.69	24.77	0.3	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	24.08	25.16	0.328	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	24.37	25.45	0.351	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	23.63	24.71	0.296	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	23.24	24.32	0.27	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	22.26	23.34	0.216	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	21.76	22.84	0.192	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	19.83	20.91	0.123	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.22	23.3	0.214	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	22.83	23.91	0.246	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	22.33	23.41	0.219	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	21.34	22.42	0.175	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	21.38	22.46	0.176	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	20.84	21.92	0.156	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	17.8	18.88	0.077	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.21	25.29	0.338	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.31	25.39	0.346	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.78	24.86	0.306	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.67	24.75	0.299	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	23.99	25.07	0.321	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	24.35	25.43	0.349	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	23.68	24.76	0.299	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	23.25	24.33	0.271	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	22.27	23.35	0.216	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	21.64	22.72	0.187	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	19.81	20.89	0.123	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	22.2	23.28	0.213	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	22.79	23.87	0.244	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	22.41	23.49	0.223	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	21.34	22.42	0.175	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	21.43	22.51	0.178	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	20.77	21.85	0.153	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	17.8	18.88	0.077	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.34	25.42	0.348	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.51	25.59	0.362	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.96	25.04	0.319	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	24.02	25.1	0.324	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	24.27	25.35	0.343	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	24.57	25.65	0.367	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	24.42	25.5	0.355	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	23.53	24.61	0.289	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.6	23.68	0.233	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	22.06	23.14	0.206	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	20.12	21.2	0.132	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	22.58	23.66	0.232	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	23.09	24.17	0.261	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	22.43	23.51	0.224	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	21.61	22.69	0.186	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	21.61	22.69	0.186	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	21.09	22.17	0.165	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	18.05	19.13	0.082	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.39	25.47	0.352	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.52	25.6	0.363	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.81	24.89	0.308	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.95	25.03	0.318	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	24.29	25.37	0.344	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	24.6	25.68	0.37	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	23.83	24.91	0.31	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	23.51	24.59	0.288	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	22.58	23.66	0.232	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	22.02	23.1	0.204	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	20.1	21.18	0.131	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.41	23.49	0.223	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	23.08	24.16	0.261	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	22.44	23.52	0.225	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	21.61	22.69	0.186	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	21.6	22.68	0.185	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	21.09	22.17	0.165	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	17.98	19.06	0.081	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.3	25.38	0.345	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.53	25.61	0.364	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.9	24.98	0.315	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	24	25.08	0.322	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	24.27	25.35	0.343	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	24.6	25.68	0.37	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	23.86	24.94	0.312	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	23.56	24.64	0.291	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.65	23.73	0.236	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	22.03	23.11	0.205	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	20.14	21.22	0.132	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	22.48	23.56	0.227	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	23.21	24.29	0.269	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	22.58	23.66	0.232	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	21.61	22.69	0.186	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	21.6	22.68	0.185	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	21.09	22.17	0.165	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	18.11	19.19	0.083	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.39	25.47	0.352	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.63	25.71	0.372	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.97	25.05	0.32	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	24.04	25.12	0.325	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	24.28	25.36	0.344	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	24.69	25.77	0.378	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	23.99	25.07	0.321	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	23.46	24.54	0.284	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	22.49	23.57	0.228	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	22.02	23.1	0.204	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	20.1	21.18	0.131	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	22.42	23.5	0.224	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	23.21	24.29	0.269	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	22.58	23.66	0.232	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	21.61	22.69	0.186	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	21.62	22.7	0.186	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	21.1	22.18	0.165	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	18	19.08	0.081	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.46	25.54	0.358	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.53	25.61	0.364	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.95	25.03	0.318	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.98	25.06	0.321	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	24.39	25.47	0.352	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	24.59	25.67	0.369	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	23.87	24.95	0.313	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	23.47	24.55	0.285	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	22.46	23.54	0.226	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	22.01	23.09	0.204	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	20.08	21.16	0.131	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.48	23.56	0.227	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	23.22	24.3	0.269	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	22.5	23.58	0.228	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	21.63	22.71	0.187	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	21.63	22.71	0.187	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	21.11	22.19	0.166	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	18.04	19.12	0.082	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.25	25.33	0.341	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.54	25.62	0.365	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.95	25.03	0.318	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	24.02	25.1	0.324	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	24.27	25.35	0.343	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	24.66	25.74	0.375	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	23.82	24.9	0.309	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	23.57	24.65	0.292	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	22.57	23.65	0.232	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	22.15	23.23	0.21	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	20.19	21.27	0.134	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	22.37	23.45	0.221	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	23.21	24.29	0.269	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	22.67	23.75	0.237	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	21.66	22.74	0.188	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	21.69	22.77	0.189	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	21.17	22.25	0.168	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	18.1	19.18	0.083	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.7	24.78	0.301	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.82	24.9	0.309	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.15	24.23	0.265	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.27	24.35	0.272	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	23.55	24.63	0.29	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	23.92	25	0.316	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	23.11	24.19	0.262	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	22.8	23.88	0.244	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	21.94	23.02	0.2	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.42	22.5	0.178	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.42	20.5	0.112	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	21.8	22.88	0.194	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	22.27	23.35	0.216	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	21.79	22.87	0.194	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	20.89	21.97	0.157	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	20.87	21.95	0.157	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	20.4	21.48	0.141	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	17.34	18.42	0.07	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.57	24.65	0.292	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.86	24.94	0.312	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.23	24.31	0.27	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.31	24.39	0.275	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.43	24.51	0.282	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	23.9	24.98	0.315	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	23.11	24.19	0.262	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	22.8	23.88	0.244	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	21.86	22.94	0.197	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	21.4	22.48	0.177	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	19.38	20.46	0.111	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.6	22.68	0.185	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	22.39	23.47	0.222	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	21.79	22.87	0.194	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	20.87	21.95	0.157	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	20.85	21.93	0.156	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	20.4	21.48	0.141	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	17.32	18.4	0.069	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.59	24.67	0.293	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24	25.08	0.322	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.15	24.23	0.265	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.44	24.52	0.283	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	23.54	24.62	0.29	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	24.06	25.14	0.327	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	23.05	24.13	0.259	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	22.97	24.05	0.254	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	21.97	23.05	0.202	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.57	22.65	0.184	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.58	20.66	0.116	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	21.68	22.76	0.189	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	22.52	23.6	0.229	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	21.72	22.8	0.191	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	21.07	22.15	0.164	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	21.06	22.14	0.164	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	20.58	21.66	0.147	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	17.52	18.6	0.072	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.56	24.64	0.291	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.84	24.92	0.31	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.18	24.26	0.267	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.29	24.37	0.274	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	23.48	24.56	0.286	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	23.91	24.99	0.316	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	23.1	24.18	0.262	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	22.84	23.92	0.247	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	21.94	23.02	0.2	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	21.46	22.54	0.179	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	19.35	20.43	0.11	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	21.72	22.8	0.191	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	22.44	23.52	0.225	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	21.73	22.81	0.191	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	20.9	21.98	0.158	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	20.84	21.92	0.156	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	20.32	21.4	0.138	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	17.25	18.33	0.068	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.47	24.55	0.285	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.85	24.93	0.311	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.05	24.13	0.259	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.21	24.29	0.269	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.43	24.51	0.282	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	23.87	24.95	0.313	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	23.5	24.58	0.287	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	22.7	23.78	0.239	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	21.86	22.94	0.197	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	21.38	22.46	0.176	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	19.3	20.38	0.109	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.97	23.05	0.202	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	22.33	23.41	0.219	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	22.13	23.21	0.209	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	20.83	21.91	0.155	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	20.79	21.87	0.154	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	20.33	21.41	0.138	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	17.25	18.33	0.068	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.39	24.47	0.28	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.97	25.05	0.32	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.97	24.05	0.254	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.47	24.55	0.285	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	23.32	24.4	0.275	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	23.99	25.07	0.321	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	23.47	24.55	0.285	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	22.95	24.03	0.253	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	22.02	23.1	0.204	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	21.59	22.67	0.185	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	19.56	20.64	0.116	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	22.15	23.23	0.21	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	22.46	23.54	0.226	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	21.76	22.84	0.192	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	21.06	22.14	0.164	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	21.05	22.13	0.163	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	20.57	21.65	0.146	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	17.5	18.58	0.072	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	24.45	0.279	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.91	24.99	0.316	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.84	23.92	0.247	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.36	24.44	0.278	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	23.32	24.4	0.275	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	23.88	24.96	0.313	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	23.31	24.39	0.275	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	22.96	24.04	0.254	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	22.05	23.13	0.206	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	21.55	22.63	0.183	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	19.52	20.6	0.115	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	21.96	23.04	0.201	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	22.48	23.56	0.227	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	22.01	23.09	0.204	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	20.98	22.06	0.161	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	21.04	22.12	0.163	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	20.52	21.6	0.145	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	17.52	18.6	0.072	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.25	24.33	0.271	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.86	24.94	0.312	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.56	24.64	0.291	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.19	24.27	0.267	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.16	24.24	0.265	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	23.88	24.96	0.313	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	23.48	24.56	0.286	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	22.7	23.78	0.239	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	21.85	22.93	0.196	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	21.32	22.4	0.174	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	19.29	20.37	0.109	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.82	22.9	0.195	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	22.38	23.46	0.222	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	22.15	23.23	0.21	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	20.81	21.89	0.155	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	20.78	21.86	0.153	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	20.3	21.38	0.137	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	17.26	18.34	0.068	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	24.42	0.277	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.93	25.01	0.317	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.84	23.92	0.247	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.34	24.42	0.277	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	23.22	24.3	0.269	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	23.99	25.07	0.321	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	22.76	23.84	0.242	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	22.96	24.04	0.254	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	21.92	23	0.2	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	21.52	22.6	0.182	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	19.49	20.57	0.114	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	21.33	22.41	0.174	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	22.59	23.67	0.233	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	21.58	22.66	0.185	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	21.01	22.09	0.162	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	21.02	22.1	0.162	1	Pass

Mode	Value (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	20.53	21.61	0.145	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	17.43	18.51	0.071	1	Pass

Note:

EIRP = Value + Ant Gain – CL;

ERP = EIRP -2.15;

n66:

1.Ant Gain =1.08 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;