
SPECIFICATION FOR APPROVAL

CUSTOMER: Shenzhen Maxxon Technology Limited

CUST P/N: 56653

DESC: J-MNW25C-L25

DATE: 20230504

VERSION: A.0

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
Yang Maoxin	Liu Xijiang	Roger	

DONGGUAN JIOU ELECTRONIC TECHNOLOGY

CO,LTD Company address: Xinfu

Industrial Zone, Shijie Town,

Dongguan City

[TEL:0769-83067050](tel:0769-83067050)

E-mail: lybofmana@163.com


DONGGUAN JIOU ELECTRONIC TECHNOLOGY CO, LTD

Version Change History

Rev	Before Change	After Change	Change Date	Approved BY
A.0	new issue		20230504	Roger

DESC	J-MNW25C-L25	REV:A.1	CUST	Maineng
			CUST P/N	56653

一、 DIMENSION(MM)

	A	8 ± 0.5
	B	25 ± 0.5
	C	20 ± 1
	D	14 ± 0.5
	E	3 ± 1
	F	25 ± 2
	G	2.4 ± 0.1
Note: 1. Stick double-sided adhesive tape on the back of the coil 2. The magnetic separator adopts 25 * 2.4 * 8.0 3. G value does not include the thickness of double-sided adhesive release paper		

二、 Winding Specification:

Wire	Turns	Winding Direction
0.08*24P	12TS	rewind

四、 ELECTRICAL CHARACTERISTICS:

TEMPERATURE: $25 \pm 10^{\circ}\text{C}$, RELATIVE HUMIDITY : $65 \pm 20\%$

TIEM	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
IND	$7.2\text{UH} \pm 10\%$	100 KHZ/1.0V	LCZ METER 1062B
DCR	120m Ω Max		LCZ METER 1062B

PREPAREDBY	CHECKED BY	DATE
Yang Maixin	Liu Xi Jiang	20230424