

Appendix: Bluetooth Classic

Contents

Dwell Time 3

Duty Cycle 13

Maximum Peak Conducted Output Power 19

-20dB Bandwidth 25

Occupied Channel Bandwidth 31

Carrier Frequencies Separation 37

Band Edge 43


Band Edge(Hopping) 50

Conducted RF Spurious Emission 57


Number of Hopping Channel 67

Dwell Time



Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2402	Ant1	0.406	129.514	319	31600	400	Pass
NVNT	1-DH3	2402	Ant1	1.662	270.906	163	31600	400	Pass
NVNT	1-DH5	2402	Ant1	2.91	308.46	106	31600	400	Pass
NVNT	2-DH1	2402	Ant1	0.415	131.97	318	31600	400	Pass
NVNT	2-DH3	2402	Ant1	1.667	271.721	163	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.916	271.188	93	31600	400	Pass
NVNT	3-DH1	2402	Ant1	0.415	132.385	319	31600	400	Pass
NVNT	3-DH3	2402	Ant1	1.665	246.42	148	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.916	288.684	99	31600	400	Pass




Date: 1.JUL.2025 23:03:01




Date: 1.JUL.2025 23:03:34







Date: 1.JUL.2025 22:42:06




Date: 1.JUL.2025 22:42:39




Date: 1.JUL.2025 23:06:48




Date: 1.JUL.2025 23:07:21




Date: 1.JUL.2025 23:08:40




Date: 1.JUL.2025 23:09:13




Date: 1.JUL.2025 22:48:08




Date: 1.JUL.2025 22:48:41




Date: 1.JUL.2025 23:10:33




Date: 1.JUL.2025 23:11:06




Date: 1.JUL.2025 23:11:32



Date: 1.JUL.2025 23:12:05




Date: 1.JUL.2025 22:54:07




Date: 1.JUL.2025 22:54:40

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.65	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.71	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.71	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.92	1.08	0.34
NVNT	2-DH5	2441	Ant1	77.85	1.09	0.34
NVNT	2-DH5	2480	Ant1	77.87	1.09	0.34
NVNT	3-DH5	2402	Ant1	77.87	1.09	0.34
NVNT	3-DH5	2441	Ant1	77.93	1.08	0.34
NVNT	3-DH5	2480	Ant1	77.93	1.08	0.34




Date: 1.JUL.2025 22:14:25




Date: 1.JUL.2025 22:16:06




Date: 1.JUL.2025 22:20:57




Date: 1.JUL.2025 22:33:00




Date: 1.JUL.2025 22:34:18




Date: 1.JUL.2025 22:35:26



Date: 1.JUL.2025 22:36:42




Date: 1.JUL.2025 22:37:59




Maximum Peak Conducted Output Power



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	5.12	21	Pass
NVNT	1-DH5	2441	Ant1	5.03	21	Pass
NVNT	1-DH5	2480	Ant1	4.6	21	Pass
NVNT	2-DH5	2402	Ant1	7.68	21	Pass
NVNT	2-DH5	2441	Ant1	7.97	21	Pass
NVNT	2-DH5	2480	Ant1	7.85	21	Pass
NVNT	3-DH5	2402	Ant1	7.67	21	Pass
NVNT	3-DH5	2441	Ant1	7.98	21	Pass
NVNT	3-DH5	2480	Ant1	7.87	21	Pass




Date: 1.JUL.2025 22:14:35




Date: 1.JUL.2025 22:16:16







Date: 1.JUL.2025 22:34:29



Date: 1.JUL.2025 22:35:36



Date: 1.JUL.2025 22:36:52



Date: 1.JUL.2025 22:38:09