

3-Button Key Ring Remote

The ERT3 Elite® 3-Button Remote is a 3-button key fob remote that enables you to raise or lower a boat using the Elite® remote receiver. If an auxiliary circuit has been installed on the Elite® remote receiver, you can use the key fob to turn on an auxiliary circuit such as dock/walkway lighting. The key fob is a lithium coin battery-powered, wireless key fob designed to fit on a keychain, in a pocket, or in a purse. It provides a convenient option for the following lift operations (See Figure 1):

- Stop
- Up
- Down
- Auxiliary (Press both Up & Down simultaneously)



Figure 1



Figure 2

Programming

For more details, refer to your Programming Instructions located on the inside of the Elite® remote receiver.

Battery Installation & Replacement

To replace battery, unscrew back and separate the two sides of the device. Use only the recommended replacement batteries (see Specifications).

WARNING! The polarity of the battery must be observed, as shown (see Figure 2). Improper handling of lithium batteries may result in heat generation, explosion or fire, which may lead to personal injuries. Replace only with the same or equivalent type of battery as recommended by the manufacturer. (see Specifications)

Batteries must not be recharged, disassembled or disposed of in fire. Disposal of used batteries must be made in accordance with the waste recovery and recycling regulations in your area.

Keep away from small children. If batteries are swallowed, promptly see a doctor.

Specifications

Wireless Signal Range	350 ft., open air
Code Outputs	Stop; Up; Down; Auxiliary
Transmitter Frequency	372.000 MHz (crystal controlled)
Modulation Type	Amplitude Shift Keying—On/Off Keying (ASK-OOK)
Peak Field Strength	Typical 40,000 uV/m at 3m
Dimensions (LxWxH)	1.23 x 2.26 x 0.45 in. (3.12 x 5.74 x 1.14 cm)
Weight (including battery)	0.65 oz. (18.4 g)
Housing Material	ABS plastic
Color	Blue
Operating Temperature	32° to 120°F (0° to 49°C)
Relative Humidity	5-95% Non-Condensing
Battery (included)	One (1) CR2032, or equivalent Lithium battery
Regulatory Listing(s)	ETL, FCC Part 15, Industry Canada
Warranty*	Two (2) years

Federal Communications Commission (FCC) statement (USA)

FCC ID: 2AU30-ERT3

FCC RF Exposure Statement

This device meets the FCC requirements for RF exposure in public or uncontrolled environments.

This device complies with FCC part 15 FCC Rules. Operation is subject to the following two conditions: 1. This device may not cause harmful interference and 2. This device must accept any interference received, including interference that may cause undesired operation.

FCC Warning

Changes or modifications not approved by BH-USA could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. - Consult the dealer or an experienced radio/TV technician for help.

For more warranty and compliance information, visit our website (www.bh-USA.com).