



Shenzhen CTL Testing Technology Co., Ltd.

Floor 1-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, China 518055

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

Annex for BT

Test Report No.: CTL2410162072-WF01

TABLE OF CONTENTS

1. Bandwidth	3
1.1 Test Result	3
1.1.1 OBW	3
1.1.2 20dB BW	3
1.2 Test Graph	4
1.2.1 OBW	4
1.2.2 20dB BW	9
2. Maximum Conducted Output Power	14
2.1 Test Result	14
2.1.1 Power	14
2.2 Test Graph	15
2.2.1 Power	15
3. Carrier Frequency Separation	20
3.1 Test Result	20
3.1.1 Ant1	20
3.2 Test Graph	21
3.2.1 Ant1	21
4. Number of Hopping Frequencies	23
4.1 Test Result	23

FCCID: 2AU4P-BTS055

4.1.1 HoppNum	23
4.2 Test Graph	24
4.2.1 HoppNum	24
5. Time of Occupancy (Dwell Time)	26
5.1 Test Result	26
5.1.1 Ant1	26
5.2 Test Graph	27
5.2.1 Ant1	27
6. Unwanted Emissions In Non-restricted Frequency Bands	36
6.1 Test Result	36
6.1.1 Ref	36
6.1.2 CSE	36
6.2 Test Graph	37
6.2.1 Ref	37
6.2.2 CSE	42

FCCID: 2AU4P-BTS055

1. Bandwidth

1.1 Test Result

1.1.1 OBW

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.958	/	Pass
		2441	DH5	1	0.969	/	Pass
		2480	DH5	1	0.973	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.241	/	Pass
		2441	2DH5	1	1.256	/	Pass
		2480	2DH5	1	1.253	/	Pass
8DPSK	SISO	2402	3DH5	1	1.229	/	Pass
		2441	3DH5	1	1.230	/	Pass
		2480	3DH5	1	1.224	/	Pass


1.1.2 20dB BW

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	1.041	/	Pass
		2441	DH5	1	1.047	/	Pass
		2480	DH5	1	1.064	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.352	/	Pass
		2441	2DH5	1	1.367	/	Pass
		2480	2DH5	1	1.362	/	Pass
8DPSK	SISO	2402	3DH5	1	1.312	/	Pass
		2441	3DH5	1	1.305	/	Pass
		2480	3DH5	1	1.306	/	Pass


FCCID: 2AU4P-BTS055

1.2 Test Graph


1.2.1 OBW




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055


1.2.2 20dB BW




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055

2. Maximum Conducted Output Power

2.1 Test Result


2.1.1 Power

Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	-0.99	<=20.97	Pass
		2441	DH5	-0.61	<=20.97	Pass
		2480	DH5	-1.02	<=20.97	Pass
Pi/4DQPSK	SISO	2402	2DH5	-0.37	<=20.97	Pass
		2441	2DH5	-0.01	<=20.97	Pass
		2480	2DH5	-0.35	<=20.97	Pass
8DPSK	SISO	2402	3DH5	-0.10	<=20.97	Pass
		2441	3DH5	0.28	<=20.97	Pass
		2480	3DH5	-0.08	<=20.97	Pass
Note1: Antenna Gain: Ant1: -0.58dBi;						


FCCID: 2AU4P-BTS055

2.2 Test Graph


2.2.1 Power




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055

3. Carrier Frequency Separation

3.1 Test Result


3.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.008	1.064	≥ 0.709	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	1.010	1.367	≥ 0.911	Pass
8DPSK	SISO	HOPP	3DH5	0.996	1.312	≥ 0.875	Pass


FCCID: 2AU4P-BTS055

3.2 Test Graph

3.2.1 Ant1



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055

4. Number of Hopping Frequencies

4.1 Test Result


4.1.1 HoppNum

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	≥ 15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	≥ 15	Pass
8DPSK	SISO	HOPP	3DH5	79	≥ 15	Pass


FCCID: 2AU4P-BTS055

4.2 Test Graph

4.2.1 HoppNum



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055

5. Time of Occupancy (Dwell Time)

5.1 Test Result


5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.378	31.600	318	120.204	<=400	Pass
			DH3	1.642	31.600	164	269.288	<=400	Pass
			DH5	2.888	31.600	110	317.680	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.390	31.600	317	123.630	<=400	Pass
			2DH3	1.640	31.600	154	252.560	<=400	Pass
			2DH5	2.896	31.600	110	318.560	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.390	31.600	318	124.020	<=400	Pass
			3DH3	1.640	31.600	168	275.520	<=400	Pass
			3DH5	2.894	31.600	100	289.400	<=400	Pass


FCCID: 2AU4P-BTS055

5.2 Test Graph


5.2.1 Ant1




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055

6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Test Result

6.1.1 Ref

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	-1.38
		2441	DH5	1	-1.06
		2480	DH5	1	-1.50
Pi/4DQPSK	SISO	2402	2DH5	1	-1.31
		2441	2DH5	1	-1.02
		2480	2DH5	1	-1.48
8DPSK	SISO	2402	3DH5	1	-1.34
		2441	3DH5	1	-1.00
		2480	3DH5	1	-1.54

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

6.1.2 CSE


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	-1.06	-21.06	Pass
		2441	DH5	1	-1.06	-21.06	Pass
		2480	DH5	1	-1.06	-21.06	Pass
		HOPP	DH5	1	-1.06	-21.06	Pass
					-1.06	-21.06	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	-1.02	-21.02	Pass
		2441	2DH5	1	-1.02	-21.02	Pass
		2480	2DH5	1	-1.02	-21.02	Pass
		HOPP	2DH5	1	-1.02	-21.02	Pass
					-1.02	-21.02	Pass
8DPSK	SISO	2402	3DH5	1	-1.00	-21.00	Pass
		2441	3DH5	1	-1.00	-21.00	Pass
		2480	3DH5	1	-1.00	-21.00	Pass
		HOPP	3DH5	1	-1.00	-21.00	Pass
					-1.00	-21.00	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


FCCID: 2AU4P-BTS055

6.2 Test Graph


6.2.1 Ref




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055


6.2.2 CSE




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055




FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055



FCCID: 2AU4P-BTS055

