


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 18.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38161G	55.56	68.20	-12.64	41.07	3	Vertical	151	1.27	-	37.97	11.17	34.65			
PK	15.57108G	59.88	74.00	-14.12	43.68	3	Vertical	59	2.12	-	38.22	12.93	34.95			
AV	15.57186G	47.07	54.00	-6.93	30.88	3	Vertical	59	2.12	-	38.21	12.93	34.95			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 18.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37974G	55.87	68.20	-12.33	41.37	3	Horizontal	287	1.67	-	37.98	11.17	34.65			
PK	15.57088G	58.96	74.00	-15.04	42.76	3	Horizontal	289	1.02	-	38.22	12.93	34.95			
AV	15.57072G	47.02	54.00	-6.98	30.82	3	Horizontal	289	1.02	-	38.22	12.93	34.95			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 22.5
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1469G	66.63	74.00	-7.37	60.54	3	Vertical	338	2.34	-	33.90	7.49	35.30			
AV	5.1487G	53.86	54.00	-0.14	47.77	3	Vertical	338	2.34	-	33.90	7.49	35.30			
PK	5.2291G	112.82	Inf	-Inf	106.36	3	Vertical	338	2.34	-	34.10	7.65	35.29			
AV	5.2309G	101.93	Inf	-Inf	95.47	3	Vertical	338	2.34	-	34.10	7.65	35.29			
PK	5.3725G	61.48	74.00	-12.52	54.32	3	Vertical	338	2.34	-	34.59	7.83	35.26			
AV	5.3602G	49.63	54.00	-4.37	42.55	3	Vertical	338	2.34	-	34.54	7.81	35.27			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 22.5
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1499G	67.76	74.00	-6.24	61.67	3	Horizontal	294	1.80	-	33.90	7.49	35.30			
AV	5.1496G	53.75	54.00	-0.25	47.66	3	Horizontal	294	1.80	-	33.90	7.49	35.30			
PK	5.2321G	116.12	Inf	-Inf	109.66	3	Horizontal	294	1.80	-	34.10	7.65	35.29			
AV	5.2309G	104.56	Inf	-Inf	98.10	3	Horizontal	294	1.80	-	34.10	7.65	35.29			
PK	5.3521G	63.27	74.00	-10.73	56.23	3	Horizontal	294	1.80	-	34.51	7.80	35.27			
AV	5.3566G	49.79	54.00	-4.21	42.72	3	Horizontal	294	1.80	-	34.53	7.81	35.27			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 22.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45938G	56.19	68.20	-12.01	41.58	3	Vertical	103	2.15	-	37.94	11.21	34.54			
PK	15.68913G	59.00	74.00	-15.00	43.18	3	Vertical	215	2.77	-	37.80	13.02	35.00			
AV	15.68832G	46.29	54.00	-7.71	30.47	3	Vertical	215	2.77	-	37.80	13.02	35.00			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 22.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45837G	56.29	68.20	-11.91	41.69	3	Horizontal	48	2.73	-	37.93	11.21	34.54			
PK	15.69186G	58.31	74.00	-15.69	42.48	3	Horizontal	215	2.49	-	37.80	13.03	35.00			
AV	15.68808G	46.41	54.00	-7.59	30.59	3	Horizontal	215	2.49	-	37.80	13.02	35.00			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22.5
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	60.79	74.00	-13.21	54.71	3	Vertical	336	2.00	-	33.90	7.48	35.30			
AV	5.147G	48.94	54.00	-5.06	42.85	3	Vertical	336	2.00	-	33.90	7.49	35.30			
PK	5.2721G	112.51	Inf	-Inf	105.86	3	Vertical	336	2.00	-	34.23	7.70	35.28			
AV	5.2709G	101.45	Inf	-Inf	94.80	3	Vertical	336	2.00	-	34.23	7.70	35.28			
PK	5.3504G	62.38	74.00	-11.62	55.35	3	Vertical	336	2.00	-	34.50	7.80	35.27			
AV	5.3507G	51.17	54.00	-2.83	44.14	3	Vertical	336	2.00	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22.5
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1326G	63.20	74.00	-10.80	57.16	3	Horizontal	294	1.85	-	33.90	7.45	35.31			
AV	5.1485G	50.65	54.00	-3.35	44.56	3	Horizontal	294	1.85	-	33.90	7.49	35.30			
PK	5.2733G	112.59	Inf	-Inf	105.93	3	Horizontal	294	1.85	-	34.24	7.70	35.28			
AV	5.2709G	101.76	Inf	-Inf	95.11	3	Horizontal	294	1.85	-	34.23	7.70	35.28			
PK	5.3573G	67.70	74.00	-6.30	60.63	3	Horizontal	294	1.85	-	34.53	7.81	35.27			
AV	5.35G	53.37	54.00	-0.63	46.34	3	Horizontal	294	1.85	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 22.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53816G	56.59	68.20	-11.61	41.66	3	Vertical	94	1.54	-	38.18	11.24	34.49			
PK	15.80874G	58.56	74.00	-15.44	42.97	3	Vertical	8	1.75	-	37.53	13.12	35.06			
AV	15.80999G	46.31	54.00	-7.69	30.71	3	Vertical	8	1.75	-	37.54	13.12	35.06			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 22.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53806G	56.78	68.20	-11.42	41.85	3	Horizontal	163	2.30	-	38.18	11.24	34.49			
PK	15.80816G	58.74	74.00	-15.26	43.15	3	Horizontal	270	2.65	-	37.53	13.12	35.06			
AV	15.80898G	46.32	54.00	-7.68	30.72	3	Horizontal	270	2.65	-	37.54	13.12	35.06			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 18
03-P-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3112G	107.37	Inf	-Inf	100.47	3	Vertical	13	1.99	-	34.42	7.75	35.27				
AV	5.311G	96.57	Inf	-Inf	89.67	3	Vertical	13	1.99	-	34.42	7.75	35.27				
PK	5.3546G	64.13	74.00	-9.87	57.08	3	Vertical	13	1.99	-	34.52	7.80	35.27				
AV	5.3506G	52.12	54.00	-1.88	45.09	3	Vertical	13	1.99	-	34.50	7.80	35.27				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 18
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.311G	111.32	Inf	-Inf	104.42	3	Horizontal	335	2.04	-	34.42	7.75	35.27			
AV	5.311G	99.91	Inf	-Inf	93.01	3	Horizontal	335	2.04	-	34.42	7.75	35.27			
PK	5.351G	67.29	74.00	-6.71	60.26	3	Horizontal	335	2.04	-	34.50	7.80	35.27			
AV	5.35G	53.87	54.00	-0.13	46.84	3	Horizontal	335	2.04	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 18
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62187G	56.34	74.00	-17.66	41.35	3	Vertical	97	2.09	-	38.20	11.27	34.48				
AV	10.61876G	44.24	54.00	-9.76	29.25	3	Vertical	97	2.09	-	38.20	11.27	34.48				
PK	15.92887G	59.62	74.00	-14.38	43.84	3	Vertical	286	2.82	-	37.68	13.21	35.11				
AV	15.92812G	46.66	54.00	-7.34	30.87	3	Vertical	286	2.82	-	37.69	13.21	35.11				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 18
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61949G	56.65	74.00	-17.35	41.66	3	Horizontal	70	1.04	-	38.20	11.27	34.48			
AV	10.62174G	44.38	54.00	-9.62	29.39	3	Horizontal	70	1.04	-	38.20	11.27	34.48			
PK	15.92921G	58.90	74.00	-15.10	43.12	3	Horizontal	227	2.02	-	37.68	13.21	35.11			
AV	15.93056G	46.70	54.00	-7.30	30.92	3	Horizontal	227	2.02	-	37.68	13.21	35.11			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 20
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	64.46	74.00	-9.54	57.32	3	Vertical	47	2.20	-	34.60	7.79	35.25			
AV	5.4598G	52.37	54.00	-1.63	45.23	3	Vertical	47	2.20	-	34.60	7.79	35.25			
PK	5.4698G	67.09	68.20	-1.11	59.97	3	Vertical	47	2.20	-	34.60	7.77	35.25			
PK	5.5108G	111.68	Inf	-Inf	104.62	3	Vertical	47	2.20	-	34.58	7.72	35.24			
AV	5.5108G	99.95	Inf	-Inf	92.89	3	Vertical	47	2.20	-	34.58	7.72	35.24			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 20
03-P-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4584G	64.54	74.00	-9.46	57.40	3	Horizontal	339	2.01	-	34.60	7.79	35.25			
AV	5.46G	52.83	54.00	-1.17	45.69	3	Horizontal	339	2.01	-	34.60	7.79	35.25			
PK	5.4682G	67.99	68.20	-0.21	60.87	3	Horizontal	339	2.01	-	34.60	7.77	35.25			
PK	5.5082G	113.51	Inf	-Inf	106.45	3	Horizontal	339	2.01	-	34.58	7.72	35.24			
AV	5.5108G	101.80	Inf	-Inf	94.74	3	Horizontal	339	2.01	-	34.58	7.72	35.24			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 20
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0228G	58.00	74.00	-16.00	42.67	3	Vertical	266	2.51	-	38.35	11.43	34.45			
AV	11.02076G	45.02	54.00	-8.98	29.70	3	Vertical	266	2.51	-	38.34	11.43	34.45			
PK	16.53194G	60.47	68.20	-7.73	43.58	3	Vertical	329	1.80	-	38.19	13.53	34.83			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 20
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02206G	56.73	74.00	-17.27	41.41	3	Horizontal	314	1.23	-	38.34	11.43	34.45			
AV	11.01755G	44.90	54.00	-9.10	29.58	3	Horizontal	314	1.23	-	38.34	11.43	34.45			
PK	16.52724G	60.19	68.20	-8.01	43.33	3	Horizontal	38	2.19	-	38.16	13.53	34.83			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 23
03-P-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4579G	67.47	74.00	-6.53	60.33	3	Vertical	60	1.93	-	34.60	7.79	35.25			
AV	5.46G	53.82	54.00	-0.18	46.68	3	Vertical	60	1.93	-	34.60	7.79	35.25			
PK	5.4687G	67.43	68.20	-0.77	60.31	3	Vertical	60	1.93	-	34.60	7.77	35.25			
PK	5.5509G	113.69	Inf	-Inf	106.75	3	Vertical	60	1.93	-	34.50	7.67	35.23			
AV	5.5491G	102.81	Inf	-Inf	95.88	3	Vertical	60	1.93	-	34.50	7.67	35.24			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
Setting 23
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4546G	65.64	74.00	-8.36	58.50	3	Horizontal	339	2.10	-	34.60	7.79	35.25			
AV	5.4579G	53.42	54.00	-0.58	46.28	3	Horizontal	339	2.10	-	34.60	7.79	35.25			
PK	5.4669G	66.35	68.20	-1.85	59.22	3	Horizontal	339	2.10	-	34.60	7.78	35.25			
PK	5.5506G	113.88	Inf	-Inf	106.94	3	Horizontal	339	2.10	-	34.50	7.67	35.23			
AV	5.5512G	102.92	Inf	-Inf	95.98	3	Horizontal	339	2.10	-	34.50	7.67	35.23			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 23
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09749G	57.19	74.00	-16.81	41.67	3	Vertical	116	1.76	-	38.49	11.46	34.43			
AV	11.09897G	44.84	54.00	-9.16	29.30	3	Vertical	116	1.76	-	38.50	11.47	34.43			
PK	16.65223G	60.94	68.20	-7.26	43.25	3	Vertical	165	2.52	-	38.80	13.59	34.70			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 23
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1024G	56.94	74.00	-17.06	41.40	3	Horizontal	63	2.76	-	38.50	11.47	34.43			
AV	11.10233G	44.90	54.00	-9.10	29.36	3	Horizontal	63	2.76	-	38.50	11.47	34.43			
PK	16.65114G	62.54	68.20	-5.66	44.85	3	Horizontal	211	2.24	-	38.80	13.59	34.70			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 21
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.669G	112.99	Inf	-Inf	106.22	3	Vertical	55	2.09	-	34.26	7.73	35.22			
AV	5.6712G	101.69	Inf	-Inf	94.92	3	Vertical	55	2.09	-	34.26	7.73	35.22			
PK	5.7292G	66.83	68.20	-1.37	60.01	3	Vertical	55	2.09	-	34.20	7.84	35.22			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 21
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6694G	113.58	Inf	-Inf	106.81	3	Horizontal	292	2.06	-	34.26	7.73	35.22			
AV	5.669G	102.77	Inf	-Inf	96.00	3	Horizontal	292	2.06	-	34.26	7.73	35.22			
PK	5.7256G	67.92	68.20	-0.28	61.11	3	Horizontal	292	2.06	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 21
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34134G	57.87	74.00	-16.13	42.11	3	Vertical	292	1.53	-	38.58	11.56	34.38			
AV	11.33834G	45.01	54.00	-8.99	29.25	3	Vertical	292	1.53	-	38.58	11.56	34.38			
PK	17.00758G	62.91	68.20	-5.29	43.46	3	Vertical	39	2.75	-	40.00	13.76	34.31			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 21
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33993G	58.55	74.00	-15.45	42.79	3	Horizontal	19	2.20	-	38.58	11.56	34.38			
AV	11.34256G	45.16	54.00	-8.84	29.39	3	Horizontal	19	2.20	-	38.59	11.56	34.38			
PK	17.00836G	62.16	68.20	-6.04	42.71	3	Horizontal	246	1.33	-	40.00	13.76	34.31			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7108G	112.14	Inf	-Inf	105.36	3	Vertical	16	1.89	-	34.20	7.80	35.22			
AV	5.7092G	101.33	Inf	-Inf	94.55	3	Vertical	16	1.89	-	34.20	7.80	35.22			
PK	5.886G	62.38	68.20	-5.82	55.09	3	Vertical	16	1.89	-	34.44	8.05	35.20			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7092G	116.25	Inf	-Inf	109.47	3	Horizontal	292	1.96	-	34.20	7.80	35.22			
AV	5.7092G	104.52	Inf	-Inf	97.74	3	Horizontal	292	1.96	-	34.20	7.80	35.22			
PK	5.892G	63.03	68.20	-5.17	55.70	3	Horizontal	292	1.96	-	34.47	8.06	35.20			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41634G	57.86	74.00	-16.14	41.91	3	Vertical	172	1.80	-	38.73	11.59	34.37			
AV	11.41996G	45.28	54.00	-8.72	29.31	3	Vertical	172	1.80	-	38.74	11.60	34.37			
PK	17.12974G	62.51	68.20	-5.69	42.66	3	Vertical	296	1.28	-	40.22	13.82	34.19			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41713G	57.28	74.00	-16.72	41.33	3	Horizontal	269	1.47	-	38.73	11.59	34.37			
AV	11.42228G	45.01	54.00	-8.99	29.04	3	Horizontal	269	1.47	-	38.74	11.60	34.37			
PK	17.1317G	62.44	68.20	-5.76	42.57	3	Horizontal	46	1.35	-	40.23	13.82	34.18			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6455G	64.29	68.20	-3.91	57.53	3	Vertical	16	1.66	-	34.30	7.69	35.23
PK	5.753G	113.46	Inf	-Inf	106.59	3	Vertical	16	1.66	-	34.20	7.88	35.21
AV	5.754G	103.14	Inf	-Inf	96.27	3	Vertical	16	1.66	-	34.20	7.88	35.21
PK	6.0045G	62.32	68.20	-5.88	54.62	3	Vertical	16	1.66	-	34.71	8.18	35.19

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6485G	66.64	68.20	-1.56	59.88	3	Horizontal	292	2.06	-	34.30	7.69	35.23			
PK	5.756G	116.60	Inf	-Inf	109.73	3	Horizontal	292	2.06	-	34.20	7.88	35.21			
AV	5.754G	105.89	Inf	-Inf	99.02	3	Horizontal	292	2.06	-	34.20	7.88	35.21			
PK	5.9545G	62.47	68.20	-5.73	54.84	3	Horizontal	292	2.06	-	34.70	8.12	35.19			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51275G	58.84	74.00	-15.16	42.62	3	Vertical	356	1.00	-	38.95	11.63	34.36			
AV	11.5172G	46.00	54.00	-8.00	29.77	3	Vertical	356	1.00	-	38.97	11.63	34.37			
PK	17.26303G	62.91	68.20	-5.29	42.19	3	Vertical	269	1.58	-	40.88	13.89	34.05			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5101G	58.66	74.00	-15.34	42.45	3	Horizontal	148	2.26	-	38.94	11.63	34.36			
AV	11.51153G	45.84	54.00	-8.16	29.62	3	Horizontal	148	2.26	-	38.95	11.63	34.36			
PK	17.26737G	63.23	68.20	-4.97	42.48	3	Horizontal	27	1.45	-	40.90	13.89	34.04			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.577G	61.69	68.20	-6.51	54.89	3	Vertical	17	1.71	-	34.39	7.64	35.23			
PK	5.794G	113.74	Inf	-Inf	106.80	3	Vertical	17	1.71	-	34.20	7.95	35.21			
AV	5.794G	103.62	Inf	-Inf	96.68	3	Vertical	17	1.71	-	34.20	7.95	35.21			
PK	6.0395G	62.85	68.20	-5.35	55.03	3	Vertical	17	1.71	-	34.78	8.23	35.19			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6345G	62.78	68.20	-5.42	56.04	3	Horizontal	294	2.20	-	34.30	7.67	35.23			
PK	5.7935G	118.39	Inf	-Inf	111.45	3	Horizontal	294	2.20	-	34.20	7.95	35.21			
AV	5.794G	106.91	Inf	-Inf	99.97	3	Horizontal	294	2.20	-	34.20	7.95	35.21			
PK	5.9265G	65.24	68.20	-2.96	57.74	3	Horizontal	294	2.20	-	34.61	8.09	35.20			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5744G	59.14	74.00	-14.86	42.70	3	Vertical	292	1.84	-	39.20	11.66	34.42			
AV	11.57685G	45.67	54.00	-8.33	29.22	3	Vertical	292	1.84	-	39.21	11.66	34.42			
PK	17.38567G	64.28	68.20	-3.92	42.64	3	Vertical	150	2.78	-	41.61	13.95	33.92			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59123G	57.73	74.00	-16.27	41.24	3	Horizontal	20	1.29	-	39.26	11.66	34.43			
AV	11.58837G	45.60	54.00	-8.40	29.12	3	Horizontal	20	1.29	-	39.25	11.66	34.43			
PK	17.38432G	63.59	68.20	-4.61	41.95	3	Horizontal	257	2.75	-	41.61	13.95	33.92			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 17
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1465G	64.58	74.00	-9.42	58.50	3	Vertical	336	2.35	-	33.90	7.48	35.30			
AV	5.1475G	51.81	54.00	-2.19	45.72	3	Vertical	336	2.35	-	33.90	7.49	35.30			
PK	5.2115G	105.86	Inf	-Inf	99.43	3	Vertical	336	2.35	-	34.10	7.62	35.29			
AV	5.209G	94.23	Inf	-Inf	87.80	3	Vertical	336	2.35	-	34.10	7.62	35.29			
PK	5.3935G	62.60	74.00	-11.40	55.34	3	Vertical	336	2.35	-	34.67	7.85	35.26			
AV	5.4495G	49.42	54.00	-4.58	42.27	3	Vertical	336	2.35	-	34.60	7.80	35.25			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 17
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.126G	64.95	74.00	-9.05	58.92	3	Horizontal	328	1.78	-	33.90	7.44	35.31			
AV	5.15G	53.41	54.00	-0.59	47.32	3	Horizontal	328	1.78	-	33.90	7.49	35.30			
PK	5.214G	108.23	Inf	-Inf	101.79	3	Horizontal	328	1.78	-	34.10	7.63	35.29			
AV	5.209G	97.15	Inf	-Inf	90.72	3	Horizontal	328	1.78	-	34.10	7.62	35.29			
PK	5.4585G	62.92	74.00	-11.08	55.78	3	Horizontal	328	1.78	-	34.60	7.79	35.25			
AV	5.4035G	49.48	54.00	-4.52	42.19	3	Horizontal	328	1.78	-	34.69	7.86	35.26			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 17
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4172G	57.47	68.20	-10.73	42.98	3	Vertical	358	1.00	-	37.90	11.19	34.60			
PK	15.62934G	58.62	74.00	-15.38	42.70	3	Vertical	334	2.41	-	37.92	12.98	34.98			
AV	15.62889G	46.68	54.00	-7.32	30.76	3	Vertical	334	2.41	-	37.93	12.97	34.98			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 17
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41854G	57.84	68.20	-10.36	43.35	3	Horizontal	13	1.00	-	37.90	11.19	34.60			
PK	15.63062G	59.12	74.00	-14.88	43.20	3	Horizontal	226	2.38	-	37.92	12.98	34.98			
AV	15.62873G	46.68	54.00	-7.32	30.76	3	Horizontal	226	2.38	-	37.93	12.97	34.98			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 17.5
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.096G	60.34	74.00	-13.66	54.39	3	Vertical	50	2.09	-	33.89	7.37	35.31
AV	5.1485G	48.15	54.00	-5.85	42.06	3	Vertical	50	2.09	-	33.90	7.49	35.30
PK	5.288G	105.52	Inf	-Inf	98.75	3	Vertical	50	2.09	-	34.33	7.72	35.28
AV	5.2885G	93.71	Inf	-Inf	86.94	3	Vertical	50	2.09	-	34.33	7.72	35.28
PK	5.3525G	63.56	74.00	-10.44	56.52	3	Vertical	50	2.09	-	34.51	7.80	35.27
AV	5.3515G	51.67	54.00	-2.33	44.63	3	Vertical	50	2.09	-	34.51	7.80	35.27
PK	5.475G	61.35	68.20	-6.85	54.22	3	Vertical	50	2.09	-	34.60	7.77	35.24

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 17.5
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1235G	60.59	74.00	-13.41	54.57	3	Horizontal	331	1.93	-	33.90	7.43	35.31
AV	5.15G	48.35	54.00	-5.65	42.26	3	Horizontal	331	1.93	-	33.90	7.49	35.30
PK	5.289G	108.18	Inf	-Inf	101.41	3	Horizontal	331	1.93	-	34.33	7.72	35.28
AV	5.289G	96.84	Inf	-Inf	90.07	3	Horizontal	331	1.93	-	34.33	7.72	35.28
PK	5.35G	64.52	74.00	-9.48	57.49	3	Horizontal	331	1.93	-	34.50	7.80	35.27
AV	5.3505G	53.11	54.00	-0.89	46.08	3	Horizontal	331	1.93	-	34.50	7.80	35.27
PK	5.463G	61.97	68.20	-6.23	54.84	3	Horizontal	331	1.93	-	34.60	7.78	35.25

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 17.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58168G	56.56	68.20	-11.64	41.58	3	Vertical	304	2.55	-	38.20	11.26	34.48			
PK	15.86888G	59.68	74.00	-14.32	43.85	3	Vertical	88	2.45	-	37.74	13.17	35.08			
AV	15.87085G	46.85	54.00	-7.15	31.02	3	Vertical	88	2.45	-	37.74	13.17	35.08			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 17.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57938G	56.57	68.20	-11.63	41.60	3	Horizontal	238	2.68	-	38.20	11.25	34.48			
PK	15.87216G	59.38	74.00	-14.62	43.55	3	Horizontal	203	1.90	-	37.74	13.17	35.08			
AV	15.87188G	46.74	54.00	-7.26	30.91	3	Horizontal	203	1.90	-	37.74	13.17	35.08			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 19
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3205G	61.50	68.20	-6.70	54.57	3	Vertical	55	1.98	-	34.44	7.76	35.27			
PK	5.4515G	65.27	74.00	-8.73	58.12	3	Vertical	55	1.98	-	34.60	7.80	35.25			
PK	5.4665G	67.10	68.20	-1.10	59.97	3	Vertical	55	1.98	-	34.60	7.78	35.25			
AV	5.4595G	53.13	54.00	-0.87	45.99	3	Vertical	55	1.98	-	34.60	7.79	35.25			
PK	5.531G	107.32	Inf	-Inf	100.32	3	Vertical	55	1.98	-	34.54	7.70	35.24			
AV	5.5315G	96.41	Inf	-Inf	89.41	3	Vertical	55	1.98	-	34.54	7.70	35.24			
PK	5.7635G	62.66	68.20	-5.54	55.77	3	Vertical	55	1.98	-	34.20	7.90	35.21			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 19
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.321G	61.05	68.20	-7.15	54.12	3	Horizontal	338	1.91	-	34.44	7.76	35.27			
PK	5.4445G	65.74	74.00	-8.26	58.58	3	Horizontal	338	1.91	-	34.61	7.80	35.25			
PK	5.466G	66.93	68.20	-1.27	59.80	3	Horizontal	338	1.91	-	34.60	7.78	35.25			
AV	5.459G	53.96	54.00	-0.04	46.82	3	Horizontal	338	1.91	-	34.60	7.79	35.25			
PK	5.527G	108.73	Inf	-Inf	101.72	3	Horizontal	338	1.91	-	34.55	7.70	35.24			
AV	5.5285G	97.02	Inf	-Inf	90.02	3	Horizontal	338	1.91	-	34.54	7.70	35.24			
PK	5.73G	62.06	68.20	-6.14	55.24	3	Horizontal	338	1.91	-	34.20	7.84	35.22			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
Setting 19
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05922G	57.80	74.00	-16.20	42.37	3	Vertical	82	1.80	-	38.42	11.45	34.44			
AV	11.0616G	45.13	54.00	-8.87	29.70	3	Vertical	82	1.80	-	38.42	11.45	34.44			
PK	16.59172G	61.16	68.20	-7.04	43.81	3	Vertical	245	1.82	-	38.55	13.56	34.76			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
Setting 19
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06179G	57.35	74.00	-16.65	41.92	3	Horizontal	178	1.38	-	38.42	11.45	34.44			
AV	11.05984G	45.07	54.00	-8.93	29.64	3	Horizontal	178	1.38	-	38.42	11.45	34.44			
PK	16.58892G	60.94	68.20	-7.26	43.61	3	Horizontal	197	1.16	-	38.53	13.56	34.76			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.448G	62.36	74.00	-11.64	55.21	3	Vertical	56	2.21	-	34.60	7.80	35.25			
PK	5.4665G	63.39	68.20	-4.81	56.26	3	Vertical	56	2.21	-	34.60	7.78	35.25			
AV	5.4595G	50.82	54.00	-3.18	43.68	3	Vertical	56	2.21	-	34.60	7.79	35.25			
PK	5.6115G	110.24	Inf	-Inf	103.54	3	Vertical	56	2.21	-	34.30	7.63	35.23			
AV	5.6085G	98.94	Inf	-Inf	92.25	3	Vertical	56	2.21	-	34.30	7.62	35.23			
PK	5.73G	63.58	68.20	-4.62	56.76	3	Vertical	56	2.21	-	34.20	7.84	35.22			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4535G	63.39	74.00	-10.61	56.25	3	Horizontal	296	2.17	-	34.60	7.79	35.25			
AV	5.4595G	51.72	54.00	-2.28	44.58	3	Horizontal	296	2.17	-	34.60	7.79	35.25			
PK	5.4665G	64.27	68.20	-3.93	57.14	3	Horizontal	296	2.17	-	34.60	7.78	35.25			
PK	5.6045G	109.63	Inf	-Inf	102.94	3	Horizontal	296	2.17	-	34.30	7.62	35.23			
AV	5.6115G	99.11	Inf	-Inf	92.41	3	Horizontal	296	2.17	-	34.30	7.63	35.23			
PK	5.7265G	64.51	68.20	-3.69	57.70	3	Horizontal	296	2.17	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22055G	57.67	74.00	-16.33	42.07	3	Vertical	203	1.16	-	38.50	11.51	34.41			
AV	11.21794G	45.00	54.00	-9.00	29.40	3	Vertical	203	1.16	-	38.50	11.51	34.41			
PK	16.82771G	62.03	68.20	-6.17	43.59	3	Vertical	155	1.01	-	39.27	13.68	34.51			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22195G	57.59	74.00	-16.41	41.99	3	Horizontal	231	1.37	-	38.50	11.51	34.41			
AV	11.21835G	45.00	54.00	-9.00	29.40	3	Horizontal	231	1.37	-	38.50	11.51	34.41			
PK	16.83091G	61.72	68.20	-6.48	43.25	3	Horizontal	278	2.76	-	39.29	13.68	34.50			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	61.17	74.00	-12.83	53.99	3	Vertical	13	1.68	-	34.62	7.81	35.25
AV	5.447G	49.63	54.00	-4.37	42.47	3	Vertical	13	1.68	-	34.61	7.80	35.25
PK	5.4655G	61.48	68.20	-6.72	54.35	3	Vertical	13	1.68	-	34.60	7.78	35.25
PK	5.6895G	109.87	Inf	-Inf	103.10	3	Vertical	13	1.68	-	34.22	7.77	35.22
AV	5.6915G	97.65	Inf	-Inf	90.88	3	Vertical	13	1.68	-	34.22	7.77	35.22
PK	5.9335G	62.17	68.20	-6.03	54.64	3	Vertical	13	1.68	-	34.63	8.10	35.20

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	62.64	74.00	-11.36	55.50	3	Horizontal	291	2.17	-	34.60	7.79	35.25
AV	5.457G	50.04	54.00	-3.96	42.90	3	Horizontal	291	2.17	-	34.60	7.79	35.25
PK	5.4675G	61.47	68.20	-6.73	54.34	3	Horizontal	291	2.17	-	34.60	7.78	35.25
PK	5.6955G	110.31	Inf	-Inf	103.54	3	Horizontal	291	2.17	-	34.21	7.78	35.22
AV	5.691G	99.83	Inf	-Inf	93.06	3	Horizontal	291	2.17	-	34.22	7.77	35.22
PK	5.854G	63.27	68.20	-4.93	56.13	3	Horizontal	291	2.17	-	34.32	8.02	35.20

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38211G	57.36	74.00	-16.64	41.49	3	Vertical	139	2.37	-	38.66	11.58	34.37			
AV	11.38001G	45.07	54.00	-8.93	29.20	3	Vertical	139	2.37	-	38.66	11.58	34.37			
PK	17.07091G	62.99	68.20	-5.21	43.41	3	Vertical	183	2.40	-	40.04	13.79	34.25			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 26
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38031G	57.47	74.00	-16.53	41.60	3	Horizontal	131	1.81	-	38.66	11.58	34.37			
AV	11.38001G	45.07	54.00	-8.93	29.20	3	Horizontal	131	1.81	-	38.66	11.58	34.37			
PK	17.06818G	62.08	68.20	-6.12	42.50	3	Horizontal	78	2.65	-	40.04	13.79	34.25			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 23
03-P-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6465G	64.15	68.20	-4.05	57.39	3	Vertical	18	1.74	-	34.30	7.69	35.23			
PK	5.769G	111.54	Inf	-Inf	104.64	3	Vertical	18	1.74	-	34.20	7.91	35.21			
AV	5.776G	99.62	Inf	-Inf	92.71	3	Vertical	18	1.74	-	34.20	7.92	35.21			
PK	5.99G	64.06	68.20	-4.14	56.39	3	Vertical	18	1.74	-	34.70	8.16	35.19			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 23
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.65G	67.32	68.20	-0.88	60.55	3	Horizontal	295	2.11	-	34.30	7.70	35.23				
PK	5.777G	114.71	Inf	-Inf	107.80	3	Horizontal	295	2.11	-	34.20	7.92	35.21				
AV	5.7765G	103.06	Inf	-Inf	96.15	3	Horizontal	295	2.11	-	34.20	7.92	35.21				
PK	5.9335G	63.51	68.20	-4.69	55.98	3	Horizontal	295	2.11	-	34.63	8.10	35.20				

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
Setting 23
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54887G	57.64	74.00	-16.36	41.28	3	Vertical	351	1.08	-	39.10	11.65	34.39			
AV	11.55162G	45.48	54.00	-8.52	29.12	3	Vertical	351	1.08	-	39.11	11.65	34.40			
PK	17.32394G	62.73	68.20	-5.47	41.55	3	Vertical	42	2.16	-	41.24	13.92	33.98			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
Setting 23
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5505G	57.99	74.00	-16.01	41.64	3	Horizontal	142	2.36	-	39.10	11.65	34.40			
AV	11.55169G	45.48	54.00	-8.52	29.12	3	Horizontal	142	2.36	-	39.11	11.65	34.40			
PK	17.32683G	63.17	68.20	-5.03	41.97	3	Horizontal	333	1.11	-	41.26	13.92	33.98			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 16.5
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.126G	65.88	74.00	-8.12	59.85	3	Vertical	339	2.22	-	33.90	7.44	35.31			
AV	5.1436G	51.93	54.00	-2.07	45.85	3	Vertical	339	2.22	-	33.90	7.48	35.30			
PK	5.2444G	101.32	Inf	-Inf	94.84	3	Vertical	339	2.22	-	34.10	7.67	35.29			
AV	5.2524G	90.32	Inf	-Inf	83.81	3	Vertical	339	2.22	-	34.11	7.68	35.28			
PK	5.3772G	64.44	74.00	-9.56	57.26	3	Vertical	339	2.22	-	34.61	7.83	35.26			
AV	5.3564G	52.77	54.00	-1.23	45.70	3	Vertical	339	2.22	-	34.53	7.81	35.27			
PK	5.5236G	61.10	68.20	-7.10	54.08	3	Vertical	339	2.22	-	34.55	7.71	35.24			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 16.5
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1268G	67.76	74.00	-6.24	61.73	3	Horizontal	331	1.80	-	33.90	7.44	35.31			
AV	5.1476G	53.53	54.00	-0.47	47.44	3	Horizontal	331	1.80	-	33.90	7.49	35.30			
PK	5.2532G	104.10	Inf	-Inf	97.58	3	Horizontal	331	1.80	-	34.12	7.68	35.28			
AV	5.2532G	92.80	Inf	-Inf	86.28	3	Horizontal	331	1.80	-	34.12	7.68	35.28			
PK	5.3548G	64.02	74.00	-9.98	56.97	3	Horizontal	331	1.80	-	34.52	7.80	35.27			
AV	5.3628G	52.70	54.00	-1.30	45.60	3	Horizontal	331	1.80	-	34.55	7.81	35.26			
PK	5.5204G	62.07	68.20	-6.13	55.04	3	Horizontal	331	1.80	-	34.56	7.71	35.24			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 16.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50174G	56.38	68.20	-11.82	41.55	3	Vertical	211	1.31	-	38.10	11.22	34.49			
PK	15.74892G	58.59	74.00	-15.41	42.95	3	Vertical	174	1.91	-	37.60	13.07	35.03			
AV	15.74819G	46.23	54.00	-7.77	30.58	3	Vertical	174	1.91	-	37.61	13.07	35.03			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 16.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50185G	57.11	68.20	-11.09	42.28	3	Horizontal	195	2.19	-	38.10	11.22	34.49			
PK	15.75219G	58.67	74.00	-15.33	43.03	3	Horizontal	271	1.59	-	37.60	13.07	35.03			
AV	15.74792G	46.03	54.00	-7.97	30.38	3	Horizontal	271	1.59	-	37.61	13.07	35.03			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 17
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3492G	62.10	68.20	-6.10	55.07	3	Vertical	56	2.06	-	34.50	7.80	35.27			
PK	5.4324G	66.70	74.00	-7.30	59.49	3	Vertical	56	2.06	-	34.64	7.82	35.25			
AV	5.446G	51.90	54.00	-2.10	44.74	3	Vertical	56	2.06	-	34.61	7.80	35.25			
PK	5.47G	65.16	68.20	-3.04	58.04	3	Vertical	56	2.06	-	34.60	7.77	35.25			
PK	5.5724G	103.39	Inf	-Inf	96.57	3	Vertical	56	2.06	-	34.41	7.64	35.23			
AV	5.5732G	91.01	Inf	-Inf	84.19	3	Vertical	56	2.06	-	34.41	7.64	35.23			
PK	5.7284G	64.93	68.20	-3.27	58.12	3	Vertical	56	2.06	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 17
03-P-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3468G	61.49	68.20	-6.71	54.48	3	Horizontal	338	2.09	-	34.49	7.79	35.27				
PK	5.4404G	68.61	74.00	-5.39	61.43	3	Horizontal	338	2.09	-	34.62	7.81	35.25				
AV	5.4364G	53.54	54.00	-0.46	46.35	3	Horizontal	338	2.09	-	34.63	7.81	35.25				
PK	5.4636G	64.04	68.20	-4.16	56.91	3	Horizontal	338	2.09	-	34.60	7.78	35.25				
PK	5.5652G	102.12	Inf	-Inf	95.26	3	Horizontal	338	2.09	-	34.44	7.65	35.23				
AV	5.5684G	90.93	Inf	-Inf	84.08	3	Horizontal	338	2.09	-	34.43	7.65	35.23				
PK	5.758G	63.15	68.20	-5.05	56.27	3	Horizontal	338	2.09	-	34.20	7.89	35.21				

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX

EUT_Z_2TX
Setting 17
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14083G	57.98	74.00	-16.02	42.50	3	Vertical	312	2.45	-	38.42	11.48	34.42			
AV	11.13771G	45.51	54.00	-8.49	30.03	3	Vertical	312	2.45	-	38.42	11.48	34.42			
PK	16.71024G	60.68	68.20	-7.52	42.89	3	Vertical	161	1.29	-	38.80	13.62	34.63			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX

EUT_Z_2TX
Setting 17
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13847G	57.53	74.00	-16.47	42.05	3	Horizontal	139	1.36	-	38.42	11.48	34.42			
AV	11.14167G	45.31	54.00	-8.69	29.83	3	Horizontal	139	1.36	-	38.42	11.48	34.42			
PK	16.709G	60.88	68.20	-7.32	43.09	3	Horizontal	123	2.68	-	38.80	13.62	34.63			

5.47-5.725GHz_EHT240_240MHz_Nss2,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 13.5
03-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3364G	64.60	68.20	-3.60	57.62	3	Vertical	53	1.93	-	34.47	7.78	35.27			
PK	5.4068G	66.16	74.00	-7.84	58.88	3	Vertical	53	1.93	-	34.69	7.85	35.26			
PK	5.462G	65.45	68.20	-2.75	58.32	3	Vertical	53	1.93	-	34.60	7.78	35.25			
AV	5.4524G	50.25	54.00	-3.75	43.11	3	Vertical	53	1.93	-	34.60	7.79	35.25			
PK	5.5068G	97.44	Inf	-Inf	90.36	3	Vertical	53	1.93	-	34.59	7.73	35.24			
AV	5.4988G	85.90	Inf	-Inf	78.80	3	Vertical	53	1.93	-	34.60	7.74	35.24			
PK	5.8684G	63.72	68.20	-4.48	56.52	3	Vertical	53	1.93	-	34.37	8.03	35.20			

5.47-5.725GHz_EHT240_240MHz_Nss2,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 13.5
03-E-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.3484G	64.16	68.20	-4.04	57.13	3	Horizontal	300	1.96	-	34.50	7.80	35.27
PK	5.4004G	65.96	74.00	-8.04	58.66	3	Horizontal	300	1.96	-	34.70	7.86	35.26
PK	5.4612G	66.46	68.20	-1.74	59.33	3	Horizontal	300	1.96	-	34.60	7.78	35.25
AV	5.4588G	50.60	54.00	-3.40	43.46	3	Horizontal	300	1.96	-	34.60	7.79	35.25
AV	5.4924G	86.71	Inf	-Inf	79.61	3	Horizontal	300	1.96	-	34.60	7.74	35.24
PK	5.5412G	98.24	Inf	-Inf	91.28	3	Horizontal	300	1.96	-	34.52	7.68	35.24
PK	5.8628G	67.65	68.20	-0.55	60.47	3	Horizontal	300	1.96	-	34.35	8.03	35.20

5.47-5.725GHz_EHT240_240MHz_Nss2,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 13.5
03-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23968G	58.30	74.00	-15.70	42.68	3	Vertical	29	1.80	-	38.50	11.52	34.40			
AV	11.2734G	44.54	54.00	-9.46	28.90	3	Vertical	29	1.80	-	38.50	11.54	34.40			
PK	16.86816G	64.26	68.20	-3.94	45.55	3	Vertical	3	2.37	-	39.47	13.70	34.46			

5.47-5.725GHz_EHT240_240MHz_Nss2,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 13.5
03-E-C-6


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23692G	58.20	74.00	-15.80	42.58	3	Horizontal	292	2.41	-	38.50	11.52	34.40			
AV	11.27592G	44.46	54.00	-9.54	28.81	3	Horizontal	292	2.41	-	38.50	11.54	34.39			
PK	16.8138G	64.24	68.20	-3.96	45.91	3	Horizontal	126	2.40	-	39.18	13.67	34.52			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.71768G	24.70	54.00	-29.30	Vertical

Mode 1



Mode 1

