


6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT V_2TX
Setting 23.5
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05197G	60.65	88.20	-27.55	39.50	3	Vertical	140	1.81	-	40.50	14.21	33.56			
RMS	14.05379G	48.17	68.20	-20.03	27.01	3	Vertical	140	1.81	-	40.51	14.21	33.56			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting 23.5
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05011G	60.25	88.20	-27.95	39.10	3	Horizontal	308	2.05	-	40.50	14.21	33.56			
RMS	14.05385G	48.17	68.20	-20.03	27.01	3	Horizontal	308	2.05	-	40.51	14.21	33.56			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT V_2TX
Setting 23.5
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07447G	51.17	83.54	-32.37	39.94	1	Vertical	241	1.80	-	38.00	21.92	48.69			
AV	21.07549G	38.17	63.54	-25.37	26.93	1	Vertical	241	1.80	-	38.00	21.92	48.68			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX


7025MHz_TX

EUT V_2TX
Setting 23.5
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07827G	50.06	83.54	-33.48	38.82	1	Horizontal	186	2.54	-	38.00	21.92	48.68			
AV	21.07645G	38.05	63.54	-25.49	26.81	1	Horizontal	186	2.54	-	38.00	21.92	48.68			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 21
05-L-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8898G	77.63	88.20	-10.57	70.65	3	Vertical	17	1.80	-	34.06	8.49	35.57			
RMS	5.8946G	64.66	68.20	-3.54	57.66	3	Vertical	17	1.80	-	34.08	8.49	35.57			
PK	6.017G	105.40	Inf	-Inf	98.23	3	Vertical	17	1.80	-	34.20	8.55	35.58			
RMS	6.0202G	96.42	Inf	-Inf	89.24	3	Vertical	17	1.80	-	34.20	8.55	35.57			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 21
05-L-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8922G	76.04	88.20	-12.16	69.05	3	Horizontal	300	2.16	-	34.07	8.49	35.57			
RMS	5.893G	66.50	68.20	-1.70	59.51	3	Horizontal	300	2.16	-	34.07	8.49	35.57			
PK	5.9466G	109.29	Inf	-Inf	102.17	3	Horizontal	300	2.16	-	34.19	8.52	35.59			
RMS	5.9474G	99.45	Inf	-Inf	92.33	3	Horizontal	300	2.16	-	34.19	8.52	35.59			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT V_2TX
Setting 21
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05422G	57.16	74.00	-16.84	39.45	3	Vertical	4	2.46	-	38.91	12.19	33.39			
AV	12.05442G	45.42	54.00	-8.58	27.71	3	Vertical	4	2.46	-	38.91	12.19	33.39			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_V_2TX
Setting 21
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05294G	57.35	74.00	-16.65	39.64	3	Horizontal	315	1.40	-	38.91	12.19	33.39			
AV	12.05379G	45.42	54.00	-8.58	27.71	3	Horizontal	315	1.40	-	38.91	12.19	33.39			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT V_2TX
Setting 21
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07043G	49.64	83.54	-33.90	40.01	1	Vertical	272	2.80	-	37.52	20.32	48.21			
AV	18.07801G	37.43	63.54	-26.11	27.76	1	Vertical	272	2.80	-	37.57	20.32	48.22			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT V_2TX
Setting 21
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07804G	49.87	83.54	-33.67	40.20	1	Horizontal	48	2.35	-	37.57	20.32	48.22			
AV	18.07425G	37.39	63.54	-26.15	27.73	1	Horizontal	48	2.35	-	37.55	20.32	48.21			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36645G	58.30	74.00	-15.70	39.88	3	Vertical	207	2.60	-	38.97	12.51	33.06			
AV	12.36821G	46.11	54.00	-7.89	27.70	3	Vertical	207	2.60	-	38.96	12.51	33.06			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36826G	57.84	74.00	-16.16	39.43	3	Horizontal	5	1.78	-	38.96	12.51	33.06			
AV	12.36761G	45.93	54.00	-8.07	27.52	3	Horizontal	5	1.78	-	38.96	12.51	33.06			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6185MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55593G	50.95	83.54	-32.59	40.90	1	Vertical	22	1.97	-	37.80	20.61	48.36			
AV	18.55214G	38.83	63.54	-24.71	28.77	1	Vertical	22	1.97	-	37.80	20.61	48.35			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6185MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55946G	51.88	83.54	-31.66	41.83	1	Horizontal	31	1.55	-	37.80	20.61	48.36			
AV	18.55018G	38.83	63.54	-24.71	28.77	1	Horizontal	31	1.55	-	37.80	20.61	48.35			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68812G	58.43	74.00	-15.57	39.26	3	Vertical	40	2.70	-	39.50	12.85	33.18			
AV	12.68864G	46.15	54.00	-7.85	26.98	3	Vertical	40	2.70	-	39.50	12.85	33.18			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69006G	58.65	74.00	-15.35	39.48	3	Horizontal	211	1.14	-	39.50	12.85	33.18			
AV	12.68942G	46.15	54.00	-7.85	26.98	3	Horizontal	211	1.14	-	39.50	12.85	33.18			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03683G	50.44	83.54	-33.10	40.64	1	Vertical	310	2.43	-	37.93	20.67	48.80			
AV	19.03874G	37.30	63.54	-26.24	27.51	1	Vertical	310	2.43	-	37.92	20.67	48.80			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03839G	49.36	83.54	-34.18	39.57	1	Horizontal	149	2.69	-	37.92	20.67	48.80			
AV	19.0388G	37.30	63.54	-26.24	27.51	1	Horizontal	149	2.69	-	37.92	20.67	48.80			

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6505MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01314G	59.10	88.20	-29.10	39.46	3	Vertical	304	2.72	-	40.05	13.18	33.59			
RMS	13.00723G	46.91	68.20	-21.29	27.26	3	Vertical	304	2.72	-	40.07	13.18	33.60			

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6505MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00909G	59.37	88.20	-28.83	39.73	3	Horizontal	163	1.68	-	40.06	13.18	33.60			
RMS	13.00968G	46.92	68.20	-21.28	27.28	3	Horizontal	163	1.68	-	40.06	13.18	33.60			

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6505MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51281G	49.97	83.54	-33.57	40.10	1	Vertical	75	2.72	-	37.77	20.90	48.80			
AV	19.51046G	37.69	63.54	-25.85	27.81	1	Vertical	75	2.72	-	37.78	20.90	48.80			

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6505MHz_TX




EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51308G	49.91	83.54	-33.63	40.04	1	Horizontal	275	1.63	-	37.77	20.90	48.80			
AV	19.51123G	37.79	63.54	-25.75	27.91	1	Horizontal	275	1.63	-	37.78	20.90	48.80			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32717G	58.70	74.00	-15.30	38.34	3	Vertical	182	2.90	-	40.31	13.51	33.46			
AV	13.32916G	46.09	54.00	-7.91	25.72	3	Vertical	182	2.90	-	40.32	13.51	33.46			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33064G	57.72	74.00	-16.28	37.35	3	Horizontal	29	1.83	-	40.32	13.51	33.46			
AV	13.32637G	46.18	54.00	-7.82	25.82	3	Horizontal	29	1.83	-	40.31	13.51	33.46			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99156G	49.59	74.00	-24.41	40.11	1	Vertical	282	1.16	-	37.72	20.56	48.80			
AV	19.9902G	37.51	54.00	-16.49	28.03	1	Vertical	282	1.16	-	37.72	20.56	48.80			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99678G	49.24	74.00	-24.76	39.78	1	Horizontal	241	1.69	-	37.71	20.55	48.80			
AV	19.99013G	37.52	54.00	-16.48	28.04	1	Horizontal	241	1.69	-	37.72	20.56	48.80			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6825MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6512G	60.82	88.20	-27.38	39.71	3	Vertical	283	1.89	-	40.70	13.85	33.44			
RMS	13.65218G	48.68	68.20	-19.52	27.57	3	Vertical	283	1.89	-	40.70	13.85	33.44			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6825MHz_TX




EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64674G	60.55	88.20	-27.65	39.44	3	Horizontal	131	1.54	-	40.71	13.84	33.44			
RMS	13.65249G	48.59	68.20	-19.61	27.48	3	Horizontal	131	1.54	-	40.70	13.85	33.44			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6825MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47145G	49.74	83.54	-33.80	39.14	1	Vertical	191	1.90	-	37.90	21.41	48.71			
AV	20.47521G	37.68	63.54	-25.86	27.07	1	Vertical	191	1.90	-	37.90	21.41	48.70			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6825MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47659G	50.24	83.54	-33.30	39.62	1	Horizontal	337	1.05	-	37.90	21.42	48.70			
AV	20.47546G	37.56	63.54	-25.98	26.94	1	Horizontal	337	1.05	-	37.90	21.42	48.70			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_V_2TX
Setting 19.5
05-L-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9874G	106.97	Inf	-Inf	96.96	3	Vertical	30	2.80	-	36.10	9.23	35.32			
RMS	6.9834G	96.79	Inf	-Inf	86.78	3	Vertical	30	2.80	-	36.10	9.23	35.32			
PK	7.1258G	68.12	88.20	-20.08	57.20	3	Vertical	30	2.80	-	36.75	9.28	35.11			
RMS	7.1266G	57.58	68.20	-10.62	46.65	3	Vertical	30	2.80	-	36.76	9.28	35.11			
PK	7.2602G	62.96	74.00	-11.04	51.47	3	Vertical	30	2.80	-	37.02	9.34	34.87			
AV	7.2522G	52.62	54.00	-1.38	41.17	3	Vertical	30	2.80	-	37.00	9.33	34.88			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_V_2TX
Setting 19.5
05-L-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9898G	107.60	Inf	-Inf	97.59	3	Horizontal	306	1.80	-	36.10	9.24	35.33			
RMS	6.9834G	97.87	Inf	-Inf	87.86	3	Horizontal	306	1.80	-	36.10	9.23	35.32			
PK	7.1394G	73.49	88.20	-14.71	62.46	3	Horizontal	306	1.80	-	36.84	9.28	35.09			
RMS	7.1266G	58.66	68.20	-9.54	47.73	3	Horizontal	306	1.80	-	36.76	9.28	35.11			
PK	7.2546G	62.49	74.00	-11.51	51.02	3	Horizontal	306	1.80	-	37.01	9.34	34.88			
AV	7.25G	53.09	54.00	-0.91	41.64	3	Horizontal	306	1.80	-	37.00	9.33	34.88			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_V_2TX
Setting 19.5
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97048G	59.78	88.20	-28.42	38.54	3	Vertical	269	1.32	-	40.60	14.18	33.54			
RMS	13.96537G	47.58	68.20	-20.62	26.35	3	Vertical	269	1.32	-	40.60	14.17	33.54			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_V_2TX
Setting 19.5
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97335G	60.17	88.20	-28.03	38.93	3	Horizontal	61	1.16	-	40.60	14.18	33.54			
RMS	13.97108G	47.49	68.20	-20.71	26.25	3	Horizontal	61	1.16	-	40.60	14.18	33.54			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT V_2TX
Setting 19.5
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95657G	50.80	83.54	-32.74	39.66	1	Vertical	286	2.42	-	37.91	21.93	48.70			
AV	20.95409G	38.58	63.54	-24.96	27.45	1	Vertical	286	2.42	-	37.91	21.92	48.70			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT V_2TX
Setting 19.5
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95098G	50.70	83.54	-32.84	39.58	1	Horizontal	199	2.29	-	37.90	21.92	48.70			
AV	20.95582G	38.47	63.54	-25.07	27.34	1	Horizontal	199	2.29	-	37.91	21.92	48.70			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT V_2TX
Setting 21
05-L-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	59.39	74.00	-14.61	53.64	3	Vertical	18	1.80	-	32.92	8.26	35.43			
AV	5.459G	49.88	54.00	-4.12	44.13	3	Vertical	18	1.80	-	32.92	8.26	35.43			
PK	5.8024G	80.42	88.20	-7.78	73.70	3	Vertical	18	1.80	-	33.80	8.45	35.53			
RMS	5.7769G	66.19	68.20	-2.01	59.57	3	Vertical	18	1.80	-	33.71	8.44	35.53			
PK	5.952G	102.99	Inf	-Inf	95.86	3	Vertical	18	1.80	-	34.20	8.52	35.59			
RMS	5.9469G	93.84	Inf	-Inf	86.72	3	Vertical	18	1.80	-	34.19	8.52	35.59			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_V_2TX
Setting 21
05-L-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	62.51	74.00	-11.49	56.77	3	Horizontal	295	2.10	-	32.91	8.26	35.43
AV	5.46G	52.47	54.00	-1.53	46.72	3	Horizontal	295	2.10	-	32.92	8.26	35.43
PK	5.7939G	82.21	88.20	-5.99	75.51	3	Horizontal	295	2.10	-	33.78	8.45	35.53
RMS	5.8381G	68.02	68.20	-0.18	61.22	3	Horizontal	295	2.10	-	33.88	8.47	35.55
PK	5.9588G	105.22	Inf	-Inf	98.09	3	Horizontal	295	2.10	-	34.20	8.52	35.59
RMS	5.9469G	95.66	Inf	-Inf	88.54	3	Horizontal	295	2.10	-	34.19	8.52	35.59

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT V_2TX
Setting 21
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20545G	58.13	74.00	-15.87	39.92	3	Vertical	154	2.09	-	39.10	12.34	33.23			
AV	12.20547G	46.28	54.00	-7.72	28.07	3	Vertical	154	2.09	-	39.10	12.34	33.23			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT V_2TX
Setting 21
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20609G	58.39	74.00	-15.61	40.18	3	Horizontal	305	2.54	-	39.10	12.34	33.23			
AV	12.20501G	46.11	54.00	-7.89	27.90	3	Horizontal	305	2.54	-	39.10	12.34	33.23			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_V_2TX
Setting 21
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31828G	51.83	83.54	-31.71	41.97	1	Vertical	296	2.71	-	37.64	20.48	48.26			
AV	18.31449G	38.89	63.54	-24.65	29.04	1	Vertical	296	2.71	-	37.63	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_V_2TX
Setting 21
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3195G	50.71	83.54	-32.83	40.85	1	Horizontal	54	2.70	-	37.64	20.48	48.26			
AV	18.31951G	38.90	63.54	-24.64	29.04	1	Horizontal	54	2.70	-	37.64	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52987G	57.72	74.00	-16.28	39.00	3	Vertical	292	2.66	-	39.00	12.68	32.96			
AV	12.53031G	45.48	54.00	-8.52	26.76	3	Vertical	292	2.66	-	39.00	12.68	32.96			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6265MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53155G	57.41	74.00	-16.59	38.69	3	Horizontal	196	2.70	-	39.00	12.68	32.96			
AV	12.53368G	45.49	54.00	-8.51	26.77	3	Horizontal	196	2.70	-	39.00	12.69	32.97			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6265MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79668G	49.82	83.54	-33.72	39.89	1	Vertical	337	1.05	-	37.90	20.63	48.60			
AV	18.79203G	37.39	63.54	-26.15	27.45	1	Vertical	337	1.05	-	37.90	20.63	48.59			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79704G	49.56	83.54	-33.98	39.63	1	Horizontal	306	2.64	-	37.90	20.63	48.60			
AV	18.79298G	37.51	63.54	-26.03	27.57	1	Horizontal	306	2.64	-	37.90	20.63	48.59			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6425MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84817G	58.94	88.20	-29.26	39.43	3	Vertical	309	1.08	-	39.89	13.01	33.39			
RMS	12.8463G	46.37	68.20	-21.83	26.86	3	Vertical	309	1.08	-	39.89	13.01	33.39			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6425MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84757G	58.40	88.20	-29.80	38.89	3	Horizontal	138	1.45	-	39.89	13.01	33.39			
RMS	12.8491G	46.27	68.20	-21.93	26.75	3	Horizontal	138	1.45	-	39.90	13.01	33.39			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6425MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2783G	51.11	83.54	-32.43	41.23	1	Vertical	345	2.06	-	37.89	20.79	48.80			
AV	19.27887G	38.88	63.54	-24.66	29.00	1	Vertical	345	2.06	-	37.88	20.80	48.80			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6425MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27102G	51.16	83.54	-32.38	41.25	1	Horizontal	141	2.49	-	37.92	20.79	48.80			
AV	19.27592G	38.98	63.54	-24.56	29.09	1	Horizontal	141	2.49	-	37.90	20.79	48.80			

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6585MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1725G	59.08	88.20	-29.12	39.10	3	Vertical	28	2.13	-	40.16	13.35	33.53			
RMS	13.16648G	46.96	68.20	-21.24	26.98	3	Vertical	28	2.13	-	40.17	13.34	33.53			

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6585MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17356G	59.17	88.20	-29.03	39.20	3	Horizontal	25	2.67	-	40.15	13.35	33.53			
RMS	13.1727G	47.04	68.20	-21.16	27.07	3	Horizontal	25	2.67	-	40.15	13.35	33.53			

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6585MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75165G	50.18	83.54	-33.36	40.55	1	Vertical	197	2.32	-	37.70	20.73	48.80			
AV	19.7568G	37.03	63.54	-26.51	27.40	1	Vertical	197	2.32	-	37.70	20.73	48.80			

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6585MHz_TX

EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75418G	49.49	83.54	-34.05	39.86	1	Horizontal	301	2.78	-	37.70	20.73	48.80			
AV	19.75852G	37.13	63.54	-26.41	27.51	1	Horizontal	301	2.78	-	37.70	20.72	48.80			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6745MHz_TX




EUT V_2TX
Setting 26
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49036G	60.08	88.20	-28.12	39.03	3	Vertical	161	1.30	-	40.76	13.68	33.39			
RMS	13.48908G	47.40	68.20	-20.80	26.35	3	Vertical	161	1.30	-	40.76	13.68	33.39			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6745MHz_TX




EUT_V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48887G	59.34	88.20	-28.86	38.29	3	Horizontal	60	1.15	-	40.76	13.68	33.39			
RMS	13.48914G	47.31	68.20	-20.89	26.26	3	Horizontal	60	1.15	-	40.76	13.68	33.39			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6745MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23447G	50.33	83.54	-33.21	40.30	1	Vertical	340	2.68	-	37.80	20.98	48.75			
AV	20.23924G	38.06	63.54	-25.48	28.02	1	Vertical	340	2.68	-	37.80	20.99	48.75			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6745MHz_TX

EUT V_2TX
Setting 26
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23849G	50.18	83.54	-33.36	40.15	1	Horizontal	11	2.38	-	37.80	20.98	48.75			
AV	20.23958G	38.06	63.54	-25.48	28.02	1	Horizontal	11	2.38	-	37.80	20.99	48.75			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT_V_2TX
Setting 17
05-L-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8746G	100.50	Inf	-Inf	90.64	3	Vertical	33	1.80	-	35.95	9.07	35.16			
RMS	6.7482G	90.46	Inf	-Inf	80.39	3	Vertical	33	1.80	-	36.10	8.95	34.98			
PK	7.1466G	65.62	88.20	-22.58	54.52	3	Vertical	33	1.80	-	36.88	9.29	35.07			
RMS	7.137G	55.41	68.20	-12.79	44.40	3	Vertical	33	1.80	-	36.82	9.28	35.09			
PK	7.2666G	61.80	74.00	-12.20	50.28	3	Vertical	33	1.80	-	37.03	9.34	34.85			
AV	7.25G	52.72	54.00	-1.28	41.27	3	Vertical	33	1.80	-	37.00	9.33	34.88			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT V_2TX
Setting 17
05-L-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7578G	102.47	Inf	-Inf	92.44	3	Horizontal	296	1.80	-	36.08	8.95	35.00			
RMS	6.7498G	92.04	Inf	-Inf	81.97	3	Horizontal	296	1.80	-	36.10	8.95	34.98			
PK	7.2202G	66.37	88.20	-21.83	55.00	3	Horizontal	296	1.80	-	37.00	9.31	34.94			
RMS	7.1434G	55.95	68.20	-12.25	44.88	3	Horizontal	296	1.80	-	36.86	9.29	35.08			
PK	7.2874G	63.50	74.00	-10.50	51.89	3	Horizontal	296	1.80	-	37.07	9.36	34.82			
AV	7.2522G	53.90	54.00	-0.10	42.45	3	Horizontal	296	1.80	-	37.00	9.33	34.88			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6905MHz_TX

EUT V_2TX
Setting 17
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80912G	60.00	88.20	-28.20	39.10	3	Vertical	113	1.49	-	40.38	14.01	33.49			
RMS	13.81455G	48.49	68.20	-19.71	27.59	3	Vertical	113	1.49	-	40.37	14.02	33.49			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6905MHz_TX

EUT V_2TX
Setting 17
05-L-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80777G	60.41	88.20	-27.79	39.51	3	Horizontal	18	2.39	-	40.38	14.01	33.49			
RMS	13.81446G	48.49	68.20	-19.71	27.59	3	Horizontal	18	2.39	-	40.37	14.02	33.49			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6905MHz_TX

EUT V_2TX
Setting 17
05-L-L-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71905G	49.95	83.54	-33.59	39.07	1	Vertical	182	1.87	-	37.90	21.68	48.70			
AV	20.71699G	37.68	63.54	-25.86	26.80	1	Vertical	182	1.87	-	37.90	21.68	48.70			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX



EUT V_2TX
Setting 17
05-L-L-3


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71706G	50.58	83.54	-32.96	39.70	1	Horizontal	277	2.59	-	37.90	21.68	48.70			
AV	20.71686G	37.81	63.54	-25.73	26.93	1	Horizontal	277	2.59	-	37.90	21.68	48.70			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

03/07/2025




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

03/07/2025




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6475MHz_TX

03/07/2025

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.473275G	-6.66	6.5084G	-59.88	-46.66	-13.22	1
6.4746G	-5.99	6.50865G	-59.90	-45.99	-13.91	2


6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6515MHz_TX

03/07/2025

CF (Hz)
6.515G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.515275G	-6.74	6.4676G	-59.87	-46.74	-13.13	1
6.51445G	-6.58	6.50325G	-38.11	-26.63	-11.48	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

04/07/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

03/07/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6895MHz_TX

04/07/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

04/07/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

04/07/2025



6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7115MHz_TX

03/07/2025

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.114275G	-14.97	7.158975G	-59.40	-54.97	-4.43	1
7.1155G	-13.86	7.16355G	-59.44	-53.86	-5.58	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

03/07/2025

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9638G	-3.06	5.94265G	-34.35	-23.09	-11.26	1
5.96585G	-4.23	5.9426G	-34.87	-24.23	-10.64	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

04/07/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

03/07/2025




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6445MHz_TX

03/07/2025




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6485MHz_TX

04/07/2025




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6525MHz_TX

04/07/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

04/07/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6885MHz_TX

03/07/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6925MHz_TX

04/07/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

04/07/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

04/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08435G	-3.04	7.06215G	-36.20	-23.05	-13.15	1
7.08605G	-3.59	7.0622G	-35.93	-23.62	-12.31	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

03/07/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9823G	0.09	5.7946G	-48.70	-39.91	-8.79	1
5.9872G	-1.09	5.79G	-51.84	-41.09	-10.75	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

03/07/2025




6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

03/07/2025




6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6545MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

04/07/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

03/07/2025




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

04/07/2025




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

04/07/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

04/07/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

03/07/2025




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

03/07/2025




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

03/07/2025




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6425MHz_TX

03/07/2025




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz_TX

03/07/2025




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6905MHz_TX

03/07/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75144G	-0.31	6.6138G	-32.53	-25.84	-6.69	1
6.74904G	-0.22	6.3806G	-50.04	-40.22	-9.82	2

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
				Center	6105	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
				High edge	6260	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
				Center	6425	OFF	-61.95	3.05	-65.00	≤ -62
						Minimal	-62.95	3.05	-66.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
				High edge	6580	OFF	-61.95	3.05	-65.00	≤ -62
						Minimal	-62.95	3.05	-66.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
				Center	6745	OFF	-61.95	3.05	-65.00	≤ -62
						Minimal	-62.95	3.05	-66.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
				High edge	6900	OFF	-61.95	3.05	-65.00	≤ -62
						Minimal	-62.95	3.05	-66.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
				Center	6905	OFF	-61.95	3.05	-65.00	≤ -62
						Minimal	-62.95	3.05	-66.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62
				High edge	7060	OFF	-58.95	3.05	-62.00	≤ -62
						Minimal	-59.95	3.05	-63.00	≤ -62
						ON	-78.95	3.05	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-62.00	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-62.00	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-62.00	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-62.00	OFF	9	90	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-62.00	OFF	10	100	90	PASS
				Center	6105	-62.00	OFF	9	90	90	PASS
				High edge	6260	-62.00	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-62.00	OFF	9	90	90	PASS
				Center	6425	-65.00	OFF	9	90	90	PASS
				High edge	6580	-65.00	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-62.00	OFF	9	90	90	PASS
				Center	6745	-65.00	OFF	9	90	90	PASS
				High edge	6900	-65.00	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-62.00	OFF	10	100	90	PASS
				Center	6905	-65.00	OFF	9	90	90	PASS
				High edge	7060	-62.00	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 8 JUL 2025 19:46:56

Frequency (MHz): 6455 MHz




Date: 8 JUL 2025 19:47:41

Frequency (MHz): 6695 MHz



Date: 8 JUL 2025 19:48:01


Frequency (MHz): 7015 MHz



Date: 8 JUL 2025 19:48:34


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 8.JUL.2025 19:49:33

Frequency (MHz): 6105 MHz




Date: 8.JUL.2025 19:50:05

Frequency (MHz): 6260 MHz




Date: 8 JUL 2025 19:50:20

Frequency (MHz): 6270 MHz




Date: 8 JUL 2025 19:51:07

Frequency (MHz): 6425 MHz




Date: 8 JUL 2025 19:51:46

Frequency (MHz): 6580 MHz




Date: 8 JUL 2025 19:52:12

Frequency (MHz): 6590 MHz




Date: 8 JUL 2025 19:52:41

Frequency (MHz): 6745 MHz




Date: 8 JUL 2025 19:53:13

Frequency (MHz): 6900 MHz




Date: 8 JUL 2025 19:53:41

Frequency (MHz): 6750 MHz




Date: 8 JUL 2025 19:54:13

Frequency (MHz): 6905 MHz



Date: 8 JUL 2025 19:54:47

Frequency (MHz): 7060 MHz




Date: 8 JUL 2025 19:55:19

Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz




Note : M1 : Inject AWGN signal



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.71768G	24.70	54.00	-29.30	Vertical

Mode 1



Mode 1

