The E-label information

A. Access to the required information on the e-label

1. Users are able to access the information in no more than two steps in a device' s menu. The actual steps are:

   To access the e-label information, in the device,

   Choose: Settings >Device

   No special access codes or permissions are required to go through the above steps.

2. The information is stored on the device, no special accessories or supplemental plug-ins (e.g.,a SIM/USIM card) are required to access the information.

   Yes

3. Users are provided specific instructions on how to access the information.

   The information to the user is provided in the E-label Info document.

Detailed as follows:

Switch down in the menu to find and select Settings.

Switch down in Settings to find and select Device.

The e-label will display Regulatory information

B. Labeling for importation and Purchasing

1. Products utilizing e-labels are required to have a physical label on the product at the time of1.importation, marketing and sales. For devices imported in bulk and not packaged individually, a removable adhesive label or, for devices in protective bags, a label on the bags is acceptable for this purpose. Any removable label shall be of a type intended to survive normal shipping and handling and must only be removed by the customer after purchase. For devices imported already in individual packages ready for sale, the information may alternatively be provided on the package. It shall contain:

   1. The FCC ID and/or the DoC logo (if applicable); and

   2. Any other information required by specific rule to be provided on the surface of the product unless such information is permitted to be included in the User' s manual or other packaging inserts.

C. Other considerations

1. The above information must be programmed by the responsible party and the information must be secured in such a manner that third-parties cannot modify it.

   The e-label information is pre-programmed by the grantee. The user cannot modify the e-label information.

Physical label

1mm
1.7mm
15.5mm
41.8mm
8.7mm
2.3mm

Theragun Sense 2nd Gen   5V-15V ⎓ 2.5A Max
(01)00840295409900(10)S2442(21)S244200001N
Made in China

R 211-250308