


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.7	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.74	-13	Pass	2985
30	500	0.1	Peak	341.666	-44.01	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.51	-13	N/A	5000
1000	10000	1	Peak	9920.902	-22.86	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-57.44	-13	Pass	401
0.15	30	0.01	Peak	0.32	-54.28	-13	Pass	2985
30	500	0.1	Peak	407.88	-44.16	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.66	-13	N/A	5000
1000	10000	1	Peak	7240.762	-22.11	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.02	-13	Pass	401
0.15	30	0.01	Peak	0.72	-55.34	-13	Pass	2985
30	500	0.1	Peak	391.577	-43.73	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.48	-13	N/A	5000
1000	10000	1	Peak	7217.759	-22.94	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.01	-13	Pass	401
0.15	30	0.01	Peak	0.24	-60.7	-13	Pass	2985
30	1000	0.1	Peak	941.923	-49.39	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.41	-13	N/A	2000
3000	20000	1	Peak	19998.998	-20.27	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.88	-13	Pass	401
0.15	30	0.01	Peak	0.22	-60.45	-13	Pass	2985
30	1000	0.1	Peak	849.4	-48.91	-13	Pass	9699
1000	3000	1	Peak	1880.44	29.19	-13	N/A	2000
3000	20000	1	Peak	19553.275	-20.72	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.9	-13	Pass	401
0.15	30	0.01	Peak	0.34	-60.66	-13	Pass	2985
30	1000	0.1	Peak	545.263	-49.21	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.59	-13	N/A	2000
3000	20000	1	Peak	19994.992	-21.25	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.3	-13	Pass	401
0.15	30	0.01	Peak	0.63	-54.41	-13	Pass	2985
30	500	0.1	Peak	399.379	-43.36	-13	Pass	4700
500	1000	0.1	Peak	824.165	25.85	-13	N/A	5000
1000	10000	1	Peak	6953.727	-22.83	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.61	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.07	-13	Pass	2985
30	500	0.1	Peak	369.672	-43.84	-13	Pass	4700
500	1000	0.1	Peak	836.567	29.06	-13	N/A	5000
1000	10000	1	Peak	6951.727	-22.96	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.61	-13	Pass	401
0.15	30	0.01	Peak	0.39	-54.43	-13	Pass	2985
30	500	0.1	Peak	275.552	-44.36	-13	Pass	4700
500	1000	0.1	Peak	848.77	27.62	-13	N/A	5000
1000	10000	1	Peak	7203.757	-23.06	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.71	-13	Pass	401
0.15	30	0.01	Peak	0.32	-60.3	-13	Pass	2985
30	1000	0.1	Peak	427.148	-49.37	-13	Pass	9699
1000	3000	1	Peak	1849.425	24.88	-13	N/A	2000
3000	20000	1	Peak	19992.989	-20.75	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.86	-13	Pass	401
0.15	30	0.01	Peak	0.18	-60.29	-13	Pass	2985
30	1000	0.1	Peak	482.255	-49.62	-13	Pass	9699
1000	3000	1	Peak	1879.44	28.83	-13	N/A	2000
3000	20000	1	Peak	19998.998	-21.22	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.79	-13	Pass	401
0.15	30	0.01	Peak	0.31	-60.29	-13	Pass	2985
30	1000	0.1	Peak	860.315	-49.29	-13	Pass	9699
1000	3000	1	Peak	1910.455	28.61	-13	N/A	2000
3000	20000	1	Peak	19980.969	-21.08	-13	Pass	17000



5. WCDMA_Band5


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.46	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.19	-13	Pass	2985
30	500	0.1	Peak	420.283	-54.12	-13	Pass	4700
500	1000	0.1	Peak	826.965	18.37	-13	N/A	5000
1000	10000	1	Peak	7733.822	-32.95	-13	Pass	9000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.85	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.81	-13	Pass	2985
30	500	0.1	Peak	491.998	-54.29	-13	Pass	4700
500	1000	0.1	Peak	835.567	18.68	-13	N/A	5000
1000	10000	1	Peak	7400.781	-33.11	-13	Pass	9000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.59	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.28	-13	Pass	2985
30	500	0.1	Peak	480.596	-54.33	-13	Pass	4700
500	1000	0.1	Peak	845.369	16.82	-13	N/A	5000
1000	10000	1	Peak	7218.759	-32.81	-13	Pass	9000



6. LTE_Band5


**6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.77	-13	Pass	7840
814	860	0.1	RMS	824.222	20.33	60	Pass	460
860	1000	0.1	RMS	962.573	-64.74	-13	Pass	1400
1000	3000	1	RMS	2472.736	-42.79	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.43	-13	Pass	7000




6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	Pass	2985
30	814	0.1	RMS	813.1	-64.88	-13	Pass	7840
814	860	0.1	RMS	824.222	19.11	60	Pass	460
860	1000	0.1	RMS	860	-64.67	-13	Pass	1400
1000	3000	1	RMS	2472.736	-43.82	-13	Pass	2000
3000	10000	1	RMS	7206.601	-44.42	-13	Pass	7000




**6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	Pass	2985
30	814	0.1	RMS	796.498	-64.74	-13	Pass	7840
814	860	0.1	RMS	836.048	20.43	60	Pass	460
860	1000	0.1	RMS	868.806	-64.74	-13	Pass	1400
1000	3000	1	RMS	2507.754	-41.28	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.37	-13	Pass	7000




6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.84	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.89	-13	Pass	2985
30	814	0.1	RMS	803.399	-64.91	-13	Pass	7840
814	860	0.1	RMS	836.048	19.42	60	Pass	460
860	1000	0.1	RMS	860.3	-64.75	-13	Pass	1400
1000	3000	1	RMS	2507.754	-42.35	-13	Pass	2000
3000	10000	1	RMS	7213.602	-44.41	-13	Pass	7000




**6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	814	0.1	RMS	811.2	-64.94	-13	Pass	7840
814	860	0.1	RMS	847.874	20.26	60	Pass	460
860	1000	0.1	RMS	860.2	-64.67	-13	Pass	1400
1000	3000	1	RMS	2542.771	-41.81	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.39	-13	Pass	7000




6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.01	-13	Pass	2985
30	814	0.1	RMS	752.992	-64.86	-13	Pass	7840
814	860	0.1	RMS	847.874	19.36	60	Pass	460
860	1000	0.1	RMS	860.3	-64.65	-13	Pass	1400
1000	3000	1	RMS	2542.771	-42.67	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.38	-13	Pass	7000




6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.31	-72.8	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.78	-13	Pass	7840
814	860	0.1	RMS	824.222	20.48	60	Pass	460
860	1000	0.1	RMS	863.703	-64.7	-13	Pass	1400
1000	3000	1	RMS	2471.736	-42.82	-13	Pass	2000
3000	10000	1	RMS	7231.605	-44.41	-13	Pass	7000




6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.87	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.85	-13	Pass	7840
814	860	0.1	RMS	824.222	19.44	60	Pass	460
860	1000	0.1	RMS	879.314	-64.67	-13	Pass	1400
1000	3000	1	RMS	2471.736	-43.71	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.43	-13	Pass	7000




6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2985
30	814	0.1	RMS	809.899	-64.8	-13	Pass	7840
814	860	0.1	RMS	835.246	20.56	60	Pass	460
860	1000	0.1	RMS	860.901	-64.72	-13	Pass	1400
1000	3000	1	RMS	2504.752	-42.47	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.32	-13	Pass	7000




6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.93	-13	Pass	7840
814	860	0.1	RMS	835.246	19.54	60	Pass	460
860	1000	0.1	RMS	864.303	-64.64	-13	Pass	1400
1000	3000	1	RMS	2504.752	-43.51	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.32	-13	Pass	7000




**6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2985
30	814	0.1	RMS	807.999	-64.87	-13	Pass	7840
814	860	0.1	RMS	846.27	20.25	60	Pass	460
860	1000	0.1	RMS	863.102	-64.64	-13	Pass	1400
1000	3000	1	RMS	2537.769	-42.18	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.43	-13	Pass	7000




**6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.49	-13	Pass	2985
30	814	0.1	RMS	807.699	-64.84	-13	Pass	7840
814	860	0.1	RMS	846.27	19.41	60	Pass	460
860	1000	0.1	RMS	985.189	-64.74	-13	Pass	1400
1000	3000	1	RMS	2537.769	-42.97	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.4	-13	Pass	7000




6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.83	-13	Pass	7840
814	860	0.1	RMS	824.322	20.22	60	Pass	460
860	1000	0.1	RMS	867.706	-64.7	-13	Pass	1400
1000	3000	1	RMS	2472.736	-41.63	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.4	-13	Pass	7000




6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.19	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.79	-13	Pass	7840
814	860	0.1	RMS	824.322	19.29	60	Pass	460
860	1000	0.1	RMS	889.221	-64.77	-13	Pass	1400
1000	3000	1	RMS	2472.736	-42.59	-13	Pass	2000
3000	10000	1	RMS	7208.601	-44.41	-13	Pass	7000




6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.73	-13	Pass	7840
814	860	0.1	RMS	834.344	20.39	60	Pass	460
860	1000	0.1	RMS	863.102	-64.67	-13	Pass	1400
1000	3000	1	RMS	2502.751	-41.18	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.37	-13	Pass	7000




6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	Pass	2985
30	814	0.1	RMS	803.799	-64.87	-13	Pass	7840
814	860	0.1	RMS	834.344	19.53	60	Pass	460
860	1000	0.1	RMS	948.063	-64.8	-13	Pass	1400
1000	3000	1	RMS	2502.751	-42.04	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.46	-13	Pass	7000




**6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	814	0.1	RMS	750.592	-64.96	-13	Pass	7840
814	860	0.1	RMS	844.366	19.97	60	Pass	460
860	1000	0.1	RMS	861.301	-64.79	-13	Pass	1400
1000	3000	1	RMS	2532.766	-41.01	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.43	-13	Pass	7000




6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.22	-73.07	-13	Pass	2985
30	814	0.1	RMS	799.198	-64.89	-13	Pass	7840
814	860	0.1	RMS	844.366	19.45	60	Pass	460
860	1000	0.1	RMS	860.2	-64.67	-13	Pass	1400
1000	3000	1	RMS	2532.766	-41.83	-13	Pass	2000
3000	10000	1	RMS	7215.602	-44.44	-13	Pass	7000




**6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.76	-13	Pass	7840
814	860	0.1	RMS	824.623	20.09	60	Pass	460
860	1000	0.1	RMS	869.507	-64.58	-13	Pass	1400
1000	3000	1	RMS	2473.737	-42.52	-13	Pass	2000
3000	10000	1	RMS	7228.604	-44.43	-13	Pass	7000




6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.61	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.87	-13	Pass	7840
814	860	0.1	RMS	824.623	19.32	60	Pass	460
860	1000	0.1	RMS	880.014	-64.79	-13	Pass	1400
1000	3000	1	RMS	2473.737	-43.43	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.42	-13	Pass	7000




**6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	814	0.1	RMS	804.999	-64.79	-13	Pass	7840
814	860	0.1	RMS	832.139	19.78	60	Pass	460
860	1000	0.1	RMS	860.1	-64.73	-13	Pass	1400
1000	3000	1	RMS	2495.748	-39.88	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.38	-13	Pass	7000




**6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.19	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.88	-13	Pass	7840
814	860	0.1	RMS	832.139	18.79	60	Pass	460
860	1000	0.1	RMS	863.002	-64.57	-13	Pass	1400
1000	3000	1	RMS	2495.748	-40.86	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.39	-13	Pass	7000




**6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2985
30	814	0.1	RMS	798.598	-64.9	-13	Pass	7840
814	860	0.1	RMS	839.556	20.13	60	Pass	460
860	1000	0.1	RMS	863.202	-64.62	-13	Pass	1400
1000	3000	1	RMS	2518.759	-42.56	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.34	-13	Pass	7000



6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.25	-73.14	-13	Pass	2985
30	814	0.1	RMS	736.29	-64.87	-13	Pass	7840
814	860	0.1	RMS	839.556	19.22	60	Pass	460
860	1000	0.1	RMS	870.508	-64.67	-13	Pass	1400
1000	3000	1	RMS	2518.759	-43.54	-13	Pass	2000
3000	10000	1	RMS	6948.564	-44.42	-13	Pass	7000



7. LTE_Band41 120M


7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.63	-25	Pass	691
0.15	30	0.01	RMS	0.17	-72.44	-25	Pass	2985
30	1000	0.1	RMS	899.09	-60.5	-25	Pass	9700
1000	2525	1	RMS	2491.978	-48.98	-25	Pass	1525
2525	2665	1	RMS	2535.348	19.8	60	Pass	691
2665	3000	1	RMS	2983.978	-47.44	-25	Pass	691
3000	12000	1	RMS	10645.85	-38.16	-25	Pass	9000
12000	27000	1	RMS	25843.923	-28.74	-25	Pass	15000




7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.68	-25	Pass	691
0.15	30	0.01	RMS	0.24	-72.77	-25	Pass	2985
30	1000	0.1	RMS	925.992	-60.42	-25	Pass	9700
1000	2525	1	RMS	2483.973	-48.99	-25	Pass	1525
2525	2665	1	RMS	2535.145	17.98	60	Pass	691
2665	3000	1	RMS	2980.094	-47.4	-25	Pass	691
3000	12000	1	RMS	10647.85	-38.26	-25	Pass	9000
12000	27000	1	RMS	25821.921	-28.71	-25	Pass	15000




7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.65	-25	Pass	691
0.15	30	0.01	RMS	0.34	-72.39	-25	Pass	2985
30	1000	0.1	RMS	920.492	-60.35	-25	Pass	9700
1000	2525	1	RMS	2478.97	-49.02	-25	Pass	1525
2525	2665	1	RMS	2592.768	19.47	60	Pass	691
2665	3000	1	RMS	2989.804	-47.39	-25	Pass	691
3000	12000	1	RMS	10645.85	-38.23	-25	Pass	9000
12000	27000	1	RMS	25857.924	-28.69	-25	Pass	15000




7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.55	-25	Pass	691
0.15	30	0.01	RMS	23.078	-71.91	-25	Pass	2985
30	1000	0.1	RMS	934.293	-60.24	-25	Pass	9700
1000	2525	1	RMS	2479.97	-48.93	-25	Pass	1525
2525	2665	1	RMS	2592.768	18.5	60	Pass	691
2665	3000	1	RMS	2979.609	-47.39	-25	Pass	691
3000	12000	1	RMS	10650.85	-38.17	-25	Pass	9000
12000	27000	1	RMS	25845.923	-28.67	-25	Pass	15000




7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	25.929	-72.51	-25	Pass	2985
30	1000	0.1	RMS	892.389	-60.4	-25	Pass	9700
1000	2525	1	RMS	2477.969	-49	-25	Pass	1525
2525	2665	1	RMS	2650.391	19.55	60	Pass	691
2665	3000	1	RMS	2983.007	-47.45	-25	Pass	691
3000	12000	1	RMS	10645.85	-38.19	-25	Pass	9000
12000	27000	1	RMS	25858.924	-28.74	-25	Pass	15000




7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.51	-25	Pass	691
0.15	30	0.01	RMS	26.399	-72.54	-25	Pass	2985
30	1000	0.1	RMS	912.791	-60.44	-25	Pass	9700
1000	2525	1	RMS	2478.97	-49.03	-25	Pass	1525
2525	2665	1	RMS	2650.594	18.5	60	Pass	691
2665	3000	1	RMS	2979.123	-47.44	-25	Pass	691
3000	12000	1	RMS	10649.85	-38.26	-25	Pass	9000
12000	27000	1	RMS	25833.922	-28.75	-25	Pass	15000




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.57	-25	Pass	691
0.15	30	0.01	RMS	0.21	-72.13	-25	Pass	2985
30	1000	0.1	RMS	890.889	-60.45	-25	Pass	9700
1000	2525	1	RMS	2518.996	-48.61	-25	Pass	1525
2525	2665	1	RMS	2535.348	19.67	60	Pass	691
2665	3000	1	RMS	2983.007	-47.4	-25	Pass	691
3000	12000	1	RMS	11399.933	-38.19	-25	Pass	9000
12000	27000	1	RMS	25856.924	-28.76	-25	Pass	15000




7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.52	-25	Pass	691
0.15	30	0.01	RMS	0.39	-72.84	-25	Pass	2985
30	1000	0.1	RMS	987.899	-60.36	-25	Pass	9700
1000	2525	1	RMS	2525	-48.67	-25	Pass	1525
2525	2665	1	RMS	2535.551	18.17	60	Pass	691
2665	3000	1	RMS	2996.601	-47.43	-25	Pass	691
3000	12000	1	RMS	11390.932	-38.18	-25	Pass	9000
12000	27000	1	RMS	25813.921	-28.65	-25	Pass	15000




**7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-25	Pass	691
0.15	30	0.01	RMS	0.26	-72.46	-25	Pass	2985
30	1000	0.1	RMS	942.194	-60.4	-25	Pass	9700
1000	2525	1	RMS	2478.97	-49.05	-25	Pass	1525
2525	2665	1	RMS	2590.536	19.67	60	Pass	691
2665	3000	1	RMS	2981.065	-47.42	-25	Pass	691
3000	12000	1	RMS	10651.85	-38.16	-25	Pass	9000
12000	27000	1	RMS	26517.968	-28.73	-25	Pass	15000




7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-25	Pass	691
0.15	30	0.01	RMS	22.407	-72.26	-25	Pass	2985
30	1000	0.1	RMS	919.092	-60.29	-25	Pass	9700
1000	2525	1	RMS	2479.97	-49.02	-25	Pass	1525
2525	2665	1	RMS	2590.536	17.94	60	Pass	691
2665	3000	1	RMS	2980.58	-47.4	-25	Pass	691
3000	12000	1	RMS	10647.85	-38.23	-25	Pass	9000
12000	27000	1	RMS	25846.923	-28.7	-25	Pass	15000




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.56	-25	Pass	691
0.15	30	0.01	RMS	0.22	-72.13	-25	Pass	2985
30	1000	0.1	RMS	965.696	-60.5	-25	Pass	9700
1000	2525	1	RMS	2477.969	-48.99	-25	Pass	1525
2525	2665	1	RMS	2645.725	19.75	60	Pass	691
2665	3000	1	RMS	2977.667	-47.39	-25	Pass	691
3000	12000	1	RMS	10645.85	-38.22	-25	Pass	9000
12000	27000	1	RMS	25858.924	-28.73	-25	Pass	15000




7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.65	-25	Pass	691
0.15	30	0.01	RMS	0.18	-72.46	-25	Pass	2985
30	1000	0.1	RMS	944.594	-60.52	-25	Pass	9700
1000	2525	1	RMS	2477.969	-49.02	-25	Pass	1525
2525	2665	1	RMS	2645.725	19.55	60	Pass	691
2665	3000	1	RMS	2979.609	-47.41	-25	Pass	691
3000	12000	1	RMS	10648.85	-38.11	-25	Pass	9000
12000	27000	1	RMS	25839.923	-28.79	-25	Pass	15000




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.54	-25	Pass	691
0.15	30	0.01	RMS	0.17	-72.55	-25	Pass	2985
30	1000	0.1	RMS	899.69	-60.39	-25	Pass	9700
1000	2525	1	RMS	2523.999	-46.37	-25	Pass	1525
2525	2665	1	RMS	2535.957	19.29	60	Pass	691
2665	3000	1	RMS	2980.58	-47.43	-25	Pass	691
3000	12000	1	RMS	10649.85	-38.22	-25	Pass	9000
12000	27000	1	RMS	25862.924	-28.67	-25	Pass	15000




7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.54	-25	Pass	691
0.15	30	0.01	RMS	0.15	-72.56	-25	Pass	2985
30	1000	0.1	RMS	966.797	-60.54	-25	Pass	9700
1000	2525	1	RMS	2523.999	-47.26	-25	Pass	1525
2525	2665	1	RMS	2535.754	17.9	60	Pass	691
2665	3000	1	RMS	2981.551	-47.42	-25	Pass	691
3000	12000	1	RMS	10651.85	-38.25	-25	Pass	9000
12000	27000	1	RMS	25850.923	-28.74	-25	Pass	15000




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.6	-25	Pass	691
0.15	30	0.01	RMS	0.25	-72.8	-25	Pass	2985
30	1000	0.1	RMS	914.591	-60.56	-25	Pass	9700
1000	2525	1	RMS	2478.97	-49.02	-25	Pass	1525
2525	2665	1	RMS	2588.304	18.99	60	Pass	691
2665	3000	1	RMS	2983.978	-47.44	-25	Pass	691
3000	12000	1	RMS	10649.85	-38.23	-25	Pass	9000
12000	27000	1	RMS	25832.922	-28.78	-25	Pass	15000




**7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.57	-25	Pass	691
0.15	30	0.01	RMS	0.19	-72.4	-25	Pass	2985
30	1000	0.1	RMS	927.793	-60.17	-25	Pass	9700
1000	2525	1	RMS	2485.974	-49	-25	Pass	1525
2525	2665	1	RMS	2588.507	17.94	60	Pass	691
2665	3000	1	RMS	2980.58	-47.45	-25	Pass	691
3000	12000	1	RMS	10643.849	-38.21	-25	Pass	9000
12000	27000	1	RMS	25842.923	-28.72	-25	Pass	15000




**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.61	-25	Pass	691
0.15	30	0.01	RMS	25.649	-72.47	-25	Pass	2985
30	1000	0.1	RMS	919.892	-60.28	-25	Pass	9700
1000	2525	1	RMS	2473.967	-49.01	-25	Pass	1525
2525	2665	1	RMS	2640.855	19.67	60	Pass	691
2665	3000	1	RMS	2667.428	-29.64	-25	Pass	691
3000	12000	1	RMS	10649.85	-38.21	-25	Pass	9000
12000	27000	1	RMS	25842.923	-28.69	-25	Pass	15000




**7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	22.457	-72.5	-25	Pass	2985
30	1000	0.1	RMS	968.097	-60.44	-25	Pass	9700
1000	2525	1	RMS	2479.97	-48.97	-25	Pass	1525
2525	2665	1	RMS	2641.058	18.78	60	Pass	691
2665	3000	1	RMS	2667.428	-31.31	-25	Pass	691
3000	12000	1	RMS	10652.85	-38.24	-25	Pass	9000
12000	27000	1	RMS	25817.921	-28.76	-25	Pass	15000




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.57	-25	Pass	691
0.15	30	0.01	RMS	28.65	-72.58	-25	Pass	2985
30	1000	0.1	RMS	895.089	-60.44	-25	Pass	9700
1000	2525	1	RMS	2525	-45.66	-25	Pass	1525
2525	2665	1	RMS	2535.957	19.52	60	Pass	691
2665	3000	1	RMS	2980.58	-47.44	-25	Pass	691
3000	12000	1	RMS	10641.849	-38.17	-25	Pass	9000
12000	27000	1	RMS	25852.924	-28.66	-25	Pass	15000




**7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.62	-25	Pass	691
0.15	30	0.01	RMS	0.16	-72.64	-25	Pass	2985
30	1000	0.1	RMS	936.994	-60.45	-25	Pass	9700
1000	2525	1	RMS	2523.999	-45.6	-25	Pass	1525
2525	2665	1	RMS	2535.957	18.96	60	Pass	691
2665	3000	1	RMS	2982.036	-47.43	-25	Pass	691
3000	12000	1	RMS	11396.933	-38.2	-25	Pass	9000
12000	27000	1	RMS	26503.967	-28.67	-25	Pass	15000




**7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	22.608	-72.91	-25	Pass	2985
30	1000	0.1	RMS	935.193	-60.48	-25	Pass	9700
1000	2525	1	RMS	2480.971	-48.97	-25	Pass	1525
2525	2665	1	RMS	2586.275	19.67	60	Pass	691
2665	3000	1	RMS	2981.551	-47.43	-25	Pass	691
3000	12000	1	RMS	10647.85	-38.23	-25	Pass	9000
12000	27000	1	RMS	25835.922	-28.7	-25	Pass	15000




7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.61	-25	Pass	691
0.15	30	0.01	RMS	0.17	-72.76	-25	Pass	2985
30	1000	0.1	RMS	968.197	-60.49	-25	Pass	9700
1000	2525	1	RMS	2488.976	-49.02	-25	Pass	1525
2525	2665	1	RMS	2585.87	18.27	60	Pass	691
2665	3000	1	RMS	2979.609	-47.4	-25	Pass	691
3000	12000	1	RMS	10645.85	-38.25	-25	Pass	9000
12000	27000	1	RMS	25847.923	-28.7	-25	Pass	15000




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.54	-25	Pass	691
0.15	30	0.01	RMS	0.15	-72.23	-25	Pass	2985
30	1000	0.1	RMS	891.189	-60.49	-25	Pass	9700
1000	2525	1	RMS	2478.97	-48.99	-25	Pass	1525
2525	2665	1	RMS	2636.188	20.1	60	Pass	691
2665	3000	1	RMS	2671.797	-32.19	-25	Pass	691
3000	12000	1	RMS	10646.85	-38.17	-25	Pass	9000
12000	27000	1	RMS	25804.92	-28.72	-25	Pass	15000



7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.44	-25	Pass	691
0.15	30	0.01	RMS	0.17	-71.95	-25	Pass	2985
30	1000	0.1	RMS	983.398	-60.41	-25	Pass	9700
1000	2525	1	RMS	2481.972	-49.01	-25	Pass	1525
2525	2665	1	RMS	2636.188	18.87	60	Pass	691
2665	3000	1	RMS	2671.797	-33.41	-25	Pass	691
3000	12000	1	RMS	10648.85	-38.13	-25	Pass	9000
12000	27000	1	RMS	25829.922	-28.76	-25	Pass	15000



END