


**TEST REPORT**

**Application No.:** SZCR2412004609WM  
**Applicant:** vivo Mobile Communication Co., Ltd.  
**Address of Applicant:** No.1, vivo Road, Chang'an, Dongguan, Guangdong, China  
**Manufacturer:** vivo Mobile Communication Co., Ltd.  
**Address of Manufacturer:** No.1, vivo Road, Chang'an, Dongguan, Guangdong, China  
**Equipment Under Test (EUT):**  
**EUT Name:** Mobile phone  
**Model No.:** V2427  
**Trade Mark:** vivo  
**FCC ID:** 2AUCY-V2427  
**Standard(s) :** 47 CFR Part 15, Subpart B  
**Date of Receipt:** 2024-12-06  
**Date of Test:** 2024-12-31  
**Date of Issue:** 2025-01-13

<b>Test Result:</b>	<b>Pass*</b>
---------------------	--------------

\* In the configuration tested, the EUT complied with the standards specified above.



Keny Xu

EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
sgs.china@sgs.com

**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200460910

Page: 2 of 42

<b>Revision Record</b>				
<b>Version</b>	<b>Chapter</b>	<b>Date</b>	<b>Modifier</b>	<b>Remark</b>
01		2025-01-13		Original

<b>Authorized for issue by:</b>			
	 _____ <b>Sherlock Fang/Project Engineer</b>		
	 _____ <b>Eric Fu/Reviewer</b>		

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SGS-CSTC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 2 Test Summary

<b>Emission Part</b>				
<b>Item</b>	<b>Standard</b>	<b>Method</b>	<b>Requirement</b>	<b>Result</b>
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	15.107(a);Class B	Pass
Radiated Emissions (30MHz-1GHz)		ANSI C63.4:2014	15.109(a);Class B	Pass
Radiated Emissions (Above 1GHz)		ANSI C63.4:2014	15.109(g);Class B	Pass



### 3 Contents

	Page
<b>1 Cover Page .....</b>	<b>1</b>
<b>2 Test Summary.....</b>	<b>3</b>
<b>3 Contents .....</b>	<b>4</b>
<b>4 General Information.....</b>	<b>5</b>
4.1    Details of E.U.T.....	5
4.2    Description of Support Units.....	5
4.3    Test modes .....	5
4.4    Measurement Uncertainty .....	6
4.5    Test Location .....	7
4.6    Test Facility.....	7
4.7    Deviation from Standards .....	7
4.8    Abnormalities from Standard Conditions .....	7
<b>5 Equipment List .....</b>	<b>8</b>
<b>6 Emission Test Results .....</b>	<b>10</b>
6.1    Conducted Emissions at Mains Terminals (150kHz-30MHz) .....	10
6.1.1    E.U.T. Operation.....	10
6.1.2    Test Mode Description .....	10
6.1.3    Test Setup Diagram .....	11
6.1.4    Measurement Procedure and Data.....	11
6.2    Radiated Emissions (30MHz-1GHz) .....	20
6.2.1    E.U.T. Operation.....	20
6.2.2    Test Mode Description .....	20
6.2.3    Test Setup Diagram .....	21
6.2.4    Measurement Procedure and Data.....	21
6.3    Radiated Emissions (Above 1GHz).....	30
6.3.1    E.U.T. Operation.....	30
6.3.2    Test Mode Description .....	30
6.3.3    Test Setup Diagram .....	31
6.3.4    Measurement Procedure and Data.....	31
<b>7 Test Setup Photo .....</b>	<b>42</b>
<b>8 EUT Constructional Details (EUT Photos).....</b>	<b>42</b>



## 4 General Information

### 4.1 Details of E.U.T.

Power supply:	DC 3.84V from internal rechargeable battery which can be charged by AC/DC adapter
---------------	---

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Item No.	Mode No.	Manufacturer	Remark
Adapter1	V8073L0A1-US	Huizhuo Golden Lake Industrial Co.,Ltd	/
Adapter2	V8073L0A1-EU	Dongguan Aohai Technology Co.,Ltd	/
USB cable	BK-C-49-B	/	/
Battery	BA77	Dongguan NVT Technology Co.,Ltd.	/

Remark: Adapter 1 and 2 were selected to test.

### 4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Router	NETGEAR	DGN2200	REF. No.:SEA22A00
Laptop	Lenovo	T14	REF. No.:SEA18F04
Mouse	Lenovo	M-U0025-O	REF. No.:SEA24A00
Earphone	vivo	XE710	/

### 4.3 Test modes

Pretest these modes to find the worst case and show the worse data in the test items:	19	Transfer data between the EUT and the PC+USB Cable
	20	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter1/earphone
	21	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter2/earphone
	22	Telecom Idle+EUT+NFC+BT+WLAN5G+USB cable+Adapter(worst)/earphone
	23	Telecom Idle+EUT+NFC+camera(Front)+USB cable+Adapter(worst)/earphone
	24	Telecom Idle+EUT+NFC+camera(Back)+USB cable+Adapter(worst)/earphone
	25	Telecom Idle+EUT+NFC+BT+WLAN2.4G+GNSS+OTG output
	26	GSM 850(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	27	WCDMA Band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	28	LTE band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	29	LTE band 12(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	30	LTE band 13(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

	31 LTE band 17(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	32 LTE band 26(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	33 NR_SA_N5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	34 NR_SA_N26(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone

#### 4.4 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at Mains Terminals (150kHz-30MHz)	± 3.1dB
Radiated Emissions (30MHz-1GHz)	± 6.0dB for 3m; ± 5.0dB for 10m
Radiated Emissions (Above 1GHz)	± 4.6dB

**Remark:**

The  $U_{lab}$  (lab Uncertainty) is less than  $U_{cispr/ETSI}$  (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

#### 4.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

#### 4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

- **VCCI (Member No. 1937)**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

- **FCC –Designation Number: CN1336**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

- **Innovation, Science and Economic Development Canada**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

#### 4.7 Deviation from Standards

None

#### 4.8 Abnormalities from Standard Conditions

None

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 5 Equipment List

Conducted Emissions at Mains Terminals (150kHz-30MHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2022-05-14	2025-05-13
EMI Test Receiver	Rohde&Schwarz	ESR	SZ-WRG-M-047	2025-01-8	2026-01-7
Measurement Software	AUDIX	e3 V8.2014-6-27a	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM024-01	2024-07-06	2025-07-05
LISN	Rohde&Schwarz	ENV216	SEM007-01	2024-08-15	2025-08-14
LISN	ETS-LINDGREN	3816/2	SEM007-02	2024-03-14	2025-03-13

Radiated Emissions (30MHz-1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2023-06-19	2026-06-18
MXE EMI Receiver	Agilent Technologies	N9038A	SEM004-15	2024-08-14	2025-08-13
BiConiLog Antenna	ETS-LINDGREN	3142C	SEM003-01	2023-09-16	2025-09-15
Pre-Amplifier	Agilent Technologies	8447D	SEM005-01	2024-03-14	2025-03-13
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2024-07-06	2025-07-05

Radiated Emissions (Above 1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Fully-Anechoic Chamber	AUDIX	N/A	SEM001-02	2024-05-11	2027-05-10
Signal Analyzer	Rohde & Schwarz	FSV40	SEM008-04	2024-03-15	2025-03-14
Horn Antenna	Rohde&Schwarz	HF907	SEM003-07	2023-07-23	2025-07-22
Microwave system amplifier	Agilent	83017A	SEM005-25	2024-09-14	2025-09-13
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2024-07-06	2025-07-05

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241200460910

Page: 9 of 42

<b>General used equipment</b>					
<b>Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Inventory No.</b>	<b>Cal Date</b>	<b>Cal Due Date</b>
Humidity/ Temperature Indicator	deli	8838	SEM002-32	2024-07-24	2025-07-23
Humidity/ Temperature Indicator	deli	8838	SEM002-33	2024-07-24	2025-07-23
Barometer	Changchun Meteorological Industry Factory	DYM3	SEM002-01	2024-03-18	2025-03-17

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch No. 10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 6 Emission Test Results

### 6.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014

Limit:

0.15M-0.5MHz 66dB(μV)-56dB(μV) quasi-peak, 56dB(μV)-46dB(μV) average

0.5M-5MHz 56dB(μV) quasi-peak, 46dB(μV) average

5M-30MHz 60dB(μV) quasi-peak, 50dB(μV) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

#### 6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 44.5 % RH Atmospheric Pressure: 1020 mbar

#### 6.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	19	Transfer data between the EUT and the PC+USB Cable
Final test	20	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter1/earphone
Final test	21	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter2/earphone
Final test	22	Telecom Idle+EUT+NFC+BT+WLAN5G+USB cable+Adapter(worst)/earphone
Pre-scan	23	Telecom Idle+EUT+NFC+camera(Front)+USB cable+Adapter(worst)/earphone
Pre-scan	24	Telecom Idle+EUT+NFC+camera(Back)+USB cable+Adapter(worst)/earphone
Pre-scan	25	Telecom Idle+EUT+NFC+BT+WLAN2.4G+GNSS+OTG output
Pre-scan	26	GSM 850(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	27	WCDMA Band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	28	LTE band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	33	NR_SA_N5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 6.1.3 Test Setup Diagram



### 6.1.4 Measurement Procedure and Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.

Remark: Level= Read Level+ Cable Loss+ LISN Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Test Mode: 19; Line: Live line



Site : Shielding Room

Condition: Line

Job No. : 04609WM

Test mode: 19

Freq	Cable	LISN	Read	Limit	Over	Remark	
	Loss	Factor	Level				
	MHz	dB	dB	dBuV	dBuV	dB	
1	0.1532	0.06	10.19	34.47	44.72	65.82	-21.10 QP
2	0.1532	0.06	10.19	6.44	16.69	55.82	-39.13 Average
3	0.3100	0.07	9.83	31.84	41.74	59.97	-18.23 QP
4	0.3100	0.07	9.83	8.53	18.43	49.97	-31.54 Average
5	0.9582	0.09	9.59	23.84	33.52	56.00	-22.48 QP
6	0.9582	0.09	9.59	11.18	20.86	46.00	-25.14 Average
7	1.9593	0.10	9.58	22.71	32.39	56.00	-23.61 QP
8	1.9593	0.10	9.58	11.62	21.30	46.00	-24.70 Average
9 *	4.9519	0.12	9.66	30.78	40.56	56.00	-15.44 QP
10 *	4.9519	0.12	9.66	23.78	33.56	46.00	-12.44 Average
11	5.1118	0.12	9.66	30.30	40.08	60.00	-19.92 QP
12	5.1118	0.12	9.66	22.97	32.75	50.00	-17.25 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



Test Mode: 19; Line: Neutral Line



Site : Shielding Room

Condition: Neutral

Job No. : 04609WM

Test mode: 19


Freq	Cable	LISN	Read	Limit	Over	Remark	
	Freq	Loss	Factor				
	MHz	dB	dB	dBuV	dBuV	dBuV	dB
1	0.1508	0.06	10.15	34.59	44.80	65.96	-21.16 QP
2	0.1508	0.06	10.15	5.29	15.50	55.96	-40.46 Average
3	0.3116	0.07	9.77	31.67	41.51	59.93	-18.42 QP
4	0.3116	0.07	9.77	11.71	21.55	49.93	-28.38 Average
5	0.9431	0.09	9.56	23.44	33.09	56.00	-22.91 QP
6	0.9431	0.09	9.56	8.13	17.78	46.00	-28.22 Average
7	1.9801	0.10	9.55	24.07	33.72	56.00	-22.28 QP
8	1.9801	0.10	9.55	13.54	23.19	46.00	-22.81 Average
9 *	4.9519	0.12	9.56	30.93	40.61	56.00	-15.39 QP
10 *	4.9519	0.12	9.56	23.69	33.37	46.00	-12.63 Average
11	5.1118	0.12	9.57	30.23	39.92	60.00	-20.08 QP
12	5.1118	0.12	9.57	23.14	32.83	50.00	-17.17 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 20; Line: Live line



Site : Shielding Room

Condition: Line

Job No. : 04609WM

Test mode: 20


Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Limit Line	Over Limit	Over	
							dB	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV		
1	0.1624	0.06	10.17	13.63	23.86	65.34	-41.48	QP
2	0.1624	0.06	10.17	4.42	14.65	55.34	-40.69	Average
3 *	0.4612	0.08	9.59	15.53	25.20	56.67	-31.47	QP
4 *	0.4612	0.08	9.59	4.43	14.10	46.67	-32.57	Average
5	1.4874	0.10	9.58	6.34	16.02	56.00	-39.98	QP
6	1.4874	0.10	9.58	-4.18	5.50	46.00	-40.50	Average
7	1.6802	0.10	9.58	5.77	15.45	56.00	-40.55	QP
8	1.6802	0.10	9.58	-7.90	1.78	46.00	-44.22	Average
9	4.3146	0.12	9.66	5.71	15.49	56.00	-40.51	QP
10	4.3146	0.12	9.66	-5.69	4.09	46.00	-41.91	Average
11	8.1053	0.18	9.68	10.50	20.36	60.00	-39.64	QP
12	8.1053	0.18	9.68	2.76	12.62	50.00	-37.38	Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 20; Line: Neutral Line



Site : Shielding Room

Condition: Neutral

Job No. : 04609WM

Test mode: 20


Freq	Cable Loss	LISN Factor	Read Level	Level	Limit	Over	Remark
					Line	Line	
MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1722	0.06	10.12	13.51	23.69	64.86	-41.17 QP
2	0.1722	0.06	10.12	3.05	13.23	54.86	-41.63 Average
3 *	0.4686	0.08	9.72	15.15	24.95	56.54	-31.59 QP
4 *	0.4686	0.08	9.72	6.10	15.90	46.54	-30.64 Average
5	0.8992	0.09	9.57	4.94	14.60	56.00	-41.40 QP
6	0.8992	0.09	9.57	-3.62	6.04	46.00	-39.96 Average
7	1.7623	0.10	9.55	2.04	11.69	56.00	-44.31 QP
8	1.7623	0.10	9.55	-7.84	1.81	46.00	-44.19 Average
9	4.0704	0.12	9.55	9.15	18.82	56.00	-37.18 QP
10	4.0704	0.12	9.55	3.74	13.41	46.00	-32.59 Average
11	5.2491	0.13	9.57	11.03	20.73	60.00	-39.27 QP
12	5.2491	0.13	9.57	2.41	12.11	50.00	-37.89 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 21; Line: Live line



Site : Shielding Room

Condition: Line

Job No. : 04609WM

Test mode: 21

Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Over Limit		Remark
					MHz	dB	
						dBuV	dBuV
1	0.1722	0.06	10.16	13.69	23.91	64.86	-40.95 QP
2	0.1722	0.06	10.16	-3.46	6.76	54.86	-48.10 Average
3 *	0.4994	0.08	9.54	12.26	21.88	56.01	-34.13 QP
4	0.4994	0.08	9.54	-6.27	3.35	46.01	-42.66 Average
5	1.3593	0.10	9.58	5.12	14.80	56.00	-41.20 QP
6 *	1.3593	0.10	9.58	-2.57	7.11	46.00	-38.89 Average
7	1.7905	0.10	9.58	3.89	13.57	56.00	-42.43 QP
8	1.7905	0.10	9.58	-9.20	0.48	46.00	-45.52 Average
9	4.1796	0.12	9.66	4.87	14.65	56.00	-41.35 QP
10	4.1796	0.12	9.66	-6.67	3.11	46.00	-42.89 Average
11	6.1861	0.14	9.67	6.47	16.28	60.00	-43.72 QP
12	6.1861	0.14	9.67	-3.33	6.48	50.00	-43.52 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



Test Mode: 21; Line: Neutral Line



Site : Shielding Room

Condition: Neutral

Job No. : 04609WM

Test mode: 21


Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Limit Line	Over Limit	Over
							Remark
MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1540	0.06	10.14	15.82	26.02	65.78	-39.76 QP
2	0.1540	0.06	10.14	0.94	11.14	55.78	-44.64 Average
3 *	0.5047	0.08	9.71	14.28	24.07	56.00	-31.93 QP
4 *	0.5047	0.08	9.71	-0.70	9.09	46.00	-36.91 Average
5	0.8992	0.09	9.57	2.59	12.25	56.00	-43.75 QP
6	0.8992	0.09	9.57	-7.21	2.45	46.00	-43.55 Average
7	1.7529	0.10	9.55	3.69	13.34	56.00	-42.66 QP
8	1.7529	0.10	9.55	-8.86	0.79	46.00	-45.21 Average
9	4.0062	0.12	9.55	3.92	13.59	56.00	-42.41 QP
10	4.0062	0.12	9.55	-2.41	7.26	46.00	-38.74 Average
11	6.8051	0.16	9.64	7.13	16.93	60.00	-43.07 QP
12	6.8051	0.16	9.64	-4.25	5.55	50.00	-44.45 Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 22; Line: Live line



Site : Shielding Room

Condition: Line

Job No. : 04609WM

Test mode: 22


Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Over
							Remark
MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1641	0.06	10.17	14.31	24.54	65.25	-40.71 QP
2	0.1641	0.06	10.17	-2.05	8.18	55.25	-47.07 Average
3 *	0.5101	0.08	9.55	13.16	22.79	56.00	-33.21 QP
4	0.5101	0.08	9.55	-2.98	6.65	46.00	-39.35 Average
5	0.9282	0.09	9.59	1.72	11.40	56.00	-44.60 QP
6	0.9282	0.09	9.59	-11.50	-1.82	46.00	-47.82 Average
7	1.7345	0.10	9.58	3.74	13.42	56.00	-42.58 QP
8	1.7345	0.10	9.58	-7.45	2.23	46.00	-43.77 Average
9	4.5254	0.12	9.66	5.34	15.12	56.00	-40.88 QP
10 *	4.5254	0.12	9.66	-2.91	6.87	46.00	-39.13 Average
11	6.0885	0.14	9.67	6.32	16.13	60.00	-43.87 QP
12	6.0885	0.14	9.67	-3.12	6.69	50.00	-43.31 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 22; Line: Neutral Line



Site : Shielding Room

Condition: Neutral

Job No. : 04609WM

Test mode: 22

Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark	
							MHz	dB
							dB	dB
1	0.1777	0.06	10.11	14.01	24.18	64.59	-40.41	QP
2	0.1777	0.06	10.11	-1.35	8.82	54.59	-45.77	Average
3 *	0.5074	0.08	9.71	13.90	23.69	56.00	-32.31	QP
4 *	0.5074	0.08	9.71	-2.47	7.32	46.00	-38.68	Average
5	0.9039	0.09	9.57	1.84	11.50	56.00	-44.50	QP
6	0.9039	0.09	9.57	-12.01	-2.35	46.00	-48.35	Average
7	1.7253	0.10	9.55	3.39	13.04	56.00	-42.96	QP
8	1.7253	0.10	9.55	-8.93	0.72	46.00	-45.28	Average
9	4.3838	0.12	9.55	6.65	16.32	56.00	-39.68	QP
10	4.3838	0.12	9.55	-3.88	5.79	46.00	-40.21	Average
11	5.8050	0.14	9.60	7.04	16.78	60.00	-43.22	QP
12	5.8050	0.14	9.60	-10.13	-0.39	50.00	-50.39	Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



**6.2 Radiated Emissions (30MHz-1GHz)**

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014

Measurement Distance: 3m

Limit:

FREQUENCY (MHz)	dB $\mu$ V/m (At 10m)	dB $\mu$ V/m (At 3m)
	Class B	Class B
30MHz -88MHz	29.5	40.0
88MHz-216MHz	33.1	43.5
216MHz-960MHz	35.6	46.0
960MHz-1000MHz	43.5	54.0

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to 1000MHz

**6.2.1 E.U.T. Operation**

Operating Environment:

Temperature: 20.2 °C

Humidity: 45.2 % RH

Atmospheric Pressure: 1020 mbar

**6.2.2 Test Mode Description**

Pre-scan / Final test	Mode Code	Description	
Final test	19	Transfer data between the EUT and the PC+USB Cable	
Final test	20	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter1/earphone	
Final test	21	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter2/earphone	
Final test	22	Telecom Idle+EUT+NFC+BT+WLAN5G+USB cable+Adapter(worst)/earphone	
Pre-scan	23	Telecom Idle+EUT+NFC+camera(Front)+USB cable+Adapter(worst)/earphone	
Pre-scan	24	Telecom Idle+EUT+NFC+camera(Back)+USB cable+Adapter(worst)/earphone	
Pre-scan	25	Telecom Idle+EUT+NFC+BT+WLAN2.4G+GNSS+OTG output	
Pre-scan	26	GSM cable+Adapter(worst)/earphone	850(RX)+EUT+NFC+BT+WLAN2.4G+USB
Pre-scan	27	WCDMA Band cable+Adapter(worst)/earphone	5(RX)+EUT+NFC+BT+WLAN2.4G+USB
Pre-scan	28	LTE band cable+Adapter(worst)/earphone	5(RX)+EUT+NFC+BT+WLAN2.4G+USB
Pre-scan	33	NR_SA_N5(RX)+EUT+NFC+BT+WLAN2.4G+USB	cable+Adapter(worst)/earphone


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

**6.2.3 Test Setup Diagram****6.2.4 Measurement Procedure and Data**

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 19; Polarity: Horizontal



Site : chamber  
Condition: 3m HORIZONTAL  
Job No. : 04609AT  
Test Mode: 19


Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark	
					MHz	dB/m	dB	dBuV	dBuV/m
1	58.407	11.65	0.94	27.71	39.46	24.34	40.00	-15.66	QP
2	73.876	10.39	1.05	27.67	39.10	22.87	40.00	-17.13	QP
3	172.599	13.57	1.65	27.29	43.29	31.22	43.50	-12.28	QP
4	299.316	17.94	2.20	26.75	39.29	32.68	46.00	-13.32	QP
5 q	480.528	22.75	2.86	27.48	38.03	36.16	46.00	-9.84	QP
6	942.131	28.19	4.23	26.46	23.46	29.42	46.00	-16.58	QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 19; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No. : 04609AT  
 Test Mode: 19


Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark	
					MHz	dB/m	dB	dBuV	dBuV/m
1	58.407	11.65	0.94	27.71	38.02	22.90	40.00	-17.10	QP
2	73.617	10.41	1.05	27.67	38.06	21.85	40.00	-18.15	QP
3 q	133.151	11.21	1.44	27.45	46.37	31.57	43.50	-11.93	QP
4	334.859	18.83	2.35	26.89	33.04	27.33	46.00	-18.67	QP
5	480.528	22.75	2.86	27.48	35.58	33.71	46.00	-12.29	QP
6	938.833	28.15	4.22	26.49	28.12	34.00	46.00	-12.00	QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 20; Polarity: Horizontal



Site : chamber  
Condition: 3m HORIZONTAL  
Job No. : 04609AT  
Test Mode: 20


Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark
					MHz	dB/m	dB	dB
1	53.693	12.18	0.90	27.72	30.53	15.89	40.00	-24.11 QP
2 q	89.276	11.65	1.16	27.62	43.72	28.91	43.50	-14.59 QP
3	155.910	13.58	1.57	27.36	37.39	25.18	43.50	-18.32 QP
4	319.937	18.51	2.28	26.83	29.20	23.16	46.00	-22.84 QP
5	612.064	24.81	3.28	27.94	25.70	25.85	46.00	-20.15 QP
6	929.008	28.16	4.20	26.56	23.93	29.73	46.00	-16.27 QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 20; Polarity: Vertical




Site : chamber  
 Condition: 3m VERTICAL  
 Job No. : 04609AT  
 Test Mode: 20

Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark	
					MHz	dB/m	dB	dBuV	dBuV/m
1	68.391	10.70	1.01	27.68	36.03	20.06	40.00	-19.94	QP
2	88.342	11.52	1.15	27.62	42.64	27.69	43.50	-15.81	QP
3	184.490	14.25	1.70	27.24	27.08	15.79	43.50	-27.71	QP
4	336.035	18.88	2.35	26.90	29.26	23.59	46.00	-22.41	QP
5	416.179	20.54	2.64	27.22	26.66	22.62	46.00	-23.38	QP
6 q	833.317	26.50	3.95	27.24	30.42	33.63	46.00	-12.37	QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 21; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No. : 04609AT  
 Test Mode: 21


Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark	
					MHz	dB/m	dB	dBuV	dBuV/m
1	90.537	11.77	1.16	27.62	35.15	20.46	43.50	-23.04	QP
2	104.170	12.22	1.25	27.57	34.35	20.25	43.50	-23.25	QP
3	159.225	13.61	1.58	27.34	32.22	20.07	43.50	-23.43	QP
4	206.398	14.61	1.79	27.14	33.65	22.91	43.50	-20.59	QP
5 q	330.195	18.71	2.33	26.87	34.92	29.09	46.00	-16.91	QP
6	763.376	26.52	3.75	27.57	25.94	28.64	46.00	-17.36	QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 21; Polarity: Vertical



Site : chamber  
Condition: 3m VERTICAL  
Job No. : 04609AT  
Test Mode: 21


Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark		
					MHz	dB/m	dB	dBuV	dBuV/m	dBuV/m
1	44.587	14.36	0.82	27.75	30.79	18.22	40.00	40.00	-21.78	QP
2 q	87.418	11.38	1.14	27.63	43.44	28.33	40.00	40.00	-11.67	QP
3	160.909	13.53	1.59	27.33	30.11	17.90	43.50	43.50	-25.60	QP
4	202.810	14.35	1.78	27.16	32.77	21.74	43.50	43.50	-21.76	QP
5	334.859	18.83	2.35	26.89	30.70	24.99	46.00	46.00	-21.01	QP
6	758.041	26.48	3.73	27.58	27.59	30.22	46.00	46.00	-15.78	QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 22; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No. : 04609AT  
 Test Mode: 22


Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark	
					MHz	dB/m	dB	dBuV	dBuV/m
1	30.531	20.95	0.68	27.79	25.22	19.06	40.00	-20.94	QP
2	90.537	11.77	1.16	27.62	37.77	23.08	43.50	-20.42	QP
3	197.893	14.08	1.75	27.18	35.77	24.42	43.50	-19.08	QP
4	334.859	18.83	2.35	26.89	36.68	30.97	46.00	-15.03	QP
5	593.050	24.45	3.22	27.94	24.88	24.61	46.00	-21.39	QP
6	942.131	28.19	4.23	26.46	23.20	29.16	46.00	-16.84	QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 22; Polarity: Vertical



Site : chamber  
Condition: 3m VERTICAL  
Job No. : 04609AT  
Test Mode: 22

Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark
					MHz	dB/m	dB	dB
1	30.531	20.95	0.68	27.79	30.81	24.65	40.00	-15.35 QP
2 q	87.725	11.43	1.14	27.63	45.09	30.03	40.00	-9.97 QP
3	160.346	13.56	1.59	27.34	35.73	23.54	43.50	-19.96 QP
4	329.039	18.68	2.32	26.87	32.53	26.66	46.00	-19.34 QP
5	501.179	22.95	2.92	27.57	26.59	24.89	46.00	-21.11 QP
6	945.440	28.26	4.24	26.44	23.83	29.89	46.00	-16.11 QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SGS-CSTC Laboratory)



### 6.3 Radiated Emissions (Above 1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014

Measurement Distance: 3m

Limit:

Above 1GHz 74(dB $\mu$ V/m) peak, 54(dB $\mu$ V/m) average at 3m distance83.54(dB $\mu$ V/m) peak, 63.54(dB $\mu$ V/m) average at 1m distance

Detector: Peak for pre-scan (1MHz resolution bandwidth) 1GHz to 40GHz

#### 6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 20.0 °C      Humidity: 52.8 % RH      Atmospheric Pressure: 1020 mbar

#### 6.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	19	Transfer data between the EUT and the PC+USB Cable
Final test	20	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter1/earphone
Final test	21	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter2/earphone
Final test	22	Telecom Idle+EUT+NFC+BT+WLAN5G+USB cable+Adapter(worst)/earphone
Final test	23	Telecom Idle+EUT+NFC+camera(Front)+USB cable+Adapter(worst)/earphone
Pre-scan	24	Telecom Idle+EUT+NFC+camera(Back)+USB cable+Adapter(worst)/earphone
Pre-scan	25	Telecom Idle+EUT+NFC+BT+WLAN2.4G+GNSS+OTG output
Pre-scan	26	GSM 850(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	27	WCDMA Band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	28	LTE band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	33	NR_SA_N5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



**6.3.3 Test Setup Diagram****6.3.4 Measurement Procedure and Data**

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The red line show in graphic is the limit in standard used in this section.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor




SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch SGS-CSTC Standards Technical Services Co., Ltd. Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Test Mode: 19; Polarity: Horizontal



Site : chamber  
Condition: 3m HORIZONTAL  
Job No : 04609WM  
Mode : 19


Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark
	MHz	Loss	Factor	Factor	Level	Level	
1	1005.797	5.93	26.11	54.60	55.59	33.03	74.00 -40.97 Peak
2	2036.090	5.09	28.94	54.90	56.37	35.50	74.00 -38.50 Peak
3	3425.675	6.23	32.09	54.68	55.75	39.39	74.00 -34.61 Peak
4	5424.184	8.20	34.65	53.71	53.98	43.12	74.00 -30.88 Peak
5	9641.257	10.59	37.48	53.34	52.69	47.42	74.00 -26.58 Peak
6	q17844.590	14.75	43.90	52.48	36.16	42.33	54.00 -11.67 Average
7	p17844.590	14.75	43.90	52.48	48.57	54.74	74.00 -19.26 Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 19; Polarity: Vertical




Site : chamber  
 Condition: 3m VERTICAL  
 Job No : 04609WM  
 Mode : 19

Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark
	MHz	Loss	Factor	Factor	Level	Level	
1	1000.000	5.95	26.30	54.60	55.25	32.90	74.00 -41.10 Peak
2	1932.868	5.04	27.73	54.89	56.41	34.29	74.00 -39.71 Peak
3	3150.237	6.05	32.50	54.88	55.67	39.34	74.00 -34.66 Peak
4	6018.999	8.77	34.94	53.10	53.67	44.28	74.00 -29.72 Peak
5	10423.800	11.05	37.15	53.11	52.97	48.06	74.00 -25.94 Peak
6	q17336.200	14.53	43.21	52.73	37.28	42.29	54.00 -11.71 Average
7	p17336.200	14.53	43.21	52.73	50.36	55.37	74.00 -18.63 Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 20; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No : 04609WM  
 Mode : 20


Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit		Over Limit	Remark
					dB	dBuV		
MHz								
1 1011.629	5.92	25.93	54.61	56.23	33.47	74.00	-40.53	Peak
2 1726.818	4.97	26.52	54.84	57.86	34.51	74.00	-39.49	Peak
3 3386.297	6.21	32.32	54.71	55.52	39.34	74.00	-34.66	Peak
4 6106.616	8.78	35.07	53.11	53.26	44.00	74.00	-30.00	Peak
5 9502.925	10.64	37.50	53.39	52.27	47.02	74.00	-26.98	Peak
6 q17639.470	14.69	43.68	52.58	36.20	41.99	54.00	-12.01	Average
7 p17639.470	14.69	43.68	52.58	48.47	54.26	74.00	-19.74	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 20; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No : 04609WM  
 Mode : 20


Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark
	MHz	Loss	Factor	Factor	Level	Level	
1 1008.709	5.93	26.02	54.60	56.06	33.41	74.00	-40.59 Peak
2 2047.895	5.10	28.99	54.91	56.04	35.22	74.00	-38.78 Peak
3 3205.345	6.09	32.81	54.84	55.51	39.57	74.00	-34.43 Peak
4 5583.251	8.38	34.70	53.53	53.44	42.99	74.00	-31.01 Peak
5 9448.149	10.63	37.40	53.42	53.10	47.71	74.00	-26.29 Peak
6 q17793.090	14.74	43.89	52.50	36.38	42.51	54.00	-11.49 Average
7 p17793.090	14.74	43.89	52.50	49.62	55.75	74.00	-18.25 Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 21; Polarity: Horizontal




Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No : 04609WM  
 Mode : 21

Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark
	MHz	Loss	Factor	Factor	Level	Level	
1 1011.629	5.92	25.93	54.61	55.65	32.89	74.00	-41.11 Peak
2 1888.687	5.03	27.31	54.88	56.26	33.72	74.00	-40.28 Peak
3 3233.260	6.11	32.37	54.82	56.74	40.40	74.00	-33.60 Peak
4 5300.200	8.04	34.20	53.85	53.63	42.02	74.00	-31.98 Peak
5 9697.151	10.58	37.50	53.32	53.28	48.04	74.00	-25.96 Peak
6 q16793.680	14.20	42.89	52.68	37.29	41.70	54.00	-12.30 Average
7 p16793.680	14.20	42.89	52.68	50.47	54.88	74.00	-19.12 Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 21; Polarity: Vertical



Site : chamber  
Condition: 3m VERTICAL  
Job No : 04609WM  
Mode : 21


Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Line Limit	Over Limit	Remark	
								MHz	dB
1	1000.000	5.95	26.30	54.60	56.93	34.58	74.00	-39.42	Peak
2	1995.309	5.06	28.72	54.90	56.03	34.91	74.00	-39.09	Peak
3	3598.203	6.38	32.08	54.56	55.49	39.39	74.00	-34.61	Peak
4	6001.626	8.77	34.90	53.10	52.30	42.87	74.00	-31.13	Peak
5	9530.432	10.63	37.50	53.38	52.95	47.70	74.00	-26.30	Peak
6	q17793.090	14.74	43.89	52.50	36.50	42.63	54.00	-11.37	Average
7	p17793.090	14.74	43.89	52.50	49.58	55.71	74.00	-18.29	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 22; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No : 04609WM  
 Mode : 22

Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark
	MHz	Loss	Factor	Factor	Level	Level	
1 1002.895	5.94	26.21	54.60	55.87	33.42	74.00	-40.58 Peak
2 2059.767	5.11	28.96	54.91	56.20	35.36	74.00	-38.64 Peak
3 3168.500	6.07	32.65	54.87	56.28	40.13	74.00	-33.87 Peak
4 5424.184	8.20	34.65	53.71	54.11	43.25	74.00	-30.75 Peak
5 9448.149	10.63	37.40	53.42	53.11	47.72	74.00	-26.28 Peak
6 q17844.590	14.75	43.90	52.48	36.14	42.31	54.00	-11.69 Average
7 p17844.590	14.75	43.90	52.48	48.47	54.64	74.00	-19.36 Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



Test Mode: 22; Polarity: Vertical



Site : chamber  
Condition: 3m VERTICAL  
Job No : 04609WM  
Mode : 22


Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark		
	MHz	Loss	Factor	Factor	Level	Level	Line	Limit	
1	1005.797	5.93	26.11	54.60	56.16	33.60	74.00	-40.40	Peak
2	1978.082	5.05	28.41	54.90	56.80	35.36	74.00	-38.64	Peak
3	3205.345	6.09	32.81	54.84	56.26	40.32	74.00	-33.68	Peak
4	5898.442	8.68	34.59	53.20	53.71	43.78	74.00	-30.22	Peak
5	9393.689	10.63	37.31	53.44	52.86	47.36	74.00	-26.64	Peak
6	q16793.680	14.20	42.89	52.68	37.24	41.65	54.00	-12.35	Average
7	p16793.680	14.20	42.89	52.68	50.69	55.10	74.00	-18.90	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 23; Polarity: Horizontal



Site : chamber  
Condition: 3m HORIZONTAL  
Job No : 04609WM  
Mode : 23


Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark	
								MHz	dB
1	1000.000	5.95	26.30	54.60	56.18	33.83	74.00	-40.17	Peak
2	2041.984	5.10	28.97	54.91	56.80	35.96	74.00	-38.04	Peak
3	3650.582	6.43	32.70	54.52	55.02	39.63	74.00	-34.37	Peak
4	6124.292	8.79	35.00	53.11	53.25	43.93	74.00	-30.07	Peak
5	9366.577	10.62	37.37	53.45	53.11	47.65	74.00	-26.35	Peak
6	q17793.090	14.74	43.89	52.50	36.33	42.46	54.00	-11.54	Average
7	p17793.090	14.74	43.89	52.50	48.83	54.96	74.00	-19.04	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 23; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No : 04609WM  
 Mode : 23

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Line Limit	Over Limit	Remark	
								MHz	dB
								dB	dB/m
1	1005.797	5.93	26.11	54.60	56.77	34.21	74.00	-39.79	Peak
2	2077.705	5.13	28.89	54.91	56.66	35.77	74.00	-38.23	Peak
3	3186.869	6.08	32.79	54.85	56.07	40.09	74.00	-33.91	Peak
4	6036.421	8.77	34.97	53.10	52.80	43.44	74.00	-30.56	Peak
5	10097.600	10.61	37.40	53.18	53.08	47.91	74.00	-26.09	Peak
6	p16221.190	14.16	41.84	52.05	50.76	54.71	74.00	-19.29	Peak
7	q16221.190	14.16	41.84	52.05	37.43	41.38	54.00	-12.62	Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



## 7 Test Setup Photo

Please refer to SZCR2412004609 Appendix\_Setup Photo.

## 8 EUT Constructional Details (EUT Photos)

Please refer to SZCR2412004609 Appendix\_ External Photo and Internal Photo.

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)