

10.3 Conducted Power of LTE Uplink CA (Ant24)

Combination	Modulation	PCC					SCC					DSI2/3		DSI4/5		DSI8/9/10	
		Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Power	Tune-up(dBm)	Power	Tune-up(dBm)	Power	Tune-up(dBm)
CA_7C	QPSK	7	20	20850	1	99	7	20	21048	1	0	15.18	15.90	19.29	19.90	18.16	18.90
CA_7C	QPSK	7	20	21100	1	99	7	20	21298	1	0	15.10	15.90	19.22	19.90	18.20	18.90
CA_7C	QPSK	7	20	21100	1	0	7	20	20902	1	99	15.21	15.90	19.25	19.90	18.15	18.90
CA_7C	QPSK	7	20	21350	1	0	7	20	21152	1	99	15.23	15.90	19.30	19.90	18.22	18.90

Combination	Modulation	PCC					SCC					DSI2/3		DSI4/5		DSI8/9/10	
		Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Power	Tune-up(dBm)	Power	Tune-up(dBm)	Power	Tune-up(dBm)
CA_41C	QPSK	41	20	39750	1	0	41	20	39948	0	0	17.54	18.30	22.31	23.30	21.42	21.80
CA_41C	QPSK	41	20	40185	1	0	41	20	40383	0	0	17.60	18.30	22.45	23.30	21.46	21.80
CA_41C	QPSK	41	20	40620	1	0	41	20	40818	0	0	17.48	18.30	22.38	23.30	21.39	21.80
CA_41C	QPSK	41	20	40620	1	0	41	20	40422	0	0	17.56	18.30	22.35	23.30	21.45	21.80
CA_41C	QPSK	41	20	41055	1	0	41	20	40857	0	0	17.52	18.30	22.40	23.30	21.40	21.80
CA_41C	QPSK	41	20	41490	1	0	41	20	41292	0	0	17.54	18.30	22.33	23.30	21.33	21.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS@china.sgs.com
 In China: 8-1, Malyi Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8581 2053 | (86-755) 26710594 | www.sgs.com
 In China: 广东·深圳市南山区科技园中区8-1栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 26710594 | sgs.china@sgs.com

10.4 Conducted Power of LTE Uplink CA (Ant41)

Combination	Modulation	PCC					SCC					DSI2/3		DSI4/5		DSI8/9/10	
		Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Power	Tune-up(dBm)	Power	Tune-up(dBm)	Power	Tune-up(dBm)
CA_7C	QPSK	7	20	20850	1	99	7	20	21048	1	0	23.45	25.00	20.18	21.00	18.49	19.50
CA_7C	QPSK	7	20	21100	1	99	7	20	21298	1	0	23.50	25.00	20.23	21.00	18.56	19.50
CA_7C	QPSK	7	20	21100	1	0	7	20	20902	1	99	23.31	25.00	20.22	21.00	18.55	19.50
CA_7C	QPSK	7	20	21350	1	0	7	20	21152	1	99	23.48	25.00	20.20	21.00	18.52	19.50

Combination	Modulation	PCC					SCC					DSI2/3		DSI4/5		DSI8/9/10	
		Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Band	BW (MHz)	UL Channel	UL# RB	UL RB Offset	Power	Tune-up(dBm)	Power	Tune-up(dBm)	Power	Tune-up(dBm)
CA_41C	QPSK	41	20	39750	1	0	41	20	39948	0	0	24.15	25.00	22.45	23.00	19.39	19.50
CA_41C	QPSK	41	20	40185	1	0	41	20	40383	0	0	24.34	25.00	22.47	23.00	19.42	19.50
CA_41C	QPSK	41	20	40620	1	0	41	20	40818	0	0	24.29	25.00	22.46	23.00	19.39	19.50
CA_41C	QPSK	41	20	40620	1	0	41	20	40422	0	0	24.22	25.00	22.42	23.00	19.44	19.50
CA_41C	QPSK	41	20	41055	1	0	41	20	40857	0	0	24.33	25.00	22.48	23.00	19.43	19.50
CA_41C	QPSK	41	20	41490	1	0	41	20	41292	0	0	24.36	25.00	22.54	23.00	19.45	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. The Company disclaims any liability for the results shown in this test report refer only to the sample(s) tested and such sample(s) are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Dongchao@sgs.com
 在 厦 門 市 海 峽 科 技 園 區 第 二 期 第 二 十 八 號 樓 宇 廣 東 省 516067 (86-755)28012030 (86-755)26710394 www.sgsgroup.com.cn
 中 國 廣 東 省 海 防 山 區 科 技 園 區 中 區 8-10 樓 11 樓 廣 東 省 516067 (86-755)28012030 (86-755)26710394 sgs.china@sgs.com

11 Conducted Power of Intra Band LTE Downlink CA

DL LTE CA Class	PCC							SCC1		SCC2		SCC3		SCC4		Power		
	LTE Band	BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band	BW (MHz)	LTE Band	BW (MHz)	LTE Band	BW (MHz)	LTE Band	BW (MHz)	With CA Tx.Power (dBm)	W/O CA Tx.Power (dBm)	Tune up
CA_5B	Band 5	10M	836.5	20525	QPSK	1	0	Band 5	10M	/	/	/	/	/	/	23.93	24.06	25
CA_7C	Band 7	20M	2535	21100	QPSK	1	0	Band 7	20M	/	/	/	/	/	/	23.92	24.08	25
CA_38C	Band 38	20M	2585.1	37901	QPSK	1	0	Band 38	20M	/	/	/	/	/	/	24.03	24.06	25
CA_41C	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	/	/	/	/	/	/	23.99	24.05	25
CA_7B	Band 7	20M	2535	21100	QPSK	1	0	Band 7	20M	/	/	/	/	/	/	24.04	23.94	25
CA_5A-5A	Band 5	10M	836.5	20525	QPSK	1	0	Band 5	10M	/	/	/	/	/	/	24.06	23.91	25
CA_7A-7A	Band 7	20M	2535	21100	QPSK	1	0	Band 7	20M	/	/	/	/	/	/	23.91	23.94	25
CA_41A-41A	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	/	/	/	/	/	/	24.00	23.93	25
CA_5A-7A	Band 5	10M	836.5	20525	QPSK	1	0	Band 7	20M	/	/	/	/	/	/	23.95	23.96	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 5	10M	/	/	/	/	/	/	24.00	23.96	25
CA_7A-26A	Band 7	20M	2535	21100	QPSK	1	0	Band 26	15M	/	/	/	/	/	/	23.97	23.96	25
	Band 26	15M	831.5	26865	QPSK	1	0	Band 7	20M	/	/	/	/	/	/	24.08	23.92	25
CA_26A-41A	Band 26	15M	831.5	26865	QPSK	1	0	Band 41	20M	/	/	/	/	/	/	23.92	24.08	25
	Band 41	20M	2593	40620	QPSK	1	0	Band 26	15M	/	/	/	/	/	/	23.94	23.94	25
CA_66C	Band 66	20M	1745	132322	QPSK	1	0	Band 66	20M	/	/	/	/	/	/	24.04	24.07	25
CA_66B	Band 66	20M	1745	132322	QPSK	1	0	Band 66	20M	/	/	/	/	/	/	24.06	23.98	25
CA_2A-2A	Band 2	20M	1860	18700	QPSK	1	0	Band 2	20M	/	/	/	/	/	/	23.23	23.21	24.3
CA_4A-4A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 4	20M	/	/	/	/	/	/	24.07	24.09	25
CA_66A-66A	Band 66	20M	1745	132322	QPSK	1	0	Band 66	20M	/	/	/	/	/	/	24.03	24.05	25
CA_2A-4A	Band 2	20M	1860	18700	QPSK	1	0	Band 4	20M	/	/	/	/	/	/	23.22	23.22	24.3
	Band 4	20M	1732.5	20175	QPSK	1	0	Band 2	20M	/	/	/	/	/	/	23.95	24.01	25
CA_2A-5A	Band 2	20M	1860	18700	QPSK	1	0	Band 5	10M	/	/	/	/	/	/	23.26	23.37	24.3
	Band 5	10M	836.5	20525	QPSK	1	0	Band 2	20M	/	/	/	/	/	/	24.08	24.06	25
CA_2A-7A	Band 2	20M	1860	18700	QPSK	1	0	Band 7	20M	/	/	/	/	/	/	23.33	23.28	24.3
	Band 7	20M	2535	21100	QPSK	1	0	Band 2	20M	/	/	/	/	/	/	24.03	23.93	25
CA_2A-26A	Band 2	20M	1860	18700	QPSK	1	0	Band 26	15M	/	/	/	/	/	/	23.38	23.33	24.3
	Band 26	15M	831.5	26865	QPSK	1	0	Band 2	20M	/	/	/	/	/	/	23.93	24.07	25
CA_2A-38A	Band 2	20M	1860	18700	QPSK	1	0	Band 38	20M	/	/	/	/	/	/	23.33	23.36	24.3
	Band 38	20M	2585.1	37901	QPSK	1	0	Band 2	20M	/	/	/	/	/	/	23.99	24.09	25
CA_2A-66A	Band 2	20M	1860	18700	QPSK	1	0	Band 66	20M	/	/	/	/	/	/	23.30	23.32	24.3
CA_2A-66A	Band 66	20M	1745	132322	QPSK	1	0	Band 2	20M	/	/	/	/	/	/	24.09	24.05	25
CA_4A-5A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 5	10M	/	/	/	/	/	/	23.94	24.02	25
	Band 5	10M	836.5	20525	QPSK	1	0	Band 4	20M	/	/	/	/	/	/	23.96	23.91	25
CA_4A-7A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 7	20M	/	/	/	/	/	/	23.95	24.02	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 4	20M	/	/	/	/	/	/	23.98	23.95	25
CA_5A-38A	Band 5	10M	836.5	20525	QPSK	1	0	Band 38	20M	/	/	/	/	/	/	24.00	23.99	25
	Band 38	20M	2585.1	37901	QPSK	1	0	Band 5	10M	/	/	/	/	/	/	23.96	23.96	25
CA_5A-41A	Band 5	10M	836.5	20525	QPSK	1	0	Band 41	20M	/	/	/	/	/	/	23.99	23.97	25
	Band 41	20M	2593	40620	QPSK	1	0	Band 5	10M	/	/	/	/	/	/	24.05	24.07	25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Address: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn

中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 470 of 867

CA_5A-66A	Band 5	10M	836.5	20525	QPSK	1	0	Band 66	20M	/	/	/	/	/	/	24.06	24.09	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 5	10M	/	/	/	/	/	/	23.94	24.00	25
CA_7A-66A	Band 7	20M	2535	21100	QPSK	1	0	Band 66	20M	/	/	/	/	/	/	23.96	23.92	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 7	20M	/	/	/	/	/	/	23.97	24.02	25
CA_38A-66A	Band 38	20M	2585.1	37901	QPSK	1	0	Band 66	20M	/	/	/	/	/	/	24.09	24.01	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 38	20M	/	/	/	/	/	/	23.96	24.06	25
CA_42A-42A	Band 42	20M	3500	42590	QPSK	1	0	Band 42	20M	/	/	/	/	/	/	23.91	23.98	25
CA_7A-42A	Band 7	20M	2535	21100	QPSK	1	0	Band 42	20M	/	/	/	/	/	/	24.09	23.92	25
	Band 42	20M	3500	42590	QPSK	1	0	Band 7	20M	/	/	/	/	/	/	24.08	23.94	25
CA_2C	Band 2	20M	1860	18700	QPSK	1	0	Band 2	20M	/	/	/	/	/	/	23.29	23.34	24.3
CA_42C	Band 42	20M	3500	42590	QPSK	1	0	Band 42	20M	/	/	/	/	/	/	23.98	24.09	25
CA_41A-41A-41A	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	Band 41	20M	/	/	/	/	24.04	24.05	25
CA_7C-26A	Band 7	20M	2535	21100	QPSK	1	0	Band 7	20M	Band 26	15M	/	/	/	/	23.98	24.06	25
	Band 26	15M	831.5	26865	QPSK	1	0	Band 7	20M	Band 7	20M	/	/	/	/	24.06	24.07	25
CA_41D	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	Band 41	20M	/	/	/	/	24.04	23.93	25
CA_2A-4A-5A	Band 2	20M	1860	18700	QPSK	1	0	Band 4	20M	Band 5	10M	/	/	/	/	23.35	23.34	24.3
	Band 4	20M	1732.5	20175	QPSK	1	0	Band 2	20M	Band 5	10M	/	/	/	/	24.03	23.98	25
	Band 5	10M	836.5	20525	QPSK	1	0	Band 2	20M	Band 4	20M	/	/	/	/	24.03	24.03	25
CA_2A-4A-7A	Band 2	20M	1860	18700	QPSK	1	0	Band 4	20M	Band 7	20M	/	/	/	/	23.39	23.25	24.3
	Band 4	20M	1732.5	20175	QPSK	1	0	Band 2	20M	Band 7	20M	/	/	/	/	24.04	23.92	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 2	20M	Band 4	20M	/	/	/	/	23.96	23.95	25
CA_2A-5A-7A	Band 2	20M	1860	18700	QPSK	1	0	Band 5	10M	Band 7	20M	/	/	/	/	23.38	23.39	24.3
	Band 5	10M	836.5	20525	QPSK	1	0	Band 2	20M	Band 7	20M	/	/	/	/	23.92	24.03	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 2	20M	Band 5	10M	/	/	/	/	23.92	23.98	25
CA_2A-5A-66A	Band 2	20M	1860	18700	QPSK	1	0	Band 5	10M	Band 66	20M	/	/	/	/	23.34	23.24	24.3
	Band 5	10M	836.5	20525	QPSK	1	0	Band 2	20M	Band 66	20M	/	/	/	/	24.03	23.94	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 2	20M	Band 5	10M	/	/	/	/	23.95	24.08	25
CA_2A-7A-7A	Band 2	20M	1860	18700	QPSK	1	0	Band 7	20M	Band 7	20M	/	/	/	/	23.25	23.26	24.3
	Band 7	20M	2535	21100	QPSK	1	0	Band 2	20M	Band 7	20M	/	/	/	/	23.92	23.95	25
CA_2A-7A-66A	Band 2	20M	1860	18700	QPSK	1	0	Band 7	20M	Band 66	20M	/	/	/	/	23.30	23.26	24.3
	Band 7	20M	2535	21100	QPSK	1	0	Band 2	20M	Band 66	20M	/	/	/	/	23.99	23.97	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 2	20M	Band 7	20M	/	/	/	/	24.08	23.98	25
CA_4A-4A-5A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 4	20M	Band 5	10M	/	/	/	/	24.01	23.97	25
	Band 5	10M	836.5	20525	QPSK	1	0	Band 4	20M	Band 4	20M	/	/	/	/	23.98	23.99	25
CA_4A-4A-7A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 4	20M	Band 7	20M	/	/	/	/	23.91	24.07	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 4	20M	Band 4	20M	/	/	/	/	23.97	24.03	25
CA_5A-7A-7A	Band 5	10M	836.5	20525	QPSK	1	0	Band 7	20M	Band 7	20M	/	/	/	/	24.09	24.06	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 5	10M	Band 7	20M	/	/	/	/	23.95	24.06	25
CA_5A-7A-66A	Band 5	10M	836.5	20525	QPSK	1	0	Band 7	20M	Band 66	20M	/	/	/	/	24.07	23.98	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 5	10M	Band 66	20M	/	/	/	/	24.08	23.93	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 5	10M	Band 7	20M	/	/	/	/	24.08	24.09	25
CA_5A-66A-66A	Band 5	10M	836.5	20525	QPSK	1	0	Band 66	20M	Band 66	20M	/	/	/	/	24.06	24.07	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 5	10M	Band 66	20M	/	/	/	/	23.95	24.02	25
CA_7A-7A-66A	Band 7	20M	2535	21100	QPSK	1	0	Band 7	20M	Band 66	20M	/	/	/	/	24.03	23.98	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 7	20M	Band 7	20M	/	/	/	/	23.98	24.05	25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request, or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 8811 9443, or email: CS.Cert@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, 302 Room, 10/F, Building 8-1, Molybdenum Second Industrial Park, Xixiang Street, Xixiang, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 26710594. www.sgs.com.cn/sh

中国·广东·深圳市宝安区山田科技园中区8-10栋10楼 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 471 of 867

CA_7A-66A-66A	Band 7	20M	2535	21100	QPSK	1	0	Band 66	20M	Band 66	20M	/	/	/	/	23.92	23.95	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 7	20M	Band 66	20M	/	/	/	/	23.96	24.02	25
CA_2A-7C	Band 2	20M	1860	18700	QPSK	1	0	Band 7	20M	Band 7	20M	/	/	/	/	23.26	23.33	24.3
	Band 7	20M	2535	21100	QPSK	1	0	Band 2	20M	Band 7	20M	/	/	/	/	24.07	24.01	25
CA_4A-7C	Band 4	20M	1732.5	20175	QPSK	1	0	Band 7	20M	Band 7	20M	/	/	/	/	24.01	24.08	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 4	20M	Band 7	20M	/	/	/	/	23.99	23.98	25
CA_5A-7C	Band 5	10M	836.5	20525	QPSK	1	0	Band 7	20M	Band 7	20M	/	/	/	/	24.04	23.99	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 5	10M	Band 7	20M	/	/	/	/	24.05	23.99	25
CA_5A-66C	Band 5	10M	836.5	20525	QPSK	1	0	Band 66	20M	Band 66	20M	/	/	/	/	24.03	24.06	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 5	10M	Band 66	20M	/	/	/	/	24.04	24.07	25
CA_2A-7A-38A	Band 2	20M	1860	18700	QPSK	1	0	Band 7	20M	Band 38	20M	/	/	/	/	23.25	23.39	24.3
	Band 7	20M	2535	21100	QPSK	1	0	Band 2	20M	Band 38	20M	/	/	/	/	24.05	24.09	25
	Band 38	20M	2585.1	37901	QPSK	1	0	Band 2	20M	Band 7	20M	/	/	/	/	24.01	24.09	25
CA_41A-41C	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	Band 41	20M	/	/	/	/	24.00	23.92	25
CA_7C-66A	Band 7	20M	2535	21100	QPSK	1	0	Band 7	20M	Band 66	20M	/	/	/	/	24.06	23.98	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 7	20M	Band 7	20M	/	/	/	/	24.09	23.91	25
CA_5A-7C-66A	Band 5	10M	836.5	20525	QPSK	1	0	Band 7	20M	Band 7	20M	Band 66	20M	/	/	24.07	24.03	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 5	10M	Band 7	20M	Band 66	20M	/	/	23.99	24.05	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 5	10M	Band 7	20M	Band 7	20M	/	/	23.98	23.99	25
CA_5A-7A-66A-66A	Band 5	10M	836.5	20525	QPSK	1	0	Band 7	20M	Band 66	20M	Band 66	20M	/	/	24.07	23.91	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 5	10M	Band 66	20M	Band 66	20M	/	/	23.97	23.99	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 5	10M	Band 7	20M	Band 66	20M	/	/	24.04	23.93	25
CA_7C-66A-66A	Band 7	20M	2535	21100	QPSK	1	0	Band 7	20M	Band 66	20M	Band 66	20M	/	/	24.02	24.03	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 7	20M	Band 7	20M	Band 66	20M	/	/	24.09	24.08	25
CA_2A-7C-38A	Band 2	20M	1860	18700	QPSK	1	0	Band 7	20M	Band 7	20M	Band 38	20M	/	/	23.23	23.23	24.3
	Band 7	20M	2535	21100	QPSK	1	0	Band 2	20M	Band 7	20M	Band 38	20M	/	/	23.99	24.04	25
	Band 38	20M	2585.1	37901	QPSK	1	0	Band 2	20M	Band 7	20M	Band 7	20M	/	/	24.00	24.02	25
CA_41C-41D	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	Band 41	20M	Band 41	20M	Band 41	20M	24.01	24.00	25
CA_5A-7C-66A-66A	Band 5	10M	836.5	20525	QPSK	1	0	Band 7	20M	Band 7	20M	Band 66	20M	Band 66	20M	23.95	24.06	25
	Band 7	20M	2535	21100	QPSK	1	0	Band 5	10M	Band 7	20M	Band 66	20M	Band 66	20M	24.09	23.91	25
	Band 66	20M	1745	132322	QPSK	1	0	Band 5	10M	Band 7	20M	Band 7	20M	Band 66	20M	23.96	23.98	25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CSG_Support@sgs.com.

In Market & Quality Safety, Second Technical Park, Shenzhen, Guangdong, China 518057 | (86-755) 8601 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8601 2053 | (86-755) 267 0594 | sgs.china@sgs.com

12 Conducted Power of NR Antenna

12.1 Conducted Power of NR Antenna (Ant11)

N5 DSI4				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
				834	836.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.37	24.29	24.23	25.50
		1	53	24.10	24.19	24.10	25.50
		1	104	24.20	24.22	24.17	25.50
		50	0	23.82	23.77	23.69	25.00
		50	28	24.26	24.21	24.19	25.50
		50	56	23.66	23.59	23.54	25.00
		100	0	23.65	23.65	23.57	25.00
	DFT-s-OFDM QPSK	1	1	24.15	24.31	24.18	25.50
		1	53	24.11	24.15	24.11	25.50
		1	104	23.97	24.04	23.97	25.50
		50	0	23.20	23.22	23.25	24.50
		50	28	24.14	24.16	24.14	25.50
		50	56	23.18	23.11	23.03	24.50
		100	0	23.22	23.18	23.09	24.50
	DFT-s-OFDM 16QAM	1	1	23.30	23.35	23.28	24.50
	DFT-s-OFDM 64QAM	1	1	21.61	21.71	21.73	23.00
	DFT-s-OFDM 256QAM	1	1	19.63	19.73	19.82	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
20MHz	CP-OFDM QPSK	1	1	22.67	22.63	22.61	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166300	167300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	24.05	24.23	24.17	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165800	167300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	24.19	24.24	24.19	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165300	167300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	24.14	24.11	24.19	25.50



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 473 of 867

N5 DSI5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
				834	836.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	22.83	22.77	22.69	24.00
		1	53	22.60	22.74	22.57	24.00
		1	104	22.66	22.70	22.64	24.00
		50	0	22.34	22.26	22.16	23.50
		50	28	22.77	22.75	22.73	24.00
		50	56	22.15	22.08	22.09	23.50
		100	0	22.11	22.20	22.08	23.50
	DFT-s-OFDM QPSK	1	1	22.65	22.79	22.72	24.00
		1	53	22.60	22.63	22.58	24.00
		1	104	22.50	22.51	22.48	24.00
		50	0	21.73	21.75	21.75	23.00
		50	28	22.60	22.64	22.63	24.00
		50	56	21.65	21.58	21.54	23.00
	100	0	21.71	21.63	21.63	23.00	
	DFT-s-OFDM 16QAM	1	1	21.82	21.80	21.83	23.00
	DFT-s-OFDM 64QAM	1	1	20.08	20.16	20.25	21.50
	DFT-s-OFDM 256QAM	1	1	18.16	18.28	18.29	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
20MHz	CP-OFDM QPSK	1	1	21.18	21.17	21.14	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166300	167300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	22.50	22.71	22.62	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165800	167300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	22.65	22.69	22.65	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165300	167300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	22.59	22.57	22.71	24.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443 or email: CSG.Cert@csgr.com

No. 10, 1st Floor, 2nd Section, Second Technology Park, Shenzhen City, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 474 of 867

N5 DSI2				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
				834	836.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	22.38	22.30	22.20	23.50
		1	53	22.08	22.25	22.07	23.50
		1	104	22.17	22.28	22.16	23.50
		50	0	21.89	21.84	21.72	23.00
		50	28	22.32	22.20	22.24	23.50
		50	56	21.72	21.61	21.51	23.00
		100	0	21.71	21.72	21.56	23.00
	DFT-s-OFDM QPSK	1	1	22.22	22.32	22.25	23.50
		1	53	22.09	22.18	22.17	23.50
		1	104	21.95	22.06	22.04	23.50
		50	0	21.18	21.21	21.25	22.50
		50	28	22.13	22.15	22.20	23.50
		50	56	21.23	21.18	21.07	22.50
		100	0	21.24	21.25	21.15	22.50
	DFT-s-OFDM 16QAM	1	1	21.31	21.36	21.33	22.50
	DFT-s-OFDM 64QAM	1	1	19.61	19.71	19.79	21.00
	DFT-s-OFDM 256QAM	1	1	17.67	17.70	17.89	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
20MHz	CP-OFDM QPSK	1	1	20.65	20.68	20.67	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166300	167300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	22.02	22.20	22.23	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165800	167300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	22.26	22.21	22.17	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165300	167300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	22.16	22.13	22.22	23.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CSG_Group@sgs.com.cn

No. 10, Huafeng 8th, 10th Floor, Second Technology Park, Shenzhen City, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 475 of 867

N5 DS18/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
				834	836.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.92	21.81	21.76	23.00
		1	53	21.59	21.74	21.59	23.00
		1	104	21.74	21.69	21.70	23.00
		50	0	21.35	21.28	21.17	22.50
		50	28	21.73	21.71	21.69	23.00
		50	56	21.15	21.06	21.09	22.50
		100	0	21.20	21.15	21.10	22.50
	DFT-s-OFDM QPSK	1	1	21.60	21.82	21.63	23.00
		1	53	21.66	21.62	21.60	23.00
		1	104	21.47	21.52	21.52	23.00
		50	0	20.68	20.77	20.80	22.00
		50	28	21.63	21.68	21.69	23.00
		50	56	20.68	20.63	20.49	22.00
		100	0	20.70	20.63	20.62	22.00
	DFT-s-OFDM 16QAM	1	1	20.78	20.85	20.73	22.00
	DFT-s-OFDM 64QAM	1	1	19.08	19.26	19.21	20.50
	DFT-s-OFDM 256QAM	1	1	17.14	17.25	17.32	18.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
166800					167300	167800	
20MHz	CP-OFDM QPSK	1	1	20.13	20.10	20.09	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166300	167300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	21.53	21.78	21.67	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165800	167300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	21.74	21.71	21.66	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165300	167300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	21.65	21.58	21.67	23.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of CICA's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. All other rights are reserved. The results shown in this test report refer only to the sample(s) tested and not to the whole lot. Results are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Dongchao@sgsg.com
 亞細亞(中國)貿易有限公司 廣東省廣州市 廣州市東莞區 廣東省 516067 (86-755)28012030 (86-755)26710394 www.sgsgroup.com.cn
 中國·廣東·深圳市南山區科苑路中區8-10樓10樓 郵箱: 516067 (86-755)28012030 (86-755)26710394 sgc@china@sgsg.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 476 of 867

N5 DSI3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
				834	836.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.32	21.35	21.20	22.50
		1	53	21.00	21.15	21.06	22.50
		1	104	21.21	21.20	21.14	22.50
		50	0	20.94	20.77	20.65	22.00
		50	28	21.18	21.15	21.14	22.50
		50	56	20.74	20.64	20.53	22.00
		100	0	20.68	20.70	20.57	22.00
	DFT-s-OFDM QPSK	1	1	21.09	21.39	21.08	22.50
		1	53	21.10	21.20	21.11	22.50
		1	104	20.97	20.92	21.05	22.50
		50	0	20.23	20.35	20.30	21.50
		50	28	21.08	21.14	21.19	22.50
		50	56	20.22	20.07	19.89	21.50
	100	0	20.18	20.14	20.03	21.50	
	DFT-s-OFDM 16QAM	1	1	20.21	20.30	20.32	21.50
	DFT-s-OFDM 64QAM	1	1	18.61	18.76	18.78	20.00
	DFT-s-OFDM 256QAM	1	1	16.66	16.74	16.77	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
20MHz	CP-OFDM QPSK	1	1	19.65	19.56	19.63	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166300	167300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	21.07	21.24	21.20	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165800	167300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	21.27	21.16	21.18	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165300	167300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	21.19	21.03	21.14	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CSG.Cert@csgr.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10楼1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 477 of 867

NR N26 DSI4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel 164800	Channel 166300	Channel 167800	Tune up
				824	831.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.18	24.18	24.09	25.50
		1	53	24.12	24.18	24.21	25.50
		1	104	24.23	24.15	24.13	25.50
		50	0	23.51	23.58	23.53	25.00
		50	28	24.16	24.13	24.13	25.50
		50	56	23.67	23.69	23.70	25.00
		100	0	23.63	23.64	23.59	25.00
	DFT-s-OFDM QPSK	1	1	24.24	24.15	24.20	25.50
		1	53	24.26	24.19	24.28	25.50
		1	104	24.23	24.21	24.20	25.50
		50	0	23.04	23.11	23.17	24.50
		50	28	24.15	24.11	24.19	25.50
		50	56	23.23	23.16	23.17	24.50
		100	0	23.29	23.19	23.21	24.50
	DFT-s-OFDM 16QAM	1	1	23.17	23.23	23.27	24.50
	DFT-s-OFDM 64QAM	1	1	21.63	21.63	21.65	23.00
	DFT-s-OFDM 256QAM	1	1	19.37	19.45	19.35	21.00
Bandwidth	Modulation	RB size	RB offset	Channel 164800	Channel 166300	Channel 167800	Tune up
20MHz	CP-OFDM QPSK	1	1	22.61	22.63	22.58	24.00
Bandwidth	Modulation	RB size	RB offset	Channel 164300	Channel 166300	Channel 168300	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	24.23	24.20	24.20	25.50
Bandwidth	Modulation	RB size	RB offset	Channel 163800	Channel 166300	Channel 168800	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	24.18	24.11	24.11	25.50
Bandwidth	Modulation	RB size	RB offset	Channel 163300	Channel 166300	Channel 169300	Tune up
5MHz	DFT-s-OFDM QPSK	1	1	24.27	24.21	24.22	25.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CSG.Cert@csdg.com.
 In China: 8-16, 16th Floor, Second Building, Ping An Finance Center, Shenzhen, China 518067 | (86-755) 8501 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技中心8-16楼1号广东 邮编: 518067 | (86-755) 8501 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 478 of 867

N26 DSI5				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
				824	831.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	22.70	22.66	22.58	24.00
		1	53	22.66	22.67	22.69	24.00
		1	104	22.76	22.70	22.58	24.00
		50	0	22.04	22.05	22.07	23.50
		50	28	22.66	22.68	22.60	24.00
		50	56	22.15	22.22	22.15	23.50
		100	0	22.12	22.11	22.10	23.50
	DFT-s-OFDM QPSK	1	1	22.78	22.66	22.65	24.00
		1	53	22.72	22.69	22.81	24.00
		1	104	22.73	22.73	22.75	24.00
		50	0	21.51	21.66	21.68	23.00
		50	28	22.69	22.75	22.86	24.00
		50	56	21.76	21.70	21.62	23.00
		100	0	21.78	21.66	21.71	23.00
	DFT-s-OFDM 16QAM	1	1	21.64	21.68	21.73	23.00
	DFT-s-OFDM 64QAM	1	1	20.12	20.08	20.19	21.50
	DFT-s-OFDM 256QAM	1	1	17.85	17.98	17.82	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
20MHz	CP-OFDM QPSK	1	1	21.11	21.15	21.05	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164300	166300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	22.78	22.68	22.66	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163800	166300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	22.63	22.60	22.60	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163300	166300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	22.80	22.70	22.67	24.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 6443, or email: CS.Support@sgs.com.
 In China: 8-16, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-16栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 479 of 867

N26 DSI2				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
				824	831.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	22.18	22.21	22.06	23.50
		1	53	22.11	22.21	22.25	23.50
		1	104	22.18	22.19	22.10	23.50
		50	0	21.55	21.53	21.48	23.00
		50	28	22.18	22.08	22.10	23.50
		50	56	21.69	21.70	21.74	23.00
		100	0	21.60	21.60	21.58	23.00
	DFT-s-OFDM QPSK	1	1	22.27	22.13	22.20	23.50
		1	53	22.14	22.07	22.27	23.50
		1	104	22.26	22.20	22.25	23.50
		50	0	21.03	21.06	21.15	22.50
		50	28	22.31	22.29	22.50	23.50
		50	56	21.18	21.19	21.22	22.50
		100	0	21.31	21.15	21.26	22.50
	DFT-s-OFDM 16QAM	1	1	21.20	21.21	21.29	22.50
	DFT-s-OFDM 64QAM	1	1	19.61	19.62	19.69	21.00
	DFT-s-OFDM 256QAM	1	1	17.40	17.43	17.31	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
20MHz	CP-OFDM QPSK	1	1	20.62	20.60	20.58	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164300	166300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	22.24	22.18	22.16	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163800	166300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	22.19	22.06	22.16	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163300	166300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	22.23	22.20	22.20	23.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which its rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 6443, or email: CSG.Cert@csdg.com

No. 10, Mahe 8th, 5th Floor, Second Technology Park, Shenzhen, China 518057 | (86-755) 6881 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6881 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 480 of 867

N26 DS18/9/10				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
				824	831.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.72	21.72	21.54	23.00
		1	53	21.57	21.71	21.76	23.00
		1	104	21.72	21.70	21.61	23.00
		50	0	20.97	21.11	21.07	22.50
		50	28	21.68	21.59	21.66	23.00
		50	56	21.21	21.20	21.17	22.50
		100	0	21.13	21.18	21.09	22.50
	DFT-s-OFDM QPSK	1	1	21.77	21.60	21.66	23.00
		1	53	21.75	21.69	21.81	23.00
		1	104	21.70	21.80	21.74	23.00
		50	0	20.57	20.65	20.72	22.00
		50	28	21.69	21.64	21.65	23.00
		50	56	20.77	20.66	20.69	22.00
		100	0	20.79	20.72	20.76	22.00
	DFT-s-OFDM 16QAM	1	1	20.70	20.75	20.77	22.00
	DFT-s-OFDM 64QAM	1	1	19.10	19.16	19.17	20.50
	DFT-s-OFDM 256QAM	1	1	16.86	16.98	16.81	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
20MHz	CP-OFDM QPSK	1	1	20.06	20.13	20.03	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164300	166300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	21.78	21.70	21.68	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163800	166300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	21.69	21.66	21.65	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163300	166300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	21.72	21.68	21.77	23.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 6443, or email: CS.Support@sgs.com.
 In Market: 8-10, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 481 of 867

N26 DSI3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
				824	831.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.28	21.27	21.04	22.50
		1	53	21.13	21.22	21.23	22.50
		1	104	21.17	21.20	21.10	22.50
		50	0	20.54	20.62	20.60	22.00
		50	28	21.16	21.14	21.24	22.50
		50	56	20.75	20.71	20.67	22.00
		100	0	20.65	20.63	20.51	22.00
	DFT-s-OFDM QPSK	1	1	21.31	21.05	21.17	22.50
		1	53	21.29	21.27	21.25	22.50
		1	104	21.17	21.23	21.27	22.50
		50	0	20.04	20.14	20.25	21.50
		50	28	21.13	21.18	21.05	22.50
		50	56	20.36	20.17	20.11	21.50
		100	0	20.30	20.29	20.26	21.50
	DFT-s-OFDM 16QAM	1	1	20.25	20.29	20.22	21.50
	DFT-s-OFDM 64QAM	1	1	18.63	18.63	18.75	20.00
	DFT-s-OFDM 256QAM	1	1	16.39	16.40	16.28	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
20MHz	CP-OFDM QPSK	1	1	19.55	19.58	19.58	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164300	166300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	21.26	21.25	21.16	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163800	166300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	21.15	21.11	21.15	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163300	166300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	21.22	21.18	21.25	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/sgs/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 8th, Maly Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

12.2 Conducted Power of NR Antenna (Ant12)

N2 DSI4/5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	22.38	22.52	22.40	23.30
		1	53	22.54	22.55	22.44	23.30
		1	104	22.41	22.57	22.50	23.30
		50	0	21.54	21.35	21.37	22.80
		50	28	22.42	22.36	22.56	23.30
		50	56	21.46	21.45	21.46	22.80
		100	0	21.45	21.54	21.29	22.80
	DFT-s-OFDM QPSK	1	1	22.44	22.44	22.45	23.30
		1	53	22.48	22.61	22.47	23.30
		1	104	22.41	22.49	22.42	23.30
		50	0	21.46	21.42	21.43	22.30
		50	28	22.42	22.40	22.47	23.30
		50	56	21.42	21.47	21.46	22.30
		100	0	21.45	21.45	21.37	22.30
	DFT-s-OFDM 16QAM	1	1	21.52	21.62	21.62	22.30
	DFT-s-OFDM 64QAM	1	1	20.14	20.12	20.06	20.80
	DFT-s-OFDM 256QAM	1	1	17.87	18.01	17.93	18.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	20.95	20.96	20.91	21.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	22.35	22.36	22.45	23.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	22.47	22.39	22.45	23.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	22.53	22.50	22.35	23.30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accession at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. All other information stated the results shown in this test report refer only to the sample(s) tested and not samples are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Detectech@supgroup.com
 在 厦 門 市 海 峽 科 技 有 限 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司
 中国·广东·深圳市南山区科技园中区8-10栋11楼广东 邮编: 516067 (86-755)28012030 (86-755)26710394 www.supgroup.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋11楼广东 邮编: 516067 (86-755)28012030 (86-755)26710394 sgpchina@supgroup.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 483 of 867

N2 DS18/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.84	20.93	20.98	21.80
		1	53	20.98	21.04	20.88	21.80
		1	104	20.81	21.09	20.93	21.80
		50	0	20.05	19.92	19.89	21.30
		50	28	20.87	20.80	21.15	21.80
		50	56	19.88	19.94	19.87	21.30
		100	0	19.97	20.12	19.83	21.30
	DFT-s-OFDM QPSK	1	1	20.99	20.91	20.91	21.80
		1	53	20.88	21.04	20.87	21.80
		1	104	21.00	20.93	20.88	21.80
		50	0	19.98	19.83	19.96	20.80
		50	28	20.92	20.88	21.00	21.80
		50	56	19.84	20.06	19.92	20.80
		100	0	19.97	20.03	19.84	20.80
	DFT-s-OFDM 16QAM	1	1	19.95	20.20	20.21	20.80
	DFT-s-OFDM 64QAM	1	1	18.70	18.68	18.64	19.30
	DFT-s-OFDM 256QAM	1	1	16.33	16.50	16.38	17.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	19.46	19.43	19.42	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	20.86	20.91	20.90	21.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	20.96	20.90	20.94	21.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	21.04	21.05	20.89	21.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Cn@sgs.com.

No. 10, Huayuan 2nd Industrial Zone, Second Industrial Park, Shenzhen City, Guangdong, China 518057 | (86-755) 8581 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 8581 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 484 of 867

N2 DS12/3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.78	18.07	17.85	18.80
		1	53	18.09	17.96	17.95	18.80
		1	104	17.84	18.11	18.04	18.80
		50	0	17.12	16.81	16.82	18.30
		50	28	18.00	17.82	18.08	18.80
		50	56	16.90	16.85	17.04	18.30
		100	0	16.93	17.02	16.72	18.30
	DFT-s-OFDM QPSK	1	1	17.91	17.91	17.99	18.80
		1	53	18.07	18.19	18.03	18.80
		1	104	18.00	18.08	17.96	18.80
		50	0	16.98	16.95	16.83	17.80
		50	28	17.97	17.94	17.90	18.80
		50	56	16.87	17.01	16.97	17.80
		100	0	16.91	16.93	16.83	17.80
	DFT-s-OFDM 16QAM	1	1	17.11	17.21	17.03	17.80
	DFT-s-OFDM 64QAM	1	1	15.54	15.66	15.48	16.30
	DFT-s-OFDM 256QAM	1	1	13.41	13.58	13.33	14.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	16.43	16.43	16.45	17.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	17.89	17.91	17.98	18.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	18.00	17.92	17.95	18.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	18.08	18.02	17.87	18.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Cn@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, China. Tel: 86-755 8581 9443 / 86-755 2671 0594 / 86-755 2671 0594. www.sgs.com.cn
中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 / 86-755 8581 2053 / 86-755 2671 0594 / 86-755 2671 0594. sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 485 of 867

N7 DSI4/5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.33	18.13	18.23	19.20
		1	108	18.09	18.11	18.25	19.20
		1	214	18.23	18.27	18.15	19.20
		108	0	17.10	17.05	17.20	18.70
		108	54	17.97	18.00	18.04	19.20
		108	108	17.17	17.24	17.20	18.70
		216	0	17.18	17.13	17.13	18.70
	DFT-s-OFDM QPSK	1	1	18.17	18.20	18.14	19.20
		1	108	18.20	18.28	18.09	19.20
		1	214	18.43	18.23	18.30	19.20
		108	0	17.12	16.94	17.19	18.20
		108	54	18.08	17.86	17.99	19.20
		108	108	17.29	17.17	17.32	18.20
		216	0	16.99	16.94	17.16	18.20
	DFT-s-OFDM 16QAM	1	1	17.10	17.16	17.17	18.20
	DFT-s-OFDM 64QAM	1	1	15.23	15.48	15.41	16.70
	DFT-s-OFDM 256QAM	1	1	13.55	13.56	13.49	14.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	16.61	16.62	16.53	17.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	18.09	18.36	18.08	19.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	18.21	18.20	18.14	19.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	18.22	18.28	18.20	19.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com or sgs@sgs.com.

No. (Market) 8-10, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 486 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	18.15	18.32	18.06	19.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	18.25	18.39	18.19	19.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	18.16	18.24	18.22	19.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. The Company shall not be held responsible for the results of any use of this report other than for the purposes stated and any damages are limited to 30 days only.

SAMPLES ARE LIMITED FOR 30 DAYS ONLY.
ATTENTION: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)93711643,
or email: ENR.China@agap.com.cn

The Website: www.agapgroup.com.cn	中国、广东、深圳南山区科技园中区E-1栋11楼广告部 邮编: 518057	(86-755)20312033	(86-755)26710594	www.agapgroup.com.cn
中国、广东、深圳南山区科技园中区E-1栋11楼广告部 邮编: 518057	(86-755)20312033	(86-755)26710594	www.agapgroup.com.cn	

Member of the SGB Group (1988-8A)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 487 of 867

N7 DS18/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.76	16.59	16.76	17.70
		1	108	16.66	16.66	16.78	17.70
		1	214	16.72	16.71	16.55	17.70
		108	0	15.53	15.48	15.74	17.20
		108	54	16.40	16.49	16.59	17.70
		108	108	15.71	15.70	15.61	17.20
		216	0	15.71	15.64	15.69	17.20
	DFT-s-OFDM QPSK	1	1	16.76	16.70	16.56	17.70
		1	108	16.61	16.72	16.65	17.70
		1	214	17.02	16.82	16.71	17.70
		108	0	15.62	15.52	15.72	16.70
		108	54	16.64	16.37	16.54	17.70
		108	108	15.74	15.62	15.75	16.70
		216	0	15.58	15.39	15.57	16.70
	DFT-s-OFDM 16QAM	1	1	15.61	15.69	15.65	16.70
	DFT-s-OFDM 64QAM	1	1	13.75	14.04	13.96	15.20
	DFT-s-OFDM 256QAM	1	1	11.95	12.10	11.99	13.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	15.07	15.15	15.02	16.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	16.54	16.89	16.54	17.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	16.66	16.73	16.65	17.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	16.73	16.75	16.66	17.70



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.C@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 488 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	16.67	16.81	16.58	17.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	16.74	16.91	16.65	17.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	16.61	16.71	16.68	17.70



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS@sgschina.com.
 In China: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Building 5th, 116057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 489 of 867

N7 DS12/3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	14.32	14.12	14.28	15.20
		1	108	14.03	14.14	14.18	15.20
		1	214	14.17	14.29	14.14	15.20
		108	0	13.05	13.01	13.29	14.70
		108	54	13.88	14.00	14.00	15.20
		108	108	13.24	13.14	13.19	14.70
		216	0	13.17	13.13	13.06	14.70
	DFT-s-OFDM QPSK	1	1	14.10	14.22	14.20	15.20
		1	108	14.10	14.25	14.02	15.20
		1	214	14.37	14.23	14.38	15.20
		108	0	13.08	12.99	13.10	14.20
		108	54	13.99	13.83	13.92	15.20
		108	108	13.38	13.11	13.29	14.20
		216	0	12.95	12.94	13.25	14.20
	DFT-s-OFDM 16QAM	1	1	13.18	13.14	13.07	14.20
	DFT-s-OFDM 64QAM	1	1	11.22	11.56	11.37	12.70
	DFT-s-OFDM 256QAM	1	1	9.64	9.64	9.52	10.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	12.63	12.61	12.58	13.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	14.13	14.31	14.09	15.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	14.24	14.18	14.17	15.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	14.21	14.29	14.23	15.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn

No. 10, Huayuan 2nd Road, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 490 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	14.13	14.27	14.06	15.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	14.29	14.42	14.21	15.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	14.11	14.29	14.21	15.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are the property of the Corporation and shall be used only for the purposes intended. The Corporation and its subsidiaries and its affiliates assume no responsibility for the accuracy or completeness of the information contained herein. The Corporation's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. All other information stated the results shown in this test report refer only to the sample(s) tested and not to the material(s) as a whole.

[illegible]

Member of the SGB Group (1988-8A)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 491 of 867

N66 DSI4/5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.69	21.63	21.55	22.50
		1	108	21.62	21.60	21.67	22.50
		1	214	21.59	21.38	21.51	22.50
		108	0	20.35	20.60	20.51	22.00
		108	54	21.57	21.55	21.61	22.50
		108	108	20.47	20.51	20.66	22.00
		216	0	20.73	20.50	20.74	22.00
	DFT-s-OFDM QPSK	1	1	21.60	21.60	21.61	22.50
		1	108	21.67	21.65	21.71	22.50
		1	214	21.51	21.48	21.54	22.50
		108	0	20.43	20.54	20.49	21.50
		108	54	21.49	21.61	21.62	22.50
		108	108	20.49	20.48	20.61	21.50
		216	0	20.68	20.51	20.65	21.50
	DFT-s-OFDM 16QAM	1	1	20.34	20.29	20.36	21.50
	DFT-s-OFDM 64QAM	1	1	18.91	18.75	18.78	20.00
	DFT-s-OFDM 256QAM	1	1	17.31	17.24	17.23	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	20.18	20.16	20.22	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	21.64	21.59	21.70	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	21.67	21.52	21.60	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	21.56	21.54	21.59	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CS.Support@sgs.com.

No. 10, Huayuan 8-1, Nanshan District, Shenzhen, P.R. China (Guangdong) 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 492 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	21.53	21.54	21.57	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	21.67	21.63	21.54	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	21.69	21.66	21.54	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	21.54	21.57	21.60	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from excluding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS@china.sgs.com

No. 10, 1st Floor, 8th Middle School, Second School, Pingli, Shenzhen, Guangdong, China 518057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 493 of 867

N66 DS18/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.16	20.20	19.98	21.00
		1	108	20.13	20.16	20.22	21.00
		1	214	20.15	19.81	19.98	21.00
		108	0	18.78	19.03	19.04	20.50
		108	54	19.97	20.14	20.02	21.00
		108	108	18.94	19.09	19.17	20.50
		216	0	19.27	18.99	19.20	20.50
	DFT-s-OFDM QPSK	1	1	20.19	20.03	20.10	21.00
		1	108	20.15	20.21	20.24	21.00
		1	214	19.95	19.92	20.02	21.00
		108	0	18.92	18.99	18.91	20.00
		108	54	20.01	20.14	20.02	21.00
		108	108	18.89	18.94	19.14	20.00
		216	0	19.09	19.09	19.15	20.00
	DFT-s-OFDM 16QAM	1	1	18.90	18.70	18.88	20.00
	DFT-s-OFDM 64QAM	1	1	17.43	17.26	17.36	18.50
	DFT-s-OFDM 256QAM	1	1	15.78	15.66	15.75	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	18.63	18.70	18.72	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	20.09	20.05	20.16	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	20.19	20.02	20.05	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	20.04	20.02	20.10	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Certification@sgs.com.

No. (Market & Sales Dept.) Shenzhen Branch: Shenzhen Branch: Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 494 of 867

20MHz	DFT-s-OFDM QPSK	1	1	20.00	20.00	20.12	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	20.20	20.17	20.09	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	20.24	20.20	20.04	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	20.01	20.12	20.05	21.00

[illegible]

本報告已於開辦後30日內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Detectech@supgroup.com
 在華北: 814, Nishi Ave, Sinopec Technology Park, Shoude District, Jinan, Shandong, China 316667 (86-755) 2801 2030 (86-755) 267 10394 www.supgroup.com.cn
 中國 - 廣東 - 深圳市南山區科苑路中區8-10號11樓 郵箱: 316667 (86-755) 2801 2030 (86-755) 267 10394 sgpchina@supgroup.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 495 of 867

N66 DSI2				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.23	18.06	18.11	19.00
		1	108	18.03	18.07	18.07	19.00
		1	214	18.04	17.89	18.10	19.00
		108	0	16.91	17.01	17.10	18.50
		108	54	18.12	18.04	18.01	19.00
		108	108	16.90	16.96	17.24	18.50
		216	0	17.19	16.90	17.21	18.50
	DFT-s-OFDM QPSK	1	1	18.14	18.02	18.17	19.00
		1	108	18.22	18.09	18.13	19.00
		1	214	17.97	17.92	18.01	19.00
		108	0	16.86	17.04	16.92	18.00
		108	54	17.91	18.11	18.03	19.00
		108	108	17.02	16.97	17.13	18.00
		216	0	17.17	16.95	17.24	18.00
	DFT-s-OFDM 16QAM	1	1	16.92	16.82	16.87	18.00
	DFT-s-OFDM 64QAM	1	1	15.38	15.33	15.19	16.50
	DFT-s-OFDM 256QAM	1	1	13.88	13.77	13.79	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	16.69	16.62	16.75	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	18.13	18.05	18.15	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	18.17	18.02	18.11	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	18.04	18.09	18.13	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	18.03	17.99	18.12	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.
 In China: 8-11, Nanyang Road, Second Industrial Park, Shenzhen City, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 496 of 867

				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	18.19	18.18	18.05	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	18.16	18.18	18.07	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	18.02	18.06	18.13	19.00

[illegible]

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Dongchao@sgsp.com
 在 厦 門 市 海 峽 科 技 研 究 院 內 設 有 國 際 化 驗 室 及 檢 測 中 心
 In Shenyang: P.R. China, Shenyang Technology Park, Shenyang District, Shenyang, China. 516667
 中國、廣東、深圳市南山區科苑路中區8-10號11樓廣東 郵政 516067
 (86-755) 26571039 (86-755) 26710394 www.sgspgroup.com.cn
 (86-755) 26571039 (86-755) 26710394 sgpchina@sgsp.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 497 of 867

N66 DSI3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.62	17.58	17.53	18.50
		1	108	17.58	17.60	17.68	18.50
		1	214	17.50	17.42	17.57	18.50
		108	0	16.37	16.60	16.45	18.00
		108	54	17.59	17.57	17.67	18.50
		108	108	16.46	16.50	16.70	18.00
		216	0	16.68	16.49	16.66	18.00
	DFT-s-OFDM QPSK	1	1	17.58	17.65	17.70	18.50
		1	108	17.66	17.70	17.71	18.50
		1	214	17.55	17.45	17.61	18.50
		108	0	16.50	16.56	16.46	17.50
		108	54	17.57	17.52	17.55	18.50
		108	108	16.48	16.53	16.58	17.50
		216	0	16.58	16.52	16.70	17.50
	DFT-s-OFDM 16QAM	1	1	16.32	16.25	16.35	17.50
DFT-s-OFDM 64QAM	1	1	14.99	14.83	14.83	16.00	
DFT-s-OFDM 256QAM	1	1	13.34	13.24	13.30	14.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	16.17	16.20	16.19	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	17.61	17.57	17.65	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	17.67	17.57	17.59	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	17.55	17.58	17.55	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	17.54	17.50	17.55	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	17.70	17.68	17.55	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

In China: 8-11, Malya Sector, Second Technology Park, Shenzhen City, Guangdong, China. Tel: 816057 / (86-755) 8811 2053 / (86-755) 26710594 / www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号广东 邮编: 518057 / (86-755) 8811 2053 / (86-755) 26710594 / sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 498 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	17.65	17.71	17.55	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	17.58	17.53	17.59	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Company's instructions. If any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. The Company shall not be held responsible for the results shown in this test report refer only to the sample(s) tested and not sample(s) are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8907 1643.
 or email: CN.Dongchao@sgsg.com
 在 厦 門 市 海 峽 科 技 園 區 第 二 期 第 二 號 樓 廣 東 省 518067 (86-755)28012030 (86-755)26710394 www.sgsgroup.com.cn
 中 國 · 廣 東 · 深 圳 市 龍 崗 區 科 技 園 區 中 區 A-10 樓 101 廣 東 省 518067 (86-755)28012030 (86-755)26710394 sgc@china.sgsg.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 499 of 867

N38 DS14/5				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.88	20.98	20.84	21.50
		1	53	20.77	20.75	20.79	21.50
		1	104	20.85	20.84	20.91	21.50
		50	0	19.88	19.77	19.75	21.00
		50	28	20.81	20.75	20.70	21.50
		50	56	19.79	19.76	19.83	21.00
		100	0	19.87	19.79	19.89	21.00
	DFT-s-OFDM QPSK	1	1	20.97	21.02	20.94	21.50
		1	53	20.81	20.85	20.75	21.50
		1	104	20.75	20.84	20.82	21.50
		50	0	19.75	19.92	19.90	20.50
		50	28	20.76	20.71	20.83	21.50
		50	56	19.85	19.83	19.82	20.50
		100	0	19.87	19.93	19.90	20.50
	DFT-s-OFDM 16QAM	1	1	19.78	19.77	19.77	20.50
	DFT-s-OFDM 64QAM	1	1	18.43	18.41	18.48	19.00
	DFT-s-OFDM 256QAM	1	1	16.15	16.22	16.16	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	19.20	19.25	19.11	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	20.93	21.02	20.91	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	20.88	20.95	20.83	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	20.91	20.93	20.85	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	20.90	20.94	20.93	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG_Group@sgs.com

No. 10, Maoyang 8th, Maoyang 8th, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

N38 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.35	19.53	19.39	20.00
		1	53	19.21	19.26	19.27	20.00
		1	104	19.42	19.37	19.48	20.00
		50	0	18.37	18.21	18.19	19.50
		50	28	19.38	19.22	19.19	20.00
		50	56	18.33	18.21	18.34	19.50
		100	0	18.44	18.35	18.44	19.50
	DFT-s-OFDM QPSK	1	1	19.52	19.44	19.40	20.00
		1	53	19.33	19.37	19.30	20.00
		1	104	19.28	19.40	19.38	20.00
		50	0	18.15	18.38	18.38	19.00
		50	28	19.16	19.30	19.36	20.00
		50	56	18.31	18.26	18.24	19.00
		100	0	18.31	18.45	18.33	19.00
	DFT-s-OFDM 16QAM	1	1	18.21	18.19	18.33	19.00
	DFT-s-OFDM 64QAM	1	1	16.94	16.96	17.02	17.50
DFT-s-OFDM 256QAM	1	1	14.70	14.74	14.58	15.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	17.75	17.77	17.62	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	19.38	19.54	19.46	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	19.35	19.48	19.32	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	19.38	19.40	19.31	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	19.37	19.40	19.46	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.psa.com/legal/Terms-Conditions>. The Client agrees to indemnify and hold the Company harmless from and defend the Company against all claims, damages, losses and expenses (including reasonable attorneys' fees) that may be incurred by the Company as a result of its indemnification and within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If otherwise stated the results shown in this test report refer only to the sample(s) tested and not to the material as a whole. Results are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Dongchao@sgs.com
 在 厦 門 市 海 峽 科 技 園 區 第 二 期 第 二 十 八 號 樓 宇 廣 東 分 公 司 516067 (86-755)28012030 (86-755)26710394 www.sgsgroup.com.cn
 中 國 廣 東 深 圳 市 龍 崗 區 科 技 園 區 中 區 8-10 樓 11 樓 廣 東 分 公 司 516067 (86-755)28012030 (86-755)26710394 sgs.china@sgs.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 501 of 867

N38 DSI2				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.94	16.90	16.86	17.50
		1	53	16.85	16.83	16.69	17.50
		1	104	16.76	16.89	16.99	17.50
		50	0	15.97	15.86	15.84	17.00
		50	28	16.75	16.74	16.76	17.50
		50	56	15.72	15.76	15.77	17.00
		100	0	15.96	15.86	15.82	17.00
	DFT-s-OFDM QPSK	1	1	17.00	16.92	16.87	17.50
		1	53	16.90	16.76	16.81	17.50
		1	104	16.83	16.74	16.84	17.50
		50	0	15.68	15.82	15.98	16.50
		50	28	16.67	16.64	16.78	17.50
		50	56	15.92	15.85	15.74	16.50
		100	0	15.87	16.00	15.96	16.50
	DFT-s-OFDM 16QAM	1	1	15.75	15.77	15.86	16.50
	DFT-s-OFDM 64QAM	1	1	14.35	14.42	14.56	15.00
	DFT-s-OFDM 256QAM	1	1	12.16	12.23	12.25	13.00
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
518000					519000	520000	
40MHz	CP-OFDM QPSK	1	1	15.24	15.21	15.16	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	16.92	16.98	16.87	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	16.92	16.90	16.87	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	16.90	16.88	16.90	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	16.91	16.93	16.97	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. The Company shall not be held responsible for the results of any use of this report other than for the purposes stated and any damages are limited to 30 days only.

本報告已獲准於 30 日截止。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8907 1643.
 or email: CN.Doncosoft@epg.com
 在 華南: 中國, 廣東, 深圳市南山區科苑路中區 8-10 樓 10 樓 廣東 郵政 516067
 (86-755) 2607 2030 (86-755) 267 10304 www.epggroup.com.cn
 (86-755) 2607 2030 (86-755) 267 10304 epgchina@epg.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 502 of 867

N38 DSI3				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.40	16.54	16.38	17.00
		1	53	16.20	16.17	16.19	17.00
		1	104	16.31	16.40	16.47	17.00
		50	0	15.29	15.19	15.23	16.50
		50	28	16.40	16.30	16.27	17.00
		50	56	15.30	15.20	15.34	16.50
		100	0	15.34	15.19	15.29	16.50
	DFT-s-OFDM QPSK	1	1	16.55	16.56	16.39	17.00
		1	53	16.31	16.31	16.15	17.00
		1	104	16.30	16.25	16.29	17.00
		50	0	15.28	15.34	15.33	16.00
		50	28	16.18	16.12	16.23	17.00
		50	56	15.31	15.34	15.30	16.00
		100	0	15.43	15.43	15.36	16.00
	DFT-s-OFDM 16QAM	1	1	15.36	15.23	15.36	16.00
	DFT-s-OFDM 64QAM	1	1	13.98	13.91	13.89	14.50
	DFT-s-OFDM 256QAM	1	1	11.58	11.68	11.67	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	14.74	14.76	14.61	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	16.44	16.47	16.39	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	16.39	16.47	16.38	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	16.38	16.38	16.40	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	16.35	16.43	16.43	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. The Company shall not be held responsible for the results shown in this test report refer only to the sample(s) tested and not sample(s) are obtained for 30 days only.

本報告已於2011年3月31日刊出。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Detectech@supgroup.com
 在 厦 門 市 海 峽 科 技 有 限 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司 廈 門 分 公 司
 中國·廣東·深圳市南山區科苑路中區8-10號11樓 郵箱: 516067
 (86-755) 26571039 (86-755) 26710394 www.supgroup.com.cn
 (86-755) 26571039 (86-755) 26710394 cn@china@sup.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 503 of 867

N41 PC2 DSI4/5				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.61	20.53	20.67	20.57	20.70	21.50
		1	137	20.57	20.69	20.69	20.72	20.61	21.50
		1	271	20.60	20.61	20.56	20.60	20.67	21.50
		135	0	17.16	17.10	17.09	17.01	17.00	18.00
		135	69	20.58	20.66	20.70	20.73	20.70	21.50
		135	138	17.05	17.01	17.19	17.25	17.21	18.00
		270	0	19.84	19.85	20.11	20.15	20.14	21.00
	DFT-s-OFDM QPSK	1	1	20.57	20.58	20.64	20.59	20.65	21.50
		1	137	20.60	20.66	20.62	20.65	20.62	21.50
		1	271	20.55	20.62	20.60	20.59	20.61	21.50
		135	0	17.11	17.15	17.06	17.02	16.96	18.00
		135	69	20.57	20.68	20.64	20.69	20.71	21.50
		135	138	17.06	17.00	17.12	17.23	17.20	18.00
		270	0	19.44	19.44	19.62	19.70	19.64	20.50
	DFT-s-OFDM 16QAM	1	1	19.53	19.44	19.53	19.55	19.45	20.50
	DFT-s-OFDM 64QAM	1	1	18.07	17.96	18.10	18.17	18.14	19.00
	DFT-s-OFDM 256QAM	1	1	15.98	15.99	16.11	16.20	16.17	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	19.20	19.13	19.12	19.17	19.18	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	20.51	20.66	20.57	20.64	20.70	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	20.47	20.54	20.57	20.66	20.73	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	20.50	20.52	20.69	20.61	20.59	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 504 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	20.61	20.55	20.54	20.61	20.61	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	20.66	20.56	20.57	20.51	20.59	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	20.57	20.59	20.67	20.56	20.62	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	20.56	20.64	20.62	20.56	20.63	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	20.59	20.57	20.70	20.67	20.56	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	20.56	20.62	20.59	20.51	20.55	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	20.58	20.49	20.60	20.59	20.56	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to the General Conditions of Service printed hereon, available on request or accession at <http://www.mca.com/eng/terms-and-conditions>. Reference is made to the limitations of liability, indemnification and arbitration clauses contained therein. This document is provided as a guide; that information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content in appearance of this document is unlawful and offenders may be prosecuted under the applicable laws of their respective countries. Otherwise stated the results shown in this test report refer only to the sample(s) tested and are not intended to be a basis for comparison for 30 days after.

本廣告刊例已預留30天，如有更改，恕不另行通知。
 欲索取詳情，請致電：(86-755) 8307 1461 或 (86-755) 8307 1462。
 或電郵：china@aggroup.com.cn
 或傳真：(86-755) 8307 1463
 中國·廣東·深圳南山區科苑南路8號·11樓11F廣告部 郵箱：816667
 (86-755) 8307 1461 (86-755) 8307 1462 (86-755) 8307 1463 www.aggroup.com.cn
 china@aggroup.com.cn ag.china@ag.com.cn

Member of the SGB Group (1988-8A)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 505 of 867

N41 PC2 DSI8/9/10				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.07	19.02	19.13	18.99	19.17	20.00
		1	137	19.11	19.26	19.18	19.20	19.17	20.00
		1	271	19.18	19.03	19.10	19.13	19.25	20.00
		135	0	15.61	15.58	15.52	15.47	15.48	16.50
		135	69	19.07	19.08	19.16	19.16	19.25	20.00
		135	138	15.51	15.50	15.78	15.79	15.65	16.50
		270	0	18.39	18.35	18.56	18.73	18.57	19.50
	DFT-s-OFDM QPSK	1	1	19.03	19.01	19.05	19.17	19.16	20.00
		1	137	19.19	19.18	19.07	19.15	19.09	20.00
		1	271	19.14	19.20	19.15	19.08	19.11	20.00
		135	0	15.52	15.55	15.48	15.44	15.52	16.50
		135	69	19.14	19.20	19.22	19.27	19.30	20.00
		135	138	15.57	15.47	15.62	15.74	15.72	16.50
		270	0	17.97	17.89	18.03	18.24	18.08	19.00
	DFT-s-OFDM 16QAM	1	1	18.00	17.92	18.05	17.98	17.99	19.00
	DFT-s-OFDM 64QAM	1	1	16.56	16.41	16.67	16.63	16.61	17.50
	DFT-s-OFDM 256QAM	1	1	14.51	14.41	14.60	14.60	14.76	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	17.66	17.65	17.65	17.69	17.73	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	19.00	19.17	19.08	19.10	19.19	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	19.00	19.02	19.09	19.18	19.25	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	18.96	19.00	19.15	19.14	19.11	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com, sgs@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 506 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	19.06	19.10	19.03	19.06	19.09	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	19.12	19.03	19.04	19.03	19.08	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	19.12	19.10	19.22	19.06	19.14	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	19.02	19.19	19.10	19.02	19.09	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	19.13	19.04	19.15	19.15	19.03	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	19.07	19.09	19.13	19.05	19.07	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	19.09	19.02	19.11	19.06	19.06	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or visit: SGS-Group.china.com

In China: SGS (Shenzhen) Technical Services Co., Ltd. Shenzhen Branch, Building 5th, 1180077 | (86-755) 8581 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 507 of 867

N41 PC2 DSI2				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.57	17.61	17.63	17.47	17.76	18.50
		1	137	17.51	17.75	17.72	17.63	17.53	18.50
		1	271	17.52	17.53	17.51	17.58	17.66	18.50
		135	0	14.07	14.02	14.08	14.08	14.03	15.00
		135	69	17.48	17.60	17.77	17.82	17.73	18.50
		135	138	14.06	14.06	14.24	14.33	14.27	15.00
		270	0	16.87	16.89	17.11	17.22	17.14	18.00
	DFT-s-OFDM QPSK	1	1	17.55	17.50	17.57	17.58	17.64	18.50
		1	137	17.68	17.64	17.71	17.68	17.54	18.50
		1	271	17.55	17.63	17.69	17.66	17.56	18.50
		135	0	14.19	14.10	13.99	14.01	13.86	15.00
		135	69	17.53	17.58	17.57	17.71	17.77	18.50
		135	138	13.99	13.95	14.18	14.20	14.14	15.00
		270	0	16.47	16.39	16.54	16.77	16.66	17.50
	DFT-s-OFDM 16QAM	1	1	16.47	16.51	16.55	16.64	16.37	17.50
	DFT-s-OFDM 64QAM	1	1	15.12	14.97	15.12	15.18	15.09	16.00
	DFT-s-OFDM 256QAM	1	1	12.92	13.03	13.04	13.25	13.22	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	16.22	16.08	16.07	16.19	16.13	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	17.51	17.71	17.54	17.61	17.71	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	17.45	17.51	17.60	17.65	17.74	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	17.49	17.55	17.65	17.66	17.61	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Courtesy@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 508 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.58	17.52	17.57	17.63	17.64	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	17.61	17.60	17.62	17.47	17.56	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	17.61	17.55	17.72	17.56	17.64	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	17.60	17.64	17.66	17.53	17.60	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	17.55	17.62	17.67	17.72	17.54	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	17.54	17.65	17.63	17.54	17.50	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	17.63	17.52	17.55	17.62	17.53	18.50

[illegible]

SAMPLES ARE LIMITED FOR 30 DAYS ONLY.
ATTENTION: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)93711463,
or email: ENR.China@agap.com.cn

The Website: www.agapgroup.com.cn, E-Mail: ENR.China@agap.com.cn	SINCE TESTING REPORT, SERVICE CENTER, SHANGHAI, CHINA 200002	(86-755) 93711463	(86-755) 26710594	www.agapgroup.com.cn
中国·广东·深圳市福田区梅林中心区·11世纪广场 邮编: 518067	(86-755) 93711463	(86-755) 26710594	enr.china@agap.com	

Member of the SGB Group (1988-8A)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 509 of 867

N41 PC2 DSI3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.18	17.00	17.19	17.05	17.20	18.00
		1	137	17.05	17.27	17.16	17.19	17.18	18.00
		1	271	17.05	17.09	17.14	17.17	17.10	18.00
		135	0	13.61	13.58	13.62	13.43	13.42	14.50
		135	69	16.98	17.07	17.20	17.32	17.16	18.00
		135	138	13.48	13.42	13.67	13.74	13.67	14.50
		270	0	16.37	16.26	16.58	16.72	16.68	17.50
	DFT-s-OFDM QPSK	1	1	16.98	17.12	17.07	17.14	17.22	18.00
		1	137	17.14	17.10	17.06	17.17	17.02	18.00
		1	271	17.02	17.09	17.19	17.02	17.14	18.00
		135	0	13.68	13.72	13.56	13.55	13.43	14.50
		135	69	17.16	17.26	17.12	17.19	17.23	18.00
		135	138	13.53	13.50	13.65	13.77	13.77	14.50
		270	0	15.84	15.94	16.02	16.19	16.07	17.00
	DFT-s-OFDM 16QAM	1	1	16.04	16.02	16.05	15.97	15.93	17.00
	DFT-s-OFDM 64QAM	1	1	14.63	14.50	14.68	14.70	14.66	15.50
	DFT-s-OFDM 256QAM	1	1	12.52	12.39	12.62	12.71	12.66	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	15.72	15.67	15.63	15.64	15.68	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	17.03	17.19	17.04	17.11	17.18	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	16.95	17.08	17.03	17.19	17.21	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	16.98	17.00	17.15	17.10	17.12	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Courtesy@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 510 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.08	17.01	17.05	17.14	17.14	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	17.12	17.03	17.09	16.98	17.10	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	17.04	17.11	17.20	17.07	17.10	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	17.09	17.16	17.12	17.06	17.13	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	17.09	17.07	17.19	17.21	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	17.01	17.08	17.07	16.98	17.06	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	17.05	17.04	17.11	17.11	17.08	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS@sgs.com, CS@sgs.com.cn

No. 10, Huayuan 2nd Rd, Sincere Tech Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 511 of 867

N41 PC3 DSI4/5				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.57	20.57	20.71	20.61	20.68	21.50
		1	137	20.55	20.77	20.70	20.81	20.56	21.50
		1	271	20.66	20.69	20.50	20.63	20.65	21.50
		135	0	19.71	19.60	19.58	19.49	19.57	20.50
		135	69	20.49	20.71	20.75	20.73	20.71	21.50
		135	138	19.53	19.50	19.70	19.74	19.67	20.50
		270	0	19.83	19.80	20.16	20.08	20.09	21.00
	DFT-s-OFDM QPSK	1	1	20.50	20.67	20.61	20.60	20.63	21.50
		1	137	20.66	20.72	20.54	20.60	20.70	21.50
		1	271	20.64	20.64	20.51	20.62	20.68	21.50
		135	0	19.64	19.68	19.58	19.58	19.38	20.50
		135	69	20.47	20.70	20.62	20.62	20.77	21.50
		135	138	19.55	19.53	19.59	19.82	19.71	20.50
		270	0	19.41	19.43	19.63	19.62	19.57	20.50
	DFT-s-OFDM 16QAM	1	1	19.54	19.48	19.62	19.57	19.41	20.50
	DFT-s-OFDM 64QAM	1	1	18.10	17.90	18.02	18.21	18.10	19.00
	DFT-s-OFDM 256QAM	1	1	15.96	16.05	16.06	16.29	16.07	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	19.24	19.12	19.11	19.16	19.20	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	20.46	20.64	20.55	20.63	20.68	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	20.48	20.49	20.55	20.61	20.75	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	20.54	20.56	20.68	20.62	20.62	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	20.65	20.57	20.58	20.56	20.62	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which all rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8881 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8881 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 512 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	20.62	20.58	20.59	20.50	20.61	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	20.58	20.57	20.63	20.57	20.62	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	20.58	20.61	20.58	20.57	20.61	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	20.61	20.58	20.68	20.69	20.57	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	20.52	20.64	20.56	20.54	20.55	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	20.54	20.50	20.58	20.64	20.51	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from excluding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com
 In China: 86-755 8811 8443, Shenzhen Technical Services (Shenzhen) Branch, Building 501, 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 513 of 867

N41 PC3 DSI8/9/10				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.01	19.02	19.13	19.06	19.16	20.00
		1	137	19.08	19.10	19.14	19.23	19.17	20.00
		1	271	19.10	19.01	19.03	19.05	19.21	20.00
		135	0	18.22	18.15	18.03	17.92	18.03	19.00
		135	69	19.12	19.12	19.24	19.24	19.23	20.00
		135	138	18.05	17.96	18.19	18.20	18.18	19.00
		270	0	18.28	18.34	18.66	18.56	18.69	19.50
	DFT-s-OFDM QPSK	1	1	19.12	19.13	19.05	19.00	19.14	20.00
		1	137	19.18	19.19	19.17	19.22	19.13	20.00
		1	271	19.01	19.09	19.19	19.17	19.12	20.00
		135	0	18.17	18.08	17.98	17.94	18.03	19.00
		135	69	19.11	19.18	19.23	19.26	19.22	20.00
		135	138	18.00	17.91	18.07	18.14	18.27	19.00
		270	0	18.03	17.97	18.14	18.22	18.10	19.00
	DFT-s-OFDM 16QAM	1	1	17.99	17.99	17.96	17.96	17.98	19.00
	DFT-s-OFDM 64QAM	1	1	16.51	16.54	16.59	16.70	16.56	17.50
	DFT-s-OFDM 256QAM	1	1	14.53	14.58	14.52	14.70	14.61	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	17.75	17.67	17.56	17.62	17.70	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	18.95	19.19	19.06	19.09	19.21	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	18.99	18.96	19.06	19.06	19.29	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	19.08	19.06	19.21	19.15	19.13	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	19.17	19.05	19.12	19.10	19.13	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 514 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	19.11	19.13	19.07	18.96	19.12	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	19.12	19.03	19.16	19.10	19.10	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	19.07	19.16	19.08	19.02	19.12	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	19.06	19.03	19.14	19.14	19.02	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	18.99	19.13	19.07	19.09	19.05	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	19.07	18.99	19.05	19.18	19.05	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CSG.Certification@sgs.com

No. 10, Huafeng 8th, Maly Sector, Sincere Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 515 of 867

N41 PC3 DSI2				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.58	17.44	17.57	17.59	17.60	18.50
		1	137	17.51	17.75	17.77	17.65	17.68	18.50
		1	271	17.52	17.56	17.46	17.50	17.60	18.50
		135	0	16.57	16.52	16.58	16.48	16.54	17.50
		135	69	17.53	17.59	17.77	17.78	17.76	18.50
		135	138	16.47	16.42	16.74	16.79	16.67	17.50
		270	0	16.75	16.83	17.20	17.06	17.07	18.00
	DFT-s-OFDM QPSK	1	1	17.57	17.52	17.67	17.51	17.60	18.50
		1	137	17.61	17.73	17.53	17.63	17.68	18.50
		1	271	17.54	17.61	17.61	17.53	17.67	18.50
		135	0	16.60	16.66	16.60	16.50	16.44	17.50
		135	69	17.60	17.66	17.69	17.76	17.75	18.50
		135	138	16.50	16.41	16.67	16.71	16.65	17.50
		270	0	16.48	16.35	16.58	16.70	16.62	17.50
	DFT-s-OFDM 16QAM	1	1	16.44	16.41	16.47	16.55	16.37	17.50
	DFT-s-OFDM 64QAM	1	1	14.97	14.94	15.10	15.15	15.11	16.00
DFT-s-OFDM 256QAM	1	1	13.00	12.93	13.09	13.18	13.10	14.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	16.29	16.13	16.08	16.12	16.22	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	17.45	17.67	17.59	17.62	17.63	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	17.46	17.45	17.56	17.66	17.75	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	17.59	17.52	17.66	17.67	17.63	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.65	17.60	17.53	17.53	17.67	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	17.62	17.62	17.54	17.46	17.62	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgs.com or sgs@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8881 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8881 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 516 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	17.58	17.57	17.67	17.60	17.60	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	17.54	17.57	17.60	17.61	17.61	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	17.57	17.57	17.69	17.69	17.53	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	17.56	17.60	17.60	17.53	17.51	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	17.55	17.48	17.61	17.69	17.51	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from excluding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CSG@china.sgs.com

No. 10, Huafeng 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10楼1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 517 of 867

N41 PC3 DSI3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.17	16.96	17.21	17.13	17.15	18.00
		1	137	17.11	17.27	17.14	17.28	17.20	18.00
		1	271	17.15	17.03	16.99	17.18	17.17	18.00
		135	0	16.17	16.10	16.04	16.05	16.09	17.00
		135	69	17.00	17.10	17.11	17.16	17.24	18.00
		135	138	16.04	16.06	16.11	16.25	16.11	17.00
		270	0	16.25	16.43	16.57	16.70	16.60	17.50
	DFT-s-OFDM QPSK	1	1	17.12	17.14	17.19	17.10	17.16	18.00
		1	137	17.01	17.11	17.04	17.19	17.09	18.00
		1	271	17.13	17.11	17.19	17.13	17.12	18.00
		135	0	16.14	16.21	16.05	15.93	15.87	17.00
		135	69	17.03	17.08	17.14	17.18	17.15	18.00
		135	138	16.14	15.95	16.06	16.14	16.23	17.00
		270	0	15.95	16.00	16.18	16.11	16.06	17.00
	DFT-s-OFDM 16QAM	1	1	16.06	15.87	15.99	16.07	15.97	17.00
	DFT-s-OFDM 64QAM	1	1	14.61	14.54	14.61	14.72	14.73	15.50
	DFT-s-OFDM 256QAM	1	1	12.38	12.49	12.51	12.68	12.73	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	15.70	15.58	15.58	15.70	15.65	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	16.93	17.11	17.03	17.17	17.13	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	17.03	16.94	17.03	17.06	17.26	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	17.09	17.06	17.19	17.08	17.15	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.12	17.11	17.12	17.09	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	17.09	17.07	17.13	17.05	17.14	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgsgroup.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8881 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8881 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 518 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	17.03	17.02	17.14	17.05	17.12	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	17.10	17.07	17.04	17.06	17.13	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	17.06	17.09	17.18	17.14	17.10	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	17.03	17.16	17.02	17.04	17.02	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	17.09	17.04	17.06	17.18	17.00	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.psa.com/legal/Terms-Conditions>. All information is for information or advisory use only and is not intended to constitute an offer or recommendation. The Company does not warrant the accuracy or completeness of the information contained herein. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of GSA's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. All other information stated the results shown in this test report refer only to the sample(s) tested and not to the lot(s) as a whole. Results are obtained for 30 days only.

本報告已作國際標準30天有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Detectech@supgroup.com
 亞細亞(中國)儀器有限公司, 廣東省深圳市南山區科苑南路8-10號11樓 郵箱: 516067 (86-755) 26571039 (86-755) 26710394 www.supgroup.com.cn
 中國·廣東·深圳市南山區科苑南路8-10號11樓 郵箱: 516067 (86-755) 26571039 (86-755) 26710394 apc@china888.com

Member of the SGB Group (1988 SA)

12.3 Conducted Power of NR Antenna (Ant13)

N77 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	18.78	/	19.50
		1	137	/	18.82	/	19.50
		1	271	/	18.70	/	19.50
		135	0	/	17.77	/	19.00
		135	69	/	18.88	/	19.50
		135	138	/	17.82	/	19.00
		270	0	/	17.89	/	19.00
	DFT-s-OFDM QPSK	1	1	/	18.89	/	19.50
		1	137	/	18.88	/	19.50
		1	271	/	18.75	/	19.50
		135	0	/	17.94	/	18.50
		135	69	/	18.91	/	19.50
		135	138	/	17.79	/	18.50
		270	0	/	17.82	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	17.93	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	16.34	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.27	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	17.13	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	18.83	18.90	18.88	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	18.85	18.86	19.04	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 8581 9443, or email: CS@sgs.com.cn.
 In China: 8-16, Molybdenum, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8581 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-16栋1号 邮编: 518057 Tel: (86-755) 8581 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 520 of 867

70MHz	DFT-s-OFDM QPSK	1	1	18.71	18.87	18.92	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	18.72	18.83	19.02	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	18.80	18.78	19.05	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	18.77	18.88	18.83	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	18.87	18.77	18.92	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	18.79	18.89	18.76	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	18.91	18.78	18.76	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	18.82	18.77	18.85	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	18.82	18.92	18.96	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.psa.com/legal/Terms-Conditions>. The Client agrees to indemnify and hold the Company harmless from and defend the Company against all claims, damages, losses and expenses, including reasonable attorneys' fees, arising out of or from the use of this document. The Client understands that information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If otherwise stated the results shown in this test report refer only to the sample(s) tested and not to the material as a whole. Results are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Dongchao@sgsg.com
 亞細亞(中國)貿易有限公司 廣東省廣州市 增城區 新塘 廣增大道 516007 | (86-755)28012030 | (86-755)26710394 | www.sgsgroup.com.cn
 中國·廣東·廣州市增城區新塘廣增大道8-10號11樓 郵箱: 516007 | (86-755)28012030 | (86-755)26710394 | sgc@china.sgsg.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 521 of 867

N77 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.32	/	18.00
		1	137	/	17.29	/	18.00
		1	271	/	17.31	/	18.00
		135	0	/	16.39	/	17.50
		135	69	/	17.39	/	18.00
		135	138	/	16.31	/	17.50
		270	0	/	16.34	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.36	/	18.00
		1	137	/	17.30	/	18.00
		1	271	/	17.28	/	18.00
		135	0	/	16.31	/	17.00
		135	69	/	17.33	/	18.00
		135	138	/	16.23	/	17.00
		270	0	/	16.31	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.27	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	14.98	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.72	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	15.90	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.25	17.31	17.42	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.34	17.36	17.46	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.25	17.46	17.36	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS_Group@sgs.com.

In China: 8-11, Maly Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn

中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057. 电话: (86-755) 8811 2053. 传真: (86-755) 2671 0594. sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 522 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.25	17.33	17.54	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.30	17.26	17.53	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.24	17.45	17.34	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.30	17.25	17.42	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	17.31	17.41	17.27	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.42	17.31	17.26	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	17.28	17.26	17.37	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.33	17.40	17.44	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CS@sgs.com, CS@sgs.com.cn
 In China: 86-755 8681 6443, Shenzhen Branch, Shenzhen City, Guangdong Province, China 518057 | (86-755) 8681 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 523 of 867

N77 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	12.71	/	13.50
		1	137	/	12.88	/	13.50
		1	271	/	12.76	/	13.50
		135	0	/	11.92	/	13.00
		135	69	/	12.84	/	13.50
		135	138	/	11.78	/	13.00
		270	0	/	11.90	/	13.00
	DFT-s-OFDM QPSK	1	1	/	12.92	/	13.50
		1	137	/	12.85	/	13.50
		1	271	/	12.84	/	13.50
		135	0	/	11.80	/	12.50
		135	69	/	12.80	/	13.50
		135	138	/	11.82	/	12.50
		270	0	/	11.85	/	12.50
	DFT-s-OFDM 16QAM	1	1	/	11.82	/	12.50
	DFT-s-OFDM 64QAM	1	1	/	10.39	/	11.00
	DFT-s-OFDM 256QAM	1	1	/	8.22	/	9.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	11.12	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.75	12.81	12.92	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.93	12.82	13.03	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.76	12.90	12.83	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Certification@sgs.com.

In China: 8-11, Maly Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 524 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.72	12.82	12.98	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	12.80	12.71	13.05	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.70	12.88	12.87	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.79	12.78	12.91	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	12.78	12.93	12.85	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.85	12.88	12.83	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	12.76	12.72	12.87	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	12.85	12.84	13.00	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CS@china.sgs.com.
 In China: SGS (Shenzhen) Technical Services Co., Ltd. (Shenzhen Branch) Tel: 816057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 525 of 867

N77 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	12.19	/	13.00
		1	137	/	12.36	/	13.00
		1	271	/	12.18	/	13.00
		135	0	/	11.28	/	12.50
		135	69	/	12.41	/	13.00
		135	138	/	11.25	/	12.50
		270	0	/	11.29	/	12.50
	DFT-s-OFDM QPSK	1	1	/	12.36	/	13.00
		1	137	/	12.35	/	13.00
		1	271	/	12.30	/	13.00
		135	0	/	11.32	/	12.00
		135	69	/	12.28	/	13.00
		135	138	/	11.18	/	12.00
		270	0	/	11.34	/	12.00
	DFT-s-OFDM 16QAM	1	1	/	11.45	/	12.00
	DFT-s-OFDM 64QAM	1	1	/	9.97	/	10.50
	DFT-s-OFDM 256QAM	1	1	/	7.84	/	8.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	10.95	/	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.26	12.30	12.40	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.37	12.41	12.45	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.20	12.42	12.35	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Corp@sgs.com.

In Market & Quality Sector, Second Technical Post, Shenzhen Branch, Building 5th, 116057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 526 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.26	12.35	12.51	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	12.31	12.24	12.54	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.25	12.46	12.27	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.31	12.29	12.35	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	12.27	12.44	12.35	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.40	12.34	12.36	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	12.34	12.25	12.29	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	12.40	12.33	12.48	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CS@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen City, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 527 of 867

N77 PC3 DSI4/5					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.84	19.18	19.02	18.97	18.98	18.82	19.50
		1	137	19.02	19.25	19.02	18.82	18.84	19.04	19.50
		1	271	18.96	19.05	18.79	18.73	18.62	18.81	19.50
		135	0	18.87	18.74	18.59	18.45	18.41	18.35	19.00
		135	69	19.23	19.26	19.15	18.89	18.99	18.95	19.50
		135	138	18.47	18.31	18.41	18.41	18.41	18.52	19.00
		270	0	18.52	18.48	18.59	18.41	18.47	18.43	19.00
	DFT-s-OFDM QPSK	1	1	18.90	19.14	18.95	19.00	18.86	18.80	19.50
		1	137	19.00	19.15	19.10	18.83	18.81	18.98	19.50
		1	271	19.00	19.00	18.86	18.74	18.73	18.74	19.50
		135	0	18.42	18.38	18.21	17.89	17.89	18.05	18.50
		135	69	19.17	19.24	19.05	18.88	18.78	18.94	19.50
		135	138	18.04	17.85	18.04	17.83	17.88	18.02	18.50
		270	0	17.98	18.12	18.16	18.03	17.99	18.12	18.50
	DFT-s-OFDM 16QAM	1	1	17.86	18.00	18.10	17.82	17.73	17.80	18.50
	DFT-s-OFDM 64QAM	1	1	16.60	16.53	16.42	16.42	16.36	16.37	17.00
	DFT-s-OFDM 256QAM	1	1	14.28	14.15	14.08	14.10	14.07	14.04	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
100MHz	CP-OFDM QPSK	1	1	17.61	17.55	17.58	17.57	17.46	17.52	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
90MHz	DFT-s-OFDM QPSK	1	1	18.75	19.19	18.97	18.94	18.94	18.77	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	18.81	19.11	18.90	18.90	18.89	18.81	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
70MHz	DFT-s-OFDM QPSK	1	1	18.76	19.10	18.96	18.91	18.95	18.83	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Address: 518067 | Tel: (86-755) 8811 2053 | Fax: (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518067 | Tel: (86-755) 8811 2053 | Fax: (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 528 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	18.77	19.13	18.89	18.93	18.90	18.90	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	18.88	19.19	18.83	19.00	18.94	18.79	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	18.86	19.15	18.89	18.96	18.92	18.75	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	18.85	19.13	18.97	18.93	19.06	18.81	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	18.88	19.15	18.89	18.91	18.90	18.80	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	18.78	19.06	18.92	19.00	19.02	18.82	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	18.81	19.05	18.90	18.99	18.90	18.78	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or visit: SGS-Group.china.com.cn

No. 10, Huafeng 8th, 10th Floor, Second Technical Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋10号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 529 of 867

N77 PC3 DSI8/9/10					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.30	17.82	17.49	17.50	17.50	17.45	18.00
		1	137	17.60	17.75	17.55	17.36	17.34	17.54	18.00
		1	271	17.38	17.60	17.32	17.17	17.17	17.30	18.00
		135	0	17.46	17.33	16.99	16.89	16.88	16.89	17.50
		135	69	17.81	17.76	17.65	17.36	17.45	17.36	18.00
		135	138	16.97	16.74	16.99	16.83	16.80	17.07	17.50
		270	0	16.99	16.94	16.99	16.98	17.06	16.94	17.50
	DFT-s-OFDM QPSK	1	1	17.39	17.62	17.34	17.36	17.39	17.34	18.00
		1	137	17.64	17.65	17.63	17.32	17.40	17.38	18.00
		1	271	17.51	17.50	17.25	17.38	17.09	17.30	18.00
		135	0	16.95	16.72	16.54	16.42	16.50	16.37	17.00
		135	69	17.76	17.78	17.57	17.33	17.32	17.32	18.00
		135	138	16.43	16.43	16.44	16.40	16.50	16.38	17.00
		270	0	16.49	16.52	16.64	16.37	16.35	16.50	17.00
	DFT-s-OFDM 16QAM	1	1	16.37	16.54	16.47	16.39	16.21	16.30	17.00
	DFT-s-OFDM 64QAM	1	1	15.12	14.97	14.98	14.95	14.89	14.89	15.50
	DFT-s-OFDM 256QAM	1	1	12.88	12.75	12.60	12.53	12.53	12.43	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	16.12	16.08	16.03	15.99	15.98	16.08	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	17.32	17.71	17.41	17.45	17.39	17.33	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	17.32	17.66	17.43	17.45	17.41	17.32	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	17.29	17.62	17.39	17.49	17.48	17.31	18.00
Bandwidth	Modulation			Channel	Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 530 of 867

		RB size	RB offset	648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	17.34	17.62	17.38	17.37	17.42	17.39	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	17.38	17.71	17.31	17.50	17.45	17.30	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	17.27	17.65	17.47	17.54	17.41	17.28	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	17.32	17.66	17.45	17.48	17.55	17.33	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	17.34	17.63	17.45	17.41	17.42	17.29	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	17.34	17.64	17.43	17.52	17.50	17.23	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	17.27	17.56	17.43	17.47	17.46	17.36	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CS@sgs.com.cn

No. 10, Huibao 8th, 10th Floor, Second Technology Park, Shenzhen City, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 531 of 867

N77 PC3 DS12					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	12.80	13.15	13.00	12.99	13.00	12.88	13.50
		1	137	13.09	13.19	13.00	12.96	12.90	13.04	13.50
		1	271	12.91	13.03	12.80	12.74	12.61	12.73	13.50
		135	0	12.92	12.65	12.51	12.40	12.42	12.52	13.00
		135	69	13.32	13.21	13.15	12.85	12.88	12.90	13.50
		135	138	12.46	12.23	12.47	12.44	12.36	12.40	13.00
		270	0	12.59	12.57	12.67	12.54	12.49	12.62	13.00
	DFT-s-OFDM QPSK	1	1	12.78	13.11	12.87	12.90	12.97	12.82	13.50
		1	137	13.18	13.32	13.03	13.01	12.84	12.91	13.50
		1	271	13.00	12.94	12.88	12.81	12.71	12.79	13.50
		135	0	12.39	12.36	12.05	11.93	11.86	11.88	12.50
		135	69	13.24	13.18	13.16	12.97	12.87	12.89	13.50
		135	138	11.96	12.01	12.00	11.88	11.84	11.96	12.50
		270	0	12.10	12.05	11.98	12.03	11.87	12.13	12.50
	DFT-s-OFDM 16QAM	1	1	11.97	11.95	12.09	11.78	11.74	11.84	12.50
	DFT-s-OFDM 64QAM	1	1	10.60	10.46	10.54	10.46	10.26	10.43	11.00
	DFT-s-OFDM 256QAM	1	1	8.37	8.22	8.07	8.11	7.94	8.07	9.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	11.63	11.57	11.53	11.55	11.46	11.55	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	12.84	13.18	12.88	12.99	12.93	12.80	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	12.84	13.08	12.93	12.99	12.89	12.75	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	12.84	13.14	12.91	12.91	13.00	12.84	13.50
Bandwidth	Modulation			Channel	Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@china.sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 532 of 867

		RB size	RB offset	648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	12.81	13.17	12.90	12.96	12.91	12.82	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	12.93	13.14	12.87	12.98	12.94	12.83	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	12.83	13.18	12.97	13.01	12.96	12.78	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	12.83	13.09	12.95	13.02	13.04	12.82	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	12.85	13.07	12.92	12.95	12.98	12.73	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	12.77	13.13	12.96	12.96	13.00	12.75	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	12.75	13.11	12.90	12.99	12.91	12.80	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CS@sgs.com, sgs@sgs.com

In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Contact: Mr. Zhang, Tel: 816057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com, www.sgs.com.cn

中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 533 of 867

N77 PC3 DS13					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	12.42	12.78	12.49	12.32	12.51	12.46	13.00
		1	137	12.44	12.64	12.48	12.31	12.26	12.38	13.00
		1	271	12.53	12.60	12.31	12.28	12.12	12.28	13.00
		135	0	12.49	12.32	12.15	12.05	11.85	11.86	12.50
		135	69	12.82	12.80	12.62	12.33	12.46	12.33	13.00
		135	138	11.88	11.76	11.95	11.84	11.90	12.00	12.50
		270	0	12.02	11.99	12.07	12.00	11.94	11.99	12.50
	DFT-s-OFDM QPSK	1	1	12.32	12.77	12.49	12.33	12.37	12.31	13.00
		1	137	12.62	12.63	12.64	12.51	12.40	12.31	13.00
		1	271	12.49	12.39	12.28	12.26	12.24	12.24	13.00
		135	0	11.85	11.82	11.55	11.44	11.40	11.40	12.00
		135	69	12.65	12.61	12.51	12.41	12.29	12.40	13.00
		135	138	11.40	11.33	11.37	11.39	11.42	11.50	12.00
		270	0	11.47	11.60	11.66	11.45	11.45	11.63	12.00
	DFT-s-OFDM 16QAM	1	1	11.49	11.43	11.59	11.47	11.23	11.24	12.00
	DFT-s-OFDM 64QAM	1	1	9.99	9.97	10.08	9.99	9.78	9.92	10.50
	DFT-s-OFDM 256QAM	1	1	7.88	7.65	7.75	7.59	7.47	7.46	8.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	11.17	11.09	11.05	11.03	10.92	11.00	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	12.33	12.66	12.39	12.43	12.46	12.28	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	12.34	12.64	12.48	12.45	12.39	12.35	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	12.25	12.67	12.45	12.48	12.50	12.34	13.00
Bandwidth	Modulation			Channel	Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 534 of 867

		RB size	RB offset	648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	12.32	12.64	12.45	12.37	12.41	12.32	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	12.34	12.68	12.38	12.42	12.41	12.34	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	12.33	12.68	12.38	12.50	12.39	12.31	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	12.35	12.62	12.39	12.52	12.51	12.30	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	12.37	12.65	12.41	12.38	12.40	12.28	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	12.34	12.64	12.37	12.45	12.45	12.30	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	12.25	12.62	12.40	12.45	12.44	12.33	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CS@sgs.com, sgs@sgs.com

In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Contact: Mr. Zhang, Tel: 816657 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com, www.sgs.com.cn

中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 535 of 867

N78 PC2 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	18.63	/	19.50
		1	137	/	18.70	/	19.50
		1	271	/	18.50	/	19.50
		135	0	/	15.33	/	16.00
		135	69	/	18.49	/	19.50
		135	138	/	15.39	/	16.00
		270	0	/	17.62	/	19.00
	DFT-s-OFDM QPSK	1	1	/	18.60	/	19.50
		1	137	/	18.56	/	19.50
		1	271	/	18.50	/	19.50
		135	0	/	15.37	/	16.00
		135	69	/	18.54	/	19.50
		135	138	/	15.32	/	16.00
		270	0	/	17.76	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	17.70	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	16.57	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.39	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		17.16		18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	18.58	18.66	18.56	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	18.64	18.65	18.53	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	18.64	18.65	18.53	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS_Group@sgs.com.
 In Market: 8-11, Maly Sector, Second Technical Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-11栋1号 广东 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 536 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	18.64	18.65	18.53	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	18.64	18.65	18.53	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	18.64	18.65	18.53	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	18.64	18.65	18.53	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	18.64	18.65	18.53	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	18.64	18.65	18.53	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	18.64	18.65	18.53	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof to a transaction from exonerating all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@china.sgs.com.
 In Market & Quality Sector, Special Technical Personnel (SPE) Contact: Angela Qin: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 537 of 867

N78 PC2 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.18	/	18.00
		1	137	/	17.28	/	18.00
		1	271	/	17.10	/	18.00
		135	0	/	13.89	/	14.50
		135	69	/	17.06	/	18.00
		135	138	/	13.75	/	14.50
		270	0	/	16.13	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.04	/	18.00
		1	137	/	17.13	/	18.00
		1	271	/	16.91	/	18.00
		135	0	/	13.93	/	14.50
		135	69	/	17.02	/	18.00
		135	138	/	13.86	/	14.50
		270	0	/	16.30	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.15	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	15.07	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	13.04	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		15.77		16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.11	17.17	17.12	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.03	17.12	17.27	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.12	17.13	17.04	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS_Group@sgs.com.

In China: 8-11, Maly Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 538 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.11	17.11	17.22	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.01	17.17	17.06	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	16.99	17.17	17.17	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.20	17.16	17.09	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.10	17.13	17.18	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	17.07	17.18	17.26	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	17.18	17.08	17.17	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof to a transaction from exonerating all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CS.Cn@sgstd.com

No. 10, Huibao 8th, Maly Sector, Second Technology Park, Shenzhen, China 518057 | (86-755) 6601 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6601 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 539 of 867

N78 PC2 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	12.62	/	13.50
		1	137	/	12.70	/	13.50
		1	271	/	12.57	/	13.50
		135	0	/	9.36	/	10.00
		135	69	/	12.49	/	13.50
		135	138	/	9.33	/	10.00
		270	0	/	11.61	/	13.00
	DFT-s-OFDM QPSK	1	1	/	12.57	/	13.50
		1	137	/	12.74	/	13.50
		1	271	/	12.46	/	13.50
		135	0	/	9.34	/	10.00
		135	69	/	12.56	/	13.50
		135	138	/	9.17	/	10.00
		270	0	/	11.76	/	12.50
	DFT-s-OFDM 16QAM	1	1	/	11.57	/	12.50
	DFT-s-OFDM 64QAM	1	1	/	10.60	/	11.00
	DFT-s-OFDM 256QAM	1	1	/	8.49	/	9.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		11.25		12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.61	12.67	12.63	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.54	12.59	12.68	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.68	12.66	12.57	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 540 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.58	12.70	12.70	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	12.53	12.69	12.51	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.58	12.62	12.72	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.69	12.63	12.65	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.54	12.65	12.75	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	12.59	12.63	12.70	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	12.73	12.66	12.61	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing For: Analytical, Biotech, Cosmetics, Dye, Food, Metals, Plastics, Textiles, etc.
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 541 of 867

N78 PC2 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	12.06	/	13.00
		1	137	/	12.18	/	13.00
		1	271	/	12.14	/	13.00
		135	0	/	8.78	/	9.50
		135	69	/	11.95	/	13.00
		135	138	/	8.76	/	9.50
		270	0	/	11.14	/	12.50
	DFT-s-OFDM QPSK	1	1	/	12.09	/	13.00
		1	137	/	12.14	/	13.00
		1	271	/	11.91	/	13.00
		135	0	/	8.78	/	9.50
		135	69	/	12.02	/	13.00
		135	138	/	8.70	/	9.50
		270	0	/	11.27	/	12.00
	DFT-s-OFDM 16QAM	1	1	/	10.97	/	12.00
	DFT-s-OFDM 64QAM	1	1	/	10.15	/	10.50
	DFT-s-OFDM 256QAM	1	1	/	8.08	/	8.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		11.48		11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.22	12.16	12.19	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.06	12.31	12.15	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.23	12.15	12.28	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS_Comp@sgs.com.
 In Market & Quality Sector, Second Technical Partner (Shenzhen) Branch, Guangzhou, China: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 542 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.22	12.28	12.27	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	12.25	12.22	12.28	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.26	12.13	12.25	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.25	12.32	12.09	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.05	12.22	12.13	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	12.07	12.18	12.28	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	12.24	12.15	12.09	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof to a transaction from exonerating all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CS.Cn@sgs.com

No. 10, Huayuan 2nd, 2nd Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 543 of 867

N78 PC2 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	19.08	/	19.50
		1	137	/	19.04	/	19.50
		1	271	/	18.83	/	19.50
		135	0	/	15.59	/	16.00
		135	69	/	18.84	/	19.50
		135	138	/	15.49	/	16.00
		270	0	/	17.89	/	19.00
	DFT-s-OFDM QPSK	1	1	/	19.03	/	19.50
		1	137	/	19.04	/	19.50
		1	271	/	18.90	/	19.50
		135	0	/	15.49	/	16.00
		135	69	/	19.02	/	19.50
		135	138	/	15.48	/	16.00
		270	0	/	18.00	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	17.85	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	16.66	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.64	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	17.78	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	18.82	18.79	18.96	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	18.91	18.88	18.98	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	18.84	18.85	18.93	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8881 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8881 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 544 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	18.75	18.88	18.88	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	18.89	18.82	18.91	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	18.86	18.88	18.85	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	18.81	18.85	18.95	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	18.80	18.78	18.97	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	18.83	18.85	18.91	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	18.78	18.80	18.96	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, South Sector, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园南区8-10栋1号广东 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 545 of 867

N78 PC2 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.69	/	18.00
		1	137	/	17.64	/	18.00
		1	271	/	17.31	/	18.00
		135	0	/	13.97	/	14.50
		135	69	/	17.44	/	18.00
		135	138	/	14.04	/	14.50
		270	0	/	16.40	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.50	/	18.00
		1	137	/	17.71	/	18.00
		1	271	/	17.40	/	18.00
		135	0	/	14.15	/	14.50
		135	69	/	17.58	/	18.00
		135	138	/	14.01	/	14.50
		270	0	/	16.53	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.33	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	15.22	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.99	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	15.88	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.35	17.35	17.41	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.30	17.29	17.38	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.31	17.35	17.23	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 546 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.37	17.34	17.46	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.23	17.37	17.31	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.17	17.33	17.44	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.31	17.34	17.32	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.29	17.38	17.46	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	17.32	17.29	17.44	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	17.34	17.37	17.33	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Building 5th, 116057 | (86-755) 6601 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 6601 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 547 of 867

N78 PC2 DSI2				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.16	/	13.50
		1	137	/	13.13	/	13.50
		1	271	/	12.80	/	13.50
		135	0	/	9.59	/	10.00
		135	69	/	12.86	/	13.50
		135	138	/	9.59	/	10.00
		270	0	/	11.99	/	13.00
	DFT-s-OFDM QPSK	1	1	/	13.06	/	13.50
		1	137	/	13.09	/	13.50
		1	271	/	12.89	/	13.50
		135	0	/	9.51	/	10.00
		135	69	/	12.92	/	13.50
		135	138	/	9.61	/	10.00
		270	0	/	11.95	/	12.50
	DFT-s-OFDM 16QAM	1	1	/	11.89	/	12.50
	DFT-s-OFDM 64QAM	1	1	/	10.64	/	11.00
	DFT-s-OFDM 256QAM	1	1	/	8.67	/	9.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	11.34	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.87	12.84	12.89	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.80	12.77	12.93	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.80	12.94	12.73	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com, CS@sgs.com.cn.
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-11栋1号广东 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 548 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.81	12.82	12.87	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	12.72	12.86	12.77	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.66	12.88	12.89	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.84	12.87	12.80	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.85	12.86	12.94	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	12.85	12.82	12.98	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	12.90	12.88	12.89	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Contacting On: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 549 of 867

N78 PC2 DSI3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	12.66	/	13.00
		1	137	/	12.63	/	13.00
		1	271	/	12.30	/	13.00
		135	0	/	9.09	/	9.50
		135	69	/	12.36	/	13.00
		135	138	/	9.09	/	9.50
		270	0	/	11.49	/	12.50
	DFT-s-OFDM QPSK	1	1	/	12.56	/	13.00
		1	137	/	12.59	/	13.00
		1	271	/	12.39	/	13.00
		135	0	/	9.01	/	9.50
		135	69	/	12.42	/	13.00
		135	138	/	9.11	/	9.50
		270	0	/	11.45	/	12.00
	DFT-s-OFDM 16QAM	1	1	/	11.39	/	12.00
	DFT-s-OFDM 64QAM	1	1	/	10.14	/	10.50
	DFT-s-OFDM 256QAM	1	1	/	8.17	/	8.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	10.84	/	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.37	12.34	12.39	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.30	12.27	12.43	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.30	12.44	12.23	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@china.sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, 11/F, Unit 1101, No. 10, Zhongguo Road, Shenzhen, Guangdong, China. Tel: (86-755) 8811 9443 Fax: (86-755) 8811 9444

中国·广东·深圳市福田区科技园中区8-10栋11楼 邮编: 518057 Tel: (86-755) 8811 9443 Fax: (86-755) 8811 9444 www.sgs.com sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 550 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.31	12.32	12.37	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	12.22	12.36	12.27	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.16	12.38	12.39	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.34	12.37	12.30	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.35	12.36	12.44	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	12.35	12.32	12.48	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	12.40	12.38	12.39	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Opening On: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 551 of 867

N78 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	18.62	/	19.50
		1	137	/	18.60	/	19.50
		1	271	/	18.61	/	19.50
		135	0	/	17.05	/	19.00
		135	69	/	18.33	/	19.50
		135	138	/	17.15	/	19.00
		270	0	/	17.75	/	19.00
	DFT-s-OFDM QPSK	1	1	/	18.56	/	19.50
		1	137	/	18.59	/	19.50
		1	271	/	18.37	/	19.50
		135	0	/	16.90	/	18.50
		135	69	/	18.51	/	19.50
		135	138	/	16.69	/	18.50
		270	0	/	17.79	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	17.58	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	16.50	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.37	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		17.25		18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	18.58	18.54	18.63	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	18.57	18.59	18.60	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	18.64	18.57	18.68	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 9443, or email: CS@sgs.com

No. 10, Huayuan 2nd Rd, Shekou, Shenzhen, P.R. China (Shenzhen) Branch, Opening On: 516057 | (86-755) 6881 2053 | (86-755) 267 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 6881 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 552 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	18.67	18.44	18.63	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	18.46	18.47	18.71	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	18.64	18.38	18.55	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	18.60	18.51	18.75	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	18.49	18.43	18.57	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	18.50	18.60	18.71	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	18.58	18.58	18.63	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	18.49	18.47	18.63	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Contacting On: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 553 of 867

N78 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.13	/	18.00
		1	137	/	17.20	/	18.00
		1	271	/	17.08	/	18.00
		135	0	/	15.57	/	17.50
		135	69	/	16.88	/	18.00
		135	138	/	15.58	/	17.50
		270	0	/	16.32	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.09	/	18.00
		1	137	/	17.10	/	18.00
		1	271	/	16.87	/	18.00
		135	0	/	15.40	/	17.00
		135	69	/	17.13	/	18.00
		135	138	/	15.22	/	17.00
		270	0	/	16.33	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.22	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	15.02	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.85	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		15.83		16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.12	17.03	17.10	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.06	17.10	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.09	17.11	17.18	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.C@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋10层 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 554 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.15	16.97	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	16.95	16.90	17.12	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.09	16.93	17.04	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.16	17.05	17.23	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	16.98	16.95	17.05	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.04	17.02	17.14	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	17.08	17.10	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.02	16.97	17.18	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 555 of 867

N78 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	12.60	/	13.50
		1	137	/	12.67	/	13.50
		1	271	/	12.65	/	13.50
		135	0	/	11.00	/	13.00
		135	69	/	12.31	/	13.50
		135	138	/	11.16	/	13.00
		270	0	/	11.68	/	13.00
	DFT-s-OFDM QPSK	1	1	/	12.58	/	13.50
		1	137	/	12.57	/	13.50
		1	271	/	12.47	/	13.50
		135	0	/	10.74	/	12.50
		135	69	/	12.69	/	13.50
		135	138	/	10.67	/	12.50
		270	0	/	11.68	/	12.50
	DFT-s-OFDM 16QAM	1	1	/	11.62	/	12.50
	DFT-s-OFDM 64QAM	1	1	/	10.62	/	11.00
	DFT-s-OFDM 256QAM	1	1	/	8.51	/	9.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		11.08		12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.58	12.50	12.59	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.61	12.62	12.63	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.65	12.55	12.67	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 556 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.61	12.38	12.58	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	12.45	12.46	12.64	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.64	12.40	12.63	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.61	12.46	12.66	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	12.52	12.43	12.54	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.56	12.53	12.66	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	12.59	12.58	12.63	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	12.55	12.41	12.68	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, South China Technology Park, Shenzhen, Guangdong 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 557 of 867

N78 PC3 DSI2/3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	12.10	/	13.00
		1	137	/	12.17	/	13.00
		1	271	/	12.15	/	13.00
		135	0	/	10.50	/	12.50
		135	69	/	11.81	/	13.00
		135	138	/	10.66	/	12.50
		270	0	/	11.18	/	12.50
	DFT-s-OFDM QPSK	1	1	/	12.08	/	13.00
		1	137	/	12.07	/	13.00
		1	271	/	11.97	/	13.00
		135	0	/	10.24	/	12.00
		135	69	/	12.19	/	13.00
		135	138	/	10.17	/	12.00
		270	0	/	11.18	/	12.00
	DFT-s-OFDM 16QAM	1	1	/	11.12	/	12.00
	DFT-s-OFDM 64QAM	1	1	/	10.12	/	10.50
	DFT-s-OFDM 256QAM	1	1	/	8.01	/	8.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		10.58		11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.08	12.00	12.09	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.11	12.12	12.13	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.15	12.05	12.17	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 558 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.11	11.88	12.08	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	11.95	11.96	12.14	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.14	11.90	12.13	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.11	11.96	12.16	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	12.02	11.93	12.04	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.06	12.03	12.16	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	12.09	12.08	12.13	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	12.05	11.91	12.18	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com
 In Market: 8-10, Malya Sector, Second Technical Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 559 of 867

N78 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	18.76	/	19.50
		1	137	/	18.82	/	19.50
		1	271	/	18.92	/	19.50
		135	0	/	17.08	/	19.00
		135	69	/	18.62	/	19.50
		135	138	/	17.23	/	19.00
		270	0	/	17.89	/	19.00
	DFT-s-OFDM QPSK	1	1	/	18.82	/	19.50
		1	137	/	18.70	/	19.50
		1	271	/	18.62	/	19.50
		135	0	/	17.01	/	18.50
		135	69	/	18.78	/	19.50
		135	138	/	16.81	/	18.50
		270	0	/	18.00	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	17.89	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	16.61	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.68	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	17.60	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	18.90	18.79	18.90	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	18.83	18.76	18.78	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	18.81	18.78	18.83	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 560 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	18.83	18.67	18.81	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	18.67	18.57	18.92	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	18.83	18.66	18.81	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	18.77	18.71	18.89	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	18.73	18.67	18.73	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	18.81	18.72	18.85	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	18.74	18.73	18.79	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	18.71	18.64	18.80	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Technical Personnel (SPECIAL) Service: (86-755) 516657 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 26710593 | (86-755) 26710594 | sgs.china@sgs.com

N78 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.24	/	18.00
		1	137	/	17.17	/	18.00
		1	271	/	17.30	/	18.00
		135	0	/	15.58	/	17.50
		135	69	/	17.12	/	18.00
		135	138	/	15.71	/	17.50
		270	0	/	16.37	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.39	/	18.00
		1	137	/	17.32	/	18.00
		1	271	/	17.15	/	18.00
		135	0	/	15.59	/	17.00
		135	69	/	17.40	/	18.00
		135	138	/	15.37	/	17.00
		270	0	/	16.54	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.38	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	15.07	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	13.04	/	13.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
/					650000	/	
100MHz	CP-OFDM QPSK	1	1	/	16.02	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.38	17.25	17.41	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.29	17.25	17.34	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.33	17.26	17.40	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content to appear on this document is unlawful and offenders may be prosecuted under the applicable laws. The Company shall not be held responsible for the results shown in this test report refer only to the sample(s) tested and not sample(s) are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8907 1643.
 or email: CN.Dongchao@supgroup.com
 亞細亞(中國)儀器有限公司, 廣東省深圳市南山區科苑南路8-10號11樓 郵箱: 516067 (86-755)28012030 (86-755)26710394 www.supgroup.com.cn
 中國·廣東·深圳市南山區科苑南路8-10號11樓 郵箱: 516067 (86-755)28012030 (86-755)26710394 apc@china@sup.com

Member of the SGB Group (1988-8A)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 562 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.37	17.15	17.36	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.22	17.13	17.37	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.37	17.12	17.31	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.34	17.27	17.36	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	17.25	17.17	17.24	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.33	17.21	17.38	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	17.22	17.18	17.31	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.21	17.20	17.33	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Contact: Mr. Zhang, Tel: 816057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 563 of 867

N78 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	12.76	/	13.50
		1	137	/	12.78	/	13.50
		1	271	/	12.83	/	13.50
		135	0	/	11.27	/	13.00
		135	69	/	12.68	/	13.50
		135	138	/	11.23	/	13.00
		270	0	/	11.90	/	13.00
	DFT-s-OFDM QPSK	1	1	/	12.91	/	13.50
		1	137	/	12.85	/	13.50
		1	271	/	12.57	/	13.50
		135	0	/	10.97	/	12.50
		135	69	/	12.84	/	13.50
		135	138	/	10.78	/	12.50
		270	0	/	11.86	/	12.50
	DFT-s-OFDM 16QAM	1	1	/	11.91	/	12.50
	DFT-s-OFDM 64QAM	1	1	/	10.65	/	11.00
	DFT-s-OFDM 256QAM	1	1	/	8.73	/	9.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	10.53	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.81	12.72	12.88	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.81	12.79	12.84	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.80	12.77	12.90	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 564 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.87	12.64	12.79	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	12.72	12.64	12.87	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.91	12.59	12.74	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.81	12.80	12.83	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	12.79	12.71	12.66	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.76	12.79	12.86	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	12.73	12.71	12.78	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	12.70	12.66	12.81	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing Pet. Under Strictly Control, Inquiry On: 516057 | (86-755) 86012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 86012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 565 of 867

N78 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	12.26	/	13.00
		1	137	/	12.28	/	13.00
		1	271	/	12.33	/	13.00
		135	0	/	10.77	/	12.50
		135	69	/	12.18	/	13.00
		135	138	/	10.73	/	12.50
		270	0	/	11.40	/	12.50
	DFT-s-OFDM QPSK	1	1	/	12.41	/	13.00
		1	137	/	12.35	/	13.00
		1	271	/	12.07	/	13.00
		135	0	/	10.47	/	12.00
		135	69	/	12.34	/	13.00
		135	138	/	10.28	/	12.00
		270	0	/	11.36	/	12.00
	DFT-s-OFDM 16QAM	1	1	/	11.41	/	12.00
	DFT-s-OFDM 64QAM	1	1	/	10.15	/	10.50
	DFT-s-OFDM 256QAM	1	1	/	8.23	/	8.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	10.03	/	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	12.31	12.22	12.38	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	12.31	12.29	12.34	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	12.30	12.27	12.40	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS-Group@sgs.com.

No. (Mainland China) Shenzhen Branch: 30012053 | (86-755) 6681 9443 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 566 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	12.37	12.14	12.29	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	12.22	12.14	12.37	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	12.41	12.09	12.24	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	12.31	12.30	12.33	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	12.29	12.21	12.16	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	12.26	12.29	12.36	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	12.23	12.21	12.28	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	12.20	12.16	12.31	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China (Guangdong) 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

12.4 Conducted Power of NR Antenna (Ant14)

N2 DSI4				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	23.12	22.97	23.01	24.30
		1	53	23.05	23.02	22.90	24.30
		1	104	23.05	23.15	22.85	24.30
		50	0	21.99	21.96	22.01	23.80
		50	28	22.81	22.77	22.80	24.30
		50	56	21.87	22.01	21.90	23.80
		100	0	21.89	22.04	21.90	23.80
	DFT-s-OFDM QPSK	1	1	23.03	23.00	23.03	24.30
		1	53	22.96	22.97	22.95	24.30
		1	104	23.07	23.06	22.90	24.30
		50	0	21.96	21.90	21.93	23.30
		50	28	22.84	22.86	22.89	24.30
		50	56	21.83	21.93	21.94	23.30
		100	0	21.93	22.01	21.95	23.30
	DFT-s-OFDM 16QAM	1	1	22.05	22.00	21.97	23.30
	DFT-s-OFDM 64QAM	1	1	20.40	20.38	20.31	21.80
	DFT-s-OFDM 256QAM	1	1	18.18	18.18	18.16	19.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	21.79	21.84	21.82	22.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	22.96	22.94	22.93	24.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	22.97	23.09	22.99	24.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn, or www.sgs.com.cn.
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 568 of 867

5MHz	DFT-s-OFDM QPSK	1	1	23.11	22.95	23.12	24.30
------	-----------------	---	---	-------	-------	-------	-------



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Cn@sgs.com

No. (Testing & Calibration) Sector, Second Technical Park, Shenzhen City, Shenzhen, Guangdong 518057 | (86-755) 8501 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8501 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 569 of 867

N2 DSI5/8/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.68	20.55	20.42	21.80
		1	53	20.49	20.53	20.35	21.80
		1	104	20.48	20.57	20.27	21.80
		50	0	19.57	19.43	19.51	21.30
		50	28	20.31	20.26	20.22	21.80
		50	56	19.44	19.50	19.47	21.30
		100	0	19.42	19.56	19.37	21.30
	DFT-s-OFDM QPSK	1	1	20.52	20.59	20.57	21.80
		1	53	20.52	20.45	20.39	21.80
		1	104	20.69	20.61	20.31	21.80
		50	0	19.52	19.42	19.36	20.80
		50	28	20.35	20.40	20.52	21.80
		50	56	19.40	19.35	19.48	20.80
		100	0	19.38	19.58	19.53	20.80
	DFT-s-OFDM 16QAM	1	1	19.53	19.41	19.46	20.80
	DFT-s-OFDM 64QAM	1	1	17.95	17.91	17.75	19.30
	DFT-s-OFDM 256QAM	1	1	15.69	15.72	15.73	17.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	19.26	19.33	19.37	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	20.49	20.45	20.48	21.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	20.52	20.57	20.47	21.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	20.58	20.42	20.66	21.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CS.C@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 570 of 867

N2 DSI2				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.09	16.96	16.91	18.30
		1	53	17.12	17.02	16.83	18.30
		1	104	17.00	17.16	16.93	18.30
		50	0	16.05	15.98	16.01	17.80
		50	28	16.78	16.71	16.77	18.30
		50	56	15.83	16.03	15.97	17.80
		100	0	15.82	16.09	15.98	17.80
	DFT-s-OFDM QPSK	1	1	17.10	16.93	17.08	18.30
		1	53	17.05	16.87	16.85	18.30
		1	104	17.05	16.98	16.94	18.30
		50	0	15.93	15.99	15.91	17.30
		50	28	16.81	16.82	16.95	18.30
		50	56	15.77	15.95	15.85	17.30
		100	0	15.99	16.07	15.88	17.30
	DFT-s-OFDM 16QAM	1	1	15.97	16.00	15.87	17.30
	DFT-s-OFDM 64QAM	1	1	14.49	14.33	14.40	15.80
	DFT-s-OFDM 256QAM	1	1	12.27	12.22	12.23	13.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	15.84	15.86	15.78	16.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	17.00	16.97	16.88	18.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	16.96	17.13	16.96	18.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	17.09	16.99	17.12	18.30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CS.Cn@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 571 of 867

N2 DSI3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.61	16.56	16.42	17.80
		1	53	16.63	16.60	16.40	17.80
		1	104	16.54	16.72	16.41	17.80
		50	0	15.47	15.41	15.57	17.30
		50	28	16.34	16.30	16.32	17.80
		50	56	15.37	15.59	15.32	17.30
		100	0	15.43	15.60	15.49	17.30
	DFT-s-OFDM QPSK	1	1	16.51	16.58	16.54	17.80
		1	53	16.49	16.47	16.44	17.80
		1	104	16.51	16.55	16.35	17.80
		50	0	15.41	15.38	15.49	16.80
		50	28	16.39	16.33	16.29	17.80
		50	56	15.23	15.38	15.35	16.80
		100	0	15.45	15.49	15.37	16.80
	DFT-s-OFDM 16QAM	1	1	15.61	15.48	15.39	16.80
	DFT-s-OFDM 64QAM	1	1	13.90	13.84	13.81	15.30
	DFT-s-OFDM 256QAM	1	1	11.59	11.68	11.61	13.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	15.30	15.33	15.29	16.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	16.41	16.42	16.38	17.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	16.48	16.54	16.48	17.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	16.62	16.49	16.64	17.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, 11/F, Unit 1101, Second Floor, Fintan Center, 1000110, Shenzhen, Guangdong, China. Tel: (86-755) 8581 9443 Fax: (86-755) 8581 9444 www.sgs.com.cn

中国·广东·深圳市福田区科田路中區8-10樓1101 郵政：518057 電話：(86-755) 8581 9443 傳真：(86-755) 8581 9444 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 572 of 867

N7 DSI4				Conducted Power(dBm)				
SCS 15kHz								
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				504000	507000	510000		
				2520	2535	2550		
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	23.78	23.87	23.79	24.70	
		1	108	23.65	23.75	23.68	24.70	
		1	214	23.75	23.88	23.80	24.70	
		108	0	22.85	22.80	22.82	24.20	
		108	54	23.83	23.65	23.77	24.70	
		108	108	22.79	22.94	22.88	24.20	
		216	0	22.77	22.74	22.71	24.20	
	DFT-s-OFDM QPSK	1	1	23.72	23.87	23.85	24.70	
		1	108	23.66	23.78	23.75	24.70	
		1	214	23.67	23.79	23.73	24.70	
		108	0	22.92	22.82	22.79	23.70	
		108	54	23.74	23.58	23.68	24.70	
		108	108	22.81	22.87	22.87	23.70	
		216	0	22.68	22.77	22.75	23.70	
	DFT-s-OFDM 16QAM	1	1	22.50	22.53	22.52	23.70	
	DFT-s-OFDM 64QAM	1	1	21.60	21.70	21.60	22.20	
	DFT-s-OFDM 256QAM	1	1	19.59	19.63	19.59	20.20	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	22.36	22.30	22.35	23.20	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				503000	507000	511000		
30MHz	DFT-s-OFDM QPSK	1	1	23.69	23.82	23.78	24.70	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				502500	507000	511500		
25MHz	DFT-s-OFDM QPSK	1	1	23.77	23.77	23.81	24.70	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				502000	507000	512000		
20MHz	DFT-s-OFDM QPSK	1	1	23.72	23.87	23.88	24.70	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				501500	507000	512500		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com or CS@sgs.com.cn.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 573 of 867

15MHz	DFT-s-OFDM QPSK	1	1	23.78	23.81	23.91	24.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	23.70	23.86	23.93	24.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	23.67	23.91	23.79	24.70



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS@china.sgs.com
 In China: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Building 5th, 116057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 574 of 867

N7 DSI5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.81	20.81	20.70	21.50
		1	108	20.65	20.80	20.65	21.50
		1	214	20.72	20.88	20.72	21.50
		108	0	19.83	19.82	19.77	21.00
		108	54	20.80	20.55	20.81	21.50
		108	108	19.73	19.94	19.79	21.00
		216	0	19.84	19.76	19.70	21.00
	DFT-s-OFDM QPSK	1	1	20.63	20.85	20.81	21.50
		1	108	20.56	20.79	20.83	21.50
		1	214	20.57	20.72	20.64	21.50
		108	0	19.94	19.81	19.73	20.50
		108	54	20.78	20.57	20.63	21.50
		108	108	19.87	19.87	19.87	20.50
		216	0	19.71	19.84	19.74	20.50
	DFT-s-OFDM 16QAM	1	1	19.40	19.56	19.43	20.50
	DFT-s-OFDM 64QAM	1	1	18.57	18.77	18.50	19.00
	DFT-s-OFDM 256QAM	1	1	16.49	16.60	16.60	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	19.33	19.31	19.33	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	20.70	20.86	20.80	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	20.77	20.78	20.81	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	20.73	20.91	20.91	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CS.Cn@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8681 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8681 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 575 of 867

15MHz	DFT-s-OFDM QPSK	1	1	20.78	20.76	20.86	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	20.67	20.85	20.96	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	20.70	20.89	20.84	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS@china.sgs.com.
 In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, telephone: (86-755) 8581 9443, or email: CS@china.sgs.com.
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 577 of 867

15MHz	DFT-s-OFDM QPSK	1	1	19.33	19.35	19.45	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	19.22	19.35	19.48	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	19.22	19.45	19.32	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. The Company shall not be held responsible for the results of any use of this report other than for the purposes stated and any damages are limited to 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)89071643.
 or email: CN.Dongchao@sgsg.com
 亞細亞(中國)貿易有限公司 廣東省廣州市 廣州大道南 516067 | (86-755)28012030 | (86-755)26710394 | www.sgsgroup.com.cn
 中國·廣東·深圳市南山區科苑路中區8-10號11樓 郵箱: 516067 | (86-755)28012030 | (86-755)26710394 | sgs@china@sgsg.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 578 of 867

N7 DS12/3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.83	16.88	16.69	17.50
		1	108	16.57	16.72	16.70	17.50
		1	214	16.72	16.86	16.70	17.50
		108	0	15.94	15.80	15.88	17.00
		108	54	16.89	16.56	16.84	17.50
		108	108	15.85	16.01	15.89	17.00
		216	0	15.77	15.76	15.64	17.00
	DFT-s-OFDM QPSK	1	1	16.64	16.79	16.80	17.50
		1	108	16.57	16.73	16.80	17.50
		1	214	16.70	16.81	16.74	17.50
		108	0	15.82	15.87	15.83	16.50
		108	54	16.71	16.69	16.68	17.50
		108	108	15.78	15.87	15.96	16.50
		216	0	15.75	15.71	15.77	16.50
	DFT-s-OFDM 16QAM	1	1	15.57	15.54	15.57	16.50
	DFT-s-OFDM 64QAM	1	1	14.67	14.68	14.52	15.00
	DFT-s-OFDM 256QAM	1	1	12.50	12.70	12.56	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	15.36	15.33	15.36	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	16.70	16.82	16.73	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	16.79	16.79	16.76	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	16.69	16.83	16.86	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS.C@sgs.com.

No. 10, 11th Floor, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋11楼 邮编: 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 579 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	16.77	16.79	16.88	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	16.68	16.86	16.95	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	16.63	16.93	16.84	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. The Client agrees to the limitation of liability, indemnification and jurisdiction clauses and that the Client has been advised that information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Client's instructions. If any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content to appear on this document is unlawful and offenders may be prosecuted under the applicable laws. The Client shall indemnify and hold the Company harmless should the results shown in this test report refer only to the sample(s) tested and not samples not obtained for 30 days only.

本報告已獲國際核能委員會認可。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8907 1643.
 or email: CN.Dongchao@supg.com
 上海申能核電有限公司, 蘇州核電有限公司, 蘇州核電有限公司, 蘇州核電有限公司, 蘇州核電有限公司
 中國·廣東·深圳市南山區科苑路中區8-10號11樓 郵箱: 516067
 (86-755) 2607 2030 (86-755) 267 10304 www.supg.com.cn
 (86-755) 2607 2030 (86-755) 267 10304 supchina@supg.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 580 of 867

N66 DSI4				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	23.67	23.66	23.69	24.50
		1	108	23.77	23.74	23.60	24.50
		1	214	23.52	23.49	23.45	24.50
		108	0	22.66	22.70	22.83	24.00
		108	54	23.70	23.76	23.68	24.50
		108	108	22.67	22.68	22.69	24.00
		216	0	22.86	22.83	22.70	24.00
	DFT-s-OFDM QPSK	1	1	23.61	23.70	23.60	24.50
		1	108	23.74	23.72	23.63	24.50
		1	214	23.50	23.54	23.53	24.50
		108	0	22.72	22.76	22.77	23.50
		108	54	23.65	23.79	23.65	24.50
		108	108	22.61	22.70	22.66	23.50
		216	0	22.84	22.76	22.80	23.50
	DFT-s-OFDM 16QAM	1	1	22.60	22.61	22.72	23.50
	DFT-s-OFDM 64QAM	1	1	21.47	21.44	21.57	22.00
	DFT-s-OFDM 256QAM	1	1	18.87	18.82	18.99	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	22.08	22.12	22.15	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	23.62	23.73	23.55	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	23.51	23.76	23.56	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	23.60	23.65	23.58	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Czech@sng.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, China 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 581 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	23.62	23.79	23.61	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	23.68	23.71	23.54	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	23.54	23.60	23.53	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	23.67	23.65	23.63	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from excluding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS@china.sgs.com

No. 10, 1st Floor, 8th Middle School, Second School, Pingtan District, Pingtan Island, Fujian 351605 P.R. China | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 | 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 582 of 867

N66 DSI5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.62	20.60	20.65	21.50
		1	108	20.83	20.73	20.60	21.50
		1	214	20.58	20.55	20.43	21.50
		108	0	19.62	19.72	19.85	21.00
		108	54	20.65	20.73	20.74	21.50
		108	108	19.61	19.66	19.69	21.00
		216	0	19.92	19.86	19.66	21.00
	DFT-s-OFDM QPSK	1	1	20.76	20.90	20.69	21.50
		1	108	20.66	20.65	20.63	21.50
		1	214	20.56	20.59	20.47	21.50
		108	0	19.67	19.81	19.72	20.50
		108	54	20.59	20.85	20.66	21.50
		108	108	19.56	19.66	19.68	20.50
		216	0	19.89	19.81	19.74	20.50
	DFT-s-OFDM 16QAM	1	1	19.64	19.62	19.73	20.50
	DFT-s-OFDM 64QAM	1	1	18.41	18.42	18.59	19.00
	DFT-s-OFDM 256QAM	1	1	15.93	15.76	16.01	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	19.04	19.09	19.17	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	20.66	20.68	20.57	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	20.63	20.75	20.59	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	20.56	20.68	20.64	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com or sgs@sgs.com.

中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 584 of 867

N66 DS18/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.65	18.69	18.75	19.50
		1	108	18.74	18.71	18.58	19.50
		1	214	18.56	18.49	18.41	19.50
		108	0	17.68	17.65	17.79	19.00
		108	54	18.70	18.78	18.70	19.50
		108	108	17.63	17.73	17.75	19.00
		216	0	17.88	17.78	17.69	19.00
	DFT-s-OFDM QPSK	1	1	18.64	18.66	18.62	19.50
		1	108	18.69	18.69	18.64	19.50
		1	214	18.55	18.55	18.53	19.50
		108	0	17.74	17.82	17.75	18.50
		108	54	18.60	18.73	18.65	19.50
		108	108	17.59	17.69	17.64	18.50
		216	0	17.79	17.79	17.74	18.50
	DFT-s-OFDM 16QAM	1	1	17.65	17.58	17.74	18.50
	DFT-s-OFDM 64QAM	1	1	16.45	16.48	16.62	17.00
	DFT-s-OFDM 256QAM	1	1	13.82	13.88	13.93	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	17.13	17.18	17.21	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	18.67	18.66	18.54	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	18.64	18.68	18.64	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	18.57	18.74	18.59	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch 116057 1 (86-755) 8801 2053 1 (86-755) 267 0594 www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 1 (86-755) 8801 2053 1 (86-755) 267 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 585 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	18.56	18.72	18.63	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	18.58	18.64	18.55	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	18.67	18.76	18.60	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	18.56	18.76	18.58	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd North Road, Second Industrial Park, Shenzhen City, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 586 of 867

N66 DSI2				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.57	17.56	17.77	18.50
		1	108	17.77	17.80	17.61	18.50
		1	214	17.56	17.49	17.42	18.50
		108	0	16.72	16.64	16.85	18.00
		108	54	17.74	17.71	17.72	18.50
		108	108	16.75	16.77	16.60	18.00
		216	0	16.95	16.76	16.61	18.00
	DFT-s-OFDM QPSK	1	1	17.51	17.68	17.66	18.50
		1	108	17.82	17.63	17.59	18.50
		1	214	17.48	17.56	17.43	18.50
		108	0	16.69	16.68	16.84	17.50
		108	54	17.61	17.76	17.71	18.50
		108	108	16.69	16.77	16.70	17.50
		216	0	16.76	16.79	16.72	17.50
	DFT-s-OFDM 16QAM	1	1	16.65	16.57	16.79	17.50
	DFT-s-OFDM 64QAM	1	1	15.51	15.53	15.53	16.00
	DFT-s-OFDM 256QAM	1	1	12.90	12.72	12.91	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	16.11	16.10	16.20	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	17.59	17.74	17.60	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	17.50	17.71	17.58	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	17.58	17.67	17.53	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.C@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch 116057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 588 of 867

N66 DS13				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.10	17.22	17.25	18.00
		1	108	17.36	17.23	17.02	18.00
		1	214	17.04	16.91	16.85	18.00
		108	0	16.19	16.28	16.31	17.50
		108	54	17.11	17.20	17.16	18.00
		108	108	16.09	16.14	16.27	17.50
		216	0	16.43	16.39	16.28	17.50
	DFT-s-OFDM QPSK	1	1	17.19	17.15	17.05	18.00
		1	108	17.32	17.18	17.08	18.00
		1	214	17.00	17.01	17.11	18.00
		108	0	16.31	16.18	16.31	17.00
		108	54	17.24	17.25	17.19	18.00
		108	108	16.07	16.16	16.14	17.00
		216	0	16.30	16.35	16.20	17.00
	DFT-s-OFDM 16QAM	1	1	16.15	16.16	16.23	17.00
	DFT-s-OFDM 64QAM	1	1	15.06	14.90	14.97	15.50
	DFT-s-OFDM 256QAM	1	1	12.28	12.32	12.41	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	15.63	15.63	15.64	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	17.14	17.23	17.03	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	17.01	17.31	17.09	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	17.15	17.11	17.13	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CS.Support@sgs.com.
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8681 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-11栋1号广东 邮编: 518057 Tel: (86-755) 8681 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 590 of 867

N38 DSI4				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.01	23.83	24.05	24.50
		1	53	23.80	23.93	23.93	24.50
		1	104	24.00	23.90	23.81	24.50
		50	0	22.80	22.79	22.92	24.00
		50	28	23.86	23.82	23.72	24.50
		50	56	22.71	22.98	22.89	24.00
		100	0	22.90	22.86	22.79	24.00
	DFT-s-OFDM QPSK	1	1	23.80	23.81	24.09	24.50
		1	53	23.91	23.83	23.94	24.50
		1	104	23.81	23.82	23.90	24.50
		50	0	22.74	22.92	22.76	23.50
		50	28	23.86	23.81	23.69	24.50
		50	56	22.91	22.78	22.84	23.50
		100	0	22.93	22.87	22.78	23.50
	DFT-s-OFDM 16QAM	1	1	22.62	22.74	22.76	23.50
	DFT-s-OFDM 64QAM	1	1	21.86	21.92	21.76	22.00
	DFT-s-OFDM 256QAM	1	1	19.83	19.78	19.91	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	22.48	22.48	22.48	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	23.94	23.77	24.08	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	24.00	23.86	24.21	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	23.84	23.86	24.08	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 591 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	24.05	23.82	23.99	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Cn@sgs.com

No. 10, Huafeng 8-10, Maitai Sector, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 592 of 867

N38 DSI5				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.98	20.80	21.04	21.50
		1	53	20.74	20.83	20.89	21.50
		1	104	20.93	20.82	20.85	21.50
		50	0	19.77	19.79	19.90	21.00
		50	28	20.82	20.84	20.77	21.50
		50	56	19.68	20.05	19.79	21.00
		100	0	19.91	19.83	19.81	21.00
	DFT-s-OFDM QPSK	1	1	20.71	20.85	21.12	21.50
		1	53	20.90	20.75	21.02	21.50
		1	104	20.78	20.82	20.93	21.50
		50	0	19.82	19.88	19.74	20.50
		50	28	20.83	20.75	20.65	21.50
		50	56	19.99	19.86	19.93	20.50
		100	0	19.83	19.84	19.70	20.50
	DFT-s-OFDM 16QAM	1	1	19.66	19.83	19.77	20.50
	DFT-s-OFDM 64QAM	1	1	18.84	18.87	18.66	19.00
	DFT-s-OFDM 256QAM	1	1	16.86	16.78	16.93	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	19.46	19.47	19.51	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	20.98	20.73	21.11	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	21.03	20.83	21.22	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	20.84	20.90	21.07	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.

No. (Market & Sales Dept.) Shenzhen Branch: Shenzhen Branch: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902
Page: 593 of 867

				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	21.09	20.82	21.00	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Cn@sgs.com

No. (Tel): 86-755 8581 9443; Fax: 86-755 8581 9443; Email: Shenzhen@sgs.com; Website: www.sgs.com

中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 26710594 | www.sgs.com.cn
中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 26710594 | sgs.china@sgs.com

N38 DS18/9/10				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.48	19.32	19.57	20.00
		1	53	19.27	19.43	19.42	20.00
		1	104	19.58	19.30	19.38	20.00
		50	0	18.22	18.20	18.47	19.50
		50	28	19.34	19.35	19.30	20.00
		50	56	18.12	18.46	18.32	19.50
		100	0	18.44	18.31	18.25	19.50
	DFT-s-OFDM QPSK	1	1	19.30	19.32	19.56	20.00
		1	53	19.39	19.36	19.37	20.00
		1	104	19.37	19.31	19.49	20.00
		50	0	18.32	18.51	18.31	19.00
		50	28	19.26	19.40	19.26	20.00
		50	56	18.36	18.23	18.40	19.00
		100	0	18.36	18.41	18.30	19.00
	DFT-s-OFDM 16QAM	1	1	18.17	18.24	18.30	19.00
DFT-s-OFDM 64QAM	1	1	17.39	17.32	17.27	17.50	
DFT-s-OFDM 256QAM	1	1	15.33	15.22	15.48	15.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	17.94	17.95	18.00	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	19.41	19.25	19.62	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	19.45	19.40	19.70	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	19.33	19.38	19.59	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accession at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries are subject to the terms and conditions of this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. All other information stated the results shown in this test report refer only to the sample(s) tested and not to the whole lot. Results are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Dongchao@sgp.com
 亞細亞(中國)儀器有限公司, 廣東省深圳市南山區科苑南路8-10號11樓 郵箱: 516067 (86-755)28012030 (86-755)26710394 www.sgpgroup.com.cn
 中國·廣東·深圳市南山區科苑南路8-10號11樓 郵箱: 516067 (86-755)28012030 (86-755)26710394 sgpchina@sgp.com

Member of the SGB Group (1988-8A)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 596 of 867

N38 DS12/3				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.08	15.87	15.98	16.50
		1	53	15.75	15.90	15.84	16.50
		1	104	16.04	15.94	15.89	16.50
		50	0	14.81	14.79	14.84	16.00
		50	28	15.79	15.88	15.77	16.50
		50	56	14.76	14.89	14.81	16.00
		100	0	14.81	14.86	14.80	16.00
	DFT-s-OFDM QPSK	1	1	15.79	15.81	15.99	16.50
		1	53	15.92	15.91	15.87	16.50
		1	104	15.74	15.87	15.83	16.50
		50	0	14.73	15.00	14.82	15.50
		50	28	15.87	15.80	15.68	16.50
		50	56	14.82	14.81	14.77	15.50
		100	0	14.97	14.88	14.86	15.50
	DFT-s-OFDM 16QAM	1	1	14.66	14.75	14.66	15.50
	DFT-s-OFDM 64QAM	1	1	13.79	13.85	13.83	14.00
	DFT-s-OFDM 256QAM	1	1	11.89	11.82	12.00	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	14.47	14.45	14.46	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	15.99	15.82	16.05	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	15.95	15.81	16.22	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	15.84	15.85	16.11	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.C@sgs.com

Address: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.C@sgs.com

中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 597 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	16.05	15.83	15.94	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Cn@sgs.com.
 To Market: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Building 5th, 516057 | (86-755) 8581 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8581 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 598 of 867

N41 PC2 DSI4				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	25.78	25.41	25.37	25.35	25.39	26.00
		1	137	25.56	25.40	25.28	25.34	25.41	26.00
		1	271	25.68	25.38	25.37	25.40	25.40	26.00
		135	0	22.14	21.85	21.91	21.98	22.15	22.50
		135	69	25.55	25.26	25.26	25.37	25.43	26.00
		135	138	21.88	21.91	21.87	21.89	21.89	22.50
		270	0	24.86	24.88	24.98	24.93	24.99	25.50
	DFT-s-OFDM QPSK	1	1	25.72	25.46	25.32	25.40	25.43	26.00
		1	137	25.61	25.42	25.28	25.38	25.45	26.00
		1	271	25.66	25.39	25.33	25.40	25.42	26.00
		135	0	22.15	21.88	21.86	21.97	22.10	22.50
		135	69	25.53	25.28	25.27	25.35	25.38	26.00
		135	138	21.89	21.85	21.90	21.88	21.85	22.50
		270	0	24.39	24.41	24.46	24.52	24.52	25.00
	DFT-s-OFDM 16QAM	1	1	24.59	24.58	24.66	24.77	24.77	25.00
	DFT-s-OFDM 64QAM	1	1	23.02	22.94	23.05	23.11	23.20	23.50
	DFT-s-OFDM 256QAM	1	1	20.80	20.83	20.88	20.97	21.05	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	23.99	23.93	23.95	23.94	24.06	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	
90MHz	DFT-s-OFDM QPSK	1	1	25.70	25.50	25.30	25.36	25.40	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	25.76	25.40	25.38	25.41	25.41	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	25.76	25.41	25.39	25.45	25.46	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 599 of 867

				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	25.75	25.53	25.21	25.43	25.31	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	25.62	25.54	25.27	25.40	25.49	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	25.61	25.49	25.35	25.44	25.30	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	25.67	25.42	25.37	25.30	25.35	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	25.78	25.46	25.20	25.29	25.45	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	25.74	25.50	25.31	25.36	25.31	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	25.61	25.55	25.27	25.31	25.33	26.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgstechnical.com
 In Market & Quality Sector, Second Technical Park, Shenzhen, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 600 of 867

N41 PC2 DSI5				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.76	21.35	21.29	21.25	21.39	22.00
		1	137	21.49	21.47	21.18	21.24	21.44	22.00
		1	271	21.77	21.36	21.34	21.47	21.33	22.00
		135	0	18.15	17.76	17.87	17.90	18.21	18.50
		135	69	21.58	21.27	21.23	21.29	21.51	22.00
		135	138	17.82	17.87	17.88	17.86	17.80	18.50
		270	0	20.84	20.92	20.92	21.02	21.07	21.50
	DFT-s-OFDM QPSK	1	1	21.70	21.46	21.29	21.42	21.47	22.00
		1	137	21.54	21.32	21.36	21.35	21.51	22.00
		1	271	21.74	21.45	21.26	21.46	21.44	22.00
		135	0	18.09	17.90	17.90	17.88	18.14	18.50
		135	69	21.54	21.32	21.25	21.31	21.31	22.00
		135	138	17.95	17.84	17.90	17.87	17.87	18.50
		270	0	20.34	20.31	20.41	20.56	20.60	21.00
	DFT-s-OFDM 16QAM	1	1	20.64	20.58	20.65	20.71	20.67	21.00
	DFT-s-OFDM 64QAM	1	1	19.04	19.01	19.08	19.05	19.13	19.50
	DFT-s-OFDM 256QAM	1	1	16.83	16.82	16.90	17.03	17.03	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	20.02	19.94	19.99	19.90	20.11	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	
90MHz	DFT-s-OFDM QPSK	1	1	21.75	21.53	21.25	21.38	21.35	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	21.71	21.40	21.41	21.46	21.46	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	21.72	21.44	21.39	21.41	21.51	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 601 of 867

				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	21.74	21.56	21.26	21.47	21.32	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	21.59	21.54	21.27	21.38	21.50	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	21.57	21.49	21.31	21.44	21.31	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	21.67	21.40	21.34	21.26	21.35	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	21.81	21.46	21.21	21.29	21.47	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	21.69	21.53	21.29	21.39	21.31	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	21.58	21.60	21.24	21.33	21.29	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof to a transaction from excluding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgstechnical.com

No. 10, 1st Floor, 8th Middle School, Second School, Pingtan District, Pingtan City, Fujian 351205 P.R. China Tel: 516057 I (86-755) 88012053 I (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号广东 邮编: 516057 I (86-755) 88012053 I (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 602 of 867

N41 PC2 DSI8/9/10				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.26	19.98	19.93	19.87	19.90	20.50
		1	137	20.03	19.88	19.74	19.79	19.86	20.50
		1	271	20.23	19.85	19.93	19.82	19.86	20.50
		135	0	16.58	16.44	16.48	16.55	16.63	17.00
		135	69	19.98	19.70	19.80	19.77	19.97	20.50
		135	138	16.36	16.41	16.38	16.39	16.40	17.00
		270	0	19.44	19.34	19.49	19.37	19.39	20.00
	DFT-s-OFDM QPSK	1	1	20.28	20.01	19.80	19.97	19.92	20.50
		1	137	20.07	19.97	19.75	19.83	19.86	20.50
		1	271	20.22	19.82	19.92	19.89	19.86	20.50
		135	0	16.58	16.30	16.29	16.50	16.69	17.00
		135	69	19.93	19.70	19.83	19.87	19.87	20.50
		135	138	16.46	16.43	16.44	16.28	16.36	17.00
		270	0	18.96	18.85	18.91	18.94	19.01	19.50
	DFT-s-OFDM 16QAM	1	1	18.99	18.99	19.14	19.31	19.35	19.50
	DFT-s-OFDM 64QAM	1	1	17.47	17.44	17.46	17.52	17.71	18.00
	DFT-s-OFDM 256QAM	1	1	15.34	15.28	15.47	15.45	15.61	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	18.49	18.38	18.40	18.49	18.55	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	
90MHz	DFT-s-OFDM QPSK	1	1	20.20	20.04	19.84	19.83	19.86	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	20.23	19.95	19.86	19.86	19.86	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	20.22	19.94	19.88	19.91	20.01	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS.Support@sgs.com

No. 10, Huayuan 8th, Maly Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 603 of 867

				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	20.28	19.98	19.71	19.89	19.85	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	20.15	20.06	19.74	19.95	20.02	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	20.15	20.00	19.85	19.98	19.84	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	20.15	19.97	19.92	19.83	19.90	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	20.33	19.97	19.66	19.75	19.90	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	20.20	20.03	19.84	19.88	19.84	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	20.13	20.05	19.75	19.76	19.87	20.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CS@sgstechnical.com.
 In China: 8-11, Malyi Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 604 of 867

N41 PC2 DSI2				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.78	17.33	17.36	17.29	17.34	18.00
		1	137	17.65	17.44	17.27	17.24	17.34	18.00
		1	271	17.73	17.40	17.33	17.32	17.45	18.00
		135	0	14.04	13.89	13.88	13.90	14.23	14.50
		135	69	17.61	17.26	17.31	17.28	17.33	18.00
		135	138	13.81	13.83	13.94	13.95	13.85	14.50
		270	0	16.84	16.97	16.90	16.88	17.01	17.50
	DFT-s-OFDM QPSK	1	1	17.80	17.48	17.26	17.45	17.37	18.00
		1	137	17.66	17.44	17.28	17.41	17.44	18.00
		1	271	17.59	17.40	17.34	17.41	17.40	18.00
		135	0	14.14	13.82	13.79	14.00	14.18	14.50
		135	69	17.53	17.24	17.35	17.40	17.47	18.00
		135	138	13.79	13.92	13.80	13.87	13.79	14.50
		270	0	16.39	16.37	16.45	16.43	16.61	17.00
	DFT-s-OFDM 16QAM	1	1	16.52	16.57	16.72	16.70	16.74	17.00
	DFT-s-OFDM 64QAM	1	1	14.92	14.96	14.98	15.12	15.15	15.50
	DFT-s-OFDM 256QAM	1	1	12.86	12.78	12.83	13.02	13.10	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	16.01	15.88	15.90	15.91	16.07	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	
90MHz	DFT-s-OFDM QPSK	1	1	17.74	17.47	17.33	17.31	17.44	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	17.81	17.38	17.40	17.42	17.44	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	17.76	17.37	17.41	17.50	17.49	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 605 of 867

				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.73	17.52	17.20	17.41	17.28	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	17.57	17.54	17.28	17.36	17.48	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	17.59	17.44	17.30	17.40	17.35	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	17.70	17.43	17.35	17.32	17.31	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	17.76	17.46	17.16	17.28	17.40	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	17.78	17.49	17.36	17.38	17.29	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	17.62	17.51	17.28	17.28	17.37	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG_Group@sgs.com
 In China: 86-755 8811 8443, Second Floor, Fintech Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 606 of 867

N41 PC2 DSI3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.20	16.82	16.80	16.90	16.95	17.50
		1	137	17.03	16.95	16.85	16.78	16.82	17.50
		1	271	17.16	16.97	16.92	16.84	16.80	17.50
		135	0	13.62	13.29	13.46	13.51	13.65	14.00
		135	69	16.95	16.72	16.68	16.94	16.94	17.50
		135	138	13.35	13.33	13.34	13.39	13.41	14.00
		270	0	16.31	16.33	16.52	16.33	16.49	17.00
	DFT-s-OFDM QPSK	1	1	17.27	16.88	16.78	16.85	16.85	17.50
		1	137	17.17	16.92	16.71	16.78	17.01	17.50
		1	271	17.21	16.91	16.74	16.83	16.87	17.50
		135	0	13.72	13.33	13.43	13.51	13.58	14.00
		135	69	16.95	16.70	16.86	16.92	16.84	17.50
		135	138	13.36	13.30	13.42	13.41	13.40	14.00
		270	0	15.82	15.90	15.93	15.92	15.97	16.50
	DFT-s-OFDM 16QAM	1	1	16.05	16.15	16.20	16.21	16.20	16.50
	DFT-s-OFDM 64QAM	1	1	14.56	14.45	14.47	14.69	14.79	15.00
	DFT-s-OFDM 256QAM	1	1	12.25	12.36	12.42	12.49	12.55	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	15.49	15.41	15.46	15.47	15.59	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	
90MHz	DFT-s-OFDM QPSK	1	1	17.15	17.05	16.78	16.82	16.92	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	17.26	16.86	16.89	16.86	16.86	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	17.26	16.96	16.87	16.92	16.97	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Courtesy@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 607 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.23	17.00	16.71	16.97	16.81	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	17.15	17.04	16.76	16.89	16.99	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	17.12	17.02	16.80	16.99	16.83	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	17.12	16.93	16.85	16.85	16.80	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	17.33	16.96	16.69	16.78	16.96	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	17.21	16.98	16.82	16.83	16.86	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	17.09	17.00	16.81	16.82	16.83	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 8643, or visit: SGS-Group.china.com
 In China: SGS (Shenzhen) Technical Services Co., Ltd. Shenzhen Branch, Building 5th, 116057 | (86-755) 8681 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8681 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 608 of 867

N41 PC3 DSI4				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.78	24.55	24.29	24.32	24.46	25.20
		1	137	24.60	24.46	24.32	24.39	24.41	25.20
		1	271	24.68	24.29	24.32	24.32	24.43	25.20
		135	0	23.62	23.38	23.33	23.51	23.62	24.70
		135	69	24.46	24.37	24.19	24.31	24.47	25.20
		135	138	23.32	23.30	23.38	23.40	23.33	24.70
		270	0	23.46	23.34	23.43	23.57	23.60	24.70
	DFT-s-OFDM QPSK	1	1	24.72	24.46	24.32	24.40	24.43	25.20
		1	137	24.61	24.42	24.28	24.38	24.45	25.20
		1	271	24.66	24.39	24.33	24.40	24.42	25.20
		135	0	23.65	23.38	23.36	23.47	23.60	24.20
		135	69	24.53	24.28	24.27	24.35	24.38	25.20
		135	138	23.39	23.35	23.40	23.38	23.35	24.20
		270	0	23.39	23.41	23.46	23.52	23.52	24.20
	DFT-s-OFDM 16QAM	1	1	23.59	23.58	23.66	23.77	23.77	24.20
	DFT-s-OFDM 64QAM	1	1	22.02	21.94	22.05	22.11	22.20	22.70
	DFT-s-OFDM 256QAM	1	1	19.80	19.83	19.88	19.97	20.05	20.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	23.12	23.06	23.12	23.07	23.09	23.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	24.77	24.54	24.33	24.38	24.47	25.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	24.80	24.47	24.28	24.40	24.41	25.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	24.65	24.45	24.36	24.39	24.44	25.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 609 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	24.76	24.49	24.41	24.49	24.42	25.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	24.68	24.49	24.35	24.34	24.47	25.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	24.68	24.44	24.39	24.40	24.40	25.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	24.65	24.51	24.37	24.31	24.48	25.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	24.73	24.47	24.31	24.35	24.41	25.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500200.46	509401.46	518596.53	527797.5	536998.45	
15MHz	DFT-s-OFDM QPSK	1	1	24.75	24.54	24.28	24.37	24.51	25.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	24.77	24.52	24.41	24.34	24.52	25.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG_Group@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen City, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 610 of 867

N41 PC3 DSI5				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.81	21.48	21.28	21.36	21.46	22.00
		1	137	21.66	21.53	21.37	21.45	21.32	22.00
		1	271	21.63	21.20	21.36	21.37	21.42	22.00
		135	0	20.57	20.45	20.26	20.46	20.68	21.50
		135	69	21.48	21.38	21.14	21.24	21.41	22.00
		135	138	20.28	20.20	20.29	20.40	20.24	21.50
		270	0	20.43	20.43	20.50	20.64	20.67	21.50
	DFT-s-OFDM QPSK	1	1	21.77	21.51	21.23	21.40	21.40	22.00
		1	137	21.53	21.33	21.32	21.29	21.35	22.00
		1	271	21.65	21.38	21.36	21.34	21.40	22.00
		135	0	20.56	20.36	20.32	20.49	20.63	21.00
		135	69	21.45	21.35	21.18	21.39	21.37	22.00
		135	138	20.33	20.25	20.48	20.33	20.42	21.00
		270	0	20.40	20.35	20.44	20.42	20.53	21.00
	DFT-s-OFDM 16QAM	1	1	20.51	20.57	20.61	20.77	20.82	21.00
	DFT-s-OFDM 64QAM	1	1	19.00	19.00	18.99	19.09	19.22	19.50
	DFT-s-OFDM 256QAM	1	1	16.83	16.91	16.78	17.05	17.01	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	20.11	20.02	20.07	20.08	20.14	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	21.76	21.57	21.33	21.43	21.45	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	21.78	21.52	21.24	21.37	21.46	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	21.67	21.44	21.34	21.39	21.46	22.00
Bandwidth	Modulation			Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which it derives its rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 611 of 867

		RB size	RB offset	505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	21.79	21.53	21.45	21.45	21.40	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 504204	Channel 511404	Channel 518598	Channel 525798	Channel 532998	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	21.72	21.52	21.34	21.34	21.45	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 503202	Channel 510900	Channel 518598	Channel 526302	Channel 534000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	21.69	21.47	21.35	21.41	21.40	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 502200	Channel 510402	Channel 518598	Channel 526800	Channel 534996	Tune up
30MHz	DFT-s-OFDM QPSK	1	1	21.67	21.51	21.37	21.28	21.51	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 501204	Channel 509904	Channel 518598	Channel 527298	Channel 535998	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	21.73	21.48	21.30	21.31	21.36	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 500200.46	Channel 509401.46	Channel 518596.53	Channel 527797.5	Channel 536998.45	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	21.76	21.51	21.29	21.34	21.51	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 499200	Channel 508902	Channel 518598	Channel 528300	Channel 538002	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	21.74	21.50	21.40	21.38	21.54	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Cert@china.sgs.com

In China: 84, Mahe Road, Second Technology Park, Shenzhen, Guangdong 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 612 of 867

N41 PC3 DSI8/9/10				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.23	20.07	19.72	19.87	20.05	20.50
		1	137	20.14	20.03	19.82	19.83	19.83	20.50
		1	271	20.08	19.71	19.72	19.79	19.94	20.50
		135	0	19.13	18.92	18.90	19.00	19.14	20.00
		135	69	20.01	19.91	19.66	19.85	20.02	20.50
		135	138	18.84	18.86	18.89	18.92	18.89	20.00
		270	0	18.98	18.82	18.99	18.97	19.16	20.00
	DFT-s-OFDM QPSK	1	1	20.18	19.89	19.87	19.86	19.98	20.50
		1	137	20.02	19.98	19.68	19.96	19.91	20.50
		1	271	20.10	19.90	19.88	19.99	19.94	20.50
		135	0	19.12	18.93	18.95	18.94	19.07	19.50
		135	69	19.96	19.77	19.82	19.89	19.92	20.50
		135	138	18.84	18.84	18.88	18.89	18.91	19.50
		270	0	18.95	18.84	18.88	19.07	19.03	19.50
	DFT-s-OFDM 16QAM	1	1	19.09	19.09	19.08	19.24	19.20	19.50
	DFT-s-OFDM 64QAM	1	1	17.52	17.37	17.54	17.59	17.67	18.00
	DFT-s-OFDM 256QAM	1	1	15.27	15.34	15.28	15.42	15.62	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	15.66	15.52	15.63	15.62	15.58	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	17.25	17.09	16.85	16.89	17.02	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	17.31	16.93	16.80	16.86	16.93	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	17.12	16.94	16.85	16.87	16.90	20.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Certification@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 613 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.21	16.95	16.87	16.96	16.96	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	17.15	16.95	16.80	16.82	17.02	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	17.22	16.97	16.93	16.88	16.87	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	17.12	17.02	16.87	16.76	16.94	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	17.28	16.93	16.80	16.82	16.92	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500200.46	509401.46	518596.53	527797.5	536998.45	
15MHz	DFT-s-OFDM QPSK	1	1	17.28	17.08	16.78	16.90	16.98	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	17.27	17.06	16.88	16.84	17.06	20.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG_Group@sgs.com.

No. 10, Huayuan 2nd Rd, South China Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 614 of 867

N41 PC3 DSI2				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.80	17.54	17.27	17.33	17.38	18.00
		1	137	17.62	17.40	17.28	17.45	17.44	18.00
		1	271	17.64	17.31	17.24	17.34	17.43	18.00
		135	0	16.54	16.39	16.36	16.48	16.52	17.50
		135	69	17.47	17.34	17.25	17.31	17.51	18.00
		135	138	16.29	16.23	16.44	16.40	16.24	17.50
		270	0	16.46	16.41	16.42	16.57	16.65	17.50
	DFT-s-OFDM QPSK	1	1	17.81	17.44	17.27	17.46	17.43	18.00
		1	137	17.51	17.40	17.35	17.28	17.35	18.00
		1	271	17.61	17.31	17.41	17.49	17.37	18.00
		135	0	16.65	16.39	16.37	16.40	16.50	17.00
		135	69	17.61	17.37	17.25	17.44	17.33	18.00
		135	138	16.35	16.36	16.49	16.38	16.34	17.00
		270	0	16.37	16.42	16.53	16.55	16.54	17.00
	DFT-s-OFDM 16QAM	1	1	16.66	16.66	16.69	16.71	16.80	17.00
	DFT-s-OFDM 64QAM	1	1	14.95	15.00	15.10	15.14	15.15	15.50
	DFT-s-OFDM 256QAM	1	1	12.74	12.80	12.94	13.01	13.12	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	16.10	16.01	16.13	16.06	16.05	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	17.73	17.58	17.35	17.35	17.52	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	17.79	17.43	17.27	17.35	17.41	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	17.67	17.43	17.32	17.37	17.39	18.00
Bandwidth	Modulation			Channel	Channel	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgs.com or CS@sgs.com.cn

In China: 8-11, Malya Jiao, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 615 of 867

		RB size	RB offset	505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.76	17.45	17.44	17.54	17.47	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 504204	Channel 511404	Channel 518598	Channel 525798	Channel 532998	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	17.68	17.45	17.35	17.31	17.42	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 503202	Channel 510900	Channel 518598	Channel 526302	Channel 534000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	17.66	17.47	17.34	17.44	17.39	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 502200	Channel 510402	Channel 518598	Channel 526800	Channel 534996	Tune up
30MHz	DFT-s-OFDM QPSK	1	1	17.64	17.49	17.42	17.30	17.53	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 501204	Channel 509904	Channel 518598	Channel 527298	Channel 535998	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	17.73	17.44	17.28	17.31	17.38	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 500200.46	Channel 509401.46	Channel 518596.53	Channel 527797.5	Channel 536998.45	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	17.77	17.52	17.26	17.33	17.50	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 499200	Channel 508902	Channel 518598	Channel 528300	Channel 538002	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	17.79	17.48	17.42	17.30	17.49	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Cert@china.sgs.com

No. 10, Huayuan 2nd Road, Second Industrial Park, Shenzhen City, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 616 of 867

N41 PC3 DSI3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.25	17.10	16.85	16.87	16.91	17.50
		1	137	17.15	16.93	16.81	16.96	16.90	17.50
		1	271	17.09	16.77	16.82	16.75	16.89	17.50
		135	0	16.13	15.97	15.83	16.01	16.18	17.00
		135	69	16.86	16.80	16.65	16.71	17.05	17.50
		135	138	15.72	15.72	15.82	15.90	15.83	17.00
		270	0	15.96	15.90	16.02	15.98	16.17	17.00
	DFT-s-OFDM QPSK	1	1	17.14	16.86	16.77	16.87	16.97	17.50
		1	137	17.17	16.95	16.78	16.94	16.92	17.50
		1	271	17.10	16.95	16.91	16.96	17.01	17.50
		135	0	16.13	15.91	15.92	15.99	16.03	16.50
		135	69	17.08	16.81	16.67	16.87	16.89	17.50
		135	138	15.90	15.84	15.96	15.82	15.88	16.50
		270	0	15.82	15.91	15.99	16.08	15.97	16.50
	DFT-s-OFDM 16QAM	1	1	16.09	16.08	16.14	16.24	16.20	16.50
	DFT-s-OFDM 64QAM	1	1	14.56	14.48	14.45	14.63	14.61	15.00
	DFT-s-OFDM 256QAM	1	1	12.37	12.34	12.30	12.51	12.62	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	15.66	15.56	15.63	15.54	15.61	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	17.32	17.00	16.86	16.91	16.96	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	17.27	16.99	16.82	16.85	16.91	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	17.20	16.97	16.86	16.92	16.91	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS_Consulting@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 617 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	17.30	17.02	16.91	16.98	16.97	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	17.23	16.94	16.82	16.83	16.95	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	17.21	16.89	16.89	16.90	16.94	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	17.17	17.02	16.87	16.79	16.97	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	17.21	16.98	16.82	16.86	16.94	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500200.46	509401.46	518596.53	527797.5	536998.45	
15MHz	DFT-s-OFDM QPSK	1	1	17.25	17.09	16.82	16.89	17.05	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	17.30	17.01	16.87	16.85	17.03	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG_Group@sgs.com.
 In Market: 8-16, Maly Sector, Second Technical Park, Shenzhen, China. Tel: 816057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-16栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

12.5 Conducted Power of NR Antenna (Ant14-n77&78)

N77 PC3 DSI4				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	20.75	/	22.00
		1	137	/	20.91	/	22.00
		1	271	/	20.95	/	22.00
		135	0	/	19.90	/	21.50
		135	69	/	21.07	/	22.00
		135	138	/	19.82	/	21.50
		270	0	/	19.92	/	21.50
	DFT-s-OFDM QPSK	1	1	/	20.75	/	22.00
		1	137	/	20.92	/	22.00
		1	271	/	21.04	/	22.00
		135	0	/	19.83	/	21.00
		135	69	/	20.90	/	22.00
		135	138	/	19.66	/	21.00
		270	0	/	19.85	/	21.00
	DFT-s-OFDM 16QAM	1	1	/	19.68	/	21.00
	DFT-s-OFDM 64QAM	1	1	/	18.52	/	19.50
	DFT-s-OFDM 256QAM	1	1	/	16.23	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	20.31	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	20.81	20.84	20.76	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	21.65	20.87	20.77	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgs.com.cn

No. 10, Huibao 8-10, Molybdenum Second Industrial Park, Shenzhen, Guangdong, China 518057 | Tel: (86-755) 8801 2053 | Fax: (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | Tel: (86-755) 8801 2053 | Fax: (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 619 of 867

70MHz	DFT-s-OFDM QPSK	1	1	21.66	20.81	20.82	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	21.63	20.91	20.78	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	21.55	20.83	20.79	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	21.56	20.87	20.70	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	21.57	20.61	20.86	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	21.61	20.73	20.89	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	21.56	20.78	20.85	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	21.57	20.72	20.94	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	21.49	20.84	20.82	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huafeng 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 620 of 867

N77 PC3 DSI5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.30	/	18.50
		1	137	/	17.35	/	18.50
		1	271	/	17.44	/	18.50
		135	0	/	16.40	/	18.00
		135	69	/	17.49	/	18.50
		135	138	/	16.30	/	18.00
		270	0	/	16.28	/	18.00
	DFT-s-OFDM QPSK	1	1	/	17.39	/	18.50
		1	137	/	17.34	/	18.50
		1	271	/	17.55	/	18.50
		135	0	/	16.29	/	17.50
		135	69	/	17.45	/	18.50
		135	138	/	16.13	/	17.50
		270	0	/	16.25	/	17.50
	DFT-s-OFDM 16QAM	1	1	/	16.29	/	17.50
	DFT-s-OFDM 64QAM	1	1	/	15.07	/	16.00
	DFT-s-OFDM 256QAM	1	1	/	12.75	/	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	16.69	/	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.30	17.19	17.40	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	18.15	17.31	17.36	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	18.15	17.19	17.36	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Corp@sgs.com.
 In China: 8-11, Maly Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 广东 邮编: 518057. 电话: (86-755) 8811 2053. 传真: (86-755) 2671 0594. sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 621 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	18.15	17.38	17.16	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	18.03	17.26	17.26	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	18.14	17.32	17.33	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	18.02	17.25	17.30	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	18.15	17.21	17.25	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	18.05	17.22	17.40	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	18.01	17.11	17.48	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	18.01	17.22	17.28	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from excluding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS@china.sgs.com
 In China: SGS (Shenzhen) Technical Services Co., Ltd. (Shenzhen Branch) Tel: 816057 | (86-755) 8501 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8501 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 622 of 867

N77 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.20	/	16.50
		1	137	/	15.31	/	16.50
		1	271	/	15.41	/	16.50
		135	0	/	14.39	/	16.00
		135	69	/	15.47	/	16.50
		135	138	/	14.32	/	16.00
		270	0	/	14.40	/	16.00
	DFT-s-OFDM QPSK	1	1	/	15.37	/	16.50
		1	137	/	15.40	/	16.50
		1	271	/	15.43	/	16.50
		135	0	/	14.35	/	15.50
		135	69	/	15.35	/	16.50
		135	138	/	14.11	/	15.50
		270	0	/	14.42	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	14.18	/	15.50
	DFT-s-OFDM 64QAM	1	1	/	12.99	/	14.00
	DFT-s-OFDM 256QAM	1	1	/	10.79	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	14.65	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	15.44	15.26	15.28	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	16.13	15.34	15.35	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	16.11	15.21	15.33	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS_Comp@sgs.com.
 In Market: 8-11, Maly Sector, Second Techno Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057. 电话: (86-755) 8811 2053. 传真: (86-755) 2671 0594. sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 623 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	15.99	15.32	15.15	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	15.99	15.30	15.19	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	16.07	15.23	15.27	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	15.99	15.17	15.30	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	16.05	15.33	15.41	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	16.02	15.24	15.44	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	16.02	15.14	15.45	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	16.07	15.25	15.31	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 6443, or email: CSG.Certification@sgs.com
 In China: 86-755-8811 6443, Shenzhen Branch, Second Floor, Fintech Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 624 of 867

N77 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.84	/	15.00
		1	137	/	13.84	/	15.00
		1	271	/	13.98	/	15.00
		135	0	/	12.95	/	14.50
		135	69	/	13.92	/	15.00
		135	138	/	12.83	/	14.50
		270	0	/	12.79	/	14.50
	DFT-s-OFDM QPSK	1	1	/	13.78	/	15.00
		1	137	/	13.88	/	15.00
		1	271	/	13.89	/	15.00
		135	0	/	12.77	/	14.00
		135	69	/	13.91	/	15.00
		135	138	/	12.75	/	14.00
		270	0	/	12.78	/	14.00
	DFT-s-OFDM 16QAM	1	1	/	12.75	/	14.00
DFT-s-OFDM 64QAM	1	1	/	11.41	/	12.50	
DFT-s-OFDM 256QAM	1	1	/	9.25	/	10.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	13.33	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.85	13.83	13.73	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	14.64	13.87	13.85	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	14.54	13.68	13.81	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS_Comp@sgs.com.
 In Market: 8-11, Maly Sector, Second Technical Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057. 电话: (86-755) 8811 2053. 传真: (86-755) 2671 0594. sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 625 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	14.52	13.88	13.70	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	14.51	13.77	13.64	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	14.65	13.84	13.85	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	14.51	13.76	13.77	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	14.62	13.74	13.82	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	14.63	13.61	13.77	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	14.59	13.63	13.82	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	14.50	13.77	13.75	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CS@sgs.com.cn
 In China: SGS (Shenzhen) Technical Services Co., Ltd. Shenzhen Branch, Building 5th, 116057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 626 of 867

N77 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.31	/	14.50
		1	137	/	13.40	/	14.50
		1	271	/	13.49	/	14.50
		135	0	/	12.42	/	14.00
		135	69	/	13.41	/	14.50
		135	138	/	12.27	/	14.00
		270	0	/	12.23	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.22	/	14.50
		1	137	/	13.36	/	14.50
		1	271	/	13.32	/	14.50
		135	0	/	12.31	/	13.50
		135	69	/	13.46	/	14.50
		135	138	/	12.16	/	13.50
		270	0	/	12.29	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.18	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	10.87	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	8.82	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	12.65	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.37	13.26	13.37	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	14.17	13.33	13.22	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	14.10	13.21	13.39	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 8811 9443, or email: CS_Comp@sgs.com.
 In China: 8-11, Maly Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057. 电话: (86-755) 8811 2053. 传真: (86-755) 2671 0594. sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 627 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	14.04	13.40	13.28	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	14.03	13.44	13.31	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.98	13.26	13.31	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	14.16	13.18	13.25	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	14.17	13.33	13.34	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	14.00	13.17	13.28	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	14.04	13.13	13.41	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	14.17	13.38	13.18	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG_Group@sgs.com.
 In China: 8-16, Malyi Sector, Second Technical Park, Shenzhen, Guangdong 518057. Tel: (86-755) 6681 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-16栋1号 邮编: 518057 Tel: (86-755) 6681 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 628 of 867

N77 PC3 DS14					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.90	21.25	21.14	21.28	21.19	21.13	22.00
		1	137	20.99	21.38	21.20	21.12	21.14	21.17	22.00
		1	271	20.92	21.19	21.03	21.19	21.09	21.09	22.00
		135	0	20.53	20.90	20.62	20.41	20.50	20.51	21.50
		135	69	21.07	21.12	21.29	21.18	21.27	21.18	22.00
		135	138	20.48	20.54	20.57	20.71	20.64	20.54	21.50
		270	0	20.36	20.49	20.60	20.54	20.46	20.52	21.50
	DFT-s-OFDM QPSK	1	1	20.80	21.15	20.95	21.21	21.11	21.16	22.00
		1	137	20.90	21.34	21.05	21.10	21.27	21.10	22.00
		1	271	20.90	21.19	20.98	21.15	20.92	21.22	22.00
		135	0	20.07	20.48	20.15	20.05	20.24	20.01	21.00
		135	69	21.28	21.16	21.28	21.22	21.21	21.20	22.00
		135	138	19.95	20.03	20.20	20.21	20.15	20.00	21.00
		270	0	19.87	19.99	20.01	19.92	20.06	19.96	21.00
	DFT-s-OFDM 16QAM	1	1	19.92	20.12	20.04	20.02	20.18	20.07	21.00
	DFT-s-OFDM 64QAM	1	1	18.37	18.52	18.53	18.47	18.58	18.60	19.50
	DFT-s-OFDM 256QAM	1	1	16.68	16.71	16.83	16.79	16.87	16.82	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	19.22	19.57	19.50	19.59	19.79	19.64	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	20.75	21.11	21.00	21.12	21.31	21.06	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	20.74	21.11	21.02	21.12	21.27	21.09	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	20.91	21.14	21.09	21.07	21.21	21.04	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 629 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	20.83	21.14	21.17	21.10	21.29	21.04	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	20.83	21.20	21.14	21.15	21.06	21.15	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	20.91	21.11	20.94	21.07	21.14	21.17	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	20.90	21.20	20.97	21.09	21.18	21.03	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	20.81	21.25	21.10	21.20	21.13	21.10	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	20.85	21.26	21.18	21.13	21.19	21.07	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	20.89	21.14	21.09	21.16	21.19	21.19	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or visit: www.sgs.com/technicalservice

No. 10, Huayuan 8th, Maly Sector, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 630 of 867

N77 PC3 DS15					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.29	17.63	17.57	17.78	17.70	17.44	18.50
		1	137	17.59	17.87	17.73	17.59	17.72	17.58	18.50
		1	271	17.48	17.74	17.41	17.60	17.57	17.76	18.50
		135	0	17.04	17.29	16.99	17.04	17.08	17.01	18.00
		135	69	17.60	17.64	17.81	17.68	17.77	17.62	18.50
		135	138	16.99	16.99	17.04	17.17	17.10	17.10	18.00
		270	0	16.82	16.83	17.08	16.94	16.97	17.02	18.00
	DFT-s-OFDM QPSK	1	1	17.30	17.73	17.45	17.59	17.59	17.66	18.50
		1	137	17.58	17.85	17.59	17.53	17.76	17.54	18.50
		1	271	17.33	17.79	17.51	17.69	17.59	17.58	18.50
		135	0	16.51	16.88	16.60	16.50	16.68	16.60	17.50
		135	69	17.67	17.62	17.62	17.74	17.67	17.58	18.50
		135	138	16.60	16.53	16.58	16.67	16.64	16.58	17.50
		270	0	16.45	16.48	16.62	16.46	16.50	16.46	17.50
	DFT-s-OFDM 16QAM	1	1	16.45	16.62	16.70	16.59	16.64	16.52	17.50
	DFT-s-OFDM 64QAM	1	1	14.96	15.12	15.08	15.02	15.06	15.12	16.00
	DFT-s-OFDM 256QAM	1	1	13.24	13.27	13.29	13.31	13.38	13.21	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	15.74	16.15	15.99	16.06	16.28	16.05	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	17.30	17.56	17.53	17.68	17.77	17.57	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	17.24	17.62	17.55	17.62	17.76	17.54	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	17.43	17.62	17.67	17.56	17.65	17.55	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 631 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	17.42	17.64	17.60	17.63	17.73	17.54	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	17.31	17.76	17.59	17.72	17.61	17.61	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	17.39	17.60	17.51	17.59	17.65	17.67	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	17.36	17.66	17.44	17.52	17.62	17.52	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	17.41	17.71	17.61	17.71	17.67	17.56	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	17.34	17.73	17.63	17.65	17.68	17.62	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	17.40	17.64	17.57	17.74	17.67	17.68	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 8443, or visit: www.sgs.com/technicalservice

No. 10, Huafeng 8th, 10th Floor, Second Technical Park, Shenzhen City, China 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 632 of 867

N77 PC3 DSI8/9/10					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	15.39	15.57	15.58	15.73	15.65	15.49	16.50
		1	137	15.64	15.76	15.73	15.56	15.73	15.55	16.50
		1	271	15.30	15.68	15.57	15.59	15.65	15.63	16.50
		135	0	14.95	15.39	15.14	14.98	15.06	15.01	16.00
		135	69	15.70	15.57	15.71	15.55	15.86	15.56	16.50
		135	138	14.89	15.00	15.13	15.08	15.19	14.98	16.00
		270	0	14.96	14.82	15.00	14.94	14.98	14.94	16.00
	DFT-s-OFDM QPSK	1	1	15.26	15.68	15.60	15.63	15.63	15.59	16.50
		1	137	15.47	15.82	15.65	15.65	15.76	15.59	16.50
		1	271	15.40	15.69	15.49	15.56	15.52	15.73	16.50
		135	0	14.57	14.90	14.51	14.52	14.60	14.61	15.50
		135	69	15.76	15.56	15.63	15.74	15.82	15.62	16.50
		135	138	14.43	14.70	14.67	14.59	14.62	14.49	15.50
		270	0	14.46	14.50	14.48	14.42	14.49	14.54	15.50
	DFT-s-OFDM 16QAM	1	1	14.55	14.60	14.63	14.42	14.61	14.52	15.50
	DFT-s-OFDM 64QAM	1	1	12.91	13.11	13.11	12.99	13.07	13.12	14.00
	DFT-s-OFDM 256QAM	1	1	11.20	11.27	11.33	11.21	11.34	11.29	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
100MHz	CP-OFDM QPSK	1	1	13.80	14.10	14.07	14.17	14.32	14.02	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
90MHz	DFT-s-OFDM QPSK	1	1	15.27	15.60	15.53	15.66	15.79	15.48	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	15.26	15.63	15.54	15.69	15.78	15.54	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
70MHz	DFT-s-OFDM QPSK	1	1	15.42	15.54	15.62	15.61	15.67	15.48	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.

Shenzhen Branch: 3010, Nanshan District, Nanshan Road, Nanshan District, Shenzhen, Guangdong, China 518067. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/shenzhen

中国·广东·深圳市南山区科技园中区8-10楼1号广东 邮编: 518067 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 633 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	15.39	15.69	15.67	15.67	15.74	15.62	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	15.36	15.75	15.65	15.63	15.64	15.58	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	15.35	15.62	15.49	15.53	15.70	15.57	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	15.41	15.74	15.50	15.52	15.65	15.50	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	15.34	15.72	15.64	15.66	15.67	15.53	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	15.40	15.68	15.66	15.65	15.65	15.65	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	15.35	15.60	15.65	15.67	15.61	15.67	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or visit: SGS-Group.china.com

No. (Market) 8-10, Molybdenum, Second Technical Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 634 of 867

N77 PC3 DS12					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	13.76	14.12	14.08	14.12	14.09	14.01	15.00
		1	137	14.15	14.27	14.11	14.15	14.12	14.09	15.00
		1	271	13.98	14.17	13.97	14.09	14.06	14.10	15.00
		135	0	13.56	13.78	13.50	13.44	13.65	13.51	14.50
		135	69	14.19	14.11	14.17	14.08	14.38	14.23	15.00
		135	138	13.42	13.68	13.53	13.72	13.65	13.63	14.50
		270	0	13.43	13.32	13.56	13.57	13.38	13.44	14.50
	DFT-s-OFDM QPSK	1	1	13.88	14.12	13.95	14.20	14.14	14.16	15.00
		1	137	13.95	14.39	14.18	14.00	14.15	14.03	15.00
		1	271	13.97	14.25	13.95	14.12	13.97	14.05	15.00
		135	0	12.92	13.34	13.16	13.02	13.10	13.07	14.00
		135	69	14.26	14.12	14.11	14.12	14.24	14.15	15.00
		135	138	13.07	13.18	13.08	13.07	13.12	13.13	14.00
		270	0	12.83	12.96	13.01	12.98	13.14	12.99	14.00
	DFT-s-OFDM 16QAM	1	1	12.95	13.20	13.11	12.97	13.04	12.98	14.00
	DFT-s-OFDM 64QAM	1	1	11.37	11.59	11.56	11.40	11.74	11.63	12.50
	DFT-s-OFDM 256QAM	1	1	9.73	9.87	9.80	9.66	9.83	9.70	10.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	12.35	12.55	12.59	12.70	12.69	12.62	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	13.86	14.06	13.98	14.10	14.25	14.15	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	13.81	14.05	14.03	14.14	14.25	14.13	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	13.91	14.14	14.15	14.11	14.18	14.02	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 635 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	13.85	14.19	14.12	14.15	14.19	14.13	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	13.86	14.24	14.08	14.22	14.06	14.14	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	13.85	14.12	13.96	14.04	14.20	14.14	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	13.92	14.15	13.98	14.02	14.19	14.03	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	13.82	14.20	14.18	14.17	14.09	14.11	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	13.90	14.26	14.17	14.18	14.19	14.12	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	13.87	14.14	14.17	14.16	14.12	14.21	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or visit: SGS-Group.china.com.cn

No. (Market) 8-10, Molybdenum, Second Technical Park, Shenzhen, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 636 of 867

N77 PC3 DS13					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	13.37	13.73	13.70	13.62	13.63	13.59	14.50
		1	137	13.55	13.83	13.59	13.59	13.60	13.56	14.50
		1	271	13.48	13.73	13.59	13.65	13.61	13.66	14.50
		135	0	12.99	13.32	13.14	12.92	13.06	13.18	14.00
		135	69	13.72	13.70	13.82	13.56	13.79	13.63	14.50
		135	138	13.00	13.11	13.08	13.22	13.09	13.03	14.00
		270	0	12.86	12.87	13.01	13.03	12.92	13.10	14.00
	DFT-s-OFDM QPSK	1	1	13.31	13.70	13.46	13.71	13.75	13.54	14.50
		1	137	13.56	13.77	13.66	13.56	13.61	13.56	14.50
		1	271	13.41	13.80	13.53	13.55	13.52	13.67	14.50
		135	0	12.44	12.88	12.69	12.57	12.66	12.68	13.50
		135	69	13.80	13.55	13.62	13.72	13.73	13.61	14.50
		135	138	12.52	12.71	12.68	12.61	12.63	12.55	13.50
		270	0	12.37	12.45	12.50	12.54	12.60	12.48	13.50
	DFT-s-OFDM 16QAM	1	1	12.50	12.54	12.61	12.60	12.50	12.51	13.50
	DFT-s-OFDM 64QAM	1	1	10.88	11.01	11.13	11.00	11.15	11.12	12.00
	DFT-s-OFDM 256QAM	1	1	9.28	9.20	9.19	9.13	9.39	9.34	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	11.80	12.03	12.09	12.12	12.29	12.09	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	13.26	13.57	13.50	13.67	13.72	13.50	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	13.28	13.56	13.55	13.63	13.77	13.53	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	13.39	13.55	13.67	13.59	13.70	13.49	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 637 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	13.41	13.64	13.66	13.67	13.78	13.62	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	13.29	13.72	13.58	13.72	13.60	13.60	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	13.40	13.64	13.43	13.55	13.65	13.58	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	13.37	13.65	13.42	13.53	13.60	13.49	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	13.36	13.77	13.60	13.70	13.65	13.55	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	13.38	13.68	13.65	13.66	13.70	13.65	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	13.40	13.60	13.57	13.68	13.65	13.70	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or visit: www.sgs.com/technicalservice

No. 10, Huafeng 8th, 10th Floor, Second Technical Park, Shenzhen, China 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 638 of 867

N78 PC2 DSI4				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	20.68	/	22.00
		1	137	/	20.90	/	22.00
		1	271	/	20.94	/	22.00
		135	0	/	17.34	/	18.50
		135	69	/	20.90	/	22.00
		135	138	/	17.36	/	18.50
		270	0	/	19.80	/	21.50
	DFT-s-OFDM QPSK	1	1	/	20.68	/	22.00
		1	137	/	20.89	/	22.00
		1	271	/	20.90	/	22.00
		135	0	/	17.39	/	18.50
		135	69	/	20.95	/	22.00
		135	138	/	17.44	/	18.50
		270	0	/	19.85	/	21.00
	DFT-s-OFDM 16QAM	1	1	/	19.97	/	21.00
	DFT-s-OFDM 64QAM	1	1	/	18.18	/	19.50
	DFT-s-OFDM 256QAM	1	1	/	16.50	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		19.28		20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	20.98	20.88	20.94	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	20.92	21.06	20.99	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	20.90	20.94	20.88	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 6681 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 6681 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 639 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	20.91	20.96	20.77	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	21.02	20.85	20.95	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	20.85	20.84	20.88	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	20.97	21.01	20.95	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	20.99	20.98	20.90	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	20.86	20.95	20.76	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	20.91	21.00	20.93	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing Pet. Center (Shenzhen) Branch, Building 5th, 516057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 640 of 867

N78 PC2 DSI5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.27	/	18.50
		1	137	/	17.36	/	18.50
		1	271	/	17.44	/	18.50
		135	0	/	13.93	/	15.00
		135	69	/	17.43	/	18.50
		135	138	/	13.78	/	15.00
		270	0	/	16.38	/	18.00
	DFT-s-OFDM QPSK	1	1	/	17.25	/	18.50
		1	137	/	17.38	/	18.50
		1	271	/	17.51	/	18.50
		135	0	/	14.02	/	15.00
		135	69	/	17.40	/	18.50
		135	138	/	13.95	/	15.00
		270	0	/	16.37	/	17.50
	DFT-s-OFDM 16QAM	1	1	/	16.37	/	17.50
	DFT-s-OFDM 64QAM	1	1	/	14.78	/	16.00
	DFT-s-OFDM 256QAM	1	1	/	13.02	/	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		15.89		17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.49	17.44	17.44	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.47	17.47	17.47	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.42	17.35	17.39	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 641 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.36	17.45	17.26	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.46	17.37	17.39	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.37	17.33	17.35	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.43	17.49	17.44	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.52	17.47	17.41	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	17.36	17.48	17.30	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	17.45	17.35	17.35	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Building 5th, 518057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 642 of 867

N78 PC2 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.08	/	16.50
		1	137	/	15.45	/	16.50
		1	271	/	15.41	/	16.50
		135	0	/	11.98	/	13.00
		135	69	/	15.57	/	16.50
		135	138	/	11.88	/	13.00
		270	0	/	14.32	/	16.00
	DFT-s-OFDM QPSK	1	1	/	15.30	/	16.50
		1	137	/	15.42	/	16.50
		1	271	/	15.39	/	16.50
		135	0	/	12.01	/	13.00
		135	69	/	15.48	/	16.50
		135	138	/	11.91	/	13.00
		270	0	/	14.38	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	14.36	/	15.50
	DFT-s-OFDM 64QAM	1	1	/	12.68	/	14.00
	DFT-s-OFDM 256QAM	1	1	/	11.05	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		13.91		15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	15.44	15.41	15.45	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	15.42	15.48	15.47	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	15.38	15.35	15.43	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com, CS@sgs.com.cn.
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-11栋1号广东 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 643 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	15.36	15.48	15.32	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	15.50	15.42	15.39	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	15.34	15.43	15.32	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	15.45	15.55	15.52	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	15.46	15.49	15.33	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	15.33	15.45	15.33	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	15.40	15.51	15.51	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Building 5th, 516057 | (86-755) 2801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 2801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 644 of 867

N78 PC2 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.58	/	15.00
		1	137	/	13.85	/	15.00
		1	271	/	13.92	/	15.00
		135	0	/	10.47	/	11.50
		135	69	/	14.02	/	15.00
		135	138	/	10.40	/	11.50
		270	0	/	12.72	/	14.50
	DFT-s-OFDM QPSK	1	1	/	13.76	/	15.00
		1	137	/	13.95	/	15.00
		1	271	/	14.01	/	15.00
		135	0	/	10.44	/	11.50
		135	69	/	13.93	/	15.00
		135	138	/	10.50	/	11.50
		270	0	/	12.92	/	14.00
	DFT-s-OFDM 16QAM	1	1	/	12.85	/	14.00
	DFT-s-OFDM 64QAM	1	1	/	11.31	/	12.50
	DFT-s-OFDM 256QAM	1	1	/	9.45	/	10.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		12.35		13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.93	13.92	13.86	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.95	14.01	13.97	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.89	13.89	13.89	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com, CS@sgs.com.cn.
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号广东 邮编: 518057. 电话: (86-755) 8811 2053. 传真: (86-755) 2671 0594. sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 645 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	13.88	13.99	13.77	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	14.02	13.94	13.89	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.90	13.88	13.83	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.94	13.99	14.02	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	14.00	14.04	13.87	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	13.86	13.93	13.86	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	13.87	13.92	14.02	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing For: Analytical Service, Sampling Site: 516057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 646 of 867

N78 PC2 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.12	/	14.50
		1	137	/	13.49	/	14.50
		1	271	/	13.40	/	14.50
		135	0	/	10.02	/	11.00
		135	69	/	13.42	/	14.50
		135	138	/	9.80	/	11.00
		270	0	/	12.26	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.35	/	14.50
		1	137	/	13.56	/	14.50
		1	271	/	13.37	/	14.50
		135	0	/	9.84	/	11.00
		135	69	/	13.47	/	14.50
		135	138	/	9.99	/	11.00
		270	0	/	12.35	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.43	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	10.82	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	9.08	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		11.83		13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.42	13.45	13.37	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.39	13.55	13.50	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.37	13.36	13.41	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com, CS@sgs.com.cn.
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-11栋1号广东 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 647 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	13.43	13.44	13.29	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	13.54	13.44	13.37	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.39	13.35	13.30	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.40	13.52	13.46	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.48	13.50	13.36	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	13.39	13.39	13.33	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	13.45	13.43	13.47	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.psa.com/legal/Terms-Conditions>. The Client agrees to indemnify and hold the Company harmless from and defend the Company against all claims, damages, losses and expenses (including reasonable attorneys' fees) that may be incurred by the Company as a result of its intervention prior to and within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If otherwise stated the results shown in this test report refer only to the sample(s) tested and not to the material as a whole. Results are obtained for 30 days only.

本廣告刊例已預留30天，恕不另行通知。
 欲知詳情，請向本報廣告部查詢。查詢電話：(86-755) 8307 1443。
 或電：(86-755) 8307 1443。
 本報廣告部地址：中國廣東省深圳市南山區科苑南路11111號。
 中國、廣東、深圳南山區科苑南路11111號 電話：(86-755) 8307 1443
 中國、廣東、深圳南山區科苑南路11111號 電話：(86-755) 8307 1443
 中國、廣東、深圳南山區科苑南路11111號 電話：(86-755) 8307 1443

Member of the SGB Group (SGB SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 648 of 867

N78 PC2 DSI4				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	21.08	/	22.00
		1	137	/	21.19	/	22.00
		1	271	/	21.00	/	22.00
		135	0	/	17.61	/	18.50
		135	69	/	21.11	/	22.00
		135	138	/	17.49	/	18.50
		270	0	/	20.16	/	21.50
	DFT-s-OFDM QPSK	1	1	/	21.21	/	22.00
		1	137	/	21.18	/	22.00
		1	271	/	21.05	/	22.00
		135	0	/	17.66	/	18.50
		135	69	/	21.09	/	22.00
		135	138	/	17.63	/	18.50
		270	0	/	20.12	/	21.00
	DFT-s-OFDM 16QAM	1	1	/	19.99	/	21.00
	DFT-s-OFDM 64QAM	1	1	/	18.64	/	19.50
	DFT-s-OFDM 256QAM	1	1	/	16.38	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	19.54	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	21.15	21.04	21.08	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	21.13	21.11	20.99	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	21.22	21.10	20.96	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, 1st Floor, 8th Middle School, Second School, Pingtan District, Pingtan City, Fujian 351605 P.R. China | Tel: (86-755) 8811 2053 | Fax: (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市南山区科技园中区8-10栋1号广东 邮编: 518057 | Tel: (86-755) 8811 2053 | Fax: (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 649 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	21.15	21.20	21.18	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	21.11	21.08	20.94	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	21.06	21.15	21.03	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	21.12	21.01	20.91	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	21.10	21.14	21.14	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	21.14	21.01	20.97	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	21.23	21.02	21.02	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huafeng 8-10, Maly Sector, Second Technology Park, Shenzhen, Guangdong 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 650 of 867

N78 PC2 DSI5				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.61	/	18.50
		1	137	/	17.77	/	18.50
		1	271	/	17.54	/	18.50
		135	0	/	14.13	/	15.00
		135	69	/	17.72	/	18.50
		135	138	/	14.08	/	15.00
		270	0	/	16.70	/	18.00
	DFT-s-OFDM QPSK	1	1	/	17.76	/	18.50
		1	137	/	17.55	/	18.50
		1	271	/	17.60	/	18.50
		135	0	/	14.08	/	15.00
		135	69	/	17.70	/	18.50
		135	138	/	14.10	/	15.00
		270	0	/	16.64	/	17.50
	DFT-s-OFDM 16QAM	1	1	/	16.51	/	17.50
	DFT-s-OFDM 64QAM	1	1	/	15.08	/	16.00
	DFT-s-OFDM 256QAM	1	1	/	12.97	/	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	15.88	/	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	17.64	17.54	17.56	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	17.70	17.58	17.44	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	17.67	17.59	17.42	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com, CS@sgs.com.cn.
 In China: 8-11, Maly Sector, Second Technology Park, Shenzhen, Guangdong, China. 518067. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号广东 邮编: 518067 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 651 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	17.64	17.65	17.66	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	17.52	17.56	17.45	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	17.61	17.58	17.51	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	17.58	17.53	17.43	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	17.55	17.60	17.56	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	17.61	17.51	17.49	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	17.69	17.55	17.56	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, South Sector, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园南区8-10栋1号广东 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 653 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	15.64	15.68	15.62	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	15.56	15.53	15.50	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	15.57	15.68	15.56	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	15.63	15.60	15.49	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	15.53	15.57	15.63	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	15.67	15.46	15.53	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	15.69	15.56	15.51	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 654 of 867

N78 PC2 DSI2				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	14.15	/	15.00
		1	137	/	14.24	/	15.00
		1	271	/	14.11	/	15.00
		135	0	/	10.62	/	11.50
		135	69	/	14.08	/	15.00
		135	138	/	10.52	/	11.50
		270	0	/	13.24	/	14.50
	DFT-s-OFDM QPSK	1	1	/	14.22	/	15.00
		1	137	/	14.11	/	15.00
		1	271	/	14.15	/	15.00
		135	0	/	10.68	/	11.50
		135	69	/	14.08	/	15.00
		135	138	/	10.60	/	11.50
		270	0	/	13.19	/	14.00
	DFT-s-OFDM 16QAM	1	1	/	12.99	/	14.00
	DFT-s-OFDM 64QAM	1	1	/	11.51	/	12.50
	DFT-s-OFDM 256QAM	1	1	/	9.39	/	10.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	12.38	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	14.15	14.05	14.07	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	14.15	14.12	13.99	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	14.24	14.10	13.98	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch 116057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 655 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	14.19	14.12	14.12	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	14.01	14.00	14.00	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	14.09	14.08	13.99	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	14.08	14.07	14.01	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	14.09	14.08	14.07	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	14.10	14.00	14.05	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	14.17	14.01	14.05	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Building 5th, 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 656 of 867

N78 PC2 DSI3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.59	/	14.50
		1	137	/	13.74	/	14.50
		1	271	/	13.60	/	14.50
		135	0	/	10.06	/	11.00
		135	69	/	13.57	/	14.50
		135	138	/	10.08	/	11.00
		270	0	/	12.73	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.58	/	14.50
		1	137	/	13.62	/	14.50
		1	271	/	13.70	/	14.50
		135	0	/	10.10	/	11.00
		135	69	/	13.69	/	14.50
		135	138	/	10.15	/	11.00
		270	0	/	12.67	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.48	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	11.05	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	8.99	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	11.89	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	13.63	13.59	13.55	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	13.66	13.62	13.50	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	13.70	13.63	13.42	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com, CS@sgs.com.cn.
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 657 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	13.66	13.65	13.66	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	13.58	13.49	13.48	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	13.61	13.58	13.49	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	13.59	13.59	13.42	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	13.58	13.67	13.57	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	13.60	13.51	13.51	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	13.73	13.56	13.57	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Sampling Unit: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 658 of 867

N78 PC3 DSI4				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	20.78	/	22.00
		1	137	/	20.80	/	22.00
		1	271	/	21.02	/	22.00
		135	0	/	20.03	/	21.50
		135	69	/	20.98	/	22.00
		135	138	/	20.12	/	21.50
		270	0	/	19.77	/	21.50
	DFT-s-OFDM QPSK	1	1	/	20.82	/	22.00
		1	137	/	20.85	/	22.00
		1	271	/	21.10	/	22.00
		135	0	/	20.22	/	21.00
		135	69	/	21.15	/	22.00
		135	138	/	20.09	/	21.00
		270	0	/	19.99	/	21.00
	DFT-s-OFDM 16QAM	1	1	/	19.96	/	21.00
	DFT-s-OFDM 64QAM	1	1	/	18.14	/	19.50
	DFT-s-OFDM 256QAM	1	1	/	16.55	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		19.52		20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	20.90	20.97	20.96	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	20.98	20.90	20.91	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	20.83	21.06	20.90	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋10层 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 659 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	20.98	21.10	20.80	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	21.01	20.99	20.87	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	20.93	21.00	20.84	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	20.84	20.98	20.97	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	20.88	20.97	20.88	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	20.92	21.03	21.00	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	20.84	20.95	20.82	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	20.84	21.02	20.88	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China (Guangdong) 518057 | Tel: (86-755) 6681 2053 | Fax: (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | Tel: (86-755) 6681 2053 | Fax: (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 660 of 867

N78 PC3 DSI5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.26	/	18.50
		1	137	/	17.36	/	18.50
		1	271	/	17.43	/	18.50
		135	0	/	16.54	/	18.00
		135	69	/	17.50	/	18.50
		135	138	/	16.56	/	18.00
		270	0	/	16.37	/	18.00
	DFT-s-OFDM QPSK	1	1	/	17.23	/	18.50
		1	137	/	17.36	/	18.50
		1	271	/	17.49	/	18.50
		135	0	/	16.57	/	17.50
		135	69	/	17.63	/	18.50
		135	138	/	16.71	/	17.50
		270	0	/	16.34	/	17.50
	DFT-s-OFDM 16QAM	1	1	/	16.48	/	17.50
	DFT-s-OFDM 64QAM	1	1	/	14.67	/	16.00
	DFT-s-OFDM 256QAM	1	1	/	12.89	/	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		16.03		17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.42	17.54	17.39	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.49	17.41	17.40	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.33	17.60	17.33	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Corp@sgs.com.
 In China: 8-11, Maly Sector, Second Technical Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 广东 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 661 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.53	17.54	17.40	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.56	17.50	17.38	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.42	17.56	17.40	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.34	17.45	17.53	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	17.34	17.48	17.41	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.41	17.51	17.47	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	17.40	17.46	17.42	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.35	17.52	17.42	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CS@china.sgs.com
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 662 of 867

N78 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.13	/	16.50
		1	137	/	15.31	/	16.50
		1	271	/	15.50	/	16.50
		135	0	/	14.60	/	16.00
		135	69	/	15.42	/	16.50
		135	138	/	14.65	/	16.00
		270	0	/	14.31	/	16.00
	DFT-s-OFDM QPSK	1	1	/	15.25	/	16.50
		1	137	/	15.42	/	16.50
		1	271	/	15.50	/	16.50
		135	0	/	14.62	/	15.50
		135	69	/	15.63	/	16.50
		135	138	/	14.55	/	15.50
		270	0	/	14.36	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	14.40	/	15.50
	DFT-s-OFDM 64QAM	1	1	/	12.71	/	14.00
	DFT-s-OFDM 256QAM	1	1	/	11.00	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		14.39		15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	15.48	15.47	15.46	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	15.42	15.36	15.38	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	15.38	15.52	15.37	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	15.46	15.57	15.39	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS@sgstechnical.com.
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8581 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 Tel: (86-755) 8581 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 663 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	15.54	15.45	15.42	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	15.37	15.55	15.36	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	15.34	15.50	15.53	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	15.37	15.45	15.43	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	15.46	15.51	15.48	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	15.32	15.41	15.34	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	15.38	15.62	15.32	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG@china.sgs.com

No. 10, Huafeng 8th, 8th Floor, Shenzhen Technical Park, Shenzhen, Guangdong 518057 | (86-755) 6681 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 664 of 867

N78 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.80	/	15.00
		1	137	/	13.80	/	15.00
		1	271	/	14.04	/	15.00
		135	0	/	12.96	/	14.50
		135	69	/	13.95	/	15.00
		135	138	/	13.05	/	14.50
		270	0	/	12.90	/	14.50
	DFT-s-OFDM QPSK	1	1	/	13.85	/	15.00
		1	137	/	13.98	/	15.00
		1	271	/	14.07	/	15.00
		135	0	/	13.15	/	14.00
		135	69	/	14.00	/	15.00
		135	138	/	13.21	/	14.00
		270	0	/	12.89	/	14.00
	DFT-s-OFDM 16QAM	1	1	/	12.91	/	14.00
	DFT-s-OFDM 64QAM	1	1	/	11.19	/	12.50
	DFT-s-OFDM 256QAM	1	1	/	9.52	/	10.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		12.50		13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.98	13.98	13.92	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.98	13.91	13.94	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.85	14.09	13.83	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 665 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	14.01	14.00	13.85	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	14.03	13.98	13.89	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.92	14.01	13.86	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.84	13.95	13.97	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	13.93	13.93	13.94	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.98	14.07	13.98	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	13.86	13.92	13.82	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	13.83	14.05	13.92	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com
 In Market: 8-16, Maly Sector, Second Technical Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-16栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 666 of 867

N78 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.26	/	14.50
		1	137	/	13.32	/	14.50
		1	271	/	13.41	/	14.50
		135	0	/	12.52	/	14.00
		135	69	/	13.37	/	14.50
		135	138	/	12.62	/	14.00
		270	0	/	12.33	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.33	/	14.50
		1	137	/	13.43	/	14.50
		1	271	/	13.50	/	14.50
		135	0	/	12.70	/	13.50
		135	69	/	13.59	/	14.50
		135	138	/	12.64	/	13.50
		270	0	/	12.43	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.41	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	10.68	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	8.94	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		11.98		13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.52	13.48	13.46	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.47	13.50	13.45	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.48	13.48	13.41	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Corp@sgs.com.
 In China: 8-11, Maly Sector, Second Technical Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 广东 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 667 of 867

				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	13.43	13.52	13.43	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	13.43	13.43	13.38	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.45	13.49	13.37	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.43	13.45	13.41	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	13.47	13.52	13.44	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.53	13.43	13.45	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	13.47	13.50	13.41	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	13.44	13.47	13.38	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com
 In China: SGS (Shenzhen) Technical Services Co., Ltd. (Shenzhen Branch) Tel: 816057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 668 of 867

N78 PC3 DSI4				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	21.04	/	22.00
		1	137	/	21.02	/	22.00
		1	271	/	21.20	/	22.00
		135	0	/	20.13	/	21.50
		135	69	/	20.98	/	22.00
		135	138	/	20.28	/	21.50
		270	0	/	19.92	/	21.50
	DFT-s-OFDM QPSK	1	1	/	20.86	/	22.00
		1	137	/	21.12	/	22.00
		1	271	/	21.36	/	22.00
		135	0	/	20.41	/	21.00
		135	69	/	21.32	/	22.00
		135	138	/	20.30	/	21.00
		270	0	/	19.98	/	21.00
	DFT-s-OFDM 16QAM	1	1	/	20.06	/	21.00
	DFT-s-OFDM 64QAM	1	1	/	18.33	/	19.50
	DFT-s-OFDM 256QAM	1	1	/	16.56	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	19.52	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	21.21	21.30	21.07	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	21.24	21.23	21.01	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	21.22	21.33	21.02	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 669 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	21.28	21.23	21.03	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	21.30	21.21	21.19	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	21.20	21.30	21.14	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	21.15	21.18	21.04	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	21.17	21.36	20.99	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	21.15	21.25	20.97	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	21.31	21.32	21.06	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	21.17	21.27	21.09	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Contact No: 516057 | (86-755) 86012053 | (86-755) 26710594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 86012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 670 of 867

N78 PC3 DSI5				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.47	/	18.50
		1	137	/	17.66	/	18.50
		1	271	/	17.73	/	18.50
		135	0	/	16.79	/	18.00
		135	69	/	17.60	/	18.50
		135	138	/	16.69	/	18.00
		270	0	/	16.47	/	18.00
	DFT-s-OFDM QPSK	1	1	/	17.51	/	18.50
		1	137	/	17.61	/	18.50
		1	271	/	17.81	/	18.50
		135	0	/	16.88	/	17.50
		135	69	/	17.92	/	18.50
		135	138	/	16.71	/	17.50
		270	0	/	16.51	/	17.50
	DFT-s-OFDM 16QAM	1	1	/	16.66	/	17.50
	DFT-s-OFDM 64QAM	1	1	/	14.76	/	16.00
	DFT-s-OFDM 256QAM	1	1	/	13.09	/	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	16.98	/	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	17.65	17.74	17.65	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	17.72	17.73	17.49	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	17.67	17.74	17.53	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com, CS@sgs.com.cn.
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, China. 518057. T: (86-755) 8811 2053. F: (86-755) 26710594. www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 T: (86-755) 8811 2053 F: (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 671 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	17.80	17.69	17.54	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	17.79	17.73	17.60	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	17.66	17.76	17.64	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	17.66	17.72	17.61	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	17.69	17.84	17.54	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	17.62	17.81	17.52	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	17.86	17.83	17.58	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	17.57	17.75	17.64	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market: 8-10, Malya Sector, Second Technical Park, Shenzhen, Guangdong, China 518057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 672 of 867

N78 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.45	/	16.50
		1	137	/	15.62	/	16.50
		1	271	/	15.71	/	16.50
		135	0	/	14.74	/	16.00
		135	69	/	15.60	/	16.50
		135	138	/	14.76	/	16.00
		270	0	/	14.35	/	16.00
	DFT-s-OFDM QPSK	1	1	/	15.39	/	16.50
		1	137	/	15.67	/	16.50
		1	271	/	15.77	/	16.50
		135	0	/	14.83	/	15.50
		135	69	/	15.77	/	16.50
		135	138	/	14.76	/	15.50
		270	0	/	14.47	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	14.59	/	15.50
	DFT-s-OFDM 64QAM	1	1	/	12.82	/	14.00
	DFT-s-OFDM 256QAM	1	1	/	11.15	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	14.05	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	15.66	15.79	15.56	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	15.71	15.68	15.58	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	15.72	15.74	15.51	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 673 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	15.76	15.67	15.59	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	15.78	15.75	15.61	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	15.63	15.81	15.57	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	15.66	15.70	15.59	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	15.74	15.89	15.46	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	15.59	15.74	15.56	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	15.81	15.74	15.53	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	15.65	15.71	15.66	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6643, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China (Guangdong) 518057 | Tel: (86-755) 8681 2053 | Fax: (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | Tel: (86-755) 8681 2053 | Fax: (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 674 of 867

N78 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	14.04	/	15.00
		1	137	/	14.03	/	15.00
		1	271	/	14.23	/	15.00
		135	0	/	13.13	/	14.50
		135	69	/	14.09	/	15.00
		135	138	/	13.21	/	14.50
		270	0	/	12.83	/	14.50
	DFT-s-OFDM QPSK	1	1	/	13.98	/	15.00
		1	137	/	14.18	/	15.00
		1	271	/	14.22	/	15.00
		135	0	/	13.46	/	14.00
		135	69	/	14.33	/	15.00
		135	138	/	13.29	/	14.00
		270	0	/	13.04	/	14.00
	DFT-s-OFDM 16QAM	1	1	/	13.14	/	14.00
	DFT-s-OFDM 64QAM	1	1	/	11.28	/	12.50
	DFT-s-OFDM 256QAM	1	1	/	9.52	/	10.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	12.52	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	14.24	14.21	14.14	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	14.26	14.18	14.09	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	14.17	14.30	14.04	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 675 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	14.24	14.20	14.09	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	14.29	14.24	14.12	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	14.20	14.31	14.05	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	14.16	14.15	14.04	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	14.25	14.30	13.98	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	14.19	14.24	13.97	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	14.29	14.29	14.00	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	14.13	14.24	14.14	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Contact Us: 116667 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 676 of 867

N78 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.49	/	14.50
		1	137	/	13.59	/	14.50
		1	271	/	13.69	/	14.50
		135	0	/	12.71	/	14.00
		135	69	/	13.57	/	14.50
		135	138	/	12.79	/	14.00
		270	0	/	12.43	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.45	/	14.50
		1	137	/	13.66	/	14.50
		1	271	/	13.81	/	14.50
		135	0	/	12.87	/	13.50
		135	69	/	13.84	/	14.50
		135	138	/	12.72	/	13.50
		270	0	/	12.53	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.65	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	10.80	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	9.12	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	12.02	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	13.72	13.66	13.62	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	13.74	13.70	13.69	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	13.70	13.74	13.68	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 677 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	13.71	13.76	13.64	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	13.73	13.74	13.62	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	13.73	13.75	13.61	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	13.77	13.74	13.59	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	13.74	13.71	13.64	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	13.75	13.67	13.66	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	13.75	13.72	13.65	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	13.78	13.71	13.65	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China (Guangdong) 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

12.6 Conducted Power of NR Antenna (Ant21)

N77 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.46	/	18.00
		1	137	/	17.67	/	18.00
		1	271	/	17.70	/	18.00
		135	0	/	16.51	/	17.50
		135	69	/	17.68	/	18.00
		135	138	/	16.57	/	17.50
		270	0	/	16.78	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.53	/	18.00
		1	137	/	17.49	/	18.00
		1	271	/	17.56	/	18.00
		135	0	/	16.49	/	17.00
		135	69	/	17.53	/	18.00
		135	138	/	16.56	/	17.00
		270	0	/	16.61	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.30	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	14.95	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	13.15	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	15.84	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.56	17.41	17.51	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.66	17.47	17.43	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn

No. 10, Huayuan 2nd Road, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 679 of 867

70MHz	DFT-s-OFDM QPSK	1	1	17.55	17.47	17.44	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.56	17.46	17.44	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.44	17.57	17.56	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.49	17.41	17.37	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.43	17.41	17.55	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	17.43	17.36	17.48	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.61	17.38	17.48	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	17.56	17.42	17.43	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.56	17.36	17.56	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Road, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 680 of 867

N77 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	16.02	/	16.50
		1	137	/	16.07	/	16.50
		1	271	/	16.05	/	16.50
		135	0	/	15.13	/	16.00
		135	69	/	16.09	/	16.50
		135	138	/	15.07	/	16.00
		270	0	/	15.28	/	16.00
	DFT-s-OFDM QPSK	1	1	/	15.89	/	16.50
		1	137	/	16.05	/	16.50
		1	271	/	16.21	/	16.50
		135	0	/	15.09	/	15.50
		135	69	/	16.00	/	16.50
		135	138	/	15.06	/	15.50
		270	0	/	15.19	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	14.81	/	15.50
	DFT-s-OFDM 64QAM	1	1	/	13.52	/	14.00
	DFT-s-OFDM 256QAM	1	1	/	11.79	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	14.35	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	16.06	15.96	15.95	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	16.10	16.06	15.93	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	16.06	16.00	15.87	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS@sgs.com or sgs@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 6681 2053 | (86-755) 267 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 6681 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 681 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	16.00	15.93	15.94	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	15.92	16.00	16.10	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	15.94	15.94	15.89	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	16.00	15.96	16.00	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	15.93	15.83	16.05	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	16.04	15.94	16.05	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	16.03	15.93	16.00	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	16.05	15.90	16.08	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com

No. 10, Huafeng 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 682 of 867

N77 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	16.47	/	17.00
		1	137	/	16.59	/	17.00
		1	271	/	16.59	/	17.00
		135	0	/	15.68	/	16.50
		135	69	/	16.59	/	17.00
		135	138	/	15.58	/	16.50
		270	0	/	15.78	/	16.50
	DFT-s-OFDM QPSK	1	1	/	16.42	/	17.00
		1	137	/	16.54	/	17.00
		1	271	/	16.73	/	17.00
		135	0	/	15.54	/	16.00
		135	69	/	16.47	/	17.00
		135	138	/	15.56	/	16.00
		270	0	/	15.66	/	16.00
	DFT-s-OFDM 16QAM	1	1	/	15.32	/	16.00
	DFT-s-OFDM 64QAM	1	1	/	14.04	/	14.50
	DFT-s-OFDM 256QAM	1	1	/	12.26	/	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	14.86	/	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	16.61	16.51	16.49	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	16.55	16.51	16.48	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	16.60	16.48	16.48	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, China 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 683 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	16.51	16.49	16.44	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	16.53	16.41	16.42	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	16.53	16.42	16.44	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	16.54	16.45	16.42	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	16.58	16.47	16.48	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	16.60	16.41	16.42	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	16.60	16.46	16.42	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	16.57	16.47	16.49	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. The Company shall not be held responsible for the results shown in this test report refer only to the sample(s) tested and not sample(s) are obtained for 30 days only.

[illegible]

Member of the SGB Group (1988-8A)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 684 of 867

N77 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.45	/	16.00
		1	137	/	15.64	/	16.00
		1	271	/	15.64	/	16.00
		135	0	/	14.55	/	15.50
		135	69	/	15.65	/	16.00
		135	138	/	14.55	/	15.50
		270	0	/	14.69	/	15.50
	DFT-s-OFDM QPSK	1	1	/	15.49	/	16.00
		1	137	/	15.57	/	16.00
		1	271	/	15.65	/	16.00
		135	0	/	14.51	/	15.00
		135	69	/	15.58	/	16.00
		135	138	/	14.49	/	15.00
		270	0	/	14.70	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	14.25	/	15.00
	DFT-s-OFDM 64QAM	1	1	/	12.93	/	13.50
	DFT-s-OFDM 256QAM	1	1	/	11.23	/	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	13.83	/	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 6881 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 6881 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 685 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	15.52	15.45	15.49	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com
 In Market: 8-16, Maly Sector, Second Technical Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-16栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 686 of 867

N77 PC3 DSI4/5					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.21	17.53	17.49	17.53	17.77	17.71	18.00
		1	137	17.51	17.82	17.87	17.53	17.63	17.74	18.00
		1	271	17.67	17.65	17.80	17.69	17.43	17.41	18.00
		135	0	17.17	17.17	17.34	17.08	17.04	17.12	17.50
		135	69	17.87	17.84	17.90	17.48	17.67	17.87	18.00
		135	138	17.27	17.35	17.17	17.04	17.02	17.23	17.50
		270	0	17.28	17.43	17.24	16.98	17.16	17.12	17.50
	DFT-s-OFDM QPSK	1	1	17.22	17.56	17.50	17.54	17.72	17.65	18.00
		1	137	17.57	17.75	17.71	17.60	17.79	17.72	18.00
		1	271	17.68	17.59	17.78	17.63	17.44	17.43	18.00
		135	0	16.59	16.66	16.89	16.58	16.68	16.73	17.00
		135	69	17.75	17.88	17.89	17.58	17.69	17.79	18.00
		135	138	16.72	16.82	16.84	16.64	16.70	16.68	17.00
		270	0	16.86	16.88	16.81	16.64	16.72	16.74	17.00
	DFT-s-OFDM 16QAM	1	1	16.74	16.83	16.84	16.67	16.87	16.90	17.00
	DFT-s-OFDM 64QAM	1	1	14.98	15.16	15.09	14.97	15.08	15.06	15.50
	DFT-s-OFDM 256QAM	1	1	13.19	13.25	13.15	12.86	12.97	13.05	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	16.18	16.18	16.21	15.92	15.98	16.06	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	17.17	17.53	17.48	17.63	17.71	17.70	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	17.21	17.57	17.52	17.54	17.69	17.77	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	17.26	17.49	17.49	17.61	17.83	17.64	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 687 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	17.25	17.55	17.59	17.60	17.70	17.65	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	17.18	17.50	17.53	17.64	17.76	17.66	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	17.24	17.45	17.45	17.66	17.65	17.64	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	17.20	17.44	17.48	17.59	17.66	17.76	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	17.20	17.50	17.50	17.57	17.79	17.66	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	17.23	17.50	17.55	17.64	17.80	17.67	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	17.29	17.53	17.49	17.54	17.72	17.72	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or visit: www.sgs.com/eng/SGS-Group/SGS-Group

No. 10, Huayuan 2nd Industrial Zone, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com/eng
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 688 of 867

N77 PC3 DSI8/9/10					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	15.77	16.01	16.03	16.01	16.28	16.28	16.50
		1	137	16.12	16.31	16.27	16.04	16.29	16.20	16.50
		1	271	16.22	16.16	16.28	16.10	15.97	15.85	16.50
		135	0	15.73	15.70	15.91	15.53	15.72	15.65	16.00
		135	69	16.16	16.17	16.41	16.05	16.29	16.35	16.50
		135	138	15.71	15.86	15.78	15.62	15.58	15.76	16.00
		270	0	15.67	15.82	15.82	15.42	15.52	15.60	16.00
	DFT-s-OFDM QPSK	1	1	15.75	16.00	15.97	16.10	16.36	16.16	16.50
		1	137	16.07	16.27	16.30	16.09	16.22	16.22	16.50
		1	271	16.15	16.17	16.28	16.18	15.98	15.94	16.50
		135	0	15.33	15.27	15.37	15.10	15.26	15.25	15.50
		135	69	16.16	16.21	16.41	16.06	16.33	16.40	16.50
		135	138	15.27	15.35	15.26	15.06	15.18	15.19	15.50
		270	0	15.22	15.41	15.28	15.02	15.06	15.23	15.50
	DFT-s-OFDM 16QAM	1	1	15.26	15.44	15.33	15.17	15.18	15.36	15.50
	DFT-s-OFDM 64QAM	1	1	13.62	13.61	13.60	13.36	13.46	13.48	14.00
	DFT-s-OFDM 256QAM	1	1	11.53	11.73	11.74	11.35	11.55	11.49	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
100MHz	CP-OFDM QPSK	1	1	14.53	14.65	14.62	14.48	14.59	14.66	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
90MHz	DFT-s-OFDM QPSK	1	1	15.73	16.02	16.04	16.04	16.21	16.21	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	15.80	16.03	16.03	16.09	16.31	16.15	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
70MHz	DFT-s-OFDM QPSK	1	1	15.80	15.95	15.96	16.10	16.25	16.19	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 689 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	15.77	16.05	16.03	16.13	16.28	16.22	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	15.71	16.02	15.96	16.10	16.27	16.30	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	15.79	15.96	16.01	16.01	16.29	16.18	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	15.69	16.06	16.00	16.15	16.24	16.20	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	15.77	16.00	16.02	16.10	16.24	16.14	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	15.82	15.98	16.01	16.10	16.26	16.11	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	15.82	15.99	15.95	16.08	16.24	16.16	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or visit: SGS-Group.china.com.cn

No. 10, Huafeng 8th, 10th Floor, Second Technical Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋10号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 690 of 867

N77 PC3 DS12					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.26	16.57	16.61	16.60	16.78	16.67	17.00
		1	137	16.66	16.71	16.84	16.66	16.78	16.76	17.00
		1	271	16.58	16.62	16.69	16.70	16.48	16.38	17.00
		135	0	16.26	16.28	16.36	15.96	16.19	16.20	16.50
		135	69	16.69	16.71	16.93	16.67	16.70	16.76	17.00
		135	138	16.18	16.33	16.26	15.95	16.09	16.12	16.50
		270	0	16.22	16.35	16.29	16.10	16.16	16.13	16.50
	DFT-s-OFDM QPSK	1	1	16.24	16.57	16.53	16.62	16.82	16.74	17.00
		1	137	16.56	16.73	16.67	16.53	16.70	16.69	17.00
		1	271	16.67	16.60	16.73	16.61	16.53	16.39	17.00
		135	0	15.83	15.77	15.83	15.59	15.73	15.74	16.00
		135	69	16.67	16.69	16.91	16.66	16.69	16.67	17.00
		135	138	15.78	15.89	15.77	15.57	15.70	15.73	16.00
		270	0	15.77	15.86	15.82	15.57	15.65	15.63	16.00
	DFT-s-OFDM 16QAM	1	1	15.75	15.87	15.87	15.62	15.80	15.92	16.00
	DFT-s-OFDM 64QAM	1	1	14.08	14.24	14.14	13.79	13.96	13.96	14.50
	DFT-s-OFDM 256QAM	1	1	12.10	12.22	12.20	11.91	12.06	12.05	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	15.07	15.23	15.17	15.03	15.15	15.07	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	16.22	16.50	16.47	16.53	16.74	16.69	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	16.24	16.52	16.41	16.58	16.79	16.70	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	16.22	16.57	16.41	16.54	16.80	16.68	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 691 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	16.26	16.60	16.54	16.65	16.77	16.66	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	16.19	16.52	16.53	16.60	16.76	16.67	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	16.24	16.51	16.50	16.52	16.69	16.71	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	16.25	16.54	16.60	16.58	16.82	16.74	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	16.24	16.53	16.46	16.60	16.75	16.75	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	16.35	16.48	16.56	16.50	16.75	16.67	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	16.20	16.46	16.50	16.56	16.72	16.76	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG_Group@sgs.com

No. 10, Huayuan 8th, Maly Sector, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 692 of 867

N77 PC3 DS13					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	15.26	15.57	15.61	15.61	15.76	15.66	16.00
		1	137	15.70	15.75	15.84	15.61	15.81	15.76	16.00
		1	271	15.61	15.63	15.74	15.75	15.50	15.43	16.00
		135	0	15.21	15.32	15.36	14.93	15.16	15.22	15.50
		135	69	15.68	15.68	15.95	15.68	15.71	15.76	16.00
		135	138	15.22	15.34	15.25	14.92	15.06	15.12	15.50
		270	0	15.17	15.34	15.31	15.05	15.13	15.10	15.50
	DFT-s-OFDM QPSK	1	1	15.27	15.53	15.53	15.59	15.66	15.71	16.00
		1	137	15.61	15.68	15.82	15.54	15.62	15.71	16.00
		1	271	15.71	15.57	15.76	15.66	15.51	15.34	16.00
		135	0	14.80	14.81	14.81	14.60	14.73	14.76	15.00
		135	69	15.72	15.71	15.91	15.64	15.74	15.62	16.00
		135	138	14.74	14.87	14.79	14.58	14.69	14.74	15.00
		270	0	14.76	14.81	14.79	14.54	14.70	14.59	15.00
	DFT-s-OFDM 16QAM	1	1	14.71	14.83	14.88	14.63	14.80	14.97	15.00
	DFT-s-OFDM 64QAM	1	1	13.13	13.24	13.16	12.78	12.97	12.92	13.50
	DFT-s-OFDM 256QAM	1	1	11.14	11.17	11.21	10.94	11.07	11.04	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	14.07	14.18	14.16	13.99	14.14	14.09	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	15.19	15.54	15.47	15.57	15.72	15.69	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	15.23	15.54	15.50	15.53	15.71	15.71	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	15.20	15.50	15.48	15.52	15.69	15.67	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Cert@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 694 of 867

N78 PC2 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.46	/	18.00
		1	137	/	17.56	/	18.00
		1	271	/	17.55	/	18.00
		135	0	/	13.92	/	14.50
		135	69	/	17.57	/	18.00
		135	138	/	13.95	/	14.50
		270	0	/	16.46	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.37	/	18.00
		1	137	/	17.65	/	18.00
		1	271	/	17.47	/	18.00
		135	0	/	13.99	/	14.50
		135	69	/	17.54	/	18.00
		135	138	/	13.91	/	14.50
		270	0	/	16.38	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.26	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	14.70	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.91	/	13.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
/					633334	/	
100MHz	CP-OFDM QPSK	1	1		15.84		16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.62	17.60	17.55	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.61	17.51	17.46	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.70	17.57	17.47	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 9443, or email: CS@sgs.com or sgs@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Address: 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 695 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.58	17.65	17.62	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.67	17.66	17.46	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.55	17.56	17.51	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.70	17.55	17.56	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.63	17.62	17.47	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	17.53	17.63	17.60	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	17.62	17.53	17.51	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, 5th Floor, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 696 of 867

N78 PC2 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.93	/	16.50
		1	137	/	16.10	/	16.50
		1	271	/	16.04	/	16.50
		135	0	/	12.48	/	13.00
		135	69	/	16.09	/	16.50
		135	138	/	12.43	/	13.00
		270	0	/	15.01	/	16.00
	DFT-s-OFDM QPSK	1	1	/	15.94	/	16.50
		1	137	/	16.09	/	16.50
		1	271	/	16.06	/	16.50
		135	0	/	12.48	/	13.00
		135	69	/	16.05	/	16.50
		135	138	/	12.41	/	13.00
		270	0	/	14.90	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	14.68	/	15.50
	DFT-s-OFDM 64QAM	1	1	/	13.11	/	14.00
	DFT-s-OFDM 256QAM	1	1	/	11.36	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		14.22		15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	16.17	16.10	16.04	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	16.06	16.04	15.99	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	16.16	16.04	15.99	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 6881 9443, or email: CS@sgs.com or sgs@sgs.com.

中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6881 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6881 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 697 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	16.05	16.12	16.09	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	16.17	16.16	15.94	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	16.02	16.01	16.05	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	16.24	16.03	16.07	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	16.13	16.11	15.97	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	16.04	16.10	16.15	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	16.08	15.99	15.97	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, 5th Floor, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 698 of 867

N78 PC2 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	16.43	/	17.00
		1	137	/	16.60	/	17.00
		1	271	/	16.54	/	17.00
		135	0	/	12.98	/	13.50
		135	69	/	16.59	/	17.00
		135	138	/	12.93	/	13.50
		270	0	/	15.51	/	16.50
	DFT-s-OFDM QPSK	1	1	/	16.44	/	17.00
		1	137	/	16.59	/	17.00
		1	271	/	16.56	/	17.00
		135	0	/	12.98	/	13.50
		135	69	/	16.55	/	17.00
		135	138	/	12.91	/	13.50
		270	0	/	15.40	/	16.00
	DFT-s-OFDM 16QAM	1	1	/	15.18	/	16.00
	DFT-s-OFDM 64QAM	1	1	/	13.61	/	14.50
	DFT-s-OFDM 256QAM	1	1	/	11.86	/	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		14.72		15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	16.67	16.60	16.54	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	16.56	16.54	16.49	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	16.66	16.54	16.49	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 9443, or email: CS@sgs.com or sgs@sgs.com.

No. (Mainland China) Shenzhen Branch: 1180057 | (86-755) 8871 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8871 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 699 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	16.55	16.62	16.59	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	16.67	16.66	16.44	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	16.52	16.51	16.55	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	16.74	16.53	16.57	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	16.63	16.61	16.47	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	16.54	16.60	16.65	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	16.58	16.49	16.47	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋10号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 700 of 867

N78 PC2 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.46	/	16.00
		1	137	/	15.46	/	16.00
		1	271	/	15.47	/	16.00
		135	0	/	11.85	/	12.50
		135	69	/	15.60	/	16.00
		135	138	/	11.98	/	12.50
		270	0	/	14.41	/	15.50
	DFT-s-OFDM QPSK	1	1	/	15.34	/	16.00
		1	137	/	15.57	/	16.00
		1	271	/	15.53	/	16.00
		135	0	/	12.01	/	12.50
		135	69	/	15.48	/	16.00
		135	138	/	11.83	/	12.50
		270	0	/	14.41	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	14.25	/	15.00
	DFT-s-OFDM 64QAM	1	1	/	12.74	/	13.50
	DFT-s-OFDM 256QAM	1	1	/	10.85	/	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		13.75		14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	15.59	15.59	15.51	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	15.60	15.50	15.47	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	15.71	15.54	15.52	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 8811 9443, or email: CS@china.sgs.com.
 In Market & Quality Sector, Special Testing Pet. Under Other Service, Contacting On: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 701 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	15.55	15.69	15.64	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	15.62	15.63	15.47	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	15.57	15.56	15.52	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	15.73	15.57	15.56	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	15.64	15.57	15.46	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	15.56	15.60	15.55	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	15.63	15.58	15.52	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen City, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 703 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	17.01	17.05	17.24	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	17.11	17.24	17.19	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	17.00	17.22	17.18	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	17.16	17.23	17.19	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	17.05	17.16	17.28	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	17.01	17.05	17.16	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	17.04	17.19	17.11	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing For: Analytical, Biotech, Cosmetics, Dye, Food, Metals, Plastics, Textiles, etc.
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 704 of 867

N78 PC2 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.75	/	16.50
		1	137	/	15.96	/	16.50
		1	271	/	15.84	/	16.50
		135	0	/	12.33	/	13.00
		135	69	/	15.94	/	16.50
		135	138	/	12.44	/	13.00
		270	0	/	14.77	/	16.00
	DFT-s-OFDM QPSK	1	1	/	15.63	/	16.50
		1	137	/	15.89	/	16.50
		1	271	/	15.87	/	16.50
		135	0	/	12.42	/	13.00
		135	69	/	15.88	/	16.50
		135	138	/	12.35	/	13.00
		270	0	/	14.80	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	14.82	/	15.50
	DFT-s-OFDM 64QAM	1	1	/	13.41	/	14.00
	DFT-s-OFDM 256QAM	1	1	/	11.23	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	14.30	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	15.62	15.67	15.69	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	15.62	15.64	15.68	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	15.64	15.61	15.68	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com or sgs@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Supply On: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 705 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	15.60	15.62	15.65	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	15.59	15.65	15.72	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	15.65	15.63	15.69	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	15.60	15.69	15.68	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	15.61	15.65	15.71	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	15.57	15.65	15.75	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	15.59	15.66	15.72	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Contacting On: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 706 of 867

N78 PC2 DSI2				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	16.16	/	17.00
		1	137	/	16.37	/	17.00
		1	271	/	16.33	/	17.00
		135	0	/	12.81	/	13.50
		135	69	/	16.37	/	17.00
		135	138	/	13.01	/	13.50
		270	0	/	15.33	/	16.50
	DFT-s-OFDM QPSK	1	1	/	16.20	/	17.00
		1	137	/	16.45	/	17.00
		1	271	/	16.33	/	17.00
		135	0	/	12.80	/	13.50
		135	69	/	16.29	/	17.00
		135	138	/	12.89	/	13.50
		270	0	/	15.30	/	16.00
	DFT-s-OFDM 16QAM	1	1	/	15.33	/	16.00
	DFT-s-OFDM 64QAM	1	1	/	13.87	/	14.50
	DFT-s-OFDM 256QAM	1	1	/	11.77	/	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	14.71	/	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	16.14	16.11	16.21	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	16.15	16.13	16.20	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	16.21	16.13	16.11	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 8581 9443, or email: CS@sgs.com or sgs@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, 1108057 1 (86-755) 8581 2053 1 (86-755) 267 0594 www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 1 (86-755) 8581 2053 1 (86-755) 267 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 707 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	16.02	16.02	16.20	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	16.08	16.19	16.19	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	16.05	16.26	16.17	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	16.12	16.25	16.24	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	16.08	16.13	16.31	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	16.06	16.00	16.15	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	16.07	16.20	16.13	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Opening On: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 708 of 867

N78 PC2 DSI3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.13	/	16.00
		1	137	/	15.33	/	16.00
		1	271	/	15.36	/	16.00
		135	0	/	11.81	/	12.50
		135	69	/	15.33	/	16.00
		135	138	/	11.97	/	12.50
		270	0	/	14.33	/	15.50
	DFT-s-OFDM QPSK	1	1	/	15.17	/	16.00
		1	137	/	15.45	/	16.00
		1	271	/	15.33	/	16.00
		135	0	/	11.78	/	12.50
		135	69	/	15.29	/	16.00
		135	138	/	11.94	/	12.50
		270	0	/	14.30	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	14.37	/	15.00
	DFT-s-OFDM 64QAM	1	1	/	12.90	/	13.50
	DFT-s-OFDM 256QAM	1	1	/	10.74	/	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	13.75	/	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	15.14	15.13	15.25	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	15.14	15.12	15.22	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	15.19	15.08	15.22	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 8581 9443, or email: CS@sgs.com or sgs@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Supply On: 516057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 709 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	15.10	15.08	15.25	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	15.09	15.12	15.24	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	15.10	15.09	15.26	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	15.19	15.09	15.16	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	15.11	15.12	15.18	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	15.09	15.11	15.20	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	15.19	15.13	15.26	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 710 of 867

N78 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.28	/	18.00
		1	137	/	17.44	/	18.00
		1	271	/	17.26	/	18.00
		135	0	/	16.36	/	17.50
		135	69	/	17.52	/	18.00
		135	138	/	16.38	/	17.50
		270	0	/	16.24	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.26	/	18.00
		1	137	/	17.29	/	18.00
		1	271	/	17.35	/	18.00
		135	0	/	16.31	/	17.00
		135	69	/	17.29	/	18.00
		135	138	/	16.44	/	17.00
		270	0	/	16.31	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.39	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	14.99	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.77	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		15.73		16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.20	17.15	17.13	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.19	17.22	17.18	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.11	17.22	17.20	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 711 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.28	17.06	17.09	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.24	17.20	17.06	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.13	17.20	17.13	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.15	17.11	17.14	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	17.16	17.16	17.16	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.22	17.22	17.04	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	17.14	17.20	17.09	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.22	17.24	17.08	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 712 of 867

N78 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.85	/	16.50
		1	137	/	15.98	/	16.50
		1	271	/	15.78	/	16.50
		135	0	/	14.94	/	16.00
		135	69	/	15.93	/	16.50
		135	138	/	14.94	/	16.00
		270	0	/	14.68	/	16.00
	DFT-s-OFDM QPSK	1	1	/	15.82	/	16.50
		1	137	/	15.88	/	16.50
		1	271	/	15.76	/	16.50
		135	0	/	14.89	/	15.50
		135	69	/	15.88	/	16.50
		135	138	/	14.96	/	15.50
		270	0	/	14.86	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	14.88	/	15.50
	DFT-s-OFDM 64QAM	1	1	/	13.56	/	14.00
	DFT-s-OFDM 256QAM	1	1	/	11.34	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		14.12		15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	15.67	15.70	15.65	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	15.70	15.69	15.67	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	15.61	15.71	15.67	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 9443, or email: CS.C@sgs.com

No. 10, 1st Floor, 8th Middle School, Second School, Pingtan District, Pingtan City, Fujian 351607 | (86-755) 6881 2053 | (86-755) 267 0594 | www.sgs.com
 中国·广东·深圳市南山区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 6881 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 713 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	15.79	15.59	15.57	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	15.72	15.74	15.58	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	15.63	15.75	15.68	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	15.66	15.63	15.69	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	15.64	15.71	15.67	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	15.76	15.75	15.50	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	15.59	15.74	15.63	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	15.72	15.75	15.63	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Pet. Under G165: Contact: Angela Qin: 516057 | (86-755) 86012053 | (86-755) 26710594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 86012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 714 of 867

N78 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	16.18	/	17.00
		1	137	/	16.38	/	17.00
		1	271	/	16.32	/	17.00
		135	0	/	15.38	/	16.50
		135	69	/	16.51	/	17.00
		135	138	/	15.46	/	16.50
		270	0	/	15.31	/	16.50
	DFT-s-OFDM QPSK	1	1	/	16.35	/	17.00
		1	137	/	16.19	/	17.00
		1	271	/	16.28	/	17.00
		135	0	/	15.27	/	16.00
		135	69	/	16.32	/	17.00
		135	138	/	15.45	/	16.00
		270	0	/	15.39	/	16.00
	DFT-s-OFDM 16QAM	1	1	/	15.47	/	16.00
	DFT-s-OFDM 64QAM	1	1	/	14.08	/	14.50
	DFT-s-OFDM 256QAM	1	1	/	11.86	/	12.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
/					633334	/	
100MHz	CP-OFDM QPSK	1	1		14.25		15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	16.15	16.11	16.18	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	16.23	16.23	16.15	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	16.10	16.26	16.16	17.00



Where otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service (linked here), which are required or accepted at <https://www.sas.com/learn/technology/conditions>. Attention is drawn to the inclusion of its title, identification and justification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized use, copying, or modification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Where stated the results object of this test report refer only to the sample(s) tested and no sample(s) are obtained for 30 days only.

中國、廣東、深圳市南山區科苑路中區8-10號11樓 郵箱: 516067
 Tel: (86-755) 26571039 | Fax: (86-755) 26571034 | E-mail: sgp@china-sgp.com
 Tel: (86-755) 26571039 | Fax: (86-755) 26571034 | E-mail: sgp@china-sgp.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 715 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	16.26	16.05	16.04	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	16.25	16.24	16.02	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	16.16	16.22	16.17	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	16.10	16.06	16.18	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	16.12	16.12	16.14	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	16.18	16.18	16.07	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	16.15	16.22	16.10	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	16.17	16.28	16.07	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Contact Us: 166057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 716 of 867

N78 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.18	/	16.00
		1	137	/	15.38	/	16.00
		1	271	/	15.32	/	16.00
		135	0	/	14.38	/	15.50
		135	69	/	15.51	/	16.00
		135	138	/	14.46	/	15.50
		270	0	/	14.31	/	15.50
	DFT-s-OFDM QPSK	1	1	/	15.35	/	16.00
		1	137	/	15.19	/	16.00
		1	271	/	15.28	/	16.00
		135	0	/	14.27	/	15.00
		135	69	/	15.32	/	16.00
		135	138	/	14.45	/	15.00
		270	0	/	14.39	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	14.47	/	15.00
	DFT-s-OFDM 64QAM	1	1	/	13.08	/	13.50
	DFT-s-OFDM 256QAM	1	1	/	10.86	/	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		13.25		14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	15.15	15.11	15.18	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	15.23	15.23	15.15	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	15.10	15.26	15.16	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 717 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	15.26	15.05	15.04	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	15.25	15.24	15.02	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	15.16	15.22	15.17	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	15.10	15.06	15.18	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	15.12	15.12	15.14	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	15.18	15.18	15.07	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	15.15	15.22	15.10	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	15.17	15.28	15.07	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com.
 In Market: 8-10, Malya Sector, Second Technical Park, Shenzhen, China. Tel: 816657 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 718 of 867

N78 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.36	/	18.00
		1	137	/	17.43	/	18.00
		1	271	/	17.28	/	18.00
		135	0	/	16.31	/	17.50
		135	69	/	17.44	/	18.00
		135	138	/	16.43	/	17.50
		270	0	/	16.16	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.32	/	18.00
		1	137	/	17.23	/	18.00
		1	271	/	17.26	/	18.00
		135	0	/	16.31	/	17.00
		135	69	/	17.38	/	18.00
		135	138	/	16.36	/	17.00
		270	0	/	16.29	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.42	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	14.98	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.68	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	15.60	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	17.13	17.21	17.16	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	17.18	17.19	17.02	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	17.22	17.16	17.14	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Corp@sgs.com.

No. (Market & Sales Dept.) Shenzhen Branch: (86-755) 8811 9443 / Fax: (86-755) 8811 2053 / E-mail: www.sgs.com / sgs.china@sgs.com

中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 / (86-755) 8811 2053 / (86-755) 26710594 / sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 719 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	17.18	17.24	17.03	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	17.13	17.15	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	17.25	17.21	17.09	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	17.18	17.15	17.13	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	17.21	17.14	17.05	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	17.21	17.19	17.12	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	17.22	17.33	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	17.20	17.26	17.04	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, South Sector, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园南区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 720 of 867

N78 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.81	/	16.50
		1	137	/	16.01	/	16.50
		1	271	/	15.80	/	16.50
		135	0	/	14.84	/	16.00
		135	69	/	16.03	/	16.50
		135	138	/	14.87	/	16.00
		270	0	/	14.82	/	16.00
	DFT-s-OFDM QPSK	1	1	/	15.76	/	16.50
		1	137	/	15.86	/	16.50
		1	271	/	15.90	/	16.50
		135	0	/	14.73	/	15.50
		135	69	/	15.70	/	16.50
		135	138	/	14.88	/	15.50
		270	0	/	14.72	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	14.98	/	15.50
	DFT-s-OFDM 64QAM	1	1	/	13.42	/	14.00
	DFT-s-OFDM 256QAM	1	1	/	11.17	/	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	14.16	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	15.61	15.69	15.66	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	15.63	15.67	15.56	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	15.71	15.70	15.60	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen City, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 721 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	15.69	15.79	15.53	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	15.60	15.68	15.64	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	15.80	15.66	15.58	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	15.72	15.65	15.66	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	15.70	15.69	15.54	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	15.73	15.67	15.58	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	15.74	15.78	15.60	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	15.68	15.74	15.50	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, South Sector, Shenzhen Technology Park, Shenzhen City, 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园南区10栋1号广东 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 722 of 867

N78 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	16.33	/	17.00
		1	137	/	16.35	/	17.00
		1	271	/	16.34	/	17.00
		135	0	/	15.45	/	16.50
		135	69	/	16.48	/	17.00
		135	138	/	15.36	/	16.50
		270	0	/	15.21	/	16.50
	DFT-s-OFDM QPSK	1	1	/	16.28	/	17.00
		1	137	/	16.37	/	17.00
		1	271	/	16.35	/	17.00
		135	0	/	15.30	/	16.00
		135	69	/	16.20	/	17.00
		135	138	/	15.51	/	16.00
		270	0	/	15.39	/	16.00
	DFT-s-OFDM 16QAM	1	1	/	15.38	/	16.00
	DFT-s-OFDM 64QAM	1	1	/	13.92	/	14.50
	DFT-s-OFDM 256QAM	1	1	/	11.85	/	12.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
/					650000	/	
100MHz	CP-OFDM QPSK	1	1	/	14.33	/	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	16.08	16.23	16.14	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	16.16	16.22	16.05	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	16.27	16.13	16.17	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. All other information stated the results shown in this test report refer only to the sample(s) tested and not samples are obtained for 30 days only.

本報告已作國際化 30 天。詳情請洽：
 Attention: To check the availability of testing, inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 Or email: CN_Zhongchao@agc.com
 亞細亞 (中國) 有限公司, 廣東省深圳市南山區科苑南路 8 號 10 樓 1001 室 電話: 8166067 1 (86-755) 2601 2030 1 (86-755) 267 10394 www.agcgroup.com.cn
 中國·廣東·深圳市南山區科苑南路 8 號 10 樓 1001 室 電話: 8166067 1 (86-755) 2601 2030 1 (86-755) 267 10394 agcchina@agc.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 723 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	16.19	16.27	16.08	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	16.12	16.20	16.11	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	16.23	16.26	16.08	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	16.14	16.11	16.10	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	16.26	16.15	16.08	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	16.22	16.21	16.11	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	16.24	16.34	16.09	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	16.24	16.23	16.12	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Address: 518057 | (86-755) 8601 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8601 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 724 of 867

N78 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	15.33	/	16.00
		1	137	/	15.35	/	16.00
		1	271	/	15.34	/	16.00
		135	0	/	14.45	/	15.50
		135	69	/	15.48	/	16.00
		135	138	/	14.36	/	15.50
		270	0	/	14.21	/	15.50
	DFT-s-OFDM QPSK	1	1	/	15.28	/	16.00
		1	137	/	15.37	/	16.00
		1	271	/	15.35	/	16.00
		135	0	/	14.30	/	15.00
		135	69	/	15.20	/	16.00
		135	138	/	14.51	/	15.00
		270	0	/	14.39	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	14.38	/	15.00
	DFT-s-OFDM 64QAM	1	1	/	12.92	/	13.50
	DFT-s-OFDM 256QAM	1	1	/	10.85	/	11.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	13.33	/	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	15.08	15.23	15.14	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	15.16	15.22	15.05	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	15.27	15.13	15.17	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 725 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	15.19	15.27	15.08	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	15.12	15.20	15.11	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	15.23	15.26	15.08	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	15.14	15.11	15.10	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	15.26	15.15	15.08	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	15.22	15.21	15.11	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	15.24	15.34	15.09	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	15.24	15.23	14.99	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com.
 In Market: 8-10, Malya Sector, Second Technical Park, Shenzhen, China 518057 | (86-755) 8601 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8601 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

12.7 Conducted Power of NR Antenna (Ant23)

N77 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	19.04	/	19.50
		1	137	/	18.67	/	19.50
		1	271	/	18.54	/	19.50
		135	0	/	17.93	/	19.00
		135	69	/	18.70	/	19.50
		135	138	/	17.50	/	19.00
		270	0	/	17.54	/	19.00
	DFT-s-OFDM QPSK	1	1	/	19.01	/	19.50
		1	137	/	18.59	/	19.50
		1	271	/	18.51	/	19.50
		135	0	/	17.91	/	18.50
		135	69	/	18.78	/	19.50
		135	138	/	17.45	/	18.50
		270	0	/	17.66	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	18.19	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	16.45	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.63	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	17.52	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	18.90	19.04	18.93	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	18.90	19.05	18.81	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact our telephone: (86-755) 8811 9443, or email: CS@china.sgs.com.

No. 10, Huayuan 2nd Road, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 727 of 867

70MHz	DFT-s-OFDM QPSK	1	1	18.87	18.95	18.94	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	19.01	18.87	18.95	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	18.91	19.02	18.95	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	19.08	19.03	18.95	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	18.91	18.95	18.93	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	18.91	18.94	18.82	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	18.98	19.00	18.88	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	18.83	19.00	18.95	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	18.98	19.06	18.93	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 728 of 867

N77 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.55	/	18.00
		1	137	/	17.21	/	18.00
		1	271	/	16.99	/	18.00
		135	0	/	16.37	/	17.50
		135	69	/	17.21	/	18.00
		135	138	/	15.88	/	17.50
		270	0	/	16.04	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.56	/	18.00
		1	137	/	17.21	/	18.00
		1	271	/	17.06	/	18.00
		135	0	/	16.40	/	17.00
		135	69	/	17.13	/	18.00
		135	138	/	16.12	/	17.00
		270	0	/	16.18	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.84	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	15.06	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	13.03	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	16.10	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.42	17.45	17.42	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.34	17.52	17.41	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.37	17.45	17.46	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 9443, or email: CS@sgs.com

No. 10, Huayuan 2nd Rd, Sincere Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 729 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.51	17.43	17.45	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.42	17.46	17.47	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.56	17.56	17.46	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.40	17.46	17.42	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	17.42	17.43	17.32	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.48	17.46	17.34	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	17.38	17.49	17.44	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.56	17.54	17.40	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Technical Personnel (SPE) Contact: Angela Chen: 516057 | (86-755) 86012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 86012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 730 of 867

N77 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	14.03	/	14.50
		1	137	/	13.69	/	14.50
		1	271	/	13.48	/	14.50
		135	0	/	12.83	/	14.00
		135	69	/	13.84	/	14.50
		135	138	/	12.36	/	14.00
		270	0	/	12.56	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.99	/	14.50
		1	137	/	13.77	/	14.50
		1	271	/	13.64	/	14.50
		135	0	/	12.78	/	13.50
		135	69	/	13.79	/	14.50
		135	138	/	12.47	/	13.50
		270	0	/	12.56	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	13.17	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	11.50	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	9.63	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	12.58	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.96	13.99	13.91	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.90	13.99	13.82	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.93	13.95	13.90	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8381 9443, or email: CS.C@sgs.com.

No. (Mainland China) 44030240012053 | (86-755) 8381 9443 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8381 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 731 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	14.04	13.95	13.91	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	13.90	14.06	13.89	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	14.01	14.10	13.96	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.95	13.99	13.92	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	13.94	13.90	13.85	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.94	13.99	13.83	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	13.86	14.02	14.03	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	14.02	14.04	14.00	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 732 of 867

N77 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.46	/	14.00
		1	137	/	13.14	/	14.00
		1	271	/	12.98	/	14.00
		135	0	/	12.38	/	13.50
		135	69	/	13.32	/	14.00
		135	138	/	11.86	/	13.50
		270	0	/	12.01	/	13.50
	DFT-s-OFDM QPSK	1	1	/	13.56	/	14.00
		1	137	/	13.25	/	14.00
		1	271	/	13.02	/	14.00
		135	0	/	12.32	/	13.00
		135	69	/	13.19	/	14.00
		135	138	/	11.97	/	13.00
		270	0	/	12.16	/	13.00
	DFT-s-OFDM 16QAM	1	1	/	12.81	/	13.00
	DFT-s-OFDM 64QAM	1	1	/	11.01	/	11.50
	DFT-s-OFDM 256QAM	1	1	/	9.02	/	9.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	11.62	/	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.47	13.47	13.42	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.43	13.49	13.36	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.43	13.43	13.50	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋10层 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 733 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	13.55	13.40	13.42	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	13.40	13.49	13.45	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.58	13.58	13.44	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.42	13.55	13.46	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	13.46	13.40	13.35	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.41	13.46	13.39	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	13.36	13.48	13.48	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	13.56	13.61	13.48	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Pet. Center (SGS) Branch, Contact No: 516057 | (86-755) 86012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 86012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 734 of 867

N77 PC3 DSI4/5					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.61	18.87	18.79	18.70	18.71	18.76	19.50
		1	137	18.85	18.87	18.75	18.78	18.82	18.93	19.50
		1	271	18.73	18.70	18.52	18.81	18.59	18.58	19.50
		135	0	18.55	18.33	18.20	18.16	18.26	18.27	19.00
		135	69	18.90	18.82	18.70	18.78	18.78	18.75	19.50
		135	138	17.99	18.08	18.11	17.97	18.15	18.05	19.00
		270	0	18.13	18.23	18.14	18.20	18.19	18.31	19.00
	DFT-s-OFDM QPSK	1	1	18.55	18.82	18.71	18.74	18.76	18.64	19.50
		1	137	19.02	18.73	18.77	18.62	18.67	18.82	19.50
		1	271	18.79	18.61	18.61	18.62	18.66	18.71	19.50
		135	0	17.98	17.82	17.77	17.73	17.68	17.88	18.50
		135	69	18.97	18.75	18.75	18.61	18.75	18.69	19.50
		135	138	17.62	17.66	17.67	17.53	17.64	17.70	18.50
		270	0	17.77	17.79	17.73	17.65	17.82	17.75	18.50
	DFT-s-OFDM 16QAM	1	1	17.97	17.84	17.92	17.81	17.72	17.85	18.50
	DFT-s-OFDM 64QAM	1	1	16.14	16.19	16.10	16.15	16.27	16.23	17.00
	DFT-s-OFDM 256QAM	1	1	14.21	14.37	14.29	14.16	14.31	14.29	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	17.31	17.28	17.27	17.17	17.27	17.32	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	18.63	18.89	18.76	18.65	18.77	18.66	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	18.69	18.89	18.73	18.69	18.73	18.69	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	18.69	18.87	18.76	18.77	18.73	18.59	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 735 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	18.68	18.89	18.68	18.67	18.71	18.74	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	18.58	18.91	18.73	18.80	18.69	18.63	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	18.64	18.87	18.67	18.79	18.69	18.60	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	18.68	18.77	18.72	18.74	18.65	18.76	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	18.63	18.87	18.68	18.72	18.64	18.63	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	18.70	18.82	18.74	18.72	18.67	18.70	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	18.68	18.93	18.77	18.75	18.61	18.64	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or visit: SGS-Group.china.com.cn

No. 10, Huafeng 8th, 10th Floor, Second Technical Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋10号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 736 of 867

N77 PC3 DSI8/9/10					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.23	17.32	17.19	17.20	17.24	17.21	18.00
		1	137	17.43	17.38	17.29	17.33	17.18	17.32	18.00
		1	271	17.30	17.11	17.07	17.27	17.15	17.22	18.00
		135	0	17.04	16.84	16.85	16.76	16.81	16.74	17.50
		135	69	17.55	17.42	17.26	17.23	17.27	17.19	18.00
		135	138	16.64	16.61	16.56	16.48	16.61	16.64	17.50
		270	0	16.58	16.79	16.65	16.60	16.62	16.80	17.50
	DFT-s-OFDM QPSK	1	1	17.18	17.26	17.22	17.14	17.10	17.17	18.00
		1	137	17.46	17.40	17.30	17.16	17.24	17.45	18.00
		1	271	17.21	17.11	17.05	17.15	16.99	17.08	18.00
		135	0	16.43	16.43	16.25	16.25	16.29	16.42	17.00
		135	69	17.37	17.28	17.32	17.12	17.14	17.32	18.00
		135	138	16.13	16.10	16.20	16.07	16.24	16.09	17.00
		270	0	16.35	16.34	16.29	16.13	16.32	16.34	17.00
	DFT-s-OFDM 16QAM	1	1	16.44	16.50	16.39	16.34	16.23	16.32	17.00
	DFT-s-OFDM 64QAM	1	1	14.68	14.63	14.69	14.52	14.67	14.68	15.50
	DFT-s-OFDM 256QAM	1	1	12.71	12.72	12.72	12.49	12.69	12.76	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	15.78	15.76	15.79	15.63	15.80	15.87	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	17.05	17.35	17.19	17.18	17.17	17.12	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	17.16	17.29	17.17	17.24	17.25	17.16	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	17.16	17.37	17.30	17.28	17.23	17.16	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 737 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	17.17	17.43	17.18	17.15	17.18	17.24	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	17.09	17.34	17.27	17.31	17.27	17.18	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	17.15	17.35	17.17	17.22	17.18	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	17.13	17.36	17.26	17.25	17.14	17.21	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	17.14	17.42	17.26	17.20	17.13	17.17	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	17.21	17.36	17.18	17.20	17.14	17.18	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	17.17	17.40	17.27	17.29	17.08	17.15	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 8443, or visit: www.sgs.com/technicalservice

No. 10, Huayuan 2nd Industrial Zone, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 738 of 867

N77 PC3 DS12					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	13.78	13.92	13.72	13.79	13.76	13.58	14.50
		1	137	13.91	13.91	13.77	13.80	13.71	13.86	14.50
		1	271	13.85	13.68	13.64	13.63	13.53	13.74	14.50
		135	0	13.43	13.40	13.34	13.31	13.32	13.34	14.00
		135	69	13.92	13.79	13.76	13.80	13.69	13.74	14.50
		135	138	13.13	13.17	13.13	13.04	13.25	13.02	14.00
		270	0	13.20	13.29	13.11	13.05	13.21	13.22	14.00
	DFT-s-OFDM QPSK	1	1	13.58	13.75	13.76	13.74	13.66	13.64	14.50
		1	137	13.93	13.84	13.81	13.76	13.76	13.95	14.50
		1	271	13.72	13.63	13.53	13.60	13.61	13.66	14.50
		135	0	12.99	12.87	12.87	12.78	12.86	12.98	13.50
		135	69	14.00	13.82	13.82	13.70	13.76	13.85	14.50
		135	138	12.73	12.77	12.75	12.61	12.62	12.65	13.50
		270	0	12.79	12.82	12.71	12.61	12.71	12.81	13.50
	DFT-s-OFDM 16QAM	1	1	12.99	12.95	13.03	12.79	12.87	12.95	13.50
	DFT-s-OFDM 64QAM	1	1	11.18	11.10	11.16	11.11	11.14	11.23	12.00
	DFT-s-OFDM 256QAM	1	1	9.27	9.28	9.19	9.12	9.26	9.23	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	12.21	12.25	12.24	12.11	12.27	12.37	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	13.53	13.83	13.75	13.67	13.71	13.66	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	13.65	13.83	13.64	13.69	13.72	13.75	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	13.68	13.89	13.75	13.75	13.76	13.59	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 739 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	13.66	13.96	13.71	13.71	13.73	13.74	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	13.64	13.83	13.70	13.79	13.67	13.66	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	13.61	13.86	13.66	13.79	13.67	13.67	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	13.67	13.77	13.68	13.73	13.70	13.75	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	13.66	13.90	13.71	13.77	13.67	13.64	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	13.73	13.81	13.64	13.74	13.69	13.68	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	13.63	13.92	13.67	13.78	13.61	13.69	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or visit: SGS-Group.china.com.cn

No. 10, Huayuan 2nd Industrial Zone, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 740 of 867

N77 PC3 DS13					Conducted Power(dBm)					
SCS 30kHz(3700~3980)										
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
				3750.00	3786.00	3822.00	3858.00	3894.00	3930.00	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	13.16	13.32	13.14	13.11	13.14	13.13	14.00
		1	137	13.53	13.41	13.42	13.30	13.34	13.42	14.00
		1	271	13.25	13.13	13.08	13.12	12.96	13.13	14.00
		135	0	13.04	12.80	12.70	12.81	12.73	12.76	13.50
		135	69	13.53	13.33	13.37	13.15	13.23	13.22	14.00
		135	138	12.65	12.56	12.57	12.47	12.61	12.63	13.50
		270	0	12.69	12.82	12.65	12.60	12.65	12.82	13.50
	DFT-s-OFDM QPSK	1	1	13.08	13.39	13.29	13.22	13.25	13.26	14.00
		1	137	13.40	13.25	13.26	13.23	13.18	13.31	14.00
		1	271	13.28	13.13	13.18	13.17	13.00	13.25	14.00
		135	0	12.50	12.38	12.33	12.28	12.35	12.49	13.00
		135	69	13.52	13.33	13.23	13.18	13.17	13.37	14.00
		135	138	12.14	12.16	12.10	11.97	12.13	12.22	13.00
		270	0	12.30	12.34	12.18	12.11	12.18	12.38	13.00
	DFT-s-OFDM 16QAM	1	1	12.36	12.38	12.36	12.27	12.24	12.43	13.00
	DFT-s-OFDM 64QAM	1	1	10.69	10.71	10.75	10.55	10.69	10.80	11.50
	DFT-s-OFDM 256QAM	1	1	8.85	8.76	8.74	8.62	8.63	8.76	9.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				650000	652400	654800	657200	659600	662000	
100MHz	CP-OFDM QPSK	1	1	11.76	11.73	11.79	11.60	11.74	11.88	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649668	652200	654734	657268	659800	662332	
90MHz	DFT-s-OFDM QPSK	1	1	13.09	13.39	13.28	13.18	13.23	13.14	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649334	652000	654668	657334	660000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	13.19	13.30	13.13	13.19	13.19	13.18	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				649001	651800	654601	657401	660200	662999	
70MHz	DFT-s-OFDM QPSK	1	1	13.21	13.37	13.29	13.23	13.20	13.17	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Support@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 741 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648668	651600	654534	657468	660400	663332	
60MHz	DFT-s-OFDM QPSK	1	1	13.21	13.42	13.24	13.24	13.22	13.20	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648334	651400	654468	657534	660600	663666	
50MHz	DFT-s-OFDM QPSK	1	1	13.12	13.34	13.29	13.34	13.19	13.16	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	13.15	13.40	13.18	13.24	13.19	13.16	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647666	651000	654332	657666	661000	664334	
30MHz	DFT-s-OFDM QPSK	1	1	13.08	13.35	13.27	13.21	13.17	13.19	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647499	650900	654298	657699	661100	664501	
20MHz	DFT-s-OFDM QPSK	1	1	13.16	13.38	13.22	13.19	13.12	13.13	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
15MHz	DFT-s-OFDM QPSK	1	1	13.22	13.34	13.23	13.19	13.17	13.16	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647165	650700	654230	657765	661300	664835	
10MHz	DFT-s-OFDM QPSK	1	1	13.20	13.33	13.25	13.26	13.12	13.18	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or visit: www.sgs.com/technicalservice

No. 10, Huayuan 8th, Maly Sector, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 742 of 867

N78 PC2 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	19.07	/	19.50
		1	137	/	18.77	/	19.50
		1	271	/	18.49	/	19.50
		135	0	/	15.17	/	16.00
		135	69	/	18.88	/	19.50
		135	138	/	14.90	/	16.00
		270	0	/	17.64	/	19.00
	DFT-s-OFDM QPSK	1	1	/	18.98	/	19.50
		1	137	/	18.70	/	19.50
		1	271	/	18.40	/	19.50
		135	0	/	15.26	/	16.00
		135	69	/	18.95	/	19.50
		135	138	/	14.97	/	16.00
		270	0	/	17.60	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	18.01	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	16.32	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.40	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		17.37		18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	18.95	18.85	18.90	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	18.88	18.81	18.85	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	18.89	18.83	18.99	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8881 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8881 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 743 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	18.91	18.88	18.87	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	18.96	18.84	18.92	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	18.85	18.91	18.81	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	18.98	18.84	18.95	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	18.98	18.78	18.97	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	19.02	18.92	18.92	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	18.92	18.75	18.90	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 744 of 867

N78 PC2 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.60	/	18.00
		1	137	/	17.20	/	18.00
		1	271	/	17.08	/	18.00
		135	0	/	13.76	/	14.50
		135	69	/	17.28	/	18.00
		135	138	/	13.39	/	14.50
		270	0	/	16.11	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.38	/	18.00
		1	137	/	17.11	/	18.00
		1	271	/	16.94	/	18.00
		135	0	/	13.72	/	14.50
		135	69	/	17.48	/	18.00
		135	138	/	13.42	/	14.50
		270	0	/	16.15	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.45	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	14.84	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.98	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		15.82		16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.49	17.37	17.43	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.37	17.35	17.39	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.42	17.33	17.46	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋10层 邮编: 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 745 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.45	17.41	17.41	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.46	17.36	17.45	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.38	17.36	17.28	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.46	17.31	17.50	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.50	17.31	17.44	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	17.49	17.41	17.41	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	17.42	17.25	17.36	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Building 5th, 516057 | (86-755) 2671 0553 | (86-755) 2671 0554 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 2671 0553 | (86-755) 2671 0554 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 746 of 867

N78 PC2 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.98	/	14.50
		1	137	/	13.84	/	14.50
		1	271	/	13.56	/	14.50
		135	0	/	10.09	/	11.00
		135	69	/	13.87	/	14.50
		135	138	/	9.89	/	11.00
		270	0	/	12.62	/	14.00
	DFT-s-OFDM QPSK	1	1	/	14.07	/	14.50
		1	137	/	13.61	/	14.50
		1	271	/	13.36	/	14.50
		135	0	/	10.22	/	11.00
		135	69	/	13.87	/	14.50
		135	138	/	10.06	/	11.00
		270	0	/	12.66	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.99	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	11.36	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	9.44	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		12.22		13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.98	13.89	13.86	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.88	13.78	13.88	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.89	13.80	13.97	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 8th Floor, Second Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 747 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	13.88	13.90	13.82	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	13.98	13.82	13.89	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.90	13.96	13.82	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.93	13.85	13.97	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.97	13.81	13.93	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	14.01	13.95	13.90	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	13.87	13.77	13.92	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Unit, Shenzhen Branch, Sampling Unit: 516057 | (86-755) 26710553 | (86-755) 26710554 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 26710553 | (86-755) 26710554 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 748 of 867

N78 PC2 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.62	/	14.00
		1	137	/	13.21	/	14.00
		1	271	/	13.06	/	14.00
		135	0	/	9.61	/	10.50
		135	69	/	13.43	/	14.00
		135	138	/	9.35	/	10.50
		270	0	/	12.04	/	13.50
	DFT-s-OFDM QPSK	1	1	/	13.54	/	14.00
		1	137	/	13.17	/	14.00
		1	271	/	12.99	/	14.00
		135	0	/	9.78	/	10.50
		135	69	/	13.49	/	14.00
		135	138	/	9.49	/	10.50
		270	0	/	12.13	/	13.00
	DFT-s-OFDM 16QAM	1	1	/	12.52	/	13.00
	DFT-s-OFDM 64QAM	1	1	/	10.88	/	11.50
	DFT-s-OFDM 256QAM	1	1	/	8.88	/	9.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		11.70		12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.50	13.37	13.45	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.41	13.26	13.33	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.36	13.32	13.47	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@china.sgs.com.
 In China: 8-11, Nanyang Road, Second Industrial Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com/china
 中国·广东·深圳市福田区科技园中区8-11栋1号厂房 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 749 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	13.44	13.35	13.32	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	13.51	13.35	13.39	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.38	13.41	13.32	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.47	13.31	13.40	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.50	13.24	13.44	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
15MHz	DFT-s-OFDM QPSK	1	1	13.49	13.39	13.44	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630001	633334	636668	
10MHz	DFT-s-OFDM QPSK	1	1	13.39	13.29	13.43	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6643, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing For: Analytical, Biotech, Cosmetics, Dye, Food, Metals, Plastics, Textiles, etc.
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 750 of 867

N78 PC2 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	18.62	/	19.50
		1	137	/	18.82	/	19.50
		1	271	/	18.51	/	19.50
		135	0	/	15.08	/	16.00
		135	69	/	18.67	/	19.50
		135	138	/	14.94	/	16.00
		270	0	/	17.37	/	19.00
	DFT-s-OFDM QPSK	1	1	/	18.57	/	19.50
		1	137	/	18.73	/	19.50
		1	271	/	18.51	/	19.50
		135	0	/	15.11	/	16.00
		135	69	/	18.69	/	19.50
		135	138	/	15.02	/	16.00
		270	0	/	17.46	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	17.90	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	16.20	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.25	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	17.02	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	18.60	18.55	18.53	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	18.60	18.47	18.62	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	18.54	18.45	18.53	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 751 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	18.65	18.54	18.58	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	18.61	18.63	18.58	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	18.61	18.51	18.62	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	18.54	18.58	18.60	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	18.59	18.48	18.45	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	18.64	18.60	18.46	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	18.57	18.49	18.46	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Support@sgs.com.
 In Market & Quality Sector, Special Testing Pet. Center (Shenzhen) Branch, Contact No: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 752 of 867

N78 PC2 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.02	/	18.00
		1	137	/	17.41	/	18.00
		1	271	/	16.95	/	18.00
		135	0	/	13.55	/	14.50
		135	69	/	17.20	/	18.00
		135	138	/	13.34	/	14.50
		270	0	/	15.82	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.07	/	18.00
		1	137	/	17.16	/	18.00
		1	271	/	16.95	/	18.00
		135	0	/	13.53	/	14.50
		135	69	/	17.10	/	18.00
		135	138	/	13.45	/	14.50
		270	0	/	15.94	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.32	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	14.60	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.71	/	13.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
/					650000	/	
100MHz	CP-OFDM QPSK	1	1	/	15.48	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	17.09	17.09	16.99	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	17.15	16.98	17.08	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	17.08	16.99	16.98	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.psa.com/legal/General-Conditions>. The Client agrees to indemnify and hold the Company harmless from and defend the Company against all claims, damages, losses and expenses, including reasonable attorneys' fees, arising out of or from the use of this document. The Client understands that information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of GSA's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If otherwise stated the results shown in this test report refer only to the sample(s) tested and not to the lot(s) from which the sample(s) are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Dongchao@sgs.com
 在 厦 門 市 海 峽 科 技 園 區 第 二 期 第 二 號 樓 廣 東 省 516067 (86-755)28012030 (86-755)26710394 www.sgsgroup.com.cn
 中 國 · 廣 東 · 深 圳 市 龍 崗 區 科 技 園 區 中 區 A-10 樓 11 層 廣 東 (86-755)28012030 (86-755)26710394 sgs.china@sgs.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 753 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	17.16	17.06	17.10	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	17.06	17.11	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	17.11	17.01	17.16	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	17.02	17.06	17.15	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	17.13	16.93	16.92	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	17.13	17.05	16.97	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	17.08	16.94	16.97	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing For: Analytical Service, Sampling, On: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 754 of 867

N78 PC2 DSI2				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.70	/	14.50
		1	137	/	13.73	/	14.50
		1	271	/	13.49	/	14.50
		135	0	/	10.14	/	11.00
		135	69	/	13.72	/	14.50
		135	138	/	9.93	/	11.00
		270	0	/	12.31	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.65	/	14.50
		1	137	/	13.81	/	14.50
		1	271	/	13.46	/	14.50
		135	0	/	10.04	/	11.00
		135	69	/	13.74	/	14.50
		135	138	/	10.09	/	11.00
		270	0	/	12.40	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.83	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	11.11	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	9.30	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	12.11	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	13.60	13.58	13.57	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	13.61	13.47	13.61	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	13.52	13.45	13.58	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, 1st Floor, 8th Middle School, Second School, Pingtan District, Pingtan City, Fujian 3516057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市南山区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 755 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	13.66	13.59	13.53	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	13.63	13.63	13.62	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	13.66	13.53	13.64	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	13.50	13.59	13.59	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	13.61	13.43	13.47	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	13.67	13.57	13.47	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	13.53	13.52	13.42	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com

No. 10, Huafeng 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 6681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 756 of 867

N78 PC2 DSI3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.04	/	14.00
		1	137	/	13.23	/	14.00
		1	271	/	13.09	/	14.00
		135	0	/	9.61	/	10.50
		135	69	/	13.13	/	14.00
		135	138	/	9.35	/	10.50
		270	0	/	11.95	/	13.50
	DFT-s-OFDM QPSK	1	1	/	13.15	/	14.00
		1	137	/	13.25	/	14.00
		1	271	/	13.08	/	14.00
		135	0	/	9.64	/	10.50
		135	69	/	13.17	/	14.00
		135	138	/	9.47	/	10.50
		270	0	/	12.00	/	13.00
	DFT-s-OFDM 16QAM	1	1	/	12.49	/	13.00
	DFT-s-OFDM 64QAM	1	1	/	10.62	/	11.50
	DFT-s-OFDM 256QAM	1	1	/	8.66	/	9.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	11.45	/	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	13.08	13.09	13.03	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	13.07	13.00	13.13	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	12.99	12.90	13.05	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS-Group@sgs.com.
 In Market: 8-10, Malya Sector, Second Techno Park, Shenzhen, China 518057. Tel: (86-755) 8811 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 Tel: (86-755) 8811 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 757 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	13.19	13.02	13.13	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	13.11	13.18	13.13	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	13.08	13.06	13.12	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	13.02	13.08	13.06	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	13.11	12.93	12.97	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
15MHz	DFT-s-OFDM QPSK	1	1	13.13	13.12	12.91	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				646666	650000	653336	
10MHz	DFT-s-OFDM QPSK	1	1	13.05	12.96	12.96	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 758 of 867

N78 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	19.09	/	19.50
		1	137	/	18.78	/	19.50
		1	271	/	18.56	/	19.50
		135	0	/	17.66	/	19.00
		135	69	/	18.90	/	19.50
		135	138	/	17.32	/	19.00
		270	0	/	17.63	/	19.00
	DFT-s-OFDM QPSK	1	1	/	19.06	/	19.50
		1	137	/	18.65	/	19.50
		1	271	/	18.42	/	19.50
		135	0	/	17.83	/	18.50
		135	69	/	18.95	/	19.50
		135	138	/	17.55	/	18.50
		270	0	/	17.59	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	18.02	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	16.31	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.35	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		17.37		18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	19.05	19.00	18.95	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	19.08	19.03	18.86	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	19.12	19.02	19.00	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6881 9443, or email: CS.C@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, China 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋10层 邮编: 518057 | (86-755) 6881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 759 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	19.02	19.01	18.93	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	19.02	18.93	19.01	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	19.06	18.98	18.97	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	19.04	19.09	19.00	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	19.10	19.00	18.98	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	19.10	19.01	19.02	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	19.03	19.08	18.99	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	19.05	19.06	18.94	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market: 8/16, Maly Sector, Second Technical Park, Shenzhen, China 518057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 760 of 867

N78 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.59	/	18.00
		1	137	/	17.32	/	18.00
		1	271	/	17.12	/	18.00
		135	0	/	16.07	/	17.50
		135	69	/	17.45	/	18.00
		135	138	/	15.72	/	17.50
		270	0	/	16.22	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.55	/	18.00
		1	137	/	17.16	/	18.00
		1	271	/	16.98	/	18.00
		135	0	/	16.41	/	17.00
		135	69	/	17.46	/	18.00
		135	138	/	16.00	/	17.00
		270	0	/	16.10	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.43	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	14.76	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.89	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		16.34		16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	17.60	17.47	17.48	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	17.58	17.49	17.41	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	17.63	17.49	17.51	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS.C@sgs.com

No. 10, 1st Floor, Second Technology Park, Shenzhen, China 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 761 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	17.50	17.51	17.46	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	17.57	17.46	17.52	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	17.61	17.43	17.50	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	17.51	17.60	17.46	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	17.55	17.53	17.46	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.55	17.49	17.54	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	17.52	17.56	17.47	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.60	17.52	17.49	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market & Quality Sector, Special Testing Pet. Under G160: Sample No. 516057 I (86-755) 88012053 I (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 I (86-755) 88012053 I (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 762 of 867

N78 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	14.01	/	14.50
		1	137	/	13.78	/	14.50
		1	271	/	13.48	/	14.50
		135	0	/	12.67	/	14.00
		135	69	/	13.95	/	14.50
		135	138	/	12.32	/	14.00
		270	0	/	12.62	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.97	/	14.50
		1	137	/	13.72	/	14.50
		1	271	/	13.37	/	14.50
		135	0	/	12.76	/	13.50
		135	69	/	14.04	/	14.50
		135	138	/	12.64	/	13.50
		270	0	/	12.66	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.92	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	11.31	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	9.43	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		12.32		13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	14.07	13.95	13.97	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	14.05	14.03	13.84	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	14.16	13.99	14.03	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS@sgs.com, CS@sgs.com.cn.
 In China: 8-11, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 6681 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-11栋1号广东 邮编: 518057 Tel: (86-755) 6681 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 763 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	14.06	14.00	13.91	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	14.01	13.95	14.05	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	14.09	14.02	13.95	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	14.04	14.09	14.05	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	14.14	14.01	13.97	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	14.07	14.00	13.98	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	14.07	14.04	13.96	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	14.00	14.06	13.97	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 6443, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing Pet. Under G1601 Service, Contacting On: 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 764 of 867

N78 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.55	/	14.00
		1	137	/	13.26	/	14.00
		1	271	/	12.97	/	14.00
		135	0	/	12.16	/	13.50
		135	69	/	13.45	/	14.00
		135	138	/	11.77	/	13.50
		270	0	/	12.10	/	13.50
	DFT-s-OFDM QPSK	1	1	/	13.54	/	14.00
		1	137	/	13.16	/	14.00
		1	271	/	12.89	/	14.00
		135	0	/	12.41	/	13.00
		135	69	/	13.50	/	14.00
		135	138	/	12.12	/	13.00
		270	0	/	12.07	/	13.00
	DFT-s-OFDM 16QAM	1	1	/	12.61	/	13.00
	DFT-s-OFDM 64QAM	1	1	/	10.76	/	11.50
	DFT-s-OFDM 256QAM	1	1	/	8.83	/	9.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		11.81		12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	13.59	13.55	13.45	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	13.61	13.54	13.33	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632334	633334	634334	
70MHz	DFT-s-OFDM QPSK	1	1	13.65	13.57	13.46	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 765 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	13.47	13.47	13.43	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	13.48	13.46	13.52	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	13.58	13.49	13.49	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631001	633334	635667	
30MHz	DFT-s-OFDM QPSK	1	1	13.49	13.61	13.49	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630834	633334	635833	
25MHz	DFT-s-OFDM QPSK	1	1	13.57	13.47	13.44	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.64	13.46	13.54	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	13.48	13.59	13.50	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	13.56	13.57	13.49	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China (Guangdong) 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 766 of 867

N78 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	18.81	/	19.50
		1	137	/	18.40	/	19.50
		1	271	/	18.34	/	19.50
		135	0	/	17.31	/	19.00
		135	69	/	18.63	/	19.50
		135	138	/	17.05	/	19.00
		270	0	/	17.39	/	19.00
	DFT-s-OFDM QPSK	1	1	/	18.68	/	19.50
		1	137	/	18.39	/	19.50
		1	271	/	18.15	/	19.50
		135	0	/	17.46	/	18.50
		135	69	/	18.71	/	19.50
		135	138	/	17.24	/	18.50
		270	0	/	17.23	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	17.76	/	18.50
	DFT-s-OFDM 64QAM	1	1	/	15.98	/	17.00
	DFT-s-OFDM 256QAM	1	1	/	14.09	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	17.02	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	18.78	18.60	18.57	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	18.79	18.77	18.72	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	18.74	18.64	18.64	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 767 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	18.83	18.76	18.73	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	18.81	18.79	18.62	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	18.65	18.69	18.73	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	18.80	18.74	18.56	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	18.84	18.65	18.73	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	18.65	18.79	18.59	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	18.66	18.67	18.63	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	18.67	18.62	18.65	19.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com
 In Market & Quality Sector, Special Testing For: Analytical, Biotech, Cosmetics, Dye, Food, Metals, Plastics, Textiles, etc.
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 768 of 867

N78 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.25	/	18.00
		1	137	/	16.85	/	18.00
		1	271	/	16.89	/	18.00
		135	0	/	15.76	/	17.50
		135	69	/	17.17	/	18.00
		135	138	/	15.59	/	17.50
		270	0	/	15.93	/	17.50
	DFT-s-OFDM QPSK	1	1	/	17.26	/	18.00
		1	137	/	16.90	/	18.00
		1	271	/	16.62	/	18.00
		135	0	/	15.98	/	17.00
		135	69	/	17.13	/	18.00
		135	138	/	15.78	/	17.00
		270	0	/	15.72	/	17.00
	DFT-s-OFDM 16QAM	1	1	/	16.23	/	17.00
	DFT-s-OFDM 64QAM	1	1	/	14.46	/	15.50
	DFT-s-OFDM 256QAM	1	1	/	12.57	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	15.52	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	17.28	17.14	17.11	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	17.24	17.24	17.18	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	17.21	17.14	17.12	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 769 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	17.37	17.30	17.28	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	17.35	17.24	17.14	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	17.19	17.14	17.26	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	17.30	17.20	17.09	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	17.34	17.12	17.28	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	17.10	17.26	17.14	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	17.11	17.18	17.12	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	17.20	17.09	17.14	18.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com.
 In Market: 8-10, Maly Sector, Second Technical Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 770 of 867

N78 PC3 DSI2				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.82	/	14.50
		1	137	/	13.40	/	14.50
		1	271	/	13.28	/	14.50
		135	0	/	12.30	/	14.00
		135	69	/	13.72	/	14.50
		135	138	/	12.12	/	14.00
		270	0	/	12.34	/	14.00
	DFT-s-OFDM QPSK	1	1	/	13.63	/	14.50
		1	137	/	13.29	/	14.50
		1	271	/	13.11	/	14.50
		135	0	/	12.51	/	13.50
		135	69	/	13.80	/	14.50
		135	138	/	12.30	/	13.50
		270	0	/	12.28	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.77	/	13.50
	DFT-s-OFDM 64QAM	1	1	/	11.05	/	12.00
	DFT-s-OFDM 256QAM	1	1	/	9.15	/	10.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	11.95	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	13.80	13.61	13.54	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	13.81	13.74	13.73	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	13.72	13.59	13.62	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch 116057 1 (86-755) 8811 2053 1 (86-755) 2671 0594 www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 1 (86-755) 8811 2053 1 (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 771 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	13.87	13.71	13.75	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	13.79	13.76	13.58	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	13.68	13.67	13.69	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	13.75	13.79	13.52	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	13.84	13.70	13.71	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	13.64	13.83	13.54	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	13.64	13.64	13.63	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	13.70	13.64	13.67	14.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen, P.R. China (Guangdong) 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 772 of 867

N78 PC3 DSI3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.32	/	14.00
		1	137	/	12.92	/	14.00
		1	271	/	12.92	/	14.00
		135	0	/	11.79	/	13.50
		135	69	/	13.15	/	14.00
		135	138	/	11.59	/	13.50
		270	0	/	11.82	/	13.50
	DFT-s-OFDM QPSK	1	1	/	13.18	/	14.00
		1	137	/	12.80	/	14.00
		1	271	/	12.61	/	14.00
		135	0	/	11.88	/	13.00
		135	69	/	13.20	/	14.00
		135	138	/	11.76	/	13.00
		270	0	/	11.68	/	13.00
	DFT-s-OFDM 16QAM	1	1	/	12.28	/	13.00
	DFT-s-OFDM 64QAM	1	1	/	10.40	/	11.50
	DFT-s-OFDM 256QAM	1	1	/	8.51	/	9.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	11.53	/	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	650000	650334	
90MHz	DFT-s-OFDM QPSK	1	1	13.24	13.05	13.08	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	650000	650668	
80MHz	DFT-s-OFDM QPSK	1	1	13.34	13.23	13.23	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649000	650000	651000	
70MHz	DFT-s-OFDM QPSK	1	1	13.27	13.12	13.19	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.C@sgs.com

No. 10, Huayuan 8th, 10th Floor, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 773 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	13.37	13.21	13.18	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	650000	651668	
50MHz	DFT-s-OFDM QPSK	1	1	13.33	13.30	13.16	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	650000	652000	
40MHz	DFT-s-OFDM QPSK	1	1	13.16	13.19	13.22	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647668	650000	652334	
30MHz	DFT-s-OFDM QPSK	1	1	13.25	13.23	13.09	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647501	650000	652501	
25MHz	DFT-s-OFDM QPSK	1	1	13.30	13.13	13.23	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	13.11	13.29	13.10	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647167	650000	652835	
15MHz	DFT-s-OFDM QPSK	1	1	13.12	13.22	13.08	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	650000	653002	
10MHz	DFT-s-OFDM QPSK	1	1	13.15	13.07	13.15	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 6443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Rd, Nanshan District, Shenzhen City, Guangdong, China 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

12.8 Conducted Power of NR Antenna (Ant24)

N2 DSI4/5/8/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.43	21.44	21.45	22.80
		1	53	21.46	21.49	21.49	22.80
		1	104	21.48	21.52	21.49	22.80
		50	0	20.57	20.66	20.57	22.30
		50	28	21.38	21.46	21.34	22.80
		50	56	20.63	20.70	20.58	22.30
		100	0	20.66	20.75	20.60	22.30
	DFT-s-OFDM QPSK	1	1	21.49	21.41	21.46	22.80
		1	53	21.45	21.47	21.40	22.80
		1	104	21.49	21.43	21.56	22.80
		50	0	20.60	20.68	20.51	21.80
		50	28	21.36	21.32	21.39	22.80
		50	56	20.68	20.57	20.70	21.80
		100	0	20.74	20.74	20.74	21.80
	DFT-s-OFDM 16QAM	1	1	20.47	20.55	20.54	21.80
	DFT-s-OFDM 64QAM	1	1	18.99	19.01	19.08	20.30
	DFT-s-OFDM 256QAM	1	1	17.00	16.97	17.05	18.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	19.45	19.57	19.55	21.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	21.51	21.52	21.43	22.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	21.47	21.47	21.55	22.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	21.47	21.52	21.55	22.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Support@sgs.com.cn.
 In China: 8-11, Malyi Sector, Second Technical Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8581 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 Tel: (86-755) 8581 2053 Fax: (86-755) 2671 0594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 775 of 867

N2 DSI2				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.94	18.90	18.94	20.30
		1	53	19.01	19.01	18.95	20.30
		1	104	18.99	19.00	19.04	20.30
		50	0	18.06	18.22	18.13	19.80
		50	28	18.91	19.02	18.86	20.30
		50	56	18.08	18.16	18.13	19.80
		100	0	18.13	18.29	18.05	19.80
	DFT-s-OFDM QPSK	1	1	18.93	18.85	18.90	20.30
		1	53	18.92	18.91	18.95	20.30
		1	104	18.99	18.91	19.00	20.30
		50	0	18.06	18.18	18.04	19.30
		50	28	18.82	18.82	18.93	20.30
		50	56	18.23	18.03	18.23	19.30
		100	0	18.26	18.29	18.25	19.30
	DFT-s-OFDM 16QAM	1	1	18.03	18.07	17.98	19.30
	DFT-s-OFDM 64QAM	1	1	16.45	16.49	16.64	17.80
	DFT-s-OFDM 256QAM	1	1	14.44	14.48	14.55	15.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	17.48	17.45	17.41	18.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	19.03	18.90	19.02	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	19.03	18.88	18.96	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	18.93	18.91	18.96	20.30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CS.Support@sgs.com.
 中国 - 广东 - 深圳市宝安区山田科技园中区B-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 267 0594 | www.sgs.com.cn/sh
 中国 - 广东 - 深圳市宝安区山田科技园中区B-10栋1号 邮编: 518057 | (86-755) 8681 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 776 of 867

N2 DSI3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.41	18.46	18.43	19.80
		1	53	18.51	18.51	18.49	19.80
		1	104	18.48	18.53	18.49	19.80
		50	0	17.52	17.67	17.51	19.30
		50	28	18.32	18.48	18.31	19.80
		50	56	17.64	17.67	17.55	19.30
		100	0	17.60	17.78	17.63	19.30
	DFT-s-OFDM QPSK	1	1	18.52	18.41	18.51	19.80
		1	53	18.43	18.51	18.46	19.80
		1	104	18.47	18.39	18.60	19.80
		50	0	17.56	17.65	17.50	18.80
		50	28	18.39	18.28	18.34	19.80
		50	56	17.63	17.60	17.75	18.80
		100	0	17.69	17.76	17.69	18.80
	DFT-s-OFDM 16QAM	1	1	17.44	17.59	17.50	18.80
	DFT-s-OFDM 64QAM	1	1	16.05	16.00	16.13	17.30
	DFT-s-OFDM 256QAM	1	1	13.94	13.94	14.04	15.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	16.93	16.94	16.94	18.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	18.47	18.40	18.50	19.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	18.43	18.43	18.41	19.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	18.52	18.43	18.42	19.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Cert@sgs.com

Address: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Cert@sgs.com

中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 777 of 867

N7 DSI4/5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.13	19.14	19.14	20.20
		1	108	19.13	18.96	18.97	20.20
		1	214	18.96	19.09	19.21	20.20
		108	0	18.05	18.00	18.17	19.70
		108	54	19.23	19.05	19.23	20.20
		108	108	18.01	17.95	18.14	19.70
		216	0	18.11	18.15	18.13	19.70
	DFT-s-OFDM QPSK	1	1	19.13	19.10	19.14	20.20
		1	108	19.08	19.05	19.00	20.20
		1	214	19.00	19.08	19.14	20.20
		108	0	18.03	18.02	18.08	19.20
		108	54	19.22	19.15	19.14	20.20
		108	108	17.94	18.00	18.05	19.20
		216	0	18.18	18.10	18.13	19.20
	DFT-s-OFDM 16QAM	1	1	18.29	18.32	18.26	19.20
	DFT-s-OFDM 64QAM	1	1	16.45	16.54	16.58	17.70
	DFT-s-OFDM 256QAM	1	1	14.57	14.66	14.64	15.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	17.38	17.62	17.50	18.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	19.14	19.15	19.22	20.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	19.13	19.16	19.12	20.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	19.09	19.07	19.11	20.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS.Support@sgs.com.
 In Market: 8-10, Malya Sector, Second Techno Park, Shenzhen, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 778 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	19.18	19.15	19.22	20.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	19.14	19.09	19.15	20.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	19.08	19.14	19.11	20.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS@sgs.com or sgs@sgs.com.
 In China: 8-11, Maly Sector, Sinochem Technology Park, Shenzhen, P.R. China. Tel: 816057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 779 of 867

N7 DSI8/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.16	18.13	18.04	19.20
		1	108	18.08	17.87	18.02	19.20
		1	214	17.96	18.15	18.20	19.20
		108	0	17.04	17.07	17.13	18.70
		108	54	18.25	17.95	18.20	19.20
		108	108	17.09	16.87	17.07	18.70
		216	0	17.07	17.23	17.13	18.70
	DFT-s-OFDM QPSK	1	1	18.14	18.17	18.05	19.20
		1	108	17.98	18.10	18.00	19.20
		1	214	18.02	18.13	18.09	19.20
		108	0	17.03	17.06	17.01	18.20
		108	54	18.23	18.13	18.09	19.20
		108	108	16.96	16.91	17.07	18.20
		216	0	17.16	17.11	17.18	18.20
	DFT-s-OFDM 16QAM	1	1	17.35	17.28	17.33	18.20
	DFT-s-OFDM 64QAM	1	1	15.43	15.57	15.62	16.70
	DFT-s-OFDM 256QAM	1	1	13.48	13.63	13.71	14.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	16.36	16.62	16.45	17.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	18.17	18.15	18.24	19.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	18.17	18.13	18.08	19.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	18.15	18.02	18.11	19.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS.Corp@sgs.com.
 In Market: 8-10, Malya Sector, Second Techno Park, Shenzhen, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 780 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	18.13	18.20	18.26	19.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	18.13	18.12	18.15	19.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	18.09	18.17	18.16	19.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CSG.Cert@csdg.com

No. 10, Huayuan 2nd Industrial Zone, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 781 of 867

N7 DSI2				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	15.05	15.20	15.11	16.20
		1	108	15.16	14.94	14.95	16.20
		1	214	15.05	15.02	15.21	16.20
		108	0	14.14	13.90	14.21	15.70
		108	54	15.22	15.14	15.17	16.20
		108	108	13.99	14.00	14.10	15.70
		216	0	14.04	14.15	14.11	15.70
	DFT-s-OFDM QPSK	1	1	15.06	15.13	15.08	16.20
		1	108	15.09	15.08	14.99	16.20
		1	214	14.92	15.10	15.09	16.20
		108	0	14.09	14.04	14.17	15.20
		108	54	15.29	15.09	15.18	16.20
		108	108	13.88	14.03	14.13	15.20
		216	0	14.26	14.14	14.17	15.20
	DFT-s-OFDM 16QAM	1	1	14.25	14.33	14.26	15.20
	DFT-s-OFDM 64QAM	1	1	12.47	12.50	12.51	13.70
	DFT-s-OFDM 256QAM	1	1	10.47	10.58	10.57	11.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	13.42	13.58	13.46	14.70
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	15.19	15.19	15.21	16.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	15.11	15.12	15.16	16.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	15.13	15.08	15.10	16.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS.Corporate@sgs.com

Address: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS.Corporate@sgs.com

中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8881 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8881 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 782 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	15.19	15.17	15.22	16.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	15.09	15.14	15.15	16.20
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	15.13	15.11	15.15	16.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CSG.Cert@csz.sgs.com.
 In China: 8-16, Maly Sector, Sarnal Techno Park, Shenzhen, PRC. Contact: Ms. Li 516057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-16栋1号 邮编: 516057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 783 of 867

N7 DSI3				Conducted Power(dBm)				
SCS 15kHz								
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				504000	507000	510000		
				2520	2535	2550		
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	15.07	15.15	15.19	15.90	
		1	108	15.19	15.02	14.90	15.90	
		1	214	14.96	15.14	15.21	15.90	
		108	0	13.96	13.93	14.22	15.40	
		108	54	15.24	14.95	15.19	15.90	
		108	108	13.98	13.89	14.04	15.40	
		216	0	14.11	14.22	14.09	15.40	
	DFT-s-OFDM QPSK	1	1	15.09	15.16	15.20	15.90	
		1	108	15.03	15.07	14.97	15.90	
		1	214	14.98	15.16	15.09	15.90	
		108	0	14.02	13.93	14.16	14.90	
		108	54	15.14	15.13	15.23	15.90	
		108	108	13.98	14.01	14.12	14.90	
		216	0	14.17	14.06	14.21	14.90	
	DFT-s-OFDM 16QAM	1	1	14.24	14.40	14.17	14.90	
	DFT-s-OFDM 64QAM	1	1	12.40	12.57	12.55	13.40	
	DFT-s-OFDM 256QAM	1	1	10.54	10.70	10.63	11.40	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					504000	507000	510000	
	40MHz	CP-OFDM QPSK	1	1	13.37	13.60	13.55	14.40
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				503000	507000	511000		
30MHz	DFT-s-OFDM QPSK	1	1	15.14	15.14	15.20	15.90	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				502500	507000	511500		
25MHz	DFT-s-OFDM QPSK	1	1	15.12	15.14	15.16	15.90	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				502000	507000	512000		
20MHz	DFT-s-OFDM QPSK	1	1	15.07	15.07	15.08	15.90	



Where otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service (linked here), which are required or accepted at <https://www.sas.com/learning/technology-and-conditions>. Attention is drawn to the inclusion of its title, identification and justification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized use, copying, or modification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Where stated the results object of this test report refer only to the sample(s) tested and no sample(s) are obtained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8387 1443 or email: CN.Superinfo@epg.com

By Marketing: G.M.Mally Sales, General Technology Dept, Suzhou Dingsi Shengde, Guangzhou, Dins 516057 | (86-755)28012053 | (86-755)26710594 | www.epggroup.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋17楼 邮编: 516057 | (86-755)28012053 | (86-755)26710594 | epg.china@epg.com

Member of the SGB Group (1988-8A)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 784 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	15.13	15.14	15.26	15.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	15.19	15.06	15.13	15.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	15.04	15.19	15.14	15.90



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CSG.Cert@csdg.com.
 To Contact: 8th Floor, Sector 2, Shenzhen Science and Technology Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 785 of 867

N66 DSI4/5/8/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	22.06	22.14	22.08	23.40
		1	108	22.14	22.04	22.17	23.40
		1	214	21.94	22.10	22.11	23.40
		108	0	21.25	21.13	21.21	22.90
		108	54	22.14	22.12	22.19	23.40
		108	108	21.00	21.03	21.13	22.90
		216	0	21.07	21.04	21.11	22.90
	DFT-s-OFDM QPSK	1	1	22.12	22.15	22.16	23.40
		1	108	22.10	22.13	22.13	23.40
		1	214	22.02	22.10	22.19	23.40
		108	0	21.22	21.13	21.19	22.40
		108	54	22.12	22.14	22.23	23.40
		108	108	21.01	21.10	21.10	22.40
		216	0	21.14	21.05	21.06	22.40
	DFT-s-OFDM 16QAM	1	1	21.07	21.13	21.21	22.40
	DFT-s-OFDM 64QAM	1	1	19.60	19.66	19.59	20.90
	DFT-s-OFDM 256QAM	1	1	17.57	17.62	17.60	18.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	20.65	20.60	20.59	21.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	22.06	22.19	22.19	23.40
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	22.03	22.21	22.09	23.40
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	22.20	22.24	22.17	23.40



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 786 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	22.13	22.20	22.24	23.40
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	22.06	22.19	22.14	23.40
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	22.03	22.11	22.14	23.40
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	22.20	22.12	22.17	23.40



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CSG.Cert@sgs.com

No. 10, Huayuan 2nd Industrial Zone, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 788 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	17.63	17.70	17.78	18.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	17.59	17.70	17.66	18.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	17.53	17.60	17.60	18.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	17.67	17.64	17.69	18.90



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accession at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Company's instructions. If any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. All other rights are reserved. The results shown in this test report refer only to the sample(s) tested and not to the whole lot. Results are obtained for 30 days only.

SUP-9000 is now standard for 30 days free trial.
Attention: To check the availability of testing inspection report & certificate, please contact us at telephone: (86-755)8907 1643
or e-mail: CW.Doncoshi@sup.com

In Shanghai: S-H Mobis Tech, Simco Technology Ltd, Greater China Swatch, Guangdong, Chin. S16607 | (86-755)28012030 | (86-755)26710394 | www.supgroup.com.cn
In Shenzhen: S-H Mobis Tech, Simco Technology Ltd, Greater China Swatch, Guangdong, Chin. S16607 | (86-755)28012030 | (86-755)26710394 | cw.doncoshi@sup.com

中国·广东·深圳市福田区科技园中区A-10栋11楼广东·邮编：S16607 | (86-755)28012030 | (86-755)26710394 | www.supgroup.com.cn
cw.doncoshi@sup.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 789 of 867

N66 DSI3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.51	16.53	16.54	17.90
		1	108	16.48	16.60	16.59	17.90
		1	214	16.43	16.57	16.49	17.90
		108	0	15.67	15.59	15.76	17.40
		108	54	16.71	16.67	16.77	17.90
		108	108	15.50	15.58	15.56	17.40
		216	0	15.55	15.49	15.57	17.40
	DFT-s-OFDM QPSK	1	1	16.64	16.72	16.52	17.90
		1	108	16.51	16.68	16.62	17.90
		1	214	16.52	16.53	16.73	17.90
		108	0	15.57	15.71	15.80	16.90
		108	54	16.53	16.73	16.73	17.90
		108	108	15.45	15.57	15.58	16.90
		216	0	15.66	15.36	15.51	16.90
	DFT-s-OFDM 16QAM	1	1	15.46	15.64	15.75	16.90
	DFT-s-OFDM 64QAM	1	1	14.19	14.12	14.02	15.40
	DFT-s-OFDM 256QAM	1	1	12.06	12.17	12.04	13.40
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	14.84	14.81	14.79	16.40
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	16.66	16.68	16.65	17.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	16.57	16.65	16.58	17.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	16.71	16.69	16.59	17.90



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Building 10, Shenzhen Science & Technology Park, Shenzhen, China 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 790 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	16.63	16.67	16.74	17.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	16.62	16.75	16.71	17.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	16.48	16.55	16.59	17.90
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	16.63	16.66	16.67	17.90



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@china.sgs.com

No. 10, Huayuan 2nd North Road, Second Industrial Park, Shenzhen City, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 791 of 867

N38 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.39	19.21	19.26	20.10
		1	53	19.16	19.13	19.06	20.10
		1	104	19.22	19.14	19.23	20.10
		50	0	18.11	18.09	17.99	19.60
		50	28	19.17	19.03	19.15	20.10
		50	56	17.92	18.04	18.02	19.60
		100	0	18.05	18.14	18.08	19.60
	DFT-s-OFDM QPSK	1	1	19.35	19.29	19.30	20.10
		1	53	19.11	19.09	19.05	20.10
		1	104	19.20	19.10	19.15	20.10
		50	0	18.02	18.12	18.02	19.10
		50	28	19.10	19.09	19.11	20.10
		50	56	18.00	18.02	18.06	19.10
		100	0	18.01	18.05	18.02	19.10
	DFT-s-OFDM 16QAM	1	1	18.06	18.01	18.00	19.10
	DFT-s-OFDM 64QAM	1	1	16.42	16.47	16.42	17.60
	DFT-s-OFDM 256QAM	1	1	14.52	14.55	14.50	15.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	17.70	17.76	17.75	18.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	19.34	19.33	19.38	20.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	19.32	19.21	19.35	20.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	19.38	19.27	19.21	20.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	19.43	19.23	19.25	20.10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from excluding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443 or email: CSG.Cert@csgr.com

In Market & Quality Sector, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, China. Tel: 816057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 792 of 867

N38 PC3 DS18/9/10				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.87	17.74	17.79	18.60
		1	53	17.60	17.60	17.56	18.60
		1	104	17.77	17.57	17.77	18.60
		50	0	16.66	16.59	16.47	18.10
		50	28	17.57	17.53	17.61	18.60
		50	56	16.32	16.50	16.48	18.10
		100	0	16.49	16.69	16.63	18.10
	DFT-s-OFDM QPSK	1	1	17.90	17.73	17.88	18.60
		1	53	17.56	17.49	17.48	18.60
		1	104	17.66	17.51	17.64	18.60
		50	0	16.60	16.55	16.61	17.60
		50	28	17.51	17.56	17.63	18.60
		50	56	16.52	16.60	16.59	17.60
		100	0	16.41	16.48	16.58	17.60
	DFT-s-OFDM 16QAM	1	1	16.61	16.46	16.42	17.60
	DFT-s-OFDM 64QAM	1	1	14.94	14.94	14.95	16.10
	DFT-s-OFDM 256QAM	1	1	12.93	13.08	13.06	14.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	16.17	16.24	16.23	17.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	17.79	17.84	17.85	18.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	17.79	17.70	17.87	18.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	17.84	17.77	17.76	18.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	17.88	17.72	17.70	18.60



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS_Consulting@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 egs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 793 of 867

N38 PC3 DS12/3				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	14.45	14.22	14.18	15.10
		1	53	14.20	14.19	14.03	15.10
		1	104	14.12	14.11	14.26	15.10
		50	0	13.14	13.04	12.89	14.60
		50	28	14.12	13.98	14.22	15.10
		50	56	12.90	13.13	13.10	14.60
		100	0	12.98	13.07	13.03	14.60
	DFT-s-OFDM QPSK	1	1	14.44	14.28	14.37	15.10
		1	53	14.14	14.07	14.08	15.10
		1	104	14.26	14.05	14.22	15.10
		50	0	13.02	13.04	12.93	14.10
		50	28	14.13	14.16	14.07	15.10
		50	56	13.09	13.08	13.04	14.10
		100	0	12.91	13.07	12.94	14.10
	DFT-s-OFDM 16QAM	1	1	13.11	13.01	12.95	14.10
	DFT-s-OFDM 64QAM	1	1	11.41	11.40	11.34	12.60
	DFT-s-OFDM 256QAM	1	1	9.49	9.50	9.40	10.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	12.65	12.78	12.79	13.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	14.33	14.36	14.33	15.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	14.32	14.16	14.34	15.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	14.38	14.22	14.20	15.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	14.46	14.18	14.24	15.10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgs.com

No. 10, Huayuan 2nd Road, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8881 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 794 of 867

N41 PC2 DSI4/5				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.81	21.64	21.63	21.48	21.62	22.50
		1	137	21.52	21.41	21.40	21.52	21.32	22.50
		1	271	21.57	21.43	21.37	21.29	21.25	22.50
		135	0	18.03	17.89	18.02	17.99	17.82	19.00
		135	69	21.44	21.29	21.37	21.42	21.25	22.50
		135	138	17.93	17.80	17.83	17.80	17.74	19.00
		270	0	21.12	21.01	20.99	20.92	20.88	22.00
	DFT-s-OFDM QPSK	1	1	21.82	21.66	21.58	21.50	21.58	22.50
		1	137	21.52	21.45	21.41	21.45	21.30	22.50
		1	271	21.50	21.36	21.37	21.34	21.25	22.50
		135	0	17.98	17.89	17.95	17.95	17.77	19.00
		135	69	21.46	21.32	21.39	21.40	21.24	22.50
		135	138	17.95	17.85	17.83	17.80	17.75	19.00
		270	0	20.68	20.53	20.50	20.51	20.42	21.50
	DFT-s-OFDM 16QAM	1	1	20.46	20.36	20.38	20.44	20.27	21.50
	DFT-s-OFDM 64QAM	1	1	19.35	19.19	19.12	19.19	19.08	20.00
	DFT-s-OFDM 256QAM	1	1	17.18	17.04	17.03	17.06	16.96	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	19.95	19.92	19.89	19.92	19.70	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	21.87	21.64	21.55	21.45	21.61	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	21.74	21.72	21.65	21.43	21.59	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	21.83	21.63	21.59	21.46	21.63	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Courtesy@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 795 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	21.76	21.63	21.67	21.46	21.58	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	21.82	21.65	21.66	21.47	21.65	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	21.83	21.67	21.66	21.43	21.57	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	21.83	21.63	21.65	21.47	21.59	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	21.74	21.63	21.64	21.48	21.59	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	21.75	21.71	21.63	21.51	21.64	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	21.75	21.70	21.67	21.53	21.64	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Certification@sgs.com

No. 10, Huayuan 2nd Road, Shenzhen Technology Park, Shenzhen, China 518057 | (86-755) 8801 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 796 of 867

N41 PC2 DSI8/9/10				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.39	20.18	20.11	20.05	20.00	21.00
		1	137	19.89	19.84	19.96	20.01	19.82	21.00
		1	271	20.04	19.91	19.83	19.85	19.89	21.00
		135	0	16.57	16.38	16.42	16.38	16.29	17.50
		135	69	20.16	19.79	19.80	19.72	19.59	21.00
		135	138	16.55	16.28	16.44	16.30	16.29	17.50
		270	0	19.65	19.30	19.42	19.61	19.46	20.50
	DFT-s-OFDM QPSK	1	1	20.40	20.19	20.03	19.93	20.08	21.00
		1	137	20.00	19.90	19.92	19.95	19.79	21.00
		1	271	20.07	19.88	19.78	19.89	19.72	21.00
		135	0	16.62	16.38	16.47	16.37	16.29	17.50
		135	69	20.25	19.80	19.87	19.94	19.77	21.00
		135	138	16.39	16.25	16.40	16.21	16.30	17.50
		270	0	19.08	18.88	19.03	19.08	18.79	20.00
	DFT-s-OFDM 16QAM	1	1	19.07	18.95	18.90	18.95	18.77	20.00
	DFT-s-OFDM 64QAM	1	1	17.93	17.75	17.58	17.80	17.58	18.50
	DFT-s-OFDM 256QAM	1	1	15.51	15.42	15.51	15.47	15.39	16.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	18.49	18.35	18.34	18.35	18.07	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	20.34	20.14	20.09	19.90	20.03	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	20.25	20.23	20.12	19.98	20.11	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	20.31	20.11	20.05	19.93	20.08	21.00



Where otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service (linked here), which are required or accepted at <https://www.accommodationtechnology.com/conditions>. Attention is drawn to the inclusion of its full identification and identification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized use, copying, or modification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full extent of the law. Where stated the results object is this test report refer only to the sample(s) tested and no sample(s) are obtained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8387 1443 or email: CN.Superinfo@epg.com

By Marketing: G.M.Molytech, General Technology Dept, Shenzhen EPG Group, Guangdong, China 518007 | (86-755)28012003 | (86-755)26710094 | www.epggroup.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋17楼 邮编: 518007 | (86-755)28012003 | (86-755)26710094 | epg.china@epg.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 797 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	20.29	20.08	20.12	19.97	20.11	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	20.28	20.11	20.15	19.93	20.20	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	20.33	20.12	20.17	19.94	20.07	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	20.35	20.11	20.16	19.98	20.11	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	20.27	20.14	20.19	19.98	20.08	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	20.21	20.24	20.09	20.01	20.13	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	20.25	20.21	20.21	20.05	20.12	21.00



Unless otherwise agreed in writing, this document is issued by the Company subject to the General Conditions of Service printed hereon, available on request or accession at <http://www.mca.com/eng/terms-and-conditions>. Reference is made to the limitations of liability, indemnification and arbitration clauses contained therein. This document is provided as a guide; that information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of GVA's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content in appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. If otherwise stated the results shown in this test report refer only to the sample(s) tested and not to the material as a whole for 30 days after.

China 中国、广东、深圳南山区科技园中区8-10楼17号展 邮编 916067 1 (86)-755-26712000 1 (86)-755-26712000 1 (86)-755-26712000 www.aggroup.com.cn
ag.china@ag.com

Member of the SGB Group (SGB SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 798 of 867

N41 PC2 DSI2				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.88	16.74	16.65	16.62	16.63	17.50
		1	137	16.38	16.35	16.54	16.45	16.41	17.50
		1	271	16.49	16.40	16.36	16.28	16.35	17.50
		135	0	13.03	13.04	12.89	12.91	12.74	14.00
		135	69	16.62	16.38	16.31	16.40	16.27	17.50
		135	138	13.10	12.81	12.90	12.76	12.86	14.00
		270	0	16.11	15.90	15.97	15.99	15.93	17.00
	DFT-s-OFDM QPSK	1	1	16.80	16.71	16.65	16.50	16.58	17.50
		1	137	16.43	16.43	16.49	16.42	16.22	17.50
		1	271	16.56	16.30	16.30	16.37	16.32	17.50
		135	0	13.14	12.94	12.93	12.97	12.70	14.00
		135	69	16.78	16.59	16.46	16.56	16.42	17.50
		135	138	12.86	12.84	12.88	12.77	12.68	14.00
		270	0	15.68	15.43	15.44	15.54	15.35	16.50
	DFT-s-OFDM 16QAM	1	1	15.49	15.39	15.44	15.40	15.26	16.50
	DFT-s-OFDM 64QAM	1	1	14.33	14.13	14.02	14.19	14.00	15.00
	DFT-s-OFDM 256QAM	1	1	12.14	12.04	12.08	11.97	11.98	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	15.02	14.86	14.86	14.86	14.62	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	16.86	16.56	16.57	16.40	16.57	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	16.76	16.73	16.69	16.45	16.62	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	16.86	16.66	16.57	16.42	16.65	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Courtesy@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 799 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	16.72	16.68	16.64	16.48	16.56	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	16.77	16.63	16.67	16.52	16.64	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	16.86	16.68	16.71	16.41	16.52	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	16.86	16.60	16.62	16.50	16.60	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	16.69	16.60	16.68	16.44	16.57	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	16.75	16.68	16.68	16.56	16.59	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	16.71	16.69	16.69	16.54	16.59	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgs.com, CS@sgs.com.cn

In China: 86-755-8811 8443, Shenzhen Branch, Shenzhen Technical Services Co., Ltd. (Shenzhen) 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443

中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443 / 86-755-8811 8443

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 800 of 867

N41 PC2 DSI3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	15.83	15.64	15.69	15.61	15.68	16.50
		1	137	15.42	15.37	15.52	15.42	15.50	16.50
		1	271	15.50	15.32	15.26	15.19	15.36	16.50
		135	0	12.02	12.05	11.93	11.83	11.64	13.00
		135	69	15.71	15.30	15.21	15.47	15.23	16.50
		135	138	12.06	11.87	11.96	11.78	11.84	13.00
		270	0	15.02	14.98	15.01	15.08	14.84	16.00
	DFT-s-OFDM QPSK	1	1	15.71	15.80	15.62	15.58	15.61	16.50
		1	137	15.48	15.51	15.56	15.44	15.28	16.50
		1	271	15.52	15.39	15.37	15.35	15.38	16.50
		135	0	12.15	11.85	11.98	11.89	11.79	13.00
		135	69	15.69	15.53	15.49	15.51	15.40	16.50
		135	138	11.82	11.84	11.89	11.82	11.68	13.00
		270	0	14.65	14.35	14.40	14.55	14.33	15.50
	DFT-s-OFDM 16QAM	1	1	14.48	14.41	14.48	14.31	14.23	15.50
	DFT-s-OFDM 64QAM	1	1	13.28	13.18	13.02	13.14	12.98	14.00
	DFT-s-OFDM 256QAM	1	1	11.04	11.11	11.01	11.04	10.93	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
100MHz	CP-OFDM QPSK	1	1	13.97	13.86	13.84	13.83	13.67	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
90MHz	DFT-s-OFDM QPSK	1	1	15.87	15.55	15.53	15.42	15.53	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	15.71	15.78	15.65	15.47	15.67	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
70MHz	DFT-s-OFDM QPSK	1	1	15.87	15.70	15.55	15.45	15.60	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 801 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	15.68	15.69	15.60	15.44	15.55	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	15.76	15.63	15.71	15.51	15.69	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	15.87	15.73	15.73	15.45	15.53	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	15.91	15.64	15.64	15.48	15.62	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	15.71	15.64	15.68	15.45	15.61	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	15.74	15.71	15.64	15.57	15.58	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	15.73	15.74	15.73	15.55	15.57	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or visit: SGS-Group.com/verify

No. (Shenzhen) 8-10, Molybdenum, Second Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 802 of 867

N41 PC3 DSI4/5				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.78	21.73	21.57	21.57	21.55	22.50
		1	137	21.49	21.45	21.41	21.41	21.25	22.50
		1	271	21.53	21.43	21.38	21.35	21.26	22.50
		135	0	20.85	20.85	20.87	20.97	20.89	22.00
		135	69	21.47	21.40	21.44	21.33	21.20	22.50
		135	138	20.85	20.85	20.77	20.72	20.65	22.00
		270	0	21.24	21.10	20.96	21.05	20.79	22.00
	DFT-s-OFDM QPSK	1	1	21.82	21.66	21.58	21.50	21.58	22.50
		1	137	21.52	21.45	21.41	21.45	21.30	22.50
		1	271	21.50	21.36	21.37	21.34	21.25	22.50
		135	0	20.45	20.37	20.45	20.47	20.37	21.50
		135	69	21.45	21.35	21.39	21.36	21.22	22.50
		135	138	20.45	20.35	20.33	20.30	20.25	21.50
		270	0	20.72	20.59	20.50	20.55	20.35	21.50
	DFT-s-OFDM 16QAM	1	1	20.42	20.32	20.35	20.41	20.28	21.50
	DFT-s-OFDM 64QAM	1	1	19.11	18.97	19.02	19.09	18.94	20.00
	DFT-s-OFDM 256QAM	1	1	17.14	17.01	17.05	17.12	16.97	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	19.91	19.87	19.85	19.82	19.67	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	21.87	21.64	21.63	21.47	21.59	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	21.82	21.67	21.62	21.49	21.57	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	21.85	21.69	21.61	21.53	21.57	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn, SGS-Group@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 803 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	21.85	21.65	21.54	21.49	21.59	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	21.76	21.70	21.60	21.49	21.59	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	21.76	21.70	21.57	21.52	21.55	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	21.80	21.64	21.62	21.49	21.60	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	21.83	21.65	21.59	21.55	21.54	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	21.85	21.67	21.58	21.47	21.59	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	21.78	21.73	21.53	21.55	21.54	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@china.sgs.com.
 In China: 86-755 8811 8443, Shenzhen Branch, SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, China 518057. I (86-755) 8811 2053. I (86-755) 26710504. www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10楼1号 邮编: 518057 I (86-755) 8811 2053 I (86-755) 26710504 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 804 of 867

N41 PC3 DSI8/9/10				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.28	20.31	20.06	20.00	20.18	21.00
		1	137	19.96	19.94	19.99	19.91	19.87	21.00
		1	271	20.14	19.86	19.74	19.83	19.69	21.00
		135	0	19.41	19.19	19.48	19.39	19.24	20.50
		135	69	20.04	19.76	19.81	19.99	19.73	21.00
		135	138	19.34	19.32	19.40	19.18	19.34	20.50
		270	0	19.79	19.61	19.38	19.50	19.28	20.50
	DFT-s-OFDM QPSK	1	1	20.28	20.18	20.02	20.09	19.99	21.00
		1	137	19.94	20.00	19.90	19.98	19.85	21.00
		1	271	19.96	19.94	19.77	19.87	19.83	21.00
		135	0	18.89	18.78	18.99	18.95	18.96	20.00
		135	69	19.86	19.92	19.95	19.95	19.80	21.00
		135	138	18.87	18.85	18.84	18.77	18.71	20.00
		270	0	19.14	19.03	18.96	19.02	18.93	20.00
	DFT-s-OFDM 16QAM	1	1	18.92	18.87	18.78	18.84	18.75	20.00
	DFT-s-OFDM 64QAM	1	1	17.84	17.65	17.54	17.63	17.45	18.50
	DFT-s-OFDM 256QAM	1	1	15.74	15.45	15.55	15.46	15.41	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	18.61	18.39	18.33	18.35	18.29	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	20.39	20.18	20.00	19.94	20.08	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	20.33	20.12	20.14	20.00	20.09	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	20.32	20.23	20.07	20.06	20.06	21.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 805 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	20.36	20.12	20.08	20.00	20.05	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	20.23	20.19	20.07	19.98	20.11	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	20.29	20.20	20.03	20.02	20.06	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	20.32	20.15	20.09	20.03	20.08	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	20.31	20.13	20.13	20.08	20.06	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	20.39	20.19	20.06	20.01	20.06	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	20.30	20.27	20.03	20.10	20.01	21.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgs.com, CS@sgs.com.cn
 In China: 86-755 8811 8443, Shenzhen Branch, Shenzhen Technical Services Co., Ltd. (Shenzhen Branch) Tel: 816057 / 88-755 8811 2053 / 88-755 26710504 / 88-755 26710504 / 88-755 26710504 / 88-755 26710504
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 / 86-755 8811 2053 / 86-755 26710504 / 86-755 26710504 / 86-755 26710504

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 806 of 867

N41 PC3 DSI2				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	16.89	16.80	16.58	16.45	16.56	17.50
		1	137	16.57	16.32	16.34	16.53	16.35	17.50
		1	271	16.63	16.28	16.35	16.27	16.37	17.50
		135	0	15.83	15.73	15.92	15.99	15.79	17.00
		135	69	16.54	16.34	16.49	16.33	16.27	17.50
		135	138	15.84	15.95	15.81	15.69	15.70	17.00
		270	0	16.20	16.19	15.87	15.97	15.82	17.00
	DFT-s-OFDM QPSK	1	1	16.87	16.70	16.50	16.57	16.64	17.50
		1	137	16.42	16.37	16.44	16.52	16.34	17.50
		1	271	16.53	16.44	16.31	16.41	16.31	17.50
		135	0	15.52	15.36	15.48	15.54	15.44	16.50
		135	69	16.39	16.28	16.42	16.36	16.17	17.50
		135	138	15.52	15.43	15.36	15.29	15.23	16.50
		270	0	15.74	15.50	15.55	15.57	15.38	16.50
	DFT-s-OFDM 16QAM	1	1	15.32	15.44	15.41	15.30	15.15	16.50
	DFT-s-OFDM 64QAM	1	1	14.33	14.18	13.98	14.01	13.99	15.00
	DFT-s-OFDM 256QAM	1	1	12.23	12.12	12.07	11.96	11.84	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	15.14	14.92	14.82	14.90	14.82	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	16.83	16.70	16.52	16.43	16.67	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	16.85	16.66	16.66	16.45	16.61	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	16.81	16.70	16.59	16.52	16.58	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 807 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	16.80	16.69	16.53	16.52	16.62	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	16.71	16.69	16.61	16.46	16.55	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	16.73	16.73	16.53	16.49	16.54	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	16.83	16.68	16.63	16.47	16.63	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	16.84	16.61	16.59	16.51	16.58	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	16.85	16.72	16.63	16.50	16.63	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	16.79	16.68	16.58	16.54	16.57	17.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgs.com, CS@sgs.com.cn

No. 10, Huafeng 8th Floor, Sector 1, Shenzhen Futian District, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | www.sgs.com, www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋10楼 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 808 of 867

N41 PC3 DSI3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	15.79	15.72	15.49	15.41	15.46	16.50
		1	137	15.48	15.34	15.35	15.59	15.29	16.50
		1	271	15.62	15.36	15.32	15.31	15.45	16.50
		135	0	14.85	14.78	14.92	14.96	14.83	16.00
		135	69	15.60	15.34	15.44	15.36	15.33	16.50
		135	138	14.91	14.94	14.71	14.76	14.65	16.00
		270	0	15.16	15.21	14.91	15.00	14.91	16.00
	DFT-s-OFDM QPSK	1	1	15.80	15.62	15.48	15.63	15.58	16.50
		1	137	15.42	15.43	15.36	15.57	15.38	16.50
		1	271	15.47	15.41	15.30	15.42	15.37	16.50
		135	0	14.58	14.34	14.42	14.51	14.41	15.50
		135	69	15.44	15.28	15.47	15.28	15.21	16.50
		135	138	14.55	14.51	14.32	14.32	14.16	15.50
		270	0	14.67	14.50	14.64	14.48	14.31	15.50
	DFT-s-OFDM 16QAM	1	1	14.23	14.49	14.36	14.24	14.17	15.50
	DFT-s-OFDM 64QAM	1	1	13.36	13.10	12.96	12.98	13.02	14.00
	DFT-s-OFDM 256QAM	1	1	11.13	11.16	11.00	11.04	10.81	12.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
100MHz	CP-OFDM QPSK	1	1	14.16	13.89	13.86	13.87	13.80	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
90MHz	DFT-s-OFDM QPSK	1	1	15.88	15.68	15.56	15.46	15.62	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	15.86	15.71	15.61	15.40	15.64	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
70MHz	DFT-s-OFDM QPSK	1	1	15.80	15.66	15.58	15.51	15.63	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS.Courtesy@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 809 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	15.76	15.67	15.48	15.48	15.59	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	15.75	15.68	15.60	15.51	15.59	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	15.69	15.75	15.53	15.54	15.58	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	15.84	15.64	15.68	15.43	15.67	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	15.79	15.57	15.60	15.47	15.58	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	15.88	15.72	15.64	15.45	15.58	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	15.81	15.64	15.56	15.51	15.61	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@china.sgs.com
 In Malaysia & Middle East, Special Technical Services (SSTC) Branch, Singapore, Tel: 516657, Fax: (86-755) 8811 2053, Email: sgs@sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057, Tel: (86-755) 8811 2053, Fax: (86-755) 26710594, sgs.china@sgs.com

12.9 Conducted Power of NR Antenna (Ant31)

N5 DS12/3/4/5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
				834	836.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.35	24.38	24.34	25.50
		1	53	24.20	24.23	24.34	25.50
		1	104	24.06	24.19	24.07	25.50
		50	0	23.05	23.00	23.19	25.00
		50	28	24.36	24.34	24.26	25.50
		50	56	23.34	23.26	23.32	25.00
		100	0	23.34	23.40	23.33	25.00
	DFT-s-OFDM QPSK	1	1	24.35	24.42	24.29	25.50
		1	53	24.26	24.15	24.28	25.50
		1	104	24.01	24.15	24.02	25.50
		50	0	23.08	23.06	23.24	24.50
		50	28	24.40	24.38	24.33	25.50
		50	56	23.40	23.31	23.31	24.50
		100	0	23.33	23.33	23.36	24.50
	DFT-s-OFDM 16QAM	1	1	23.03	22.95	22.94	24.50
	DFT-s-OFDM 64QAM	1	1	22.14	22.03	22.11	23.00
	DFT-s-OFDM 256QAM	1	1	19.93	19.95	19.88	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
20MHz	CP-OFDM QPSK	1	1	22.95	22.92	23.00	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166300	167300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	24.25	24.20	24.12	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165800	167300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	24.50	24.35	24.45	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165300	167300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	24.42	24.40	24.44	25.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.C@sgs.com

No. 10, Huayuan 2nd Road, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 811 of 867

N5 DS18/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
				834	836.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	23.43	23.32	23.32	24.50
		1	53	23.16	23.16	23.38	24.50
		1	104	23.08	23.20	23.05	24.50
		50	0	22.14	22.15	22.27	24.00
		50	28	23.31	23.24	23.19	24.50
		50	56	22.25	22.28	22.36	24.00
		100	0	22.36	22.43	22.33	24.00
	DFT-s-OFDM QPSK	1	1	23.35	23.34	23.34	24.50
		1	53	23.17	23.21	23.31	24.50
		1	104	23.05	23.22	22.96	24.50
		50	0	22.09	22.14	22.29	23.50
		50	28	23.32	23.34	23.34	24.50
		50	56	22.38	22.23	22.22	23.50
		100	0	22.24	22.29	22.40	23.50
	DFT-s-OFDM 16QAM	1	1	22.11	21.88	21.97	23.50
	DFT-s-OFDM 64QAM	1	1	21.22	21.03	21.02	22.00
	DFT-s-OFDM 256QAM	1	1	19.01	19.01	18.93	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
20MHz	CP-OFDM QPSK	1	1	21.94	21.87	21.99	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166300	167300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	23.63	23.63	23.57	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165800	167300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	23.52	23.53	23.69	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165300	167300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	23.64	23.58	23.69	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Support@sgs.com.
 In Malaysia & Middle East, Second Technical Point (S2P) Service, Contacting On: 516057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 812 of 867

NR N26 DS12/3/4/5				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
				824	831.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.34	24.42	24.35	25.50
		1	53	24.15	24.22	24.41	25.50
		1	104	23.96	24.21	24.15	25.50
		50	0	23.00	23.09	23.15	25.00
		50	28	24.40	24.27	24.28	25.50
		50	56	23.25	23.30	23.29	25.00
		100	0	23.25	23.31	23.41	25.00
	DFT-s-OFDM QPSK	1	1	24.29	24.43	24.36	25.50
		1	53	24.29	24.13	24.30	25.50
		1	104	23.97	24.11	23.97	25.50
		50	0	23.09	23.04	23.15	24.50
		50	28	24.43	24.31	24.25	25.50
		50	56	23.44	23.32	23.24	24.50
		100	0	23.41	23.40	23.39	24.50
	DFT-s-OFDM 16QAM	1	1	22.99	22.95	22.93	24.50
	DFT-s-OFDM 64QAM	1	1	22.20	22.12	22.06	23.00
	DFT-s-OFDM 256QAM	1	1	19.96	19.95	19.90	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
20MHz	CP-OFDM QPSK	1	1	22.92	22.91	22.97	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164300	166300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	24.20	24.22	24.11	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163800	166300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	24.30	24.19	24.15	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163300	166300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	24.23	24.22	24.16	25.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS@sgs.com, CS@sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 813 of 867

NR N26 DS18/9/10				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
				824	831.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	23.34	23.37	23.37	24.50
		1	53	23.13	23.31	23.37	24.50
		1	104	22.89	23.23	23.06	24.50
		50	0	22.20	22.01	22.15	24.00
		50	28	23.32	23.18	23.22	24.50
		50	56	22.19	22.28	22.20	24.00
		100	0	22.25	22.25	22.33	24.00
	DFT-s-OFDM QPSK	1	1	23.30	23.41	23.33	24.50
		1	53	23.30	23.22	23.23	24.50
		1	104	22.95	23.13	23.01	24.50
		50	0	21.99	22.11	22.23	23.50
		50	28	23.48	23.35	23.26	24.50
		50	56	22.41	22.36	22.21	23.50
		100	0	22.46	22.40	22.38	23.50
	DFT-s-OFDM 16QAM	1	1	21.96	21.96	22.01	23.50
	DFT-s-OFDM 64QAM	1	1	21.13	21.07	21.12	22.00
	DFT-s-OFDM 256QAM	1	1	18.96	18.98	18.90	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164800	166300	167800	
20MHz	CP-OFDM QPSK	1	1	21.97	21.96	22.02	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				164300	166300	168300	
15MHz	DFT-s-OFDM QPSK	1	1	23.22	23.20	23.06	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163800	166300	168800	
10MHz	DFT-s-OFDM QPSK	1	1	23.30	23.14	23.10	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				163300	166300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	23.19	23.17	23.18	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS@sgs.com, sgs@sgs.com

No. 10, Huayuan 2nd Rd, Shenzhen, Guangdong, P.R. China (Shenzhen Branch) 518057 | (86-755) 8581 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

12.10 Conducted Power of NR Antenna (Ant41)

N2 DS12/3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.03	23.92	23.90	24.80
		1	53	24.07	24.04	24.08	24.80
		1	104	24.13	24.09	24.01	24.80
		50	0	22.92	22.94	23.01	24.30
		50	28	23.88	23.89	24.06	24.80
		50	56	22.94	23.05	22.95	24.30
		100	0	23.02	23.00	22.94	24.30
	DFT-s-OFDM QPSK	1	1	23.99	24.04	24.02	24.80
		1	53	24.06	23.97	23.93	24.80
		1	104	24.14	24.06	24.11	24.80
		50	0	23.00	22.99	22.96	23.80
		50	28	23.88	23.92	24.03	24.80
		50	56	23.10	23.05	23.03	23.80
		100	0	23.02	23.01	22.88	23.80
	DFT-s-OFDM 16QAM	1	1	23.12	23.15	22.99	23.80
	DFT-s-OFDM 64QAM	1	1	21.48	21.37	21.45	22.30
	DFT-s-OFDM 256QAM	1	1	19.28	19.31	19.24	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	38000	
20MHz	CP-OFDM QPSK	1	1	22.55	22.50	22.49	23.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	23.91	24.07	23.93	24.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	23.90	23.98	24.05	24.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	23.95	23.99	24.00	24.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.
 In Market: 8-10, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057. Tel: (86-755) 8801 2053. Fax: (86-755) 2671 0594. www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057. Tel: (86-755) 8801 2053. Fax: (86-755) 2671 0594. sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 815 of 867

N2 DS14/5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.43	21.41	21.34	22.30
		1	53	21.51	21.47	21.54	22.30
		1	104	21.56	21.67	21.60	22.30
		50	0	20.41	20.40	20.44	21.80
		50	28	21.37	21.34	21.63	22.30
		50	56	20.39	20.62	20.40	21.80
		100	0	20.56	20.41	20.46	21.80
	DFT-s-OFDM QPSK	1	1	21.55	21.63	21.47	22.30
		1	53	21.60	21.39	21.34	22.30
		1	104	21.57	21.59	21.63	22.30
		50	0	20.45	20.49	20.36	21.30
		50	28	21.39	21.37	21.46	22.30
		50	56	20.59	20.60	20.59	21.30
		100	0	20.49	20.51	20.41	21.30
	DFT-s-OFDM 16QAM	1	1	20.52	20.72	20.46	21.30
	DFT-s-OFDM 64QAM	1	1	19.04	18.84	18.93	19.80
	DFT-s-OFDM 256QAM	1	1	16.79	16.79	16.65	17.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	38000	
20MHz	CP-OFDM QPSK	1	1	20.09	20.03	20.02	20.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	21.44	21.52	21.38	22.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	21.38	21.52	21.54	22.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	21.41	21.51	21.54	22.30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.C@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 816 of 867

N2 DS18/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
				1860	1880	1900	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.59	19.49	19.32	20.30
		1	53	19.56	19.61	19.51	20.30
		1	104	19.66	19.51	19.41	20.30
		50	0	18.50	18.36	18.47	19.80
		50	28	19.35	19.33	19.56	20.30
		50	56	18.45	18.46	18.51	19.80
		100	0	18.51	18.43	18.42	19.80
	DFT-s-OFDM QPSK	1	1	19.47	19.52	19.45	20.30
		1	53	19.64	19.50	19.49	20.30
		1	104	19.55	19.62	19.70	20.30
		50	0	18.45	18.40	18.41	19.30
		50	28	19.29	19.38	19.55	20.30
		50	56	18.53	18.59	18.43	19.30
		100	0	18.56	18.43	18.33	19.30
	DFT-s-OFDM 16QAM	1	1	18.59	18.57	18.40	19.30
	DFT-s-OFDM 64QAM	1	1	16.97	16.88	16.88	17.80
	DFT-s-OFDM 256QAM	1	1	14.70	14.77	14.70	15.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	38000	
20MHz	CP-OFDM QPSK	1	1	18.09	18.01	18.03	18.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	19.46	19.57	19.47	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	19.37	19.53	19.60	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	19.40	19.50	19.45	20.30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CS.Cn@sgs.com.

No. 10, Huayuan 2nd Industrial Zone, Second Industrial Park, Shenzhen, Guangdong, China 518057 | (86-755) 8681 2053 | (86-755) 267 10594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号厂房 邮编: 518057 | (86-755) 8681 2053 | (86-755) 267 10594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 817 of 867

N7 DS12/3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	23.84	23.95	23.85	25.50
		1	108	24.07	24.12	23.88	25.50
		1	214	23.97	24.00	24.03	25.50
		108	0	23.02	23.11	23.08	25.00
		108	54	24.07	24.13	23.92	25.50
		108	108	23.06	23.11	23.10	25.00
		216	0	23.10	23.00	23.11	25.00
	DFT-s-OFDM QPSK	1	1	23.86	23.88	23.82	25.50
		1	108	24.01	24.04	23.98	25.50
		1	214	23.97	23.97	24.00	25.50
		108	0	23.06	23.10	23.06	24.50
		108	54	24.15	24.16	24.00	25.50
		108	108	23.00	23.15	22.97	24.50
		216	0	22.95	23.04	23.03	24.50
	DFT-s-OFDM 16QAM	1	1	23.50	23.51	23.58	24.50
	DFT-s-OFDM 64QAM	1	1	21.49	21.39	21.50	23.00
	DFT-s-OFDM 256QAM	1	1	19.29	19.25	19.44	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	22.50	22.54	22.58	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	24.40	24.45	24.33	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	24.41	24.37	24.30	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	24.44	24.35	24.28	25.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, China
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 818 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	24.44	24.40	24.42	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	24.52	24.38	24.45	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	24.50	24.36	24.32	25.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS@sgschina.com.
 To Market & Sales: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Tel: 816057 | (86-755) 85012053 | (86-755) 26710594 | www.sgschina.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 85012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 819 of 867

N7 DSI4/5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.25	20.44	20.41	21.80
		1	108	20.65	20.71	20.43	21.80
		1	214	20.47	20.52	20.50	21.80
		108	0	19.52	19.52	19.52	21.30
		108	54	20.54	20.59	20.36	21.80
		108	108	19.53	19.52	19.69	21.30
		216	0	19.63	19.40	19.58	21.30
	DFT-s-OFDM QPSK	1	1	20.45	20.30	20.37	21.80
		1	108	20.51	20.47	20.53	21.80
		1	214	20.43	20.39	20.50	21.80
		108	0	19.64	19.64	19.58	20.80
		108	54	20.71	20.56	20.59	21.80
		108	108	19.47	19.59	19.54	20.80
		216	0	19.44	19.51	19.43	20.80
	DFT-s-OFDM 16QAM	1	1	19.99	19.93	20.13	20.80
	DFT-s-OFDM 64QAM	1	1	17.96	17.98	17.96	19.30
	DFT-s-OFDM 256QAM	1	1	15.69	15.78	15.94	17.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	19.04	19.00	19.13	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	20.86	20.95	20.80	21.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	20.95	20.88	20.79	21.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	20.99	20.88	20.74	21.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 820 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	20.94	20.92	20.93	21.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	20.99	20.91	20.92	21.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	20.96	20.90	20.79	21.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS@sgschina.com

No. 10, Huafeng 2nd Industrial Sector, Shenzhen Technology Park, Shenzhen City, 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8801 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 821 of 867

N7 DS18/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
				2520	2535	2550	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	18.77	18.98	18.79	20.30
		1	108	19.07	19.07	18.84	20.30
		1	214	18.87	19.01	19.12	20.30
		108	0	18.05	18.10	18.10	19.80
		108	54	19.02	19.17	18.91	20.30
		108	108	18.08	18.17	18.08	19.80
		216	0	18.17	18.04	18.11	19.80
	DFT-s-OFDM QPSK	1	1	18.93	18.81	18.74	20.30
		1	108	18.93	19.06	18.90	20.30
		1	214	18.93	18.89	19.36	20.30
		108	0	17.96	18.08	17.99	19.30
		108	54	19.14	19.45	18.99	20.30
		108	108	18.08	18.10	17.89	19.30
		216	0	17.99	18.06	17.95	19.30
	DFT-s-OFDM 16QAM	1	1	18.59	18.59	18.61	19.30
	DFT-s-OFDM 64QAM	1	1	16.56	16.47	16.54	17.80
	DFT-s-OFDM 256QAM	1	1	14.26	14.32	14.42	15.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				504000	507000	510000	
40MHz	CP-OFDM QPSK	1	1	17.49	17.55	17.54	18.80
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503000	507000	511000	
30MHz	DFT-s-OFDM QPSK	1	1	19.41	19.50	19.37	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502500	507000	511500	
25MHz	DFT-s-OFDM QPSK	1	1	19.46	19.34	19.30	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				502000	507000	512000	
20MHz	DFT-s-OFDM QPSK	1	1	19.46	19.36	19.26	20.30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com

No. 10, Huayuan 2nd Rd, Shekou, Shenzhen, P.R. China (Shenzhen) Branch, Opening On: 518067 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518067 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 822 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501500	507000	512500	
15MHz	DFT-s-OFDM QPSK	1	1	19.40	19.38	19.39	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501000	507000	513000	
10MHz	DFT-s-OFDM QPSK	1	1	19.48	19.39	19.42	20.30
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				500500	507000	513500	
5MHz	DFT-s-OFDM QPSK	1	1	19.46	19.31	19.32	20.30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 8443, or email: CS@sgschina.com

No. 10, Huafeng 8th, Maly Sector, Second Industrial Park, Shenzhen, China 518057 | (86-755) 8501 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8501 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 823 of 867

N66 DSI2/3				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.50	24.45	24.55	25.10
		1	108	24.46	24.49	24.43	25.10
		1	214	24.54	24.47	24.42	25.10
		108	0	23.71	23.54	23.69	24.60
		108	54	24.53	24.49	24.53	25.10
		108	108	23.50	23.57	23.54	24.60
		216	0	23.56	23.72	23.70	24.60
	DFT-s-OFDM QPSK	1	1	24.51	24.55	24.44	25.10
		1	108	24.53	24.59	24.57	25.10
		1	214	24.37	24.54	24.47	25.10
		108	0	23.56	23.61	23.67	24.10
		108	54	24.57	24.50	24.47	25.10
		108	108	23.65	23.60	23.50	24.10
		216	0	23.71	23.61	23.58	24.10
	DFT-s-OFDM 16QAM	1	1	23.57	23.61	23.65	24.10
	DFT-s-OFDM 64QAM	1	1	21.91	21.90	21.92	22.60
	DFT-s-OFDM 256QAM	1	1	19.96	20.00	20.07	20.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	22.85	22.87	22.86	23.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	24.48	24.55	24.49	25.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	24.44	24.54	24.55	25.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	24.54	24.53	24.45	25.10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.

No. 16009, 8-10, Malya Sector, Second Technology Park, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 824 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	24.44	24.46	24.52	25.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	24.62	24.62	24.43	25.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	24.61	24.55	24.46	25.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	24.55	24.61	24.49	25.10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accession at <http://www.pca.com.sg/terms-conditions>. All reports issued by the Corporation or its subsidiaries and its affiliates and its subsidiaries and its affiliates are subject to the terms and conditions of this document. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Company's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. All other information stated the results shown in this test report refer only to the sample(s) tested and not samples are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Doncosoft@epg.com
 在華北: P.R. China, Shijiazhuang Technology Park, Zhongshan Road, Shijiazhuang, China 516667 (86-755)28012030 (86-755)26710394 www.epggroup.com.cn
 中國·廣東·深圳市南山區科苑路中區8-10號11樓 郵箱: 516667 (86-755)28012030 (86-755)26710394 epgchina@epg.com

Member of the SGB Group (SGB SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 825 of 867

N66 DSI4/5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	21.91	21.92	22.09	22.60
		1	108	22.01	21.98	21.88	22.60
		1	214	21.99	21.97	21.88	22.60
		108	0	21.18	21.09	21.10	22.10
		108	54	22.11	21.99	22.06	22.60
		108	108	20.96	21.09	20.99	22.10
		216	0	21.13	21.12	21.11	22.10
	DFT-s-OFDM QPSK	1	1	21.98	22.10	21.98	22.60
		1	108	22.00	22.18	21.99	22.60
		1	214	21.94	21.99	21.92	22.60
		108	0	20.99	21.04	21.20	21.60
		108	54	22.05	22.05	22.06	22.60
		108	108	21.22	21.08	20.98	21.60
		216	0	21.12	21.17	21.16	21.60
	DFT-s-OFDM 16QAM	1	1	20.97	21.16	21.16	21.60
	DFT-s-OFDM 64QAM	1	1	19.34	19.33	19.37	20.10
	DFT-s-OFDM 256QAM	1	1	17.45	17.47	17.66	18.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	20.36	20.40	20.32	21.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	21.99	22.01	22.04	22.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	21.90	22.06	22.09	22.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	22.06	22.01	21.90	22.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgs.com

Address: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 9443, or email: CS@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8881 9443 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8881 9443 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 826 of 867

20MHz	DFT-s-OFDM QPSK	1	1	21.94	21.94	21.97	22.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	22.09	22.11	21.96	22.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	22.16	22.00	21.97	22.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	22.08	22.14	21.97	22.60



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CSG.Czech@sgs.com

No. 10, Huayuan 2nd North Road, Second Industrial Park, Shenzhen City, Guangdong, China 518057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 827 of 867

N66 DS18/9/10				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
				1730	1745	1760	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.58	19.45	19.61	20.10
		1	108	19.55	19.51	19.38	20.10
		1	214	19.57	19.40	19.44	20.10
		108	0	18.80	18.52	18.78	19.60
		108	54	19.51	19.47	19.62	20.10
		108	108	18.58	18.48	18.54	19.60
		216	0	18.63	18.81	18.63	19.60
	DFT-s-OFDM QPSK	1	1	19.45	19.61	19.42	20.10
		1	108	19.57	19.50	19.56	20.10
		1	214	19.43	19.55	19.46	20.10
		108	0	18.46	18.63	18.64	19.10
		108	54	19.57	19.51	19.43	20.10
		108	108	18.64	18.50	18.42	19.10
		216	0	18.61	18.58	18.60	19.10
	DFT-s-OFDM 16QAM	1	1	18.54	18.67	18.70	19.10
	DFT-s-OFDM 64QAM	1	1	16.94	16.88	16.82	17.60
	DFT-s-OFDM 256QAM	1	1	15.03	15.09	14.97	15.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				346000	349000	352000	
40MHz	CP-OFDM QPSK	1	1	17.89	17.85	17.83	18.60
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345500	349000	352500	
35MHz	DFT-s-OFDM QPSK	1	1	19.50	19.59	19.51	20.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				345000	349000	353000	
30MHz	DFT-s-OFDM QPSK	1	1	19.44	19.52	19.60	20.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344500	349000	353500	
25MHz	DFT-s-OFDM QPSK	1	1	19.55	19.57	19.49	20.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	19.48	19.44	19.49	20.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS@sgs.com or CS@sgs.com.cn.

Address: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8881 8443, or email: CS@sgs.com or CS@sgs.com.cn.

中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8881 2053 | (86-755) 267 0594 | www.sgs.com.cn
中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8881 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 828 of 867

15MHz	DFT-s-OFDM QPSK	1	1	19.62	19.62	19.46	20.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	19.57	19.52	19.48	20.10
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	19.53	19.57	19.51	20.10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8681 9443, or email: CS@china.sgs.com

No. 10, Huayuan 2nd Industrial Sector, Shenzhen Science Park, Shenzhen, China 518057 | (86-755) 8601 2063 | (86-755) 2671 0594 | www.sgs.com.cn
中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8601 2063 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 829 of 867

N38 PC3 DS12/3				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.61	24.83	24.77	25.50
		1	53	24.68	24.77	24.68	25.50
		1	104	24.74	24.75	24.71	25.50
		50	0	23.68	23.75	23.76	25.00
		50	28	24.78	24.76	24.81	25.50
		50	56	23.84	23.61	23.62	25.00
		100	0	23.82	23.74	23.79	25.00
	DFT-s-OFDM QPSK	1	1	24.69	24.74	24.68	25.50
		1	53	24.64	24.68	24.66	25.50
		1	104	24.75	24.74	24.78	25.50
		50	0	23.74	23.79	23.79	24.50
		50	28	24.70	24.76	24.79	25.50
		50	56	23.78	23.71	23.72	24.50
		100	0	23.78	23.68	23.76	24.50
	DFT-s-OFDM 16QAM	1	1	23.87	23.70	23.86	24.50
	DFT-s-OFDM 64QAM	1	1	22.14	22.22	22.23	23.00
	DFT-s-OFDM 256QAM	1	1	20.33	20.27	20.27	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
40MHz	CP-OFDM QPSK	1	1	23.15	23.09	23.11	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
30MHz	DFT-s-OFDM QPSK	1	1	24.74	24.67	24.73	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	24.63	24.78	24.59	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	24.71	24.81	24.61	25.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	24.63	24.76	24.77	25.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Service-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443 or email: CS@sgstechnical.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 830 of 867

N38 PC3 DSI4/5				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.59	20.83	20.85	21.50
		1	53	20.64	20.69	20.62	21.50
		1	104	20.66	20.77	20.63	21.50
		50	0	19.68	19.67	19.79	21.00
		50	28	20.73	20.80	20.82	21.50
		50	56	19.85	19.70	19.56	21.00
		100	0	19.84	19.73	19.73	21.00
	DFT-s-OFDM QPSK	1	1	20.69	20.77	20.68	21.50
		1	53	20.58	20.64	20.57	21.50
		1	104	20.69	20.73	20.68	21.50
		50	0	19.83	19.85	19.82	20.50
		50	28	20.63	20.70	20.80	21.50
		50	56	19.84	19.62	19.70	20.50
		100	0	19.69	19.60	19.72	20.50
	DFT-s-OFDM 16QAM	1	1	19.78	19.76	19.79	20.50
	DFT-s-OFDM 64QAM	1	1	18.07	18.21	18.13	19.00
	DFT-s-OFDM 256QAM	1	1	16.38	16.20	16.31	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
40MHz	CP-OFDM QPSK	1	1	19.16	19.07	19.09	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	20.75	20.70	20.71	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	20.59	20.73	20.58	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	20.69	20.82	20.66	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	20.62	20.74	20.81	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com, CS@sgs.com.cn.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 831 of 867

N38 PC3 DSI8/9/10				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				518000	519000	520000	
				2590	2595	2600	
40MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.17	19.27	19.24	20.00
		1	53	19.27	19.29	19.26	20.00
		1	104	19.23	19.17	19.21	20.00
		50	0	18.21	18.16	18.30	19.50
		50	28	19.36	19.34	19.29	20.00
		50	56	18.24	18.19	18.16	19.50
		100	0	18.39	18.24	18.19	19.50
	DFT-s-OFDM QPSK	1	1	19.13	19.19	19.14	20.00
		1	53	19.22	19.15	19.14	20.00
		1	104	19.18	19.33	19.25	20.00
		50	0	18.24	18.27	18.26	19.00
		50	28	19.19	19.19	19.24	20.00
		50	56	18.18	18.13	18.15	19.00
		100	0	18.29	18.24	18.26	19.00
	DFT-s-OFDM 16QAM	1	1	18.41	18.21	18.38	19.00
	DFT-s-OFDM 64QAM	1	1	16.63	16.68	16.75	17.50
	DFT-s-OFDM 256QAM	1	1	14.74	14.86	14.73	15.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
518000					519000	520000	
40MHz	CP-OFDM QPSK	1	1	17.69	17.63	17.56	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				517000	519000	521000	
30MHz	DFT-s-OFDM QPSK	1	1	19.27	19.15	19.24	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				516000	519000	522000	
20MHz	DFT-s-OFDM QPSK	1	1	19.11	19.24	19.04	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515500	519000	522500	
15MHz	DFT-s-OFDM QPSK	1	1	19.19	19.26	19.13	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				515000	519000	523000	
10MHz	DFT-s-OFDM QPSK	1	1	19.12	19.27	19.29	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or access at <http://www.psa.com/legal/Terms-Conditions>. All information is for information only and does not constitute an offer or a recommendation. The Company does not warrant the accuracy or completeness of the information contained herein. The information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of GVA's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. All other rights are reserved. The results shown in this test report refer only to the sample(s) tested and not to the material as a whole. Results are obtained for 30 days only.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Dongchao@sgp.com
 亞細亞(中國)儀器有限公司, 廣東省東莞市, 東莞市東莞區, 廣東省, 516007 | (86-755)28012030 | (86-755)26710394 | www.sgp.com.cn/ch
 中國, 廣東, 東莞市東莞區科苑路中區A-10號1樓1樓, 郵政, 516007 | (86-755)28012030 | (86-755)26710394 | sgpchina@sgp.com

Member of the SGB Group (1988-8A)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 832 of 867

N41 PC2 DSI2/3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	26.64	26.63	26.70	26.56	26.77	27.50
		1	137	26.63	26.49	26.92	26.63	26.78	27.50
		1	271	26.72	26.67	26.96	26.74	26.87	27.50
		135	0	23.26	23.23	23.56	23.32	23.51	24.00
		135	69	26.51	26.43	26.90	26.68	26.68	27.50
		135	138	23.64	23.52	23.69	23.54	23.62	24.00
		270	0	26.10	25.81	25.92	25.90	25.93	27.00
	DFT-s-OFDM QPSK	1	1	26.70	26.56	26.80	26.61	26.86	27.50
		1	137	26.57	26.67	26.86	26.55	26.83	27.50
		1	271	26.68	26.67	26.96	26.69	26.88	27.50
		135	0	23.14	23.26	23.52	23.27	23.50	24.00
		135	69	26.56	26.51	26.82	26.55	26.58	27.50
		135	138	23.55	23.66	23.60	23.53	23.70	24.00
		270	0	25.59	25.50	25.49	25.21	25.53	26.50
	DFT-s-OFDM 16QAM	1	1	25.97	25.97	25.87	25.69	25.85	26.50
	DFT-s-OFDM 64QAM	1	1	24.41	24.35	24.28	24.12	24.30	25.00
	DFT-s-OFDM 256QAM	1	1	22.43	22.38	22.43	22.28	22.40	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	25.05	24.92	24.99	24.96	25.04	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	26.54	26.61	26.72	26.52	26.83	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	26.65	26.57	26.81	26.55	26.84	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	26.56	26.65	26.75	26.65	26.92	27.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Courtesy@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 833 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	26.72	26.68	26.67	26.61	26.82	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	26.65	26.61	26.81	26.51	26.94	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	26.62	26.66	26.77	26.59	26.92	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	26.56	26.61	26.69	26.56	26.76	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	26.61	26.57	26.81	26.50	26.93	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	26.55	26.65	26.85	26.48	26.92	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	26.61	26.67	26.72	26.62	26.77	27.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgs.com

No. 10, Huafeng 8th Floor, Sinochem Technology Park, Shenzhen, China 518057 | (86-755) 88012053 | (86-755) 26710594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10楼1号广东 邮编: 518057 | (86-755) 88012053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 834 of 867

N41 PC2 DSI4/5				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.55	20.72	20.74	20.59	20.76	21.50
		1	137	20.71	20.51	20.91	20.67	20.74	21.50
		1	271	20.64	20.71	21.04	20.74	20.91	21.50
		135	0	17.35	17.24	17.54	17.28	17.43	18.00
		135	69	20.58	20.50	20.81	20.67	20.65	21.50
		135	138	17.59	17.50	17.73	17.55	17.63	18.00
		270	0	20.00	19.88	19.83	19.89	19.91	21.00
	DFT-s-OFDM QPSK	1	1	20.74	20.59	20.75	20.63	20.81	21.50
		1	137	20.64	20.64	20.78	20.63	20.86	21.50
		1	271	20.61	20.62	21.03	20.72	20.93	21.50
		135	0	17.11	17.20	17.51	17.27	17.49	18.00
		135	69	20.59	20.58	20.85	20.55	20.60	21.50
		135	138	17.51	17.64	17.57	17.43	17.62	18.00
		270	0	19.63	19.46	19.51	19.24	19.57	20.50
	DFT-s-OFDM 16QAM	1	1	19.87	19.96	19.92	19.61	19.90	20.50
	DFT-s-OFDM 64QAM	1	1	18.36	18.36	18.19	18.08	18.34	19.00
	DFT-s-OFDM 256QAM	1	1	16.38	16.41	16.48	16.34	16.42	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	19.08	18.94	18.97	18.95	19.07	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	20.53	20.64	20.74	20.49	20.79	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	20.61	20.58	20.84	20.51	20.81	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	20.53	20.67	20.72	20.62	20.97	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 835 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	20.73	20.64	20.63	20.57	20.82	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	20.65	20.60	20.77	20.53	20.98	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	20.63	20.63	20.80	20.60	20.97	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	20.59	20.59	20.73	20.52	20.77	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	20.62	20.62	20.76	20.55	20.90	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	20.54	20.70	20.82	20.44	20.91	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	20.64	20.62	20.71	20.62	20.76	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@china.sgs.com
 In Malaysia & Middle East, SGS-CSTC Standards Technical Services (Pty) Ltd. (Singapore) Pte. Ltd. (Singapore) Tel: 516657 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 836 of 867

N41 PC2 DSI8/9/10				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.20	19.19	19.10	19.05	19.32	20.00
		1	137	19.19	18.92	19.38	19.18	19.22	20.00
		1	271	19.13	19.19	19.40	19.30	19.44	20.00
		135	0	15.76	15.76	16.04	15.82	15.98	16.50
		135	69	18.94	18.90	19.37	19.20	19.13	20.00
		135	138	16.05	15.96	16.12	16.13	16.06	16.50
		270	0	18.67	18.22	18.43	18.31	18.52	19.50
	DFT-s-OFDM QPSK	1	1	19.23	19.14	19.32	19.12	19.27	20.00
		1	137	19.13	19.11	19.39	19.05	19.39	20.00
		1	271	19.12	19.18	19.38	19.25	19.30	20.00
		135	0	15.60	15.79	16.00	15.75	15.91	16.50
		135	69	19.14	19.03	19.38	19.07	19.01	20.00
		135	138	16.01	16.13	16.18	15.97	16.13	16.50
		270	0	18.08	17.90	18.06	17.78	18.04	19.00
	DFT-s-OFDM 16QAM	1	1	18.45	18.52	18.31	18.14	18.27	19.00
	DFT-s-OFDM 64QAM	1	1	16.99	16.83	16.71	16.71	16.75	17.50
	DFT-s-OFDM 256QAM	1	1	14.83	14.81	14.98	14.87	14.91	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	17.54	17.43	17.53	17.41	17.52	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	19.07	19.10	19.21	19.02	19.31	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	19.11	19.07	19.36	19.01	19.39	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	19.02	19.20	19.29	19.12	19.43	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 837 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	19.20	19.23	19.18	19.09	19.35	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	19.12	19.14	19.33	19.00	19.45	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	19.14	19.16	19.30	19.08	19.44	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	19.10	19.15	19.21	19.01	19.25	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	19.09	19.07	19.31	18.97	19.45	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	19.06	19.15	19.33	18.96	19.38	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	19.07	19.20	19.24	19.12	19.28	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgs.com, CS@sgs.com.cn
 In China: 86-755 8811 8443, Shenzhen Branch, Shenzhen Technical Services Co., Ltd. (Shenzhen Branch) 86-755 8811 8443 / 86-755 8811 2053 / 86-755 2671 0504 / www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 / 86-755 8811 2053 / 86-755 2671 0504 / sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 838 of 867

N41 PC3 DSI2/3				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	25.20	25.02	25.34	25.18	25.39	26.00
		1	137	25.04	25.20	25.35	25.11	25.38	26.00
		1	271	25.21	25.23	25.51	25.20	25.45	26.00
		135	0	24.55	24.54	24.84	24.68	24.86	25.50
		135	69	25.06	25.12	25.40	25.21	25.49	26.00
		135	138	24.60	24.48	24.85	24.58	25.00	25.50
		270	0	24.55	24.52	24.79	24.47	24.83	25.50
	DFT-s-OFDM QPSK	1	1	25.20	25.06	25.30	25.11	25.36	26.00
		1	137	25.07	25.17	25.36	25.05	25.33	26.00
		1	271	25.18	25.17	25.46	25.19	25.38	26.00
		135	0	24.05	24.09	24.44	24.19	24.43	25.00
		135	69	25.11	25.11	25.45	25.21	25.45	26.00
		135	138	24.13	24.08	24.43	24.15	24.48	25.00
		270	0	24.03	24.05	24.36	24.07	24.35	25.00
	DFT-s-OFDM 16QAM	1	1	24.12	24.01	24.37	24.02	24.23	25.00
	DFT-s-OFDM 64QAM	1	1	22.44	22.39	22.78	22.52	22.77	23.50
	DFT-s-OFDM 256QAM	1	1	20.50	20.51	20.93	20.55	20.79	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	23.22	23.10	23.45	23.19	23.35	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	25.23	25.02	25.33	25.10	25.35	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	25.16	25.05	25.25	25.11	25.35	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	25.16	25.04	25.25	25.07	25.40	26.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Courtesy@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 839 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	25.15	25.09	25.28	25.09	25.32	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	25.20	25.11	25.25	25.14	25.36	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	25.19	25.02	25.31	25.11	25.40	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	25.20	25.03	25.28	25.07	25.32	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	25.19	25.09	25.31	25.08	25.36	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	25.15	25.10	25.27	25.16	25.36	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	25.23	25.05	25.28	25.15	25.41	26.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/eng/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@china.sgs.com
 In China: SGS (Shenzhen) Technical Services Co., Ltd. Shenzhen Branch, Building 5th Floor, 1000000
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 840 of 867

N41 PC3 DSI4/5				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.68	20.57	20.93	20.67	20.79	21.50
		1	137	20.52	20.72	20.94	20.67	20.82	21.50
		1	271	20.71	20.80	21.03	20.61	20.98	21.50
		135	0	19.98	20.10	20.30	20.21	20.32	21.00
		135	69	20.58	20.69	20.88	20.75	21.08	21.50
		135	138	20.05	20.04	20.27	20.09	20.40	21.00
		270	0	20.05	20.06	20.24	19.98	20.26	21.00
	DFT-s-OFDM QPSK	1	1	20.71	20.50	20.75	20.63	20.88	21.50
		1	137	20.60	20.72	20.87	20.46	20.78	21.50
		1	271	20.59	20.73	20.96	20.66	20.95	21.50
		135	0	19.47	19.59	20.00	19.60	20.02	20.50
		135	69	20.68	20.61	20.97	20.65	20.89	21.50
		135	138	19.60	19.51	20.01	19.56	20.04	20.50
		270	0	19.55	19.52	19.80	19.48	19.87	20.50
	DFT-s-OFDM 16QAM	1	1	19.71	19.50	19.83	19.57	19.78	20.50
	DFT-s-OFDM 64QAM	1	1	17.92	17.92	18.33	17.94	18.34	19.00
	DFT-s-OFDM 256QAM	1	1	16.02	16.00	16.39	16.09	16.30	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	18.75	18.55	18.91	18.68	18.81	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	20.71	20.53	20.87	20.64	20.82	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	20.68	20.58	20.79	20.62	20.87	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	20.61	20.51	20.72	20.57	20.93	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS.Courtesy@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 841 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	20.62	20.54	20.83	20.57	20.78	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	20.74	20.62	20.74	20.59	20.81	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	20.66	20.47	20.81	20.57	20.91	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	20.66	20.51	20.78	20.59	20.77	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	20.72	20.64	20.81	20.59	20.85	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	20.68	20.59	20.78	20.64	20.85	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	20.78	20.54	20.73	20.63	20.86	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or visit: SGS-Group.china.com.cn
 In China: SGS (Shenzhen) Technical Services Co., Ltd. Shenzhen Branch, Building 5th Floor, 1000000
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 842 of 867

N41 PC3 DSI8/9/10				Conducted Power(dBm)					
SCS 30kHz									
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
				2546.01	2569.5	2592.99	2616.51	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	19.10	18.98	19.32	19.21	19.30	20.00
		1	137	19.11	19.18	19.39	19.04	19.37	20.00
		1	271	19.24	19.13	19.53	19.23	19.43	20.00
		135	0	18.47	18.59	18.85	18.70	18.91	19.50
		135	69	19.10	19.03	19.36	19.13	19.46	20.00
		135	138	18.67	18.42	18.83	18.61	18.93	19.50
		270	0	18.54	18.60	18.73	18.44	18.84	19.50
	DFT-s-OFDM QPSK	1	1	19.22	19.10	19.32	19.02	19.29	20.00
		1	137	19.01	19.13	19.30	19.02	19.27	20.00
		1	271	19.20	19.13	19.46	19.25	19.47	20.00
		135	0	17.99	18.03	18.50	18.11	18.46	19.00
		135	69	19.09	19.02	19.35	19.18	19.36	20.00
		135	138	18.03	18.06	18.38	18.12	18.50	19.00
		270	0	18.10	17.96	18.37	18.14	18.38	19.00
	DFT-s-OFDM 16QAM	1	1	18.12	18.07	18.44	18.02	18.22	19.00
	DFT-s-OFDM 64QAM	1	1	16.40	16.33	16.74	16.50	16.81	17.50
	DFT-s-OFDM 256QAM	1	1	14.42	14.47	14.98	14.57	14.85	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				509202	513900	518598	523302	528000	
100MHz	CP-OFDM QPSK	1	1	17.25	17.15	17.44	17.22	17.34	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				508200	513402	518598	523800	528996	
90MHz	DFT-s-OFDM QPSK	1	1	19.18	18.97	19.31	19.14	19.38	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				507204	512904	518598	524298	529998	
80MHz	DFT-s-OFDM QPSK	1	1	19.14	19.10	19.28	19.13	19.30	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				506202	512403	518598	524799	530997	
70MHz	DFT-s-OFDM QPSK	1	1	19.18	18.99	19.24	19.04	19.43	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS.Support@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn/shenzhen
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 843 of 867

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				505200	511902	518598	525300	531996	
60MHz	DFT-s-OFDM QPSK	1	1	19.11	19.04	19.26	19.08	19.34	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				504204	511404	518598	525798	532998	
50MHz	DFT-s-OFDM QPSK	1	1	19.15	19.13	19.27	19.09	19.40	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				503202	510900	518598	526302	534000	
40MHz	DFT-s-OFDM QPSK	1	1	19.21	18.99	19.32	19.12	19.41	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				502200	510402	518598	526800	534996	
30MHz	DFT-s-OFDM QPSK	1	1	19.21	19.04	19.30	19.02	19.31	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				501204	509904	518598	527298	535998	
20MHz	DFT-s-OFDM QPSK	1	1	19.15	19.06	19.26	19.05	19.37	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				500202	509403	518598	527799	537000	
15MHz	DFT-s-OFDM QPSK	1	1	19.11	19.14	19.26	19.13	19.41	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				499200	508902	518598	528300	538002	
10MHz	DFT-s-OFDM QPSK	1	1	19.21	19.07	19.32	19.14	19.45	20.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CS@sgs.com, CS@sgs.com.cn
 In China: 86-755 8811 8443, Shenzhen Branch, Shenzhen Technical Services Co., Ltd. (Shenzhen Branch) Tel: 816057 / 88-755 8811 2053 / 88-755 26710504 / 88-755 26710504 / 88-755 26710504 / 88-755 26710504
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 / 86-755 8811 2053 / 86-755 26710504 / 86-755 26710504 / 86-755 26710504

13 Conducted Power of WIFI and Bluetooth

13.1 Conducted Power of 2.4G WIFI

WIFI 2.4G MIMO Level 1							
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
802.11b	1	2412	1	13.79	14.04	16.93	18.00
	2	2417		13.25	14.17	16.74	18.00
	6	2437		13.92	14.28	17.11	18.00
	10	2457		13.33	14.33	16.87	18.00
	11	2462		12.85	13.77	16.34	17.50
802.11g	1	2412	6	13.97	13.56	16.78	18.00
	2	2417		13.45	13.65	16.56	18.00
	6	2437		13.76	13.77	16.78	18.00
	10	2457		13.35	13.78	16.58	18.00
	11	2462		9.23	9.68	12.47	14.00
802.11n HT20	1	2412	6.5	13.97	13.21	16.62	18.00
	2	2417		13.52	13.26	16.40	18.00
	6	2437		13.78	13.39	16.60	18.00
	10	2457		13.32	13.37	16.36	18.00
	11	2462		9.16	9.31	12.25	14.00
802.11n HT40	3	2422	13.5	13.72	14.22	16.99	18.00
	6	2437		13.65	14.36	17.03	18.00
	9	2452		6.65	6.98	9.83	11.00
802.11ac VHT20	1	2412	MCS0	13.13	13.22	16.19	18.00
	2	2417		12.84	13.25	16.06	18.00
	6	2437		12.89	13.40	16.16	18.00
	10	2457		12.69	13.42	16.08	18.00
	11	2462		8.52	9.45	12.02	14.00
802.11ac VHT40	3	2422	MCS0	13.71	14.37	17.06	18.00
	6	2437		13.96	14.24	17.11	18.00
	9	2452		6.66	6.92	9.80	11.00
802.11ax HE20	1	2412	MCS0	13.27	13.35	16.32	18.00
	2	2417		12.74	13.49	16.14	18.00
	6	2437		13.31	13.67	16.50	18.00
	10	2457		9.68	10.56	13.15	15.00
	11	2462		8.54	9.57	12.10	14.00
802.11ax HE40	3	2422	MCS0	13.36	14.05	16.73	18.00
	6	2437		13.67	14.08	16.89	18.00
	9	2452		6.36	6.69	9.54	11.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8511 9443, or email: CS_Group@sgs.com.
 In Market: 8-10, Malya Sector, Second Technology Park, Shenzhen, Guangdong, China 518057 | (86-755) 8511 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8511 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 845 of 867

WIFI 2.4G MIMO Level 2							
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
802.11b	1	2412	1	12.23	12.52	15.39	16.50
	2	2417		11.63	12.73	15.23	16.50
	6	2437		12.52	12.79	15.67	16.50
	10	2457		11.83	12.91	15.41	16.50
	11	2462		11.83	12.78	15.34	16.50
802.11g	1	2412	6	11.85	12.13	15.00	16.50
	2	2417		11.55	12.16	14.88	16.50
	6	2437		11.83	12.32	15.09	16.50
	10	2457		11.75	12.29	15.04	16.50
	11	2462		9.23	9.68	12.47	14.00
802.11n HT20	1	2412	6.5	11.69	11.73	14.72	16.50
	2	2417		11.15	11.84	14.52	16.50
	6	2437		11.46	11.93	14.71	16.50
	10	2457		11.11	11.90	14.53	16.50
	11	2462		9.16	9.31	12.25	14.00
802.11n HT40	3	2422	13.5	12.24	12.75	15.51	16.50
	6	2437		12.58	12.94	15.77	16.50
	9	2452		6.65	6.98	9.83	11.00
802.11ac VHT20	1	2412	MCS0	11.58	11.79	14.70	16.50
	2	2417		11.34	11.74	14.55	16.50
	6	2437		11.41	11.92	14.68	16.50
	10	2457		11.07	11.98	14.56	16.50
	11	2462		8.52	9.45	12.02	14.00
802.11ac VHT40	3	2422	MCS0	12.31	12.92	15.64	16.50
	6	2437		12.52	12.80	15.67	16.50
	9	2452		6.66	6.92	9.80	11.00
802.11ax HE20	1	2412	MCS0	11.83	11.84	14.85	16.50
	2	2417		11.39	12.00	14.72	16.50
	6	2437		11.67	12.23	14.97	16.50
	10	2457		9.68	10.56	13.15	15.00
	11	2462		8.54	9.57	12.10	14.00
802.11ax HE40	3	2422	MCS0	11.99	12.62	15.33	16.50
	6	2437		12.23	12.57	15.41	16.50
	9	2452		6.36	6.69	9.54	11.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn
 In China: SGS (Shenzhen) Technical Services Co., Ltd. Shenzhen Branch, Building 5th, 116057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 846 of 867

WIFI 2.4G MIMO Level 3							
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
802.11b	1	2412	1	16.12	16.61	19.38	20.50
	2	2417		17.89	18.68	21.31	22.50
	6	2437		18.58	18.85	21.73	22.50
	10	2457		13.69	14.80	17.29	18.50
	11	2462		12.85	13.77	16.34	17.50
802.11g	1	2412	6	14.45	14.53	17.50	19.00
	2	2417		15.55	16.12	18.85	20.50
	6	2437		17.54	17.76	20.66	22.00
	10	2457		12.96	13.84	16.43	18.00
	11	2462		9.23	9.68	12.47	14.00
802.11n HT20	1	2412	6.5	13.09	13.25	16.18	18.00
	2	2417		15.73	16.34	19.06	21.00
	6	2437		16.10	16.39	19.26	21.00
	10	2457		12.56	13.42	16.02	18.00
	11	2462		9.16	9.31	12.25	14.00
802.11n HT40	3	2422	13.5	14.22	14.73	17.49	18.50
	6	2437		16.93	17.44	20.20	21.00
	9	2452		6.65	6.98	9.83	11.00
802.11ac VHT20	1	2412	MCS0	13.54	13.73	16.65	18.50
	2	2417		15.65	16.39	19.05	21.00
	6	2437		16.02	16.44	19.25	21.00
	10	2457		12.59	13.47	16.06	18.00
	11	2462		8.52	9.45	12.02	14.00
802.11ac VHT40	3	2422	MCS0	14.19	14.84	17.54	18.50
	6	2437		17.04	17.32	20.19	21.00
	9	2452		6.66	6.92	9.80	11.00
802.11ax HE20	1	2412	MCS0	13.39	13.33	16.37	18.00
	2	2417		14.36	15.06	17.73	19.50
	6	2437		16.28	16.67	19.49	21.00
	10	2457		9.68	10.56	13.15	15.00
	11	2462		8.54	9.57	12.10	14.00
802.11ax HE40	3	2422	MCS0	13.83	14.57	17.23	18.50
	6	2437		16.68	17.07	19.89	21.00
	9	2452		6.36	6.69	9.54	11.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn
 In Market & Quality Sector, SGS Technical Services (Shenzhen) Branch, Building 5th, 116057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn/sh
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 847 of 867

WIFI 2.4G MIMO Level 4							
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
802.11b	1	2412	1	16.12	16.61	19.38	20.50
	2	2417		16.21	17.17	19.73	21.00
	6	2437		16.91	17.29	20.11	21.00
	10	2457		13.69	14.80	17.29	18.50
	11	2462		12.85	13.77	16.34	17.50
802.11g	1	2412	6	14.45	14.53	17.50	19.00
	2	2417		15.55	16.12	18.85	20.50
	6	2437		16.45	16.89	19.69	21.00
	10	2457		12.96	13.84	16.43	18.00
	11	2462		9.23	9.68	12.47	14.00
802.11n HT20	1	2412	6.5	13.09	13.25	16.18	18.00
	2	2417		15.63	16.34	19.01	21.00
	6	2437		16.10	16.39	19.26	21.00
	10	2457		12.56	13.42	16.02	18.00
	11	2462		9.16	9.31	12.25	14.00
802.11n HT40	3	2422	13.5	14.22	14.73	17.49	18.50
	6	2437		16.93	17.44	20.20	21.00
	9	2452		6.65	6.98	9.83	11.00
802.11ac VHT20	1	2412	MCS0	13.54	13.73	16.65	18.50
	2	2417		15.65	16.39	19.05	21.00
	6	2437		16.02	16.44	19.25	21.00
	10	2457		12.59	13.47	16.06	18.00
	11	2462		8.52	9.45	12.02	14.00
802.11ac VHT40	3	2422	MCS0	14.19	14.84	17.54	18.50
	6	2437		17.04	17.32	20.19	21.00
	9	2452		6.66	6.92	9.80	11.00
802.11ax HE20	1	2412	MCS0	13.39	13.33	16.37	18.00
	2	2417		14.36	15.06	17.73	19.50
	6	2437		16.28	16.67	19.49	21.00
	10	2457		9.68	10.56	13.15	15.00
	11	2462		8.54	9.57	12.10	14.00
802.11ax HE40	3	2422	MCS0	13.83	14.57	17.23	18.50
	6	2437		16.68	17.07	19.89	21.00
	9	2452		6.36	6.69	9.54	11.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn
 In China: SGS (Shenzhen) Technical Services Co., Ltd. (Shenzhen Branch) 116057 | (86-755) 8811 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

13.2 Conducted Power of 5G WIFI

WIFI 5G MIMO Level 1							
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	12.15	11.86	15.02	17.00
		40	5200	12.25	11.89	15.08	17.00
		44	5220	12.43	11.86	15.16	17.00
		48	5240	12.42	11.83	15.15	17.00
	802.11n HT20	36	5180	12.08	11.59	14.85	17.00
		40	5200	12.21	11.56	14.91	17.00
		44	5220	12.34	11.49	14.95	17.00
		48	5240	12.35	11.63	15.02	17.00
	802.11n HT40	38	5190	10.71	10.36	13.55	15.00
		46	5230	13.24	12.56	15.92	17.00
	802.11ac VHT20	36	5180	12.03	11.53	14.80	17.00
		40	5200	12.21	11.56	14.91	17.00
		44	5220	12.35	11.61	15.01	17.00
		48	5240	12.34	11.69	15.04	17.00
	802.11ac VHT40	38	5190	10.79	10.33	13.58	15.00
		46	5230	13.25	12.39	15.85	17.00
	802.11ac VHT80	42	5210	9.81	9.45	12.64	14.50
	802.11ax HE20	36	5180	11.82	11.63	14.74	17.00
		40	5200	12.05	11.64	14.86	17.00
		44	5220	12.18	11.56	14.89	17.00
		48	5240	12.15	11.58	14.88	17.00
	802.11ax HE40	38	5190	10.15	10.03	13.10	15.00
		46	5230	12.73	12.18	15.47	17.00
	802.11ax HE80	42	5210	9.78	9.28	12.55	14.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz U-NII-2A	802.11a	52	5260	13.55	12.78	16.19	17.00
		56	5280	13.21	12.65	15.95	17.00
		60	5300	13.48	12.79	16.16	17.00
		64	5320	12.55	12.15	15.36	17.00
	802.11n HT20	52	5260	13.25	12.55	15.92	17.00
		56	5280	12.88	12.36	15.64	17.00
		60	5300	13.15	12.46	15.83	17.00
		64	5320	12.26	11.76	15.03	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com or sgs@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 849 of 867

	802.11n HT40	54	5270	11.69	11.13	14.43	15.00
		62	5310	11.52	11.03	14.29	15.00
	802.11ac VHT20	52	5260	13.26	12.43	15.88	17.00
		56	5280	12.86	12.36	15.63	17.00
		60	5300	13.26	12.56	15.93	17.00
		64	5320	12.31	11.79	15.07	17.00
	802.11ac VHT40	54	5270	11.65	11.11	14.40	15.00
		62	5310	11.46	11.06	14.27	15.00
	802.11ac VHT80	58	5290	10.28	10.17	13.24	14.50
	802.11ac VHT160	50	5250	9.26	8.88	12.08	13.00
	802.11ax HE20	52	5260	13.26	12.43	15.88	17.00
		56	5280	12.86	12.36	15.63	17.00
		60	5300	13.23	12.56	15.92	17.00
		64	5320	12.36	11.86	15.13	17.00
	802.11ax HE40	54	5270	11.52	10.86	14.21	15.00
		62	5310	11.21	10.66	13.95	15.00
	802.11ax HE80	58	5290	10.18	10.04	13.12	14.50
	802.11ax HE160	50	5250	9.39	8.78	12.11	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz UNII-2C	802.11a	100	5500	12.73	12.11	15.44	16.50
		104	5520	12.79	12.21	15.52	16.50
		108	5540	12.87	12.42	15.66	16.50
		112	5560	13.18	12.72	15.97	16.50
		116	5580	13.19	12.72	15.97	16.50
		120	5600	12.98	12.63	15.82	16.50
		124	5620	12.59	12.32	15.47	16.50
		128	5640	12.39	12.23	15.32	16.50
		132	5660	12.08	11.98	15.04	16.50
		136	5680	12.09	12.89	15.52	16.50
		140	5700	12.06	11.75	14.92	16.50
		144	5720	12.06	11.58	14.84	16.50
	802.11n HT20	100	5500	12.38	11.79	15.11	16.50
		104	5520	12.49	11.93	15.23	16.50
		108	5540	12.46	12.13	15.31	16.50
		112	5560	12.78	12.36	15.59	16.50
		116	5580	12.79	12.36	15.59	16.50
		120	5600	12.65	12.25	15.46	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10楼1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10楼1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 850 of 867

		124	5620	12.35	11.96	15.17	16.50
		128	5640	12.23	11.96	15.11	16.50
		132	5660	11.89	11.63	14.77	16.50
		136	5680	11.83	11.59	14.72	16.50
		140	5700	11.93	11.41	14.69	16.50
		144	5720	11.89	11.26	14.60	16.50
	802.11n HT40	102	5510	12.72	12.06	15.41	16.00
		110	5550	13.02	12.48	15.77	16.00
		118	5590	13.48	13.22	16.36	16.50
		126	5630	12.93	12.81	15.88	16.50
		134	5670	12.56	12.42	15.50	16.50
		142	5710	12.59	12.23	15.42	16.50
	802.11ac VHT20	100	5500	12.48	11.78	15.15	16.50
		104	5520	12.56	11.96	15.28	16.50
		108	5540	12.56	12.13	15.36	16.50
		112	5560	12.82	12.35	15.60	16.50
		116	5580	12.87	12.36	15.63	16.50
		120	5600	12.62	12.36	15.50	16.50
		124	5620	12.32	12.06	15.20	16.50
		128	5640	12.16	11.98	15.08	16.50
		132	5660	11.81	11.65	14.74	16.50
		136	5680	11.83	11.58	14.72	16.50
		140	5700	11.85	11.45	14.66	16.50
		144	5720	11.76	11.27	14.53	16.50
	802.11ac VHT40	102	5510	11.15	10.65	13.92	14.50
		110	5550	11.51	10.96	14.25	14.50
		118	5590	13.56	13.26	16.42	16.50
		126	5630	13.02	12.78	15.91	16.50
		134	5670	12.55	12.46	15.52	16.50
		142	5710	12.65	12.21	15.45	16.50
	802.11ac VHT80	106	5530	10.86	10.35	13.62	14.50
		122	5610	12.93	12.55	15.75	16.50
		138	5690	12.21	11.79	15.02	16.50
	802.11ac VHT160	114	5570	9.87	8.15	12.10	13.00
	802.11ax HE20	100	5500	12.45	11.73	15.12	16.50
		104	5520	12.49	11.98	15.25	16.50
		108	5540	12.59	12.11	15.37	16.50
		112	5560	12.86	12.28	15.59	16.50
		116	5580	12.93	12.39	15.68	16.50
		120	5600	12.63	12.26	15.46	16.50
		124	5620	12.32	12.06	15.20	16.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com or CS@sgs.com.cn.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch 116057 I (86-755) 8811 2053 I (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 I (86-755) 8811 2053 I (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 851 of 867

		128	5640	12.12	11.96	15.05	16.50
		132	5660	11.78	11.65	14.73	16.50
		136	5680	11.76	11.56	14.67	16.50
		140	5700	11.82	11.45	14.65	16.50
		144	5720	11.86	11.29	14.59	16.50
	802.11ax HE40	102	5510	12.69	11.87	15.31	16.00
		110	5550	13.06	12.22	15.67	16.00
		118	5590	13.56	12.85	16.23	16.50
		126	5630	13.02	12.51	15.78	16.50
		134	5670	12.53	12.06	15.31	16.50
	802.11ax HE80	142	5710	12.59	11.86	15.25	16.50
		106	5530	10.64	10.01	13.35	14.50
		122	5610	12.77	12.42	15.61	16.50
	802.11ax HE160	138	5690	12.12	11.75	14.95	16.50
		114	5570	10.04	9.53	12.80	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	14.49	13.66	17.11	19.00
		153	5765	14.29	13.36	16.86	19.00
		157	5785	14.08	13.76	16.93	19.00
		161	5805	13.92	14.09	17.02	19.00
		165	5825	13.83	13.89	16.87	19.00
	802.11n HT20	149	5745	14.18	13.48	16.85	19.00
		153	5765	14.15	13.43	16.82	19.00
		157	5785	13.96	13.63	16.81	19.00
		161	5805	13.76	13.86	16.82	19.00
		165	5825	13.86	13.76	16.82	19.00
	802.11n HT40	151	5755	15.23	14.15	17.73	19.00
		159	5795	14.62	15.05	17.85	19.00
	802.11ac VHT20	149	5745	14.25	13.58	16.94	19.00
		153	5765	14.19	13.36	16.81	19.00
		157	5785	13.95	13.66	16.82	19.00
		161	5805	13.76	13.83	16.81	19.00
		165	5825	13.72	13.95	16.85	19.00
	802.11ac VHT40	151	5755	15.17	14.18	17.71	19.00
		159	5795	14.63	15.03	17.84	19.00
	802.11ac VHT80	155	5775	14.56	14.02	17.31	19.00
	802.11ax HE20	149	5745	14.21	13.49	16.88	19.00
		153	5765	14.15	13.46	16.83	19.00
		157	5785	14.07	13.66	16.88	19.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS-Group@sgs.com.
 In China: 8-11, Min Sheng Road, Second Industrial Park, Shenzhen City, Guangdong, China. Tel: 86-755 8811 9443. Fax: 86-755 8811 9444. www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 电话: (86-755) 8811 9443 传真: (86-755) 8811 9444 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 852 of 867

		161	5805	13.76	13.83	16.81	19.00
		165	5825	13.75	13.88	16.83	19.00
	802.11ax HE40	151	5755	14.92	13.96	17.48	19.00
		159	5795	14.32	14.86	17.61	19.00
	802.11ax HE80	155	5775	14.51	13.79	17.18	19.00

WIFI 5G MIMO Level 2							
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	9.15	8.92	12.05	14.00
		40	5200	9.30	8.97	12.15	14.00
		44	5220	9.51	8.86	12.21	14.00
		48	5240	9.46	8.83	12.17	14.00
	802.11n HT20	36	5180	9.06	8.64	11.87	14.00
		40	5200	9.18	8.56	11.89	14.00
		44	5220	9.42	8.54	12.01	14.00
		48	5240	9.36	8.64	12.03	14.00
	802.11n HT40	38	5190	9.76	9.45	12.62	14.00
		46	5230	10.21	9.59	12.92	14.00
	802.11ac VHT20	36	5180	9.07	8.55	11.83	14.00
		40	5200	9.21	8.52	11.89	14.00
		44	5220	9.41	8.61	12.04	14.00
		48	5240	9.40	8.73	12.09	14.00
	802.11ac VHT40	38	5190	9.75	9.34	12.56	14.00
		46	5230	10.32	9.52	12.95	14.00
	802.11ac VHT80	42	5210	9.33	8.93	12.14	14.00
	802.11ax HE20	36	5180	8.83	8.69	11.77	14.00
		40	5200	9.05	8.64	11.86	14.00
		44	5220	9.19	8.66	11.94	14.00
		48	5240	9.09	8.54	11.83	14.00
	802.11ax HE40	38	5190	9.15	9.01	12.09	14.00
		46	5230	9.85	9.14	12.52	14.00
	802.11ax HE80	42	5210	9.33	8.78	12.07	14.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz U-NII-2A	802.11a	52	5260	10.57	9.85	13.24	14.00
		56	5280	10.16	9.69	12.94	14.00
		60	5300	10.52	9.82	13.19	14.00
		64	5320	9.57	9.19	12.39	14.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Certification@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 853 of 867

	802.11n HT20	52	5260	10.22	9.54	12.90	14.00
		56	5280	9.87	9.37	12.64	14.00
		60	5300	10.15	9.46	12.83	14.00
		64	5320	9.31	8.76	12.05	14.00
	802.11n HT40	54	5270	10.70	10.14	13.44	14.00
		62	5310	10.58	10.10	13.36	14.00
	802.11ac VHT20	52	5260	10.21	9.48	12.87	14.00
		56	5280	9.88	9.41	12.66	14.00
		60	5300	10.30	9.51	12.93	14.00
		64	5320	9.30	8.79	12.06	14.00
	802.11ac VHT40	54	5270	10.66	10.21	13.45	14.00
		62	5310	10.48	10.10	13.30	14.00
	802.11ac VHT80	58	5290	9.85	9.73	12.80	14.00
	802.11ac VHT160	50	5250	9.26	8.94	12.11	13.00
	802.11ax HE20	52	5260	10.31	9.42	12.90	14.00
		56	5280	9.88	9.41	12.66	14.00
		60	5300	10.21	9.55	12.90	14.00
		64	5320	9.33	8.94	12.15	14.00
	802.11ax HE40	54	5270	10.54	9.96	13.27	14.00
		62	5310	10.20	9.68	12.96	14.00
	802.11ax HE80	58	5290	9.68	9.55	12.63	14.00
	802.11ax HE160	50	5250	9.44	8.81	12.15	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz UNII-2C	802.11a	100	5500	9.77	9.18	12.50	13.50
		104	5520	9.85	9.32	12.60	13.50
		108	5540	9.96	9.44	12.72	13.50
		112	5560	10.23	9.73	13.00	13.50
		116	5580	10.32	9.78	13.07	13.50
		120	5600	10.01	9.68	12.86	13.50
		124	5620	9.58	9.40	12.50	13.50
		128	5640	9.47	9.18	12.34	13.50
		132	5660	9.17	9.07	12.13	13.50
		136	5680	9.20	9.99	12.62	13.50
		140	5700	9.06	8.79	11.94	13.50
		144	5720	9.10	8.62	11.88	13.50
	802.11n HT20	100	5500	9.39	8.81	12.12	13.50
		104	5520	9.51	8.99	12.27	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10楼1号广东 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10楼1号广东 邮编: 518057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 854 of 867

		108	5540	9.45	9.23	12.35	13.50
		112	5560	9.78	9.41	12.61	13.50
		116	5580	9.83	9.32	12.59	13.50
		120	5600	9.73	9.21	12.49	13.50
		124	5620	9.36	9.08	12.23	13.50
		128	5640	9.28	9.06	12.18	13.50
		132	5660	8.88	8.65	11.78	13.50
		136	5680	8.89	8.56	11.74	13.50
		140	5700	9.05	8.43	11.76	13.50
		144	5720	8.90	8.30	11.62	13.50
	802.11n HT40	102	5510	10.18	9.53	12.88	13.50
		110	5550	10.57	9.93	13.27	13.50
		118	5590	10.48	10.26	13.38	13.50
		126	5630	9.93	9.84	12.90	13.50
		134	5670	9.58	9.45	12.53	13.50
		142	5710	9.55	9.28	12.43	13.50
	802.11ac VHT20	100	5500	9.54	8.73	12.16	13.50
		104	5520	9.62	8.96	12.31	13.50
		108	5540	9.63	9.16	12.41	13.50
		112	5560	9.93	9.37	12.67	13.50
		116	5580	9.92	9.36	12.66	13.50
		120	5600	9.67	9.41	12.55	13.50
		124	5620	9.40	9.03	12.23	13.50
		128	5640	9.25	9.06	12.17	13.50
		132	5660	8.86	8.72	11.80	13.50
		136	5680	8.81	8.60	11.72	13.50
		140	5700	8.95	8.42	11.70	13.50
		144	5720	8.81	8.33	11.59	13.50
	802.11ac VHT40	102	5510	10.22	9.61	12.94	13.50
		110	5550	10.57	10.07	13.34	13.50
		118	5590	10.58	10.28	13.44	13.50
		126	5630	10.11	9.87	13.00	13.50
		134	5670	9.58	9.57	12.59	13.50
		142	5710	9.67	9.25	12.48	13.50
	802.11ac VHT80	106	5530	9.83	9.38	12.62	13.50
		122	5610	10.00	9.66	12.84	13.50
		138	5690	9.16	8.81	12.00	13.50
	802.11ac VHT160	114	5570	9.91	8.23	12.16	13.00
	802.11ax HE20	100	5500	9.43	8.78	12.13	13.50
		104	5520	9.49	9.01	12.27	13.50
		108	5540	9.64	9.22	12.45	13.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Couphack@sgs.com.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch, Company No. 516057 | (86-755) 8581 2053 | (86-755) 267 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 516057 | (86-755) 8581 2053 | (86-755) 267 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 855 of 867

		112	5560	9.90	9.35	12.64	13.50
		116	5580	9.98	9.46	12.74	13.50
		120	5600	9.64	9.38	12.52	13.50
		124	5620	9.36	9.16	12.27	13.50
		128	5640	9.17	9.01	12.10	13.50
		132	5660	8.85	8.68	11.78	13.50
		136	5680	8.73	8.62	11.69	13.50
		140	5700	8.82	8.51	11.68	13.50
		144	5720	8.98	8.29	11.66	13.50
	802.11ax HE40	102	5510	10.17	9.36	12.79	13.50
		110	5550	10.59	9.73	13.19	13.50
		118	5590	10.55	9.80	13.20	13.50
		126	5630	10.08	9.47	12.80	13.50
		134	5670	9.59	9.11	12.37	13.50
		142	5710	9.65	8.82	12.27	13.50
	802.11ax HE80	106	5530	9.70	9.02	12.38	13.50
		122	5610	9.77	9.55	12.67	13.50
		138	5690	9.21	8.83	12.03	13.50
	802.11ax HE160	114	5570	10.05	9.55	12.82	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	11.50	10.65	14.11	16.00
		153	5765	11.29	10.37	13.86	16.00
		157	5785	11.02	10.82	13.93	16.00
		161	5805	10.97	11.09	14.04	16.00
		165	5825	10.87	10.98	13.94	16.00
	802.11n HT20	149	5745	11.20	10.50	13.87	16.00
		153	5765	11.13	10.55	13.86	16.00
		157	5785	10.99	10.62	13.82	16.00
		161	5805	10.86	10.88	13.88	16.00
		165	5825	10.85	10.83	13.85	16.00
	802.11n HT40	151	5755	12.20	11.20	14.74	16.00
		159	5795	11.72	12.10	14.92	16.00
	802.11ac VHT20	149	5745	11.34	10.60	14.00	16.00
		153	5765	11.17	10.36	13.79	16.00
		157	5785	10.93	10.68	13.82	16.00
		161	5805	10.77	10.82	13.81	16.00
		165	5825	10.69	11.02	13.87	16.00
	802.11ac VHT40	151	5755	12.23	11.18	14.75	16.00
		159	5795	11.64	12.09	14.88	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CSG.Cert@csq.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 856 of 867

	802.11ac VHT80	155	5775	11.61	11.09	14.37	16.00
	802.11ax HE20	149	5745	11.27	10.52	13.92	16.00
		153	5765	11.14	10.55	13.87	16.00
		157	5785	11.12	10.67	13.91	16.00
		161	5805	10.71	10.79	13.76	16.00
		165	5825	10.81	10.93	13.88	16.00
	802.11ax HE40	151	5755	11.95	10.96	14.49	16.00
		159	5795	11.34	11.97	14.68	16.00
	802.11ax HE80	155	5775	11.62	10.73	14.21	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.psa.com/eng/terms-and-conditions>. Reference is made to the limitations of liability, exclusion and limitation clauses contained therein. This document is provided as a guide; the information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Client's instructions. If any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content in appearance of this document is unlawful and offenders may be prosecuted under the applicable laws. If otherwise stated the results shown in this test report refer only to the sample(s) tested and not to the material as a whole for 30 days after.

本報告已獲准於30天內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8907 1643.
 or email: CN.Dongchao@sgs.com
 在 厦 門 市 海 峽 科 技 園 區 第 二 期 第 二 十 八 號 樓 廣 東 分 公 司 516067 (86-755)28012030 (86-755)26710394 www.sgsgroup.com.cn
 中 國 · 廣 東 · 深 圳 市 龍 崗 區 科 技 園 區 中 區 A-10 樓 10 樓 廣 東 分 公 司 516067 (86-755)28012030 (86-755)26710394 sgs.china@sgs.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 857 of 867

WIFI 5G MIMO Level 3							
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	13.68	13.35	16.53	18.50
		40	5200	13.73	13.38	16.57	18.50
		44	5220	13.91	13.37	16.66	18.50
		48	5240	13.92	13.35	16.65	18.50
	802.11n HT20	36	5180	13.59	13.09	16.36	18.50
		40	5200	13.68	13.05	16.39	18.50
		44	5220	13.90	13.00	16.48	18.50
		48	5240	13.83	13.10	16.49	18.50
	802.11n HT40	38	5190	10.71	10.33	13.53	15.00
		46	5230	14.80	14.10	17.47	18.50
	802.11ac VHT20	36	5180	13.50	13.06	16.30	18.50
		40	5200	13.75	13.09	16.44	18.50
		44	5220	13.86	13.19	16.55	18.50
		48	5240	13.84	13.21	16.55	18.50
	802.11ac VHT40	38	5190	10.77	10.41	13.60	15.00
		46	5230	14.72	13.95	17.36	18.50
	802.11ac VHT80	42	5210	9.86	9.42	12.66	14.50
	802.11ax HE20	36	5180	13.31	13.15	16.24	18.50
		40	5200	13.57	13.22	16.41	18.50
		44	5220	13.76	13.09	16.45	18.50
		48	5240	13.62	13.08	16.37	18.50
	802.11ax HE40	38	5190	10.18	10.00	13.10	15.00
		46	5230	14.20	13.67	16.95	18.50
	802.11ax HE80	42	5210	9.79	9.34	12.58	14.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz U-NII-2A	802.11a	52	5260	15.10	14.30	17.73	18.50
		56	5280	14.77	14.23	17.52	18.50
		60	5300	14.98	14.28	17.65	18.50
		64	5320	14.08	13.72	16.91	18.50
	802.11n HT20	52	5260	14.74	14.03	17.41	18.50
		56	5280	14.46	13.84	17.17	18.50
		60	5300	14.71	13.99	17.38	18.50
		64	5320	13.83	13.32	16.59	18.50
		54	5270	11.70	11.13	14.43	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443 or email: CS@sgs.com or sgs@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 858 of 867

5GHz	802.11n HT40	62	5310	11.52	11.03	14.29	15.00
	802.11ac VHT20	52	5260	14.74	13.92	17.36	18.50
		56	5280	14.37	13.91	17.16	18.50
		60	5300	14.74	14.14	17.46	18.50
		64	5320	13.82	13.31	16.58	18.50
	802.11ac VHT40	54	5270	11.63	11.15	14.41	15.00
		62	5310	11.46	11.11	14.30	15.00
	802.11ac VHT80	58	5290	10.29	10.24	13.28	14.50
	802.11ac VHT160	50	5250	9.30	8.88	12.11	13.00
	802.11ax HE20	52	5260	14.77	14.00	17.41	18.50
		56	5280	14.41	13.94	17.19	18.50
		60	5300	14.75	14.11	17.45	18.50
		64	5320	13.84	13.35	16.61	18.50
	802.11ax HE40	54	5270	11.57	10.93	14.27	15.00
		62	5310	11.22	10.73	13.99	15.00
	802.11ax HE80	58	5290	10.15	10.01	13.09	14.50
	802.11ax HE160	50	5250	9.46	8.76	12.13	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz UNII-2C	802.11a	100	5500	14.75	14.11	17.45	18.50
		104	5520	14.76	14.26	17.53	18.50
		108	5540	14.93	14.46	17.71	18.50
		112	5560	15.18	14.77	17.99	18.50
		116	5580	15.16	14.69	17.94	18.50
		120	5600	15.00	14.64	17.83	18.50
		124	5620	14.58	14.29	17.45	18.50
		128	5640	14.42	14.24	17.34	18.50
		132	5660	14.11	14.03	17.08	18.50
		136	5680	14.11	14.89	17.53	18.50
		140	5700	14.07	13.75	16.92	18.50
		144	5720	14.03	13.61	16.84	18.50
	802.11n HT20	100	5500	14.43	13.81	17.14	18.50
		104	5520	14.52	13.94	17.25	18.50
		108	5540	14.51	14.11	17.32	18.50
		112	5560	14.85	14.34	17.61	18.50
		116	5580	14.83	14.43	17.64	18.50
		120	5600	14.71	14.29	17.52	18.50
		124	5620	14.37	14.04	17.22	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Cn@sgs.com.cn
 In China: 8-11, Malya Sector, Second Technical Park, Shenzhen, Guangdong, China 518057 T: (86-755) 8811 2053 F: (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-11栋1号 邮编: 518057 T: (86-755) 8811 2053 F: (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 859 of 867

		128	5640	14.30	13.99	17.16	18.50
		132	5660	13.89	13.69	16.80	18.50
		136	5680	13.82	13.60	16.72	18.50
		140	5700	13.95	13.45	16.72	18.50
		144	5720	13.90	13.25	16.60	18.50
		102	5510	12.69	12.11	15.42	16.00
		110	5550	13.09	12.50	15.82	16.00
		118	5590	15.47	15.30	18.40	18.50
	802.11n HT40	126	5630	14.95	14.86	17.92	18.50
		134	5670	14.55	14.46	17.52	18.50
		142	5710	14.58	14.28	17.44	18.50
		100	5500	14.56	13.77	17.19	18.50
	802.11ac VHT20	104	5520	14.64	13.96	17.32	18.50
		108	5540	14.60	14.15	17.39	18.50
		112	5560	14.86	14.34	17.62	18.50
		116	5580	14.94	14.41	17.69	18.50
	802.11ac VHT20	120	5600	14.67	14.34	17.52	18.50
		124	5620	14.35	14.13	17.25	18.50
		128	5640	14.19	13.95	17.08	18.50
		132	5660	13.89	13.70	16.81	18.50
	802.11ac VHT40	136	5680	13.83	13.58	16.72	18.50
		140	5700	13.93	13.42	16.69	18.50
		144	5720	13.79	13.30	16.56	18.50
		102	5510	11.12	10.64	13.90	14.50
	802.11ac VHT40	110	5550	11.58	10.99	14.31	14.50
		118	5590	15.55	15.26	18.42	18.50
		126	5630	15.03	14.83	17.94	18.50
		134	5670	14.60	14.49	17.56	18.50
	802.11ac VHT40	142	5710	14.68	14.20	17.46	18.50
		106	5530	10.89	10.38	13.65	14.50
		122	5610	14.99	14.59	17.80	18.50
		138	5690	14.25	13.82	17.05	18.50
	802.11ac VHT80	114	5570	9.89	8.12	12.10	13.00
		100	5500	14.43	13.71	17.10	18.50
		104	5520	14.57	13.96	17.29	18.50
		108	5540	14.57	14.09	17.35	18.50
	802.11ax HE20	112	5560	14.91	14.35	17.65	18.50
		116	5580	14.99	14.40	17.72	18.50
		120	5600	14.71	14.34	17.54	18.50
		124	5620	14.30	14.12	17.22	18.50
	802.11ax HE20	128	5640	14.18	13.97	17.09	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS.Cn@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch 116057 1 (86-755) 8811 2053 1 (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 1 (86-755) 8811 2053 1 (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 860 of 867

5GHz UNII-3		132	5660	13.85	13.65	16.76	18.50
		136	5680	13.83	13.53	16.69	18.50
		140	5700	13.85	13.48	16.68	18.50
		144	5720	13.90	13.33	16.63	18.50
	802.11ax HE40	102	5510	12.70	11.95	15.35	16.00
		110	5550	13.14	12.28	15.74	16.00
		118	5590	15.54	14.93	18.26	18.50
		126	5630	15.01	14.50	17.77	18.50
		134	5670	14.58	14.06	17.34	18.50
		142	5710	14.58	13.87	17.25	18.50
	802.11ax HE80	106	5530	10.72	10.05	13.41	14.50
		122	5610	14.83	14.49	17.67	18.50
		138	5690	14.09	13.80	16.96	18.50
	802.11ax HE160	114	5570	10.03	9.60	12.83	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	13.96	13.19	16.60	18.50
		153	5765	13.76	12.90	16.36	18.50
		157	5785	13.66	13.34	16.51	18.50
		161	5805	13.50	13.60	16.56	18.50
		165	5825	13.41	13.46	16.45	18.50
	802.11n HT20	149	5745	13.74	13.03	16.41	18.50
		153	5765	13.67	12.92	16.32	18.50
		157	5785	13.43	13.11	16.28	18.50
		161	5805	13.23	13.39	16.32	18.50
		165	5825	13.42	13.31	16.38	18.50
	802.11n HT40	151	5755	14.74	13.65	17.24	18.50
		159	5795	14.20	14.61	17.42	18.50
	802.11ac VHT20	149	5745	13.72	13.10	16.43	18.50
		153	5765	13.74	12.90	16.35	18.50
		157	5785	13.53	13.17	16.36	18.50
		161	5805	13.31	13.40	16.37	18.50
		165	5825	13.23	13.49	16.37	18.50
	802.11ac VHT40	151	5755	14.73	13.66	17.24	18.50
		159	5795	14.14	14.61	17.39	18.50
	802.11ac VHT80	155	5775	14.08	13.60	16.86	18.50
		149	5745	13.77	12.96	16.39	18.50
		153	5765	13.71	13.04	16.40	18.50
		157	5785	13.57	13.20	16.40	18.50
	802.11ax HE20	161	5805	13.31	13.33	16.33	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch 116057 1 (86-755) 8811 2053 1 (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号广东 邮编: 518057 1 (86-755) 8811 2053 1 (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 861 of 867

		165	5825	13.26	13.42	16.35	18.50
	802.11ax HE40	151	5755	14.39	13.45	16.96	18.50
		159	5795	13.79	14.35	17.09	18.50
	802.11ax HE80	155	5775	14.09	13.34	16.74	18.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS.Cn@sgs.com
 In China: 86-755 8581 9443, Shenzhen Technical Services (Shenzhen) Branch, Shenzhen, P.R. China 518057 | (86-755) 8581 2053 | (86-755) 2671 0594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8581 2053 | (86-755) 2671 0594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 862 of 867

WIFI 5G MIMO Level 4							
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	11.22	10.92	14.08	16.00
		40	5200	11.27	10.86	14.08	16.00
		44	5220	11.50	10.87	14.21	16.00
		48	5240	11.44	10.84	14.16	16.00
	802.11n HT20	36	5180	11.16	10.60	13.90	16.00
		40	5200	11.19	10.53	13.88	16.00
		44	5220	11.35	10.51	13.96	16.00
		48	5240	11.33	10.65	14.01	16.00
	802.11n HT40	38	5190	10.73	10.44	13.60	15.00
		46	5230	12.26	11.64	14.97	16.00
	802.11ac VHT20	36	5180	11.04	10.61	13.84	16.00
		40	5200	11.20	10.61	13.93	16.00
		44	5220	11.40	10.60	14.03	16.00
		48	5240	11.37	10.69	14.05	16.00
	802.11ac VHT40	38	5190	10.87	10.33	13.62	15.00
		46	5230	12.31	11.47	14.92	16.00
	802.11ac VHT80	42	5210	9.83	9.43	12.64	14.50
	802.11ax HE20	36	5180	10.85	10.60	13.74	16.00
		40	5200	11.08	10.67	13.89	16.00
		44	5220	11.23	10.61	13.94	16.00
		48	5240	11.19	10.60	13.92	16.00
	802.11ax HE40	38	5190	10.18	10.07	13.14	15.00
		46	5230	11.81	11.22	14.54	16.00
	802.11ax HE80	42	5210	9.79	9.36	12.59	14.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz U-NII-2A	802.11a	52	5260	12.60	11.78	15.22	16.00
		56	5280	12.18	11.62	14.92	16.00
		60	5300	12.48	11.80	15.16	16.00
		64	5320	11.62	11.19	14.42	16.00
	802.11n HT20	52	5260	12.28	11.62	14.97	16.00
		56	5280	11.95	11.44	14.71	16.00
		60	5300	12.18	11.48	14.85	16.00
		64	5320	11.23	10.82	14.04	16.00
		54	5270	11.66	11.16	14.43	15.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CSG.Certification@sgs.com

中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 863 of 867

	802.11n HT40	62	5310	11.55	11.04	14.31	15.00
	802.11ac VHT20	52	5260	12.30	11.40	14.88	16.00
		56	5280	11.88	11.39	14.65	16.00
		60	5300	12.31	11.55	14.96	16.00
		64	5320	11.38	10.86	14.14	16.00
	802.11ac VHT40	54	5270	11.73	11.10	14.44	15.00
		62	5310	11.43	11.14	14.30	15.00
	802.11ac VHT80	58	5290	10.26	10.25	13.27	14.50
	802.11ac VHT160	50	5250	9.24	8.88	12.07	13.00
	802.11ax HE20	52	5260	12.26	11.44	14.88	16.00
		56	5280	11.92	11.42	14.69	16.00
		60	5300	12.31	11.57	14.97	16.00
		64	5320	11.34	10.83	14.10	16.00
	802.11ax HE40	54	5270	11.50	10.90	14.22	15.00
		62	5310	11.28	10.66	13.99	15.00
	802.11ax HE80	58	5290	10.18	10.05	13.13	14.50
802.11ax HE160	50	5250	9.41	8.79	12.12	13.00	
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz UNII-2C	802.11a	100	5500	12.24	11.62	14.95	16.00
		104	5520	12.27	11.74	15.02	16.00
		108	5540	12.44	11.89	15.18	16.00
		112	5560	12.75	12.23	15.51	16.00
		116	5580	12.74	12.27	15.52	16.00
		120	5600	12.49	12.17	15.34	16.00
		124	5620	12.09	11.79	14.95	16.00
		128	5640	11.92	11.70	14.82	16.00
		132	5660	11.65	11.48	14.58	16.00
		136	5680	11.67	12.46	15.09	16.00
		140	5700	11.56	11.31	14.45	16.00
		144	5720	11.56	11.07	14.33	16.00
	802.11n HT20	100	5500	11.90	11.33	14.63	16.00
		104	5520	12.02	11.41	14.74	16.00
		108	5540	12.02	11.66	14.85	16.00
		112	5560	12.33	11.83	15.10	16.00
		116	5580	12.29	11.86	15.09	16.00
		120	5600	12.13	11.80	14.98	16.00
		124	5620	11.85	11.44	14.66	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at <http://www.spa.com.sg/terms-and-conditions>. Reference is made to the limitation of liability, exclusion and limitation clauses contained therein. This document is provided as a guide and information contained herein reflects the Company's findings at the time of its intervention prior to and within the limits of the Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content in appearance of this document is unlawful and offenders may be prosecuted under the applicable laws of Singapore. Otherwise stated the results shown in this test report refer only to the sample(s) tested and are not intended to be a basis for comparison for 30 days after.

本報告已於開辦後30日內有效。
 Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8947 1443.
 or email: CN.Doncosoft@epg.com
 在華南、SE Asia、Southeast Technology Park, Greater China, Greater Guangdong, China 516067 | (86-755) 2801 2030 | (86-755) 267 10394 | www.epggroup.com.cn
 中国·广东·深圳市南山区科技园中区A-10栋11楼广东·邮编: 516067 | (86-755) 2801 2030 | (86-755) 267 10394 | epgchina@epg.com

Member of the SGB Group (1988 SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 864 of 867

		128	5640	11.73	11.54	14.65	16.00
		132	5660	11.41	11.13	14.28	16.00
		136	5680	11.40	11.07	14.25	16.00
		140	5700	11.41	10.89	14.17	16.00
		144	5720	11.37	10.83	14.12	16.00
		102	5510	12.73	12.10	15.44	16.00
		110	5550	13.08	12.54	15.83	16.00
		118	5590	12.97	12.69	15.84	16.00
	802.11n HT40	126	5630	12.50	12.31	15.42	16.00
		134	5670	12.07	11.99	15.04	16.00
		142	5710	12.06	11.75	14.92	16.00
		100	5500	11.99	11.32	14.68	16.00
		104	5520	12.08	11.44	14.78	16.00
		108	5540	12.05	11.67	14.87	16.00
		112	5560	12.38	11.84	15.13	16.00
		116	5580	12.45	11.84	15.17	16.00
	802.11ac VHT20	120	5600	12.12	11.91	15.03	16.00
		124	5620	11.87	11.59	14.74	16.00
		128	5640	11.66	11.47	14.58	16.00
		132	5660	11.28	11.20	14.25	16.00
		136	5680	11.38	11.11	14.26	16.00
		140	5700	11.43	10.98	14.22	16.00
		144	5720	11.25	10.78	14.03	16.00
		102	5510	11.14	10.71	13.94	14.50
	802.11ac VHT40	110	5550	11.54	10.94	14.26	14.50
		118	5590	13.03	12.82	15.94	16.00
		126	5630	12.50	12.26	15.39	16.00
		134	5670	12.05	11.98	15.03	16.00
		142	5710	12.23	11.71	14.99	16.00
		106	5530	10.93	10.32	13.65	14.50
		122	5610	12.50	12.02	15.28	16.00
		138	5690	11.77	11.37	14.58	16.00
	802.11ac VHT80	114	5570	9.91	8.16	12.13	13.00
		100	5500	12.02	11.26	14.67	16.00
		104	5520	12.04	11.49	14.78	16.00
		108	5540	12.17	11.64	14.92	16.00
	802.11ac VHT160	112	5560	12.37	11.76	15.09	16.00
		116	5580	12.44	11.86	15.17	16.00
		120	5600	12.21	11.76	15.00	16.00
		124	5620	11.79	11.61	14.71	16.00
	802.11ax HE20	128	5640	11.67	11.50	14.60	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS.Cert@csz.sgs.com

Address: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6681 9443, or email: CS.Cert@csz.sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057
 Tel: (86-755) 6681 9443 Fax: (86-755) 267 0594 www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057
 Tel: (86-755) 6681 9443 Fax: (86-755) 267 0594 www.sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 865 of 867

		132	5660	11.32	11.12	14.23	16.00
		136	5680	11.28	11.12	14.21	16.00
		140	5700	11.30	10.96	14.14	16.00
		144	5720	11.34	10.86	14.12	16.00
	802.11ax HE40	102	5510	12.76	11.88	15.35	16.00
		110	5550	13.11	12.24	15.71	16.00
		118	5590	13.11	12.39	15.78	16.00
		126	5630	12.51	11.98	15.26	16.00
		134	5670	12.03	11.55	14.81	16.00
		142	5710	12.12	11.40	14.79	16.00
	802.11ax HE80	106	5530	10.70	9.98	13.37	14.50
		122	5610	12.33	11.96	15.16	16.00
		138	5690	11.63	11.32	14.49	16.00
	802.11ax HE160	114	5570	10.02	9.55	12.80	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Average Power (dBm)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	11.53	10.66	14.13	16.00
		153	5765	11.36	10.35	13.89	16.00
		157	5785	11.14	10.75	13.96	16.00
		161	5805	10.98	11.11	14.06	16.00
		165	5825	10.85	10.87	13.87	16.00
	802.11n HT20	149	5745	11.20	10.47	13.86	16.00
		153	5765	11.22	10.51	13.89	16.00
		157	5785	10.98	10.61	13.81	16.00
		161	5805	10.79	10.84	13.83	16.00
		165	5825	10.94	10.83	13.90	16.00
	802.11n HT40	151	5755	12.29	11.22	14.80	16.00
		159	5795	11.65	12.11	14.90	16.00
	802.11ac VHT20	149	5745	11.29	10.65	13.99	16.00
		153	5765	11.16	10.35	13.78	16.00
		157	5785	10.97	10.74	13.87	16.00
		161	5805	10.82	10.90	13.87	16.00
		165	5825	10.77	11.00	13.90	16.00
	802.11ac VHT40	151	5755	12.17	11.19	14.72	16.00
		159	5795	11.63	12.11	14.89	16.00
	802.11ac VHT80	155	5775	11.62	11.05	14.35	16.00
		149	5745	11.18	10.48	13.85	16.00
		153	5765	11.16	10.53	13.87	16.00
		157	5785	11.13	10.65	13.91	16.00
	802.11ax HE20	161	5805	10.73	10.84	13.80	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.cn/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 9443, or email: CS@sgs.com.cn

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 26710594 | sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01-A05 Rev. A/0 Aug 16,2024

Report No.: SZCR241200460902

Page: 866 of 867

		165	5825	10.72	10.89	13.82	16.00
	802.11ax HE40	151	5755	11.95	10.94	14.48	16.00
		159	5795	11.29	11.94	14.64	16.00
	802.11ax HE80	155	5775	11.58	10.85	14.24	16.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8581 9443, or email: CS@china.sgs.com
 In China: 86-755 8581 9443, Shenzhen Technical Services (Shenzhen) Branch, Guangzhou: 86-20 3166 6571 (86-755) 8801 2053 (86-755) 2671 0594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区8-10栋1号 广州 邮编: 516057 (86-755) 8801 2053 (86-755) 2671 0594 sgs.china@sgs.com

13.3 Conducted Power of Bluetooth

BT Ant 25		Average Conducted Power(dBm)					
Band	Channel	0CH	tune up	39CH	tune up	78CH	tune up
BT	GFSK	11.31	12.50	12.98	14.00	10.94	12.50
	$\pi/4$ DQPSK	10.88	12.00	12.14	13.00	10.54	11.50
	8DPSK	10.87	12.00	12.13	13.00	10.51	11.50
Band	Channel	0CH	tune up	19CH	tune up	39CH	tune up
BLE 1M	GFSK	7.23	9.50	9.39	10.00	7.96	9.00
BLE 2M	GFSK	7.64	9.50	9.55	10.00	8.13	9.00

BT Ant 22		Average Conducted Power(dBm)					
Band	Channel	0CH	tune up	39CH	tune up	78CH	tune up
BT	GFSK	10.95	12.50	11.85	13.00	10.01	12.00
	$\pi/4$ DQPSK	10.44	11.00	11.42	12.50	9.54	10.50
	8DPSK	10.42	11.00	11.40	12.50	9.54	10.50
Band	Channel	0CH	tune up	19CH	tune up	39CH	tune up
BLE 1M	GFSK	7.10	8.00	8.55	9.00	7.27	8.00
BLE 2M	GFSK	7.21	8.00	8.67	9.00	7.37	8.00

- End of the Appendix -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute proof of a transaction from exceeding all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8811 8443, or email: CSG.Cert@sgs.com

No. 10, Huayuan 2nd Road, Shenzhen Futian District, Shenzhen, China 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | www.sgs.com.cn
 中国·广东·深圳市福田区科技园中区8-10栋1号 邮编: 518057 | (86-755) 8811 2053 | (86-755) 2671 0504 | sgs.china@sgs.com