


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-52.01	-13	39.01	Pass	401
0.15	30	0.01	Peak	0.21	-53.01	-13	40.01	Pass	2986
30	500	0.1	Peak	353.7	-43.7	-13	30.7	Pass	4701
500	1000	0.1	Peak	824.1	33.15	-13	-46.15	N/A	5001
1000	10000	1	Peak	7839	-20.48	-13	7.48	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-51.42	-13	38.42	Pass	401
0.15	30	0.01	Peak	0.55	-53.85	-13	40.85	Pass	2986
30	500	0.1	Peak	410.6	-43.18	-13	30.18	Pass	4701
500	1000	0.1	Peak	836.5	33.18	-13	-46.18	N/A	5001
1000	10000	1	Peak	7635	-20.38	-13	7.38	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-53.59	-13	40.59	Pass	401
0.15	30	0.01	Peak	0.79	-53.64	-13	40.64	Pass	2986
30	500	0.1	Peak	382.7	-43.68	-13	30.68	Pass	4701
500	1000	0.1	Peak	848.9	32.33	-13	-45.33	N/A	5001
1000	10000	1	Peak	7016	-19.85	-13	6.85	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-53.59	-13	40.59	Pass	401
0.15	30	0.01	Peak	0.2	-60.21	-13	47.21	Pass	2986
30	1000	0.1	Peak	905.437	-48.8	-13	35.8	Pass	9701
1000	3000	1	Peak	1850	29.61	-13	-42.61	N/A	2001
3000	20000	1	Peak	19386	-40.04	-13	27.04	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-52.37	-13	39.37	Pass	401
0.15	30	0.01	Peak	0.19	-58.78	-13	45.78	Pass	2986
30	1000	0.1	Peak	892.429	-48.32	-13	35.32	Pass	9701
1000	3000	1	Peak	1881	26.98	-13	-39.98	N/A	2001
3000	20000	1	Peak	19422	-40.62	-13	27.62	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.38	-13	40.38	Pass	401
0.15	30	0.01	Peak	0.22	-61.14	-13	48.14	Pass	2986
30	1000	0.1	Peak	993.696	-48.73	-13	35.73	Pass	9701
1000	3000	1	Peak	1909	28.57	-13	-41.57	N/A	2001
3000	20000	1	Peak	19846	-40.08	-13	27.08	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-51.32	-13	38.32	Pass	401
0.15	30	0.01	Peak	0.17	-54.22	-13	41.22	Pass	2986
30	500	0.1	Peak	376	-43.44	-13	30.44	Pass	4701
500	1000	0.1	Peak	824.2	26.39	-13	-39.39	N/A	5001
1000	10000	1	Peak	7865	-20.32	-13	7.32	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-51.21	-13	38.21	Pass	401
0.15	30	0.01	Peak	0.16	-54.57	-13	41.57	Pass	2986
30	500	0.1	Peak	390.3	-43.76	-13	30.76	Pass	4701
500	1000	0.1	Peak	836.6	27.09	-13	-40.09	N/A	5001
1000	10000	1	Peak	6969	-19.46	-13	6.46	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-53.88	-13	40.88	Pass	401
0.15	30	0.01	Peak	0.28	-53.79	-13	40.79	Pass	2986
30	500	0.1	Peak	426.2	-43.59	-13	30.59	Pass	4701
500	1000	0.1	Peak	848.7	24.4	-13	-37.4	N/A	5001
1000	10000	1	Peak	6960	-20.42	-13	7.42	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-52.44	-13	39.44	Pass	401
0.15	30	0.01	Peak	0.24	-60.47	-13	47.47	Pass	2986
30	1000	0.1	Peak	970.681	-48.73	-13	35.73	Pass	9701
1000	3000	1	Peak	1850	29.13	-13	-42.13	N/A	2001
3000	20000	1	Peak	19915	-40.46	-13	27.46	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-53.13	-13	40.13	Pass	401
0.15	30	0.01	Peak	0.21	-59.64	-13	46.64	Pass	2986
30	1000	0.1	Peak	899.233	-48.94	-13	35.94	Pass	9701
1000	3000	1	Peak	1880	29.49	-13	-42.49	N/A	2001
3000	20000	1	Peak	19395	-39.94	-13	26.94	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-54.24	-13	41.24	Pass	401
0.15	30	0.01	Peak	0.5	-60.41	-13	47.41	Pass	2986
30	1000	0.1	Peak	873.416	-49.01	-13	36.01	Pass	9701
1000	3000	1	Peak	1910	27.27	-13	-40.27	N/A	2001
3000	20000	1	Peak	19909	-40.53	-13	27.53	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-53.61	-13	40.61	Pass	401
0.15	30	0.01	Peak	0.15	-63.91	-13	50.91	Pass	2986
30	1000	0.1	Peak	856.805	-52.6	-13	39.6	Pass	9701
1000	3000	1	Peak	1854	24.32	-13	-37.32	N/A	2001
3000	20000	1	Peak	19692	-22.64	-13	9.64	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-53.56	-13	40.56	Pass	401
0.15	30	0.01	Peak	0.33	-64.6	-13	51.6	Pass	2986
30	1000	0.1	Peak	770.5	-52.68	-13	39.68	Pass	9701
1000	3000	1	Peak	1881	24.35	-13	-37.35	N/A	2001
3000	20000	1	Peak	19999	-22.91	-13	9.91	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.3	-13	41.3	Pass	401
0.15	30	0.01	Peak	0.21	-63.52	-13	50.52	Pass	2986
30	1000	0.1	Peak	950.367	-52.71	-13	39.71	Pass	9701
1000	3000	1	Peak	1906	24.39	-13	-37.39	N/A	2001
3000	20000	1	Peak	19470	-23.32	-13	10.32	Pass	17003



2. WCDMA_Band4

2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.77	-13	41.77	Pass	401
0.15	30	0.01	Peak	0.21	-64.58	-13	51.58	Pass	2986
30	1000	0.1	Peak	873.416	-53.18	-13	40.18	Pass	9701
1000	3000	1	Peak	1714	24.32	-13	-37.32	N/A	2001
3000	20000	1	Peak	19624	-23.02	-13	10.02	Pass	17003



2.2. WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-53.76	-13	40.76	Pass	401
0.15	30	0.01	Peak	0.31	-63.93	-13	50.93	Pass	2986
30	1000	0.1	Peak	827.8	-52.73	-13	39.73	Pass	9701
1000	3000	1	Peak	1734	24.32	-13	-37.32	N/A	2001
3000	20000	1	Peak	19408	-22.52	-13	9.52	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-52.97	-13	39.97	Pass	401
0.15	30	0.01	Peak	0.22	-64.19	-13	51.19	Pass	2986
30	1000	0.1	Peak	830.2	-52.67	-13	39.67	Pass	9701
1000	3000	1	Peak	1752	24.33	-13	-37.33	N/A	2001
3000	20000	1	Peak	19746	-23.15	-13	10.15	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-52	-13	39	Pass	401
0.15	30	0.01	Peak	0.39	-64.12	-13	51.12	Pass	2986
30	500	0.1	Peak	364.4	-53.41	-13	40.41	Pass	4701
500	1000	0.1	Peak	827.1	18.09	-13	-31.09	N/A	5001
1000	10000	1	Peak	7599	-29.82	-13	16.82	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-52.64	-13	39.64	Pass	401
0.15	30	0.01	Peak	0.28	-64.39	-13	51.39	Pass	2986
30	500	0.1	Peak	381.6	-53.62	-13	40.62	Pass	4701
500	1000	0.1	Peak	835.6	18.19	-13	-31.19	N/A	5001
1000	10000	1	Peak	6961	-30.45	-13	17.45	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-52.84	-13	39.84	Pass	401
0.15	30	0.01	Peak	0.28	-64.22	-13	51.22	Pass	2986
30	500	0.1	Peak	456.4	-52.98	-13	39.98	Pass	4701
500	1000	0.1	Peak	847.2	19.42	-13	-32.42	N/A	5001
1000	10000	1	Peak	8785	-30.26	-13	17.26	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.15	-70.12	-13	57.12	Pass	2986
30	1000	0.1	RMS	849.8	-63.63	-13	50.63	Pass	9701
1000	1840	1	RMS	1840	-50.29	-13	37.29	Pass	841
1840	1920	1	RMS	1850.2	24.1	60	35.9	Pass	401
1920	3000	1	RMS	2959	-48.84	-13	35.84	Pass	1081
3000	12000	1	RMS	11845	-41.29	-13	28.29	Pass	9002
12000	20000	1	RMS	19408	-32.9	-13	19.9	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.41	-13	54.41	Pass	401
0.15	30	0.01	RMS	0.22	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	838.1	-63.62	-13	50.62	Pass	9701
1000	1840	1	RMS	1840	-50.69	-13	37.69	Pass	841
1840	1920	1	RMS	1850.2	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2961	-48.84	-13	35.84	Pass	1081
3000	12000	1	RMS	11852	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	19402	-32.91	-13	19.91	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.38	-13	54.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	852.702	-63.71	-13	50.71	Pass	9701
1000	1840	1	RMS	1838	-52.17	-13	39.17	Pass	841
1840	1920	1	RMS	1879.4	24.2	60	35.8	Pass	401
1920	3000	1	RMS	2958	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11858	-41.33	-13	28.33	Pass	9002
12000	20000	1	RMS	19400	-32.92	-13	19.92	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.69	-13	52.69	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	858.906	-63.63	-13	50.63	Pass	9701
1000	1840	1	RMS	1840	-52.23	-13	39.23	Pass	841
1840	1920	1	RMS	1879.4	23.09	60	36.91	Pass	401
1920	3000	1	RMS	2957	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11849	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19406	-32.88	-13	19.88	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.32	-13	53.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	825.7	-63.78	-13	50.78	Pass	9701
1000	1840	1	RMS	1839	-52.19	-13	39.19	Pass	841
1840	1920	1	RMS	1908.8	24.25	60	35.75	Pass	401
1920	3000	1	RMS	2952	-48.82	-13	35.82	Pass	1081
3000	12000	1	RMS	11849	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19408	-32.88	-13	19.88	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.83	-13	52.83	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	840.4	-63.73	-13	50.73	Pass	9701
1000	1840	1	RMS	1840	-52.22	-13	39.22	Pass	841
1840	1920	1	RMS	1908.8	23.57	60	36.43	Pass	401
1920	3000	1	RMS	2947	-48.86	-13	35.86	Pass	1081
3000	12000	1	RMS	11849	-41.26	-13	28.26	Pass	9002
12000	20000	1	RMS	19401	-32.91	-13	19.91	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.32	-13	54.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	858.206	-63.63	-13	50.63	Pass	9701
1000	1840	1	RMS	1840	-49.18	-13	36.18	Pass	841
1840	1920	1	RMS	1850.2	24.24	60	35.76	Pass	401
1920	3000	1	RMS	2955	-48.8	-13	35.8	Pass	1081
3000	12000	1	RMS	11844	-41.34	-13	28.34	Pass	9002
12000	20000	1	RMS	19399	-32.95	-13	19.95	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.51	-13	53.51	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	854.003	-63.76	-13	50.76	Pass	9701
1000	1840	1	RMS	1840	-49.47	-13	36.47	Pass	841
1840	1920	1	RMS	1850.2	23.48	60	36.52	Pass	401
1920	3000	1	RMS	2957	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11852	-41.17	-13	28.17	Pass	9002
12000	20000	1	RMS	19401	-32.89	-13	19.89	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.38	-13	53.38	Pass	401
0.15	30	0.01	RMS	0.19	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	837.6	-63.63	-13	50.63	Pass	9701
1000	1840	1	RMS	1840	-52.06	-13	39.06	Pass	841
1840	1920	1	RMS	1878.6	24.22	60	35.78	Pass	401
1920	3000	1	RMS	2957	-48.79	-13	35.79	Pass	1081
3000	12000	1	RMS	11851	-41.26	-13	28.26	Pass	9002
12000	20000	1	RMS	19404	-32.92	-13	19.92	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.02	-13	53.02	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	849.901	-63.67	-13	50.67	Pass	9701
1000	1840	1	RMS	1839	-52.09	-13	39.09	Pass	841
1840	1920	1	RMS	1878.6	23.17	60	36.83	Pass	401
1920	3000	1	RMS	2964	-48.9	-13	35.9	Pass	1081
3000	12000	1	RMS	11853	-41.31	-13	28.31	Pass	9002
12000	20000	1	RMS	19397	-32.87	-13	19.87	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.92	-13	53.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	853.903	-63.74	-13	50.74	Pass	9701
1000	1840	1	RMS	1810	-52.17	-13	39.17	Pass	841
1840	1920	1	RMS	1907.2	24.4	60	35.6	Pass	401
1920	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1081
3000	12000	1	RMS	11847	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19404	-32.74	-13	19.74	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.15	-13	54.15	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	832.1	-63.77	-13	50.77	Pass	9701
1000	1840	1	RMS	1837	-52.2	-13	39.2	Pass	841
1840	1920	1	RMS	1907.2	23.58	60	36.42	Pass	401
1920	3000	1	RMS	2955	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11847	-41.22	-13	28.22	Pass	9002
12000	20000	1	RMS	19402	-32.85	-13	19.85	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.33	-13	54.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	844.2	-63.55	-13	50.55	Pass	9701
1000	1840	1	RMS	1840	-49.31	-13	36.31	Pass	841
1840	1920	1	RMS	1850.2	24.27	60	35.73	Pass	401
1920	3000	1	RMS	2946	-48.82	-13	35.82	Pass	1081
3000	12000	1	RMS	11859	-41.28	-13	28.28	Pass	9002
12000	20000	1	RMS	19414	-32.93	-13	19.93	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.75	-13	53.75	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	863.51	-63.71	-13	50.71	Pass	9701
1000	1840	1	RMS	1840	-49.69	-13	36.69	Pass	841
1840	1920	1	RMS	1850.2	23	60	37	Pass	401
1920	3000	1	RMS	2958	-48.81	-13	35.81	Pass	1081
3000	12000	1	RMS	11844	-41.3	-13	28.3	Pass	9002
12000	20000	1	RMS	19398	-32.86	-13	19.86	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.59	-13	53.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	844.8	-63.62	-13	50.62	Pass	9701
1000	1840	1	RMS	1839	-52.05	-13	39.05	Pass	841
1840	1920	1	RMS	1877.8	23.99	60	36.01	Pass	401
1920	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1081
3000	12000	1	RMS	11846	-41.28	-13	28.28	Pass	9002
12000	20000	1	RMS	19409	-32.89	-13	19.89	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.81	-13	54.81	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	853.503	-63.63	-13	50.63	Pass	9701
1000	1840	1	RMS	1840	-52.07	-13	39.07	Pass	841
1840	1920	1	RMS	1877.8	23.03	60	36.97	Pass	401
1920	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1081
3000	12000	1	RMS	11848	-41.24	-13	28.24	Pass	9002
12000	20000	1	RMS	19406	-32.86	-13	19.86	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.23	-13	53.23	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	860.808	-63.71	-13	50.71	Pass	9701
1000	1840	1	RMS	1839	-52.14	-13	39.14	Pass	841
1840	1920	1	RMS	1905.2	24.01	60	35.99	Pass	401
1920	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1081
3000	12000	1	RMS	11858	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	19400	-32.88	-13	19.88	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.78	-13	51.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	858.706	-63.69	-13	50.69	Pass	9701
1000	1840	1	RMS	1838	-52.21	-13	39.21	Pass	841
1840	1920	1	RMS	1905.2	23.06	60	36.94	Pass	401
1920	3000	1	RMS	2954	-48.88	-13	35.88	Pass	1081
3000	12000	1	RMS	11846	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	19402	-32.89	-13	19.89	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	842.1	-63.71	-13	50.71	Pass	9701
1000	1840	1	RMS	1840	-48.81	-13	35.81	Pass	841
1840	1920	1	RMS	1850.4	24.02	60	35.98	Pass	401
1920	3000	1	RMS	2957	-48.79	-13	35.79	Pass	1081
3000	12000	1	RMS	11853	-41.28	-13	28.28	Pass	9002
12000	20000	1	RMS	19404	-32.89	-13	19.89	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.35	-13	53.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	841.6	-63.74	-13	50.74	Pass	9701
1000	1840	1	RMS	1840	-49.37	-13	36.37	Pass	841
1840	1920	1	RMS	1850.4	22.84	60	37.16	Pass	401
1920	3000	1	RMS	2946	-48.88	-13	35.88	Pass	1081
3000	12000	1	RMS	11847	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	19401	-32.89	-13	19.89	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67	-13	54	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	57.42	Pass	2986
30	1000	0.1	RMS	850.401	-63.7	-13	50.7	Pass	9701
1000	1840	1	RMS	1840	-52.02	-13	39.02	Pass	841
1840	1920	1	RMS	1875.4	24.18	60	35.82	Pass	401
1920	3000	1	RMS	2953	-48.81	-13	35.81	Pass	1081
3000	12000	1	RMS	11852	-41.28	-13	28.28	Pass	9002
12000	20000	1	RMS	19398	-32.92	-13	19.92	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.81	-13	52.81	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	863.209	-63.67	-13	50.67	Pass	9701
1000	1840	1	RMS	1840	-51.98	-13	38.98	Pass	841
1840	1920	1	RMS	1875.4	23.06	60	36.94	Pass	401
1920	3000	1	RMS	2958	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11840	-41.24	-13	28.24	Pass	9002
12000	20000	1	RMS	19412	-32.84	-13	19.84	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	853.503	-63.65	-13	50.65	Pass	9701
1000	1840	1	RMS	1840	-52.17	-13	39.17	Pass	841
1840	1920	1	RMS	1900.4	23.97	60	36.03	Pass	401
1920	3000	1	RMS	2954	-48.82	-13	35.82	Pass	1081
3000	12000	1	RMS	11848	-41.31	-13	28.31	Pass	9002
12000	20000	1	RMS	19405	-32.84	-13	19.84	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.95	-13	52.95	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-13	57.9	Pass	2986
30	1000	0.1	RMS	841.4	-63.55	-13	50.55	Pass	9701
1000	1840	1	RMS	1839	-52.18	-13	39.18	Pass	841
1840	1920	1	RMS	1900.4	23.56	60	36.44	Pass	401
1920	3000	1	RMS	2948	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11850	-41.29	-13	28.29	Pass	9002
12000	20000	1	RMS	19403	-32.92	-13	19.92	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.54	-13	53.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	833.7	-63.67	-13	50.67	Pass	9701
1000	1840	1	RMS	1838	-36.96	-13	23.96	Pass	841
1840	1920	1	RMS	1850.8	23.98	60	36.02	Pass	401
1920	3000	1	RMS	2957	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11851	-41.28	-13	28.28	Pass	9002
12000	20000	1	RMS	19400	-32.89	-13	19.89	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.21	-13	53.21	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	833.9	-63.76	-13	50.76	Pass	9701
1000	1840	1	RMS	1837	-38.21	-13	25.21	Pass	841
1840	1920	1	RMS	1850.8	23.48	60	36.52	Pass	401
1920	3000	1	RMS	2950	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11832	-41.27	-13	28.27	Pass	9002
12000	20000	1	RMS	19400	-32.87	-13	19.87	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.24	-13	54.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	836.7	-63.7	-13	50.7	Pass	9701
1000	1840	1	RMS	1840	-51.69	-13	38.69	Pass	841
1840	1920	1	RMS	1873.2	24.36	60	35.64	Pass	401
1920	3000	1	RMS	2958	-48.78	-13	35.78	Pass	1081
3000	12000	1	RMS	11849	-41.26	-13	28.26	Pass	9002
12000	20000	1	RMS	19404	-32.85	-13	19.85	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.76	-13	52.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	842	-63.58	-13	50.58	Pass	9701
1000	1840	1	RMS	1840	-51.78	-13	38.78	Pass	841
1840	1920	1	RMS	1873.2	23.62	60	36.38	Pass	401
1920	3000	1	RMS	2961	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11848	-41.27	-13	28.27	Pass	9002
12000	20000	1	RMS	19398	-32.88	-13	19.88	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.03	-13	55.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	846.5	-63.57	-13	50.57	Pass	9701
1000	1840	1	RMS	1835	-52.07	-13	39.07	Pass	841
1840	1920	1	RMS	1895.8	24.51	60	35.49	Pass	401
1920	3000	1	RMS	2958	-48.77	-13	35.77	Pass	1081
3000	12000	1	RMS	11855	-41.18	-13	28.18	Pass	9002
12000	20000	1	RMS	19406	-32.92	-13	19.92	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.02	-13	53.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	850.801	-63.71	-13	50.71	Pass	9701
1000	1840	1	RMS	1834	-52.14	-13	39.14	Pass	841
1840	1920	1	RMS	1895.8	23.67	60	36.33	Pass	401
1920	3000	1	RMS	2959	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11847	-41.27	-13	28.27	Pass	9002
12000	20000	1	RMS	19402	-32.89	-13	19.89	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.44	-13	53.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	855.004	-63.76	-13	50.76	Pass	9701
1000	1840	1	RMS	1833	-41.17	-13	28.17	Pass	841
1840	1920	1	RMS	1851	24.24	60	35.76	Pass	401
1920	3000	1	RMS	2961	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11843	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19401	-32.84	-13	19.84	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.1	-13	53.1	Pass	401
0.15	30	0.01	RMS	0.21	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	851.201	-63.73	-13	50.73	Pass	9701
1000	1840	1	RMS	1833	-44.07	-13	31.07	Pass	841
1840	1920	1	RMS	1851	23	60	37	Pass	401
1920	3000	1	RMS	2957	-48.79	-13	35.79	Pass	1081
3000	12000	1	RMS	11847	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	19393	-32.91	-13	19.91	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.17	-13	52.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	845.4	-63.62	-13	50.62	Pass	9701
1000	1840	1	RMS	1836	-50.22	-13	37.22	Pass	841
1840	1920	1	RMS	1871	24.37	60	35.63	Pass	401
1920	3000	1	RMS	2958	-48.79	-13	35.79	Pass	1081
3000	12000	1	RMS	11840	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	19397	-32.91	-13	19.91	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.78	-13	53.78	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	843	-63.75	-13	50.75	Pass	9701
1000	1840	1	RMS	1836	-50.79	-13	37.79	Pass	841
1840	1920	1	RMS	1871	23.16	60	36.84	Pass	401
1920	3000	1	RMS	2954	-48.82	-13	35.82	Pass	1081
3000	12000	1	RMS	11844	-41.3	-13	28.3	Pass	9002
12000	20000	1	RMS	19400	-32.85	-13	19.85	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.84	-13	53.84	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	57.65	Pass	2986
30	1000	0.1	RMS	848.3	-63.66	-13	50.66	Pass	9701
1000	1840	1	RMS	1838	-52.11	-13	39.11	Pass	841
1840	1920	1	RMS	1891	24.1	60	35.9	Pass	401
1920	3000	1	RMS	2957	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11849	-41.29	-13	28.29	Pass	9002
12000	20000	1	RMS	19412	-32.92	-13	19.92	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.21	-13	53.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	855.905	-63.66	-13	50.66	Pass	9701
1000	1840	1	RMS	1840	-52.09	-13	39.09	Pass	841
1840	1920	1	RMS	1891	23.61	60	36.39	Pass	401
1920	3000	1	RMS	2949	-48.82	-13	35.82	Pass	1081
3000	12000	1	RMS	11846	-41.13	-13	28.13	Pass	9002
12000	20000	1	RMS	19399	-32.93	-13	19.93	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.73	-13	53.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	855.804	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1700	-50.2	-13	37.2	Pass	701
1700	1765	1	RMS	1710.238	23.66	60	36.34	Pass	401
1765	3000	1	RMS	2946	-48.8	-13	35.8	Pass	1236
3000	12000	1	RMS	11845	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	19403	-32.86	-13	19.86	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	836.8	-63.66	-13	50.66	Pass	9701
1000	1700	1	RMS	1700	-46.39	-13	33.39	Pass	701
1700	1765	1	RMS	1710.238	23.68	60	36.32	Pass	401
1765	3000	1	RMS	2955	-48.83	-13	35.83	Pass	1236
3000	12000	1	RMS	11848	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19401	-32.86	-13	19.86	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.32	-13	53.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	831.7	-63.73	-13	50.73	Pass	9701
1000	1700	1	RMS	1700	-52.27	-13	39.27	Pass	701
1700	1765	1	RMS	1732.013	23.59	60	36.41	Pass	401
1765	3000	1	RMS	2958	-48.8	-13	35.8	Pass	1236
3000	12000	1	RMS	11851	-41.28	-13	28.28	Pass	9002
12000	20000	1	RMS	19402	-32.88	-13	19.88	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.88	-13	53.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	843.4	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1698	-52.31	-13	39.31	Pass	701
1700	1765	1	RMS	1732.013	23.46	60	36.54	Pass	401
1765	3000	1	RMS	2962	-48.84	-13	35.84	Pass	1236
3000	12000	1	RMS	11834	-41.26	-13	28.26	Pass	9002
12000	20000	1	RMS	19395	-32.89	-13	19.89	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.8	-13	51.8	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	849.8	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1696	-52.34	-13	39.34	Pass	701
1700	1765	1	RMS	1753.788	23.73	60	36.27	Pass	401
1765	3000	1	RMS	2962	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11850	-41.17	-13	28.17	Pass	9002
12000	20000	1	RMS	19397	-32.9	-13	19.9	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.52	-13	53.52	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	57.81	Pass	2986
30	1000	0.1	RMS	851.402	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1696	-52.39	-13	39.39	Pass	701
1700	1765	1	RMS	1753.788	23.49	60	36.51	Pass	401
1765	3000	1	RMS	1766	-48.65	-13	35.65	Pass	1236
3000	12000	1	RMS	11852	-41.29	-13	28.29	Pass	9002
12000	20000	1	RMS	19404	-32.89	-13	19.89	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.05	-13	54.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	848.3	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1700	-48.92	-13	35.92	Pass	701
1700	1765	1	RMS	1710.238	23.72	60	36.28	Pass	401
1765	3000	1	RMS	2959	-48.85	-13	35.85	Pass	1236
3000	12000	1	RMS	11852	-41.27	-13	28.27	Pass	9002
12000	20000	1	RMS	19402	-32.9	-13	19.9	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.99	-13	53.99	Pass	401
0.15	30	0.01	RMS	0.17	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	849.8	-63.55	-13	50.55	Pass	9701
1000	1700	1	RMS	1700	-48.83	-13	35.83	Pass	701
1700	1765	1	RMS	1710.238	23.65	60	36.35	Pass	401
1765	3000	1	RMS	2956	-48.85	-13	35.85	Pass	1236
3000	12000	1	RMS	11850	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	19406	-32.88	-13	19.88	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.87	-13	53.87	Pass	401
0.15	30	0.01	RMS	0.19	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	847.1	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1700	-51.95	-13	38.95	Pass	701
1700	1765	1	RMS	1731.038	23.75	60	36.25	Pass	401
1765	3000	1	RMS	2957	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11852	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19397	-32.86	-13	19.86	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.06	-13	54.06	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	831.7	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1699	-52.06	-13	39.06	Pass	701
1700	1765	1	RMS	1731.2	23.47	60	36.53	Pass	401
1765	3000	1	RMS	2960	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11853	-41.16	-13	28.16	Pass	9002
12000	20000	1	RMS	19404	-32.92	-13	19.92	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.26	-13	52.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	840.6	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1700	-52.4	-13	39.4	Pass	701
1700	1765	1	RMS	1752.163	23.8	60	36.2	Pass	401
1765	3000	1	RMS	2961	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11847	-41.24	-13	28.24	Pass	9002
12000	20000	1	RMS	19402	-32.91	-13	19.91	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.34	-13	53.34	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	856.005	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1700	-52.37	-13	39.37	Pass	701
1700	1765	1	RMS	1752.163	23.62	60	36.38	Pass	401
1765	3000	1	RMS	2958	-48.78	-13	35.78	Pass	1236
3000	12000	1	RMS	11856	-41.28	-13	28.28	Pass	9002
12000	20000	1	RMS	19402	-32.83	-13	19.83	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.3	-13	53.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	838.8	-63.63	-13	50.63	Pass	9701
1000	1700	1	RMS	1700	-49	-13	36	Pass	701
1700	1765	1	RMS	1710.238	23.78	60	36.22	Pass	401
1765	3000	1	RMS	2945	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11850	-41.27	-13	28.27	Pass	9002
12000	20000	1	RMS	19412	-32.92	-13	19.92	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.33	-13	53.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	843.3	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1700	-49.32	-13	36.32	Pass	701
1700	1765	1	RMS	1710.238	23.09	60	36.91	Pass	401
1765	3000	1	RMS	2958	-48.78	-13	35.78	Pass	1236
3000	12000	1	RMS	11843	-41.32	-13	28.32	Pass	9002
12000	20000	1	RMS	19407	-32.91	-13	19.91	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.13	-13	53.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	851.001	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1700	-51.96	-13	38.96	Pass	701
1700	1765	1	RMS	1730.225	23.5	60	36.5	Pass	401
1765	3000	1	RMS	2962	-48.83	-13	35.83	Pass	1236
3000	12000	1	RMS	11862	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19400	-32.93	-13	19.93	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.57	-13	53.57	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	844.9	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1700	-52.06	-13	39.06	Pass	701
1700	1765	1	RMS	1730.225	22.92	60	37.08	Pass	401
1765	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1236
3000	12000	1	RMS	11853	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19399	-32.92	-13	19.92	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.96	-13	52.96	Pass	401
0.15	30	0.01	RMS	0.26	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	826.1	-63.71	-13	50.71	Pass	9701
1000	1700	1	RMS	1699	-52.33	-13	39.33	Pass	701
1700	1765	1	RMS	1750.213	23.65	60	36.35	Pass	401
1765	3000	1	RMS	2958	-48.81	-13	35.81	Pass	1236
3000	12000	1	RMS	11850	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	19405	-32.86	-13	19.86	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.31	-13	53.31	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-13	57.57	Pass	2986
30	1000	0.1	RMS	858.506	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1699	-52.35	-13	39.35	Pass	701
1700	1765	1	RMS	1750.213	23	60	37	Pass	401
1765	3000	1	RMS	2949	-48.8	-13	35.8	Pass	1236
3000	12000	1	RMS	11845	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19395	-32.89	-13	19.89	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.67	-13	53.67	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	57.67	Pass	2986
30	1000	0.1	RMS	845.1	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1700	-48.81	-13	35.81	Pass	701
1700	1765	1	RMS	1710.563	23.65	60	36.35	Pass	401
1765	3000	1	RMS	2959	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11850	-41.19	-13	28.19	Pass	9002
12000	20000	1	RMS	19406	-32.87	-13	19.87	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.21	-13	52.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	854.203	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1700	-48.89	-13	35.89	Pass	701
1700	1765	1	RMS	1710.563	23.16	60	36.84	Pass	401
1765	3000	1	RMS	2956	-48.83	-13	35.83	Pass	1236
3000	12000	1	RMS	11835	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19400	-32.85	-13	19.85	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.73	-13	53.73	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	855.504	-63.73	-13	50.73	Pass	9701
1000	1700	1	RMS	1698	-52.04	-13	39.04	Pass	701
1700	1765	1	RMS	1727.95	23.57	60	36.43	Pass	401
1765	3000	1	RMS	2957	-48.75	-13	35.75	Pass	1236
3000	12000	1	RMS	11851	-41.16	-13	28.16	Pass	9002
12000	20000	1	RMS	19402	-32.9	-13	19.9	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.38	-13	53.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	845.5	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1700	-51.99	-13	38.99	Pass	701
1700	1765	1	RMS	1727.95	22.99	60	37.01	Pass	401
1765	3000	1	RMS	2949	-48.86	-13	35.86	Pass	1236
3000	12000	1	RMS	11846	-41.29	-13	28.29	Pass	9002
12000	20000	1	RMS	19401	-32.83	-13	19.83	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.92	-13	52.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	848.7	-63.63	-13	50.63	Pass	9701
1000	1700	1	RMS	1700	-52.29	-13	39.29	Pass	701
1700	1765	1	RMS	1745.5	23.58	60	36.42	Pass	401
1765	3000	1	RMS	2954	-48.78	-13	35.78	Pass	1236
3000	12000	1	RMS	11847	-41.24	-13	28.24	Pass	9002
12000	20000	1	RMS	19401	-32.85	-13	19.85	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	830	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1697	-52.32	-13	39.32	Pass	701
1700	1765	1	RMS	1745.5	23.66	60	36.34	Pass	401
1765	3000	1	RMS	2954	-48.74	-13	35.74	Pass	1236
3000	12000	1	RMS	11849	-41.19	-13	28.19	Pass	9002
12000	20000	1	RMS	19400	-32.89	-13	19.89	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.32	-13	53.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	855.404	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1697	-37.88	-13	24.88	Pass	701
1700	1765	1	RMS	1710.725	24.06	60	35.94	Pass	401
1765	3000	1	RMS	1772	-48.37	-13	35.37	Pass	1236
3000	12000	1	RMS	11844	-41.27	-13	28.27	Pass	9002
12000	20000	1	RMS	19406	-32.85	-13	19.85	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.81	-13	52.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	861.408	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1698	-35.73	-13	22.73	Pass	701
1700	1765	1	RMS	1710.725	23.63	60	36.37	Pass	401
1765	3000	1	RMS	2959	-48.74	-13	35.74	Pass	1236
3000	12000	1	RMS	11845	-41.27	-13	28.27	Pass	9002
12000	20000	1	RMS	19397	-32.81	-13	19.81	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.99	-13	53.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	833.6	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1699	-49.93	-13	36.93	Pass	701
1700	1765	1	RMS	1725.838	23.88	60	36.12	Pass	401
1765	3000	1	RMS	2946	-48.85	-13	35.85	Pass	1236
3000	12000	1	RMS	11852	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	19409	-32.95	-13	19.95	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.93	-13	52.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	848.2	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1699	-48.27	-13	35.27	Pass	701
1700	1765	1	RMS	1725.675	23.51	60	36.49	Pass	401
1765	3000	1	RMS	2957	-48.86	-13	35.86	Pass	1236
3000	12000	1	RMS	11852	-41.3	-13	28.3	Pass	9002
12000	20000	1	RMS	19405	-32.87	-13	19.87	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.53	-13	53.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	820.1	-63.58	-13	50.58	Pass	9701
1000	1700	1	RMS	1700	-52.13	-13	39.13	Pass	701
1700	1765	1	RMS	1740.788	23.77	60	36.23	Pass	401
1765	3000	1	RMS	1767	-40.56	-13	27.56	Pass	1236
3000	12000	1	RMS	11855	-41.21	-13	28.21	Pass	9002
12000	20000	1	RMS	19402	-32.91	-13	19.91	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.2	-13	53.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	852.602	-63.71	-13	50.71	Pass	9701
1000	1700	1	RMS	1699	-52.22	-13	39.22	Pass	701
1700	1765	1	RMS	1740.788	23.68	60	36.32	Pass	401
1765	3000	1	RMS	1767	-40.36	-13	27.36	Pass	1236
3000	12000	1	RMS	11842	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	19400	-32.8	-13	19.8	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67	-13	54	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	852.302	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1693	-37.85	-13	24.85	Pass	701
1700	1765	1	RMS	1711.05	23.91	60	36.09	Pass	401
1765	3000	1	RMS	1773	-41.59	-13	28.59	Pass	1236
3000	12000	1	RMS	11855	-41.13	-13	28.13	Pass	9002
12000	20000	1	RMS	19399	-32.87	-13	19.87	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.79	-13	52.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	855.804	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1693	-36.44	-13	23.44	Pass	701
1700	1765	1	RMS	1711.05	23.67	60	36.33	Pass	401
1765	3000	1	RMS	1773	-42.18	-13	29.18	Pass	1236
3000	12000	1	RMS	11839	-41.21	-13	28.21	Pass	9002
12000	20000	1	RMS	19406	-32.85	-13	19.85	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	839.5	-63.64	-13	50.64	Pass	9701
1000	1700	1	RMS	1700	-51.48	-13	38.48	Pass	701
1700	1765	1	RMS	1723.563	23.66	60	36.34	Pass	401
1765	3000	1	RMS	1785	-41.45	-13	28.45	Pass	1236
3000	12000	1	RMS	11842	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	19404	-32.91	-13	19.91	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.45	-13	52.45	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	57.83	Pass	2986
30	1000	0.1	RMS	846.1	-63.69	-13	50.69	Pass	9701
1000	1700	1	RMS	1698	-49.96	-13	36.96	Pass	701
1700	1765	1	RMS	1723.563	23.12	60	36.88	Pass	401
1765	3000	1	RMS	1785	-42.03	-13	29.03	Pass	1236
3000	12000	1	RMS	11858	-41.29	-13	28.29	Pass	9002
12000	20000	1	RMS	19411	-32.91	-13	19.91	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.06	-13	54.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	847	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	37.85	Pass	701
1700	1765	1	RMS	1736.075	23.6	60	36.4	Pass	401
1765	3000	1	RMS	1772	-37.85	-13	24.85	Pass	1236
3000	12000	1	RMS	11852	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19405	-32.92	-13	19.92	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.63	-13	52.63	Pass	401
0.15	30	0.01	RMS	0.15	-70.1	-13	57.1	Pass	2986
30	1000	0.1	RMS	860.808	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1700	-50.6	-13	37.6	Pass	701
1700	1765	1	RMS	1735.913	22.99	60	37.01	Pass	401
1765	3000	1	RMS	1772	-37.12	-13	24.12	Pass	1236
3000	12000	1	RMS	11850	-41.28	-13	28.28	Pass	9002
12000	20000	1	RMS	19401	-32.89	-13	19.89	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.31	-13	51.31	Pass	401
0.15	30	0.01	RMS	0.18	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.5	-61.87	-13	48.87	Pass	7841
814	860	0.1	RMS	824.2	21.12	60	38.88	Pass	461
860	1000	0.1	RMS	873.1	-63.84	-13	50.84	Pass	1401
1000	3000	1	RMS	1648	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	6961	-42.07	-13	29.07	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.61	-13	54.61	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	814	0.1	RMS	813.5	-62.43	-13	49.43	Pass	7841
814	860	0.1	RMS	824.2	20.24	60	39.76	Pass	461
860	1000	0.1	RMS	870.4	-63.78	-13	50.78	Pass	1401
1000	3000	1	RMS	1648	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6961	-41.93	-13	28.93	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.59	-13	52.59	Pass	401
0.15	30	0.01	RMS	0.17	-71.43	-13	58.43	Pass	2986
30	814	0.1	RMS	810	-63.9	-13	50.9	Pass	7841
814	860	0.1	RMS	836.1	20.92	60	39.08	Pass	461
860	1000	0.1	RMS	963.9	-63.74	-13	50.74	Pass	1401
1000	3000	1	RMS	1672	-43.9	-13	30.9	Pass	2001
3000	10000	1	RMS	6959	-42.09	-13	29.09	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.8	-13	52.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	814	0.1	RMS	810.1	-63.71	-13	50.71	Pass	7841
814	860	0.1	RMS	836	19.91	60	40.09	Pass	461
860	1000	0.1	RMS	869.1	-63.83	-13	50.83	Pass	1401
1000	3000	1	RMS	1672	-45.02	-13	32.02	Pass	2001
3000	10000	1	RMS	7203	-42.1	-13	29.1	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.49	-13	51.49	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	814	0.1	RMS	812.6	-64.02	-13	51.02	Pass	7841
814	860	0.1	RMS	847.9	20.73	60	39.27	Pass	461
860	1000	0.1	RMS	862.1	-63.73	-13	50.73	Pass	1401
1000	3000	1	RMS	1695	-44.63	-13	31.63	Pass	2001
3000	10000	1	RMS	6957	-42.13	-13	29.13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.86	-13	51.86	Pass	401
0.15	30	0.01	RMS	0.19	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	806.7	-64	-13	51	Pass	7841
814	860	0.1	RMS	847.8	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	921.9	-63.8	-13	50.8	Pass	1401
1000	3000	1	RMS	1695	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	6961	-42.05	-13	29.05	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.33	-13	52.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	814	0.1	RMS	813.6	-60.72	-13	47.72	Pass	7841
814	860	0.1	RMS	824.2	21.38	60	38.62	Pass	461
860	1000	0.1	RMS	860.3	-63.8	-13	50.8	Pass	1401
1000	3000	1	RMS	1648	-47.21	-13	34.21	Pass	2001
3000	10000	1	RMS	6960	-42.03	-13	29.03	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.53	-13	53.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	813.5	-61.59	-13	48.59	Pass	7841
814	860	0.1	RMS	824.2	20.42	60	39.58	Pass	461
860	1000	0.1	RMS	861	-63.81	-13	50.81	Pass	1401
1000	3000	1	RMS	1648	-48	-13	35	Pass	2001
3000	10000	1	RMS	6962	-42.04	-13	29.04	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.53	-13	53.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.21	-13	58.21	Pass	2986
30	814	0.1	RMS	813.9	-63.12	-13	50.12	Pass	7841
814	860	0.1	RMS	835.2	21.14	60	38.86	Pass	461
860	1000	0.1	RMS	866.6	-63.81	-13	50.81	Pass	1401
1000	3000	1	RMS	1670	-42.59	-13	29.59	Pass	2001
3000	10000	1	RMS	6959	-42.03	-13	29.03	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.5	-13	53.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	814	0.1	RMS	812.4	-63.71	-13	50.71	Pass	7841
814	860	0.1	RMS	835.2	20.4	60	39.6	Pass	461
860	1000	0.1	RMS	880.2	-63.82	-13	50.82	Pass	1401
1000	3000	1	RMS	1670	-43.9	-13	30.9	Pass	2001
3000	10000	1	RMS	6958	-42.09	-13	29.09	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.08	-13	54.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813.6	-63.92	-13	50.92	Pass	7841
814	860	0.1	RMS	846.2	21	60	39	Pass	461
860	1000	0.1	RMS	865.6	-63.76	-13	50.76	Pass	1401
1000	3000	1	RMS	1692	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	6956	-42.08	-13	29.08	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.6	-13	53.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	814	0.1	RMS	812.3	-63.81	-13	50.81	Pass	7841
814	860	0.1	RMS	846.2	19.89	60	40.11	Pass	461
860	1000	0.1	RMS	965.4	-63.88	-13	50.88	Pass	1401
1000	3000	1	RMS	1692	-46.79	-13	33.79	Pass	2001
3000	10000	1	RMS	7208	-42.11	-13	29.11	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.38	-13	54.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-13	58.25	Pass	2986
30	814	0.1	RMS	813.6	-61.11	-13	48.11	Pass	7841
814	860	0.1	RMS	824.3	21.2	60	38.8	Pass	461
860	1000	0.1	RMS	863.7	-63.89	-13	50.89	Pass	1401
1000	3000	1	RMS	1648	-47.88	-13	34.88	Pass	2001
3000	10000	1	RMS	6961	-42.09	-13	29.09	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.54	-13	54.54	Pass	401
0.15	30	0.01	RMS	0.19	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	813.6	-61.67	-13	48.67	Pass	7841
814	860	0.1	RMS	824.3	20.02	60	39.98	Pass	461
860	1000	0.1	RMS	872.5	-63.77	-13	50.77	Pass	1401
1000	3000	1	RMS	1648	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	6958	-42.14	-13	29.14	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.53	-13	53.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	813.9	-63.31	-13	50.31	Pass	7841
814	860	0.1	RMS	834.3	21.13	60	38.87	Pass	461
860	1000	0.1	RMS	881.8	-63.71	-13	50.71	Pass	1401
1000	3000	1	RMS	1668	-44.22	-13	31.22	Pass	2001
3000	10000	1	RMS	7200	-42.12	-13	29.12	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.19	-13	54.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	814	0.1	RMS	812.7	-63.54	-13	50.54	Pass	7841
814	860	0.1	RMS	834.3	20.16	60	39.84	Pass	461
860	1000	0.1	RMS	861.5	-63.76	-13	50.76	Pass	1401
1000	3000	1	RMS	1668	-45.26	-13	32.26	Pass	2001
3000	10000	1	RMS	7205	-42.09	-13	29.09	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.31	-13	53.31	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	57.82	Pass	2986
30	814	0.1	RMS	813	-63.87	-13	50.87	Pass	7841
814	860	0.1	RMS	844.3	21.27	60	38.73	Pass	461
860	1000	0.1	RMS	861.1	-63.83	-13	50.83	Pass	1401
1000	3000	1	RMS	2955	-48.84	-13	35.84	Pass	2001
3000	10000	1	RMS	6960	-42.03	-13	29.03	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.82	-13	52.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	814	0.1	RMS	812	-63.81	-13	50.81	Pass	7841
814	860	0.1	RMS	844.3	20.42	60	39.58	Pass	461
860	1000	0.1	RMS	861.4	-63.82	-13	50.82	Pass	1401
1000	3000	1	RMS	2956	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	7201	-42.07	-13	29.07	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	813.9	-60.55	-13	47.55	Pass	7841
814	860	0.1	RMS	824.6	21.58	60	38.42	Pass	461
860	1000	0.1	RMS	875.1	-63.83	-13	50.83	Pass	1401
1000	3000	1	RMS	1649	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	7205	-42.06	-13	29.06	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.61	-13	53.61	Pass	401
0.15	30	0.01	RMS	0.29	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	813.9	-61.85	-13	48.85	Pass	7841
814	860	0.1	RMS	824.6	20.35	60	39.65	Pass	461
860	1000	0.1	RMS	877.4	-63.75	-13	50.75	Pass	1401
1000	3000	1	RMS	2957	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	7199	-42.1	-13	29.1	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.78	-13	53.78	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	2986
30	814	0.1	RMS	814	-60.62	-13	47.62	Pass	7841
814	860	0.1	RMS	832.1	21.65	60	38.35	Pass	461
860	1000	0.1	RMS	866.9	-63.84	-13	50.84	Pass	1401
1000	3000	1	RMS	1664	-46.21	-13	33.21	Pass	2001
3000	10000	1	RMS	7198	-42.1	-13	29.1	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.67	-13	52.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	814	0.1	RMS	814	-61.5	-13	48.5	Pass	7841
814	860	0.1	RMS	832.1	20.87	60	39.13	Pass	461
860	1000	0.1	RMS	873.2	-63.71	-13	50.71	Pass	1401
1000	3000	1	RMS	1664	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	6958	-42.06	-13	29.06	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.39	-13	53.39	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	814	-63.75	-13	50.75	Pass	7841
814	860	0.1	RMS	839.6	21.74	60	38.26	Pass	461
860	1000	0.1	RMS	879.3	-63.86	-13	50.86	Pass	1401
1000	3000	1	RMS	1679	-43.95	-13	30.95	Pass	2001
3000	10000	1	RMS	6960	-42.01	-13	29.01	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.45	-13	53.45	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	813.3	-63.83	-13	50.83	Pass	7841
814	860	0.1	RMS	839.6	20.32	60	39.68	Pass	461
860	1000	0.1	RMS	865	-63.86	-13	50.86	Pass	1401
1000	3000	1	RMS	1679	-44.44	-13	31.44	Pass	2001
3000	10000	1	RMS	6961	-42.05	-13	29.05	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.68	-25	41.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-25	46.93	Pass	2986
30	1000	0.1	RMS	841	-63.73	-25	38.73	Pass	9701
1000	2490	1	RMS	2490	-49.13	-25	24.13	Pass	1491
2490	2580	1	RMS	2500.125	23.5	60	36.5	Pass	401
2580	3000	1	RMS	2955	-48.84	-25	23.84	Pass	421
3000	12000	1	RMS	11848	-60.83	-25	35.83	Pass	9002
12000	26000	1	RMS	25997	-46.9	-25	21.9	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.03	-25	41.03	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-25	46.87	Pass	2986
30	1000	0.1	RMS	848.6	-63.55	-25	38.55	Pass	9701
1000	2490	1	RMS	2490	-49.39	-25	24.39	Pass	1491
2490	2580	1	RMS	2500.125	22.76	60	37.24	Pass	401
2580	3000	1	RMS	2956	-48.86	-25	23.86	Pass	421
3000	12000	1	RMS	11847	-60.82	-25	35.82	Pass	9002
12000	26000	1	RMS	25990	-46.04	-25	21.04	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.05	-25	42.05	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	572.2	-63.51	-25	38.51	Pass	9701
1000	2490	1	RMS	2486	-50.55	-25	25.55	Pass	1491
2490	2580	1	RMS	2532.75	23.55	60	36.45	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	23.84	Pass	421
3000	12000	1	RMS	5066	-54.94	-25	29.94	Pass	9002
12000	26000	1	RMS	25995	-46.11	-25	21.11	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.69	-25	40.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-25	46.75	Pass	2986
30	1000	0.1	RMS	832.4	-63.63	-25	38.63	Pass	9701
1000	2490	1	RMS	2485	-50.52	-25	25.52	Pass	1491
2490	2580	1	RMS	2532.75	22.86	60	37.14	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	23.84	Pass	421
3000	12000	1	RMS	5066	-55.31	-25	30.31	Pass	9002
12000	26000	1	RMS	26000	-45.96	-25	20.96	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.29	-25	42.29	Pass	401
0.15	30	0.01	RMS	0.19	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	604.6	-63.07	-25	38.07	Pass	9701
1000	2490	1	RMS	2490	-50.55	-25	25.55	Pass	1491
2490	2580	1	RMS	2565.15	23.64	60	36.36	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	23.84	Pass	421
3000	12000	1	RMS	5131	-55.36	-25	30.36	Pass	9002
12000	26000	1	RMS	25998	-46.13	-25	21.13	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.69	-25	40.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-25	46.76	Pass	2986
30	1000	0.1	RMS	604.6	-63.4	-25	38.4	Pass	9701
1000	2490	1	RMS	2488	-50.57	-25	25.57	Pass	1491
2490	2580	1	RMS	2565.15	22.65	60	37.35	Pass	401
2580	3000	1	RMS	2952	-48.85	-25	23.85	Pass	421
3000	12000	1	RMS	5131	-55.67	-25	30.67	Pass	9002
12000	26000	1	RMS	25989	-46.08	-25	21.08	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.35	-25	43.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	828.4	-63.66	-25	38.66	Pass	9701
1000	2490	1	RMS	2490	-48.69	-25	23.69	Pass	1491
2490	2580	1	RMS	2500.575	23.7	60	36.3	Pass	401
2580	3000	1	RMS	2963	-48.86	-25	23.86	Pass	421
3000	12000	1	RMS	11857	-60.84	-25	35.84	Pass	9002
12000	26000	1	RMS	25990	-46.06	-25	21.06	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-25	46.74	Pass	2986
30	1000	0.1	RMS	848.8	-63.7	-25	38.7	Pass	9701
1000	2490	1	RMS	2490	-49.21	-25	24.21	Pass	1491
2490	2580	1	RMS	2500.575	22.18	60	37.82	Pass	401
2580	3000	1	RMS	2955	-48.88	-25	23.88	Pass	421
3000	12000	1	RMS	11847	-60.89	-25	35.89	Pass	9002
12000	26000	1	RMS	25988	-46.06	-25	21.06	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.06	-25	42.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	569.9	-63.52	-25	38.52	Pass	9701
1000	2490	1	RMS	2487	-50.49	-25	25.49	Pass	1491
2490	2580	1	RMS	2530.5	23.68	60	36.32	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	23.84	Pass	421
3000	12000	1	RMS	5061	-53.13	-25	28.13	Pass	9002
12000	26000	1	RMS	25986	-46.01	-25	21.01	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.13	-25	42.13	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	846.1	-63.73	-25	38.73	Pass	9701
1000	2490	1	RMS	2490	-50.54	-25	25.54	Pass	1491
2490	2580	1	RMS	2530.5	22.27	60	37.73	Pass	401
2580	3000	1	RMS	2948	-48.86	-25	23.86	Pass	421
3000	12000	1	RMS	5061	-54.11	-25	29.11	Pass	9002
12000	26000	1	RMS	25990	-46.04	-25	21.04	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.25	-25	42.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	46.8	Pass	2986
30	1000	0.1	RMS	599.9	-61.92	-25	36.92	Pass	9701
1000	2490	1	RMS	2487	-50.53	-25	25.53	Pass	1491
2490	2580	1	RMS	2560.425	23.6	60	36.4	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	23.84	Pass	421
3000	12000	1	RMS	5121	-55.25	-25	30.25	Pass	9002
12000	26000	1	RMS	25997	-45.96	-25	20.96	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.28	-25	42.28	Pass	401
0.15	30	0.01	RMS	0.19	-71.98	-25	46.98	Pass	2986
30	1000	0.1	RMS	599.9	-63.17	-25	38.17	Pass	9701
1000	2490	1	RMS	2479	-50.59	-25	25.59	Pass	1491
2490	2580	1	RMS	2560.425	22.21	60	37.79	Pass	401
2580	3000	1	RMS	2957	-48.85	-25	23.85	Pass	421
3000	12000	1	RMS	5121	-56.51	-25	31.51	Pass	9002
12000	26000	1	RMS	26000	-45.99	-25	20.99	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.2	-25	42.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	850.801	-63.61	-25	38.61	Pass	9701
1000	2490	1	RMS	2488	-36.03	-25	11.03	Pass	1491
2490	2580	1	RMS	2500.8	23.5	60	36.5	Pass	401
2580	3000	1	RMS	2956	-48.88	-25	23.88	Pass	421
3000	12000	1	RMS	11852	-60.88	-25	35.88	Pass	9002
12000	26000	1	RMS	26000	-45.98	-25	20.98	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.4	-25	41.4	Pass	401
0.15	30	0.01	RMS	0.17	-71.59	-25	46.59	Pass	2986
30	1000	0.1	RMS	826.1	-63.73	-25	38.73	Pass	9701
1000	2490	1	RMS	2487	-39.86	-25	14.86	Pass	1491
2490	2580	1	RMS	2500.8	22.17	60	37.83	Pass	401
2580	3000	1	RMS	2956	-48.86	-25	23.86	Pass	421
3000	12000	1	RMS	11853	-60.82	-25	35.82	Pass	9002
12000	26000	1	RMS	25998	-46.07	-25	21.07	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.14	-25	42.14	Pass	401
0.15	30	0.01	RMS	0.21	-72.05	-25	47.05	Pass	2986
30	1000	0.1	RMS	879.72	-63.76	-25	38.76	Pass	9701
1000	2490	1	RMS	2486	-50.52	-25	25.52	Pass	1491
2490	2580	1	RMS	2528.25	23.45	60	36.55	Pass	401
2580	3000	1	RMS	2957	-48.83	-25	23.83	Pass	421
3000	12000	1	RMS	5057	-53.12	-25	28.12	Pass	9002
12000	26000	1	RMS	25990	-45.96	-25	20.96	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.48	-25	41.48	Pass	401
0.15	30	0.01	RMS	0.18	-71.84	-25	46.84	Pass	2986
30	1000	0.1	RMS	850.901	-63.73	-25	38.73	Pass	9701
1000	2490	1	RMS	2487	-50.53	-25	25.53	Pass	1491
2490	2580	1	RMS	2528.25	22.26	60	37.74	Pass	401
2580	3000	1	RMS	2957	-48.81	-25	23.81	Pass	421
3000	12000	1	RMS	5057	-54.61	-25	29.61	Pass	9002
12000	26000	1	RMS	25992	-46.08	-25	21.08	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.9	-25	42.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	47.14	Pass	2986
30	1000	0.1	RMS	595.1	-61.77	-25	36.77	Pass	9701
1000	2490	1	RMS	2488	-50.18	-25	25.18	Pass	1491
2490	2595	1	RMS	2555.625	23.5	60	36.5	Pass	401
2595	3000	1	RMS	2958	-48.84	-25	23.84	Pass	406
3000	12000	1	RMS	5112	-53.07	-25	28.07	Pass	9002
12000	26000	1	RMS	25983	-46.04	-25	21.04	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.2	-72.14	-25	47.14	Pass	2986
30	1000	0.1	RMS	595.1	-62.53	-25	37.53	Pass	9701
1000	2490	1	RMS	2488	-50.3	-25	25.3	Pass	1491
2490	2595	1	RMS	2555.625	22.25	60	37.75	Pass	401
2595	3000	1	RMS	2956	-48.81	-25	23.81	Pass	406
3000	12000	1	RMS	5112	-53.51	-25	28.51	Pass	9002
12000	26000	1	RMS	25997	-45.97	-25	20.97	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.3	-25	41.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-25	46.79	Pass	2986
30	1000	0.1	RMS	847.7	-63.49	-25	38.49	Pass	9701
1000	2490	1	RMS	2483	-39.43	-25	14.43	Pass	1491
2490	2580	1	RMS	2501.025	23.39	60	36.61	Pass	401
2580	3000	1	RMS	2959	-48.87	-25	23.87	Pass	421
3000	12000	1	RMS	11851	-60.9	-25	35.9	Pass	9002
12000	26000	1	RMS	25989	-46.04	-25	21.04	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.87	-25	40.87	Pass	401
0.15	30	0.01	RMS	0.15	-71	-25	46	Pass	2986
30	1000	0.1	RMS	844.4	-63.71	-25	38.71	Pass	9701
1000	2490	1	RMS	2483	-39.62	-25	14.62	Pass	1491
2490	2580	1	RMS	2501.025	22.94	60	37.06	Pass	401
2580	3000	1	RMS	2956	-48.86	-25	23.86	Pass	421
3000	12000	1	RMS	11850	-60.81	-25	35.81	Pass	9002
12000	26000	1	RMS	25993	-45.99	-25	20.99	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.59	-25	42.59	Pass	401
0.15	30	0.01	RMS	0.17	-71.84	-25	46.84	Pass	2986
30	1000	0.1	RMS	856.305	-63.62	-25	38.62	Pass	9701
1000	2490	1	RMS	2490	-47.42	-25	22.42	Pass	1491
2490	2580	1	RMS	2526	23.78	60	36.22	Pass	401
2580	3000	1	RMS	2957	-48.83	-25	23.83	Pass	421
3000	12000	1	RMS	5052	-52.23	-25	27.23	Pass	9002
12000	26000	1	RMS	26000	-46.07	-25	21.07	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.36	-25	42.36	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-25	46.83	Pass	2986
30	1000	0.1	RMS	843.3	-63.68	-25	38.68	Pass	9701
1000	2490	1	RMS	2490	-47.95	-25	22.95	Pass	1491
2490	2580	1	RMS	2526	22.7	60	37.3	Pass	401
2580	3000	1	RMS	2950	-48.84	-25	23.84	Pass	421
3000	12000	1	RMS	5052	-53.33	-25	28.33	Pass	9002
12000	26000	1	RMS	25994	-46.11	-25	21.11	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.85	-25	41.85	Pass	401
0.15	30	0.01	RMS	0.22	-72.1	-25	47.1	Pass	2986
30	1000	0.1	RMS	590.4	-61.26	-25	36.26	Pass	9701
1000	2490	1	RMS	2487	-50.57	-25	25.57	Pass	1491
2490	2580	1	RMS	2550.975	23.75	60	36.25	Pass	401
2580	3000	1	RMS	2586	-45.36	-25	20.36	Pass	421
3000	12000	1	RMS	5102	-50.63	-25	25.63	Pass	9002
12000	26000	1	RMS	26000	-45.98	-25	20.98	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.06	-25	42.06	Pass	401
0.15	30	0.01	RMS	0.17	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	590.4	-61.72	-25	36.72	Pass	9701
1000	2490	1	RMS	2488	-50.56	-25	25.56	Pass	1491
2490	2580	1	RMS	2550.975	23.13	60	36.87	Pass	401
2580	3000	1	RMS	2586	-47.36	-25	22.36	Pass	421
3000	12000	1	RMS	5102	-51.95	-25	26.95	Pass	9002
12000	26000	1	RMS	25995	-46.05	-25	21.05	Pass	14002



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.11	-13	54.11	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	58.61	Pass	2986
30	767	0.1	RMS	766.7	-62.92	-13	49.92	Pass	7371
767	797	0.1	RMS	777.35	21.56	60	38.44	Pass	401
797	1000	0.1	RMS	844.3	-63.64	-13	50.64	Pass	2031
1000	3000	1	RMS	1554	-48.05	-13	35.05	Pass	2001
3000	10000	1	RMS	6963	-42.11	-13	29.11	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.2	-13	53.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	767	0.1	RMS	766.7	-63.28	-13	50.28	Pass	7371
767	797	0.1	RMS	777.35	20.4	60	39.6	Pass	401
797	1000	0.1	RMS	850.1	-63.62	-13	50.62	Pass	2031
1000	3000	1	RMS	2957	-48.83	-13	35.83	Pass	2001
3000	10000	1	RMS	6959	-42.05	-13	29.05	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.25	-13	52.25	Pass	401
0.15	30	0.01	RMS	0.23	-71.94	-13	58.94	Pass	2986
30	767	0.1	RMS	741.7	-64.22	-13	51.22	Pass	7371
767	797	0.1	RMS	779.825	21.75	60	38.25	Pass	401
797	1000	0.1	RMS	859.8	-63.45	-13	50.45	Pass	2031
1000	3000	1	RMS	1559	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	6961	-42.04	-13	29.04	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.06	-13	53.06	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-13	58.63	Pass	2986
30	767	0.1	RMS	709	-64.31	-13	51.31	Pass	7371
767	797	0.1	RMS	779.825	20.86	60	39.14	Pass	401
797	1000	0.1	RMS	797.2	-63.25	-13	50.25	Pass	2031
1000	3000	1	RMS	1559	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	6961	-42.1	-13	29.1	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.94	-13	53.94	Pass	401
0.15	30	0.01	RMS	0.19	-72.37	-13	59.37	Pass	2986
30	767	0.1	RMS	743.5	-64.26	-13	51.26	Pass	7371
767	797	0.1	RMS	782.375	21.6	60	38.4	Pass	401
797	1000	0.1	RMS	797.7	-62.58	-13	49.58	Pass	2031
1000	3000	1	RMS	1564	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	6963	-42.1	-13	29.1	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.6	-13	52.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	767	0.1	RMS	754.8	-64.22	-13	51.22	Pass	7371
767	797	0.1	RMS	782.3	20.57	60	39.43	Pass	401
797	1000	0.1	RMS	797.5	-63.17	-13	50.17	Pass	2031
1000	3000	1	RMS	1564	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	6961	-42.06	-13	29.06	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.52	-13	53.52	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	58.67	Pass	2986
30	767	0.1	RMS	766.9	-62.03	-13	49.03	Pass	7371
767	797	0.1	RMS	777.575	21.7	60	38.3	Pass	401
797	1000	0.1	RMS	854.2	-63.53	-13	50.53	Pass	2031
1000	3000	1	RMS	1555	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	6964	-42.07	-13	29.07	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.92	-13	53.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	767	0.1	RMS	766.9	-62.36	-13	49.36	Pass	7371
767	797	0.1	RMS	777.575	20.88	60	39.12	Pass	401
797	1000	0.1	RMS	797.7	-63.53	-13	50.53	Pass	2031
1000	3000	1	RMS	2957	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	6959	-42.1	-13	29.1	Pass	7001



6. LTE_Band26(part22)


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.31	-13	53.31	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.6	-62.42	-13	49.42	Pass	7841
814	860	0.1	RMS	824.3	20.72	60	39.28	Pass	461
860	1000	0.1	RMS	860.8	-63.74	-13	50.74	Pass	1401
1000	3000	1	RMS	1648	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	6961	-42.07	-13	29.07	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.48	-13	54.48	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	813.6	-62.4	-13	49.4	Pass	7841
814	860	0.1	RMS	824.2	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	862.2	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1648	-48.37	-13	35.37	Pass	2001
3000	10000	1	RMS	6960	-42.08	-13	29.08	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.46	-13	53.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	814	0.1	RMS	812.8	-63.93	-13	50.93	Pass	7841
814	860	0.1	RMS	836.1	20.93	60	39.07	Pass	461
860	1000	0.1	RMS	860.9	-63.64	-13	50.64	Pass	1401
1000	3000	1	RMS	1672	-44.05	-13	31.05	Pass	2001
3000	10000	1	RMS	6958	-42.03	-13	29.03	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.94	-13	53.94	Pass	401
0.15	30	0.01	RMS	0.2	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	813.6	-63.85	-13	50.85	Pass	7841
814	860	0.1	RMS	836	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	956.8	-63.72	-13	50.72	Pass	1401
1000	3000	1	RMS	1672	-44.68	-13	31.68	Pass	2001
3000	10000	1	RMS	7201	-42.03	-13	29.03	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.47	-13	54.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	812	-63.8	-13	50.8	Pass	7841
814	860	0.1	RMS	847.8	20.87	60	39.13	Pass	461
860	1000	0.1	RMS	860.2	-63.58	-13	50.58	Pass	1401
1000	3000	1	RMS	1695	-44.32	-13	31.32	Pass	2001
3000	10000	1	RMS	6963	-41.98	-13	28.98	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.32	-13	54.32	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	58.28	Pass	2986
30	814	0.1	RMS	810.8	-63.98	-13	50.98	Pass	7841
814	860	0.1	RMS	847.8	20.18	60	39.82	Pass	461
860	1000	0.1	RMS	872.5	-63.56	-13	50.56	Pass	1401
1000	3000	1	RMS	1695	-45.25	-13	32.25	Pass	2001
3000	10000	1	RMS	7208	-42.02	-13	29.02	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.92	-13	53.92	Pass	401
0.15	30	0.01	RMS	0.18	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	813.5	-61.08	-13	48.08	Pass	7841
814	860	0.1	RMS	824.2	21.19	60	38.81	Pass	461
860	1000	0.1	RMS	878.2	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1648	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	6960	-41.99	-13	28.99	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.49	-13	54.49	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	813.5	-61.65	-13	48.65	Pass	7841
814	860	0.1	RMS	824.2	20.03	60	39.97	Pass	461
860	1000	0.1	RMS	862.5	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1648	-47.92	-13	34.92	Pass	2001
3000	10000	1	RMS	6960	-42.05	-13	29.05	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	0.22	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	813.8	-63.35	-13	50.35	Pass	7841
814	860	0.1	RMS	835.2	21.12	60	38.88	Pass	461
860	1000	0.1	RMS	865.6	-63.75	-13	50.75	Pass	1401
1000	3000	1	RMS	1670	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	6963	-42.01	-13	29.01	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.61	-13	54.61	Pass	401
0.15	30	0.01	RMS	0.19	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	813.7	-63.29	-13	50.29	Pass	7841
814	860	0.1	RMS	835.2	20.5	60	39.5	Pass	461
860	1000	0.1	RMS	904.5	-63.78	-13	50.78	Pass	1401
1000	3000	1	RMS	1670	-43.86	-13	30.86	Pass	2001
3000	10000	1	RMS	6958	-42.01	-13	29.01	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.87	-13	53.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	814	0.1	RMS	812	-63.64	-13	50.64	Pass	7841
814	860	0.1	RMS	846.2	20.82	60	39.18	Pass	461
860	1000	0.1	RMS	860.2	-63.72	-13	50.72	Pass	1401
1000	3000	1	RMS	1692	-46.48	-13	33.48	Pass	2001
3000	10000	1	RMS	6960	-42.04	-13	29.04	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.9	-13	54.9	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	59.02	Pass	2986
30	814	0.1	RMS	811	-63.63	-13	50.63	Pass	7841
814	860	0.1	RMS	846.2	20.67	60	39.33	Pass	461
860	1000	0.1	RMS	965.3	-63.71	-13	50.71	Pass	1401
1000	3000	1	RMS	1692	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	6962	-42.02	-13	29.02	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.08	-13	55.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	813.6	-61.04	-13	48.04	Pass	7841
814	860	0.1	RMS	824.3	21.11	60	38.89	Pass	461
860	1000	0.1	RMS	871.5	-63.71	-13	50.71	Pass	1401
1000	3000	1	RMS	1648	-47.88	-13	34.88	Pass	2001
3000	10000	1	RMS	6960	-42	-13	29	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.7	-13	54.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	814	0.1	RMS	813.6	-61.81	-13	48.81	Pass	7841
814	860	0.1	RMS	824.3	20.08	60	39.92	Pass	461
860	1000	0.1	RMS	873.8	-63.65	-13	50.65	Pass	1401
1000	3000	1	RMS	1648	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	7208	-42.07	-13	29.07	Pass	7001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.37	-13	54.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	813.8	-63.16	-13	50.16	Pass	7841
814	860	0.1	RMS	834.3	21.1	60	38.9	Pass	461
860	1000	0.1	RMS	862.3	-63.76	-13	50.76	Pass	1401
1000	3000	1	RMS	1668	-44.14	-13	31.14	Pass	2001
3000	10000	1	RMS	6960	-42.04	-13	29.04	Pass	7001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.61	-13	54.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.8	-63.42	-13	50.42	Pass	7841
814	860	0.1	RMS	834.3	20.5	60	39.5	Pass	461
860	1000	0.1	RMS	966.5	-63.63	-13	50.63	Pass	1401
1000	3000	1	RMS	1668	-44.76	-13	31.76	Pass	2001
3000	10000	1	RMS	6959	-42.08	-13	29.08	Pass	7001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.68	-13	54.68	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	58.75	Pass	2986
30	814	0.1	RMS	813.1	-63.66	-13	50.66	Pass	7841
814	860	0.1	RMS	844.3	21.31	60	38.69	Pass	461
860	1000	0.1	RMS	862.1	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	2956	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6959	-42.05	-13	29.05	Pass	7001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.37	-13	54.37	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	814	0.1	RMS	813.9	-63.67	-13	50.67	Pass	7841
814	860	0.1	RMS	844.3	20.5	60	39.5	Pass	461
860	1000	0.1	RMS	946.6	-63.74	-13	50.74	Pass	1401
1000	3000	1	RMS	2945	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	6959	-42	-13	29	Pass	7001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.16	-13	54.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	813.9	-60.55	-13	47.55	Pass	7841
814	860	0.1	RMS	824.6	21.67	60	38.33	Pass	461
860	1000	0.1	RMS	964.5	-63.65	-13	50.65	Pass	1401
1000	3000	1	RMS	1649	-48.41	-13	35.41	Pass	2001
3000	10000	1	RMS	6959	-42	-13	29	Pass	7001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.46	-13	55.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	813.9	-60.91	-13	47.91	Pass	7841
814	860	0.1	RMS	824.6	20.87	60	39.13	Pass	461
860	1000	0.1	RMS	872.8	-63.58	-13	50.58	Pass	1401
1000	3000	1	RMS	2957	-48.8	-13	35.8	Pass	2001
3000	10000	1	RMS	6961	-42.05	-13	29.05	Pass	7001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68	-13	55	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	814	0.1	RMS	814	-61.84	-13	48.84	Pass	7841
814	860	0.1	RMS	832.1	21.82	60	38.18	Pass	461
860	1000	0.1	RMS	868.2	-63.51	-13	50.51	Pass	1401
1000	3000	1	RMS	1664	-46.14	-13	33.14	Pass	2001
3000	10000	1	RMS	6960	-42	-13	29	Pass	7001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.15	-13	54.15	Pass	401
0.15	30	0.01	RMS	0.18	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	814	-61.73	-13	48.73	Pass	7841
814	860	0.1	RMS	832.1	20.83	60	39.17	Pass	461
860	1000	0.1	RMS	906	-63.78	-13	50.78	Pass	1401
1000	3000	1	RMS	1664	-47.07	-13	34.07	Pass	2001
3000	10000	1	RMS	7205	-42.01	-13	29.01	Pass	7001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.8	-13	53.8	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	814	0.1	RMS	813.6	-63.48	-13	50.48	Pass	7841
814	860	0.1	RMS	839.6	21.64	60	38.36	Pass	461
860	1000	0.1	RMS	869.3	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1679	-43.9	-13	30.9	Pass	2001
3000	10000	1	RMS	6962	-41.99	-13	28.99	Pass	7001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.66	-13	53.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.3	-63.55	-13	50.55	Pass	7841
814	860	0.1	RMS	839.6	20.85	60	39.15	Pass	461
860	1000	0.1	RMS	860.7	-63.57	-13	50.57	Pass	1401
1000	3000	1	RMS	1679	-44.29	-13	31.29	Pass	2001
3000	10000	1	RMS	6959	-41.95	-13	28.95	Pass	7001



6.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.31	-13	54.31	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	811.5	-49.89	-13	36.89	Pass	7841
814	860	0.1	RMS	824.8	21.02	60	38.98	Pass	461
860	1000	0.1	RMS	861.9	-63.49	-13	50.49	Pass	1401
1000	3000	1	RMS	1649	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	6960	-42.06	-13	29.06	Pass	7001



6.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68	-13	55	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	811.6	-50.51	-13	37.51	Pass	7841
814	860	0.1	RMS	824.8	20.59	60	39.41	Pass	461
860	1000	0.1	RMS	873.6	-63.42	-13	50.42	Pass	1401
1000	3000	1	RMS	2950	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	6961	-42	-13	29	Pass	7001



6.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.25	-13	53.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	814	0.1	RMS	813	-62.52	-13	49.52	Pass	7841
814	860	0.1	RMS	829.8	21.4	60	38.6	Pass	461
860	1000	0.1	RMS	975.2	-63.63	-13	50.63	Pass	1401
1000	3000	1	RMS	1659	-48.06	-13	35.06	Pass	2001
3000	10000	1	RMS	6959	-42.01	-13	29.01	Pass	7001



6.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.24	-13	55.24	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	58.39	Pass	2986
30	814	0.1	RMS	813.8	-62.88	-13	49.88	Pass	7841
814	860	0.1	RMS	829.8	20.14	60	39.86	Pass	461
860	1000	0.1	RMS	875.3	-63.63	-13	50.63	Pass	1401
1000	3000	1	RMS	2957	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	6961	-42.04	-13	29.04	Pass	7001



6.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.4	-13	53.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	808.3	-56.63	-13	43.63	Pass	7841
814	860	0.1	RMS	834.8	21.42	60	38.58	Pass	461
860	1000	0.1	RMS	862.9	-63.57	-13	50.57	Pass	1401
1000	3000	1	RMS	1669	-43.27	-13	30.27	Pass	2001
3000	10000	1	RMS	6958	-42.01	-13	29.01	Pass	7001



6.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.11	-13	53.11	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-13	58.88	Pass	2986
30	814	0.1	RMS	808.3	-53.53	-13	40.53	Pass	7841
814	860	0.1	RMS	834.8	20.58	60	39.42	Pass	461
860	1000	0.1	RMS	860.6	-63.77	-13	50.77	Pass	1401
1000	3000	1	RMS	1669	-44.14	-13	31.14	Pass	2001
3000	10000	1	RMS	6960	-42.05	-13	29.05	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.09	-13	47.09	Pass	401
0.15	30	0.01	Peak	0.19	-63.26	-13	50.26	Pass	2986
30	809	0.1	Peak	681.4	-52.92	-13	39.92	Pass	7791
809	829	0.1	Peak	814.3	26.35	60	33.65	Pass	401
829	1000	0.1	Peak	837.5	-43.02	-13	30.02	Pass	1711
1000	3000	1	Peak	2849	-37.28	-13	24.28	Pass	2001
3000	10000	1	Peak	7205	-30.38	-13	17.38	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.82	-13	47.82	Pass	401
0.15	30	0.01	Peak	0.38	-64.44	-13	51.44	Pass	2986
30	809	0.1	Peak	783.9	-53.09	-13	40.09	Pass	7791
809	829	0.1	Peak	814.25	26.81	60	33.19	Pass	401
829	1000	0.1	Peak	837.8	-46.13	-13	33.13	Pass	1711
1000	3000	1	Peak	2828	-36.57	-13	23.57	Pass	2001
3000	10000	1	Peak	8600	-30.22	-13	17.22	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.63	-13	46.63	Pass	401
0.15	30	0.01	Peak	0.15	-63.09	-13	50.09	Pass	2986
30	809	0.1	Peak	353.9	-52.84	-13	39.84	Pass	7791
809	829	0.1	Peak	818.6	26.24	60	33.76	Pass	401
829	1000	0.1	Peak	830.2	-36.72	-13	23.72	Pass	1711
1000	3000	1	Peak	1637	-35.34	-13	22.34	Pass	2001
3000	10000	1	Peak	7082	-30.43	-13	17.43	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.43	-13	48.43	Pass	401
0.15	30	0.01	Peak	0.15	-64.27	-13	51.27	Pass	2986
30	809	0.1	Peak	711.8	-52.46	-13	39.46	Pass	7791
809	829	0.1	Peak	818.55	27.32	60	32.68	Pass	401
829	1000	0.1	Peak	830.8	-33.41	-13	20.41	Pass	1711
1000	3000	1	Peak	1637	-35.48	-13	22.48	Pass	2001
3000	10000	1	Peak	7173	-29.95	-13	16.95	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.67	-13	47.67	Pass	401
0.15	30	0.01	Peak	0.15	-63.77	-13	50.77	Pass	2986
30	809	0.1	Peak	564.3	-53.08	-13	40.08	Pass	7791
809	829	0.1	Peak	822.9	26.32	60	33.68	Pass	401
829	1000	0.1	Peak	829.6	-50.74	-13	37.74	Pass	1711
1000	3000	1	Peak	2958	-37.2	-13	24.2	Pass	2001
3000	10000	1	Peak	7236	-29.77	-13	16.77	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.47	-13	48.47	Pass	401
0.15	30	0.01	Peak	0.17	-64.01	-13	51.01	Pass	2986
30	809	0.1	Peak	611.2	-52.98	-13	39.98	Pass	7791
809	829	0.1	Peak	822.85	27.12	60	32.88	Pass	401
829	1000	0.1	Peak	829.1	-52.39	-13	39.39	Pass	1711
1000	3000	1	Peak	2983	-37.25	-13	24.25	Pass	2001
3000	10000	1	Peak	7703	-30.47	-13	17.47	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-59.97	-13	46.97	Pass	401
0.15	30	0.01	Peak	0.36	-63.92	-13	50.92	Pass	2986
30	809	0.1	Peak	809	-47.27	-13	34.27	Pass	7791
809	829	0.1	Peak	814.25	26.42	60	33.58	Pass	401
829	1000	0.1	Peak	832.1	-51.69	-13	38.69	Pass	1711
1000	3000	1	Peak	2945	-37.36	-13	24.36	Pass	2001
3000	10000	1	Peak	7333	-30.52	-13	17.52	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-60.56	-13	47.56	Pass	401
0.15	30	0.01	Peak	0.18	-63.51	-13	50.51	Pass	2986
30	809	0.1	Peak	808.9	-32.54	-13	19.54	Pass	7791
809	829	0.1	Peak	814.2	26.81	60	33.19	Pass	401
829	1000	0.1	Peak	847.5	-46.59	-13	33.59	Pass	1711
1000	3000	1	Peak	1629	-35.91	-13	22.91	Pass	2001
3000	10000	1	Peak	7649	-30.2	-13	17.2	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.73	-13	48.73	Pass	401
0.15	30	0.01	Peak	0.2	-64.04	-13	51.04	Pass	2986
30	809	0.1	Peak	808.4	-45.86	-13	32.86	Pass	7791
809	829	0.1	Peak	817.75	26.22	60	33.78	Pass	401
829	1000	0.1	Peak	836.5	-40.73	-13	27.73	Pass	1711
1000	3000	1	Peak	1635	-34.82	-13	21.82	Pass	2001
3000	10000	1	Peak	7201	-30.65	-13	17.65	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.14	-13	48.14	Pass	401
0.15	30	0.01	Peak	0.15	-64.3	-13	51.3	Pass	2986
30	809	0.1	Peak	748.7	-52.91	-13	39.91	Pass	7791
809	829	0.1	Peak	817.7	27	60	33	Pass	401
829	1000	0.1	Peak	830.7	-51.86	-13	38.86	Pass	1711
1000	3000	1	Peak	1635	-35.14	-13	22.14	Pass	2001
3000	10000	1	Peak	7198	-29.68	-13	16.68	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-62.6	-13	49.6	Pass	401
0.15	30	0.01	Peak	0.2	-64.28	-13	51.28	Pass	2986
30	809	0.1	Peak	509.2	-52.6	-13	39.6	Pass	7791
809	829	0.1	Peak	821.3	26.32	60	33.68	Pass	401
829	1000	0.1	Peak	829	-49.67	-13	36.67	Pass	1711
1000	3000	1	Peak	1643	-35.77	-13	22.77	Pass	2001
3000	10000	1	Peak	7120	-30.3	-13	17.3	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-61.35	-13	48.35	Pass	401
0.15	30	0.01	Peak	0.31	-64.09	-13	51.09	Pass	2986
30	809	0.1	Peak	576.2	-52.02	-13	39.02	Pass	7791
809	829	0.1	Peak	821.2	27.06	60	32.94	Pass	401
829	1000	0.1	Peak	831.1	-45.36	-13	32.36	Pass	1711
1000	3000	1	Peak	1642	-36.15	-13	23.15	Pass	2001
3000	10000	1	Peak	6957	-30.33	-13	17.33	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-62.73	-13	49.73	Pass	401
0.15	30	0.01	Peak	0.15	-63.05	-13	50.05	Pass	2986
30	809	0.1	Peak	809	-44.28	-13	31.28	Pass	7791
809	829	0.1	Peak	814.3	26.37	60	33.63	Pass	401
829	1000	0.1	Peak	832.1	-50.34	-13	37.34	Pass	1711
1000	3000	1	Peak	2958	-37.23	-13	24.23	Pass	2001
3000	10000	1	Peak	7703	-30.31	-13	17.31	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.94	-13	48.94	Pass	401
0.15	30	0.01	Peak	0.4	-64.51	-13	51.51	Pass	2986
30	809	0.1	Peak	808.7	-45.07	-13	32.07	Pass	7791
809	829	0.1	Peak	814.35	26.86	60	33.14	Pass	401
829	1000	0.1	Peak	831.7	-43.26	-13	30.26	Pass	1711
1000	3000	1	Peak	2814	-36.72	-13	23.72	Pass	2001
3000	10000	1	Peak	7213	-30.11	-13	17.11	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.56	-13	47.56	Pass	401
0.15	30	0.01	Peak	0.16	-64.26	-13	51.26	Pass	2986
30	809	0.1	Peak	808.5	-47.54	-13	34.54	Pass	7791
809	829	0.1	Peak	816.85	26.65	60	33.35	Pass	401
829	1000	0.1	Peak	829.8	-50.48	-13	37.48	Pass	1711
1000	3000	1	Peak	1633	-36	-13	23	Pass	2001
3000	10000	1	Peak	8637	-30.18	-13	17.18	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.35	-13	46.35	Pass	401
0.15	30	0.01	Peak	0.28	-64.51	-13	51.51	Pass	2986
30	809	0.1	Peak	808.1	-36.09	-13	23.09	Pass	7791
809	829	0.1	Peak	816.85	27.04	60	32.96	Pass	401
829	1000	0.1	Peak	829.2	-41.73	-13	28.73	Pass	1711
1000	3000	1	Peak	1634	-35.94	-13	22.94	Pass	2001
3000	10000	1	Peak	7422	-29.5	-13	16.5	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-60.16	-13	47.16	Pass	401
0.15	30	0.01	Peak	0.25	-63.45	-13	50.45	Pass	2986
30	809	0.1	Peak	799.8	-51.59	-13	38.59	Pass	7791
809	829	0.1	Peak	819.4	26.35	60	33.65	Pass	401
829	1000	0.1	Peak	830.1	-50.13	-13	37.13	Pass	1711
1000	3000	1	Peak	1639	-34.98	-13	21.98	Pass	2001
3000	10000	1	Peak	7457	-30.14	-13	17.14	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-60.54	-13	47.54	Pass	401
0.15	30	0.01	Peak	0.16	-63.53	-13	50.53	Pass	2986
30	809	0.1	Peak	808.7	-52.49	-13	39.49	Pass	7791
809	829	0.1	Peak	819.35	27.15	60	32.85	Pass	401
829	1000	0.1	Peak	829.2	-48.69	-13	35.69	Pass	1711
1000	3000	1	Peak	1639	-35.15	-13	22.15	Pass	2001
3000	10000	1	Peak	7384	-30.47	-13	17.47	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.25	-13	48.25	Pass	401
0.15	30	0.01	Peak	0.2	-64.25	-13	51.25	Pass	2986
30	809	0.1	Peak	808.7	-36.62	-13	23.62	Pass	7791
809	829	0.1	Peak	814.55	26.4	60	33.6	Pass	401
829	1000	0.1	Peak	832.2	-31.1	-13	18.1	Pass	1711
1000	3000	1	Peak	1629	-37.23	-13	24.23	Pass	2001
3000	10000	1	Peak	7192	-29.34	-13	16.34	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.38	-13	48.38	Pass	401
0.15	30	0.01	Peak	0.25	-64.22	-13	51.22	Pass	2986
30	809	0.1	Peak	808.8	-33.32	-13	20.32	Pass	7791
809	829	0.1	Peak	814.6	27.55	60	32.45	Pass	401
829	1000	0.1	Peak	832.4	-20.88	-13	7.88	Pass	1711
1000	3000	1	Peak	2926	-37.3	-13	24.3	Pass	2001
3000	10000	1	Peak	6958	-30.45	-13	17.45	Pass	7001



8. LTE_Band38


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.73	-25	37.73	Pass	401
0.15	30	0.01	RMS	0.16	-67.63	-25	42.63	Pass	2986
30	1000	0.1	RMS	847.3	-59.42	-25	34.42	Pass	9701
1000	2560	1	RMS	2559	-42.07	-25	17.07	Pass	1561
2560	2630	1	RMS	2570.325	24.57	60	35.43	Pass	401
2630	3000	1	RMS	2956.525	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	11841	-56.74	-25	31.74	Pass	9002
12000	26500	1	RMS	25989	-42.86	-25	17.86	Pass	14502




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.38	-25	37.38	Pass	401
0.15	30	0.01	RMS	0.24	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	853.603	-59.6	-25	34.6	Pass	9701
1000	2560	1	RMS	2558	-43.32	-25	18.32	Pass	1561
2560	2630	1	RMS	2570.15	22.58	60	37.42	Pass	401
2630	3000	1	RMS	2955.6	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	11846	-56.8	-25	31.8	Pass	9002
12000	26500	1	RMS	25998	-42.81	-25	17.81	Pass	14502




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.09	-25	38.09	Pass	401
0.15	30	0.01	RMS	0.29	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	846.1	-59.52	-25	34.52	Pass	9701
1000	2560	1	RMS	2558	-45.99	-25	20.99	Pass	1561
2560	2630	1	RMS	2592.9	24.84	60	35.16	Pass	401
2630	3000	1	RMS	2958.375	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	5186	-55.79	-25	30.79	Pass	9002
12000	26500	1	RMS	25999	-42.74	-25	17.74	Pass	14502




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.16	-25	38.16	Pass	401
0.15	30	0.01	RMS	0.16	-67.46	-25	42.46	Pass	2986
30	1000	0.1	RMS	851.402	-59.51	-25	34.51	Pass	9701
1000	2560	1	RMS	2560	-46.04	-25	21.04	Pass	1561
2560	2630	1	RMS	2592.9	22.83	60	37.17	Pass	401
2630	3000	1	RMS	2957.45	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	11853	-56.78	-25	31.78	Pass	9002
12000	26500	1	RMS	26009	-42.71	-25	17.71	Pass	14502




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.5	-25	38.5	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	836.7	-59.32	-25	34.32	Pass	9701
1000	2560	1	RMS	2559	-46.26	-25	21.26	Pass	1561
2560	2630	1	RMS	2615.3	24.64	60	35.36	Pass	401
2630	3000	1	RMS	2630.925	-43.4	-25	18.4	Pass	401
3000	12000	1	RMS	5231	-55.79	-25	30.79	Pass	9002
12000	26500	1	RMS	26001	-42.82	-25	17.82	Pass	14502




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.15	-25	39.15	Pass	401
0.15	30	0.01	RMS	0.15	-68.94	-25	43.94	Pass	2986
30	1000	0.1	RMS	860.207	-59.43	-25	34.43	Pass	9701
1000	2560	1	RMS	2553	-46.26	-25	21.26	Pass	1561
2560	2630	1	RMS	2615.125	22.42	60	37.58	Pass	401
2630	3000	1	RMS	2630.925	-44.25	-25	19.25	Pass	401
3000	12000	1	RMS	11851	-56.77	-25	31.77	Pass	9002
12000	26500	1	RMS	25997	-42.8	-25	17.8	Pass	14502




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.36	-25	39.36	Pass	401
0.15	30	0.01	RMS	0.17	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	609.9	-58.6	-25	33.6	Pass	9701
1000	2560	1	RMS	2553	-42.45	-25	17.45	Pass	1561
2560	2630	1	RMS	2570.325	24.4	60	35.6	Pass	401
2630	3000	1	RMS	2959.3	-44.8	-25	19.8	Pass	401
3000	12000	1	RMS	10282	-55.85	-25	30.85	Pass	9002
12000	26500	1	RMS	25991	-42.84	-25	17.84	Pass	14502




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.65	-25	38.65	Pass	401
0.15	30	0.01	RMS	0.19	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	847.7	-59.54	-25	34.54	Pass	9701
1000	2560	1	RMS	2560	-42.54	-25	17.54	Pass	1561
2560	2630	1	RMS	2570.5	22.68	60	37.32	Pass	401
2630	3000	1	RMS	2955.6	-44.77	-25	19.77	Pass	401
3000	12000	1	RMS	11856	-56.8	-25	31.8	Pass	9002
12000	26500	1	RMS	25994	-42.74	-25	17.74	Pass	14502



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.64	-25	38.64	Pass	401
0.15	30	0.01	RMS	0.16	-67.33	-25	42.33	Pass	2986
30	1000	0.1	RMS	846.5	-59.41	-25	34.41	Pass	9701
1000	2560	1	RMS	2560	-45.8	-25	20.8	Pass	1561
2560	2630	1	RMS	2590.45	24.75	60	35.25	Pass	401
2630	3000	1	RMS	2956.525	-44.72	-25	19.72	Pass	401
3000	12000	1	RMS	10362	-56.43	-25	31.43	Pass	9002
12000	26500	1	RMS	25994	-42.78	-25	17.78	Pass	14502



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.88	-25	37.88	Pass	401
0.15	30	0.01	RMS	0.18	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	857.406	-59.52	-25	34.52	Pass	9701
1000	2560	1	RMS	2558	-45.98	-25	20.98	Pass	1561
2560	2630	1	RMS	2590.45	23.53	60	36.47	Pass	401
2630	3000	1	RMS	2956.525	-44.77	-25	19.77	Pass	401
3000	12000	1	RMS	11847	-56.69	-25	31.69	Pass	9002
12000	26500	1	RMS	26002	-42.76	-25	17.76	Pass	14502



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.55	-25	38.55	Pass	401
0.15	30	0.01	RMS	0.16	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	852.802	-59.52	-25	34.52	Pass	9701
1000	2560	1	RMS	2557	-46.27	-25	21.27	Pass	1561
2560	2630	1	RMS	2610.4	24.31	60	35.69	Pass	401
2630	3000	1	RMS	2630	-44.34	-25	19.34	Pass	401
3000	12000	1	RMS	11856	-56.74	-25	31.74	Pass	9002
12000	26500	1	RMS	25987	-42.81	-25	17.81	Pass	14502



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.36	-25	39.36	Pass	401
0.15	30	0.01	RMS	0.19	-68.82	-25	43.82	Pass	2986
30	1000	0.1	RMS	848.7	-59.59	-25	34.59	Pass	9701
1000	2560	1	RMS	2559	-46.24	-25	21.24	Pass	1561
2560	2630	1	RMS	2610.575	23.13	60	36.87	Pass	401
2630	3000	1	RMS	2630	-44.37	-25	19.37	Pass	401
3000	12000	1	RMS	11847	-56.79	-25	31.79	Pass	9002
12000	26500	1	RMS	25996	-42.8	-25	17.8	Pass	14502



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.74	-25	38.74	Pass	401
0.15	30	0.01	RMS	0.18	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	830.5	-59.5	-25	34.5	Pass	9701
1000	2560	1	RMS	2557	-33.48	-25	8.48	Pass	1561
2560	2630	1	RMS	2570.675	24.99	60	35.01	Pass	401
2630	3000	1	RMS	2702.15	-43.78	-25	18.78	Pass	401
3000	12000	1	RMS	10283	-56.17	-25	31.17	Pass	9002
12000	26500	1	RMS	25997	-42.74	-25	17.74	Pass	14502



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.06	-25	39.06	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	849	-59.56	-25	34.56	Pass	9701
1000	2560	1	RMS	2558	-38.98	-25	13.98	Pass	1561
2560	2630	1	RMS	2570.675	22.67	60	37.33	Pass	401
2630	3000	1	RMS	2955.6	-44.81	-25	19.81	Pass	401
3000	12000	1	RMS	11841	-56.83	-25	31.83	Pass	9002
12000	26500	1	RMS	26000	-42.82	-25	17.82	Pass	14502



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.4	-25	39.4	Pass	401
0.15	30	0.01	RMS	0.15	-67.99	-25	42.99	Pass	2986
30	1000	0.1	RMS	854.904	-59.46	-25	34.46	Pass	9701
1000	2560	1	RMS	2559	-45.62	-25	20.62	Pass	1561
2560	2630	1	RMS	2588.175	24.49	60	35.51	Pass	401
2630	3000	1	RMS	2957.45	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	10354	-56.7	-25	31.7	Pass	9002
12000	26500	1	RMS	26002	-42.71	-25	17.71	Pass	14502



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.59	-25	38.59	Pass	401
0.15	30	0.01	RMS	0.19	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	820.3	-59.61	-25	34.61	Pass	9701
1000	2560	1	RMS	2558	-45.75	-25	20.75	Pass	1561
2560	2630	1	RMS	2588.35	22.82	60	37.18	Pass	401
2630	3000	1	RMS	2955.6	-44.8	-25	19.8	Pass	401
3000	12000	1	RMS	10353	-56.73	-25	31.73	Pass	9002
12000	26500	1	RMS	26001	-42.66	-25	17.66	Pass	14502



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.81	-25	38.81	Pass	401
0.15	30	0.01	RMS	0.16	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	836.9	-59.51	-25	34.51	Pass	9701
1000	2560	1	RMS	2544	-45.85	-25	20.85	Pass	1561
2560	2645	1	RMS	2605.9	24.14	60	35.86	Pass	401
2645	3000	1	RMS	2956.513	-44.75	-25	19.75	Pass	401
3000	12000	1	RMS	11855	-56.76	-25	31.76	Pass	9002
12000	26500	1	RMS	26001	-42.83	-25	17.83	Pass	14502



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.98	-25	37.98	Pass	401
0.15	30	0.01	RMS	0.15	-68	-25	43	Pass	2986
30	1000	0.1	RMS	847.3	-59.59	-25	34.59	Pass	9701
1000	2560	1	RMS	2545	-46.2	-25	21.2	Pass	1561
2560	2645	1	RMS	2605.9	22.47	60	37.53	Pass	401
2645	3000	1	RMS	2957.4	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	11845	-56.74	-25	31.74	Pass	9002
12000	26500	1	RMS	26000	-42.79	-25	17.79	Pass	14502



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.37	-25	38.37	Pass	401
0.15	30	0.01	RMS	0.2	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	610.4	-58.55	-25	33.55	Pass	9701
1000	2560	1	RMS	2553	-34.07	-25	9.07	Pass	1561
2560	2630	1	RMS	2570.85	25.04	60	34.96	Pass	401
2630	3000	1	RMS	2636.475	-41.51	-25	16.51	Pass	401
3000	12000	1	RMS	11855	-56.74	-25	31.74	Pass	9002
12000	26500	1	RMS	26003	-42.85	-25	17.85	Pass	14502



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.58	-25	35.58	Pass	401
0.15	30	0.01	RMS	0.17	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	839.8	-59.46	-25	34.46	Pass	9701
1000	2560	1	RMS	2554	-40.56	-25	15.56	Pass	1561
2560	2630	1	RMS	2570.85	23.12	60	36.88	Pass	401
2630	3000	1	RMS	2636.475	-42.22	-25	17.22	Pass	401
3000	12000	1	RMS	11850	-56.73	-25	31.73	Pass	9002
12000	26500	1	RMS	26000	-42.78	-25	17.78	Pass	14502



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.58	-25	35.58	Pass	401
0.15	30	0.01	RMS	0.21	-68.38	-25	43.38	Pass	2986
30	1000	0.1	RMS	846.5	-59.52	-25	34.52	Pass	9701
1000	2560	1	RMS	2550	-42.13	-25	17.13	Pass	1561
2560	2630	1	RMS	2585.9	23.96	60	36.04	Pass	401
2630	3000	1	RMS	2956.525	-44.77	-25	19.77	Pass	401
3000	12000	1	RMS	10344	-56.68	-25	31.68	Pass	9002
12000	26500	1	RMS	26004	-42.81	-25	17.81	Pass	14502



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.14	-25	38.14	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	845.5	-59.53	-25	34.53	Pass	9701
1000	2560	1	RMS	2550	-41.86	-25	16.86	Pass	1561
2560	2630	1	RMS	2585.9	22.83	60	37.17	Pass	401
2630	3000	1	RMS	2944.5	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	11849	-56.75	-25	31.75	Pass	9002
12000	26500	1	RMS	26000	-42.81	-25	17.81	Pass	14502



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.72	-25	36.72	Pass	401
0.15	30	0.01	RMS	0.16	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	872.616	-59.61	-25	34.61	Pass	9701
1000	2560	1	RMS	2560	-46.1	-25	21.1	Pass	1561
2560	2645	1	RMS	2600.8	24.28	60	35.72	Pass	401
2645	3000	1	RMS	2956.513	-44.73	-25	19.73	Pass	401
3000	12000	1	RMS	11841	-56.81	-25	31.81	Pass	9002
12000	26500	1	RMS	25994	-42.74	-25	17.74	Pass	14502



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.71	-25	36.71	Pass	401
0.15	30	0.01	RMS	0.21	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	839.9	-59.5	-25	34.5	Pass	9701
1000	2560	1	RMS	2560	-46.07	-25	21.07	Pass	1561
2560	2645	1	RMS	2600.8	23	60	37	Pass	401
2645	3000	1	RMS	2956.513	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	11857	-56.7	-25	31.7	Pass	9002
12000	26500	1	RMS	25996	-42.83	-25	17.83	Pass	14502



1. LTE_Band41 120M


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.04	-25	Pass	2986
30	1000	0.1	RMS	852.402	-59.78	-25	Pass	9701
1000	2486	1	RMS	2485	-46.59	-25	Pass	1487
2486	2700	1	RMS	2535.22	24.35	60	Pass	401
2700	3000	1	RMS	2956.5	-44.75	-25	Pass	401
3000	12000	1	RMS	10141	-54.52	-25	Pass	9002
12000	27000	1	RMS	26013	-42.31	-25	Pass	15002




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.09	-25	Pass	2986
30	1000	0.1	RMS	867.312	-59.8	-25	Pass	9701
1000	2486	1	RMS	2479	-46.53	-25	Pass	1487
2486	2700	1	RMS	2535.22	22.46	60	Pass	401
2700	3000	1	RMS	2956.5	-44.74	-25	Pass	401
3000	12000	1	RMS	11845	-57.34	-25	Pass	9002
12000	27000	1	RMS	25989	-42.27	-25	Pass	15002




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.08	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.28	-25	Pass	2986
30	1000	0.1	RMS	840.8	-59.82	-25	Pass	9701
1000	2486	1	RMS	2485	-46.47	-25	Pass	1487
2486	2700	1	RMS	2592.465	24.4	60	Pass	401
2700	3000	1	RMS	2956.5	-44.73	-25	Pass	401
3000	12000	1	RMS	10372	-57.05	-25	Pass	9002
12000	27000	1	RMS	25997	-42.19	-25	Pass	15002




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.53	-25	Pass	2986
30	1000	0.1	RMS	863.51	-59.78	-25	Pass	9701
1000	2486	1	RMS	2482	-46.45	-25	Pass	1487
2486	2700	1	RMS	2592.465	22.52	60	Pass	401
2700	3000	1	RMS	2950.5	-44.74	-25	Pass	401
3000	12000	1	RMS	10371	-56.85	-25	Pass	9002
12000	27000	1	RMS	25989	-42.28	-25	Pass	15002




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.55	-25	Pass	2986
30	1000	0.1	RMS	853.703	-59.87	-25	Pass	9701
1000	2486	1	RMS	2484	-46.54	-25	Pass	1487
2486	2700	1	RMS	2650.245	23.62	60	Pass	401
2700	3000	1	RMS	2952	-44.74	-25	Pass	401
3000	12000	1	RMS	10601	-56.92	-25	Pass	9002
12000	27000	1	RMS	25999	-42.25	-25	Pass	15002




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.38	-25	Pass	2986
30	1000	0.1	RMS	855.104	-59.68	-25	Pass	9701
1000	2486	1	RMS	2483	-46.5	-25	Pass	1487
2486	2700	1	RMS	2649.71	22.51	60	Pass	401
2700	3000	1	RMS	2957.25	-44.74	-25	Pass	401
3000	12000	1	RMS	10601	-57.07	-25	Pass	9002
12000	27000	1	RMS	25999	-42.28	-25	Pass	15002




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.32	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.53	-25	Pass	2986
30	1000	0.1	RMS	574.9	-59.19	-25	Pass	9701
1000	2486	1	RMS	2477	-46.53	-25	Pass	1487
2486	2700	1	RMS	2535.22	23.58	60	Pass	401
2700	3000	1	RMS	2952	-44.74	-25	Pass	401
3000	12000	1	RMS	10142	-56.44	-25	Pass	9002
12000	27000	1	RMS	26001	-42.31	-25	Pass	15002




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.11	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.1	-25	Pass	2986
30	1000	0.1	RMS	848.1	-59.76	-25	Pass	9701
1000	2486	1	RMS	2485	-46.54	-25	Pass	1487
2486	2700	1	RMS	2535.22	23.59	60	Pass	401
2700	3000	1	RMS	2955.75	-44.74	-25	Pass	401
3000	12000	1	RMS	10142	-55.47	-25	Pass	9002
12000	27000	1	RMS	26002	-42.27	-25	Pass	15002



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.51	-25	Pass	2986
30	1000	0.1	RMS	844.6	-59.72	-25	Pass	9701
1000	2486	1	RMS	2484	-46.51	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.48	60	Pass	401
2700	3000	1	RMS	2957.25	-44.77	-25	Pass	401
3000	12000	1	RMS	10363	-57.23	-25	Pass	9002
12000	27000	1	RMS	25999	-42.22	-25	Pass	15002



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-25	Pass	2986
30	1000	0.1	RMS	845.1	-59.6	-25	Pass	9701
1000	2486	1	RMS	2485	-46.48	-25	Pass	1487
2486	2700	1	RMS	2590.325	22.75	60	Pass	401
2700	3000	1	RMS	2956.5	-44.74	-25	Pass	401
3000	12000	1	RMS	10362	-56.64	-25	Pass	9002
12000	27000	1	RMS	26002	-42.2	-25	Pass	15002



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.1	-25	Pass	2986
30	1000	0.1	RMS	846.7	-59.81	-25	Pass	9701
1000	2486	1	RMS	2484	-46.48	-25	Pass	1487
2486	2700	1	RMS	2645.43	23.6	60	Pass	401
2700	3000	1	RMS	2956.5	-44.67	-25	Pass	401
3000	12000	1	RMS	11842	-57.32	-25	Pass	9002
12000	27000	1	RMS	25998	-42.12	-25	Pass	15002



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.5	-25	Pass	2986
30	1000	0.1	RMS	848.7	-59.76	-25	Pass	9701
1000	2486	1	RMS	2481	-46.53	-25	Pass	1487
2486	2700	1	RMS	2645.43	23.3	60	Pass	401
2700	3000	1	RMS	2956.5	-44.71	-25	Pass	401
3000	12000	1	RMS	11843	-57.3	-25	Pass	9002
12000	27000	1	RMS	26001	-42.23	-25	Pass	15002



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.76	-25	Pass	2986
30	1000	0.1	RMS	858.006	-59.76	-25	Pass	9701
1000	2486	1	RMS	2486	-46.55	-25	Pass	1487
2486	2700	1	RMS	2535.22	23.3	60	Pass	401
2700	3000	1	RMS	2952	-44.76	-25	Pass	401
3000	12000	1	RMS	10143	-55.79	-25	Pass	9002
12000	27000	1	RMS	25995	-42.26	-25	Pass	15002



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.65	-25	Pass	2986
30	1000	0.1	RMS	860.307	-59.68	-25	Pass	9701
1000	2486	1	RMS	2478	-46.5	-25	Pass	1487
2486	2700	1	RMS	2535.755	21.95	60	Pass	401
2700	3000	1	RMS	2956.5	-44.74	-25	Pass	401
3000	12000	1	RMS	11849	-57.17	-25	Pass	9002
12000	27000	1	RMS	26005	-42.27	-25	Pass	15002



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.63	-25	Pass	2986
30	1000	0.1	RMS	855.304	-59.82	-25	Pass	9701
1000	2486	1	RMS	2481	-46.41	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.7	60	Pass	401
2700	3000	1	RMS	2711.25	-44.61	-25	Pass	401
3000	12000	1	RMS	11846	-57.15	-25	Pass	9002
12000	27000	1	RMS	26013	-42.24	-25	Pass	15002



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.8	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.16	-25	Pass	2986
30	1000	0.1	RMS	875.217	-59.82	-25	Pass	9701
1000	2486	1	RMS	2436	-46.42	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.21	60	Pass	401
2700	3000	1	RMS	2710.5	-44.7	-25	Pass	401
3000	12000	1	RMS	10353	-57.17	-25	Pass	9002
12000	27000	1	RMS	26007	-42.18	-25	Pass	15002



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.98	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.86	-25	Pass	2986
30	1000	0.1	RMS	845.3	-59.71	-25	Pass	9701
1000	2486	1	RMS	2486	-46.48	-25	Pass	1487
2486	2700	1	RMS	2640.615	23.46	60	Pass	401
2700	3000	1	RMS	2957.25	-44.71	-25	Pass	401
3000	12000	1	RMS	11849	-57.14	-25	Pass	9002
12000	27000	1	RMS	26005	-42.3	-25	Pass	15002



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-25	Pass	2986
30	1000	0.1	RMS	838	-59.65	-25	Pass	9701
1000	2486	1	RMS	2481	-46.46	-25	Pass	1487
2486	2700	1	RMS	2640.615	22.47	60	Pass	401
2700	3000	1	RMS	2951.25	-44.68	-25	Pass	401
3000	12000	1	RMS	11840	-57.26	-25	Pass	9002
12000	27000	1	RMS	25994	-42.26	-25	Pass	15002



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-25	Pass	2986
30	1000	0.1	RMS	852.002	-59.6	-25	Pass	9701
1000	2486	1	RMS	2475	-46.5	-25	Pass	1487
2486	2700	1	RMS	2535.755	23.94	60	Pass	401
2700	3000	1	RMS	2957.25	-44.69	-25	Pass	401
3000	12000	1	RMS	10144	-55.93	-25	Pass	9002
12000	27000	1	RMS	26001	-42.2	-25	Pass	15002



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.91	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.08	-25	Pass	2986
30	1000	0.1	RMS	847.4	-59.73	-25	Pass	9701
1000	2486	1	RMS	2485	-46.51	-25	Pass	1487
2486	2700	1	RMS	2535.755	22.78	60	Pass	401
2700	3000	1	RMS	2957.25	-44.7	-25	Pass	401
3000	12000	1	RMS	10144	-55.94	-25	Pass	9002
12000	27000	1	RMS	26005	-42.23	-25	Pass	15002



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.71	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.62	-25	Pass	2986
30	1000	0.1	RMS	844	-59.73	-25	Pass	9701
1000	2486	1	RMS	2483	-46.47	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.09	60	Pass	401
2700	3000	1	RMS	2708.25	-42.12	-25	Pass	401
3000	12000	1	RMS	11850	-57.05	-25	Pass	9002
12000	27000	1	RMS	26001	-42.25	-25	Pass	15002



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.87	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.89	-25	Pass	2986
30	1000	0.1	RMS	854.203	-59.55	-25	Pass	9701
1000	2486	1	RMS	2483	-46.25	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.09	60	Pass	401
2700	3000	1	RMS	2708.25	-42.7	-25	Pass	401
3000	12000	1	RMS	11851	-57.13	-25	Pass	9002
12000	27000	1	RMS	26000	-42.03	-25	Pass	15002



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.88	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.26	-25	Pass	2986
30	1000	0.1	RMS	849.8	-59.6	-25	Pass	9701
1000	2486	1	RMS	2484	-46.34	-25	Pass	1487
2486	2700	1	RMS	2635.8	24.23	60	Pass	401
2700	3000	1	RMS	2701.5	-43.46	-25	Pass	401
3000	12000	1	RMS	10544	-56.36	-25	Pass	9002
12000	27000	1	RMS	25997	-41.96	-25	Pass	15002



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.21	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.76	-25	Pass	2986
30	1000	0.1	RMS	856.705	-59.4	-25	Pass	9701
1000	2486	1	RMS	2480	-46.35	-25	Pass	1487
2486	2715	1	RMS	2635.995	23.06	60	Pass	401
2715	3000	1	RMS	2956.538	-44.54	-25	Pass	401
3000	12000	1	RMS	10544	-56.51	-25	Pass	9002
12000	27000	1	RMS	25997	-42.11	-25	Pass	15002



7. LTE_Band66


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.83	-13	53.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	852.202	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1700	-50.14	-13	37.14	Pass	701
1700	1790	1	RMS	1710.125	23.76	60	36.24	Pass	401
1790	3000	1	RMS	2958	-48.75	-13	35.75	Pass	1211
3000	12000	1	RMS	11847	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	19402	-32.88	-13	19.88	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.78	-13	54.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	830.3	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1700	-46.81	-13	33.81	Pass	701
1700	1790	1	RMS	1710.125	23.48	60	36.52	Pass	401
1790	3000	1	RMS	2958	-48.74	-13	35.74	Pass	1211
3000	12000	1	RMS	11848	-41.19	-13	28.19	Pass	9002
12000	20000	1	RMS	19400	-32.82	-13	19.82	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.3	-13	54.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	856.605	-63.51	-13	50.51	Pass	9701
1000	1700	1	RMS	1699	-52.21	-13	39.21	Pass	701
1700	1790	1	RMS	1744.325	23.65	60	36.35	Pass	401
1790	3000	1	RMS	2955	-48.76	-13	35.76	Pass	1211
3000	12000	1	RMS	11851	-41.16	-13	28.16	Pass	9002
12000	20000	1	RMS	19406	-32.88	-13	19.88	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.18	-13	55.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	841.3	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1698	-52.25	-13	39.25	Pass	701
1700	1790	1	RMS	1744.325	23.09	60	36.91	Pass	401
1790	3000	1	RMS	2958	-48.76	-13	35.76	Pass	1211
3000	12000	1	RMS	11849	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19401	-32.86	-13	19.86	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.72	-13	54.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	835.6	-63.5	-13	50.5	Pass	9701
1000	1700	1	RMS	1700	-52.36	-13	39.36	Pass	701
1700	1790	1	RMS	1778.75	23.67	60	36.33	Pass	401
1790	3000	1	RMS	2949	-48.77	-13	35.77	Pass	1211
3000	12000	1	RMS	11852	-41.21	-13	28.21	Pass	9002
12000	20000	1	RMS	19405	-32.82	-13	19.82	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.86	-13	53.86	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	57.68	Pass	2986
30	1000	0.1	RMS	845.9	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1685	-52.38	-13	39.38	Pass	701
1700	1790	1	RMS	1778.75	23.09	60	36.91	Pass	401
1790	3000	1	RMS	2962	-48.73	-13	35.73	Pass	1211
3000	12000	1	RMS	11848	-41.23	-13	28.23	Pass	9002
12000	20000	1	RMS	19399	-32.8	-13	19.8	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	847.8	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1700	-49.03	-13	36.03	Pass	701
1700	1790	1	RMS	1710.125	23.8	60	36.2	Pass	401
1790	3000	1	RMS	2959	-48.75	-13	35.75	Pass	1211
3000	12000	1	RMS	11846	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	19405	-32.79	-13	19.79	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.79	-13	53.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	862.009	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1700	-49.18	-13	36.18	Pass	701
1700	1790	1	RMS	1710.125	23.16	60	36.84	Pass	401
1790	3000	1	RMS	2957	-48.74	-13	35.74	Pass	1211
3000	12000	1	RMS	11850	-41.15	-13	28.15	Pass	9002
12000	20000	1	RMS	19402	-32.8	-13	19.8	Pass	8001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.31	-13	54.31	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-13	57.31	Pass	2986
30	1000	0.1	RMS	850.501	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1697	-52.16	-13	39.16	Pass	701
1700	1790	1	RMS	1743.65	23.84	60	36.16	Pass	401
1790	3000	1	RMS	2958	-48.71	-13	35.71	Pass	1211
3000	12000	1	RMS	11844	-41.17	-13	28.17	Pass	9002
12000	20000	1	RMS	19404	-32.84	-13	19.84	Pass	8001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.93	-13	54.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	841.9	-63.55	-13	50.55	Pass	9701
1000	1700	1	RMS	1697	-52.17	-13	39.17	Pass	701
1700	1790	1	RMS	1743.65	23.59	60	36.41	Pass	401
1790	3000	1	RMS	2957	-48.67	-13	35.67	Pass	1211
3000	12000	1	RMS	11851	-41.18	-13	28.18	Pass	9002
12000	20000	1	RMS	19399	-32.77	-13	19.77	Pass	8001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.02	-13	55.02	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	846.3	-63.39	-13	50.39	Pass	9701
1000	1700	1	RMS	1699	-52.33	-13	39.33	Pass	701
1700	1790	1	RMS	1777.175	24	60	36	Pass	401
1790	3000	1	RMS	2951	-48.74	-13	35.74	Pass	1211
3000	12000	1	RMS	11844	-41.24	-13	28.24	Pass	9002
12000	20000	1	RMS	19404	-32.89	-13	19.89	Pass	8001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.94	-13	53.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	838	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1693	-52.35	-13	39.35	Pass	701
1700	1790	1	RMS	1777.175	23.62	60	36.38	Pass	401
1790	3000	1	RMS	2943	-48.74	-13	35.74	Pass	1211
3000	12000	1	RMS	11843	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	19403	-32.85	-13	19.85	Pass	8001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.7	-13	53.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	829.6	-63.49	-13	50.49	Pass	9701
1000	1700	1	RMS	1700	-49.06	-13	36.06	Pass	701
1700	1790	1	RMS	1710.125	23.96	60	36.04	Pass	401
1790	3000	1	RMS	2959	-48.74	-13	35.74	Pass	1211
3000	12000	1	RMS	11851	-41.19	-13	28.19	Pass	9002
12000	20000	1	RMS	19397	-32.81	-13	19.81	Pass	8001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.73	-13	54.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	848.5	-63.49	-13	50.49	Pass	9701
1000	1700	1	RMS	1700	-45.97	-13	32.97	Pass	701
1700	1790	1	RMS	1710.125	23.53	60	36.47	Pass	401
1790	3000	1	RMS	2957	-48.73	-13	35.73	Pass	1211
3000	12000	1	RMS	11842	-41.22	-13	28.22	Pass	9002
12000	20000	1	RMS	19408	-32.84	-13	19.84	Pass	8001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.1	-13	54.1	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	855.204	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1700	-52.23	-13	39.23	Pass	701
1700	1790	1	RMS	1742.75	23.71	60	36.29	Pass	401
1790	3000	1	RMS	2957	-48.69	-13	35.69	Pass	1211
3000	12000	1	RMS	11845	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	19400	-32.84	-13	19.84	Pass	8001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.9	-13	54.9	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	839.4	-63.43	-13	50.43	Pass	9701
1000	1700	1	RMS	1700	-52.2	-13	39.2	Pass	701
1700	1790	1	RMS	1742.75	23.46	60	36.54	Pass	401
1790	3000	1	RMS	2957	-48.76	-13	35.76	Pass	1211
3000	12000	1	RMS	11849	-41.12	-13	28.12	Pass	9002
12000	20000	1	RMS	19400	-32.74	-13	19.74	Pass	8001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.6	-13	52.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	845.4	-63.42	-13	50.42	Pass	9701
1000	1700	1	RMS	1693	-52.37	-13	39.37	Pass	701
1700	1790	1	RMS	1775.15	23.73	60	36.27	Pass	401
1790	3000	1	RMS	2958	-48.7	-13	35.7	Pass	1211
3000	12000	1	RMS	11851	-41.16	-13	28.16	Pass	9002
12000	20000	1	RMS	19709	-32.82	-13	19.82	Pass	8001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.62	-13	53.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	838.9	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1698	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1775.15	23.6	60	36.4	Pass	401
1790	3000	1	RMS	2943	-48.74	-13	35.74	Pass	1211
3000	12000	1	RMS	11847	-41.15	-13	28.15	Pass	9002
12000	20000	1	RMS	19401	-32.82	-13	19.82	Pass	8001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.94	-13	54.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	58.02	Pass	2986
30	1000	0.1	RMS	846.8	-63.44	-13	50.44	Pass	9701
1000	1700	1	RMS	1693	-48.25	-13	35.25	Pass	701
1700	1790	1	RMS	1710.575	23.95	60	36.05	Pass	401
1790	3000	1	RMS	2959	-48.75	-13	35.75	Pass	1211
3000	12000	1	RMS	11855	-41.18	-13	28.18	Pass	9002
12000	20000	1	RMS	19402	-32.8	-13	19.8	Pass	8001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.07	-13	54.07	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	845.8	-63.32	-13	50.32	Pass	9701
1000	1700	1	RMS	1700	-48.82	-13	35.82	Pass	701
1700	1790	1	RMS	1710.575	22.94	60	37.06	Pass	401
1790	3000	1	RMS	2949	-48.76	-13	35.76	Pass	1211
3000	12000	1	RMS	11838	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	19408	-32.8	-13	19.8	Pass	8001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.62	-13	54.62	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-13	57.39	Pass	2986
30	1000	0.1	RMS	847.7	-63.49	-13	50.49	Pass	9701
1000	1700	1	RMS	1699	-52.19	-13	39.19	Pass	701
1700	1790	1	RMS	1740.5	23.67	60	36.33	Pass	401
1790	3000	1	RMS	2956	-48.76	-13	35.76	Pass	1211
3000	12000	1	RMS	11849	-41.16	-13	28.16	Pass	9002
12000	20000	1	RMS	19402	-32.78	-13	19.78	Pass	8001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.25	-13	53.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	849.8	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1700	-52.2	-13	39.2	Pass	701
1700	1790	1	RMS	1740.5	22.95	60	37.05	Pass	401
1790	3000	1	RMS	2954	-48.74	-13	35.74	Pass	1211
3000	12000	1	RMS	11851	-41.12	-13	28.12	Pass	9002
12000	20000	1	RMS	19403	-32.82	-13	19.82	Pass	8001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.86	-13	52.86	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	851.902	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1697	-52.33	-13	39.33	Pass	701
1700	1790	1	RMS	1770.425	23.76	60	36.24	Pass	401
1790	3000	1	RMS	2943	-48.78	-13	35.78	Pass	1211
3000	12000	1	RMS	11848	-41.17	-13	28.17	Pass	9002
12000	20000	1	RMS	19394	-32.9	-13	19.9	Pass	8001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.36	-13	54.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	844.1	-63.53	-13	50.53	Pass	9701
1000	1700	1	RMS	1697	-52.34	-13	39.34	Pass	701
1700	1790	1	RMS	1770.425	23.17	60	36.83	Pass	401
1790	3000	1	RMS	2952	-48.78	-13	35.78	Pass	1211
3000	12000	1	RMS	11839	-41.2	-13	28.2	Pass	9002
12000	20000	1	RMS	19401	-32.79	-13	19.79	Pass	8001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.35	-13	54.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	847.6	-63.55	-13	50.55	Pass	9701
1000	1700	1	RMS	1697	-39.1	-13	26.1	Pass	701
1700	1790	1	RMS	1710.8	23.78	60	36.22	Pass	401
1790	3000	1	RMS	2959	-48.77	-13	35.77	Pass	1211
3000	12000	1	RMS	11852	-41.16	-13	28.16	Pass	9002
12000	20000	1	RMS	19400	-32.82	-13	19.82	Pass	8001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.98	-13	52.98	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	2986
30	1000	0.1	RMS	839.9	-63.45	-13	50.45	Pass	9701
1000	1700	1	RMS	1698	-37.78	-13	24.78	Pass	701
1700	1790	1	RMS	1710.8	22.95	60	37.05	Pass	401
1790	3000	1	RMS	2957	-48.68	-13	35.68	Pass	1211
3000	12000	1	RMS	11847	-41.18	-13	28.18	Pass	9002
12000	20000	1	RMS	19403	-32.8	-13	19.8	Pass	8001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.58	-13	54.58	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	57.78	Pass	2986
30	1000	0.1	RMS	852.602	-63.47	-13	50.47	Pass	9701
1000	1700	1	RMS	1700	-52.05	-13	39.05	Pass	701
1700	1790	1	RMS	1738.25	23.61	60	36.39	Pass	401
1790	3000	1	RMS	2952	-48.73	-13	35.73	Pass	1211
3000	12000	1	RMS	11850	-41.18	-13	28.18	Pass	9002
12000	20000	1	RMS	19398	-32.81	-13	19.81	Pass	8001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.3	-13	54.3	Pass	401
0.15	30	0.01	RMS	0.17	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	840.9	-63.55	-13	50.55	Pass	9701
1000	1700	1	RMS	1698	-52.12	-13	39.12	Pass	701
1700	1790	1	RMS	1738.25	22.9	60	37.1	Pass	401
1790	3000	1	RMS	2958	-48.71	-13	35.71	Pass	1211
3000	12000	1	RMS	11850	-41.15	-13	28.15	Pass	9002
12000	20000	1	RMS	19400	-32.79	-13	19.79	Pass	8001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.61	-13	53.61	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	968.379	-63.46	-13	50.46	Pass	9701
1000	1700	1	RMS	1696	-52.3	-13	39.3	Pass	701
1700	1790	1	RMS	1765.7	23.81	60	36.19	Pass	401
1790	3000	1	RMS	1792	-41.22	-13	28.22	Pass	1211
3000	12000	1	RMS	11851	-41.19	-13	28.19	Pass	9002
12000	20000	1	RMS	19404	-32.81	-13	19.81	Pass	8001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.56	-13	54.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	859.107	-63.52	-13	50.52	Pass	9701
1000	1700	1	RMS	1699	-52.3	-13	39.3	Pass	701
1700	1790	1	RMS	1765.7	23.08	60	36.92	Pass	401
1790	3000	1	RMS	1792	-41.51	-13	28.51	Pass	1211
3000	12000	1	RMS	11850	-41.18	-13	28.18	Pass	9002
12000	20000	1	RMS	19414	-32.88	-13	19.88	Pass	8001



7.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.65	-13	54.65	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	851.402	-63.52	-13	50.52	Pass	9701
1000	1700	1	RMS	1693	-37.05	-13	24.05	Pass	701
1700	1790	1	RMS	1711.025	23.84	60	36.16	Pass	401
1790	3000	1	RMS	2957	-48.77	-13	35.77	Pass	1211
3000	12000	1	RMS	11846	-41.24	-13	28.24	Pass	9002
12000	20000	1	RMS	19397	-32.87	-13	19.87	Pass	8001



7.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.04	-13	54.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	840.3	-63.49	-13	50.49	Pass	9701
1000	1700	1	RMS	1693	-36.95	-13	23.95	Pass	701
1700	1790	1	RMS	1711.025	23.62	60	36.38	Pass	401
1790	3000	1	RMS	2957	-48.69	-13	35.69	Pass	1211
3000	12000	1	RMS	11854	-41.22	-13	28.22	Pass	9002
12000	20000	1	RMS	19401	-32.81	-13	19.81	Pass	8001



7.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.82	-13	54.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	847.4	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	37.82	Pass	701
1700	1790	1	RMS	1736	23.67	60	36.33	Pass	401
1790	3000	1	RMS	2957	-48.73	-13	35.73	Pass	1211
3000	12000	1	RMS	11849	-41.14	-13	28.14	Pass	9002
12000	20000	1	RMS	19399	-32.77	-13	19.77	Pass	8001



7.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.06	-13	54.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	840.7	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1700	-49.63	-13	36.63	Pass	701
1700	1790	1	RMS	1736	23.51	60	36.49	Pass	401
1790	3000	1	RMS	2960	-48.74	-13	35.74	Pass	1211
3000	12000	1	RMS	11853	-41.19	-13	28.19	Pass	9002
12000	20000	1	RMS	19404	-32.79	-13	19.79	Pass	8001



7.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.66	-13	53.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	847.3	-63.47	-13	50.47	Pass	9701
1000	1700	1	RMS	1700	-47.82	-13	34.82	Pass	701
1700	1790	1	RMS	1760.975	24.01	60	35.99	Pass	401
1790	3000	1	RMS	1797	-37.68	-13	24.68	Pass	1211
3000	12000	1	RMS	11851	-41.22	-13	28.22	Pass	9002
12000	20000	1	RMS	19401	-32.84	-13	19.84	Pass	8001



7.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.7	-13	52.7	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	835.7	-63.46	-13	50.46	Pass	9701
1000	1700	1	RMS	1700	-48.23	-13	35.23	Pass	701
1700	1790	1	RMS	1760.975	23.63	60	36.37	Pass	401
1790	3000	1	RMS	1797	-36.93	-13	23.93	Pass	1211
3000	12000	1	RMS	11850	-41.15	-13	28.15	Pass	9002
12000	20000	1	RMS	19408	-32.86	-13	19.86	Pass	8001



--BLANK BELOW--