


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.17	-13	Pass	401
0.15	30	0.01	Peak	0.16	-54.42	-13	Pass	2986
30	500	0.1	Peak	498.4	-42.53	-13	Pass	4701
500	1000	0.1	Peak	824.1	33	-13	N/A	5001
1000	10000	1	Peak	7001	-19.51	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-56.79	-13	Pass	401
0.15	30	0.01	Peak	0.37	-54.07	-13	Pass	2986
30	500	0.1	Peak	456.5	-43.77	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.95	-13	N/A	5001
1000	10000	1	Peak	7744	-20.3	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.36	-13	Pass	401
0.15	30	0.01	Peak	0.22	-53.14	-13	Pass	2986
30	500	0.1	Peak	394	-42.99	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.61	-13	N/A	5001
1000	10000	1	Peak	7164	-20.31	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-57.85	-13	Pass	401
0.15	30	0.01	Peak	0.16	-59.87	-13	Pass	2986
30	1000	0.1	Peak	876.618	-48.55	-13	Pass	9701
1000	3000	1	Peak	1850	30.13	-13	N/A	2001
3000	20000	1	Peak	19402	-40.55	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-60.09	-13	Pass	401
0.15	30	0.01	Peak	0.25	-59.87	-13	Pass	2986
30	1000	0.1	Peak	810	-48.48	-13	Pass	9701
1000	3000	1	Peak	1880	30.93	-13	N/A	2001
3000	20000	1	Peak	19460	-40.74	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-58.97	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.67	-13	Pass	2986
30	1000	0.1	Peak	865.411	-48.17	-13	Pass	9701
1000	3000	1	Peak	1909	28.05	-13	N/A	2001
3000	20000	1	Peak	19742	-39.99	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.12	-13	Pass	401
0.15	30	0.01	Peak	0.23	-53.66	-13	Pass	2986
30	500	0.1	Peak	451.5	-42.75	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.78	-13	N/A	5001
1000	10000	1	Peak	7213	-19.96	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.66	-13	Pass	401
0.15	30	0.01	Peak	0.22	-53.24	-13	Pass	2986
30	500	0.1	Peak	353.1	-43.3	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.2	-13	N/A	5001
1000	10000	1	Peak	7583	-19.98	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-55.5	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.78	-13	Pass	2986
30	500	0.1	Peak	354.8	-43.3	-13	Pass	4701
500	1000	0.1	Peak	848.9	27.08	-13	N/A	5001
1000	10000	1	Peak	6961	-19.81	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.22	-13	Pass	401
0.15	30	0.01	Peak	0.28	-60.03	-13	Pass	2986
30	1000	0.1	Peak	952.469	-48.02	-13	Pass	9701
1000	3000	1	Peak	1850	30.7	-13	N/A	2001
3000	20000	1	Peak	19384	-40.59	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-58.28	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.28	-13	Pass	2986
30	1000	0.1	Peak	830	-48.88	-13	Pass	9701
1000	3000	1	Peak	1880	30.06	-13	N/A	2001
3000	20000	1	Peak	19487	-40.44	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.57	-13	Pass	401
0.15	30	0.01	Peak	0.26	-59.28	-13	Pass	2986
30	1000	0.1	Peak	956.171	-48.61	-13	Pass	9701
1000	3000	1	Peak	1910	30.51	-13	N/A	2001
3000	20000	1	Peak	19401	-40.31	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.18	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.75	-13	Pass	2986
30	1000	0.1	Peak	863.409	-52.35	-13	Pass	9701
1000	3000	1	Peak	1851	24.28	-13	N/A	2001
3000	20000	1	Peak	19401	-21.52	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.66	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.31	-13	Pass	2986
30	1000	0.1	Peak	831.5	-51.84	-13	Pass	9701
1000	3000	1	Peak	1879	24.26	-13	N/A	2001
3000	20000	1	Peak	19964	-21.09	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.85	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.84	-13	Pass	2986
30	1000	0.1	Peak	976.184	-52.81	-13	Pass	9701
1000	3000	1	Peak	1907	24.59	-13	N/A	2001
3000	20000	1	Peak	19924	-22.03	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.74	-13	Pass	401
0.15	30	0.01	Peak	0.63	-64	-13	Pass	2986
30	1000	0.1	Peak	969.18	-52.51	-13	Pass	9701
1000	3000	1	Peak	1713	24.57	-13	N/A	2001
3000	20000	1	Peak	19798	-21.61	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-59.83	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.86	-13	Pass	2986
30	1000	0.1	Peak	963.476	-52.47	-13	Pass	9701
1000	3000	1	Peak	1734	24.36	-13	N/A	2001
3000	20000	1	Peak	19773	-21.64	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.91	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.88	-13	Pass	2986
30	1000	0.1	Peak	991.594	-52.48	-13	Pass	9701
1000	3000	1	Peak	1752	24.09	-13	N/A	2001
3000	20000	1	Peak	19739	-21.33	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.72	-13	Pass	401
0.15	30	0.01	Peak	0.3	-64.75	-13	Pass	2986
30	500	0.1	Peak	476.9	-53.4	-13	Pass	4701
500	1000	0.1	Peak	827	20.04	-13	N/A	5001
1000	10000	1	Peak	8550	-30.41	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.24	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.3	-13	Pass	2986
30	500	0.1	Peak	389.9	-52.85	-13	Pass	4701
500	1000	0.1	Peak	835.2	18.39	-13	N/A	5001
1000	10000	1	Peak	7644	-30.06	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.79	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.88	-13	Pass	2986
30	500	0.1	Peak	480.5	-53.31	-13	Pass	4701
500	1000	0.1	Peak	845.4	19.11	-13	N/A	5001
1000	10000	1	Peak	7672	-30.43	-13	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-63.53	-13	50.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	842.1	-63.62	-13	50.62	Pass	9701
1000	1840	1	RMS	1840	-50.87	-13	37.87	Pass	841
1840	1920	1	RMS	1850.2	23.77	60	36.23	Pass	401
1920	3000	1	RMS	2957	-48.8	-13	35.8	Pass	1081
3000	12000	1	RMS	11833	-41	-13	28	Pass	9002
12000	20000	1	RMS	19402	-32.55	-13	19.55	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.49	-13	49.49	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	853.603	-63.65	-13	50.65	Pass	9701
1000	1840	1	RMS	1840	-51.07	-13	38.07	Pass	841
1840	1920	1	RMS	1850.2	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2951	-48.76	-13	35.76	Pass	1081
3000	12000	1	RMS	11850	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19401	-32.65	-13	19.65	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.67	-13	50.67	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	912.642	-63.64	-13	50.64	Pass	9701
1000	1840	1	RMS	1817	-52.14	-13	39.14	Pass	841
1840	1920	1	RMS	1879.4	23.63	60	36.37	Pass	401
1920	3000	1	RMS	2944	-48.78	-13	35.78	Pass	1081
3000	12000	1	RMS	11850	-41.02	-13	28.02	Pass	9002
12000	20000	1	RMS	19406	-32.64	-13	19.64	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.5	-13	50.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	849.901	-63.67	-13	50.67	Pass	9701
1000	1840	1	RMS	1818	-52.15	-13	39.15	Pass	841
1840	1920	1	RMS	1879.4	23.2	60	36.8	Pass	401
1920	3000	1	RMS	2956	-48.77	-13	35.77	Pass	1081
3000	12000	1	RMS	11841	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19398	-32.66	-13	19.66	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-62.91	-13	49.91	Pass	401
0.15	30	0.01	RMS	0.22	-72	-13	59	Pass	2986
30	1000	0.1	RMS	845.7	-63.68	-13	50.68	Pass	9701
1000	1840	1	RMS	1834	-52.15	-13	39.15	Pass	841
1840	1920	1	RMS	1908.8	23.31	60	36.69	Pass	401
1920	3000	1	RMS	2958	-48.79	-13	35.79	Pass	1081
3000	12000	1	RMS	11850	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19401	-32.64	-13	19.64	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-63.88	-13	50.88	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	833.1	-63.69	-13	50.69	Pass	9701
1000	1840	1	RMS	1811	-52.16	-13	39.16	Pass	841
1840	1920	1	RMS	1908.8	22.59	60	37.41	Pass	401
1920	3000	1	RMS	2960	-48.74	-13	35.74	Pass	1081
3000	12000	1	RMS	11849	-41.02	-13	28.02	Pass	9002
12000	20000	1	RMS	19413	-32.62	-13	19.62	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.91	-13	48.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	844.7	-63.62	-13	50.62	Pass	9701
1000	1840	1	RMS	1840	-50.39	-13	37.39	Pass	841
1840	1920	1	RMS	1850.2	23.79	60	36.21	Pass	401
1920	3000	1	RMS	2962	-48.75	-13	35.75	Pass	1081
3000	12000	1	RMS	11854	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19401	-32.58	-13	19.58	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.13	-13	50.13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	850.601	-63.65	-13	50.65	Pass	9701
1000	1840	1	RMS	1840	-48.28	-13	35.28	Pass	841
1840	1920	1	RMS	1850.2	22.44	60	37.56	Pass	401
1920	3000	1	RMS	2960	-48.8	-13	35.8	Pass	1081
3000	12000	1	RMS	11853	-40.95	-13	27.95	Pass	9002
12000	20000	1	RMS	19401	-32.57	-13	19.57	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-63.34	-13	50.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	849.1	-63.55	-13	50.55	Pass	9701
1000	1840	1	RMS	1821	-52.07	-13	39.07	Pass	841
1840	1920	1	RMS	1878.6	23.34	60	36.66	Pass	401
1920	3000	1	RMS	2957	-48.74	-13	35.74	Pass	1081
3000	12000	1	RMS	11858	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19412	-32.62	-13	19.62	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.51	-13	50.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	849.3	-63.63	-13	50.63	Pass	9701
1000	1840	1	RMS	1814	-52.11	-13	39.11	Pass	841
1840	1920	1	RMS	1878.6	23.14	60	36.86	Pass	401
1920	3000	1	RMS	2958	-48.74	-13	35.74	Pass	1081
3000	12000	1	RMS	11853	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19399	-32.63	-13	19.63	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.72	-13	50.72	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	843.3	-63.49	-13	50.49	Pass	9701
1000	1840	1	RMS	1839	-52.11	-13	39.11	Pass	841
1840	1920	1	RMS	1907.2	23.36	60	36.64	Pass	401
1920	3000	1	RMS	2949	-48.74	-13	35.74	Pass	1081
3000	12000	1	RMS	11850	-40.94	-13	27.94	Pass	9002
12000	20000	1	RMS	19412	-32.62	-13	19.62	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.38	-13	50.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	846.3	-63.69	-13	50.69	Pass	9701
1000	1840	1	RMS	1812	-52.12	-13	39.12	Pass	841
1840	1920	1	RMS	1907.2	22.43	60	37.57	Pass	401
1920	3000	1	RMS	2952	-48.76	-13	35.76	Pass	1081
3000	12000	1	RMS	11840	-40.92	-13	27.92	Pass	9002
12000	20000	1	RMS	19402	-32.58	-13	19.58	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.07	-13	49.07	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	849	-63.49	-13	50.49	Pass	9701
1000	1840	1	RMS	1840	-49.56	-13	36.56	Pass	841
1840	1920	1	RMS	1850.2	23.37	60	36.63	Pass	401
1920	3000	1	RMS	2953	-48.76	-13	35.76	Pass	1081
3000	12000	1	RMS	11838	-40.89	-13	27.89	Pass	9002
12000	20000	1	RMS	19404	-32.64	-13	19.64	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.32	-13	50.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	843.9	-63.52	-13	50.52	Pass	9701
1000	1840	1	RMS	1840	-50.86	-13	37.86	Pass	841
1840	1920	1	RMS	1850.2	21.89	60	38.11	Pass	401
1920	3000	1	RMS	2959	-48.72	-13	35.72	Pass	1081
3000	12000	1	RMS	11859	-40.94	-13	27.94	Pass	9002
12000	20000	1	RMS	19404	-32.53	-13	19.53	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.66	-13	49.66	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	851.702	-63.5	-13	50.5	Pass	9701
1000	1840	1	RMS	1812	-52.11	-13	39.11	Pass	841
1840	1920	1	RMS	1877.8	23.51	60	36.49	Pass	401
1920	3000	1	RMS	2958	-48.73	-13	35.73	Pass	1081
3000	12000	1	RMS	11847	-40.92	-13	27.92	Pass	9002
12000	20000	1	RMS	19404	-32.55	-13	19.55	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.67	-13	49.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	838.5	-63.59	-13	50.59	Pass	9701
1000	1840	1	RMS	1833	-52.07	-13	39.07	Pass	841
1840	1920	1	RMS	1877.8	23.19	60	36.81	Pass	401
1920	3000	1	RMS	2955	-48.68	-13	35.68	Pass	1081
3000	12000	1	RMS	11848	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	19410	-32.59	-13	19.59	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-64.53	-13	51.53	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	865.611	-63.62	-13	50.62	Pass	9701
1000	1840	1	RMS	1808	-52.11	-13	39.11	Pass	841
1840	1920	1	RMS	1905.2	23.43	60	36.57	Pass	401
1920	3000	1	RMS	2946	-48.72	-13	35.72	Pass	1081
3000	12000	1	RMS	11845	-40.94	-13	27.94	Pass	9002
12000	20000	1	RMS	19403	-32.58	-13	19.58	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.91	-13	49.91	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	844.6	-63.51	-13	50.51	Pass	9701
1000	1840	1	RMS	1823	-52.08	-13	39.08	Pass	841
1840	1920	1	RMS	1905.2	22.52	60	37.48	Pass	401
1920	3000	1	RMS	2953	-48.73	-13	35.73	Pass	1081
3000	12000	1	RMS	11853	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	19403	-32.62	-13	19.62	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.41	-13	50.41	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	826.6	-63.69	-13	50.69	Pass	9701
1000	1840	1	RMS	1833	-35.4	-13	22.4	Pass	841
1840	1920	1	RMS	1850.4	23.55	60	36.45	Pass	401
1920	3000	1	RMS	2957	-48.71	-13	35.71	Pass	1081
3000	12000	1	RMS	11844	-40.94	-13	27.94	Pass	9002
12000	20000	1	RMS	19403	-32.62	-13	19.62	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.55	-13	50.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	58.08	Pass	2986
30	1000	0.1	RMS	841.9	-63.59	-13	50.59	Pass	9701
1000	1840	1	RMS	1833	-36.75	-13	23.75	Pass	841
1840	1920	1	RMS	1850.4	22.59	60	37.41	Pass	401
1920	3000	1	RMS	2958	-48.7	-13	35.7	Pass	1081
3000	12000	1	RMS	11850	-40.86	-13	27.86	Pass	9002
12000	20000	1	RMS	19408	-32.63	-13	19.63	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.5	-13	50.5	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	854.203	-63.52	-13	50.52	Pass	9701
1000	1840	1	RMS	1839	-52.07	-13	39.07	Pass	841
1840	1920	1	RMS	1875.4	23.54	60	36.46	Pass	401
1920	3000	1	RMS	2962	-48.73	-13	35.73	Pass	1081
3000	12000	1	RMS	11830	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	19395	-32.61	-13	19.61	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.52	-13	49.52	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	2986
30	1000	0.1	RMS	823.1	-63.57	-13	50.57	Pass	9701
1000	1840	1	RMS	1840	-51.81	-13	38.81	Pass	841
1840	1920	1	RMS	1875.4	23.25	60	36.75	Pass	401
1920	3000	1	RMS	2945	-48.72	-13	35.72	Pass	1081
3000	12000	1	RMS	11854	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	19402	-32.56	-13	19.56	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.28	-13	49.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	842.2	-63.51	-13	50.51	Pass	9701
1000	1840	1	RMS	1838	-52.1	-13	39.1	Pass	841
1840	1920	1	RMS	1900.6	23.56	60	36.44	Pass	401
1920	3000	1	RMS	2958	-48.69	-13	35.69	Pass	1081
3000	12000	1	RMS	11850	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	19405	-32.62	-13	19.62	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.52	-13	50.52	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	850.401	-63.63	-13	50.63	Pass	9701
1000	1840	1	RMS	1827	-52.13	-13	39.13	Pass	841
1840	1920	1	RMS	1900.4	22.38	60	37.62	Pass	401
1920	3000	1	RMS	2945	-48.73	-13	35.73	Pass	1081
3000	12000	1	RMS	11851	-40.95	-13	27.95	Pass	9002
12000	20000	1	RMS	19402	-32.61	-13	19.61	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.71	-13	49.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	838.2	-63.59	-13	50.59	Pass	9701
1000	1840	1	RMS	1838	-30.49	-13	17.49	Pass	841
1840	1920	1	RMS	1850.6	23.38	60	36.62	Pass	401
1920	3000	1	RMS	2957	-48.74	-13	35.74	Pass	1081
3000	12000	1	RMS	11859	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19401	-32.52	-13	19.52	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.02	-13	50.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	855.905	-63.55	-13	50.55	Pass	9701
1000	1840	1	RMS	1838	-35.06	-13	22.06	Pass	841
1840	1920	1	RMS	1850.8	22.27	60	37.73	Pass	401
1920	3000	1	RMS	2950	-48.74	-13	35.74	Pass	1081
3000	12000	1	RMS	11841	-40.93	-13	27.93	Pass	9002
12000	20000	1	RMS	19408	-32.56	-13	19.56	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-62.74	-13	49.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	849.2	-63.67	-13	50.67	Pass	9701
1000	1840	1	RMS	1840	-51.89	-13	38.89	Pass	841
1840	1920	1	RMS	1873.2	23.95	60	36.05	Pass	401
1920	3000	1	RMS	2961	-48.72	-13	35.72	Pass	1081
3000	12000	1	RMS	11855	-40.93	-13	27.93	Pass	9002
12000	20000	1	RMS	19402	-32.63	-13	19.63	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.7	-13	50.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	830.3	-63.64	-13	50.64	Pass	9701
1000	1840	1	RMS	1840	-51.97	-13	38.97	Pass	841
1840	1920	1	RMS	1873.2	23.4	60	36.6	Pass	401
1920	3000	1	RMS	2959	-48.74	-13	35.74	Pass	1081
3000	12000	1	RMS	11851	-41.02	-13	28.02	Pass	9002
12000	20000	1	RMS	19394	-32.65	-13	19.65	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.22	-13	50.22	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	57.83	Pass	2986
30	1000	0.1	RMS	842.2	-63.38	-13	50.38	Pass	9701
1000	1840	1	RMS	1829	-52.09	-13	39.09	Pass	841
1840	1920	1	RMS	1895.8	23.38	60	36.62	Pass	401
1920	3000	1	RMS	2963	-48.75	-13	35.75	Pass	1081
3000	12000	1	RMS	11850	-40.93	-13	27.93	Pass	9002
12000	20000	1	RMS	19412	-32.61	-13	19.61	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.48	-13	51.48	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	845.7	-63.54	-13	50.54	Pass	9701
1000	1840	1	RMS	1823	-52.11	-13	39.11	Pass	841
1840	1920	1	RMS	1895.8	22.35	60	37.65	Pass	401
1920	3000	1	RMS	2946	-48.71	-13	35.71	Pass	1081
3000	12000	1	RMS	11853	-41	-13	28	Pass	9002
12000	20000	1	RMS	19397	-32.56	-13	19.56	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.51	-13	51.51	Pass	401
0.15	30	0.01	RMS	0.2	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	825.6	-63.72	-13	50.72	Pass	9701
1000	1840	1	RMS	1833	-32.32	-13	19.32	Pass	841
1840	1920	1	RMS	1851	23.26	60	36.74	Pass	401
1920	3000	1	RMS	2958	-48.8	-13	35.8	Pass	1081
3000	12000	1	RMS	11846	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	19410	-32.61	-13	19.61	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.53	-13	49.53	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	872.115	-63.64	-13	50.64	Pass	9701
1000	1840	1	RMS	1833	-31.73	-13	18.73	Pass	841
1840	1920	1	RMS	1851	22.84	60	37.16	Pass	401
1920	3000	1	RMS	2958	-48.71	-13	35.71	Pass	1081
3000	12000	1	RMS	11842	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19409	-32.65	-13	19.65	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.23	-13	51.23	Pass	401
0.15	30	0.01	RMS	0.18	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	839.7	-63.54	-13	50.54	Pass	9701
1000	1840	1	RMS	1835	-45.15	-13	32.15	Pass	841
1840	1920	1	RMS	1871	23.79	60	36.21	Pass	401
1920	3000	1	RMS	2959	-48.77	-13	35.77	Pass	1081
3000	12000	1	RMS	11852	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	19402	-32.57	-13	19.57	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.03	-13	50.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	828.9	-63.68	-13	50.68	Pass	9701
1000	1840	1	RMS	1836	-47.03	-13	34.03	Pass	841
1840	1920	1	RMS	1871	22.86	60	37.14	Pass	401
1920	3000	1	RMS	2956	-48.72	-13	35.72	Pass	1081
3000	12000	1	RMS	11850	-40.93	-13	27.93	Pass	9002
12000	20000	1	RMS	19405	-32.64	-13	19.64	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.91	-13	49.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	840.8	-63.66	-13	50.66	Pass	9701
1000	1840	1	RMS	1838	-51.86	-13	38.86	Pass	841
1840	1920	1	RMS	1891	23.61	60	36.39	Pass	401
1920	3000	1	RMS	2946	-48.74	-13	35.74	Pass	1081
3000	12000	1	RMS	11851	-41	-13	28	Pass	9002
12000	20000	1	RMS	19406	-32.63	-13	19.63	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.81	-13	49.81	Pass	401
0.15	30	0.01	RMS	0.19	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	844.3	-63.41	-13	50.41	Pass	9701
1000	1840	1	RMS	1838	-51.91	-13	38.91	Pass	841
1840	1920	1	RMS	1891	22.78	60	37.22	Pass	401
1920	3000	1	RMS	2955	-48.77	-13	35.77	Pass	1081
3000	12000	1	RMS	11850	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	19399	-32.63	-13	19.63	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.05	-13	51.05	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-13	56.21	Pass	2986
30	1000	0.1	RMS	851.502	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1700	-51.39	-13	38.39	Pass	701
1700	1765	1	RMS	1710.238	23.46	60	36.54	Pass	401
1765	3000	1	RMS	2957	-48.66	-13	35.66	Pass	1236
3000	12000	1	RMS	11850	-40.95	-13	27.95	Pass	9002
12000	20000	1	RMS	19398	-32.57	-13	19.57	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.15	-13	51.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	857.606	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1700	-51.57	-13	38.57	Pass	701
1700	1765	1	RMS	1710.238	22.61	60	37.39	Pass	401
1765	3000	1	RMS	2945	-48.74	-13	35.74	Pass	1236
3000	12000	1	RMS	11853	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	19412	-32.64	-13	19.64	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.89	-13	50.89	Pass	401
0.15	30	0.01	RMS	0.31	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	845	-63.53	-13	50.53	Pass	9701
1000	1700	1	RMS	1688	-52.39	-13	39.39	Pass	701
1700	1765	1	RMS	1732.013	23.53	60	36.47	Pass	401
1765	3000	1	RMS	2958	-48.77	-13	35.77	Pass	1236
3000	12000	1	RMS	11846	-40.97	-13	27.97	Pass	9002
12000	20000	1	RMS	19402	-32.58	-13	19.58	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.58	-13	51.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	852.402	-63.64	-13	50.64	Pass	9701
1000	1700	1	RMS	1700	-52.39	-13	39.39	Pass	701
1700	1765	1	RMS	1732.013	22.62	60	37.38	Pass	401
1765	3000	1	RMS	2951	-48.63	-13	35.63	Pass	1236
3000	12000	1	RMS	11846	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19401	-32.6	-13	19.6	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.17	-13	50.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	858.406	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1696	-52.41	-13	39.41	Pass	701
1700	1765	1	RMS	1753.788	22.96	60	37.04	Pass	401
1765	3000	1	RMS	2946	-48.75	-13	35.75	Pass	1236
3000	12000	1	RMS	11848	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	19409	-32.6	-13	19.6	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.05	-13	51.05	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	852.202	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1693	-52.41	-13	39.41	Pass	701
1700	1765	1	RMS	1753.788	22.13	60	37.87	Pass	401
1765	3000	1	RMS	2957	-48.74	-13	35.74	Pass	1236
3000	12000	1	RMS	11848	-40.9	-13	27.9	Pass	9002
12000	20000	1	RMS	19396	-32.63	-13	19.63	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-64.53	-13	51.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	843.1	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1700	-50.95	-13	37.95	Pass	701
1700	1765	1	RMS	1710.075	23.65	60	36.35	Pass	401
1765	3000	1	RMS	2959	-48.75	-13	35.75	Pass	1236
3000	12000	1	RMS	11850	-40.87	-13	27.87	Pass	9002
12000	20000	1	RMS	19403	-32.6	-13	19.6	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.7	-13	49.7	Pass	401
0.15	30	0.01	RMS	0.22	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	849.1	-63.58	-13	50.58	Pass	9701
1000	1700	1	RMS	1700	-50.11	-13	37.11	Pass	701
1700	1765	1	RMS	1710.238	22.37	60	37.63	Pass	401
1765	3000	1	RMS	2957	-48.74	-13	35.74	Pass	1236
3000	12000	1	RMS	11856	-40.95	-13	27.95	Pass	9002
12000	20000	1	RMS	19410	-32.59	-13	19.59	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.2	-13	50.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	845.6	-63.37	-13	50.37	Pass	9701
1000	1700	1	RMS	1700	-52.37	-13	39.37	Pass	701
1700	1765	1	RMS	1731.2	23.34	60	36.66	Pass	401
1765	3000	1	RMS	2957	-48.73	-13	35.73	Pass	1236
3000	12000	1	RMS	11849	-40.95	-13	27.95	Pass	9002
12000	20000	1	RMS	19405	-32.62	-13	19.62	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.31	-13	50.31	Pass	401
0.15	30	0.01	RMS	0.18	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	850.301	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1696	-52.42	-13	39.42	Pass	701
1700	1765	1	RMS	1731.2	22.66	60	37.34	Pass	401
1765	3000	1	RMS	2945	-48.71	-13	35.71	Pass	1236
3000	12000	1	RMS	11843	-41	-13	28	Pass	9002
12000	20000	1	RMS	19412	-32.63	-13	19.63	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.95	-13	49.95	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	850.001	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1700	-52.36	-13	39.36	Pass	701
1700	1765	1	RMS	1752.163	22.94	60	37.06	Pass	401
1765	3000	1	RMS	2950	-48.71	-13	35.71	Pass	1236
3000	12000	1	RMS	11840	-40.97	-13	27.97	Pass	9002
12000	20000	1	RMS	19407	-32.58	-13	19.58	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.46	-13	50.46	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	841.8	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1700	-52.43	-13	39.43	Pass	701
1700	1765	1	RMS	1752.163	21.94	60	38.06	Pass	401
1765	3000	1	RMS	2957	-48.66	-13	35.66	Pass	1236
3000	12000	1	RMS	11850	-40.97	-13	27.97	Pass	9002
12000	20000	1	RMS	19404	-32.62	-13	19.62	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-63.44	-13	50.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	836.6	-63.63	-13	50.63	Pass	9701
1000	1700	1	RMS	1700	-50.06	-13	37.06	Pass	701
1700	1765	1	RMS	1710.238	23.29	60	36.71	Pass	401
1765	3000	1	RMS	2949	-48.71	-13	35.71	Pass	1236
3000	12000	1	RMS	11851	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	19403	-32.6	-13	19.6	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.56	-13	49.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	847.5	-63.57	-13	50.57	Pass	9701
1000	1700	1	RMS	1700	-51.19	-13	38.19	Pass	701
1700	1765	1	RMS	1710.238	22.08	60	37.92	Pass	401
1765	3000	1	RMS	2960	-48.74	-13	35.74	Pass	1236
3000	12000	1	RMS	11847	-40.92	-13	27.92	Pass	9002
12000	20000	1	RMS	19401	-32.56	-13	19.56	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-63.59	-13	50.59	Pass	401
0.15	30	0.01	RMS	0.19	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	852.402	-63.58	-13	50.58	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	39.43	Pass	701
1700	1765	1	RMS	1730.225	23.32	60	36.68	Pass	401
1765	3000	1	RMS	2957	-48.62	-13	35.62	Pass	1236
3000	12000	1	RMS	11856	-41.04	-13	28.04	Pass	9002
12000	20000	1	RMS	19397	-32.6	-13	19.6	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.89	-13	49.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	855.404	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1700	-52.33	-13	39.33	Pass	701
1700	1765	1	RMS	1730.225	22.88	60	37.12	Pass	401
1765	3000	1	RMS	2954	-48.76	-13	35.76	Pass	1236
3000	12000	1	RMS	11845	-40.97	-13	27.97	Pass	9002
12000	20000	1	RMS	19398	-32.56	-13	19.56	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.85	-13	50.85	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	845.1	-63.53	-13	50.53	Pass	9701
1000	1700	1	RMS	1684	-52.39	-13	39.39	Pass	701
1700	1765	1	RMS	1750.213	23.13	60	36.87	Pass	401
1765	3000	1	RMS	2947	-48.76	-13	35.76	Pass	1236
3000	12000	1	RMS	11855	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19402	-32.58	-13	19.58	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.58	-13	50.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	849	-63.57	-13	50.57	Pass	9701
1000	1700	1	RMS	1692	-52.39	-13	39.39	Pass	701
1700	1765	1	RMS	1750.213	22.05	60	37.95	Pass	401
1765	3000	1	RMS	2958	-48.75	-13	35.75	Pass	1236
3000	12000	1	RMS	11852	-40.93	-13	27.93	Pass	9002
12000	20000	1	RMS	19399	-32.65	-13	19.65	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-62.41	-13	49.41	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	847.1	-63.51	-13	50.51	Pass	9701
1000	1700	1	RMS	1693	-43.68	-13	30.68	Pass	701
1700	1765	1	RMS	1710.563	23.39	60	36.61	Pass	401
1765	3000	1	RMS	2958	-48.75	-13	35.75	Pass	1236
3000	12000	1	RMS	11848	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	19409	-32.6	-13	19.6	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-62.42	-13	49.42	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	848	-63.53	-13	50.53	Pass	9701
1000	1700	1	RMS	1693	-42.74	-13	29.74	Pass	701
1700	1765	1	RMS	1710.563	22.49	60	37.51	Pass	401
1765	3000	1	RMS	2957	-48.69	-13	35.69	Pass	1236
3000	12000	1	RMS	11851	-40.9	-13	27.9	Pass	9002
12000	20000	1	RMS	19402	-32.63	-13	19.63	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.71	-13	49.71	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	848.8	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1697	-52.35	-13	39.35	Pass	701
1700	1765	1	RMS	1727.95	23.35	60	36.65	Pass	401
1765	3000	1	RMS	2958	-48.73	-13	35.73	Pass	1236
3000	12000	1	RMS	11851	-41	-13	28	Pass	9002
12000	20000	1	RMS	19401	-32.61	-13	19.61	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-62.42	-13	49.42	Pass	401
0.15	30	0.01	RMS	0.19	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	849.1	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1693	-52.34	-13	39.34	Pass	701
1700	1765	1	RMS	1727.95	22.64	60	37.36	Pass	401
1765	3000	1	RMS	2962	-48.76	-13	35.76	Pass	1236
3000	12000	1	RMS	11838	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19402	-32.63	-13	19.63	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.51	-13	51.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	861.408	-63.51	-13	50.51	Pass	9701
1000	1700	1	RMS	1690	-52.4	-13	39.4	Pass	701
1700	1765	1	RMS	1745.5	23.41	60	36.59	Pass	401
1765	3000	1	RMS	2957	-48.78	-13	35.78	Pass	1236
3000	12000	1	RMS	11855	-41.03	-13	28.03	Pass	9002
12000	20000	1	RMS	19395	-32.61	-13	19.61	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.34	-13	50.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	853.703	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1699	-52.42	-13	39.42	Pass	701
1700	1765	1	RMS	1745.5	22.34	60	37.66	Pass	401
1765	3000	1	RMS	2949	-48.79	-13	35.79	Pass	1236
3000	12000	1	RMS	11848	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	19401	-32.56	-13	19.56	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-62.17	-13	49.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	846.8	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1697	-34.35	-13	21.35	Pass	701
1700	1765	1	RMS	1710.725	23.33	60	36.67	Pass	401
1765	3000	1	RMS	2949	-48.8	-13	35.8	Pass	1236
3000	12000	1	RMS	11848	-40.87	-13	27.87	Pass	9002
12000	20000	1	RMS	19404	-32.66	-13	19.66	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.93	-13	50.93	Pass	401
0.15	30	0.01	RMS	0.3	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	848.6	-63.69	-13	50.69	Pass	9701
1000	1700	1	RMS	1698	-36.86	-13	23.86	Pass	701
1700	1765	1	RMS	1710.725	22.22	60	37.78	Pass	401
1765	3000	1	RMS	2945	-48.72	-13	35.72	Pass	1236
3000	12000	1	RMS	11846	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	19398	-32.67	-13	19.67	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.46	-13	50.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	844.3	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1699	-43.17	-13	30.17	Pass	701
1700	1765	1	RMS	1725.675	23.37	60	36.63	Pass	401
1765	3000	1	RMS	2957	-48.72	-13	35.72	Pass	1236
3000	12000	1	RMS	11850	-40.92	-13	27.92	Pass	9002
12000	20000	1	RMS	19400	-32.56	-13	19.56	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-63.19	-13	50.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	839.9	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1699	-44.01	-13	31.01	Pass	701
1700	1765	1	RMS	1725.838	23.13	60	36.87	Pass	401
1765	3000	1	RMS	2957	-48.71	-13	35.71	Pass	1236
3000	12000	1	RMS	11850	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19411	-32.6	-13	19.6	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-61.92	-13	48.92	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	840.3	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1693	-52.41	-13	39.41	Pass	701
1700	1765	1	RMS	1740.788	23.3	60	36.7	Pass	401
1765	3000	1	RMS	1767	-34.59	-13	21.59	Pass	1236
3000	12000	1	RMS	11854	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	19403	-32.63	-13	19.63	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-62.38	-13	49.38	Pass	401
0.15	30	0.01	RMS	0.37	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	848.3	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1699	-52.38	-13	39.38	Pass	701
1700	1765	1	RMS	1740.788	22.22	60	37.78	Pass	401
1765	3000	1	RMS	1767	-35.8	-13	22.8	Pass	1236
3000	12000	1	RMS	11851	-40.95	-13	27.95	Pass	9002
12000	20000	1	RMS	19399	-32.63	-13	19.63	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.91	-13	50.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	857.205	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1693	-35.29	-13	22.29	Pass	701
1700	1765	1	RMS	1711.05	23.25	60	36.75	Pass	401
1765	3000	1	RMS	2957	-48.72	-13	35.72	Pass	1236
3000	12000	1	RMS	11849	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	19406	-32.61	-13	19.61	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.16	-13	49.16	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	57.68	Pass	2986
30	1000	0.1	RMS	844.3	-63.55	-13	50.55	Pass	9701
1000	1700	1	RMS	1693	-36.05	-13	23.05	Pass	701
1700	1765	1	RMS	1711.05	22.9	60	37.1	Pass	401
1765	3000	1	RMS	2961	-48.79	-13	35.79	Pass	1236
3000	12000	1	RMS	11849	-40.92	-13	27.92	Pass	9002
12000	20000	1	RMS	19402	-32.63	-13	19.63	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.45	-13	51.45	Pass	401
0.15	30	0.01	RMS	0.16	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	849.901	-63.51	-13	50.51	Pass	9701
1000	1700	1	RMS	1688	-48.16	-13	35.16	Pass	701
1700	1765	1	RMS	1723.563	23.54	60	36.46	Pass	401
1765	3000	1	RMS	2949	-48.77	-13	35.77	Pass	1236
3000	12000	1	RMS	11858	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19400	-32.59	-13	19.59	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-63.52	-13	50.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	871.715	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1688	-49.67	-13	36.67	Pass	701
1700	1765	1	RMS	1723.563	22.36	60	37.64	Pass	401
1765	3000	1	RMS	2957	-48.72	-13	35.72	Pass	1236
3000	12000	1	RMS	11848	-41	-13	28	Pass	9002
12000	20000	1	RMS	19401	-32.6	-13	19.6	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-62.76	-13	49.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	838.1	-63.57	-13	50.57	Pass	9701
1000	1700	1	RMS	1700	-45.62	-13	32.62	Pass	701
1700	1765	1	RMS	1736.075	23.37	60	36.63	Pass	401
1765	3000	1	RMS	1772	-31.93	-13	18.93	Pass	1236
3000	12000	1	RMS	11850	-41.03	-13	28.03	Pass	9002
12000	20000	1	RMS	19405	-32.61	-13	19.61	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-63.33	-13	50.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	849.8	-63.55	-13	50.55	Pass	9701
1000	1700	1	RMS	1700	-45.99	-13	32.99	Pass	701
1700	1765	1	RMS	1736.075	22.6	60	37.4	Pass	401
1765	3000	1	RMS	1772	-32.73	-13	19.73	Pass	1236
3000	12000	1	RMS	11853	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	19399	-32.51	-13	19.51	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-61.75	-13	48.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	814	0.1	RMS	813.6	-61.77	-13	48.77	Pass	7841
814	860	0.1	RMS	824.2	20.93	60	39.07	Pass	461
860	1000	0.1	RMS	861.1	-63.53	-13	50.53	Pass	1401
1000	3000	1	RMS	1648	-46.31	-13	33.31	Pass	2001
3000	10000	1	RMS	6958	-41.71	-13	28.71	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.25	-13	51.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	814	0.1	RMS	813.5	-62.26	-13	49.26	Pass	7841
814	860	0.1	RMS	824.2	20.06	60	39.94	Pass	461
860	1000	0.1	RMS	871.1	-63.59	-13	50.59	Pass	1401
1000	3000	1	RMS	1648	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	7208	-41.7	-13	28.7	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-62.49	-13	49.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	807.9	-63.59	-13	50.59	Pass	7841
814	860	0.1	RMS	836	20.9	60	39.1	Pass	461
860	1000	0.1	RMS	861.2	-63.53	-13	50.53	Pass	1401
1000	3000	1	RMS	1672	-48.03	-13	35.03	Pass	2001
3000	10000	1	RMS	7206	-41.63	-13	28.63	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.08	-13	49.08	Pass	401
0.15	30	0.01	RMS	0.18	-71.62	-13	58.62	Pass	2986
30	814	0.1	RMS	811.1	-63.68	-13	50.68	Pass	7841
814	860	0.1	RMS	836.1	20.61	60	39.39	Pass	461
860	1000	0.1	RMS	862	-63.56	-13	50.56	Pass	1401
1000	3000	1	RMS	1672	-48.06	-13	35.06	Pass	2001
3000	10000	1	RMS	7205	-41.66	-13	28.66	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.15	-13	50.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	812.4	-63.72	-13	50.72	Pass	7841
814	860	0.1	RMS	847.9	21.22	60	38.78	Pass	461
860	1000	0.1	RMS	869.6	-63.58	-13	50.58	Pass	1401
1000	3000	1	RMS	1695	-47.74	-13	34.74	Pass	2001
3000	10000	1	RMS	7206	-41.65	-13	28.65	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.86	-13	49.86	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	58.63	Pass	2986
30	814	0.1	RMS	812.9	-63.66	-13	50.66	Pass	7841
814	860	0.1	RMS	847.8	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	867	-63.55	-13	50.55	Pass	1401
1000	3000	1	RMS	2958	-48.5	-13	35.5	Pass	2001
3000	10000	1	RMS	6960	-41.69	-13	28.69	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.33	-13	51.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	814	0.1	RMS	813.6	-62.07	-13	49.07	Pass	7841
814	860	0.1	RMS	824.2	21.17	60	38.83	Pass	461
860	1000	0.1	RMS	863.2	-63.38	-13	50.38	Pass	1401
1000	3000	1	RMS	1648	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	7206	-41.66	-13	28.66	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.91	-13	49.91	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	814	0.1	RMS	813.5	-62.6	-13	49.6	Pass	7841
814	860	0.1	RMS	824.2	20.03	60	39.97	Pass	461
860	1000	0.1	RMS	860.5	-63.41	-13	50.41	Pass	1401
1000	3000	1	RMS	1648	-47.78	-13	34.78	Pass	2001
3000	10000	1	RMS	7206	-41.64	-13	28.64	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-64.21	-13	51.21	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	57.95	Pass	2986
30	814	0.1	RMS	813.2	-63.63	-13	50.63	Pass	7841
814	860	0.1	RMS	835.2	21.13	60	38.87	Pass	461
860	1000	0.1	RMS	987.1	-63.43	-13	50.43	Pass	1401
1000	3000	1	RMS	1670	-47.19	-13	34.19	Pass	2001
3000	10000	1	RMS	6958	-41.67	-13	28.67	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.69	-13	49.69	Pass	401
0.15	30	0.01	RMS	0.16	-70.7	-13	57.7	Pass	2986
30	814	0.1	RMS	811.1	-63.63	-13	50.63	Pass	7841
814	860	0.1	RMS	835.2	20.6	60	39.4	Pass	461
860	1000	0.1	RMS	961	-63.58	-13	50.58	Pass	1401
1000	3000	1	RMS	1670	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6961	-41.64	-13	28.64	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-61.89	-13	48.89	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	814	0.1	RMS	812.2	-63.56	-13	50.56	Pass	7841
814	860	0.1	RMS	846.2	21.17	60	38.83	Pass	461
860	1000	0.1	RMS	862.2	-63.6	-13	50.6	Pass	1401
1000	3000	1	RMS	1692	-48.08	-13	35.08	Pass	2001
3000	10000	1	RMS	7211	-41.74	-13	28.74	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.67	-13	50.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	811	-63.9	-13	50.9	Pass	7841
814	860	0.1	RMS	846.2	19.94	60	40.06	Pass	461
860	1000	0.1	RMS	958.3	-63.61	-13	50.61	Pass	1401
1000	3000	1	RMS	2957	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	7206	-41.76	-13	28.76	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.68	-13	50.68	Pass	401
0.15	30	0.01	RMS	0.17	-71.4	-13	58.4	Pass	2986
30	814	0.1	RMS	813.6	-61.78	-13	48.78	Pass	7841
814	860	0.1	RMS	824.3	20.8	60	39.2	Pass	461
860	1000	0.1	RMS	870.4	-63.66	-13	50.66	Pass	1401
1000	3000	1	RMS	1648	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	6963	-41.7	-13	28.7	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.56	-13	49.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	813.7	-62.57	-13	49.57	Pass	7841
814	860	0.1	RMS	824.3	19.6	60	40.4	Pass	461
860	1000	0.1	RMS	953	-63.62	-13	50.62	Pass	1401
1000	3000	1	RMS	1648	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6960	-41.75	-13	28.75	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.04	-13	51.04	Pass	401
0.15	30	0.01	RMS	0.18	-72.32	-13	59.32	Pass	2986
30	814	0.1	RMS	811.4	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	834.3	20.91	60	39.09	Pass	461
860	1000	0.1	RMS	866.7	-63.45	-13	50.45	Pass	1401
1000	3000	1	RMS	1668	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	6963	-41.7	-13	28.7	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-61.85	-13	48.85	Pass	401
0.15	30	0.01	RMS	0.18	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	811.7	-63.78	-13	50.78	Pass	7841
814	860	0.1	RMS	834.3	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	862.1	-63.56	-13	50.56	Pass	1401
1000	3000	1	RMS	1668	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	6961	-41.68	-13	28.68	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.29	-13	50.29	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	58.28	Pass	2986
30	814	0.1	RMS	811.2	-63.77	-13	50.77	Pass	7841
814	860	0.1	RMS	844.3	21.08	60	38.92	Pass	461
860	1000	0.1	RMS	860	-63.66	-13	50.66	Pass	1401
1000	3000	1	RMS	1688	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	6963	-41.73	-13	28.73	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.16	-13	51.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	807.3	-63.85	-13	50.85	Pass	7841
814	860	0.1	RMS	844.3	19.89	60	40.11	Pass	461
860	1000	0.1	RMS	887	-63.66	-13	50.66	Pass	1401
1000	3000	1	RMS	1688	-48.25	-13	35.25	Pass	2001
3000	10000	1	RMS	6961	-41.7	-13	28.7	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.31	-13	50.31	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	811.4	-51.85	-13	38.85	Pass	7841
814	860	0.1	RMS	824.6	21.69	60	38.31	Pass	461
860	1000	0.1	RMS	874	-63.55	-13	50.55	Pass	1401
1000	3000	1	RMS	1649	-47.03	-13	34.03	Pass	2001
3000	10000	1	RMS	6959	-41.79	-13	28.79	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-61.63	-13	48.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.08	-13	58.08	Pass	2986
30	814	0.1	RMS	811.3	-54.46	-13	41.46	Pass	7841
814	860	0.1	RMS	824.6	20.49	60	39.51	Pass	461
860	1000	0.1	RMS	866.7	-63.44	-13	50.44	Pass	1401
1000	3000	1	RMS	1649	-48.2	-13	35.2	Pass	2001
3000	10000	1	RMS	6961	-41.72	-13	28.72	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.08	-13	50.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	814	-62.26	-13	49.26	Pass	7841
814	860	0.1	RMS	832.1	21.63	60	38.37	Pass	461
860	1000	0.1	RMS	889.4	-63.57	-13	50.57	Pass	1401
1000	3000	1	RMS	1664	-46.82	-13	33.82	Pass	2001
3000	10000	1	RMS	7211	-41.76	-13	28.76	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.57	-13	49.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	58.03	Pass	2986
30	814	0.1	RMS	810.1	-63.27	-13	50.27	Pass	7841
814	860	0.1	RMS	832.1	21.17	60	38.83	Pass	461
860	1000	0.1	RMS	864.6	-63.59	-13	50.59	Pass	1401
1000	3000	1	RMS	1664	-47.51	-13	34.51	Pass	2001
3000	10000	1	RMS	7213	-41.72	-13	28.72	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.49	-13	49.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	814	0.1	RMS	813.2	-63.37	-13	50.37	Pass	7841
814	860	0.1	RMS	839.6	21.85	60	38.15	Pass	461
860	1000	0.1	RMS	868.8	-63.5	-13	50.5	Pass	1401
1000	3000	1	RMS	1679	-47.47	-13	34.47	Pass	2001
3000	10000	1	RMS	6962	-41.69	-13	28.69	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-62.99	-13	49.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	813.1	-63.63	-13	50.63	Pass	7841
814	860	0.1	RMS	839.6	20.79	60	39.21	Pass	461
860	1000	0.1	RMS	862.3	-63.52	-13	50.52	Pass	1401
1000	3000	1	RMS	1679	-48.41	-13	35.41	Pass	2001
3000	10000	1	RMS	6960	-41.69	-13	28.69	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.74	-25	38.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	46.8	Pass	2986
30	1000	0.1	RMS	871.815	-63.48	-25	38.48	Pass	9701
1000	2490	1	RMS	2490	-49.16	-25	24.16	Pass	1491
2490	2580	1	RMS	2500.125	22.81	60	37.19	Pass	401
2580	3000	1	RMS	2955	-48.5	-25	23.5	Pass	421
3000	12000	1	RMS	5001	-45.57	-25	20.57	Pass	9002
12000	26000	1	RMS	26000	-46.45	-25	21.45	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.63	-25	37.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	856.405	-63.43	-25	38.43	Pass	9701
1000	2490	1	RMS	2490	-49.65	-25	24.65	Pass	1491
2490	2580	1	RMS	2500.125	21.79	60	38.21	Pass	401
2580	3000	1	RMS	2956	-48.54	-25	23.54	Pass	421
3000	12000	1	RMS	5001	-45.95	-25	20.95	Pass	9002
12000	26000	1	RMS	25994	-45.59	-25	20.59	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-63.32	-25	38.32	Pass	401
0.15	30	0.01	RMS	0.19	-72.42	-25	47.42	Pass	2986
30	1000	0.1	RMS	572.1	-63.34	-25	38.34	Pass	9701
1000	2490	1	RMS	2490	-50.23	-25	25.23	Pass	1491
2490	2580	1	RMS	2532.75	22.75	60	37.25	Pass	401
2580	3000	1	RMS	2948	-48.5	-25	23.5	Pass	421
3000	12000	1	RMS	5066	-44.07	-25	19.07	Pass	9002
12000	26000	1	RMS	25990	-45.59	-25	20.59	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.95	-25	37.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-25	46.61	Pass	2986
30	1000	0.1	RMS	827.5	-63.42	-25	38.42	Pass	9701
1000	2490	1	RMS	2488	-50.24	-25	25.24	Pass	1491
2490	2580	1	RMS	2532.75	22.61	60	37.39	Pass	401
2580	3000	1	RMS	2958	-48.52	-25	23.52	Pass	421
3000	12000	1	RMS	5066	-44.41	-25	19.41	Pass	9002
12000	26000	1	RMS	26000	-45.5	-25	20.5	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.53	-25	38.53	Pass	401
0.15	30	0.01	RMS	0.3	-71.86	-25	46.86	Pass	2986
30	1000	0.1	RMS	604.6	-63.19	-25	38.19	Pass	9701
1000	2490	1	RMS	2489	-50.09	-25	25.09	Pass	1491
2490	2580	1	RMS	2565.15	22.71	60	37.29	Pass	401
2580	3000	1	RMS	2958	-48.5	-25	23.5	Pass	421
3000	12000	1	RMS	5131	-45.94	-25	20.94	Pass	9002
12000	26000	1	RMS	25996	-45.54	-25	20.54	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.42	-25	37.42	Pass	401
0.15	30	0.01	RMS	0.23	-71.91	-25	46.91	Pass	2986
30	1000	0.1	RMS	604.6	-63.31	-25	38.31	Pass	9701
1000	2490	1	RMS	2488	-50.14	-25	25.14	Pass	1491
2490	2580	1	RMS	2565.15	21.84	60	38.16	Pass	401
2580	3000	1	RMS	2952	-48.49	-25	23.49	Pass	421
3000	12000	1	RMS	5131	-45.71	-25	20.71	Pass	9002
12000	26000	1	RMS	26000	-45.59	-25	20.59	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.86	-25	37.86	Pass	401
0.15	30	0.01	RMS	0.24	-72.16	-25	47.16	Pass	2986
30	1000	0.1	RMS	832.2	-63.4	-25	38.4	Pass	9701
1000	2490	1	RMS	2483	-42.87	-25	17.87	Pass	1491
2490	2580	1	RMS	2500.575	22.96	60	37.04	Pass	401
2580	3000	1	RMS	2959	-48.47	-25	23.47	Pass	421
3000	12000	1	RMS	5001	-45.13	-25	20.13	Pass	9002
12000	26000	1	RMS	25994	-45.61	-25	20.61	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.46	-25	39.46	Pass	401
0.15	30	0.01	RMS	0.2	-72.01	-25	47.01	Pass	2986
30	1000	0.1	RMS	855.504	-63.28	-25	38.28	Pass	9701
1000	2490	1	RMS	2483	-42.39	-25	17.39	Pass	1491
2490	2580	1	RMS	2500.575	22.1	60	37.9	Pass	401
2580	3000	1	RMS	2957	-48.5	-25	23.5	Pass	421
3000	12000	1	RMS	5001	-45.54	-25	20.54	Pass	9002
12000	26000	1	RMS	25987	-45.54	-25	20.54	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.32	-25	37.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-25	47.46	Pass	2986
30	1000	0.1	RMS	848.8	-63.34	-25	38.34	Pass	9701
1000	2490	1	RMS	2487	-50.21	-25	25.21	Pass	1491
2490	2580	1	RMS	2530.5	23.03	60	36.97	Pass	401
2580	3000	1	RMS	2962	-48.51	-25	23.51	Pass	421
3000	12000	1	RMS	5061	-43.76	-25	18.76	Pass	9002
12000	26000	1	RMS	25997	-45.58	-25	20.58	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-63.83	-25	38.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-25	46.93	Pass	2986
30	1000	0.1	RMS	844.8	-63.34	-25	38.34	Pass	9701
1000	2490	1	RMS	2487	-50.18	-25	25.18	Pass	1491
2490	2580	1	RMS	2530.5	22.43	60	37.57	Pass	401
2580	3000	1	RMS	2959	-48.46	-25	23.46	Pass	421
3000	12000	1	RMS	5061	-44.14	-25	19.14	Pass	9002
12000	26000	1	RMS	25998	-45.53	-25	20.53	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.01	-25	38.01	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-25	45.97	Pass	2986
30	1000	0.1	RMS	599.9	-62.13	-25	37.13	Pass	9701
1000	2490	1	RMS	2484	-50.15	-25	25.15	Pass	1491
2490	2580	1	RMS	2560.425	23.08	60	36.92	Pass	401
2580	3000	1	RMS	2952	-48.52	-25	23.52	Pass	421
3000	12000	1	RMS	5121	-45.1	-25	20.1	Pass	9002
12000	26000	1	RMS	25992	-45.54	-25	20.54	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-64.5	-25	39.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-25	46.99	Pass	2986
30	1000	0.1	RMS	599.9	-62.18	-25	37.18	Pass	9701
1000	2490	1	RMS	2488	-50.2	-25	25.2	Pass	1491
2490	2580	1	RMS	2560.425	22.38	60	37.62	Pass	401
2580	3000	1	RMS	2960	-48.48	-25	23.48	Pass	421
3000	12000	1	RMS	5121	-45.43	-25	20.43	Pass	9002
12000	26000	1	RMS	25990	-45.62	-25	20.62	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.45	-25	37.45	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	847.1	-63.34	-25	38.34	Pass	9701
1000	2490	1	RMS	2487	-30.49	-25	5.49	Pass	1491
2490	2580	1	RMS	2500.8	23.2	60	36.8	Pass	401
2580	3000	1	RMS	2946	-48.48	-25	23.48	Pass	421
3000	12000	1	RMS	5002	-45.86	-25	20.86	Pass	9002
12000	26000	1	RMS	25996	-45.52	-25	20.52	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-63.88	-25	38.88	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-25	46.85	Pass	2986
30	1000	0.1	RMS	838.3	-63.4	-25	38.4	Pass	9701
1000	2490	1	RMS	2488	-30.74	-25	5.74	Pass	1491
2490	2580	1	RMS	2500.8	22.19	60	37.81	Pass	401
2580	3000	1	RMS	2957	-48.48	-25	23.48	Pass	421
3000	12000	1	RMS	5002	-45.91	-25	20.91	Pass	9002
12000	26000	1	RMS	25999	-45.22	-25	20.22	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.49	-25	38.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-25	46.34	Pass	2986
30	1000	0.1	RMS	852.402	-62.91	-25	37.91	Pass	9701
1000	2490	1	RMS	2490	-49.5	-25	24.5	Pass	1491
2490	2580	1	RMS	2528.25	23.14	60	36.86	Pass	401
2580	3000	1	RMS	2955	-48.18	-25	23.18	Pass	421
3000	12000	1	RMS	5057	-44.01	-25	19.01	Pass	9002
12000	26000	1	RMS	25997	-45.25	-25	20.25	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.55	-25	38.55	Pass	401
0.15	30	0.01	RMS	0.27	-71.98	-25	46.98	Pass	2986
30	1000	0.1	RMS	835.8	-63.05	-25	38.05	Pass	9701
1000	2490	1	RMS	2490	-49.44	-25	24.44	Pass	1491
2490	2580	1	RMS	2528.25	23.05	60	36.95	Pass	401
2580	3000	1	RMS	2945	-48.18	-25	23.18	Pass	421
3000	12000	1	RMS	5057	-44.44	-25	19.44	Pass	9002
12000	26000	1	RMS	25992	-45.21	-25	20.21	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-65.37	-25	40.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	46.56	Pass	2986
30	1000	0.1	RMS	595.1	-62.17	-25	37.17	Pass	9701
1000	2490	1	RMS	2486	-49.91	-25	24.91	Pass	1491
2490	2595	1	RMS	2555.625	23.48	60	36.52	Pass	401
2595	3000	1	RMS	2957	-48.15	-25	23.15	Pass	406
3000	12000	1	RMS	5112	-44.92	-25	19.92	Pass	9002
12000	26000	1	RMS	25995	-45.19	-25	20.19	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.46	-25	37.46	Pass	401
0.15	30	0.01	RMS	0.17	-72.67	-25	47.67	Pass	2986
30	1000	0.1	RMS	595.1	-62.82	-25	37.82	Pass	9701
1000	2490	1	RMS	2489	-49.87	-25	24.87	Pass	1491
2490	2595	1	RMS	2555.625	22.12	60	37.88	Pass	401
2595	3000	1	RMS	2954	-48.16	-25	23.16	Pass	406
3000	12000	1	RMS	5112	-45.3	-25	20.3	Pass	9002
12000	26000	1	RMS	25995	-45.22	-25	20.22	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.76	-25	37.76	Pass	401
0.15	30	0.01	RMS	0.19	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	838.8	-62.94	-25	37.94	Pass	9701
1000	2490	1	RMS	2483	-33.19	-25	8.19	Pass	1491
2490	2580	1	RMS	2501.025	23.15	60	36.85	Pass	401
2580	3000	1	RMS	2960	-48.17	-25	23.17	Pass	421
3000	12000	1	RMS	5002	-45.12	-25	20.12	Pass	9002
12000	26000	1	RMS	25994	-45.27	-25	20.27	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.98	-25	37.98	Pass	401
0.15	30	0.01	RMS	0.25	-71.76	-25	46.76	Pass	2986
30	1000	0.1	RMS	835.6	-63.14	-25	38.14	Pass	9701
1000	2490	1	RMS	2483	-30.74	-25	5.74	Pass	1491
2490	2580	1	RMS	2501.025	22.97	60	37.03	Pass	401
2580	3000	1	RMS	2950	-48.19	-25	23.19	Pass	421
3000	12000	1	RMS	5002	-45.33	-25	20.33	Pass	9002
12000	26000	1	RMS	26000	-45.17	-25	20.17	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.96	-25	38.96	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	838.3	-63.01	-25	38.01	Pass	9701
1000	2490	1	RMS	2490	-46.83	-25	21.83	Pass	1491
2490	2580	1	RMS	2526	23.29	60	36.71	Pass	401
2580	3000	1	RMS	2957	-48.17	-25	23.17	Pass	421
3000	12000	1	RMS	5052	-43.89	-25	18.89	Pass	9002
12000	26000	1	RMS	25998	-45.23	-25	20.23	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.3	-25	38.3	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-25	45.88	Pass	2986
30	1000	0.1	RMS	848.1	-63.03	-25	38.03	Pass	9701
1000	2490	1	RMS	2490	-47.85	-25	22.85	Pass	1491
2490	2580	1	RMS	2526	22.28	60	37.72	Pass	401
2580	3000	1	RMS	2953	-48.15	-25	23.15	Pass	421
3000	12000	1	RMS	5052	-44.09	-25	19.09	Pass	9002
12000	26000	1	RMS	25996	-45.26	-25	20.26	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.1	-25	37.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-25	46.5	Pass	2986
30	1000	0.1	RMS	590.4	-61.32	-25	36.32	Pass	9701
1000	2490	1	RMS	2488	-49.78	-25	24.78	Pass	1491
2490	2580	1	RMS	2550.975	23.73	60	36.27	Pass	401
2580	3000	1	RMS	2586	-40.44	-25	15.44	Pass	421
3000	12000	1	RMS	5102	-45.3	-25	20.3	Pass	9002
12000	26000	1	RMS	25991	-45.26	-25	20.26	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.7	-25	39.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-25	46.86	Pass	2986
30	1000	0.1	RMS	590.4	-62.66	-25	37.66	Pass	9701
1000	2490	1	RMS	2482	-49.81	-25	24.81	Pass	1491
2490	2580	1	RMS	2550.975	22.69	60	37.31	Pass	401
2580	3000	1	RMS	2586	-41.1	-25	16.1	Pass	421
3000	12000	1	RMS	5102	-45.53	-25	20.53	Pass	9002
12000	26000	1	RMS	25993	-45.14	-25	20.14	Pass	14002



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.24	-13	51.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	767	0.1	RMS	766.6	-62.95	-13	49.95	Pass	7371
767	797	0.1	RMS	777.35	20.44	60	39.56	Pass	401
797	1000	0.1	RMS	844.6	-62.72	-13	49.72	Pass	2031
1000	3000	1	RMS	2957	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	6963	-41.3	-13	28.3	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.99	-13	49.99	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	767	0.1	RMS	766.6	-63.07	-13	50.07	Pass	7371
767	797	0.1	RMS	777.35	19.78	60	40.22	Pass	401
797	1000	0.1	RMS	848.8	-62.75	-13	49.75	Pass	2031
1000	3000	1	RMS	2959	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	7205	-41.35	-13	28.35	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.1	-13	51.1	Pass	401
0.15	30	0.01	RMS	0.2	-72.03	-13	59.03	Pass	2986
30	767	0.1	RMS	735.8	-63.53	-13	50.53	Pass	7371
767	797	0.1	RMS	779.825	20.63	60	39.37	Pass	401
797	1000	0.1	RMS	848.2	-62.84	-13	49.84	Pass	2031
1000	3000	1	RMS	2947	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	6964	-41.38	-13	28.38	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.73	-13	50.73	Pass	401
0.15	30	0.01	RMS	0.2	-72.4	-13	59.4	Pass	2986
30	767	0.1	RMS	745.1	-63.41	-13	50.41	Pass	7371
767	797	0.1	RMS	779.825	20.03	60	39.97	Pass	401
797	1000	0.1	RMS	849	-62.79	-13	49.79	Pass	2031
1000	3000	1	RMS	2953	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	6961	-41.31	-13	28.31	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.46	-13	49.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	58.45	Pass	2986
30	767	0.1	RMS	760.3	-63.51	-13	50.51	Pass	7371
767	797	0.1	RMS	782.3	20.24	60	39.76	Pass	401
797	1000	0.1	RMS	830.9	-62.87	-13	49.87	Pass	2031
1000	3000	1	RMS	2945	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	6965	-41.36	-13	28.36	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.35	-13	50.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	767	0.1	RMS	756.9	-63.42	-13	50.42	Pass	7371
767	797	0.1	RMS	782.3	19.48	60	40.52	Pass	401
797	1000	0.1	RMS	843.4	-62.87	-13	49.87	Pass	2031
1000	3000	1	RMS	2955	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	7201	-41.4	-13	28.4	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.35	-13	51.35	Pass	401
0.15	30	0.01	RMS	0.18	-72.03	-13	59.03	Pass	2986
30	767	0.1	RMS	766.9	-62.54	-13	49.54	Pass	7371
767	797	0.1	RMS	777.575	20.82	60	39.18	Pass	401
797	1000	0.1	RMS	799.6	-60.39	-13	47.39	Pass	2031
1000	3000	1	RMS	2949	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	7214	-41.32	-13	28.32	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.67	-13	49.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	767	0.1	RMS	766.9	-62.73	-13	49.73	Pass	7371
767	797	0.1	RMS	777.575	20	60	40	Pass	401
797	1000	0.1	RMS	799.6	-61.68	-13	48.68	Pass	2031
1000	3000	1	RMS	2957	-48.09	-13	35.09	Pass	2001
3000	10000	1	RMS	6961	-41.28	-13	28.28	Pass	7001



6. LTE_Band26(part22)


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.18	-13	50.18	Pass	401
0.15	30	0.01	RMS	0.17	-71.4	-13	58.4	Pass	2986
30	814	0.1	RMS	813.6	-61.51	-13	48.51	Pass	7841
814	860	0.1	RMS	824.2	21.52	60	38.48	Pass	461
860	1000	0.1	RMS	992.7	-63.14	-13	50.14	Pass	1401
1000	3000	1	RMS	1648	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	7207	-41.37	-13	28.37	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.98	-13	50.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	813.6	-61.69	-13	48.69	Pass	7841
814	860	0.1	RMS	824.3	20.35	60	39.65	Pass	461
860	1000	0.1	RMS	967.2	-63.02	-13	50.02	Pass	1401
1000	3000	1	RMS	1648	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	7210	-41.3	-13	28.3	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.28	-13	50.28	Pass	401
0.15	30	0.01	RMS	0.16	-70.95	-13	57.95	Pass	2986
30	814	0.1	RMS	808.8	-63.26	-13	50.26	Pass	7841
814	860	0.1	RMS	836.1	21.3	60	38.7	Pass	461
860	1000	0.1	RMS	860	-62.98	-13	49.98	Pass	1401
1000	3000	1	RMS	1672	-47.71	-13	34.71	Pass	2001
3000	10000	1	RMS	6964	-41.28	-13	28.28	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.05	-13	50.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	814	0.1	RMS	811.1	-63.25	-13	50.25	Pass	7841
814	860	0.1	RMS	836	20.91	60	39.09	Pass	461
860	1000	0.1	RMS	860.2	-63.01	-13	50.01	Pass	1401
1000	3000	1	RMS	1672	-47.8	-13	34.8	Pass	2001
3000	10000	1	RMS	6966	-41.3	-13	28.3	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.34	-13	50.34	Pass	401
0.15	30	0.01	RMS	0.18	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	812.7	-62.51	-13	49.51	Pass	7841
814	860	0.1	RMS	847.8	21.69	60	38.31	Pass	461
860	1000	0.1	RMS	996.8	-62.98	-13	49.98	Pass	1401
1000	3000	1	RMS	1695	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	6963	-41.31	-13	28.31	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.02	-13	51.02	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	806.7	-63.3	-13	50.3	Pass	7841
814	860	0.1	RMS	847.9	20.26	60	39.74	Pass	461
860	1000	0.1	RMS	871.1	-63.11	-13	50.11	Pass	1401
1000	3000	1	RMS	2958	-48.09	-13	35.09	Pass	2001
3000	10000	1	RMS	7206	-41.33	-13	28.33	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.88	-13	51.88	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	58.13	Pass	2986
30	814	0.1	RMS	813.5	-61.57	-13	48.57	Pass	7841
814	860	0.1	RMS	824.2	21.69	60	38.31	Pass	461
860	1000	0.1	RMS	865.4	-63.05	-13	50.05	Pass	1401
1000	3000	1	RMS	1648	-46.1	-13	33.1	Pass	2001
3000	10000	1	RMS	7204	-41.32	-13	28.32	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-63.27	-13	50.27	Pass	401
0.15	30	0.01	RMS	0.21	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	813.6	-62.17	-13	49.17	Pass	7841
814	860	0.1	RMS	824.2	20.45	60	39.55	Pass	461
860	1000	0.1	RMS	870.9	-63.09	-13	50.09	Pass	1401
1000	3000	1	RMS	1648	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	6963	-41.33	-13	28.33	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.77	-13	50.77	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	730.3	-63.2	-13	50.2	Pass	7841
814	860	0.1	RMS	835.2	21.81	60	38.19	Pass	461
860	1000	0.1	RMS	873.3	-63.07	-13	50.07	Pass	1401
1000	3000	1	RMS	1670	-46.77	-13	33.77	Pass	2001
3000	10000	1	RMS	7207	-41.26	-13	28.26	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.29	-13	50.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	813.4	-63.03	-13	50.03	Pass	7841
814	860	0.1	RMS	835.2	21.1	60	38.9	Pass	461
860	1000	0.1	RMS	999.1	-63.15	-13	50.15	Pass	1401
1000	3000	1	RMS	1670	-47.67	-13	34.67	Pass	2001
3000	10000	1	RMS	7211	-41.35	-13	28.35	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.18	-13	51.18	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	813.9	-63.11	-13	50.11	Pass	7841
814	860	0.1	RMS	846.2	21.68	60	38.32	Pass	461
860	1000	0.1	RMS	866.3	-63.04	-13	50.04	Pass	1401
1000	3000	1	RMS	1692	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	7208	-41.32	-13	28.32	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.45	-13	49.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	814	0.1	RMS	813.8	-63.11	-13	50.11	Pass	7841
814	860	0.1	RMS	846.2	20.76	60	39.24	Pass	461
860	1000	0.1	RMS	862.6	-62.94	-13	49.94	Pass	1401
1000	3000	1	RMS	2945	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	7203	-41.33	-13	28.33	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.12	-13	51.12	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	58.66	Pass	2986
30	814	0.1	RMS	813.6	-61.02	-13	48.02	Pass	7841
814	860	0.1	RMS	824.3	21.25	60	38.75	Pass	461
860	1000	0.1	RMS	967.7	-63.05	-13	50.05	Pass	1401
1000	3000	1	RMS	1648	-46.61	-13	33.61	Pass	2001
3000	10000	1	RMS	7204	-41.3	-13	28.3	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.86	-13	49.86	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	814	0.1	RMS	813.6	-61.83	-13	48.83	Pass	7841
814	860	0.1	RMS	824.3	20.31	60	39.69	Pass	461
860	1000	0.1	RMS	871.9	-63.08	-13	50.08	Pass	1401
1000	3000	1	RMS	1648	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6964	-41.35	-13	28.35	Pass	7001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.8	-13	50.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	810.6	-63.2	-13	50.2	Pass	7841
814	860	0.1	RMS	834.3	21.4	60	38.6	Pass	461
860	1000	0.1	RMS	881.4	-63.03	-13	50.03	Pass	1401
1000	3000	1	RMS	1668	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	7202	-41.3	-13	28.3	Pass	7001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.78	-13	49.78	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-13	57.9	Pass	2986
30	814	0.1	RMS	813.6	-63.3	-13	50.3	Pass	7841
814	860	0.1	RMS	834.3	20.65	60	39.35	Pass	461
860	1000	0.1	RMS	860.3	-63.05	-13	50.05	Pass	1401
1000	3000	1	RMS	1668	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	7207	-41.35	-13	28.35	Pass	7001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.16	-13	50.16	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	814	0.1	RMS	813.4	-63.22	-13	50.22	Pass	7841
814	860	0.1	RMS	844.3	21.62	60	38.38	Pass	461
860	1000	0.1	RMS	861.6	-63.03	-13	50.03	Pass	1401
1000	3000	1	RMS	1688	-46.62	-13	33.62	Pass	2001
3000	10000	1	RMS	6960	-41.3	-13	28.3	Pass	7001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.88	-13	49.88	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-13	59.01	Pass	2986
30	814	0.1	RMS	811.7	-63.22	-13	50.22	Pass	7841
814	860	0.1	RMS	844.3	20.56	60	39.44	Pass	461
860	1000	0.1	RMS	861.9	-62.98	-13	49.98	Pass	1401
1000	3000	1	RMS	1688	-47.49	-13	34.49	Pass	2001
3000	10000	1	RMS	7201	-41.29	-13	28.29	Pass	7001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.96	-13	50.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	811.4	-51.92	-13	38.92	Pass	7841
814	860	0.1	RMS	824.6	22.03	60	37.97	Pass	461
860	1000	0.1	RMS	872.5	-63.12	-13	50.12	Pass	1401
1000	3000	1	RMS	1649	-46.69	-13	33.69	Pass	2001
3000	10000	1	RMS	7216	-41.27	-13	28.27	Pass	7001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.33	-13	50.33	Pass	401
0.15	30	0.01	RMS	0.17	-71.47	-13	58.47	Pass	2986
30	814	0.1	RMS	811.4	-53.97	-13	40.97	Pass	7841
814	860	0.1	RMS	824.6	20.97	60	39.03	Pass	461
860	1000	0.1	RMS	876.2	-62.93	-13	49.93	Pass	1401
1000	3000	1	RMS	1649	-47.52	-13	34.52	Pass	2001
3000	10000	1	RMS	6962	-41.35	-13	28.35	Pass	7001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.85	-13	50.85	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	58.51	Pass	2986
30	814	0.1	RMS	814	-60.97	-13	47.97	Pass	7841
814	860	0.1	RMS	832.1	22.06	60	37.94	Pass	461
860	1000	0.1	RMS	975.4	-63.18	-13	50.18	Pass	1401
1000	3000	1	RMS	1664	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	7202	-41.32	-13	28.32	Pass	7001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.45	-13	51.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	814	0.1	RMS	814	-61.47	-13	48.47	Pass	7841
814	860	0.1	RMS	832.1	21.19	60	38.81	Pass	461
860	1000	0.1	RMS	862.9	-63.16	-13	50.16	Pass	1401
1000	3000	1	RMS	1664	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	7205	-41.36	-13	28.36	Pass	7001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.36	-13	50.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	814	0.1	RMS	813.1	-62.79	-13	49.79	Pass	7841
814	860	0.1	RMS	839.6	22.14	60	37.86	Pass	461
860	1000	0.1	RMS	862.7	-63.02	-13	50.02	Pass	1401
1000	3000	1	RMS	1679	-47.01	-13	34.01	Pass	2001
3000	10000	1	RMS	7201	-41.3	-13	28.3	Pass	7001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.49	-13	51.49	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	814	0.1	RMS	813.7	-63.16	-13	50.16	Pass	7841
814	860	0.1	RMS	839.6	21.27	60	38.73	Pass	461
860	1000	0.1	RMS	965.5	-63.15	-13	50.15	Pass	1401
1000	3000	1	RMS	2957	-48.04	-13	35.04	Pass	2001
3000	10000	1	RMS	7203	-41.29	-13	28.29	Pass	7001



6.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.6	-13	49.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	811.6	-41.99	-13	28.99	Pass	7841
814	860	0.1	RMS	824.8	21.47	60	38.53	Pass	461
860	1000	0.1	RMS	866.5	-62.94	-13	49.94	Pass	1401
1000	3000	1	RMS	1649	-46.38	-13	33.38	Pass	2001
3000	10000	1	RMS	6962	-41.26	-13	28.26	Pass	7001



6.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.85	-13	51.85	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	814	0.1	RMS	811.5	-43.49	-13	30.49	Pass	7841
814	860	0.1	RMS	824.8	20.5	60	39.5	Pass	461
860	1000	0.1	RMS	971.3	-62.99	-13	49.99	Pass	1401
1000	3000	1	RMS	1649	-47.24	-13	34.24	Pass	2001
3000	10000	1	RMS	7206	-41.39	-13	28.39	Pass	7001



6.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.4	-13	50.4	Pass	401
0.15	30	0.01	RMS	0.18	-71.96	-13	58.96	Pass	2986
30	814	0.1	RMS	809.9	-54.13	-13	41.13	Pass	7841
814	860	0.1	RMS	829.8	21.42	60	38.58	Pass	461
860	1000	0.1	RMS	887.2	-62.99	-13	49.99	Pass	1401
1000	3000	1	RMS	1659	-46.26	-13	33.26	Pass	2001
3000	10000	1	RMS	7206	-41.26	-13	28.26	Pass	7001



6.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.71	-13	50.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	809.9	-55.25	-13	42.25	Pass	7841
814	860	0.1	RMS	829.8	21.19	60	38.81	Pass	461
860	1000	0.1	RMS	862.4	-62.95	-13	49.95	Pass	1401
1000	3000	1	RMS	1659	-46.28	-13	33.28	Pass	2001
3000	10000	1	RMS	7207	-41.29	-13	28.29	Pass	7001



6.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-63.94	-13	50.94	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	814	0.1	RMS	808.2	-51.12	-13	38.12	Pass	7841
814	860	0.1	RMS	834.8	21.22	60	38.78	Pass	461
860	1000	0.1	RMS	860.7	-62.98	-13	49.98	Pass	1401
1000	3000	1	RMS	1669	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	7202	-41.33	-13	28.33	Pass	7001



6.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.75	-13	51.75	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	808.2	-51.74	-13	38.74	Pass	7841
814	860	0.1	RMS	834.8	20.59	60	39.41	Pass	461
860	1000	0.1	RMS	958.3	-63.09	-13	50.09	Pass	1401
1000	3000	1	RMS	1669	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	7205	-41.31	-13	28.31	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-55.38	-13	42.38	Pass	401
0.15	30	0.01	Peak	0.15	-63.4	-13	50.4	Pass	2986
30	809	0.1	Peak	808.8	-50.42	-13	37.42	Pass	7791
809	829	0.1	Peak	814.3	26.8	60	33.2	Pass	401
829	1000	0.1	Peak	970.3	-51.92	-13	38.92	Pass	1711
1000	3000	1	Peak	1628	-36.1	-13	23.1	Pass	2001
3000	10000	1	Peak	7220	-29.69	-13	16.69	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-53.69	-13	40.69	Pass	401
0.15	30	0.01	Peak	0.16	-63.11	-13	50.11	Pass	2986
30	809	0.1	Peak	808.8	-51.64	-13	38.64	Pass	7791
809	829	0.1	Peak	814.2	27.18	60	32.82	Pass	401
829	1000	0.1	Peak	851.9	-51.88	-13	38.88	Pass	1711
1000	3000	1	Peak	2962	-36.51	-13	23.51	Pass	2001
3000	10000	1	Peak	7085	-29.12	-13	16.12	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-53.73	-13	40.73	Pass	401
0.15	30	0.01	Peak	0.33	-63.15	-13	50.15	Pass	2986
30	809	0.1	Peak	617.3	-52.31	-13	39.31	Pass	7791
809	829	0.1	Peak	818.55	26.77	60	33.23	Pass	401
829	1000	0.1	Peak	837.7	-50.77	-13	37.77	Pass	1711
1000	3000	1	Peak	2998	-36.31	-13	23.31	Pass	2001
3000	10000	1	Peak	7153	-29.51	-13	16.51	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.21	-13	41.21	Pass	401
0.15	30	0.01	Peak	0.15	-64.7	-13	51.7	Pass	2986
30	809	0.1	Peak	806.3	-51.66	-13	38.66	Pass	7791
809	829	0.1	Peak	818.6	27.14	60	32.86	Pass	401
829	1000	0.1	Peak	840.1	-51.95	-13	38.95	Pass	1711
1000	3000	1	Peak	1637	-36.55	-13	23.55	Pass	2001
3000	10000	1	Peak	7208	-29.33	-13	16.33	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.57	-13	40.57	Pass	401
0.15	30	0.01	Peak	0.19	-63.36	-13	50.36	Pass	2986
30	809	0.1	Peak	791.1	-51.92	-13	38.92	Pass	7791
809	829	0.1	Peak	822.9	26.55	60	33.45	Pass	401
829	1000	0.1	Peak	829.2	-51.17	-13	38.17	Pass	1711
1000	3000	1	Peak	2893	-37.03	-13	24.03	Pass	2001
3000	10000	1	Peak	7214	-29.51	-13	16.51	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-54.97	-13	41.97	Pass	401
0.15	30	0.01	Peak	0.15	-62.53	-13	49.53	Pass	2986
30	809	0.1	Peak	785.4	-51.51	-13	38.51	Pass	7791
809	829	0.1	Peak	822.9	26.86	60	33.14	Pass	401
829	1000	0.1	Peak	829.2	-49.49	-13	36.49	Pass	1711
1000	3000	1	Peak	2954	-36.58	-13	23.58	Pass	2001
3000	10000	1	Peak	7209	-28.77	-13	15.77	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.39	-13	41.39	Pass	401
0.15	30	0.01	Peak	0.16	-63.53	-13	50.53	Pass	2986
30	809	0.1	Peak	809	-33.37	-13	20.37	Pass	7791
809	829	0.1	Peak	814.3	26.56	60	33.44	Pass	401
829	1000	0.1	Peak	829.5	-51.44	-13	38.44	Pass	1711
1000	3000	1	Peak	2927	-36.57	-13	23.57	Pass	2001
3000	10000	1	Peak	7195	-29.08	-13	16.08	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.4	-13	40.4	Pass	401
0.15	30	0.01	Peak	0.15	-63.9	-13	50.9	Pass	2986
30	809	0.1	Peak	809	-33.19	-13	20.19	Pass	7791
809	829	0.1	Peak	814.2	26.73	60	33.27	Pass	401
829	1000	0.1	Peak	945.1	-51.64	-13	38.64	Pass	1711
1000	3000	1	Peak	2989	-36.48	-13	23.48	Pass	2001
3000	10000	1	Peak	7358	-29.8	-13	16.8	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.91	-13	41.91	Pass	401
0.15	30	0.01	Peak	0.29	-64.12	-13	51.12	Pass	2986
30	809	0.1	Peak	799.8	-52.69	-13	39.69	Pass	7791
809	829	0.1	Peak	817.75	26.62	60	33.38	Pass	401
829	1000	0.1	Peak	948	-51.56	-13	38.56	Pass	1711
1000	3000	1	Peak	2960	-36.68	-13	23.68	Pass	2001
3000	10000	1	Peak	7623	-29.19	-13	16.19	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.73	-13	41.73	Pass	401
0.15	30	0.01	Peak	0.47	-63.74	-13	50.74	Pass	2986
30	809	0.1	Peak	807.9	-48.08	-13	35.08	Pass	7791
809	829	0.1	Peak	817.8	27.07	60	32.93	Pass	401
829	1000	0.1	Peak	842.5	-52.4	-13	39.4	Pass	1711
1000	3000	1	Peak	2974	-36.73	-13	23.73	Pass	2001
3000	10000	1	Peak	7183	-29.77	-13	16.77	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-53.62	-13	40.62	Pass	401
0.15	30	0.01	Peak	0.18	-64.96	-13	51.96	Pass	2986
30	809	0.1	Peak	647.4	-52.46	-13	39.46	Pass	7791
809	829	0.1	Peak	821.2	26.61	60	33.39	Pass	401
829	1000	0.1	Peak	830	-49.48	-13	36.48	Pass	1711
1000	3000	1	Peak	2935	-36.15	-13	23.15	Pass	2001
3000	10000	1	Peak	7308	-29.38	-13	16.38	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.74	-13	41.74	Pass	401
0.15	30	0.01	Peak	0.16	-64.29	-13	51.29	Pass	2986
30	809	0.1	Peak	780.5	-52.28	-13	39.28	Pass	7791
809	829	0.1	Peak	821.25	26.71	60	33.29	Pass	401
829	1000	0.1	Peak	831.2	-44.3	-13	31.3	Pass	1711
1000	3000	1	Peak	2838	-36.5	-13	23.5	Pass	2001
3000	10000	1	Peak	7650	-29.87	-13	16.87	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.59	-13	40.59	Pass	401
0.15	30	0.01	Peak	0.15	-63.37	-13	50.37	Pass	2986
30	809	0.1	Peak	805.7	-39.04	-13	26.04	Pass	7791
809	829	0.1	Peak	814.35	26.68	60	33.32	Pass	401
829	1000	0.1	Peak	831.5	-47.7	-13	34.7	Pass	1711
1000	3000	1	Peak	1629	-36.17	-13	23.17	Pass	2001
3000	10000	1	Peak	7196	-28.89	-13	15.89	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-55.05	-13	42.05	Pass	401
0.15	30	0.01	Peak	0.43	-64.22	-13	51.22	Pass	2986
30	809	0.1	Peak	805.7	-45.64	-13	32.64	Pass	7791
809	829	0.1	Peak	814.3	26.65	60	33.35	Pass	401
829	1000	0.1	Peak	831.5	-49.92	-13	36.92	Pass	1711
1000	3000	1	Peak	2951	-36.75	-13	23.75	Pass	2001
3000	10000	1	Peak	7330	-29.6	-13	16.6	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.75	-13	41.75	Pass	401
0.15	30	0.01	Peak	0.15	-63.07	-13	50.07	Pass	2986
30	809	0.1	Peak	808.3	-32.28	-13	19.28	Pass	7791
809	829	0.1	Peak	816.85	26.5	60	33.5	Pass	401
829	1000	0.1	Peak	829.8	-48.02	-13	35.02	Pass	1711
1000	3000	1	Peak	2961	-35.75	-13	22.75	Pass	2001
3000	10000	1	Peak	7208	-29.39	-13	16.39	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.61	-13	41.61	Pass	401
0.15	30	0.01	Peak	0.19	-64.16	-13	51.16	Pass	2986
30	809	0.1	Peak	808.3	-31.8	-13	18.8	Pass	7791
809	829	0.1	Peak	816.8	27.28	60	32.72	Pass	401
829	1000	0.1	Peak	830	-32.72	-13	19.72	Pass	1711
1000	3000	1	Peak	2944	-36.28	-13	23.28	Pass	2001
3000	10000	1	Peak	6963	-29.47	-13	16.47	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.18	-13	41.18	Pass	401
0.15	30	0.01	Peak	0.24	-64.38	-13	51.38	Pass	2986
30	809	0.1	Peak	808.7	-50.9	-13	37.9	Pass	7791
809	829	0.1	Peak	819.35	26.19	60	33.81	Pass	401
829	1000	0.1	Peak	830.2	-46.58	-13	33.58	Pass	1711
1000	3000	1	Peak	1639	-36.8	-13	23.8	Pass	2001
3000	10000	1	Peak	8708	-29.7	-13	16.7	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-54.49	-13	41.49	Pass	401
0.15	30	0.01	Peak	0.41	-63.9	-13	50.9	Pass	2986
30	809	0.1	Peak	642.6	-51.26	-13	38.26	Pass	7791
809	829	0.1	Peak	819.3	26.46	60	33.54	Pass	401
829	1000	0.1	Peak	830.1	-47.12	-13	34.12	Pass	1711
1000	3000	1	Peak	2958	-36.4	-13	23.4	Pass	2001
3000	10000	1	Peak	7891	-29.23	-13	16.23	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.09	-13	41.09	Pass	401
0.15	30	0.01	Peak	0.15	-62.39	-13	49.39	Pass	2986
30	809	0.1	Peak	805.9	-43.27	-13	30.27	Pass	7791
809	829	0.1	Peak	814.6	26.96	60	33.04	Pass	401
829	1000	0.1	Peak	832.2	-31.37	-13	18.37	Pass	1711
1000	3000	1	Peak	2950	-35.94	-13	22.94	Pass	2001
3000	10000	1	Peak	7167	-29.61	-13	16.61	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.55	-13	40.55	Pass	401
0.15	30	0.01	Peak	0.18	-64.95	-13	51.95	Pass	2986
30	809	0.1	Peak	805.8	-44.11	-13	31.11	Pass	7791
809	829	0.1	Peak	814.55	26.99	60	33.01	Pass	401
829	1000	0.1	Peak	832.2	-26.91	-13	13.91	Pass	1711
1000	3000	1	Peak	2965	-35.41	-13	22.41	Pass	2001
3000	10000	1	Peak	7449	-29.68	-13	16.68	Pass	7001



7. LTE_Band66


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.84	-13	50.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	832.5	-62.69	-13	49.69	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	37.69	Pass	701
1700	1790	1	RMS	1710.125	23.95	60	36.05	Pass	401
1790	3000	1	RMS	2942	-48.05	-13	35.05	Pass	1211
3000	12000	1	RMS	11859	-40.39	-13	27.39	Pass	9002
12000	20000	1	RMS	19407	-32.03	-13	19.03	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.15	-13	51.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	842.3	-62.72	-13	49.72	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	37.9	Pass	701
1700	1790	1	RMS	1710.125	23.04	60	36.96	Pass	401
1790	3000	1	RMS	2960	-48.06	-13	35.06	Pass	1211
3000	12000	1	RMS	11848	-40.42	-13	27.42	Pass	9002
12000	20000	1	RMS	19396	-32.06	-13	19.06	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.8	-13	50.8	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	842.1	-62.83	-13	49.83	Pass	9701
1000	1700	1	RMS	1700	-51.74	-13	38.74	Pass	701
1700	1790	1	RMS	1744.325	23.54	60	36.46	Pass	401
1790	3000	1	RMS	2945	-48.08	-13	35.08	Pass	1211
3000	12000	1	RMS	11846	-40.42	-13	27.42	Pass	9002
12000	20000	1	RMS	19398	-32.02	-13	19.02	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.77	-13	51.77	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	861.208	-62.79	-13	49.79	Pass	9701
1000	1700	1	RMS	1700	-51.69	-13	38.69	Pass	701
1700	1790	1	RMS	1744.55	23.19	60	36.81	Pass	401
1790	3000	1	RMS	2960	-48.06	-13	35.06	Pass	1211
3000	12000	1	RMS	11851	-40.42	-13	27.42	Pass	9002
12000	20000	1	RMS	19402	-32.04	-13	19.04	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.47	-13	51.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	846.7	-62.9	-13	49.9	Pass	9701
1000	1700	1	RMS	1696	-51.75	-13	38.75	Pass	701
1700	1790	1	RMS	1778.75	23.76	60	36.24	Pass	401
1790	3000	1	RMS	2959	-48.07	-13	35.07	Pass	1211
3000	12000	1	RMS	11852	-40.44	-13	27.44	Pass	9002
12000	20000	1	RMS	19400	-32.01	-13	19.01	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.28	-13	51.28	Pass	401
0.15	30	0.01	RMS	0.23	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	846.7	-62.93	-13	49.93	Pass	9701
1000	1700	1	RMS	1682	-51.71	-13	38.71	Pass	701
1700	1790	1	RMS	1778.75	22.68	60	37.32	Pass	401
1790	3000	1	RMS	2950	-48.01	-13	35.01	Pass	1211
3000	12000	1	RMS	11848	-40.49	-13	27.49	Pass	9002
12000	20000	1	RMS	19399	-31.98	-13	18.98	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.51	-13	51.51	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	839.7	-62.77	-13	49.77	Pass	9701
1000	1700	1	RMS	1700	-48.36	-13	35.36	Pass	701
1700	1790	1	RMS	1710.125	23.89	60	36.11	Pass	401
1790	3000	1	RMS	2947	-48.02	-13	35.02	Pass	1211
3000	12000	1	RMS	11850	-40.46	-13	27.46	Pass	9002
12000	20000	1	RMS	19410	-32.04	-13	19.04	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.55	-13	50.55	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	871.015	-62.95	-13	49.95	Pass	9701
1000	1700	1	RMS	1700	-49.38	-13	36.38	Pass	701
1700	1790	1	RMS	1710.125	22.91	60	37.09	Pass	401
1790	3000	1	RMS	2955	-47.99	-13	34.99	Pass	1211
3000	12000	1	RMS	11851	-40.37	-13	27.37	Pass	9002
12000	20000	1	RMS	19396	-32.04	-13	19.04	Pass	8001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.31	-13	51.31	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	2986
30	1000	0.1	RMS	841	-62.85	-13	49.85	Pass	9701
1000	1700	1	RMS	1695	-51.74	-13	38.74	Pass	701
1700	1790	1	RMS	1743.65	23.69	60	36.31	Pass	401
1790	3000	1	RMS	2961	-48.04	-13	35.04	Pass	1211
3000	12000	1	RMS	11846	-40.43	-13	27.43	Pass	9002
12000	20000	1	RMS	19400	-32.04	-13	19.04	Pass	8001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.38	-13	51.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	859.207	-62.91	-13	49.91	Pass	9701
1000	1700	1	RMS	1699	-51.75	-13	38.75	Pass	701
1700	1790	1	RMS	1743.65	23.02	60	36.98	Pass	401
1790	3000	1	RMS	2965	-48.08	-13	35.08	Pass	1211
3000	12000	1	RMS	11852	-40.38	-13	27.38	Pass	9002
12000	20000	1	RMS	19394	-31.99	-13	18.99	Pass	8001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.99	-13	50.99	Pass	401
0.15	30	0.01	RMS	0.25	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	849.1	-62.87	-13	49.87	Pass	9701
1000	1700	1	RMS	1687	-51.72	-13	38.72	Pass	701
1700	1790	1	RMS	1777.175	23.78	60	36.22	Pass	401
1790	3000	1	RMS	2952	-48.05	-13	35.05	Pass	1211
3000	12000	1	RMS	11851	-40.4	-13	27.4	Pass	9002
12000	20000	1	RMS	19403	-32.02	-13	19.02	Pass	8001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.32	-13	51.32	Pass	401
0.15	30	0.01	RMS	0.22	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	968.879	-62.85	-13	49.85	Pass	9701
1000	1700	1	RMS	1695	-51.7	-13	38.7	Pass	701
1700	1790	1	RMS	1777.175	22.57	60	37.43	Pass	401
1790	3000	1	RMS	2952	-48.1	-13	35.1	Pass	1211
3000	12000	1	RMS	11852	-40.42	-13	27.42	Pass	9002
12000	20000	1	RMS	19399	-32.04	-13	19.04	Pass	8001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.23	-13	52.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	846	-62.69	-13	49.69	Pass	9701
1000	1700	1	RMS	1700	-49.91	-13	36.91	Pass	701
1700	1790	1	RMS	1710.35	23.79	60	36.21	Pass	401
1790	3000	1	RMS	2962	-48.05	-13	35.05	Pass	1211
3000	12000	1	RMS	11854	-40.42	-13	27.42	Pass	9002
12000	20000	1	RMS	19404	-32.04	-13	19.04	Pass	8001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.04	-13	51.04	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	842.9	-62.99	-13	49.99	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	38.09	Pass	701
1700	1790	1	RMS	1710.125	22.27	60	37.73	Pass	401
1790	3000	1	RMS	2952	-48.41	-13	35.41	Pass	1211
3000	12000	1	RMS	11852	-40.79	-13	27.79	Pass	9002
12000	20000	1	RMS	19410	-32.4	-13	19.4	Pass	8001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.6	-13	50.6	Pass	401
0.15	30	0.01	RMS	0.18	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	848.7	-63.22	-13	50.22	Pass	9701
1000	1700	1	RMS	1698	-52.12	-13	39.12	Pass	701
1700	1790	1	RMS	1742.75	23.11	60	36.89	Pass	401
1790	3000	1	RMS	2946	-48.4	-13	35.4	Pass	1211
3000	12000	1	RMS	11852	-40.79	-13	27.79	Pass	9002
12000	20000	1	RMS	19413	-32.42	-13	19.42	Pass	8001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.97	-13	51.97	Pass	401
0.15	30	0.01	RMS	0.26	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	881.622	-63.12	-13	50.12	Pass	9701
1000	1700	1	RMS	1700	-52.12	-13	39.12	Pass	701
1700	1790	1	RMS	1742.75	22.57	60	37.43	Pass	401
1790	3000	1	RMS	2960	-48.44	-13	35.44	Pass	1211
3000	12000	1	RMS	11840	-40.81	-13	27.81	Pass	9002
12000	20000	1	RMS	19398	-32.45	-13	19.45	Pass	8001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.72	-13	51.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	852.002	-63.26	-13	50.26	Pass	9701
1000	1700	1	RMS	1697	-52.11	-13	39.11	Pass	701
1700	1790	1	RMS	1775.15	23.19	60	36.81	Pass	401
1790	3000	1	RMS	2955	-48.39	-13	35.39	Pass	1211
3000	12000	1	RMS	11846	-40.79	-13	27.79	Pass	9002
12000	20000	1	RMS	19404	-32.42	-13	19.42	Pass	8001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.25	-13	51.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	847.1	-63.26	-13	50.26	Pass	9701
1000	1700	1	RMS	1696	-52.15	-13	39.15	Pass	701
1700	1790	1	RMS	1775.15	22.28	60	37.72	Pass	401
1790	3000	1	RMS	2954	-48.42	-13	35.42	Pass	1211
3000	12000	1	RMS	11845	-40.81	-13	27.81	Pass	9002
12000	20000	1	RMS	19403	-32.37	-13	19.37	Pass	8001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.49	-13	51.49	Pass	401
0.15	30	0.01	RMS	0.17	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	838.3	-63.39	-13	50.39	Pass	9701
1000	1700	1	RMS	1693	-43.44	-13	30.44	Pass	701
1700	1790	1	RMS	1710.575	23.58	60	36.42	Pass	401
1790	3000	1	RMS	2964	-48.42	-13	35.42	Pass	1211
3000	12000	1	RMS	11848	-40.82	-13	27.82	Pass	9002
12000	20000	1	RMS	19404	-32.37	-13	19.37	Pass	8001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.15	-13	51.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	844	-63.2	-13	50.2	Pass	9701
1000	1700	1	RMS	1693	-44.73	-13	31.73	Pass	701
1700	1790	1	RMS	1710.575	22.69	60	37.31	Pass	401
1790	3000	1	RMS	2951	-48.39	-13	35.39	Pass	1211
3000	12000	1	RMS	11851	-40.83	-13	27.83	Pass	9002
12000	20000	1	RMS	19395	-32.4	-13	19.4	Pass	8001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	57.68	Pass	2986
30	1000	0.1	RMS	835.7	-63.23	-13	50.23	Pass	9701
1000	1700	1	RMS	1699	-52.1	-13	39.1	Pass	701
1700	1790	1	RMS	1740.5	23.41	60	36.59	Pass	401
1790	3000	1	RMS	2958	-48.4	-13	35.4	Pass	1211
3000	12000	1	RMS	11852	-40.75	-13	27.75	Pass	9002
12000	20000	1	RMS	19399	-32.37	-13	19.37	Pass	8001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.83	-13	49.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	864.71	-63.26	-13	50.26	Pass	9701
1000	1700	1	RMS	1684	-52.13	-13	39.13	Pass	701
1700	1790	1	RMS	1740.5	22.83	60	37.17	Pass	401
1790	3000	1	RMS	2948	-48.38	-13	35.38	Pass	1211
3000	12000	1	RMS	11855	-40.78	-13	27.78	Pass	9002
12000	20000	1	RMS	19401	-32.28	-13	19.28	Pass	8001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-63.49	-13	50.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	843.1	-63.32	-13	50.32	Pass	9701
1000	1700	1	RMS	1700	-52.14	-13	39.14	Pass	701
1700	1790	1	RMS	1770.425	23.65	60	36.35	Pass	401
1790	3000	1	RMS	2952	-48.37	-13	35.37	Pass	1211
3000	12000	1	RMS	11846	-40.83	-13	27.83	Pass	9002
12000	20000	1	RMS	19401	-32.4	-13	19.4	Pass	8001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.5	-13	51.5	Pass	401
0.15	30	0.01	RMS	0.19	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	864.21	-63.26	-13	50.26	Pass	9701
1000	1700	1	RMS	1693	-52.12	-13	39.12	Pass	701
1700	1790	1	RMS	1770.425	22.89	60	37.11	Pass	401
1790	3000	1	RMS	2945	-48.33	-13	35.33	Pass	1211
3000	12000	1	RMS	11849	-40.82	-13	27.82	Pass	9002
12000	20000	1	RMS	19400	-32.32	-13	19.32	Pass	8001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.24	-13	51.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	840.3	-63.14	-13	50.14	Pass	9701
1000	1700	1	RMS	1698	-30.12	-13	17.12	Pass	701
1700	1790	1	RMS	1710.8	23.64	60	36.36	Pass	401
1790	3000	1	RMS	2957	-48.38	-13	35.38	Pass	1211
3000	12000	1	RMS	11848	-40.79	-13	27.79	Pass	9002
12000	20000	1	RMS	19402	-32.34	-13	19.34	Pass	8001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.37	-13	50.37	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	839.6	-63.29	-13	50.29	Pass	9701
1000	1700	1	RMS	1698	-32.14	-13	19.14	Pass	701
1700	1790	1	RMS	1710.8	22.71	60	37.29	Pass	401
1790	3000	1	RMS	2950	-48.39	-13	35.39	Pass	1211
3000	12000	1	RMS	11849	-40.86	-13	27.86	Pass	9002
12000	20000	1	RMS	19392	-32.41	-13	19.41	Pass	8001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-63.24	-13	50.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	843.5	-63.31	-13	50.31	Pass	9701
1000	1700	1	RMS	1698	-51.98	-13	38.98	Pass	701
1700	1790	1	RMS	1738.25	23.49	60	36.51	Pass	401
1790	3000	1	RMS	2950	-48.43	-13	35.43	Pass	1211
3000	12000	1	RMS	11837	-40.84	-13	27.84	Pass	9002
12000	20000	1	RMS	19402	-32.41	-13	19.41	Pass	8001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.04	-13	51.04	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	821.4	-63.3	-13	50.3	Pass	9701
1000	1700	1	RMS	1698	-52.05	-13	39.05	Pass	701
1700	1790	1	RMS	1738.25	23.08	60	36.92	Pass	401
1790	3000	1	RMS	2953	-48.46	-13	35.46	Pass	1211
3000	12000	1	RMS	11849	-40.72	-13	27.72	Pass	9002
12000	20000	1	RMS	19403	-32.42	-13	19.42	Pass	8001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.07	-13	50.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	850.401	-63.33	-13	50.33	Pass	9701
1000	1700	1	RMS	1689	-52.16	-13	39.16	Pass	701
1700	1790	1	RMS	1765.7	23.34	60	36.66	Pass	401
1790	3000	1	RMS	1792	-41.83	-13	28.83	Pass	1211
3000	12000	1	RMS	11849	-40.71	-13	27.71	Pass	9002
12000	20000	1	RMS	19401	-32.35	-13	19.35	Pass	8001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.73	-13	50.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	847.6	-63.32	-13	50.32	Pass	9701
1000	1700	1	RMS	1699	-52.15	-13	39.15	Pass	701
1700	1790	1	RMS	1765.7	22.59	60	37.41	Pass	401
1790	3000	1	RMS	1793	-42.12	-13	29.12	Pass	1211
3000	12000	1	RMS	11850	-40.79	-13	27.79	Pass	9002
12000	20000	1	RMS	19406	-32.39	-13	19.39	Pass	8001



7.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.65	-13	51.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	846.4	-63.16	-13	50.16	Pass	9701
1000	1700	1	RMS	1693	-31.99	-13	18.99	Pass	701
1700	1790	1	RMS	1711.025	23.4	60	36.6	Pass	401
1790	3000	1	RMS	2960	-48.33	-13	35.33	Pass	1211
3000	12000	1	RMS	11847	-40.73	-13	27.73	Pass	9002
12000	20000	1	RMS	19406	-32.39	-13	19.39	Pass	8001



7.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.79	-13	49.79	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	850.101	-63.4	-13	50.4	Pass	9701
1000	1700	1	RMS	1693	-33.94	-13	20.94	Pass	701
1700	1790	1	RMS	1711.025	22.6	60	37.4	Pass	401
1790	3000	1	RMS	2958	-48.37	-13	35.37	Pass	1211
3000	12000	1	RMS	11847	-40.75	-13	27.75	Pass	9002
12000	20000	1	RMS	19399	-32.41	-13	19.41	Pass	8001



7.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.3	-13	50.3	Pass	401
0.15	30	0.01	RMS	0.18	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	852.202	-63.2	-13	50.2	Pass	9701
1000	1700	1	RMS	1700	-45.64	-13	32.64	Pass	701
1700	1790	1	RMS	1736	23.75	60	36.25	Pass	401
1790	3000	1	RMS	2948	-48.44	-13	35.44	Pass	1211
3000	12000	1	RMS	11850	-40.8	-13	27.8	Pass	9002
12000	20000	1	RMS	19400	-32.3	-13	19.3	Pass	8001



7.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.6	-13	50.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	834.9	-63.4	-13	50.4	Pass	9701
1000	1700	1	RMS	1700	-45.72	-13	32.72	Pass	701
1700	1790	1	RMS	1736	22.46	60	37.54	Pass	401
1790	3000	1	RMS	2958	-48.42	-13	35.42	Pass	1211
3000	12000	1	RMS	11856	-40.72	-13	27.72	Pass	9002
12000	20000	1	RMS	19401	-32.41	-13	19.41	Pass	8001



7.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.83	-13	50.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	850.601	-63.12	-13	50.12	Pass	9701
1000	1700	1	RMS	1697	-52.07	-13	39.07	Pass	701
1700	1790	1	RMS	1760.975	23.38	60	36.62	Pass	401
1790	3000	1	RMS	1797	-39.87	-13	26.87	Pass	1211
3000	12000	1	RMS	11849	-40.74	-13	27.74	Pass	9002
12000	20000	1	RMS	19403	-32.25	-13	19.25	Pass	8001



7.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.74	-13	51.74	Pass	401
0.15	30	0.01	RMS	0.17	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	847.4	-63.35	-13	50.35	Pass	9701
1000	1700	1	RMS	1700	-52.12	-13	39.12	Pass	701
1700	1790	1	RMS	1760.975	23.28	60	36.72	Pass	401
1790	3000	1	RMS	1797	-41.11	-13	28.11	Pass	1211
3000	12000	1	RMS	11852	-40.86	-13	27.86	Pass	9002
12000	20000	1	RMS	19401	-32.46	-13	19.46	Pass	8001



8. LTE_Band38


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-59.4	-25	34.4	Pass	401
0.15	30	0.01	RMS	0.15	-66.94	-25	41.94	Pass	2986
30	1000	0.1	RMS	840.8	-59.38	-25	34.38	Pass	9701
1000	2560	1	RMS	2560	-44.67	-25	19.67	Pass	1561
2560	2630	1	RMS	2570.325	23.73	60	36.27	Pass	401
2630	3000	1	RMS	2948.2	-44.47	-25	19.47	Pass	401
3000	12000	1	RMS	5140	-46.8	-25	21.8	Pass	9002
12000	26500	1	RMS	26007	-42.37	-25	17.37	Pass	14502




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.23	-25	35.23	Pass	401
0.15	30	0.01	RMS	0.17	-67.9	-25	42.9	Pass	2986
30	1000	0.1	RMS	833.9	-59.23	-25	34.23	Pass	9701
1000	2560	1	RMS	2560	-44.54	-25	19.54	Pass	1561
2560	2630	1	RMS	2570.325	22.26	60	37.74	Pass	401
2630	3000	1	RMS	2959.3	-44.47	-25	19.47	Pass	401
3000	12000	1	RMS	5141	-47.08	-25	22.08	Pass	9002
12000	26500	1	RMS	26004	-42.33	-25	17.33	Pass	14502




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-61.07	-25	36.07	Pass	401
0.15	30	0.01	RMS	0.3	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	833.9	-59.23	-25	34.23	Pass	9701
1000	2560	1	RMS	2554	-45.35	-25	20.35	Pass	1561
2560	2630	1	RMS	2592.9	23.38	60	36.62	Pass	401
2630	3000	1	RMS	2943.575	-44.47	-25	19.47	Pass	401
3000	12000	1	RMS	5185	-49.68	-25	24.68	Pass	9002
12000	26500	1	RMS	26001	-42.31	-25	17.31	Pass	14502




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-60.82	-25	35.82	Pass	401
0.15	30	0.01	RMS	0.32	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	842.4	-59.34	-25	34.34	Pass	9701
1000	2560	1	RMS	2516	-45.56	-25	20.56	Pass	1561
2560	2630	1	RMS	2592.725	23.42	60	36.58	Pass	401
2630	3000	1	RMS	2954.675	-44.45	-25	19.45	Pass	401
3000	12000	1	RMS	5186	-51.57	-25	26.57	Pass	9002
12000	26500	1	RMS	26007	-42.17	-25	17.17	Pass	14502




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.52	-25	35.52	Pass	401
0.15	30	0.01	RMS	0.16	-67.58	-25	42.58	Pass	2986
30	1000	0.1	RMS	840.8	-59.41	-25	34.41	Pass	9701
1000	2560	1	RMS	2538	-45.8	-25	20.8	Pass	1561
2560	2630	1	RMS	2615.3	23.83	60	36.17	Pass	401
2630	3000	1	RMS	2962.075	-44.46	-25	19.46	Pass	401
3000	12000	1	RMS	5230	-49.52	-25	24.52	Pass	9002
12000	26500	1	RMS	25996	-42.38	-25	17.38	Pass	14502




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.17	-25	35.17	Pass	401
0.15	30	0.01	RMS	0.23	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	850.801	-59.34	-25	34.34	Pass	9701
1000	2560	1	RMS	2538	-45.65	-25	20.65	Pass	1561
2560	2630	1	RMS	2615.3	22.66	60	37.34	Pass	401
2630	3000	1	RMS	2947.275	-44.48	-25	19.48	Pass	401
3000	12000	1	RMS	5230	-51.81	-25	26.81	Pass	9002
12000	26500	1	RMS	26006	-42.23	-25	17.23	Pass	14502




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-58.49	-25	33.49	Pass	401
0.15	30	0.01	RMS	0.19	-67.66	-25	42.66	Pass	2986
30	1000	0.1	RMS	609.9	-59.01	-25	34.01	Pass	9701
1000	2560	1	RMS	2553	-35.83	-25	10.83	Pass	1561
2560	2630	1	RMS	2570.5	23.5	60	36.5	Pass	401
2630	3000	1	RMS	2954.675	-44.47	-25	19.47	Pass	401
3000	12000	1	RMS	5140	-54.27	-25	29.27	Pass	9002
12000	26500	1	RMS	26013	-42.37	-25	17.37	Pass	14502




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-60.78	-25	35.78	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	833.7	-59.4	-25	34.4	Pass	9701
1000	2560	1	RMS	2552	-40.01	-25	15.01	Pass	1561
2560	2630	1	RMS	2570.5	21.98	60	38.02	Pass	401
2630	3000	1	RMS	2948.2	-44.48	-25	19.48	Pass	401
3000	12000	1	RMS	5142	-49.7	-25	24.7	Pass	9002
12000	26500	1	RMS	25995	-42.31	-25	17.31	Pass	14502



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.6	-25	34.6	Pass	401
0.15	30	0.01	RMS	0.16	-68.02	-25	43.02	Pass	2986
30	1000	0.1	RMS	842.5	-59.37	-25	34.37	Pass	9701
1000	2560	1	RMS	2552	-44.73	-25	19.73	Pass	1561
2560	2630	1	RMS	2590.625	24.2	60	35.8	Pass	401
2630	3000	1	RMS	2950.05	-44.48	-25	19.48	Pass	401
3000	12000	1	RMS	5181	-46.61	-25	21.61	Pass	9002
12000	26500	1	RMS	26006	-42.39	-25	17.39	Pass	14502



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-61.53	-25	36.53	Pass	401
0.15	30	0.01	RMS	0.3	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	832.8	-59.33	-25	34.33	Pass	9701
1000	2560	1	RMS	2553	-45.22	-25	20.22	Pass	1561
2560	2630	1	RMS	2590.45	23.65	60	36.35	Pass	401
2630	3000	1	RMS	2961.15	-44.49	-25	19.49	Pass	401
3000	12000	1	RMS	5181	-48	-25	23	Pass	9002
12000	26500	1	RMS	25998	-42.34	-25	17.34	Pass	14502



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-60.34	-25	35.34	Pass	401
0.15	30	0.01	RMS	0.18	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	852.102	-59.21	-25	34.21	Pass	9701
1000	2560	1	RMS	2534	-45.69	-25	20.69	Pass	1561
2560	2630	1	RMS	2610.575	24.04	60	35.96	Pass	401
2630	3000	1	RMS	2630	-35.3	-25	10.3	Pass	401
3000	12000	1	RMS	5221	-44.5	-25	19.5	Pass	9002
12000	26500	1	RMS	26004	-42.37	-25	17.37	Pass	14502



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-60.99	-25	35.99	Pass	401
0.15	30	0.01	RMS	0.17	-67.89	-25	42.89	Pass	2986
30	1000	0.1	RMS	865.511	-59.38	-25	34.38	Pass	9701
1000	2560	1	RMS	2534	-45.71	-25	20.71	Pass	1561
2560	2630	1	RMS	2610.575	22.81	60	37.19	Pass	401
2630	3000	1	RMS	2630	-37.73	-25	12.73	Pass	401
3000	12000	1	RMS	5222	-51.02	-25	26.02	Pass	9002
12000	26500	1	RMS	25994	-42.37	-25	17.37	Pass	14502



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-62.65	-25	37.65	Pass	401
0.15	30	0.01	RMS	0.17	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	854.904	-59.85	-25	34.85	Pass	9701
1000	2560	1	RMS	2557	-30.29	-25	5.29	Pass	1561
2560	2630	1	RMS	2570.675	24.44	60	35.56	Pass	401
2630	3000	1	RMS	2956.525	-45.04	-25	20.04	Pass	401
3000	12000	1	RMS	5142	-43.36	-25	18.36	Pass	9002
12000	26500	1	RMS	26001	-40.42	-25	15.42	Pass	14502



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-59.87	-25	34.87	Pass	401
0.15	30	0.01	RMS	0.15	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	825.9	-59.37	-25	34.37	Pass	9701
1000	2560	1	RMS	2557	-29.54	-25	4.54	Pass	1561
2560	2630	1	RMS	2570.675	22.6	60	37.4	Pass	401
2630	3000	1	RMS	2949.125	-44.45	-25	19.45	Pass	401
3000	12000	1	RMS	5141	-46.81	-25	21.81	Pass	9002
12000	26500	1	RMS	26003	-42.35	-25	17.35	Pass	14502



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.49	-25	35.49	Pass	401
0.15	30	0.01	RMS	0.23	-67.82	-25	42.82	Pass	2986
30	1000	0.1	RMS	838.2	-59.45	-25	34.45	Pass	9701
1000	2560	1	RMS	2560	-42.31	-25	17.31	Pass	1561
2560	2630	1	RMS	2588.175	24.16	60	35.84	Pass	401
2630	3000	1	RMS	2951.9	-44.44	-25	19.44	Pass	401
3000	12000	1	RMS	5176	-53.31	-25	28.31	Pass	9002
12000	26500	1	RMS	26002	-42.33	-25	17.33	Pass	14502



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-60.41	-25	35.41	Pass	401
0.15	30	0.01	RMS	0.15	-67.89	-25	42.89	Pass	2986
30	1000	0.1	RMS	846.7	-59.37	-25	34.37	Pass	9701
1000	2560	1	RMS	2558	-45.09	-25	20.09	Pass	1561
2560	2630	1	RMS	2588.175	23.03	60	36.97	Pass	401
2630	3000	1	RMS	2953.75	-44.48	-25	19.48	Pass	401
3000	12000	1	RMS	5176	-46.85	-25	21.85	Pass	9002
12000	26500	1	RMS	26002	-42.33	-25	17.33	Pass	14502



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-59.89	-25	34.89	Pass	401
0.15	30	0.01	RMS	0.16	-68.58	-25	43.58	Pass	2986
30	1000	0.1	RMS	857.305	-59.38	-25	34.38	Pass	9701
1000	2560	1	RMS	2557	-45.5	-25	20.5	Pass	1561
2560	2645	1	RMS	2605.688	24.15	60	35.85	Pass	401
2645	3000	1	RMS	2959.175	-44.45	-25	19.45	Pass	401
3000	12000	1	RMS	5212	-46.81	-25	21.81	Pass	9002
12000	26500	1	RMS	25991	-42.4	-25	17.4	Pass	14502



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.68	-25	34.68	Pass	401
0.15	30	0.01	RMS	0.15	-67.91	-25	42.91	Pass	2986
30	1000	0.1	RMS	835.3	-59.3	-25	34.3	Pass	9701
1000	2560	1	RMS	2558	-45.37	-25	20.37	Pass	1561
2560	2645	1	RMS	2605.688	22.97	60	37.03	Pass	401
2645	3000	1	RMS	2645	-41.79	-25	16.79	Pass	401
3000	12000	1	RMS	5212	-45.55	-25	20.55	Pass	9002
12000	26500	1	RMS	25998	-42.3	-25	17.3	Pass	14502



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-61.1	-25	36.1	Pass	401
0.15	30	0.01	RMS	0.18	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	848.4	-59.4	-25	34.4	Pass	9701
1000	2560	1	RMS	2553	-31.54	-25	6.54	Pass	1561
2560	2630	1	RMS	2571.025	24.1	60	35.9	Pass	401
2630	3000	1	RMS	2956.525	-44.45	-25	19.45	Pass	401
3000	12000	1	RMS	5143	-48.56	-25	23.56	Pass	9002
12000	26500	1	RMS	25997	-42.26	-25	17.26	Pass	14502



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.17	-25	36.17	Pass	401
0.15	30	0.01	RMS	0.18	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	610.4	-59.27	-25	34.27	Pass	9701
1000	2560	1	RMS	2554	-32.81	-25	7.81	Pass	1561
2560	2630	1	RMS	2571.025	22.94	60	37.06	Pass	401
2630	3000	1	RMS	2947.275	-44.48	-25	19.48	Pass	401
3000	12000	1	RMS	5142	-50.35	-25	25.35	Pass	9002
12000	26500	1	RMS	26012	-42.39	-25	17.39	Pass	14502



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.07	-25	35.07	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	841.2	-59.42	-25	34.42	Pass	9701
1000	2560	1	RMS	2551	-44	-25	19	Pass	1561
2560	2630	1	RMS	2586.075	23.67	60	36.33	Pass	401
2630	3000	1	RMS	2953.75	-44.45	-25	19.45	Pass	401
3000	12000	1	RMS	5173	-47.5	-25	22.5	Pass	9002
12000	26500	1	RMS	25998	-42.41	-25	17.41	Pass	14502



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.44	-25	35.44	Pass	401
0.15	30	0.01	RMS	0.24	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	859.907	-59.38	-25	34.38	Pass	9701
1000	2560	1	RMS	2548	-43.39	-25	18.39	Pass	1561
2560	2630	1	RMS	2586.075	22.63	60	37.37	Pass	401
2630	3000	1	RMS	2951.9	-44.49	-25	19.49	Pass	401
3000	12000	1	RMS	5172	-46.33	-25	21.33	Pass	9002
12000	26500	1	RMS	25984	-42.38	-25	17.38	Pass	14502



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-61.31	-25	36.31	Pass	401
0.15	30	0.01	RMS	0.26	-67.81	-25	42.81	Pass	2986
30	1000	0.1	RMS	836.6	-59.35	-25	34.35	Pass	9701
1000	2560	1	RMS	2559	-45.57	-25	20.57	Pass	1561
2560	2645	1	RMS	2600.8	23.89	60	36.11	Pass	401
2645	3000	1	RMS	2946.75	-44.46	-25	19.46	Pass	401
3000	12000	1	RMS	5202	-46.54	-25	21.54	Pass	9002
12000	26500	1	RMS	26000	-42.32	-25	17.32	Pass	14502



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.02	-25	35.02	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	837.8	-59.34	-25	34.34	Pass	9701
1000	2560	1	RMS	2560	-45.42	-25	20.42	Pass	1561
2560	2645	1	RMS	2601.013	23.22	60	36.78	Pass	401
2645	3000	1	RMS	2952.075	-44.48	-25	19.48	Pass	401
3000	12000	1	RMS	5203	-49.74	-25	24.74	Pass	9002
12000	26500	1	RMS	25992	-42.28	-25	17.28	Pass	14502



9. LTE_Band41 120M


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.84	-25	35.84	Pass	401
0.15	30	0.01	RMS	0.24	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	833.3	-59.34	-25	34.34	Pass	9701
1000	2525	1	RMS	2524	-45.16	-25	20.16	Pass	1526
2525	2665	1	RMS	2535.15	23.56	60	36.44	Pass	401
2665	3000	1	RMS	2950.588	-44.48	-25	19.48	Pass	401
3000	12000	1	RMS	5070	-44.94	-25	19.94	Pass	9002
12000	27000	1	RMS	26009	-41.51	-25	16.51	Pass	15002




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-58.76	-25	33.76	Pass	401
0.15	30	0.01	RMS	0.18	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	841.6	-59.49	-25	34.49	Pass	9701
1000	2525	1	RMS	2524	-45	-25	20	Pass	1526
2525	2665	1	RMS	2535.15	23.19	60	36.81	Pass	401
2665	3000	1	RMS	2956.45	-44.7	-25	19.7	Pass	401
3000	12000	1	RMS	5071	-43.35	-25	18.35	Pass	9002
12000	27000	1	RMS	26003	-41.63	-25	16.63	Pass	15002




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-58.98	-25	33.98	Pass	401
0.15	30	0.01	RMS	0.2	-68.93	-25	43.93	Pass	2986
30	1000	0.1	RMS	838.6	-59.48	-25	34.48	Pass	9701
1000	2525	1	RMS	2516	-45.61	-25	20.61	Pass	1526
2525	2665	1	RMS	2592.55	22.73	60	37.27	Pass	401
2665	3000	1	RMS	2956.45	-44.71	-25	19.71	Pass	401
3000	12000	1	RMS	5186	-45.46	-25	20.46	Pass	9002
12000	27000	1	RMS	26002	-41.65	-25	16.65	Pass	15002




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-57.68	-25	32.68	Pass	401
0.15	30	0.01	RMS	0.17	-67.8	-25	42.8	Pass	2986
30	1000	0.1	RMS	840.5	-59.33	-25	34.33	Pass	9701
1000	2525	1	RMS	2517	-45.9	-25	20.9	Pass	1526
2525	2665	1	RMS	2592.9	22.22	60	37.78	Pass	401
2665	3000	1	RMS	2955.613	-44.7	-25	19.7	Pass	401
3000	12000	1	RMS	5186	-45.85	-25	20.85	Pass	9002
12000	27000	1	RMS	25991	-41.74	-25	16.74	Pass	15002




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-57.75	-25	32.75	Pass	401
0.15	30	0.01	RMS	0.22	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	849.6	-59.39	-25	34.39	Pass	9701
1000	2525	1	RMS	2517	-46.32	-25	21.32	Pass	1526
2525	2665	1	RMS	2650.3	23.66	60	36.34	Pass	401
2665	3000	1	RMS	2956.45	-44.71	-25	19.71	Pass	401
3000	12000	1	RMS	5300	-48.74	-25	23.74	Pass	9002
12000	27000	1	RMS	25988	-41.63	-25	16.63	Pass	15002




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-58.55	-25	33.55	Pass	401
0.15	30	0.01	RMS	0.2	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	838.4	-59.44	-25	34.44	Pass	9701
1000	2525	1	RMS	2485	-46.27	-25	21.27	Pass	1526
2525	2665	1	RMS	2649.95	21.94	60	38.06	Pass	401
2665	3000	1	RMS	2954.775	-44.72	-25	19.72	Pass	401
3000	12000	1	RMS	5300	-49.34	-25	24.34	Pass	9002
12000	27000	1	RMS	26002	-41.64	-25	16.64	Pass	15002




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.51	-25	34.51	Pass	401
0.15	30	0.01	RMS	0.2	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	574.9	-59.16	-25	34.16	Pass	9701
1000	2525	1	RMS	2516	-38.99	-25	13.99	Pass	1526
2525	2665	1	RMS	2535.5	24.41	60	35.59	Pass	401
2665	3000	1	RMS	2956.45	-44.7	-25	19.7	Pass	401
3000	12000	1	RMS	5071	-41.63	-25	16.63	Pass	9002
12000	27000	1	RMS	25997	-41.73	-25	16.73	Pass	15002




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-58.9	-25	33.9	Pass	401
0.15	30	0.01	RMS	0.18	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	852.502	-59.56	-25	34.56	Pass	9701
1000	2525	1	RMS	2518	-42.84	-25	17.84	Pass	1526
2525	2665	1	RMS	2535.5	23.12	60	36.88	Pass	401
2665	3000	1	RMS	2956.45	-44.72	-25	19.72	Pass	401
3000	12000	1	RMS	5071	-51.63	-25	26.63	Pass	9002
12000	27000	1	RMS	25977	-41.65	-25	16.65	Pass	15002



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-60.11	-25	35.11	Pass	401
0.15	30	0.01	RMS	0.16	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	863.91	-59.55	-25	34.55	Pass	9701
1000	2525	1	RMS	2514	-46	-25	21	Pass	1526
2525	2665	1	RMS	2590.45	23.49	60	36.51	Pass	401
2665	3000	1	RMS	2956.45	-44.68	-25	19.68	Pass	401
3000	12000	1	RMS	5181	-44.8	-25	19.8	Pass	9002
12000	27000	1	RMS	26001	-41.54	-25	16.54	Pass	15002



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-58.81	-25	33.81	Pass	401
0.15	30	0.01	RMS	0.27	-68.8	-25	43.8	Pass	2986
30	1000	0.1	RMS	830.8	-59.56	-25	34.56	Pass	9701
1000	2525	1	RMS	2514	-45.86	-25	20.86	Pass	1526
2525	2665	1	RMS	2590.45	23.68	60	36.32	Pass	401
2665	3000	1	RMS	2956.45	-44.73	-25	19.73	Pass	401
3000	12000	1	RMS	5181	-45.01	-25	20.01	Pass	9002
12000	27000	1	RMS	26010	-41.56	-25	16.56	Pass	15002



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-60.07	-25	35.07	Pass	401
0.15	30	0.01	RMS	0.17	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	852.202	-59.6	-25	34.6	Pass	9701
1000	2525	1	RMS	2505	-46.35	-25	21.35	Pass	1526
2525	2665	1	RMS	2645.4	23.99	60	36.01	Pass	401
2665	3000	1	RMS	2665	-36.39	-25	11.39	Pass	401
3000	12000	1	RMS	5291	-45.66	-25	20.66	Pass	9002
12000	27000	1	RMS	26000	-41.63	-25	16.63	Pass	15002



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.25	-25	34.25	Pass	401
0.15	30	0.01	RMS	0.16	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	862.809	-59.63	-25	34.63	Pass	9701
1000	2525	1	RMS	2520	-46.37	-25	21.37	Pass	1526
2525	2665	1	RMS	2645.4	22.7	60	37.3	Pass	401
2665	3000	1	RMS	2665	-37.94	-25	12.94	Pass	401
3000	12000	1	RMS	5290	-56.01	-25	31.01	Pass	9002
12000	27000	1	RMS	26000	-41.65	-25	16.65	Pass	15002



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-62.56	-25	37.56	Pass	401
0.15	30	0.01	RMS	0.15	-67.62	-25	42.62	Pass	2986
30	1000	0.1	RMS	575.1	-59.46	-25	34.46	Pass	9701
1000	2525	1	RMS	2522	-29.11	-25	4.11	Pass	1526
2525	2665	1	RMS	2535.85	23.39	60	36.61	Pass	401
2665	3000	1	RMS	2956.45	-44.96	-25	19.96	Pass	401
3000	12000	1	RMS	5071	-44.09	-25	19.09	Pass	9002
12000	27000	1	RMS	25995	-39.55	-25	14.55	Pass	15002



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-59.01	-25	34.01	Pass	401
0.15	30	0.01	RMS	0.16	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	849.6	-59.49	-25	34.49	Pass	9701
1000	2525	1	RMS	2523	-31.59	-25	6.59	Pass	1526
2525	2665	1	RMS	2535.5	23.02	60	36.98	Pass	401
2665	3000	1	RMS	2956.45	-44.74	-25	19.74	Pass	401
3000	12000	1	RMS	5071	-47.88	-25	22.88	Pass	9002
12000	27000	1	RMS	25996	-41.67	-25	16.67	Pass	15002



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.31	-25	34.31	Pass	401
0.15	30	0.01	RMS	0.16	-67.99	-25	42.99	Pass	2986
30	1000	0.1	RMS	894.93	-55.31	-25	30.31	Pass	9701
1000	2525	1	RMS	2511	-46.16	-25	21.16	Pass	1526
2525	2665	1	RMS	2588.35	23.89	60	36.11	Pass	401
2665	3000	1	RMS	2956.45	-44.76	-25	19.76	Pass	401
3000	12000	1	RMS	5177	-43.74	-25	18.74	Pass	9002
12000	27000	1	RMS	25999	-41.68	-25	16.68	Pass	15002



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-60.14	-25	35.14	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-25	43.5	Pass	2986
30	1000	0.1	RMS	842.3	-59.64	-25	34.64	Pass	9701
1000	2525	1	RMS	2512	-45.83	-25	20.83	Pass	1526
2525	2665	1	RMS	2588	23.33	60	36.67	Pass	401
2665	3000	1	RMS	2956.45	-44.77	-25	19.77	Pass	401
3000	12000	1	RMS	5176	-46.36	-25	21.36	Pass	9002
12000	27000	1	RMS	25999	-41.6	-25	16.6	Pass	15002



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.22	-25	34.22	Pass	401
0.15	30	0.01	RMS	0.18	-67.95	-25	42.95	Pass	2986
30	1000	0.1	RMS	842.5	-59.62	-25	34.62	Pass	9701
1000	2525	1	RMS	2524	-46.29	-25	21.29	Pass	1526
2525	2665	1	RMS	2640.85	23.67	60	36.33	Pass	401
2665	3000	1	RMS	2667.513	-35.94	-25	10.94	Pass	401
3000	12000	1	RMS	5281	-47.79	-25	22.79	Pass	9002
12000	27000	1	RMS	25981	-41.69	-25	16.69	Pass	15002



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-58.39	-25	33.39	Pass	401
0.15	30	0.01	RMS	0.15	-68	-25	43	Pass	2986
30	1000	0.1	RMS	849.4	-59.6	-25	34.6	Pass	9701
1000	2525	1	RMS	2520	-46.34	-25	21.34	Pass	1526
2525	2665	1	RMS	2640.5	22.4	60	37.6	Pass	401
2665	3000	1	RMS	2668.35	-34.92	-25	9.92	Pass	401
3000	12000	1	RMS	5282	-45.47	-25	20.47	Pass	9002
12000	27000	1	RMS	26007	-41.67	-25	16.67	Pass	15002



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-57.91	-25	32.91	Pass	401
0.15	30	0.01	RMS	0.2	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	575.4	-59.39	-25	34.39	Pass	9701
1000	2525	1	RMS	2518	-29.97	-25	4.97	Pass	1526
2525	2665	1	RMS	2536.2	23	60	37	Pass	401
2665	3000	1	RMS	2956.45	-44.74	-25	19.74	Pass	401
3000	12000	1	RMS	5073	-49.13	-25	24.13	Pass	9002
12000	27000	1	RMS	25993	-41.67	-25	16.67	Pass	15002



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.42	-25	34.42	Pass	401
0.15	30	0.01	RMS	0.21	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	849.4	-59.53	-25	34.53	Pass	9701
1000	2525	1	RMS	2518	-30.12	-25	5.12	Pass	1526
2525	2665	1	RMS	2535.85	22.91	60	37.09	Pass	401
2665	3000	1	RMS	2957.288	-44.76	-25	19.76	Pass	401
3000	12000	1	RMS	5072	-42.08	-25	17.08	Pass	9002
12000	27000	1	RMS	25990	-41.59	-25	16.59	Pass	15002



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.28	-25	34.28	Pass	401
0.15	30	0.01	RMS	0.15	-67.52	-25	42.52	Pass	2986
30	1000	0.1	RMS	849.8	-59.5	-25	34.5	Pass	9701
1000	2525	1	RMS	2509	-45.81	-25	20.81	Pass	1526
2525	2665	1	RMS	2585.9	23.66	60	36.34	Pass	401
2665	3000	1	RMS	2956.45	-44.77	-25	19.77	Pass	401
3000	12000	1	RMS	5172	-44.92	-25	19.92	Pass	9002
12000	27000	1	RMS	25997	-41.56	-25	16.56	Pass	15002



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-58.41	-25	33.41	Pass	401
0.15	30	0.01	RMS	0.17	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	848.2	-59.59	-25	34.59	Pass	9701
1000	2525	1	RMS	2509	-45.83	-25	20.83	Pass	1526
2525	2665	1	RMS	2586.25	21.56	60	38.44	Pass	401
2665	3000	1	RMS	2956.45	-44.76	-25	19.76	Pass	401
3000	12000	1	RMS	5173	-47.98	-25	22.98	Pass	9002
12000	27000	1	RMS	26000	-41.58	-25	16.58	Pass	15002



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-59.01	-25	34.01	Pass	401
0.15	30	0.01	RMS	0.2	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	846.7	-59.55	-25	34.55	Pass	9701
1000	2525	1	RMS	2521	-46.3	-25	21.3	Pass	1526
2525	2665	1	RMS	2635.6	22.82	60	37.18	Pass	401
2665	3000	1	RMS	2671.7	-38.47	-25	13.47	Pass	401
3000	12000	1	RMS	5273	-50.92	-25	25.92	Pass	9002
12000	27000	1	RMS	26002	-41.72	-25	16.72	Pass	15002



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-59.11	-25	34.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	842.5	-59.57	-25	34.57	Pass	9701
1000	2525	1	RMS	2494	-46.35	-25	21.35	Pass	1526
2525	2665	1	RMS	2635.95	22.79	60	37.21	Pass	401
2665	3000	1	RMS	2671.7	-39.96	-25	14.96	Pass	401
3000	12000	1	RMS	5273	-49.54	-25	24.54	Pass	9002
12000	27000	1	RMS	26002	-41.62	-25	16.62	Pass	15002



--BLANK BELOW--