



7.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.27	13	Pass




7.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.92	13	Pass




7.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.62	13	Pass




7.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.37	13	Pass




7.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.19	13	Pass




7.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.91	13	Pass




7.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.47	13	Pass




7.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.05	13	Pass




7.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.75	13	Pass




7.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	3.84	13	Pass




7.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.22	13	Pass




7.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.83	13	Pass




7.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.58	13	Pass




7.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.33	13	Pass




7.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.19	13	Pass




7.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.86	13	Pass




7.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.42	13	Pass




7.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.05	13	Pass




7.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.75	13	Pass




7.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	3.84	13	Pass




7.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.08	13	Pass




7.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.78	13	Pass




7.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.34	13	Pass




7.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.33	13	Pass




7.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.05	13	Pass




7.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.44	13	Pass




7.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.37	13	Pass




7.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.42	13	Pass



7.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.75	13	Pass



8. n78 30kHz(3450-3550)


8.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	3.47	13	Pass




8.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.17	13	Pass




8.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.87	13	Pass




8.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.39	13	Pass




8.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.47	13	Pass




8.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.19	13	Pass




8.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.28	13	Pass




8.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.47	13	Pass




8.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.19	13	Pass




8.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.8	13	Pass




8.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	3.33	13	Pass




8.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.31	13	Pass




8.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.97	13	Pass




8.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.48	13	Pass




8.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.47	13	Pass




8.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.23	13	Pass




8.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.86	13	Pass




8.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.37	13	Pass




8.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.52	13	Pass




8.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.75	13	Pass




8.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	3.28	13	Pass




8.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.36	13	Pass




8.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.97	13	Pass




8.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.58	13	Pass




8.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.47	13	Pass




8.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.28	13	Pass




8.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.72	13	Pass




8.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.42	13	Pass




8.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.47	13	Pass



8.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.75	13	Pass



9. n77 30kHz(3700-3980)


9.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	3.84	13	Pass




9.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	3.94	13	Pass




9.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	4.87	13	Pass




9.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.72	13	Pass




9.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.75	13	Pass




9.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.23	13	Pass




9.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.95	13	Pass




9.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.47	13	Pass




9.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.09	13	Pass




9.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.8	13	Pass




9.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	3.66	13	Pass




9.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	4.12	13	Pass




9.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	4.59	13	Pass




9.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.48	13	Pass




9.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.05	13	Pass




9.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.05	13	Pass




9.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.62	13	Pass




9.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.28	13	Pass




9.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.23	13	Pass




9.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.61	13	Pass




9.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	3.42	13	Pass




9.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	3.7	13	Pass




9.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	4.64	13	Pass




9.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.34	13	Pass




9.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.95	13	Pass




9.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6	13	Pass




9.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.39	13	Pass




9.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.14	13	Pass




9.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.77	13	Pass




9.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.56	13	Pass




10. n78 30kHz(3700-3800)

10.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




10.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	4.27	13	Pass




10.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.2	13	Pass




10.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.58	13	Pass




10.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.61	13	Pass




10.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.23	13	Pass




10.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.86	13	Pass




10.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.42	13	Pass




10.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.91	13	Pass




10.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.8	13	Pass




10.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	3.7	13	Pass




10.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	4.22	13	Pass




10.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	5.11	13	Pass




10.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	5.44	13	Pass




10.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.47	13	Pass




10.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.23	13	Pass




10.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	5.77	13	Pass




10.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.37	13	Pass




10.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.47	13	Pass




10.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.75	13	Pass




10.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	3.7	13	Pass




10.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	4.27	13	Pass




10.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	5.11	13	Pass




10.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	5.39	13	Pass




10.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.47	13	Pass




10.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.28	13	Pass




10.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	5.72	13	Pass




10.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.42	13	Pass




10.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.14	13	Pass



10.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.8	13	Pass



--BLANK BELOW--