


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-52.65	-13	39.65	Pass	401
0.15	30	0.01	Peak	0.6	-52.89	-13	39.89	Pass	2986
30	500	0.1	Peak	384.7	-42.3	-13	29.3	Pass	4701
500	1000	0.1	Peak	824.1	32.16	-13	-45.16	N/A	5001
1000	10000	1	Peak	6955	-20.05	-13	7.05	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-52.93	-13	39.93	Pass	401
0.15	30	0.01	Peak	0.61	-52.72	-13	39.72	Pass	2986
30	500	0.1	Peak	384.1	-42.55	-13	29.55	Pass	4701
500	1000	0.1	Peak	836.6	32.33	-13	-45.33	N/A	5001
1000	10000	1	Peak	6962	-19.7	-13	6.7	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-53.19	-13	40.19	Pass	401
0.15	30	0.01	Peak	0.6	-52.41	-13	39.41	Pass	2986
30	500	0.1	Peak	496.1	-43.52	-13	30.52	Pass	4701
500	1000	0.1	Peak	848.7	32.8	-13	-45.8	N/A	5001
1000	10000	1	Peak	7720	-19.84	-13	6.84	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-52.83	-13	39.83	Pass	401
0.15	30	0.01	Peak	0.6	-54.44	-13	41.44	Pass	2986
30	1000	0.1	Peak	837.6	-47.49	-13	34.49	Pass	9701
1000	3000	1	Peak	1851	29.1	-13	-42.1	N/A	2001
3000	20000	1	Peak	19432	-39.92	-13	26.92	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-54.78	-13	41.78	Pass	401
0.15	30	0.01	Peak	0.6	-55.57	-13	42.57	Pass	2986
30	1000	0.1	Peak	845.6	-48.39	-13	35.39	Pass	9701
1000	3000	1	Peak	1880	29.44	-13	-42.44	N/A	2001
3000	20000	1	Peak	19423	-39.59	-13	26.59	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-52.38	-13	39.38	Pass	401
0.15	30	0.01	Peak	0.61	-54.32	-13	41.32	Pass	2986
30	1000	0.1	Peak	792.2	-48.68	-13	35.68	Pass	9701
1000	3000	1	Peak	1910	28.85	-13	-41.85	N/A	2001
3000	20000	1	Peak	19393	-40.02	-13	27.02	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.97	-13	36.97	Pass	401
0.15	30	0.01	Peak	0.6	-53.84	-13	40.84	Pass	2986
30	500	0.1	Peak	382.9	-43.31	-13	30.31	Pass	4701
500	1000	0.1	Peak	824.1	25.72	-13	-38.72	N/A	5001
1000	10000	1	Peak	7650	-19.31	-13	6.31	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.99	-13	37.99	Pass	401
0.15	30	0.01	Peak	0.61	-54.16	-13	41.16	Pass	2986
30	500	0.1	Peak	497.7	-42.81	-13	29.81	Pass	4701
500	1000	0.1	Peak	836.6	28.59	-13	-41.59	N/A	5001
1000	10000	1	Peak	7320	-19.52	-13	6.52	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.43	-13	38.43	Pass	401
0.15	30	0.01	Peak	0.32	-53.32	-13	40.32	Pass	2986
30	500	0.1	Peak	455.7	-43.62	-13	30.62	Pass	4701
500	1000	0.1	Peak	848.7	23.97	-13	-36.97	N/A	5001
1000	10000	1	Peak	7206	-19.36	-13	6.36	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-53.46	-13	40.46	Pass	401
0.15	30	0.01	Peak	0.61	-54.71	-13	41.71	Pass	2986
30	1000	0.1	Peak	737	-48.58	-13	35.58	Pass	9701
1000	3000	1	Peak	1851	27.69	-13	-40.69	N/A	2001
3000	20000	1	Peak	19775	-40.03	-13	27.03	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-53.74	-13	40.74	Pass	401
0.15	30	0.01	Peak	0.6	-53.43	-13	40.43	Pass	2986
30	1000	0.1	Peak	990.594	-48.84	-13	35.84	Pass	9701
1000	3000	1	Peak	1879	19.59	-13	-32.59	N/A	2001
3000	20000	1	Peak	19923	-39.67	-13	26.67	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-54.73	-13	41.73	Pass	401
0.15	30	0.01	Peak	0.61	-54.76	-13	41.76	Pass	2986
30	1000	0.1	Peak	799.6	-48.93	-13	35.93	Pass	9701
1000	3000	1	Peak	1909	27.43	-13	-40.43	N/A	2001
3000	20000	1	Peak	19844	-40.06	-13	27.06	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-53.49	-13	40.49	Pass	401
0.15	30	0.01	Peak	0.6	-55.75	-13	42.75	Pass	2986
30	1000	0.1	Peak	988.492	-52.31	-13	39.31	Pass	9701
1000	3000	1	Peak	1853	23.99	-13	-36.99	N/A	2001
3000	20000	1	Peak	19322	-22.03	-13	9.03	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-52.11	-13	39.11	Pass	401
0.15	30	0.01	Peak	0.6	-55.25	-13	42.25	Pass	2986
30	1000	0.1	Peak	827	-52.53	-13	39.53	Pass	9701
1000	3000	1	Peak	1881	23.95	-13	-36.95	N/A	2001
3000	20000	1	Peak	19409	-22.1	-13	9.1	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-53.76	-13	40.76	Pass	401
0.15	30	0.01	Peak	0.6	-55.8	-13	42.8	Pass	2986
30	1000	0.1	Peak	947.265	-52.23	-13	39.23	Pass	9701
1000	3000	1	Peak	1906	24.19	-13	-37.19	N/A	2001
3000	20000	1	Peak	19353	-22.25	-13	9.25	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-54.56	-13	41.56	Pass	401
0.15	30	0.01	Peak	0.6	-55.38	-13	42.38	Pass	2986
30	1000	0.1	Peak	707.6	-52.25	-13	39.25	Pass	9701
1000	3000	1	Peak	1714	24.45	-13	-37.45	N/A	2001
3000	20000	1	Peak	19441	-22.03	-13	9.03	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.13	-13	41.13	Pass	401
0.15	30	0.01	Peak	0.6	-55.15	-13	42.15	Pass	2986
30	1000	0.1	Peak	480.8	-53.13	-13	40.13	Pass	9701
1000	3000	1	Peak	1734	24.03	-13	-37.03	N/A	2001
3000	20000	1	Peak	19853	-22.69	-13	9.69	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.47	-13	41.47	Pass	401
0.15	30	0.01	Peak	0.6	-55.75	-13	42.75	Pass	2986
30	1000	0.1	Peak	405	-52.3	-13	39.3	Pass	9701
1000	3000	1	Peak	1751	24.14	-13	-37.14	N/A	2001
3000	20000	1	Peak	19398	-21.98	-13	8.98	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-54.42	-13	41.42	Pass	401
0.15	30	0.01	Peak	0.6	-56	-13	43	Pass	2986
30	500	0.1	Peak	407.3	-53.57	-13	40.57	Pass	4701
500	1000	0.1	Peak	827.1	18.36	-13	-31.36	N/A	5001
1000	10000	1	Peak	7732	-30.12	-13	17.12	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-53.12	-13	40.12	Pass	401
0.15	30	0.01	Peak	0.6	-56.12	-13	43.12	Pass	2986
30	500	0.1	Peak	494.2	-53.54	-13	40.54	Pass	4701
500	1000	0.1	Peak	835.6	18.93	-13	-31.93	N/A	5001
1000	10000	1	Peak	7224	-29.62	-13	16.62	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-54.41	-13	41.41	Pass	401
0.15	30	0.01	Peak	0.6	-56.1	-13	43.1	Pass	2986
30	500	0.1	Peak	369.5	-53.65	-13	40.65	Pass	4701
500	1000	0.1	Peak	845.4	18.49	-13	-31.49	N/A	5001
1000	10000	1	Peak	7171	-29.38	-13	16.38	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.76	-13	52.76	Pass	401
0.15	30	0.01	RMS	0.18	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	849.7	-63.71	-13	50.71	Pass	9701
1000	1840	1	RMS	1840	-51.56	-13	38.56	Pass	841
1840	1920	1	RMS	1850.2	23.06	60	36.94	Pass	401
1920	3000	1	RMS	2959	-48.88	-13	35.88	Pass	1081
3000	12000	1	RMS	11850	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19401	-32.7	-13	19.7	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.25	-13	53.25	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	837.6	-63.76	-13	50.76	Pass	9701
1000	1840	1	RMS	1840	-51.69	-13	38.69	Pass	841
1840	1920	1	RMS	1850.2	22.4	60	37.6	Pass	401
1920	3000	1	RMS	2956	-48.89	-13	35.89	Pass	1081
3000	12000	1	RMS	11850	-41.14	-13	28.14	Pass	9002
12000	20000	1	RMS	19403	-32.69	-13	19.69	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.04	-13	52.04	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	847.6	-63.86	-13	50.86	Pass	9701
1000	1840	1	RMS	1810	-52.26	-13	39.26	Pass	841
1840	1920	1	RMS	1879.4	23.04	60	36.96	Pass	401
1920	3000	1	RMS	2955	-48.86	-13	35.86	Pass	1081
3000	12000	1	RMS	11844	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19404	-32.76	-13	19.76	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.32	-13	52.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	876.118	-63.78	-13	50.78	Pass	9701
1000	1840	1	RMS	1840	-52.28	-13	39.28	Pass	841
1840	1920	1	RMS	1879.4	22.38	60	37.62	Pass	401
1920	3000	1	RMS	2957	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11839	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19402	-32.66	-13	19.66	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	851.802	-63.73	-13	50.73	Pass	9701
1000	1840	1	RMS	1839	-52.25	-13	39.25	Pass	841
1840	1920	1	RMS	1908.8	22.92	60	37.08	Pass	401
1920	3000	1	RMS	2957	-48.84	-13	35.84	Pass	1081
3000	12000	1	RMS	11846	-41.09	-13	28.09	Pass	9002
12000	20000	1	RMS	19405	-32.74	-13	19.74	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.87	-13	52.87	Pass	401
0.15	30	0.01	RMS	0.18	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	840.4	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1820	-52.24	-13	39.24	Pass	841
1840	1920	1	RMS	1908.8	22.36	60	37.64	Pass	401
1920	3000	1	RMS	2957	-48.87	-13	35.87	Pass	1081
3000	12000	1	RMS	11847	-41.12	-13	28.12	Pass	9002
12000	20000	1	RMS	19400	-32.71	-13	19.71	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.61	-13	54.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	846.3	-63.62	-13	50.62	Pass	9701
1000	1840	1	RMS	1840	-51.58	-13	38.58	Pass	841
1840	1920	1	RMS	1850.2	23.05	60	36.95	Pass	401
1920	3000	1	RMS	2958	-48.89	-13	35.89	Pass	1081
3000	12000	1	RMS	11842	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19404	-32.66	-13	19.66	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.43	-13	54.43	Pass	401
0.15	30	0.01	RMS	0.17	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	851.602	-63.71	-13	50.71	Pass	9701
1000	1840	1	RMS	1840	-51.66	-13	38.66	Pass	841
1840	1920	1	RMS	1850.2	22.38	60	37.62	Pass	401
1920	3000	1	RMS	2947	-48.87	-13	35.87	Pass	1081
3000	12000	1	RMS	11848	-41.04	-13	28.04	Pass	9002
12000	20000	1	RMS	19403	-32.73	-13	19.73	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.84	-13	53.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	846.8	-63.78	-13	50.78	Pass	9701
1000	1840	1	RMS	1804	-52.28	-13	39.28	Pass	841
1840	1920	1	RMS	1878.6	23.19	60	36.81	Pass	401
1920	3000	1	RMS	2955	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11842	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19709	-32.78	-13	19.78	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.11	-13	53.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	853.203	-63.57	-13	50.57	Pass	9701
1000	1840	1	RMS	1805	-52.28	-13	39.28	Pass	841
1840	1920	1	RMS	1878.6	22.49	60	37.51	Pass	401
1920	3000	1	RMS	2955	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11847	-41.13	-13	28.13	Pass	9002
12000	20000	1	RMS	19406	-32.71	-13	19.71	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.29	-13	53.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	848.4	-63.78	-13	50.78	Pass	9701
1000	1840	1	RMS	1837	-52.21	-13	39.21	Pass	841
1840	1920	1	RMS	1907.2	22.89	60	37.11	Pass	401
1920	3000	1	RMS	2961	-48.8	-13	35.8	Pass	1081
3000	12000	1	RMS	11848	-41.09	-13	28.09	Pass	9002
12000	20000	1	RMS	19408	-32.74	-13	19.74	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.04	-13	54.04	Pass	401
0.15	30	0.01	RMS	0.19	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	858.306	-63.82	-13	50.82	Pass	9701
1000	1840	1	RMS	1815	-52.29	-13	39.29	Pass	841
1840	1920	1	RMS	1907.2	22.23	60	37.77	Pass	401
1920	3000	1	RMS	2954	-48.91	-13	35.91	Pass	1081
3000	12000	1	RMS	11842	-41.12	-13	28.12	Pass	9002
12000	20000	1	RMS	19400	-32.78	-13	19.78	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.61	-13	53.61	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	856.905	-63.71	-13	50.71	Pass	9701
1000	1840	1	RMS	1840	-51.48	-13	38.48	Pass	841
1840	1920	1	RMS	1850.2	23.07	60	36.93	Pass	401
1920	3000	1	RMS	2944	-48.94	-13	35.94	Pass	1081
3000	12000	1	RMS	11850	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19403	-32.77	-13	19.77	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.53	-13	53.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	844.4	-63.8	-13	50.8	Pass	9701
1000	1840	1	RMS	1840	-51.65	-13	38.65	Pass	841
1840	1920	1	RMS	1850.2	22.36	60	37.64	Pass	401
1920	3000	1	RMS	2948	-48.89	-13	35.89	Pass	1081
3000	12000	1	RMS	11840	-41.14	-13	28.14	Pass	9002
12000	20000	1	RMS	19405	-32.74	-13	19.74	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.96	-13	53.96	Pass	401
0.15	30	0.01	RMS	0.17	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	847.9	-63.79	-13	50.79	Pass	9701
1000	1840	1	RMS	1821	-52.24	-13	39.24	Pass	841
1840	1920	1	RMS	1877.8	23.12	60	36.88	Pass	401
1920	3000	1	RMS	2958	-48.88	-13	35.88	Pass	1081
3000	12000	1	RMS	11856	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19400	-32.68	-13	19.68	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.33	-13	52.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	845.8	-63.66	-13	50.66	Pass	9701
1000	1840	1	RMS	1822	-52.24	-13	39.24	Pass	841
1840	1920	1	RMS	1877.8	22.38	60	37.62	Pass	401
1920	3000	1	RMS	2957	-48.87	-13	35.87	Pass	1081
3000	12000	1	RMS	11849	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	19405	-32.75	-13	19.75	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.58	-13	53.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	860.107	-63.76	-13	50.76	Pass	9701
1000	1840	1	RMS	1840	-52.27	-13	39.27	Pass	841
1840	1920	1	RMS	1905.2	23.01	60	36.99	Pass	401
1920	3000	1	RMS	2949	-48.9	-13	35.9	Pass	1081
3000	12000	1	RMS	11838	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19399	-32.65	-13	19.65	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.62	-13	54.62	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	826	-63.81	-13	50.81	Pass	9701
1000	1840	1	RMS	1821	-52.26	-13	39.26	Pass	841
1840	1920	1	RMS	1905.2	22.43	60	37.57	Pass	401
1920	3000	1	RMS	2959	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11848	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19403	-32.68	-13	19.68	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.17	-13	54.17	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	848.2	-63.78	-13	50.78	Pass	9701
1000	1840	1	RMS	1840	-51.43	-13	38.43	Pass	841
1840	1920	1	RMS	1850.4	23.11	60	36.89	Pass	401
1920	3000	1	RMS	2945	-48.91	-13	35.91	Pass	1081
3000	12000	1	RMS	11852	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	19405	-32.69	-13	19.69	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.34	-13	53.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	830.8	-63.64	-13	50.64	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	37.53	Pass	841
1840	1920	1	RMS	1850.4	22.35	60	37.65	Pass	401
1920	3000	1	RMS	2956	-48.86	-13	35.86	Pass	1081
3000	12000	1	RMS	11841	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19402	-32.72	-13	19.72	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.5	-13	54.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	850.701	-63.59	-13	50.59	Pass	9701
1000	1840	1	RMS	1809	-52.27	-13	39.27	Pass	841
1840	1920	1	RMS	1875.4	23.05	60	36.95	Pass	401
1920	3000	1	RMS	2960	-48.92	-13	35.92	Pass	1081
3000	12000	1	RMS	11848	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19397	-32.71	-13	19.71	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.74	-13	53.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	848	-63.69	-13	50.69	Pass	9701
1000	1840	1	RMS	1815	-52.29	-13	39.29	Pass	841
1840	1920	1	RMS	1875.4	22.43	60	37.57	Pass	401
1920	3000	1	RMS	2957	-48.91	-13	35.91	Pass	1081
3000	12000	1	RMS	11851	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19715	-32.79	-13	19.79	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.5	-13	54.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	832.5	-63.86	-13	50.86	Pass	9701
1000	1840	1	RMS	1809	-52.27	-13	39.27	Pass	841
1840	1920	1	RMS	1900.4	22.99	60	37.01	Pass	401
1920	3000	1	RMS	2961	-48.87	-13	35.87	Pass	1081
3000	12000	1	RMS	11847	-41.03	-13	28.03	Pass	9002
12000	20000	1	RMS	19402	-32.75	-13	19.75	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.12	-13	54.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	861.208	-63.7	-13	50.7	Pass	9701
1000	1840	1	RMS	1812	-52.25	-13	39.25	Pass	841
1840	1920	1	RMS	1900.4	22.18	60	37.82	Pass	401
1920	3000	1	RMS	2957	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11853	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19404	-32.69	-13	19.69	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.93	-13	53.93	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	846.2	-63.72	-13	50.72	Pass	9701
1000	1840	1	RMS	1840	-51.45	-13	38.45	Pass	841
1840	1920	1	RMS	1850.8	22.95	60	37.05	Pass	401
1920	3000	1	RMS	2948	-48.88	-13	35.88	Pass	1081
3000	12000	1	RMS	11857	-41.12	-13	28.12	Pass	9002
12000	20000	1	RMS	19402	-32.63	-13	19.63	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.74	-13	53.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	852.202	-63.68	-13	50.68	Pass	9701
1000	1840	1	RMS	1840	-51.57	-13	38.57	Pass	841
1840	1920	1	RMS	1850.8	22.09	60	37.91	Pass	401
1920	3000	1	RMS	2960	-48.89	-13	35.89	Pass	1081
3000	12000	1	RMS	11848	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19408	-32.7	-13	19.7	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.69	-13	53.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	847.9	-63.72	-13	50.72	Pass	9701
1000	1840	1	RMS	1832	-52.27	-13	39.27	Pass	841
1840	1920	1	RMS	1873.2	23.07	60	36.93	Pass	401
1920	3000	1	RMS	2958	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11847	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19401	-32.69	-13	19.69	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.6	-13	53.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	850.401	-63.72	-13	50.72	Pass	9701
1000	1840	1	RMS	1810	-52.21	-13	39.21	Pass	841
1840	1920	1	RMS	1873.2	22.29	60	37.71	Pass	401
1920	3000	1	RMS	2960	-48.86	-13	35.86	Pass	1081
3000	12000	1	RMS	11848	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19406	-32.71	-13	19.71	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.63	-13	53.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	858.006	-63.67	-13	50.67	Pass	9701
1000	1840	1	RMS	1834	-52.23	-13	39.23	Pass	841
1840	1920	1	RMS	1895.8	22.85	60	37.15	Pass	401
1920	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1081
3000	12000	1	RMS	11848	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19402	-32.74	-13	19.74	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.18	-13	54.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	859.407	-63.68	-13	50.68	Pass	9701
1000	1840	1	RMS	1834	-52.27	-13	39.27	Pass	841
1840	1920	1	RMS	1895.8	22.21	60	37.79	Pass	401
1920	3000	1	RMS	2961	-48.89	-13	35.89	Pass	1081
3000	12000	1	RMS	11852	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19407	-32.74	-13	19.74	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.14	-13	54.14	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	834	-63.81	-13	50.81	Pass	9701
1000	1840	1	RMS	1840	-51.69	-13	38.69	Pass	841
1840	1920	1	RMS	1851	23.01	60	36.99	Pass	401
1920	3000	1	RMS	2959	-48.89	-13	35.89	Pass	1081
3000	12000	1	RMS	11850	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	19403	-32.7	-13	19.7	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.78	-13	52.78	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	834.4	-63.68	-13	50.68	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	37.56	Pass	841
1840	1920	1	RMS	1851	22.16	60	37.84	Pass	401
1920	3000	1	RMS	2957	-48.83	-13	35.83	Pass	1081
3000	12000	1	RMS	11849	-41.12	-13	28.12	Pass	9002
12000	20000	1	RMS	19403	-32.68	-13	19.68	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.97	-13	54.97	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	829.1	-63.77	-13	50.77	Pass	9701
1000	1840	1	RMS	1840	-52.26	-13	39.26	Pass	841
1840	1920	1	RMS	1871	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2952	-48.94	-13	35.94	Pass	1081
3000	12000	1	RMS	11845	-41.17	-13	28.17	Pass	9002
12000	20000	1	RMS	19404	-32.74	-13	19.74	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.79	-13	54.79	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	835.8	-63.74	-13	50.74	Pass	9701
1000	1840	1	RMS	1810	-52.25	-13	39.25	Pass	841
1840	1920	1	RMS	1871	22.26	60	37.74	Pass	401
1920	3000	1	RMS	2957	-48.92	-13	35.92	Pass	1081
3000	12000	1	RMS	11853	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19405	-32.61	-13	19.61	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.15	-13	54.15	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	817.9	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1840	-52.26	-13	39.26	Pass	841
1840	1920	1	RMS	1891	22.88	60	37.12	Pass	401
1920	3000	1	RMS	2957	-48.76	-13	35.76	Pass	1081
3000	12000	1	RMS	11849	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19400	-32.77	-13	19.77	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.18	-13	54.18	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	846.8	-63.8	-13	50.8	Pass	9701
1000	1840	1	RMS	1819	-52.31	-13	39.31	Pass	841
1840	1920	1	RMS	1891	22.16	60	37.84	Pass	401
1920	3000	1	RMS	2962	-48.91	-13	35.91	Pass	1081
3000	12000	1	RMS	11841	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19411	-32.7	-13	19.7	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.23	-13	54.23	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	862.409	-63.81	-13	50.81	Pass	9701
1000	1700	1	RMS	1700	-51.74	-13	38.74	Pass	701
1700	1765	1	RMS	1710.075	23.15	60	36.85	Pass	401
1765	3000	1	RMS	2947	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11848	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19401	-32.68	-13	19.68	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.99	-13	53.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	851.201	-63.73	-13	50.73	Pass	9701
1000	1700	1	RMS	1700	-51.78	-13	38.78	Pass	701
1700	1765	1	RMS	1710.238	22.57	60	37.43	Pass	401
1765	3000	1	RMS	2957	-48.83	-13	35.83	Pass	1236
3000	12000	1	RMS	11853	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19402	-32.62	-13	19.62	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.8	-13	54.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	846.8	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1700	-52.42	-13	39.42	Pass	701
1700	1765	1	RMS	1732.013	23.04	60	36.96	Pass	401
1765	3000	1	RMS	2957	-48.79	-13	35.79	Pass	1236
3000	12000	1	RMS	11847	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19407	-32.67	-13	19.67	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.92	-13	53.92	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	856.305	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1696	-52.48	-13	39.48	Pass	701
1700	1765	1	RMS	1732.013	22.45	60	37.55	Pass	401
1765	3000	1	RMS	2956	-48.84	-13	35.84	Pass	1236
3000	12000	1	RMS	11851	-41.02	-13	28.02	Pass	9002
12000	20000	1	RMS	19401	-32.7	-13	19.7	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.05	-13	54.05	Pass	401
0.15	30	0.01	RMS	0.23	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	831.3	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1697	-52.49	-13	39.49	Pass	701
1700	1765	1	RMS	1753.788	22.93	60	37.07	Pass	401
1765	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1236
3000	12000	1	RMS	11842	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19404	-32.65	-13	19.65	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.76	-13	53.76	Pass	401
0.15	30	0.01	RMS	0.18	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	858.306	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1696	-52.43	-13	39.43	Pass	701
1700	1765	1	RMS	1753.788	22.31	60	37.69	Pass	401
1765	3000	1	RMS	2951	-48.76	-13	35.76	Pass	1236
3000	12000	1	RMS	11846	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	19401	-32.67	-13	19.67	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.1	-13	54.1	Pass	401
0.15	30	0.01	RMS	0.18	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	835.5	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1700	-51.64	-13	38.64	Pass	701
1700	1765	1	RMS	1710.238	23.21	60	36.79	Pass	401
1765	3000	1	RMS	2950	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11847	-41.03	-13	28.03	Pass	9002
12000	20000	1	RMS	19401	-32.66	-13	19.66	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.76	-13	53.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	848.5	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1700	-51.79	-13	38.79	Pass	701
1700	1765	1	RMS	1710.238	22.65	60	37.35	Pass	401
1765	3000	1	RMS	2953	-48.79	-13	35.79	Pass	1236
3000	12000	1	RMS	11848	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19401	-32.64	-13	19.64	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.64	-13	52.64	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	866.612	-63.64	-13	50.64	Pass	9701
1000	1700	1	RMS	1698	-52.47	-13	39.47	Pass	701
1700	1765	1	RMS	1731.2	23.08	60	36.92	Pass	401
1765	3000	1	RMS	2938	-48.81	-13	35.81	Pass	1236
3000	12000	1	RMS	11841	-41.13	-13	28.13	Pass	9002
12000	20000	1	RMS	19400	-32.61	-13	19.61	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.93	-13	54.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	864.31	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1700	-52.43	-13	39.43	Pass	701
1700	1765	1	RMS	1731.2	22.31	60	37.69	Pass	401
1765	3000	1	RMS	2959	-48.77	-13	35.77	Pass	1236
3000	12000	1	RMS	11849	-41.04	-13	28.04	Pass	9002
12000	20000	1	RMS	19402	-32.67	-13	19.67	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.77	-13	53.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	838.1	-63.58	-13	50.58	Pass	9701
1000	1700	1	RMS	1695	-52.48	-13	39.48	Pass	701
1700	1765	1	RMS	1752.163	23.16	60	36.84	Pass	401
1765	3000	1	RMS	2958	-48.77	-13	35.77	Pass	1236
3000	12000	1	RMS	11851	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19418	-32.69	-13	19.69	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.25	-13	53.25	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	825.6	-63.81	-13	50.81	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	39.46	Pass	701
1700	1765	1	RMS	1752.163	22.4	60	37.6	Pass	401
1765	3000	1	RMS	2957	-48.8	-13	35.8	Pass	1236
3000	12000	1	RMS	11850	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19397	-32.66	-13	19.66	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.13	-13	54.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	843.3	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1700	-51.58	-13	38.58	Pass	701
1700	1765	1	RMS	1710.238	23.18	60	36.82	Pass	401
1765	3000	1	RMS	2940	-48.83	-13	35.83	Pass	1236
3000	12000	1	RMS	11850	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19395	-32.61	-13	19.61	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.06	-13	53.06	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	828.8	-63.64	-13	50.64	Pass	9701
1000	1700	1	RMS	1700	-51.62	-13	38.62	Pass	701
1700	1765	1	RMS	1710.238	22.64	60	37.36	Pass	401
1765	3000	1	RMS	2957	-48.78	-13	35.78	Pass	1236
3000	12000	1	RMS	11858	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19399	-32.67	-13	19.67	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.52	-13	53.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	849.8	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1700	-52.47	-13	39.47	Pass	701
1700	1765	1	RMS	1730.225	23.17	60	36.83	Pass	401
1765	3000	1	RMS	2957	-48.85	-13	35.85	Pass	1236
3000	12000	1	RMS	11839	-41.02	-13	28.02	Pass	9002
12000	20000	1	RMS	19402	-32.67	-13	19.67	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.13	-13	53.13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	854.804	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	39.46	Pass	701
1700	1765	1	RMS	1730.225	22.33	60	37.67	Pass	401
1765	3000	1	RMS	2962	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11851	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	19400	-32.69	-13	19.69	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.44	-13	54.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	853.503	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1683	-52.47	-13	39.47	Pass	701
1700	1765	1	RMS	1750.213	22.97	60	37.03	Pass	401
1765	3000	1	RMS	2956	-48.8	-13	35.8	Pass	1236
3000	12000	1	RMS	11852	-40.97	-13	27.97	Pass	9002
12000	20000	1	RMS	19401	-32.62	-13	19.62	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.71	-13	53.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	851.602	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1697	-52.46	-13	39.46	Pass	701
1700	1765	1	RMS	1750.213	22.44	60	37.56	Pass	401
1765	3000	1	RMS	2965	-48.84	-13	35.84	Pass	1236
3000	12000	1	RMS	11844	-41.04	-13	28.04	Pass	9002
12000	20000	1	RMS	19406	-32.65	-13	19.65	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.49	-13	54.49	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	57.77	Pass	2986
30	1000	0.1	RMS	954.47	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1700	-51.47	-13	38.47	Pass	701
1700	1765	1	RMS	1710.563	23.24	60	36.76	Pass	401
1765	3000	1	RMS	2957	-48.7	-13	35.7	Pass	1236
3000	12000	1	RMS	11847	-41	-13	28	Pass	9002
12000	20000	1	RMS	19404	-32.65	-13	19.65	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.78	-13	53.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	848.4	-63.73	-13	50.73	Pass	9701
1000	1700	1	RMS	1700	-51.44	-13	38.44	Pass	701
1700	1765	1	RMS	1710.563	22.45	60	37.55	Pass	401
1765	3000	1	RMS	2949	-48.81	-13	35.81	Pass	1236
3000	12000	1	RMS	11850	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	19403	-32.65	-13	19.65	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.36	-13	55.36	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	846.5	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1699	-52.44	-13	39.44	Pass	701
1700	1765	1	RMS	1727.95	23.13	60	36.87	Pass	401
1765	3000	1	RMS	2960	-48.79	-13	35.79	Pass	1236
3000	12000	1	RMS	11855	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19401	-32.66	-13	19.66	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.61	-13	54.61	Pass	401
0.15	30	0.01	RMS	0.2	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	855.604	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1700	-52.4	-13	39.4	Pass	701
1700	1765	1	RMS	1727.95	22.35	60	37.65	Pass	401
1765	3000	1	RMS	2961	-48.78	-13	35.78	Pass	1236
3000	12000	1	RMS	11847	-41.04	-13	28.04	Pass	9002
12000	20000	1	RMS	19403	-32.68	-13	19.68	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.32	-13	53.32	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	835.3	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1691	-52.47	-13	39.47	Pass	701
1700	1765	1	RMS	1745.5	23.16	60	36.84	Pass	401
1765	3000	1	RMS	2956	-48.77	-13	35.77	Pass	1236
3000	12000	1	RMS	11850	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19401	-32.6	-13	19.6	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.68	-13	53.68	Pass	401
0.15	30	0.01	RMS	0.31	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	849	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1694	-52.47	-13	39.47	Pass	701
1700	1765	1	RMS	1745.5	22.29	60	37.71	Pass	401
1765	3000	1	RMS	2957	-48.72	-13	35.72	Pass	1236
3000	12000	1	RMS	11854	-41.02	-13	28.02	Pass	9002
12000	20000	1	RMS	19401	-32.61	-13	19.61	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.69	-13	53.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	843.7	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1698	-51.37	-13	38.37	Pass	701
1700	1765	1	RMS	1710.725	23.01	60	36.99	Pass	401
1765	3000	1	RMS	2950	-48.82	-13	35.82	Pass	1236
3000	12000	1	RMS	11851	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	19402	-32.65	-13	19.65	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.45	-13	54.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	854.504	-63.73	-13	50.73	Pass	9701
1000	1700	1	RMS	1698	-51.39	-13	38.39	Pass	701
1700	1765	1	RMS	1710.725	22.35	60	37.65	Pass	401
1765	3000	1	RMS	2956	-48.83	-13	35.83	Pass	1236
3000	12000	1	RMS	11851	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19402	-32.66	-13	19.66	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.17	-13	52.17	Pass	401
0.15	30	0.01	RMS	0.25	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	852.402	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1699	-52.45	-13	39.45	Pass	701
1700	1765	1	RMS	1725.675	22.92	60	37.08	Pass	401
1765	3000	1	RMS	2951	-48.84	-13	35.84	Pass	1236
3000	12000	1	RMS	11847	-41.04	-13	28.04	Pass	9002
12000	20000	1	RMS	19407	-32.66	-13	19.66	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.05	-13	54.05	Pass	401
0.15	30	0.01	RMS	0.27	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	850.401	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	37.9	Pass	701
1700	1765	1	RMS	1725.838	22.33	60	37.67	Pass	401
1765	3000	1	RMS	2957	-48.75	-13	35.75	Pass	1236
3000	12000	1	RMS	11854	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19408	-32.66	-13	19.66	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.63	-13	53.63	Pass	401
0.15	30	0.01	RMS	0.19	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	847.5	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1698	-52.43	-13	39.43	Pass	701
1700	1765	1	RMS	1740.788	22.92	60	37.08	Pass	401
1765	3000	1	RMS	2945	-48.75	-13	35.75	Pass	1236
3000	12000	1	RMS	11847	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	19402	-32.68	-13	19.68	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.42	-13	53.42	Pass	401
0.15	30	0.01	RMS	0.18	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	857.406	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1696	-52.4	-13	39.4	Pass	701
1700	1765	1	RMS	1740.788	22.14	60	37.86	Pass	401
1765	3000	1	RMS	2944	-48.8	-13	35.8	Pass	1236
3000	12000	1	RMS	11851	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19404	-32.66	-13	19.66	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.38	-13	54.38	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	2986
30	1000	0.1	RMS	823.2	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1700	-51.72	-13	38.72	Pass	701
1700	1765	1	RMS	1711.05	23.05	60	36.95	Pass	401
1765	3000	1	RMS	2962	-48.8	-13	35.8	Pass	1236
3000	12000	1	RMS	11849	-41.02	-13	28.02	Pass	9002
12000	20000	1	RMS	19402	-32.64	-13	19.64	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.47	-13	54.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	840.3	-63.69	-13	50.69	Pass	9701
1000	1700	1	RMS	1700	-51.71	-13	38.71	Pass	701
1700	1765	1	RMS	1711.05	22.53	60	37.47	Pass	401
1765	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1236
3000	12000	1	RMS	11851	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19419	-32.67	-13	19.67	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.65	-13	53.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	921.848	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1699	-52.35	-13	39.35	Pass	701
1700	1765	1	RMS	1723.563	22.98	60	37.02	Pass	401
1765	3000	1	RMS	2958	-48.75	-13	35.75	Pass	1236
3000	12000	1	RMS	11850	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	19401	-32.62	-13	19.62	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.99	-13	54.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	841.8	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1699	-52	-13	39	Pass	701
1700	1765	1	RMS	1723.4	22.63	60	37.37	Pass	401
1765	3000	1	RMS	2959	-48.83	-13	35.83	Pass	1236
3000	12000	1	RMS	11854	-41	-13	28	Pass	9002
12000	20000	1	RMS	19404	-32.64	-13	19.64	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.52	-13	54.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	848	-63.71	-13	50.71	Pass	9701
1000	1700	1	RMS	1700	-52.36	-13	39.36	Pass	701
1700	1765	1	RMS	1735.913	23.1	60	36.9	Pass	401
1765	3000	1	RMS	2959	-48.81	-13	35.81	Pass	1236
3000	12000	1	RMS	11846	-41.04	-13	28.04	Pass	9002
12000	20000	1	RMS	19410	-32.61	-13	19.61	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.63	-13	54.63	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	845.4	-63.69	-13	50.69	Pass	9701
1000	1700	1	RMS	1700	-52.43	-13	39.43	Pass	701
1700	1765	1	RMS	1735.913	22.05	60	37.95	Pass	401
1765	3000	1	RMS	2955	-48.77	-13	35.77	Pass	1236
3000	12000	1	RMS	11840	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19403	-32.68	-13	19.68	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.83	-13	53.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	813.6	-62.3	-13	49.3	Pass	7841
814	860	0.1	RMS	824.3	20.52	60	39.48	Pass	461
860	1000	0.1	RMS	981.7	-63.92	-13	50.92	Pass	1401
1000	3000	1	RMS	1648	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	7198	-41.88	-13	28.88	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.26	-13	54.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	813.6	-62.37	-13	49.37	Pass	7841
814	860	0.1	RMS	824.3	19.86	60	40.14	Pass	461
860	1000	0.1	RMS	867.6	-63.82	-13	50.82	Pass	1401
1000	3000	1	RMS	1648	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6959	-41.83	-13	28.83	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.23	-13	55.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	813.2	-63.95	-13	50.95	Pass	7841
814	860	0.1	RMS	836.1	20.72	60	39.28	Pass	461
860	1000	0.1	RMS	860.6	-63.72	-13	50.72	Pass	1401
1000	3000	1	RMS	1672	-47.72	-13	34.72	Pass	2001
3000	10000	1	RMS	7208	-41.88	-13	28.88	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.48	-13	52.48	Pass	401
0.15	30	0.01	RMS	0.2	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	809	-63.9	-13	50.9	Pass	7841
814	860	0.1	RMS	836	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	861.2	-63.79	-13	50.79	Pass	1401
1000	3000	1	RMS	1672	-48.31	-13	35.31	Pass	2001
3000	10000	1	RMS	6960	-41.83	-13	28.83	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.24	-13	54.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	814	0.1	RMS	809.5	-63.08	-13	50.08	Pass	7841
814	860	0.1	RMS	847.9	20.54	60	39.46	Pass	461
860	1000	0.1	RMS	860.2	-63.79	-13	50.79	Pass	1401
1000	3000	1	RMS	1695	-47.26	-13	34.26	Pass	2001
3000	10000	1	RMS	7206	-41.92	-13	28.92	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.08	-13	54.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	814	0.1	RMS	809.4	-63.2	-13	50.2	Pass	7841
814	860	0.1	RMS	847.8	20.07	60	39.93	Pass	461
860	1000	0.1	RMS	860.8	-63.95	-13	50.95	Pass	1401
1000	3000	1	RMS	1695	-47.96	-13	34.96	Pass	2001
3000	10000	1	RMS	6961	-41.87	-13	28.87	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.87	-13	53.87	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	814	0.1	RMS	813.5	-62.01	-13	49.01	Pass	7841
814	860	0.1	RMS	824.2	20.85	60	39.15	Pass	461
860	1000	0.1	RMS	861.5	-63.87	-13	50.87	Pass	1401
1000	3000	1	RMS	1648	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	7201	-41.88	-13	28.88	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.92	-13	52.92	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	813.5	-62.06	-13	49.06	Pass	7841
814	860	0.1	RMS	824.2	20	60	40	Pass	461
860	1000	0.1	RMS	869.6	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1648	-48.03	-13	35.03	Pass	2001
3000	10000	1	RMS	6960	-41.85	-13	28.85	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.14	-13	55.14	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	807.8	-63.89	-13	50.89	Pass	7841
814	860	0.1	RMS	835.2	20.87	60	39.13	Pass	461
860	1000	0.1	RMS	860	-63.76	-13	50.76	Pass	1401
1000	3000	1	RMS	1670	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	6963	-41.81	-13	28.81	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.48	-13	54.48	Pass	401
0.15	30	0.01	RMS	0.19	-72.01	-13	59.01	Pass	2986
30	814	0.1	RMS	811.7	-63.99	-13	50.99	Pass	7841
814	860	0.1	RMS	835.2	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	869.6	-63.82	-13	50.82	Pass	1401
1000	3000	1	RMS	1670	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	6959	-41.86	-13	28.86	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.15	-13	55.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	807.8	-63.75	-13	50.75	Pass	7841
814	860	0.1	RMS	846.2	20.74	60	39.26	Pass	461
860	1000	0.1	RMS	860	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1692	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	7202	-41.92	-13	28.92	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.75	-13	53.75	Pass	401
0.15	30	0.01	RMS	0.2	-71.17	-13	58.17	Pass	2986
30	814	0.1	RMS	807.8	-63.89	-13	50.89	Pass	7841
814	860	0.1	RMS	846.2	20.08	60	39.92	Pass	461
860	1000	0.1	RMS	860.7	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1692	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	6958	-41.84	-13	28.84	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.98	-13	53.98	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813.7	-62.17	-13	49.17	Pass	7841
814	860	0.1	RMS	824.3	20.9	60	39.1	Pass	461
860	1000	0.1	RMS	861.7	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1648	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	7207	-41.93	-13	28.93	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.06	-13	54.06	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.6	-62.38	-13	49.38	Pass	7841
814	860	0.1	RMS	824.3	20.24	60	39.76	Pass	461
860	1000	0.1	RMS	860.6	-63.82	-13	50.82	Pass	1401
1000	3000	1	RMS	1648	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6958	-41.89	-13	28.89	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.86	-13	54.86	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	814	0.1	RMS	811.5	-63.9	-13	50.9	Pass	7841
814	860	0.1	RMS	834.3	20.63	60	39.37	Pass	461
860	1000	0.1	RMS	880.2	-63.87	-13	50.87	Pass	1401
1000	3000	1	RMS	1668	-47.18	-13	34.18	Pass	2001
3000	10000	1	RMS	6959	-41.85	-13	28.85	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.64	-13	54.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	814	0.1	RMS	809.4	-63.93	-13	50.93	Pass	7841
814	860	0.1	RMS	834.3	20.13	60	39.87	Pass	461
860	1000	0.1	RMS	880	-63.93	-13	50.93	Pass	1401
1000	3000	1	RMS	1668	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6957	-41.91	-13	28.91	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.49	-13	54.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	814	-64.04	-13	51.04	Pass	7841
814	860	0.1	RMS	844.3	20.88	60	39.12	Pass	461
860	1000	0.1	RMS	868.6	-63.89	-13	50.89	Pass	1401
1000	3000	1	RMS	1688	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	6962	-41.89	-13	28.89	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.06	-13	55.06	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	58.12	Pass	2986
30	814	0.1	RMS	813.1	-64.04	-13	51.04	Pass	7841
814	860	0.1	RMS	844.3	20.2	60	39.8	Pass	461
860	1000	0.1	RMS	860.8	-63.86	-13	50.86	Pass	1401
1000	3000	1	RMS	1688	-47.66	-13	34.66	Pass	2001
3000	10000	1	RMS	6960	-41.89	-13	28.89	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.36	-13	54.36	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	57.75	Pass	2986
30	814	0.1	RMS	813.9	-61.66	-13	48.66	Pass	7841
814	860	0.1	RMS	824.6	21.34	60	38.66	Pass	461
860	1000	0.1	RMS	933.6	-63.82	-13	50.82	Pass	1401
1000	3000	1	RMS	1649	-47.68	-13	34.68	Pass	2001
3000	10000	1	RMS	6961	-41.89	-13	28.89	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.17	-13	54.17	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	812	-58.98	-13	45.98	Pass	7841
814	860	0.1	RMS	824.6	20.45	60	39.55	Pass	461
860	1000	0.1	RMS	874	-63.95	-13	50.95	Pass	1401
1000	3000	1	RMS	1649	-48.53	-13	35.53	Pass	2001
3000	10000	1	RMS	6960	-41.84	-13	28.84	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.4	-13	55.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	814	0.1	RMS	811.7	-63.83	-13	50.83	Pass	7841
814	860	0.1	RMS	832.1	21.55	60	38.45	Pass	461
860	1000	0.1	RMS	937.5	-63.83	-13	50.83	Pass	1401
1000	3000	1	RMS	1664	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	6959	-41.83	-13	28.83	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.79	-13	53.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	812.2	-64	-13	51	Pass	7841
814	860	0.1	RMS	832.1	20.62	60	39.38	Pass	461
860	1000	0.1	RMS	863.2	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1664	-48	-13	35	Pass	2001
3000	10000	1	RMS	6962	-41.85	-13	28.85	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.1	-13	54.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	810.3	-63.91	-13	50.91	Pass	7841
814	860	0.1	RMS	839.6	21.53	60	38.47	Pass	461
860	1000	0.1	RMS	862.2	-63.91	-13	50.91	Pass	1401
1000	3000	1	RMS	1679	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	6957	-41.88	-13	28.88	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.99	-13	53.99	Pass	401
0.15	30	0.01	RMS	0.28	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	813.9	-63.58	-13	50.58	Pass	7841
814	860	0.1	RMS	839.6	20.54	60	39.46	Pass	461
860	1000	0.1	RMS	872.2	-63.78	-13	50.78	Pass	1401
1000	3000	1	RMS	1679	-48.09	-13	35.09	Pass	2001
3000	10000	1	RMS	6959	-41.83	-13	28.83	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.4	-25	41.4	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	837.7	-63.65	-25	38.65	Pass	9701
1000	2490	1	RMS	2490	-49.97	-25	24.97	Pass	1491
2490	2580	1	RMS	2500.125	22.59	60	37.41	Pass	401
2580	3000	1	RMS	2955	-48.82	-25	23.82	Pass	421
3000	12000	1	RMS	11850	-60.61	-25	35.61	Pass	9002
12000	26000	1	RMS	25998	-46.67	-25	21.67	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.76	-25	41.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-25	46.95	Pass	2986
30	1000	0.1	RMS	845.7	-63.65	-25	38.65	Pass	9701
1000	2490	1	RMS	2490	-49.92	-25	24.92	Pass	1491
2490	2580	1	RMS	2500.125	21.9	60	38.1	Pass	401
2580	3000	1	RMS	2956	-48.79	-25	23.79	Pass	421
3000	12000	1	RMS	11853	-60.62	-25	35.62	Pass	9002
12000	26000	1	RMS	25995	-45.85	-25	20.85	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.06	-25	42.06	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	851.602	-63.7	-25	38.7	Pass	9701
1000	2490	1	RMS	2488	-50.49	-25	25.49	Pass	1491
2490	2580	1	RMS	2532.75	22.69	60	37.31	Pass	401
2580	3000	1	RMS	2949	-48.79	-25	23.79	Pass	421
3000	12000	1	RMS	11844	-60.67	-25	35.67	Pass	9002
12000	26000	1	RMS	25997	-45.77	-25	20.77	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.94	-25	42.94	Pass	401
0.15	30	0.01	RMS	0.18	-72.39	-25	47.39	Pass	2986
30	1000	0.1	RMS	991.594	-63.67	-25	38.67	Pass	9701
1000	2490	1	RMS	2489	-50.5	-25	25.5	Pass	1491
2490	2580	1	RMS	2532.75	22.07	60	37.93	Pass	401
2580	3000	1	RMS	2957	-48.79	-25	23.79	Pass	421
3000	12000	1	RMS	11847	-60.64	-25	35.64	Pass	9002
12000	26000	1	RMS	25997	-45.88	-25	20.88	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.36	-25	42.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	47.14	Pass	2986
30	1000	0.1	RMS	604.6	-63.53	-25	38.53	Pass	9701
1000	2490	1	RMS	2486	-50.44	-25	25.44	Pass	1491
2490	2580	1	RMS	2565.15	22.51	60	37.49	Pass	401
2580	3000	1	RMS	2957	-48.8	-25	23.8	Pass	421
3000	12000	1	RMS	11857	-60.65	-25	35.65	Pass	9002
12000	26000	1	RMS	25993	-45.78	-25	20.78	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-25	45.99	Pass	2986
30	1000	0.1	RMS	845.7	-63.6	-25	38.6	Pass	9701
1000	2490	1	RMS	2480	-50.53	-25	25.53	Pass	1491
2490	2580	1	RMS	2565.15	21.97	60	38.03	Pass	401
2580	3000	1	RMS	2957	-48.83	-25	23.83	Pass	421
3000	12000	1	RMS	11850	-60.57	-25	35.57	Pass	9002
12000	26000	1	RMS	25991	-45.79	-25	20.79	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.04	-25	42.04	Pass	401
0.15	30	0.01	RMS	0.28	-72.15	-25	47.15	Pass	2986
30	1000	0.1	RMS	850.301	-63.72	-25	38.72	Pass	9701
1000	2490	1	RMS	2490	-49.9	-25	24.9	Pass	1491
2490	2580	1	RMS	2500.575	22.56	60	37.44	Pass	401
2580	3000	1	RMS	2959	-48.8	-25	23.8	Pass	421
3000	12000	1	RMS	11854	-60.61	-25	35.61	Pass	9002
12000	26000	1	RMS	25984	-45.79	-25	20.79	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.45	-25	42.45	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-25	47.35	Pass	2986
30	1000	0.1	RMS	854.604	-63.77	-25	38.77	Pass	9701
1000	2490	1	RMS	2490	-50.03	-25	25.03	Pass	1491
2490	2580	1	RMS	2500.35	21.75	60	38.25	Pass	401
2580	3000	1	RMS	2957	-48.83	-25	23.83	Pass	421
3000	12000	1	RMS	11843	-60.62	-25	35.62	Pass	9002
12000	26000	1	RMS	25998	-45.68	-25	20.68	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.03	-25	41.03	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-25	47.49	Pass	2986
30	1000	0.1	RMS	849.2	-63.67	-25	38.67	Pass	9701
1000	2490	1	RMS	2490	-50.52	-25	25.52	Pass	1491
2490	2580	1	RMS	2530.5	22.67	60	37.33	Pass	401
2580	3000	1	RMS	2953	-48.83	-25	23.83	Pass	421
3000	12000	1	RMS	11837	-60.64	-25	35.64	Pass	9002
12000	26000	1	RMS	25997	-45.83	-25	20.83	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.66	-25	41.66	Pass	401
0.15	30	0.01	RMS	0.16	-70.91	-25	45.91	Pass	2986
30	1000	0.1	RMS	849.2	-63.76	-25	38.76	Pass	9701
1000	2490	1	RMS	2482	-50.49	-25	25.49	Pass	1491
2490	2580	1	RMS	2530.5	21.86	60	38.14	Pass	401
2580	3000	1	RMS	2956	-48.82	-25	23.82	Pass	421
3000	12000	1	RMS	11845	-60.65	-25	35.65	Pass	9002
12000	26000	1	RMS	25991	-45.7	-25	20.7	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.8	-25	40.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-25	47.06	Pass	2986
30	1000	0.1	RMS	599.9	-62.7	-25	37.7	Pass	9701
1000	2490	1	RMS	2489	-50.55	-25	25.55	Pass	1491
2490	2580	1	RMS	2560.425	22.68	60	37.32	Pass	401
2580	3000	1	RMS	2957	-48.83	-25	23.83	Pass	421
3000	12000	1	RMS	11849	-60.62	-25	35.62	Pass	9002
12000	26000	1	RMS	26000	-45.78	-25	20.78	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.55	-25	42.55	Pass	401
0.15	30	0.01	RMS	0.18	-71.96	-25	46.96	Pass	2986
30	1000	0.1	RMS	599.9	-62.91	-25	37.91	Pass	9701
1000	2490	1	RMS	2487	-50.47	-25	25.47	Pass	1491
2490	2580	1	RMS	2560.425	21.96	60	38.04	Pass	401
2580	3000	1	RMS	2957	-48.77	-25	23.77	Pass	421
3000	12000	1	RMS	11845	-60.65	-25	35.65	Pass	9002
12000	26000	1	RMS	25995	-45.77	-25	20.77	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.99	-25	41.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-25	47.03	Pass	2986
30	1000	0.1	RMS	841.8	-63.8	-25	38.8	Pass	9701
1000	2490	1	RMS	2490	-49.98	-25	24.98	Pass	1491
2490	2580	1	RMS	2500.8	22.4	60	37.6	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	23.84	Pass	421
3000	12000	1	RMS	11829	-60.61	-25	35.61	Pass	9002
12000	26000	1	RMS	25996	-45.82	-25	20.82	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.47	-25	42.47	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-25	47.38	Pass	2986
30	1000	0.1	RMS	837.5	-63.69	-25	38.69	Pass	9701
1000	2490	1	RMS	2490	-49.9	-25	24.9	Pass	1491
2490	2580	1	RMS	2500.8	21.95	60	38.05	Pass	401
2580	3000	1	RMS	2957	-48.82	-25	23.82	Pass	421
3000	12000	1	RMS	11848	-60.69	-25	35.69	Pass	9002
12000	26000	1	RMS	25997	-45.83	-25	20.83	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.88	-25	41.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-25	47.61	Pass	2986
30	1000	0.1	RMS	855.604	-63.68	-25	38.68	Pass	9701
1000	2490	1	RMS	2481	-50.51	-25	25.51	Pass	1491
2490	2580	1	RMS	2528.25	22.41	60	37.59	Pass	401
2580	3000	1	RMS	2957	-48.82	-25	23.82	Pass	421
3000	12000	1	RMS	11840	-60.66	-25	35.66	Pass	9002
12000	26000	1	RMS	25998	-45.84	-25	20.84	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.55	-25	40.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-25	46.63	Pass	2986
30	1000	0.1	RMS	846.3	-63.6	-25	38.6	Pass	9701
1000	2490	1	RMS	2489	-50.51	-25	25.51	Pass	1491
2490	2580	1	RMS	2528.25	21.54	60	38.46	Pass	401
2580	3000	1	RMS	2957	-48.83	-25	23.83	Pass	421
3000	12000	1	RMS	11857	-60.63	-25	35.63	Pass	9002
12000	26000	1	RMS	25994	-45.85	-25	20.85	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.67	-25	42.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-25	46.45	Pass	2986
30	1000	0.1	RMS	595.1	-63.07	-25	38.07	Pass	9701
1000	2490	1	RMS	2489	-50.56	-25	25.56	Pass	1491
2490	2595	1	RMS	2555.625	22.33	60	37.67	Pass	401
2595	3000	1	RMS	2955	-48.85	-25	23.85	Pass	406
3000	12000	1	RMS	11849	-60.69	-25	35.69	Pass	9002
12000	26000	1	RMS	25995	-45.75	-25	20.75	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-25	46.67	Pass	2986
30	1000	0.1	RMS	595.1	-63.52	-25	38.52	Pass	9701
1000	2490	1	RMS	2487	-50.5	-25	25.5	Pass	1491
2490	2595	1	RMS	2555.625	21.52	60	38.48	Pass	401
2595	3000	1	RMS	2956	-48.85	-25	23.85	Pass	406
3000	12000	1	RMS	11854	-60.7	-25	35.7	Pass	9002
12000	26000	1	RMS	25997	-45.74	-25	20.74	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.3	-72.15	-25	47.15	Pass	2986
30	1000	0.1	RMS	850.001	-63.7	-25	38.7	Pass	9701
1000	2490	1	RMS	2490	-50.12	-25	25.12	Pass	1491
2490	2580	1	RMS	2501.025	22.27	60	37.73	Pass	401
2580	3000	1	RMS	2957	-48.86	-25	23.86	Pass	421
3000	12000	1	RMS	11843	-60.63	-25	35.63	Pass	9002
12000	26000	1	RMS	25988	-45.89	-25	20.89	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.78	-25	42.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	46.56	Pass	2986
30	1000	0.1	RMS	849.2	-63.7	-25	38.7	Pass	9701
1000	2490	1	RMS	2490	-49.52	-25	24.52	Pass	1491
2490	2580	1	RMS	2501.025	21.75	60	38.25	Pass	401
2580	3000	1	RMS	2956	-48.85	-25	23.85	Pass	421
3000	12000	1	RMS	11848	-60.64	-25	35.64	Pass	9002
12000	26000	1	RMS	25999	-45.82	-25	20.82	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.74	-25	42.74	Pass	401
0.15	30	0.01	RMS	0.22	-72.01	-25	47.01	Pass	2986
30	1000	0.1	RMS	824.5	-63.67	-25	38.67	Pass	9701
1000	2490	1	RMS	2489	-50.52	-25	25.52	Pass	1491
2490	2580	1	RMS	2526	22.55	60	37.45	Pass	401
2580	3000	1	RMS	2957	-48.85	-25	23.85	Pass	421
3000	12000	1	RMS	11850	-60.63	-25	35.63	Pass	9002
12000	26000	1	RMS	25998	-45.85	-25	20.85	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	46.8	Pass	2986
30	1000	0.1	RMS	849.8	-63.68	-25	38.68	Pass	9701
1000	2490	1	RMS	2486	-50.5	-25	25.5	Pass	1491
2490	2580	1	RMS	2526	21.7	60	38.3	Pass	401
2580	3000	1	RMS	2957	-48.86	-25	23.86	Pass	421
3000	12000	1	RMS	11851	-60.63	-25	35.63	Pass	9002
12000	26000	1	RMS	26000	-45.82	-25	20.82	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.18	-72.15	-25	47.15	Pass	2986
30	1000	0.1	RMS	590.4	-63	-25	38	Pass	9701
1000	2490	1	RMS	2485	-50.5	-25	25.5	Pass	1491
2490	2580	1	RMS	2550.975	22.33	60	37.67	Pass	401
2580	3000	1	RMS	2948	-48.89	-25	23.89	Pass	421
3000	12000	1	RMS	11847	-60.61	-25	35.61	Pass	9002
12000	26000	1	RMS	25997	-45.77	-25	20.77	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.97	-25	40.97	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-25	47.46	Pass	2986
30	1000	0.1	RMS	590.4	-63	-25	38	Pass	9701
1000	2490	1	RMS	2489	-50.55	-25	25.55	Pass	1491
2490	2580	1	RMS	2550.975	21.91	60	38.09	Pass	401
2580	3000	1	RMS	2957	-48.82	-25	23.82	Pass	421
3000	12000	1	RMS	11849	-60.59	-25	35.59	Pass	9002
12000	26000	1	RMS	25996	-45.79	-25	20.79	Pass	14002



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.49	-13	54.49	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	689	0.1	RMS	688.6	-62.88	-13	49.88	Pass	6591
689	726	0.1	RMS	699.268	21.29	60	38.71	Pass	401
726	1000	0.1	RMS	837.3	-63.57	-13	50.57	Pass	2741
1000	3000	1	RMS	1398	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	6960	-41.92	-13	28.92	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.39	-13	55.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	689	0.1	RMS	688.6	-63.2	-13	50.2	Pass	6591
689	726	0.1	RMS	699.268	20.6	60	39.4	Pass	401
726	1000	0.1	RMS	830.2	-63.59	-13	50.59	Pass	2741
1000	3000	1	RMS	1398	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	7203	-41.88	-13	28.88	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.1	-13	55.1	Pass	401
0.15	30	0.01	RMS	0.19	-71.88	-13	58.88	Pass	2986
30	689	0.1	RMS	615.3	-64.56	-13	51.56	Pass	6591
689	726	0.1	RMS	707.038	21.41	60	38.59	Pass	401
726	1000	0.1	RMS	849.3	-63.75	-13	50.75	Pass	2741
1000	3000	1	RMS	2956	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	6958	-41.92	-13	28.92	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.42	-13	53.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	689	0.1	RMS	487	-64.58	-13	51.58	Pass	6591
689	726	0.1	RMS	707.038	20.42	60	39.58	Pass	401
726	1000	0.1	RMS	820.3	-63.55	-13	50.55	Pass	2741
1000	3000	1	RMS	2950	-48.9	-13	35.9	Pass	2001
3000	10000	1	RMS	6959	-41.95	-13	28.95	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.8	-13	52.8	Pass	401
0.15	30	0.01	RMS	0.18	-71.95	-13	58.95	Pass	2986
30	689	0.1	RMS	504.2	-64.5	-13	51.5	Pass	6591
689	726	0.1	RMS	714.9	20.72	60	39.28	Pass	401
726	1000	0.1	RMS	839	-63.51	-13	50.51	Pass	2741
1000	3000	1	RMS	1429	-48.34	-13	35.34	Pass	2001
3000	10000	1	RMS	6958	-41.81	-13	28.81	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.87	-13	53.87	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	59.4	Pass	2986
30	689	0.1	RMS	491.9	-64.59	-13	51.59	Pass	6591
689	726	0.1	RMS	714.808	19.93	60	40.07	Pass	401
726	1000	0.1	RMS	758.3	-63.58	-13	50.58	Pass	2741
1000	3000	1	RMS	2955	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6960	-41.92	-13	28.92	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.39	-13	54.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	58.4	Pass	2986
30	689	0.1	RMS	688.5	-62.88	-13	49.88	Pass	6591
689	726	0.1	RMS	699.268	21.12	60	38.88	Pass	401
726	1000	0.1	RMS	866.3	-63.41	-13	50.41	Pass	2741
1000	3000	1	RMS	1398	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	6959	-41.91	-13	28.91	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.99	-13	54.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	689	0.1	RMS	688.5	-62.45	-13	49.45	Pass	6591
689	726	0.1	RMS	699.268	20.37	60	39.63	Pass	401
726	1000	0.1	RMS	850.5	-63.53	-13	50.53	Pass	2741
1000	3000	1	RMS	1398	-47.66	-13	34.66	Pass	2001
3000	10000	1	RMS	6959	-41.95	-13	28.95	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.21	-13	53.21	Pass	401
0.15	30	0.01	RMS	0.22	-72.42	-13	59.42	Pass	2986
30	689	0.1	RMS	497.2	-64.56	-13	51.56	Pass	6591
689	726	0.1	RMS	706.205	20.78	60	39.22	Pass	401
726	1000	0.1	RMS	832.4	-63.67	-13	50.67	Pass	2741
1000	3000	1	RMS	1412	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6960	-41.85	-13	28.85	Pass	7001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.59	-13	53.59	Pass	401
0.15	30	0.01	RMS	0.26	-72.46	-13	59.46	Pass	2986
30	689	0.1	RMS	487.2	-64.54	-13	51.54	Pass	6591
689	726	0.1	RMS	706.205	20.22	60	39.78	Pass	401
726	1000	0.1	RMS	825.4	-63.52	-13	50.52	Pass	2741
1000	3000	1	RMS	2956	-48.84	-13	35.84	Pass	2001
3000	10000	1	RMS	6959	-41.87	-13	28.87	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.99	-13	53.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	689	0.1	RMS	495.1	-64.54	-13	51.54	Pass	6591
689	726	0.1	RMS	713.235	21.4	60	38.6	Pass	401
726	1000	0.1	RMS	854.3	-63.51	-13	50.51	Pass	2741
1000	3000	1	RMS	1426	-47.45	-13	34.45	Pass	2001
3000	10000	1	RMS	6956	-41.93	-13	28.93	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.4	-13	55.4	Pass	401
0.15	30	0.01	RMS	0.18	-72.12	-13	59.12	Pass	2986
30	689	0.1	RMS	504	-64.49	-13	51.49	Pass	6591
689	726	0.1	RMS	713.235	20.53	60	39.47	Pass	401
726	1000	0.1	RMS	853.8	-63.54	-13	50.54	Pass	2741
1000	3000	1	RMS	1426	-48.04	-13	35.04	Pass	2001
3000	10000	1	RMS	6961	-41.89	-13	28.89	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.05	-13	55.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	689	0.1	RMS	688.6	-62.87	-13	49.87	Pass	6591
689	726	0.1	RMS	699.36	21.2	60	38.8	Pass	401
726	1000	0.1	RMS	853.7	-63.43	-13	50.43	Pass	2741
1000	3000	1	RMS	1398	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6960	-41.93	-13	28.93	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.57	-13	54.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	689	0.1	RMS	688.7	-62.91	-13	49.91	Pass	6591
689	726	0.1	RMS	699.36	20.66	60	39.34	Pass	401
726	1000	0.1	RMS	829.6	-63.49	-13	50.49	Pass	2741
1000	3000	1	RMS	1398	-47.96	-13	34.96	Pass	2001
3000	10000	1	RMS	7207	-41.83	-13	28.83	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.82	-13	53.82	Pass	401
0.15	30	0.01	RMS	0.19	-72.28	-13	59.28	Pass	2986
30	689	0.1	RMS	688.1	-64.41	-13	51.41	Pass	6591
689	726	0.1	RMS	705.373	21.15	60	38.85	Pass	401
726	1000	0.1	RMS	857.2	-63.59	-13	50.59	Pass	2741
1000	3000	1	RMS	2947	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6959	-41.91	-13	28.91	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.46	-13	55.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	58.96	Pass	2986
30	689	0.1	RMS	498.9	-64.49	-13	51.49	Pass	6591
689	726	0.1	RMS	705.373	20.42	60	39.58	Pass	401
726	1000	0.1	RMS	833.6	-63.41	-13	50.41	Pass	2741
1000	3000	1	RMS	2955	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6959	-41.82	-13	28.82	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.37	-13	54.37	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	59.23	Pass	2986
30	689	0.1	RMS	496.9	-64.57	-13	51.57	Pass	6591
689	726	0.1	RMS	711.385	20.71	60	39.29	Pass	401
726	1000	0.1	RMS	821.9	-63.67	-13	50.67	Pass	2741
1000	3000	1	RMS	1422	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	7207	-41.93	-13	28.93	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.03	-13	55.03	Pass	401
0.15	30	0.01	RMS	0.21	-71.94	-13	58.94	Pass	2986
30	689	0.1	RMS	478	-64.6	-13	51.6	Pass	6591
689	726	0.1	RMS	711.293	20.16	60	39.84	Pass	401
726	1000	0.1	RMS	999.5	-63.65	-13	50.65	Pass	2741
1000	3000	1	RMS	1422	-47.97	-13	34.97	Pass	2001
3000	10000	1	RMS	6960	-41.87	-13	28.87	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.52	-13	54.52	Pass	401
0.15	30	0.01	RMS	0.22	-71.13	-13	58.13	Pass	2986
30	689	0.1	RMS	688.9	-62.18	-13	49.18	Pass	6591
689	726	0.1	RMS	699.638	20.68	60	39.32	Pass	401
726	1000	0.1	RMS	815.5	-63.62	-13	50.62	Pass	2741
1000	3000	1	RMS	1399	-47.75	-13	34.75	Pass	2001
3000	10000	1	RMS	6961	-41.93	-13	28.93	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.8	-13	53.8	Pass	401
0.15	30	0.01	RMS	0.34	-72.31	-13	59.31	Pass	2986
30	689	0.1	RMS	688.9	-62.25	-13	49.25	Pass	6591
689	726	0.1	RMS	699.545	20.04	60	39.96	Pass	401
726	1000	0.1	RMS	846.3	-63.58	-13	50.58	Pass	2741
1000	3000	1	RMS	1399	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	7203	-41.96	-13	28.96	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.55	-13	54.55	Pass	401
0.15	30	0.01	RMS	0.26	-72.66	-13	59.66	Pass	2986
30	689	0.1	RMS	497.1	-64.59	-13	51.59	Pass	6591
689	726	0.1	RMS	703.06	21.15	60	38.85	Pass	401
726	1000	0.1	RMS	854.4	-63.65	-13	50.65	Pass	2741
1000	3000	1	RMS	2952	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6961	-41.85	-13	28.85	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.01	-13	54.01	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	689	0.1	RMS	462.1	-64.55	-13	51.55	Pass	6591
689	726	0.1	RMS	703.06	20.41	60	39.59	Pass	401
726	1000	0.1	RMS	823.2	-63.52	-13	50.52	Pass	2741
1000	3000	1	RMS	2956	-48.89	-13	35.89	Pass	2001
3000	10000	1	RMS	6958	-41.82	-13	28.82	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.15	-13	54.15	Pass	401
0.15	30	0.01	RMS	0.22	-72.46	-13	59.46	Pass	2986
30	689	0.1	RMS	493.1	-64.45	-13	51.45	Pass	6591
689	726	0.1	RMS	706.575	21.18	60	38.82	Pass	401
726	1000	0.1	RMS	968.2	-63.54	-13	50.54	Pass	2741
1000	3000	1	RMS	2944	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6960	-41.93	-13	28.93	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.59	-13	54.59	Pass	401
0.15	30	0.01	RMS	0.17	-72.79	-13	59.79	Pass	2986
30	689	0.1	RMS	488.2	-64.57	-13	51.57	Pass	6591
689	726	0.1	RMS	706.575	20.52	60	39.48	Pass	401
726	1000	0.1	RMS	848.2	-63.51	-13	50.51	Pass	2741
1000	3000	1	RMS	2957	-48.87	-13	35.87	Pass	2001
3000	10000	1	RMS	7206	-41.93	-13	28.93	Pass	7001



6. LTE_Band13


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.3	-13	54.3	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	59.52	Pass	2986
30	767	0.1	RMS	766.6	-63.17	-13	50.17	Pass	7371
767	797	0.1	RMS	777.35	20.87	60	39.13	Pass	401
797	1000	0.1	RMS	841.5	-63.72	-13	50.72	Pass	2031
1000	3000	1	RMS	1554	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	6961	-41.87	-13	28.87	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.27	-13	54.27	Pass	401
0.15	30	0.01	RMS	0.18	-72.21	-13	59.21	Pass	2986
30	767	0.1	RMS	766.7	-63.66	-13	50.66	Pass	7371
767	797	0.1	RMS	777.35	20	60	40	Pass	401
797	1000	0.1	RMS	858.4	-63.76	-13	50.76	Pass	2031
1000	3000	1	RMS	2957	-48.83	-13	35.83	Pass	2001
3000	10000	1	RMS	6957	-41.92	-13	28.92	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.55	-13	54.55	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	58.9	Pass	2986
30	767	0.1	RMS	725.8	-64.35	-13	51.35	Pass	7371
767	797	0.1	RMS	779.825	20.78	60	39.22	Pass	401
797	1000	0.1	RMS	843.2	-63.69	-13	50.69	Pass	2031
1000	3000	1	RMS	1559	-48.18	-13	35.18	Pass	2001
3000	10000	1	RMS	6959	-41.93	-13	28.93	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.71	-13	54.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	767	0.1	RMS	751.4	-64.33	-13	51.33	Pass	7371
767	797	0.1	RMS	779.825	20.11	60	39.89	Pass	401
797	1000	0.1	RMS	850.5	-63.76	-13	50.76	Pass	2031
1000	3000	1	RMS	1559	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	6955	-41.94	-13	28.94	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.38	-13	55.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	58.05	Pass	2986
30	767	0.1	RMS	725.1	-64.33	-13	51.33	Pass	7371
767	797	0.1	RMS	782.375	20.82	60	39.18	Pass	401
797	1000	0.1	RMS	834.1	-63.75	-13	50.75	Pass	2031
1000	3000	1	RMS	1564	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6962	-41.89	-13	28.89	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.9	-13	53.9	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	767	0.1	RMS	740.7	-64.27	-13	51.27	Pass	7371
767	797	0.1	RMS	782.375	20	60	40	Pass	401
797	1000	0.1	RMS	845.5	-63.4	-13	50.4	Pass	2031
1000	3000	1	RMS	1564	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	7204	-41.9	-13	28.9	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	0.19	-71.78	-13	58.78	Pass	2986
30	767	0.1	RMS	766.9	-62.83	-13	49.83	Pass	7371
767	797	0.1	RMS	777.575	20.98	60	39.02	Pass	401
797	1000	0.1	RMS	851.6	-63.66	-13	50.66	Pass	2031
1000	3000	1	RMS	1555	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	6961	-41.91	-13	28.91	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.36	-13	54.36	Pass	401
0.15	30	0.01	RMS	0.25	-72.52	-13	59.52	Pass	2986
30	767	0.1	RMS	766.9	-63.11	-13	50.11	Pass	7371
767	797	0.1	RMS	777.575	19.9	60	40.1	Pass	401
797	1000	0.1	RMS	840.8	-63.65	-13	50.65	Pass	2031
1000	3000	1	RMS	2957	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6962	-41.92	-13	28.92	Pass	7001



7. LTE_Band17


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.43	-13	55.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	694	0.1	RMS	693.7	-62.69	-13	49.69	Pass	6641
694	726	0.1	RMS	704.32	21.14	60	38.86	Pass	401
726	1000	0.1	RMS	855.2	-63.53	-13	50.53	Pass	2741
1000	3000	1	RMS	2957	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6960	-41.93	-13	28.93	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.16	-13	55.16	Pass	401
0.15	30	0.01	RMS	0.18	-72.65	-13	59.65	Pass	2986
30	694	0.1	RMS	693.6	-63.01	-13	50.01	Pass	6641
694	726	0.1	RMS	704.32	20.64	60	39.36	Pass	401
726	1000	0.1	RMS	855.2	-63.5	-13	50.5	Pass	2741
1000	3000	1	RMS	2949	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6958	-41.93	-13	28.93	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.71	-13	55.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	694	0.1	RMS	690.7	-63.68	-13	50.68	Pass	6641
694	726	0.1	RMS	707.84	21.39	60	38.61	Pass	401
726	1000	0.1	RMS	835.6	-63.5	-13	50.5	Pass	2741
1000	3000	1	RMS	1415	-48.47	-13	35.47	Pass	2001
3000	10000	1	RMS	6961	-41.92	-13	28.92	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.49	-13	53.49	Pass	401
0.15	30	0.01	RMS	0.2	-72.45	-13	59.45	Pass	2986
30	694	0.1	RMS	690.6	-63.69	-13	50.69	Pass	6641
694	726	0.1	RMS	707.84	20.75	60	39.25	Pass	401
726	1000	0.1	RMS	841	-63.57	-13	50.57	Pass	2741
1000	3000	1	RMS	2956	-48.84	-13	35.84	Pass	2001
3000	10000	1	RMS	6963	-41.91	-13	28.91	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.43	-13	55.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	694	0.1	RMS	694	-63.28	-13	50.28	Pass	6641
694	726	0.1	RMS	711.36	21.27	60	38.73	Pass	401
726	1000	0.1	RMS	835.9	-63.58	-13	50.58	Pass	2741
1000	3000	1	RMS	1422	-47.47	-13	34.47	Pass	2001
3000	10000	1	RMS	6961	-41.9	-13	28.9	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.54	-13	54.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	694	0.1	RMS	694	-63.42	-13	50.42	Pass	6641
694	726	0.1	RMS	711.36	20.75	60	39.25	Pass	401
726	1000	0.1	RMS	846.1	-63.52	-13	50.52	Pass	2741
1000	3000	1	RMS	1422	-47.9	-13	34.9	Pass	2001
3000	10000	1	RMS	6959	-41.88	-13	28.88	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.86	-13	53.86	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	59.1	Pass	2986
30	694	0.1	RMS	693.9	-61.98	-13	48.98	Pass	6641
694	726	0.1	RMS	704.56	21.17	60	38.83	Pass	401
726	1000	0.1	RMS	853.1	-63.49	-13	50.49	Pass	2741
1000	3000	1	RMS	2956	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	7201	-41.86	-13	28.86	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.94	-13	54.94	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	694	0.1	RMS	693.9	-61.49	-13	48.49	Pass	6641
694	726	0.1	RMS	704.56	20.35	60	39.65	Pass	401
726	1000	0.1	RMS	883.4	-63.66	-13	50.66	Pass	2741
1000	3000	1	RMS	2957	-48.88	-13	35.88	Pass	2001
3000	10000	1	RMS	7206	-41.87	-13	28.87	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.98	-13	53.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	694	0.1	RMS	693.6	-64.4	-13	51.4	Pass	6641
694	726	0.1	RMS	705.6	21.4	60	38.6	Pass	401
726	1000	0.1	RMS	836.9	-63.58	-13	50.58	Pass	2741
1000	3000	1	RMS	2947	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	7205	-41.93	-13	28.93	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.77	-13	54.77	Pass	401
0.15	30	0.01	RMS	0.18	-71.97	-13	58.97	Pass	2986
30	694	0.1	RMS	692.7	-61.26	-13	48.26	Pass	6641
694	726	0.1	RMS	705.6	20.69	60	39.31	Pass	401
726	1000	0.1	RMS	837.2	-63.44	-13	50.44	Pass	2741
1000	3000	1	RMS	2943	-48.84	-13	35.84	Pass	2001
3000	10000	1	RMS	6961	-41.9	-13	28.9	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.08	-13	55.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	694	0.1	RMS	694	-64.35	-13	51.35	Pass	6641
694	726	0.1	RMS	706.56	21.14	60	38.86	Pass	401
726	1000	0.1	RMS	799.9	-63.53	-13	50.53	Pass	2741
1000	3000	1	RMS	2955	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6960	-41.93	-13	28.93	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.04	-13	53.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-13	59.73	Pass	2986
30	694	0.1	RMS	694	-59.02	-13	46.02	Pass	6641
694	726	0.1	RMS	706.56	20.39	60	39.61	Pass	401
726	1000	0.1	RMS	870.8	-63.68	-13	50.68	Pass	2741
1000	3000	1	RMS	2956	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	7202	-41.93	-13	28.93	Pass	7001



8. LTE_Band26(part22)


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.7	-13	54.7	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	813.6	-62.45	-13	49.45	Pass	7841
814	860	0.1	RMS	824.3	20.54	60	39.46	Pass	461
860	1000	0.1	RMS	863.5	-63.88	-13	50.88	Pass	1401
1000	3000	1	RMS	1648	-47.47	-13	34.47	Pass	2001
3000	10000	1	RMS	6958	-41.91	-13	28.91	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.06	-13	54.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	814	0.1	RMS	813.6	-62.12	-13	49.12	Pass	7841
814	860	0.1	RMS	824.3	19.96	60	40.04	Pass	461
860	1000	0.1	RMS	872.7	-63.91	-13	50.91	Pass	1401
1000	3000	1	RMS	1648	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	6959	-41.92	-13	28.92	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.71	-13	52.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	814	0.1	RMS	813.7	-64.03	-13	51.03	Pass	7841
814	860	0.1	RMS	836.1	20.86	60	39.14	Pass	461
860	1000	0.1	RMS	871.5	-63.78	-13	50.78	Pass	1401
1000	3000	1	RMS	1672	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6962	-41.79	-13	28.79	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.13	-13	53.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	814	0.1	RMS	813.2	-63.87	-13	50.87	Pass	7841
814	860	0.1	RMS	836	20.07	60	39.93	Pass	461
860	1000	0.1	RMS	863.6	-63.9	-13	50.9	Pass	1401
1000	3000	1	RMS	1672	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	6959	-41.9	-13	28.9	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.4	-13	55.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	809.4	-63.08	-13	50.08	Pass	7841
814	860	0.1	RMS	847.9	20.67	60	39.33	Pass	461
860	1000	0.1	RMS	875.1	-63.87	-13	50.87	Pass	1401
1000	3000	1	RMS	1695	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	6960	-41.88	-13	28.88	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.42	-13	54.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	814	0.1	RMS	809.5	-63.28	-13	50.28	Pass	7841
814	860	0.1	RMS	847.9	19.83	60	40.17	Pass	461
860	1000	0.1	RMS	880.4	-63.86	-13	50.86	Pass	1401
1000	3000	1	RMS	1695	-47.88	-13	34.88	Pass	2001
3000	10000	1	RMS	6959	-41.9	-13	28.9	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.67	-13	54.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	813.6	-62.14	-13	49.14	Pass	7841
814	860	0.1	RMS	824.2	20.83	60	39.17	Pass	461
860	1000	0.1	RMS	870.2	-63.8	-13	50.8	Pass	1401
1000	3000	1	RMS	1648	-47.49	-13	34.49	Pass	2001
3000	10000	1	RMS	7203	-41.91	-13	28.91	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.91	-13	52.91	Pass	401
0.15	30	0.01	RMS	0.22	-71.84	-13	58.84	Pass	2986
30	814	0.1	RMS	813.5	-62.17	-13	49.17	Pass	7841
814	860	0.1	RMS	824.2	19.93	60	40.07	Pass	461
860	1000	0.1	RMS	868.2	-63.95	-13	50.95	Pass	1401
1000	3000	1	RMS	1648	-48.06	-13	35.06	Pass	2001
3000	10000	1	RMS	6958	-41.84	-13	28.84	Pass	7001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.46	-13	53.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	811.4	-64	-13	51	Pass	7841
814	860	0.1	RMS	835.2	20.75	60	39.25	Pass	461
860	1000	0.1	RMS	864.1	-63.93	-13	50.93	Pass	1401
1000	3000	1	RMS	1670	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	6962	-41.89	-13	28.89	Pass	7001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.39	-13	54.39	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	59.07	Pass	2986
30	814	0.1	RMS	812.8	-63.99	-13	50.99	Pass	7841
814	860	0.1	RMS	835.2	20.21	60	39.79	Pass	461
860	1000	0.1	RMS	863.5	-63.96	-13	50.96	Pass	1401
1000	3000	1	RMS	1670	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	6959	-41.84	-13	28.84	Pass	7001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.51	-13	54.51	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	807.9	-63.86	-13	50.86	Pass	7841
814	860	0.1	RMS	846.2	20.68	60	39.32	Pass	461
860	1000	0.1	RMS	862.3	-63.81	-13	50.81	Pass	1401
1000	3000	1	RMS	1692	-47	-13	34	Pass	2001
3000	10000	1	RMS	6956	-41.89	-13	28.89	Pass	7001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	807.8	-63.64	-13	50.64	Pass	7841
814	860	0.1	RMS	846.2	20.03	60	39.97	Pass	461
860	1000	0.1	RMS	869.3	-63.87	-13	50.87	Pass	1401
1000	3000	1	RMS	1692	-47.65	-13	34.65	Pass	2001
3000	10000	1	RMS	6964	-41.98	-13	28.98	Pass	7001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.11	-13	55.11	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	58.75	Pass	2986
30	814	0.1	RMS	813.6	-62.14	-13	49.14	Pass	7841
814	860	0.1	RMS	824.3	20.76	60	39.24	Pass	461
860	1000	0.1	RMS	860.7	-63.8	-13	50.8	Pass	1401
1000	3000	1	RMS	1648	-47.64	-13	34.64	Pass	2001
3000	10000	1	RMS	7200	-41.86	-13	28.86	Pass	7001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.76	-13	54.76	Pass	401
0.15	30	0.01	RMS	0.21	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	813.6	-62.58	-13	49.58	Pass	7841
814	860	0.1	RMS	824.3	20.04	60	39.96	Pass	461
860	1000	0.1	RMS	860.2	-63.99	-13	50.99	Pass	1401
1000	3000	1	RMS	1648	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	7204	-41.92	-13	28.92	Pass	7001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.66	-13	53.66	Pass	401
0.15	30	0.01	RMS	0.28	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	813.7	-64.07	-13	51.07	Pass	7841
814	860	0.1	RMS	834.3	20.9	60	39.1	Pass	461
860	1000	0.1	RMS	874.5	-63.91	-13	50.91	Pass	1401
1000	3000	1	RMS	1668	-47.08	-13	34.08	Pass	2001
3000	10000	1	RMS	6961	-41.87	-13	28.87	Pass	7001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.73	-13	53.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	813.8	-63.93	-13	50.93	Pass	7841
814	860	0.1	RMS	834.3	20.13	60	39.87	Pass	461
860	1000	0.1	RMS	861	-63.88	-13	50.88	Pass	1401
1000	3000	1	RMS	1668	-47.8	-13	34.8	Pass	2001
3000	10000	1	RMS	6958	-41.91	-13	28.91	Pass	7001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.06	-13	54.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	813.8	-64.05	-13	51.05	Pass	7841
814	860	0.1	RMS	844.3	20.9	60	39.1	Pass	461
860	1000	0.1	RMS	892.5	-63.89	-13	50.89	Pass	1401
1000	3000	1	RMS	1688	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	6961	-41.88	-13	28.88	Pass	7001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.42	-13	53.42	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	807.8	-64.09	-13	51.09	Pass	7841
814	860	0.1	RMS	844.3	20.16	60	39.84	Pass	461
860	1000	0.1	RMS	862.9	-63.96	-13	50.96	Pass	1401
1000	3000	1	RMS	1688	-47.61	-13	34.61	Pass	2001
3000	10000	1	RMS	6959	-41.95	-13	28.95	Pass	7001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.91	-13	52.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	813.9	-61.58	-13	48.58	Pass	7841
814	860	0.1	RMS	824.6	21.36	60	38.64	Pass	461
860	1000	0.1	RMS	872.7	-63.75	-13	50.75	Pass	1401
1000	3000	1	RMS	1649	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6962	-41.94	-13	28.94	Pass	7001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.6	-13	55.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	814	0.1	RMS	811.7	-58.76	-13	45.76	Pass	7841
814	860	0.1	RMS	824.6	20.46	60	39.54	Pass	461
860	1000	0.1	RMS	864.8	-63.93	-13	50.93	Pass	1401
1000	3000	1	RMS	1649	-48.47	-13	35.47	Pass	2001
3000	10000	1	RMS	7199	-41.93	-13	28.93	Pass	7001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.46	-13	55.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	813.5	-63.9	-13	50.9	Pass	7841
814	860	0.1	RMS	832.1	21.34	60	38.66	Pass	461
860	1000	0.1	RMS	862	-63.88	-13	50.88	Pass	1401
1000	3000	1	RMS	1664	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	7206	-41.92	-13	28.92	Pass	7001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.13	-13	55.13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	58.88	Pass	2986
30	814	0.1	RMS	810.5	-64.05	-13	51.05	Pass	7841
814	860	0.1	RMS	832.1	20.61	60	39.39	Pass	461
860	1000	0.1	RMS	861.9	-63.91	-13	50.91	Pass	1401
1000	3000	1	RMS	1664	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	6960	-41.93	-13	28.93	Pass	7001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.42	-13	54.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	813.3	-63.92	-13	50.92	Pass	7841
814	860	0.1	RMS	839.6	21.34	60	38.66	Pass	461
860	1000	0.1	RMS	862.3	-64.01	-13	51.01	Pass	1401
1000	3000	1	RMS	1679	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	7201	-41.94	-13	28.94	Pass	7001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.45	-13	54.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	814	0.1	RMS	811.2	-63.95	-13	50.95	Pass	7841
814	860	0.1	RMS	839.6	20.66	60	39.34	Pass	461
860	1000	0.1	RMS	873.9	-64.03	-13	51.03	Pass	1401
1000	3000	1	RMS	1679	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	6960	-41.96	-13	28.96	Pass	7001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.24	-13	55.24	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	809.4	-63.28	-13	50.28	Pass	7841
814	860	0.1	RMS	824.8	20.58	60	39.42	Pass	461
860	1000	0.1	RMS	871.2	-64.01	-13	51.01	Pass	1401
1000	3000	1	RMS	1649	-47.95	-13	34.95	Pass	2001
3000	10000	1	RMS	7206	-41.87	-13	28.87	Pass	7001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.07	-13	54.07	Pass	401
0.15	30	0.01	RMS	0.29	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	808.9	-61.35	-13	48.35	Pass	7841
814	860	0.1	RMS	824.8	19.94	60	40.06	Pass	461
860	1000	0.1	RMS	866.5	-63.84	-13	50.84	Pass	1401
1000	3000	1	RMS	1649	-47.93	-13	34.93	Pass	2001
3000	10000	1	RMS	6959	-41.89	-13	28.89	Pass	7001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.49	-13	54.49	Pass	401
0.15	30	0.01	RMS	0.22	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	812.9	-63.81	-13	50.81	Pass	7841
814	860	0.1	RMS	829.8	20.52	60	39.48	Pass	461
860	1000	0.1	RMS	872.1	-63.92	-13	50.92	Pass	1401
1000	3000	1	RMS	1659	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	6961	-41.91	-13	28.91	Pass	7001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.76	-13	54.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	814	0.1	RMS	814	-61.24	-13	48.24	Pass	7841
814	860	0.1	RMS	829.8	19.85	60	40.15	Pass	461
860	1000	0.1	RMS	873.8	-63.93	-13	50.93	Pass	1401
1000	3000	1	RMS	1659	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	6958	-41.89	-13	28.89	Pass	7001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.67	-13	53.67	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	811.7	-63.99	-13	50.99	Pass	7841
814	860	0.1	RMS	834.8	20.56	60	39.44	Pass	461
860	1000	0.1	RMS	860.3	-63.9	-13	50.9	Pass	1401
1000	3000	1	RMS	1669	-47.47	-13	34.47	Pass	2001
3000	10000	1	RMS	6961	-41.92	-13	28.92	Pass	7001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.89	-13	53.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	811.9	-61.41	-13	48.41	Pass	7841
814	860	0.1	RMS	834.8	19.91	60	40.09	Pass	461
860	1000	0.1	RMS	880.9	-63.93	-13	50.93	Pass	1401
1000	3000	1	RMS	1669	-48.09	-13	35.09	Pass	2001
3000	10000	1	RMS	6960	-41.94	-13	28.94	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.94	-13	47.94	Pass	401
0.15	30	0.01	Peak	0.17	-64.42	-13	51.42	Pass	2986
30	809	0.1	Peak	803.5	-53	-13	40	Pass	7791
809	829	0.1	Peak	814.3	26.3	60	33.7	Pass	401
829	1000	0.1	Peak	858	-52.9	-13	39.9	Pass	1711
1000	3000	1	Peak	1629	-35.41	-13	22.41	Pass	2001
3000	10000	1	Peak	7119	-30.32	-13	17.32	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.47	-13	46.47	Pass	401
0.15	30	0.01	Peak	0.21	-63.66	-13	50.66	Pass	2986
30	809	0.1	Peak	803.6	-51.74	-13	38.74	Pass	7791
809	829	0.1	Peak	814.2	26.87	60	33.13	Pass	401
829	1000	0.1	Peak	832.6	-52.66	-13	39.66	Pass	1711
1000	3000	1	Peak	2993	-36.34	-13	23.34	Pass	2001
3000	10000	1	Peak	7187	-30.4	-13	17.4	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-57.06	-13	44.06	Pass	401
0.15	30	0.01	Peak	0.15	-63.03	-13	50.03	Pass	2986
30	809	0.1	Peak	661.2	-53.38	-13	40.38	Pass	7791
809	829	0.1	Peak	818.6	26.19	60	33.81	Pass	401
829	1000	0.1	Peak	863.9	-52.53	-13	39.53	Pass	1711
1000	3000	1	Peak	2843	-37.14	-13	24.14	Pass	2001
3000	10000	1	Peak	7329	-30.13	-13	17.13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.98	-13	46.98	Pass	401
0.15	30	0.01	Peak	0.18	-62.91	-13	49.91	Pass	2986
30	809	0.1	Peak	806.7	-52.35	-13	39.35	Pass	7791
809	829	0.1	Peak	818.5	27.11	60	32.89	Pass	401
829	1000	0.1	Peak	830	-52.73	-13	39.73	Pass	1711
1000	3000	1	Peak	1637	-36.93	-13	23.93	Pass	2001
3000	10000	1	Peak	7203	-30.29	-13	17.29	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-60.16	-13	47.16	Pass	401
0.15	30	0.01	Peak	0.2	-63.35	-13	50.35	Pass	2986
30	809	0.1	Peak	734.7	-53.04	-13	40.04	Pass	7791
809	829	0.1	Peak	822.9	25.93	60	34.07	Pass	401
829	1000	0.1	Peak	990.6	-52.22	-13	39.22	Pass	1711
1000	3000	1	Peak	2930	-37.3	-13	24.3	Pass	2001
3000	10000	1	Peak	7881	-30.2	-13	17.2	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-57.83	-13	44.83	Pass	401
0.15	30	0.01	Peak	0.15	-64	-13	51	Pass	2986
30	809	0.1	Peak	441.3	-53.4	-13	40.4	Pass	7791
809	829	0.1	Peak	822.8	26.37	60	33.63	Pass	401
829	1000	0.1	Peak	829.2	-52.45	-13	39.45	Pass	1711
1000	3000	1	Peak	2960	-37.45	-13	24.45	Pass	2001
3000	10000	1	Peak	7216	-30.08	-13	17.08	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-59.34	-13	46.34	Pass	401
0.15	30	0.01	Peak	0.27	-63.5	-13	50.5	Pass	2986
30	809	0.1	Peak	809	-52.73	-13	39.73	Pass	7791
809	829	0.1	Peak	814.3	26.29	60	33.71	Pass	401
829	1000	0.1	Peak	846.1	-52.74	-13	39.74	Pass	1711
1000	3000	1	Peak	1628	-37.22	-13	24.22	Pass	2001
3000	10000	1	Peak	8679	-30.52	-13	17.52	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-59.92	-13	46.92	Pass	401
0.15	30	0.01	Peak	0.23	-64.62	-13	51.62	Pass	2986
30	809	0.1	Peak	808	-38.69	-13	25.69	Pass	7791
809	829	0.1	Peak	814.25	26.8	60	33.2	Pass	401
829	1000	0.1	Peak	911.9	-52.84	-13	39.84	Pass	1711
1000	3000	1	Peak	1628	-36.79	-13	23.79	Pass	2001
3000	10000	1	Peak	7267	-30.04	-13	17.04	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.54	-13	46.54	Pass	401
0.15	30	0.01	Peak	0.32	-64.75	-13	51.75	Pass	2986
30	809	0.1	Peak	581.7	-53.04	-13	40.04	Pass	7791
809	829	0.1	Peak	817.8	26.04	60	33.96	Pass	401
829	1000	0.1	Peak	835.5	-53.07	-13	40.07	Pass	1711
1000	3000	1	Peak	1635	-37.29	-13	24.29	Pass	2001
3000	10000	1	Peak	7176	-30.47	-13	17.47	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.6	-13	47.6	Pass	401
0.15	30	0.01	Peak	0.16	-63.66	-13	50.66	Pass	2986
30	809	0.1	Peak	720.4	-53.4	-13	40.4	Pass	7791
809	829	0.1	Peak	817.7	26.54	60	33.46	Pass	401
829	1000	0.1	Peak	903.8	-51.95	-13	38.95	Pass	1711
1000	3000	1	Peak	1635	-37.21	-13	24.21	Pass	2001
3000	10000	1	Peak	7362	-30.05	-13	17.05	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.5	-13	48.5	Pass	401
0.15	30	0.01	Peak	0.15	-64.71	-13	51.71	Pass	2986
30	809	0.1	Peak	719.3	-52.36	-13	39.36	Pass	7791
809	829	0.1	Peak	821.2	25.89	60	34.11	Pass	401
829	1000	0.1	Peak	834.2	-52.35	-13	39.35	Pass	1711
1000	3000	1	Peak	2949	-37.54	-13	24.54	Pass	2001
3000	10000	1	Peak	7704	-30.61	-13	17.61	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.17	-13	48.17	Pass	401
0.15	30	0.01	Peak	0.21	-64.64	-13	51.64	Pass	2986
30	809	0.1	Peak	744.3	-53.12	-13	40.12	Pass	7791
809	829	0.1	Peak	821.2	26.63	60	33.37	Pass	401
829	1000	0.1	Peak	833.8	-52.2	-13	39.2	Pass	1711
1000	3000	1	Peak	2954	-37.37	-13	24.37	Pass	2001
3000	10000	1	Peak	7218	-29.36	-13	16.36	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.07	-13	48.07	Pass	401
0.15	30	0.01	Peak	0.15	-63.66	-13	50.66	Pass	2986
30	809	0.1	Peak	809	-53.3	-13	40.3	Pass	7791
809	829	0.1	Peak	814.3	26.09	60	33.91	Pass	401
829	1000	0.1	Peak	831.5	-42.31	-13	29.31	Pass	1711
1000	3000	1	Peak	1629	-35.87	-13	22.87	Pass	2001
3000	10000	1	Peak	7218	-30.47	-13	17.47	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-58.42	-13	45.42	Pass	401
0.15	30	0.01	Peak	0.24	-63.13	-13	50.13	Pass	2986
30	809	0.1	Peak	808.1	-31.75	-13	18.75	Pass	7791
809	829	0.1	Peak	814.4	26.8	60	33.2	Pass	401
829	1000	0.1	Peak	831.5	-41.79	-13	28.79	Pass	1711
1000	3000	1	Peak	1629	-36.68	-13	23.68	Pass	2001
3000	10000	1	Peak	6963	-30.47	-13	17.47	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.29	-13	48.29	Pass	401
0.15	30	0.01	Peak	0.18	-63.75	-13	50.75	Pass	2986
30	809	0.1	Peak	809	-52.8	-13	39.8	Pass	7791
809	829	0.1	Peak	816.9	26.29	60	33.71	Pass	401
829	1000	0.1	Peak	994.1	-53.23	-13	40.23	Pass	1711
1000	3000	1	Peak	1634	-36.76	-13	23.76	Pass	2001
3000	10000	1	Peak	7882	-30.2	-13	17.2	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.51	-13	48.51	Pass	401
0.15	30	0.01	Peak	0.27	-64.16	-13	51.16	Pass	2986
30	809	0.1	Peak	807.9	-40.67	-13	27.67	Pass	7791
809	829	0.1	Peak	816.85	26.74	60	33.26	Pass	401
829	1000	0.1	Peak	829.4	-50.31	-13	37.31	Pass	1711
1000	3000	1	Peak	1634	-37.27	-13	24.27	Pass	2001
3000	10000	1	Peak	7198	-30.26	-13	17.26	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.34	-13	48.34	Pass	401
0.15	30	0.01	Peak	0.16	-64.14	-13	51.14	Pass	2986
30	809	0.1	Peak	435.5	-52.9	-13	39.9	Pass	7791
809	829	0.1	Peak	819.4	26.1	60	33.9	Pass	401
829	1000	0.1	Peak	829	-52.87	-13	39.87	Pass	1711
1000	3000	1	Peak	1639	-37.87	-13	24.87	Pass	2001
3000	10000	1	Peak	7249	-29.85	-13	16.85	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-58.91	-13	45.91	Pass	401
0.15	30	0.01	Peak	0.15	-63.38	-13	50.38	Pass	2986
30	809	0.1	Peak	712.6	-52.76	-13	39.76	Pass	7791
809	829	0.1	Peak	819.3	26.69	60	33.31	Pass	401
829	1000	0.1	Peak	829.2	-50.76	-13	37.76	Pass	1711
1000	3000	1	Peak	2989	-37.34	-13	24.34	Pass	2001
3000	10000	1	Peak	7276	-30.31	-13	17.31	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.19	-13	46.19	Pass	401
0.15	30	0.01	Peak	0.15	-63.06	-13	50.06	Pass	2986
30	809	0.1	Peak	731.2	-53.04	-13	40.04	Pass	7791
809	829	0.1	Peak	814.65	26.27	60	33.73	Pass	401
829	1000	0.1	Peak	904.6	-52.39	-13	39.39	Pass	1711
1000	3000	1	Peak	1629	-37.35	-13	24.35	Pass	2001
3000	10000	1	Peak	7189	-30.15	-13	17.15	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-59.85	-13	46.85	Pass	401
0.15	30	0.01	Peak	0.4	-63.56	-13	50.56	Pass	2986
30	809	0.1	Peak	808.8	-36.18	-13	23.18	Pass	7791
809	829	0.1	Peak	814.65	27.33	60	32.67	Pass	401
829	1000	0.1	Peak	839.4	-53	-13	40	Pass	1711
1000	3000	1	Peak	2832	-37.12	-13	24.12	Pass	2001
3000	10000	1	Peak	7245	-30.19	-13	17.19	Pass	7001



9. LTE_Band66


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.76	-13	54.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	846.2	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1700	-51.64	-13	38.64	Pass	701
1700	1790	1	RMS	1710.125	23.3	60	36.7	Pass	401
1790	3000	1	RMS	2951	-48.89	-13	35.89	Pass	1211
3000	12000	1	RMS	11853	-41.12	-13	28.12	Pass	9002
12000	20000	1	RMS	19400	-32.68	-13	19.68	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.57	-13	53.57	Pass	401
0.15	30	0.01	RMS	0.18	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	834.2	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1700	-51.81	-13	38.81	Pass	701
1700	1790	1	RMS	1710.125	22.62	60	37.38	Pass	401
1790	3000	1	RMS	2955	-48.82	-13	35.82	Pass	1211
3000	12000	1	RMS	11846	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	19393	-32.67	-13	19.67	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.26	-13	54.26	Pass	401
0.15	30	0.01	RMS	0.2	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	853.903	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1681	-52.52	-13	39.52	Pass	701
1700	1790	1	RMS	1744.55	22.99	60	37.01	Pass	401
1790	3000	1	RMS	2956	-48.82	-13	35.82	Pass	1211
3000	12000	1	RMS	11855	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19401	-32.7	-13	19.7	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.08	-13	54.08	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	846	-63.73	-13	50.73	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	39.43	Pass	701
1700	1790	1	RMS	1744.55	22.41	60	37.59	Pass	401
1790	3000	1	RMS	2957	-48.84	-13	35.84	Pass	1211
3000	12000	1	RMS	11843	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19396	-32.71	-13	19.71	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.44	-13	53.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	846	-63.69	-13	50.69	Pass	9701
1000	1700	1	RMS	1694	-52.51	-13	39.51	Pass	701
1700	1790	1	RMS	1778.75	23.16	60	36.84	Pass	401
1790	3000	1	RMS	2960	-48.88	-13	35.88	Pass	1211
3000	12000	1	RMS	11851	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19398	-32.72	-13	19.72	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.76	-13	53.76	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	875.417	-63.83	-13	50.83	Pass	9701
1000	1700	1	RMS	1692	-52.49	-13	39.49	Pass	701
1700	1790	1	RMS	1778.75	22.5	60	37.5	Pass	401
1790	3000	1	RMS	2957	-48.83	-13	35.83	Pass	1211
3000	12000	1	RMS	11850	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	19403	-32.63	-13	19.63	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.26	-13	54.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	845.7	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1700	-51.77	-13	38.77	Pass	701
1700	1790	1	RMS	1710.125	23.24	60	36.76	Pass	401
1790	3000	1	RMS	2950	-48.83	-13	35.83	Pass	1211
3000	12000	1	RMS	11846	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19401	-32.7	-13	19.7	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.18	-13	54.18	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	980.487	-63.85	-13	50.85	Pass	9701
1000	1700	1	RMS	1700	-51.76	-13	38.76	Pass	701
1700	1790	1	RMS	1710.125	22.49	60	37.51	Pass	401
1790	3000	1	RMS	2957	-48.86	-13	35.86	Pass	1211
3000	12000	1	RMS	11851	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19401	-32.67	-13	19.67	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.07	-13	54.07	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	57.53	Pass	2986
30	1000	0.1	RMS	857.506	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1699	-52.51	-13	39.51	Pass	701
1700	1790	1	RMS	1743.65	23.21	60	36.79	Pass	401
1790	3000	1	RMS	2957	-48.87	-13	35.87	Pass	1211
3000	12000	1	RMS	11853	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19406	-32.72	-13	19.72	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.54	-13	54.54	Pass	401
0.15	30	0.01	RMS	0.18	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	841	-63.81	-13	50.81	Pass	9701
1000	1700	1	RMS	1696	-52.53	-13	39.53	Pass	701
1700	1790	1	RMS	1743.65	22.54	60	37.46	Pass	401
1790	3000	1	RMS	2956	-48.86	-13	35.86	Pass	1211
3000	12000	1	RMS	11843	-41.03	-13	28.03	Pass	9002
12000	20000	1	RMS	19705	-32.74	-13	19.74	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.8	-13	53.8	Pass	401
0.15	30	0.01	RMS	0.23	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	859.007	-63.78	-13	50.78	Pass	9701
1000	1700	1	RMS	1697	-52.56	-13	39.56	Pass	701
1700	1790	1	RMS	1777.175	23.16	60	36.84	Pass	401
1790	3000	1	RMS	2952	-48.82	-13	35.82	Pass	1211
3000	12000	1	RMS	11850	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19404	-32.7	-13	19.7	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.3	-13	54.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	840.9	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1699	-52.54	-13	39.54	Pass	701
1700	1790	1	RMS	1777.175	22.51	60	37.49	Pass	401
1790	3000	1	RMS	2952	-48.81	-13	35.81	Pass	1211
3000	12000	1	RMS	11855	-41.03	-13	28.03	Pass	9002
12000	20000	1	RMS	19404	-32.64	-13	19.64	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.87	-13	53.87	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	845	-63.79	-13	50.79	Pass	9701
1000	1700	1	RMS	1700	-51.57	-13	38.57	Pass	701
1700	1790	1	RMS	1710.125	23.11	60	36.89	Pass	401
1790	3000	1	RMS	2955	-48.81	-13	35.81	Pass	1211
3000	12000	1	RMS	11849	-41.09	-13	28.09	Pass	9002
12000	20000	1	RMS	19395	-32.74	-13	19.74	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	837.2	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1700	-51.59	-13	38.59	Pass	701
1700	1790	1	RMS	1710.125	22.46	60	37.54	Pass	401
1790	3000	1	RMS	2955	-48.87	-13	35.87	Pass	1211
3000	12000	1	RMS	11837	-41.13	-13	28.13	Pass	9002
12000	20000	1	RMS	19401	-32.74	-13	19.74	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.2	-13	54.2	Pass	401
0.15	30	0.01	RMS	0.19	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	842.7	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1700	-52.49	-13	39.49	Pass	701
1700	1790	1	RMS	1742.75	23.08	60	36.92	Pass	401
1790	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1211
3000	12000	1	RMS	11841	-41.09	-13	28.09	Pass	9002
12000	20000	1	RMS	19413	-32.67	-13	19.67	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.79	-13	54.79	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	848.2	-63.58	-13	50.58	Pass	9701
1000	1700	1	RMS	1700	-52.52	-13	39.52	Pass	701
1700	1790	1	RMS	1742.75	22.48	60	37.52	Pass	401
1790	3000	1	RMS	2957	-48.79	-13	35.79	Pass	1211
3000	12000	1	RMS	11850	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19402	-32.69	-13	19.69	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.12	-13	54.12	Pass	401
0.15	30	0.01	RMS	0.2	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	861.108	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1685	-52.52	-13	39.52	Pass	701
1700	1790	1	RMS	1775.15	23.19	60	36.81	Pass	401
1790	3000	1	RMS	2957	-48.87	-13	35.87	Pass	1211
3000	12000	1	RMS	11850	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19401	-32.64	-13	19.64	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.2	-13	54.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	854.604	-63.79	-13	50.79	Pass	9701
1000	1700	1	RMS	1700	-52.52	-13	39.52	Pass	701
1700	1790	1	RMS	1775.15	22.54	60	37.46	Pass	401
1790	3000	1	RMS	2949	-48.9	-13	35.9	Pass	1211
3000	12000	1	RMS	11844	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19405	-32.71	-13	19.71	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.8	-13	53.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	863.409	-63.66	-13	50.66	Pass	9701
1000	1700	1	RMS	1700	-51.56	-13	38.56	Pass	701
1700	1790	1	RMS	1710.35	23.15	60	36.85	Pass	401
1790	3000	1	RMS	2957	-48.79	-13	35.79	Pass	1211
3000	12000	1	RMS	11847	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19401	-32.74	-13	19.74	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.47	-13	55.47	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	2986
30	1000	0.1	RMS	847.9	-63.87	-13	50.87	Pass	9701
1000	1700	1	RMS	1700	-51.65	-13	38.65	Pass	701
1700	1790	1	RMS	1710.575	22.73	60	37.27	Pass	401
1790	3000	1	RMS	2960	-48.82	-13	35.82	Pass	1211
3000	12000	1	RMS	11848	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19405	-32.68	-13	19.68	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.02	-13	55.02	Pass	401
0.15	30	0.01	RMS	0.16	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	829.6	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1694	-52.53	-13	39.53	Pass	701
1700	1790	1	RMS	1740.5	23.18	60	36.82	Pass	401
1790	3000	1	RMS	2952	-48.85	-13	35.85	Pass	1211
3000	12000	1	RMS	11838	-41.09	-13	28.09	Pass	9002
12000	20000	1	RMS	19403	-32.68	-13	19.68	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.85	-13	53.85	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	856.105	-63.57	-13	50.57	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	39.5	Pass	701
1700	1790	1	RMS	1740.5	22.49	60	37.51	Pass	401
1790	3000	1	RMS	2958	-48.81	-13	35.81	Pass	1211
3000	12000	1	RMS	11846	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19394	-32.72	-13	19.72	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.06	-13	53.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	841	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1699	-52.51	-13	39.51	Pass	701
1700	1790	1	RMS	1770.425	23.19	60	36.81	Pass	401
1790	3000	1	RMS	2954	-48.84	-13	35.84	Pass	1211
3000	12000	1	RMS	11850	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19399	-32.71	-13	19.71	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.01	-13	53.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	839.7	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1687	-52.54	-13	39.54	Pass	701
1700	1790	1	RMS	1770.425	22.43	60	37.57	Pass	401
1790	3000	1	RMS	2957	-48.81	-13	35.81	Pass	1211
3000	12000	1	RMS	11847	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19701	-32.75	-13	19.75	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.7	-13	53.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	848.3	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1698	-51.23	-13	38.23	Pass	701
1700	1790	1	RMS	1710.8	23.01	60	36.99	Pass	401
1790	3000	1	RMS	2957	-48.76	-13	35.76	Pass	1211
3000	12000	1	RMS	11843	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19401	-32.7	-13	19.7	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.42	-13	54.42	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	847.6	-63.84	-13	50.84	Pass	9701
1000	1700	1	RMS	1698	-51.38	-13	38.38	Pass	701
1700	1790	1	RMS	1710.8	22.27	60	37.73	Pass	401
1790	3000	1	RMS	2953	-48.87	-13	35.87	Pass	1211
3000	12000	1	RMS	11850	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19402	-32.76	-13	19.76	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.28	-13	53.28	Pass	401
0.15	30	0.01	RMS	0.18	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	837.5	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1699	-52.46	-13	39.46	Pass	701
1700	1790	1	RMS	1738.25	22.85	60	37.15	Pass	401
1790	3000	1	RMS	2950	-48.84	-13	35.84	Pass	1211
3000	12000	1	RMS	11849	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19397	-32.64	-13	19.64	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.62	-13	53.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	849.7	-63.82	-13	50.82	Pass	9701
1000	1700	1	RMS	1698	-52.52	-13	39.52	Pass	701
1700	1790	1	RMS	1738.25	22.18	60	37.82	Pass	401
1790	3000	1	RMS	2958	-48.85	-13	35.85	Pass	1211
3000	12000	1	RMS	11849	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19405	-32.69	-13	19.69	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.9	-13	53.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	856.305	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1699	-52.47	-13	39.47	Pass	701
1700	1790	1	RMS	1765.7	22.88	60	37.12	Pass	401
1790	3000	1	RMS	2962	-48.89	-13	35.89	Pass	1211
3000	12000	1	RMS	11853	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19400	-32.72	-13	19.72	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.71	-13	53.71	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	861.008	-63.73	-13	50.73	Pass	9701
1000	1700	1	RMS	1698	-52.5	-13	39.5	Pass	701
1700	1790	1	RMS	1765.7	22.38	60	37.62	Pass	401
1790	3000	1	RMS	2957	-48.76	-13	35.76	Pass	1211
3000	12000	1	RMS	11846	-41.14	-13	28.14	Pass	9002
12000	20000	1	RMS	19397	-32.75	-13	19.75	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.07	-13	54.07	Pass	401
0.15	30	0.01	RMS	0.2	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	851.101	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1700	-51.78	-13	38.78	Pass	701
1700	1790	1	RMS	1711.025	23.03	60	36.97	Pass	401
1790	3000	1	RMS	2945	-48.87	-13	35.87	Pass	1211
3000	12000	1	RMS	11846	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19393	-32.69	-13	19.69	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.75	-13	53.75	Pass	401
0.15	30	0.01	RMS	0.31	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	842.7	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1700	-51.84	-13	38.84	Pass	701
1700	1790	1	RMS	1711.025	22.42	60	37.58	Pass	401
1790	3000	1	RMS	2960	-48.84	-13	35.84	Pass	1211
3000	12000	1	RMS	11856	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19402	-32.69	-13	19.69	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.96	-13	52.96	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	840.6	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	39.5	Pass	701
1700	1790	1	RMS	1736	22.86	60	37.14	Pass	401
1790	3000	1	RMS	2960	-48.85	-13	35.85	Pass	1211
3000	12000	1	RMS	11848	-41.04	-13	28.04	Pass	9002
12000	20000	1	RMS	19407	-32.73	-13	19.73	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.53	-13	53.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	829	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1700	-52.41	-13	39.41	Pass	701
1700	1790	1	RMS	1736	22.25	60	37.75	Pass	401
1790	3000	1	RMS	2957	-48.84	-13	35.84	Pass	1211
3000	12000	1	RMS	11854	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19396	-32.73	-13	19.73	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.26	-13	54.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	850.501	-63.88	-13	50.88	Pass	9701
1000	1700	1	RMS	1698	-52.51	-13	39.51	Pass	701
1700	1790	1	RMS	1760.975	22.98	60	37.02	Pass	401
1790	3000	1	RMS	2959	-48.83	-13	35.83	Pass	1211
3000	12000	1	RMS	11851	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19405	-32.73	-13	19.73	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.05	-13	54.05	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	57.82	Pass	2986
30	1000	0.1	RMS	840.8	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1681	-52.5	-13	39.5	Pass	701
1700	1790	1	RMS	1760.975	22.51	60	37.49	Pass	401
1790	3000	1	RMS	2960	-48.85	-13	35.85	Pass	1211
3000	12000	1	RMS	11844	-41.03	-13	28.03	Pass	9002
12000	20000	1	RMS	19402	-32.71	-13	19.71	Pass	8001



10. LTE_Band38


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.93	-25	37.93	Pass	401
0.15	30	0.01	RMS	0.15	-66.88	-25	41.88	Pass	2986
30	1000	0.1	RMS	609.7	-59.37	-25	34.37	Pass	9701
1000	2560	1	RMS	2560	-41.52	-25	16.52	Pass	1561
2560	2630	1	RMS	2570.325	23.89	60	36.11	Pass	401
2630	3000	1	RMS	2956.525	-44.83	-25	19.83	Pass	401
3000	12000	1	RMS	11854	-56.59	-25	31.59	Pass	9002
12000	26500	1	RMS	25998	-42.62	-25	17.62	Pass	14502




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.97	-25	37.97	Pass	401
0.15	30	0.01	RMS	0.18	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	851.001	-59.67	-25	34.67	Pass	9701
1000	2560	1	RMS	2555	-44.31	-25	19.31	Pass	1561
2560	2630	1	RMS	2570.325	23.36	60	36.64	Pass	401
2630	3000	1	RMS	2960.225	-44.85	-25	19.85	Pass	401
3000	12000	1	RMS	5140	-56.08	-25	31.08	Pass	9002
12000	26500	1	RMS	26010	-42.64	-25	17.64	Pass	14502




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.83	-25	38.83	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	851.602	-59.79	-25	34.79	Pass	9701
1000	2560	1	RMS	2559	-45.96	-25	20.96	Pass	1561
2560	2630	1	RMS	2592.9	23.3	60	36.7	Pass	401
2630	3000	1	RMS	2956.525	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	5186	-53.35	-25	28.35	Pass	9002
12000	26500	1	RMS	26000	-42.64	-25	17.64	Pass	14502




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.02	-25	37.02	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	862.009	-59.67	-25	34.67	Pass	9701
1000	2560	1	RMS	2560	-45.83	-25	20.83	Pass	1561
2560	2630	1	RMS	2592.725	23.11	60	36.89	Pass	401
2630	3000	1	RMS	2957.45	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	11851	-56.58	-25	31.58	Pass	9002
12000	26500	1	RMS	26001	-42.61	-25	17.61	Pass	14502




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.43	-25	38.43	Pass	401
0.15	30	0.01	RMS	0.16	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	845.9	-59.68	-25	34.68	Pass	9701
1000	2560	1	RMS	2560	-46.15	-25	21.15	Pass	1561
2560	2630	1	RMS	2615.125	23.38	60	36.62	Pass	401
2630	3000	1	RMS	2630	-44.46	-25	19.46	Pass	401
3000	12000	1	RMS	5231	-55.8	-25	30.8	Pass	9002
12000	26500	1	RMS	26007	-42.63	-25	17.63	Pass	14502




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.36	-25	37.36	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	850.901	-59.7	-25	34.7	Pass	9701
1000	2560	1	RMS	2560	-46.27	-25	21.27	Pass	1561
2560	2630	1	RMS	2615.125	23.21	60	36.79	Pass	401
2630	3000	1	RMS	2631.85	-44.64	-25	19.64	Pass	401
3000	12000	1	RMS	5231	-54.87	-25	29.87	Pass	9002
12000	26500	1	RMS	25993	-42.61	-25	17.61	Pass	14502




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.18	-25	38.18	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	856.305	-59.7	-25	34.7	Pass	9701
1000	2560	1	RMS	2558	-42.58	-25	17.58	Pass	1561
2560	2630	1	RMS	2570.325	23.39	60	36.61	Pass	401
2630	3000	1	RMS	2958.375	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	5141	-55.56	-25	30.56	Pass	9002
12000	26500	1	RMS	26002	-42.6	-25	17.6	Pass	14502




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.44	-25	37.44	Pass	401
0.15	30	0.01	RMS	0.17	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	846.6	-59.57	-25	34.57	Pass	9701
1000	2560	1	RMS	2558	-42.05	-25	17.05	Pass	1561
2560	2630	1	RMS	2570.5	23.48	60	36.52	Pass	401
2630	3000	1	RMS	2957.45	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	11850	-56.55	-25	31.55	Pass	9002
12000	26500	1	RMS	26001	-42.64	-25	17.64	Pass	14502



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.24	-25	37.24	Pass	401
0.15	30	0.01	RMS	0.17	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	852.302	-59.66	-25	34.66	Pass	9701
1000	2560	1	RMS	2560	-45.67	-25	20.67	Pass	1561
2560	2630	1	RMS	2590.45	24.05	60	35.95	Pass	401
2630	3000	1	RMS	2948.2	-44.8	-25	19.8	Pass	401
3000	12000	1	RMS	5181	-44.01	-25	19.01	Pass	9002
12000	26500	1	RMS	25998	-42.57	-25	17.57	Pass	14502



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.74	-25	37.74	Pass	401
0.15	30	0.01	RMS	0.18	-67.76	-25	42.76	Pass	2986
30	1000	0.1	RMS	834.5	-59.74	-25	34.74	Pass	9701
1000	2560	1	RMS	2555	-45.79	-25	20.79	Pass	1561
2560	2630	1	RMS	2590.45	23.45	60	36.55	Pass	401
2630	3000	1	RMS	2949.125	-44.78	-25	19.78	Pass	401
3000	12000	1	RMS	5181	-45.23	-25	20.23	Pass	9002
12000	26500	1	RMS	25996	-42.58	-25	17.58	Pass	14502



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.54	-25	38.54	Pass	401
0.15	30	0.01	RMS	0.17	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	843.9	-59.65	-25	34.65	Pass	9701
1000	2560	1	RMS	2557	-46.07	-25	21.07	Pass	1561
2560	2630	1	RMS	2610.4	23.72	60	36.28	Pass	401
2630	3000	1	RMS	2944.5	-44.85	-25	19.85	Pass	401
3000	12000	1	RMS	5221	-55.65	-25	30.65	Pass	9002
12000	26500	1	RMS	26003	-42.65	-25	17.65	Pass	14502



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.89	-25	37.89	Pass	401
0.15	30	0.01	RMS	0.24	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	845.2	-59.57	-25	34.57	Pass	9701
1000	2560	1	RMS	2558	-46.03	-25	21.03	Pass	1561
2560	2630	1	RMS	2610.575	23.13	60	36.87	Pass	401
2630	3000	1	RMS	2956.525	-44.76	-25	19.76	Pass	401
3000	12000	1	RMS	11853	-56.56	-25	31.56	Pass	9002
12000	26500	1	RMS	26020	-42.63	-25	17.63	Pass	14502



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.67	-25	36.67	Pass	401
0.15	30	0.01	RMS	0.17	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	610.1	-59.65	-25	34.65	Pass	9701
1000	2560	1	RMS	2558	-42.34	-25	17.34	Pass	1561
2560	2630	1	RMS	2570.85	23.57	60	36.43	Pass	401
2630	3000	1	RMS	2946.35	-44.86	-25	19.86	Pass	401
3000	12000	1	RMS	11849	-56.62	-25	31.62	Pass	9002
12000	26500	1	RMS	26005	-42.61	-25	17.61	Pass	14502



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.38	-25	37.38	Pass	401
0.15	30	0.01	RMS	0.2	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	845	-59.74	-25	34.74	Pass	9701
1000	2560	1	RMS	2560	-42.06	-25	17.06	Pass	1561
2560	2630	1	RMS	2570.85	22.97	60	37.03	Pass	401
2630	3000	1	RMS	2956.525	-44.84	-25	19.84	Pass	401
3000	12000	1	RMS	5142	-56.08	-25	31.08	Pass	9002
12000	26500	1	RMS	26003	-42.66	-25	17.66	Pass	14502



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.78	-25	35.78	Pass	401
0.15	30	0.01	RMS	0.22	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	852.002	-59.61	-25	34.61	Pass	9701
1000	2560	1	RMS	2557	-45.07	-25	20.07	Pass	1561
2560	2630	1	RMS	2588.35	23.05	60	36.95	Pass	401
2630	3000	1	RMS	2954.675	-44.82	-25	19.82	Pass	401
3000	12000	1	RMS	11852	-56.62	-25	31.62	Pass	9002
12000	26500	1	RMS	26001	-42.6	-25	17.6	Pass	14502



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.65	-25	37.65	Pass	401
0.15	30	0.01	RMS	0.15	-67.58	-25	42.58	Pass	2986
30	1000	0.1	RMS	842	-59.7	-25	34.7	Pass	9701
1000	2560	1	RMS	2557	-45.52	-25	20.52	Pass	1561
2560	2630	1	RMS	2588.175	23.16	60	36.84	Pass	401
2630	3000	1	RMS	2959.3	-44.83	-25	19.83	Pass	401
3000	12000	1	RMS	5177	-56.31	-25	31.31	Pass	9002
12000	26500	1	RMS	26017	-42.63	-25	17.63	Pass	14502



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.64	-25	38.64	Pass	401
0.15	30	0.01	RMS	0.29	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	840.9	-59.69	-25	34.69	Pass	9701
1000	2560	1	RMS	2560	-45.43	-25	20.43	Pass	1561
2560	2645	1	RMS	2605.9	23.42	60	36.58	Pass	401
2645	3000	1	RMS	2958.288	-44.83	-25	19.83	Pass	401
3000	12000	1	RMS	5212	-55.25	-25	30.25	Pass	9002
12000	26500	1	RMS	26005	-42.64	-25	17.64	Pass	14502



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.77	-25	36.77	Pass	401
0.15	30	0.01	RMS	0.2	-68.52	-25	43.52	Pass	2986
30	1000	0.1	RMS	836.8	-59.63	-25	34.63	Pass	9701
1000	2560	1	RMS	2558	-45.9	-25	20.9	Pass	1561
2560	2645	1	RMS	2605.688	22.39	60	37.61	Pass	401
2645	3000	1	RMS	2957.4	-44.81	-25	19.81	Pass	401
3000	12000	1	RMS	11854	-56.57	-25	31.57	Pass	9002
12000	26500	1	RMS	25996	-42.63	-25	17.63	Pass	14502



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.87	-25	36.87	Pass	401
0.15	30	0.01	RMS	0.16	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	855.804	-59.57	-25	34.57	Pass	9701
1000	2560	1	RMS	2560	-40.91	-25	15.91	Pass	1561
2560	2630	1	RMS	2570.85	23.46	60	36.54	Pass	401
2630	3000	1	RMS	2956.525	-44.79	-25	19.79	Pass	401
3000	12000	1	RMS	5142	-55.14	-25	30.14	Pass	9002
12000	26500	1	RMS	26010	-42.65	-25	17.65	Pass	14502



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.19	-25	38.19	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	824	-59.67	-25	34.67	Pass	9701
1000	2560	1	RMS	2560	-42.65	-25	17.65	Pass	1561
2560	2630	1	RMS	2571.025	23.16	60	36.84	Pass	401
2630	3000	1	RMS	2953.75	-44.81	-25	19.81	Pass	401
3000	12000	1	RMS	11849	-56.57	-25	31.57	Pass	9002
12000	26500	1	RMS	26005	-42.53	-25	17.53	Pass	14502



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.96	-25	36.96	Pass	401
0.15	30	0.01	RMS	0.26	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	848	-59.63	-25	34.63	Pass	9701
1000	2560	1	RMS	2559	-45.11	-25	20.11	Pass	1561
2560	2630	1	RMS	2586.075	23.97	60	36.03	Pass	401
2630	3000	1	RMS	2958.375	-44.81	-25	19.81	Pass	401
3000	12000	1	RMS	11849	-56.62	-25	31.62	Pass	9002
12000	26500	1	RMS	26001	-42.49	-25	17.49	Pass	14502



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.88	-25	37.88	Pass	401
0.15	30	0.01	RMS	0.16	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	850.001	-59.62	-25	34.62	Pass	9701
1000	2560	1	RMS	2558	-44.86	-25	19.86	Pass	1561
2560	2630	1	RMS	2585.9	22.56	60	37.44	Pass	401
2630	3000	1	RMS	2956.525	-44.8	-25	19.8	Pass	401
3000	12000	1	RMS	11845	-56.63	-25	31.63	Pass	9002
12000	26500	1	RMS	26003	-42.56	-25	17.56	Pass	14502



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.52	-25	36.52	Pass	401
0.15	30	0.01	RMS	0.16	-68.5	-25	43.5	Pass	2986
30	1000	0.1	RMS	847.7	-59.72	-25	34.72	Pass	9701
1000	2560	1	RMS	2558	-45.76	-25	20.76	Pass	1561
2560	2645	1	RMS	2601.013	23.17	60	36.83	Pass	401
2645	3000	1	RMS	2953.85	-44.82	-25	19.82	Pass	401
3000	12000	1	RMS	11850	-56.59	-25	31.59	Pass	9002
12000	26500	1	RMS	25987	-42.6	-25	17.6	Pass	14502



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.25	-25	37.25	Pass	401
0.15	30	0.01	RMS	0.15	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	852.102	-59.75	-25	34.75	Pass	9701
1000	2560	1	RMS	2553	-46.11	-25	21.11	Pass	1561
2560	2645	1	RMS	2600.8	22.9	60	37.1	Pass	401
2645	3000	1	RMS	2960.063	-44.83	-25	19.83	Pass	401
3000	12000	1	RMS	11851	-56.61	-25	31.61	Pass	9002
12000	26500	1	RMS	26002	-42.56	-25	17.56	Pass	14502



1. LTE_Band41 full

1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.15	-25	Pass	2986
30	1000	0.1	RMS	861.408	-59.62	-25	Pass	9701
1000	2486	1	RMS	2486	-42.72	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.46	60	Pass	401
2700	3000	1	RMS	2954.25	-44.58	-25	Pass	401
3000	12000	1	RMS	11852	-56.87	-25	Pass	9002
12000	27000	1	RMS	25996	-41.91	-25	Pass	15002



1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.79	-25	Pass	2986
30	1000	0.1	RMS	839.6	-59.63	-25	Pass	9701
1000	2486	1	RMS	2484	-44.63	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.48	60	Pass	401
2700	3000	1	RMS	2956.5	-44.57	-25	Pass	401
3000	12000	1	RMS	11856	-56.91	-25	Pass	9002
12000	27000	1	RMS	25998	-42	-25	Pass	15002

