



11.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




1. CA_7C


**1.1. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1,
Channel:21006|21150, Bandwidth:10|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




1.2. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




1.3. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




**1.4. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4,
Channel:21051|21195, Bandwidth:20|10MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**1.5. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5,
Channel:21025|21175, Bandwidth:15|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**1.6. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6,
Channel:21025|21175, Bandwidth:15|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**1.7. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7,
Channel:21003|21174, Bandwidth:15|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**1.8. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8,
Channel:21003|21174, Bandwidth:15|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**1.9. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9,
Channel:21026|21197, Bandwidth:20|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**1.10. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10,
Channel:21026|21197, Bandwidth:20|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



1.11. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




1.12. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




2. CA_66C


2.1. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:1,
Channel:132330|132447, Bandwidth:5|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)




2.2. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:2, Channel:132330|132447, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




2.3. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:3, Channel:132397|132514, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




**2.4. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:4,
Channel:132397|132514, Bandwidth:20|5MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**2.5. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:5,
Channel:132351|132471, Bandwidth:10|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**2.6. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:6,
Channel:132351|132471, Bandwidth:10|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**2.7. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:7,
Channel:132373|132493, Bandwidth:15|10MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




2.8. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:8, Channel:132373|132493, Bandwidth:15|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




2.9. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:9, Channel:132328|132472, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




**2.10. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:10,
Channel:132328|132472, Bandwidth:10|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**2.11. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:11,
Channel:132373|132517, Bandwidth:20|10MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**2.12. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:12,
Channel:132373|132517, Bandwidth:20|10MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**2.13. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:13,
Channel:132325|132496, Bandwidth:15|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**2.14. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:14,
Channel:132325|132496, Bandwidth:15|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**2.15. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:15,
Channel:132348|132519, Bandwidth:20|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**2.16. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:16,
Channel:132348|132519, Bandwidth:20|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**2.17. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:17,
Channel:132347|132497, Bandwidth:15|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**2.18. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:18,
Channel:132347|132497, Bandwidth:15|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



**2.19. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:19,
Channel:132323|132521, Bandwidth:20|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**2.20. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:20,
Channel:132323|132521, Bandwidth:20|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




3. CA_41C_full


3.1. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:1,
Channel:40528|40645, Bandwidth:5|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)




3.2. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:2, Channel:40528|40645, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




3.3. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:3, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




3.4. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:4, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




3.5. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:5, Channel:40526|40670, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




3.6. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:6, Channel:40526|40670, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




3.7. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:7, Channel:40571|40715, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




3.8. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:8, Channel:40571|40715, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




3.9. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:9, Channel:40545|40695, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




3.10. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:10, Channel:40545|40695, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




3.11. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:11, Channel:40523|40694, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




3.12. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:12, Channel:40523|40694, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




3.13. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:13, Channel:40546|40717, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




3.14. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:14, Channel:40546|40717, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)



3.15. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:15, Channel:40521|40719, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




3.16. LTE-A Peak to Average Ratio_Part22-24-27(NTLV)(Subtest:16, Channel:40521|40719, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




1. n7

1.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	4.03	13	Pass




1.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	4.17	13	Pass




1.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.06	13	Pass




1.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.02	13	Pass




1.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.77	13	Pass




1.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.02	13	Pass




1.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.09	13	Pass




1.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.28	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.61	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	3.37	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	4.12	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	4.59	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.25	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.44	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.05	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.39	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.14	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.47	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.75	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	3.28	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	3.89	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	4.17	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.11	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	4.97	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.91	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.02	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.14	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.33	13	Pass




1.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.61	13	Pass




2. n2 15kHz

2.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




2.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	3.8	13	Pass




2.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	4.45	13	Pass




2.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.3	13	Pass




2.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.2	13	Pass




2.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6	13	Pass




2.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.25	13	Pass




2.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.28	13	Pass




2.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.42	13	Pass




2.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.66	13	Pass




2.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	3.66	13	Pass




2.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	3.98	13	Pass




2.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	4.87	13	Pass




2.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.16	13	Pass




2.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.62	13	Pass




2.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.91	13	Pass




2.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.53	13	Pass




2.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.28	13	Pass




2.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.61	13	Pass




2.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.75	13	Pass




2.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	3.52	13	Pass




2.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	4.08	13	Pass




2.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	4.45	13	Pass




2.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.2	13	Pass




2.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.3	13	Pass




2.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6	13	Pass




2.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.34	13	Pass




2.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.28	13	Pass




2.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.52	13	Pass



2.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.7	13	Pass



3. n5


3.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	3	13	Pass




3.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	3.8	13	Pass




3.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	3.98	13	Pass




3.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.16	13	Pass




3.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	4.83	13	Pass




3.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.95	13	Pass




3.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.02	13	Pass




3.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.19	13	Pass




3.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.19	13	Pass




3.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.52	13	Pass




3.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	3.09	13	Pass




3.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	3.75	13	Pass




3.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	4.08	13	Pass




3.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.06	13	Pass




3.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	4.83	13	Pass




3.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.86	13	Pass




3.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.02	13	Pass




3.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.14	13	Pass




3.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.23	13	Pass




3.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.56	13	Pass




3.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	3.52	13	Pass




3.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	3.98	13	Pass




3.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	4.5	13	Pass



3.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.16	13	Pass



3.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.25	13	Pass

