



1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.18	-13	53.18	Pass	401
0.15	30	0.01	RMS	0.21	-68.1	-13	55.1	Pass	2986
30	1000	0.1	RMS	900.334	-60.77	-13	47.77	Pass	9701
1000	3000	1	RMS	2869	-48.36	-13	35.36	Pass	2001
3000	3440	1	RMS	3040	-43.7	-13	30.7	Pass	441
3440	3560	1	RMS	3450.8	19.28	60	40.72	Pass	401
3560	7000	1	RMS	6902	-53.49	-13	40.49	Pass	3441
7000	26500	1	RMS	25225	-45.46	-13	32.46	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.7	-13	45.7	Pass	401
0.15	30	0.01	RMS	0.18	-68.47	-13	55.47	Pass	2986
30	1000	0.1	RMS	876.418	-61.3	-13	48.3	Pass	9701
1000	3000	1	RMS	2873	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3031	-43.65	-13	30.65	Pass	441
3440	3560	1	RMS	3459.2	19.17	60	40.83	Pass	401
3560	7000	1	RMS	6918	-53.43	-13	40.43	Pass	3441
7000	26500	1	RMS	25195	-45.27	-13	32.27	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.36	-13	47.36	Pass	401
0.15	30	0.01	RMS	0.41	-69.75	-13	56.75	Pass	2986
30	1000	0.1	RMS	929.353	-61.48	-13	48.48	Pass	9701
1000	3000	1	RMS	2874	-48.45	-13	35.45	Pass	2001
3000	3440	1	RMS	3030	-43.62	-13	30.62	Pass	441
3440	3560	1	RMS	3503.3	10.91	60	49.09	Pass	401
3560	7000	1	RMS	7000	-59.78	-13	46.78	Pass	3441
7000	26500	1	RMS	25863	-44.94	-13	31.94	Pass	19503




**1.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.94	-13	50.94	Pass	401
0.15	30	0.01	RMS	0.17	-68.62	-13	55.62	Pass	2986
30	1000	0.1	RMS	887.626	-60.84	-13	47.84	Pass	9701
1000	3000	1	RMS	2874	-48.45	-13	35.45	Pass	2001
3000	3440	1	RMS	3032	-43.65	-13	30.65	Pass	441
3440	3560	1	RMS	3495.8	19.55	60	40.45	Pass	401
3560	7000	1	RMS	6992	-54.91	-13	41.91	Pass	3441
7000	26500	1	RMS	25186	-45.35	-13	32.35	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.26	-13	58.26	Pass	401
0.15	30	0.01	RMS	0.24	-70.88	-13	57.88	Pass	2986
30	1000	0.1	RMS	925.651	-61.03	-13	48.03	Pass	9701
1000	3000	1	RMS	2865	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3033	-43.65	-13	30.65	Pass	441
3440	3560	1	RMS	3504.2	19.67	60	40.33	Pass	401
3560	7000	1	RMS	6934	-60.84	-13	47.84	Pass	3441
7000	26500	1	RMS	26187	-45.27	-13	32.27	Pass	19503




**1.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.86	-13	54.86	Pass	401
0.15	30	0.01	RMS	0.25	-70.05	-13	57.05	Pass	2986
30	1000	0.1	RMS	888.226	-60.82	-13	47.82	Pass	9701
1000	3000	1	RMS	2868	-48.5	-13	35.5	Pass	2001
3000	3440	1	RMS	3042	-43.64	-13	30.64	Pass	441
3440	3560	1	RMS	3541.7	11	60	49	Pass	401
3560	7000	1	RMS	3560	-45.93	-13	32.93	Pass	3441
7000	26500	1	RMS	25202	-45.55	-13	32.55	Pass	19503




**1.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	0.46	-69.6	-13	56.6	Pass	2986
30	1000	0.1	RMS	855.804	-61.39	-13	48.39	Pass	9701
1000	3000	1	RMS	2864	-48.48	-13	35.48	Pass	2001
3000	3440	1	RMS	3027	-43.64	-13	30.64	Pass	441
3440	3560	1	RMS	3540.8	19.85	60	40.15	Pass	401
3560	7000	1	RMS	3560	-55.1	-13	42.1	Pass	3441
7000	26500	1	RMS	25178	-45.38	-13	32.38	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.34	-13	55.34	Pass	401
0.15	30	0.01	RMS	0.6	-69.14	-13	56.14	Pass	2986
30	1000	0.1	RMS	918.246	-61.04	-13	48.04	Pass	9701
1000	3000	1	RMS	2883	-48.53	-13	35.53	Pass	2001
3000	3440	1	RMS	3032	-43.56	-13	30.56	Pass	441
3440	3560	1	RMS	3549.2	19.66	60	40.34	Pass	401
3560	7000	1	RMS	3562	-50.58	-13	37.58	Pass	3441
7000	26500	1	RMS	25203	-45.32	-13	32.32	Pass	19503




**1.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.11	-13	53.11	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	57.73	Pass	2986
30	1000	0.1	RMS	889.227	-61.24	-13	48.24	Pass	9701
1000	3000	1	RMS	2866	-48.49	-13	35.49	Pass	2001
3000	3440	1	RMS	3440	-37.15	-13	24.15	Pass	441
3440	3560	1	RMS	3497.6	3.4	60	56.6	Pass	401
3560	7000	1	RMS	3560	-50.93	-13	37.93	Pass	3441
7000	26500	1	RMS	25425	-45.18	-13	32.18	Pass	19503




**1.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.64	-13	50.64	Pass	401
0.15	30	0.01	RMS	0.42	-68.94	-13	55.94	Pass	2986
30	1000	0.1	RMS	946.765	-61.31	-13	48.31	Pass	9701
1000	3000	1	RMS	2863	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3030	-43.62	-13	30.62	Pass	441
3440	3560	1	RMS	3451.4	19.02	60	40.98	Pass	401
3560	7000	1	RMS	4221	-51.78	-13	38.78	Pass	3441
7000	26500	1	RMS	25823	-45.19	-13	32.19	Pass	19503




**1.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.59	-13	55.59	Pass	401
0.15	30	0.01	RMS	0.33	-68.77	-13	55.77	Pass	2986
30	1000	0.1	RMS	881.221	-61.13	-13	48.13	Pass	9701
1000	3000	1	RMS	2875	-48.48	-13	35.48	Pass	2001
3000	3440	1	RMS	3033	-43.58	-13	30.58	Pass	441
3440	3560	1	RMS	3498.8	19.45	60	40.55	Pass	401
3560	7000	1	RMS	4221	-51.58	-13	38.58	Pass	3441
7000	26500	1	RMS	25191	-45.37	-13	32.37	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.59	-13	53.59	Pass	401
0.15	30	0.01	RMS	0.16	-70.52	-13	57.52	Pass	2986
30	1000	0.1	RMS	899.433	-61.24	-13	48.24	Pass	9701
1000	3000	1	RMS	2872	-48.55	-13	35.55	Pass	2001
3000	3440	1	RMS	3440	-42.29	-13	29.29	Pass	441
3440	3560	1	RMS	3519.5	3.52	60	56.48	Pass	401
3560	7000	1	RMS	3560	-44.74	-13	31.74	Pass	3441
7000	26500	1	RMS	25172	-45.45	-13	32.45	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	0.28	-69.07	-13	56.07	Pass	2986
30	1000	0.1	RMS	736.1	-61.62	-13	48.62	Pass	9701
1000	3000	1	RMS	2858	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3031	-43.58	-13	30.58	Pass	441
3440	3560	1	RMS	3476.3	19.4	60	40.6	Pass	401
3560	7000	1	RMS	4221	-51.95	-13	38.95	Pass	3441
7000	26500	1	RMS	25209	-45.45	-13	32.45	Pass	19503




**1.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.33	-13	56.33	Pass	401
0.15	30	0.01	RMS	0.39	-70.21	-13	57.21	Pass	2986
30	1000	0.1	RMS	396.8	-61.16	-13	48.16	Pass	9701
1000	3000	1	RMS	2872	-48.55	-13	35.55	Pass	2001
3000	3440	1	RMS	3030	-43.67	-13	30.67	Pass	441
3440	3560	1	RMS	3523.7	19.61	60	40.39	Pass	401
3560	7000	1	RMS	4221	-51.55	-13	38.55	Pass	3441
7000	26500	1	RMS	25183	-45.44	-13	32.44	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.79	-13	52.79	Pass	401
0.15	30	0.01	RMS	0.38	-68.31	-13	55.31	Pass	2986
30	1000	0.1	RMS	731.2	-60.72	-13	47.72	Pass	9701
1000	3000	1	RMS	2869	-48.51	-13	35.51	Pass	2001
3000	3440	1	RMS	3031	-43.61	-13	30.61	Pass	441
3440	3560	1	RMS	3504.8	3.59	60	56.41	Pass	401
3560	7000	1	RMS	3561	-38.56	-13	25.56	Pass	3441
7000	26500	1	RMS	25190	-45.34	-13	32.34	Pass	19503



1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.48	-13	56.48	Pass	401
0.15	30	0.01	RMS	0.16	-70.56	-13	57.56	Pass	2986
30	1000	0.1	RMS	988.092	-61.09	-13	48.09	Pass	9701
1000	3000	1	RMS	2870	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3033	-43.66	-13	30.66	Pass	441
3440	3560	1	RMS	3501.2	19.68	60	40.32	Pass	401
3560	7000	1	RMS	4221	-51.57	-13	38.57	Pass	3441
7000	26500	1	RMS	25189	-45.4	-13	32.4	Pass	19503



1.18. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.79	-13	55.79	Pass	401
0.15	30	0.01	RMS	0.28	-68.93	-13	55.93	Pass	2986
30	1000	0.1	RMS	896.031	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2865	-48.39	-13	35.39	Pass	2001
3000	3440	1	RMS	3029	-43.69	-13	30.69	Pass	441
3440	3560	1	RMS	3548.6	19.4	60	40.6	Pass	401
3560	7000	1	RMS	4221	-51.73	-13	38.73	Pass	3441
7000	26500	1	RMS	25844	-45.15	-13	32.15	Pass	19503



1.19. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.07	-13	56.07	Pass	401
0.15	30	0.01	RMS	0.19	-70.32	-13	57.32	Pass	2986
30	1000	0.1	RMS	901.235	-61.09	-13	48.09	Pass	9701
1000	3000	1	RMS	2868	-48.52	-13	35.52	Pass	2001
3000	3440	1	RMS	3439	-38.79	-13	25.79	Pass	441
3440	3560	1	RMS	3528.2	0.21	60	59.79	Pass	401
3560	7000	1	RMS	3560	-40.12	-13	27.12	Pass	3441
7000	26500	1	RMS	25173	-45.23	-13	32.23	Pass	19503



1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.42	-13	55.42	Pass	401
0.15	30	0.01	RMS	0.27	-69.62	-13	56.62	Pass	2986
30	1000	0.1	RMS	972.582	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2869	-48.48	-13	35.48	Pass	2001
3000	3440	1	RMS	3031	-43.66	-13	30.66	Pass	441
3440	3560	1	RMS	3451.1	19.17	60	40.83	Pass	401
3560	7000	1	RMS	4225	-51.16	-13	38.16	Pass	3441
7000	26500	1	RMS	25194	-45.61	-13	32.61	Pass	19503



1.21. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.12	-13	52.12	Pass	401
0.15	30	0.01	RMS	0.21	-67.94	-13	54.94	Pass	2986
30	1000	0.1	RMS	939.56	-61.49	-13	48.49	Pass	9701
1000	3000	1	RMS	2863	-48.43	-13	35.43	Pass	2001
3000	3440	1	RMS	3031	-43.6	-13	30.6	Pass	441
3440	3560	1	RMS	3548.9	19.63	60	40.37	Pass	401
3560	7000	1	RMS	4224	-50.8	-13	37.8	Pass	3441
7000	26500	1	RMS	25508	-45.24	-13	32.24	Pass	19503




2. n78 30kHz(3450-3550)

2.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.17	-71.08	-13	58.08	Pass	2986
30	1000	0.1	RMS	937.959	-61.6	-13	48.6	Pass	9701
1000	3000	1	RMS	2879	-48.33	-13	35.33	Pass	2001
3000	3440	1	RMS	3440	-38.67	-13	25.67	Pass	441
3440	3560	1	RMS	3458.3	12.59	60	47.41	Pass	401
3560	7000	1	RMS	6910	-57.78	-13	44.78	Pass	3441
7000	26500	1	RMS	25189	-44.85	-13	31.85	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.17	-69.95	-13	56.95	Pass	2986
30	1000	0.1	RMS	768.1	-61.45	-13	48.45	Pass	9701
1000	3000	1	RMS	2871	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3034	-43.68	-13	30.68	Pass	441
3440	3560	1	RMS	3450.8	20.87	60	39.13	Pass	401
3560	7000	1	RMS	6902	-52.22	-13	39.22	Pass	3441
7000	26500	1	RMS	25183	-45.17	-13	32.17	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.46	-13	57.46	Pass	401
0.15	30	0.01	RMS	0.31	-70.66	-13	57.66	Pass	2986
30	1000	0.1	RMS	922.949	-61.22	-13	48.22	Pass	9701
1000	3000	1	RMS	2853	-48.52	-13	35.52	Pass	2001
3000	3440	1	RMS	3029	-43.63	-13	30.63	Pass	441
3440	3560	1	RMS	3459.2	20.85	60	39.15	Pass	401
3560	7000	1	RMS	6918	-52.21	-13	39.21	Pass	3441
7000	26500	1	RMS	25200	-45.4	-13	32.4	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.39	-13	57.39	Pass	401
0.15	30	0.01	RMS	0.53	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	771.3	-61.58	-13	48.58	Pass	9701
1000	3000	1	RMS	2864	-48.49	-13	35.49	Pass	2001
3000	3440	1	RMS	3031	-43.61	-13	30.61	Pass	441
3440	3560	1	RMS	3503.3	12.92	60	47.08	Pass	401
3560	7000	1	RMS	6999	-58.77	-13	45.77	Pass	3441
7000	26500	1	RMS	25494	-45.23	-13	32.23	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	0.17	-68.89	-13	55.89	Pass	2986
30	1000	0.1	RMS	916.745	-61.62	-13	48.62	Pass	9701
1000	3000	1	RMS	2869	-48.55	-13	35.55	Pass	2001
3000	3440	1	RMS	3032	-43.68	-13	30.68	Pass	441
3440	3560	1	RMS	3495.8	21.2	60	38.8	Pass	401
3560	7000	1	RMS	6992	-53.8	-13	40.8	Pass	3441
7000	26500	1	RMS	25198	-45.4	-13	32.4	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	0.26	-70.34	-13	57.34	Pass	2986
30	1000	0.1	RMS	934.356	-61.44	-13	48.44	Pass	9701
1000	3000	1	RMS	2876	-48.59	-13	35.59	Pass	2001
3000	3440	1	RMS	3026	-43.66	-13	30.66	Pass	441
3440	3560	1	RMS	3504.2	21.19	60	38.81	Pass	401
3560	7000	1	RMS	3811	-60.62	-13	47.62	Pass	3441
7000	26500	1	RMS	25513	-45.36	-13	32.36	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.84	-13	54.84	Pass	401
0.15	30	0.01	RMS	0.21	-69.62	-13	56.62	Pass	2986
30	1000	0.1	RMS	867.512	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2871	-48.48	-13	35.48	Pass	2001
3000	3440	1	RMS	3032	-43.66	-13	30.66	Pass	441
3440	3560	1	RMS	3541.7	12.9	60	47.1	Pass	401
3560	7000	1	RMS	3560	-42.47	-13	29.47	Pass	3441
7000	26500	1	RMS	25187	-45.39	-13	32.39	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.39	-13	57.39	Pass	401
0.15	30	0.01	RMS	0.2	-69.07	-13	56.07	Pass	2986
30	1000	0.1	RMS	554.7	-61.36	-13	48.36	Pass	9701
1000	3000	1	RMS	2881	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3029	-43.67	-13	30.67	Pass	441
3440	3560	1	RMS	3540.8	21.28	60	38.72	Pass	401
3560	7000	1	RMS	3564	-52.54	-13	39.54	Pass	3441
7000	26500	1	RMS	25201	-44.99	-13	31.99	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.36	-13	56.36	Pass	401
0.15	30	0.01	RMS	0.6	-70.57	-13	57.57	Pass	2986
30	1000	0.1	RMS	888.026	-60.82	-13	47.82	Pass	9701
1000	3000	1	RMS	2862	-48.45	-13	35.45	Pass	2001
3000	3440	1	RMS	3034	-43.67	-13	30.67	Pass	441
3440	3560	1	RMS	3549.2	21.13	60	38.87	Pass	401
3560	7000	1	RMS	3560	-50.18	-13	37.18	Pass	3441
7000	26500	1	RMS	25199	-45.46	-13	32.46	Pass	19503




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.05	-13	57.05	Pass	401
0.15	30	0.01	RMS	0.38	-70.3	-13	57.3	Pass	2986
30	1000	0.1	RMS	468.5	-61.27	-13	48.27	Pass	9701
1000	3000	1	RMS	2869	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3440	-35.59	-13	22.59	Pass	441
3440	3560	1	RMS	3497.3	5.5	60	54.5	Pass	401
3560	7000	1	RMS	3560	-47.47	-13	34.47	Pass	3441
7000	26500	1	RMS	25503	-45.28	-13	32.28	Pass	19503




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.6	-13	56.6	Pass	401
0.15	30	0.01	RMS	0.54	-70.14	-13	57.14	Pass	2986
30	1000	0.1	RMS	816.2	-61.13	-13	48.13	Pass	9701
1000	3000	1	RMS	2867	-48.49	-13	35.49	Pass	2001
3000	3440	1	RMS	3027	-43.64	-13	30.64	Pass	441
3440	3560	1	RMS	3451.1	20.56	60	39.44	Pass	401
3560	7000	1	RMS	4224	-52.75	-13	39.75	Pass	3441
7000	26500	1	RMS	25202	-45.2	-13	32.2	Pass	19503




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.95	-13	55.95	Pass	401
0.15	30	0.01	RMS	0.6	-67.29	-13	54.29	Pass	2986
30	1000	0.1	RMS	733.2	-61.38	-13	48.38	Pass	9701
1000	3000	1	RMS	2877	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3032	-43.55	-13	30.55	Pass	441
3440	3560	1	RMS	3498.8	21.1	60	38.9	Pass	401
3560	7000	1	RMS	4220	-52.23	-13	39.23	Pass	3441
7000	26500	1	RMS	25174	-45.28	-13	32.28	Pass	19503




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.61	-13	52.61	Pass	401
0.15	30	0.01	RMS	0.22	-68.17	-13	55.17	Pass	2986
30	1000	0.1	RMS	592.9	-60.79	-13	47.79	Pass	9701
1000	3000	1	RMS	2885	-48.35	-13	35.35	Pass	2001
3000	3440	1	RMS	3440	-41.1	-13	28.1	Pass	441
3440	3560	1	RMS	3522.8	5.68	60	54.32	Pass	401
3560	7000	1	RMS	3560	-41.54	-13	28.54	Pass	3441
7000	26500	1	RMS	25187	-44.97	-13	31.97	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.2	-69.42	-13	56.42	Pass	2986
30	1000	0.1	RMS	771.9	-61.34	-13	48.34	Pass	9701
1000	3000	1	RMS	2867	-48.39	-13	35.39	Pass	2001
3000	3440	1	RMS	3033	-43.58	-13	30.58	Pass	441
3440	3560	1	RMS	3476.3	20.87	60	39.13	Pass	401
3560	7000	1	RMS	3571	-50.01	-13	37.01	Pass	3441
7000	26500	1	RMS	25195	-45.4	-13	32.4	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.98	-13	54.98	Pass	401
0.15	30	0.01	RMS	0.3	-68.86	-13	55.86	Pass	2986
30	1000	0.1	RMS	991.594	-61.79	-13	48.79	Pass	9701
1000	3000	1	RMS	2872	-48.41	-13	35.41	Pass	2001
3000	3440	1	RMS	3028	-43.71	-13	30.71	Pass	441
3440	3560	1	RMS	3523.7	21.23	60	38.77	Pass	401
3560	7000	1	RMS	4221	-52.35	-13	39.35	Pass	3441
7000	26500	1	RMS	25805	-45.47	-13	32.47	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.83	-13	52.83	Pass	401
0.15	30	0.01	RMS	0.48	-70.55	-13	57.55	Pass	2986
30	1000	0.1	RMS	896.832	-61.23	-13	48.23	Pass	9701
1000	3000	1	RMS	2870	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3032	-43.61	-13	30.61	Pass	441
3440	3560	1	RMS	3547.4	5.62	60	54.38	Pass	401
3560	7000	1	RMS	3561	-36.02	-13	23.02	Pass	3441
7000	26500	1	RMS	25862	-45.38	-13	32.38	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.72	-13	54.72	Pass	401
0.15	30	0.01	RMS	0.16	-70.09	-13	57.09	Pass	2986
30	1000	0.1	RMS	835.8	-61.08	-13	48.08	Pass	9701
1000	3000	1	RMS	2870	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3030	-43.58	-13	30.58	Pass	441
3440	3560	1	RMS	3501.2	21.12	60	38.88	Pass	401
3560	7000	1	RMS	3596	-50.5	-13	37.5	Pass	3441
7000	26500	1	RMS	25182	-44.55	-13	31.55	Pass	19503



2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.27	-13	56.27	Pass	401
0.15	30	0.01	RMS	0.23	-70.44	-13	57.44	Pass	2986
30	1000	0.1	RMS	963.576	-60.74	-13	47.74	Pass	9701
1000	3000	1	RMS	2877	-48.55	-13	35.55	Pass	2001
3000	3440	1	RMS	3028	-43.66	-13	30.66	Pass	441
3440	3560	1	RMS	3548.9	20.86	60	39.14	Pass	401
3560	7000	1	RMS	3560	-51.77	-13	38.77	Pass	3441
7000	26500	1	RMS	25192	-45.09	-13	32.09	Pass	19503



2.19. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.46	-13	54.46	Pass	401
0.15	30	0.01	RMS	0.31	-68.7	-13	55.7	Pass	2986
30	1000	0.1	RMS	907.239	-61.11	-13	48.11	Pass	9701
1000	3000	1	RMS	2862	-48.58	-13	35.58	Pass	2001
3000	3440	1	RMS	3439	-37.96	-13	24.96	Pass	441
3440	3560	1	RMS	3531.5	2.31	60	57.69	Pass	401
3560	7000	1	RMS	3560	-37.53	-13	24.53	Pass	3441
7000	26500	1	RMS	25205	-45.49	-13	32.49	Pass	19503



2.20. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.43	-69.69	-13	56.69	Pass	2986
30	1000	0.1	RMS	745.3	-61.21	-13	48.21	Pass	9701
1000	3000	1	RMS	2874	-48.53	-13	35.53	Pass	2001
3000	3440	1	RMS	3402	-43.33	-13	30.33	Pass	441
3440	3560	1	RMS	3451.1	20.73	60	39.27	Pass	401
3560	7000	1	RMS	3647	-48.42	-13	35.42	Pass	3441
7000	26500	1	RMS	25199	-45.47	-13	32.47	Pass	19503



2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.81	-13	52.81	Pass	401
0.15	30	0.01	RMS	0.34	-70.21	-13	57.21	Pass	2986
30	1000	0.1	RMS	892.229	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2874	-48.37	-13	35.37	Pass	2001
3000	3440	1	RMS	3028	-43.57	-13	30.57	Pass	441
3440	3560	1	RMS	3548.9	21.08	60	38.92	Pass	401
3560	7000	1	RMS	3598	-50.53	-13	37.53	Pass	3441
7000	26500	1	RMS	25489	-45.45	-13	32.45	Pass	19503




1. n78 30kHz(3700-3800)

1.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.6	-66.75	-13	53.75	Pass	2986
30	1000	0.1	RMS	901.535	-61.62	-13	48.62	Pass	9701
1000	3000	1	RMS	2870	-48.43	-13	35.43	Pass	2001
3000	3690	1	RMS	3690	-40.08	-13	27.08	Pass	691
3690	3810	1	RMS	3708	13.43	60	46.57	Pass	401
3810	7000	1	RMS	6921	-60.7	-13	47.7	Pass	3191
7000	26500	1	RMS	25202	-45.47	-13	32.47	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.6	-66.31	-13	53.31	Pass	2986
30	1000	0.1	RMS	911.241	-61.27	-13	48.27	Pass	9701
1000	3000	1	RMS	2883	-48.53	-13	35.53	Pass	2001
3000	3690	1	RMS	3689	-43.07	-13	30.07	Pass	691
3690	3810	1	RMS	3700.8	21.65	60	38.35	Pass	401
3810	7000	1	RMS	6883	-60.97	-13	47.97	Pass	3191
7000	26500	1	RMS	25199	-45.23	-13	32.23	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.6	-69.53	-13	56.53	Pass	2986
30	1000	0.1	RMS	864.51	-61.62	-13	48.62	Pass	9701
1000	3000	1	RMS	2871	-48.41	-13	35.41	Pass	2001
3000	3690	1	RMS	3689	-43.54	-13	30.54	Pass	691
3690	3810	1	RMS	3709.2	21.67	60	38.33	Pass	401
3810	7000	1	RMS	6931	-60.79	-13	47.79	Pass	3191
7000	26500	1	RMS	25219	-45.6	-13	32.6	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.6	-65.62	-13	52.62	Pass	2986
30	1000	0.1	RMS	884.824	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2869	-48.56	-13	35.56	Pass	2001
3000	3690	1	RMS	3035	-43.68	-13	30.68	Pass	691
3690	3810	1	RMS	3747	13.22	60	46.78	Pass	401
3810	7000	1	RMS	3815	-60.28	-13	47.28	Pass	3191
7000	26500	1	RMS	25203	-45.54	-13	32.54	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	0.6	-69.11	-13	56.11	Pass	2986
30	1000	0.1	RMS	892.028	-61	-13	48	Pass	9701
1000	3000	1	RMS	2879	-48.3	-13	35.3	Pass	2001
3000	3690	1	RMS	3024	-43.73	-13	30.73	Pass	691
3690	3810	1	RMS	3745.8	21.51	60	38.49	Pass	401
3810	7000	1	RMS	3816	-60.52	-13	47.52	Pass	3191
7000	26500	1	RMS	25951	-45.21	-13	32.21	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.17	-69.25	-13	56.25	Pass	2986
30	1000	0.1	RMS	985.691	-61	-13	48	Pass	9701
1000	3000	1	RMS	2884	-48.46	-13	35.46	Pass	2001
3000	3690	1	RMS	3030	-43.71	-13	30.71	Pass	691
3690	3810	1	RMS	3754.2	21.19	60	38.81	Pass	401
3810	7000	1	RMS	3832	-60.8	-13	47.8	Pass	3191
7000	26500	1	RMS	25467	-45.49	-13	32.49	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.52	-13	57.52	Pass	401
0.15	30	0.01	RMS	0.6	-67.69	-13	54.69	Pass	2986
30	1000	0.1	RMS	732.9	-60.97	-13	47.97	Pass	9701
1000	3000	1	RMS	2868	-48.47	-13	35.47	Pass	2001
3000	3690	1	RMS	3029	-43.78	-13	30.78	Pass	691
3690	3810	1	RMS	3792	12.64	60	47.36	Pass	401
3810	7000	1	RMS	3810	-39.52	-13	26.52	Pass	3191
7000	26500	1	RMS	25463	-45.28	-13	32.28	Pass	19503




**1.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:653000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.6	-68.75	-13	55.75	Pass	2986
30	1000	0.1	RMS	725.5	-61.68	-13	48.68	Pass	9701
1000	3000	1	RMS	2883	-48.47	-13	35.47	Pass	2001
3000	3690	1	RMS	3035	-43.76	-13	30.76	Pass	691
3690	3810	1	RMS	3790.8	20.96	60	39.04	Pass	401
3810	7000	1	RMS	3811	-54.3	-13	41.3	Pass	3191
7000	26500	1	RMS	25196	-45.17	-13	32.17	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.6	-68.3	-13	55.3	Pass	2986
30	1000	0.1	RMS	888.626	-61.39	-13	48.39	Pass	9701
1000	3000	1	RMS	2879	-48.63	-13	35.63	Pass	2001
3000	3690	1	RMS	3008	-43.72	-13	30.72	Pass	691
3690	3810	1	RMS	3799.2	20.79	60	39.21	Pass	401
3810	7000	1	RMS	3810	-49.17	-13	36.17	Pass	3191
7000	26500	1	RMS	25429	-45.54	-13	32.54	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.6	-66.11	-13	53.11	Pass	2986
30	1000	0.1	RMS	869.313	-60.43	-13	47.43	Pass	9701
1000	3000	1	RMS	2874	-48.49	-13	35.49	Pass	2001
3000	3690	1	RMS	3690	-35.4	-13	22.4	Pass	691
3690	3810	1	RMS	3704.1	5.8	60	54.2	Pass	401
3810	7000	1	RMS	3810	-48.59	-13	35.59	Pass	3191
7000	26500	1	RMS	25545	-45.45	-13	32.45	Pass	19503




**1.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.6	-66.72	-13	53.72	Pass	2986
30	1000	0.1	RMS	658.7	-61.2	-13	48.2	Pass	9701
1000	3000	1	RMS	2871	-48.36	-13	35.36	Pass	2001
3000	3690	1	RMS	3687	-43.1	-13	30.1	Pass	691
3690	3810	1	RMS	3701.1	21.25	60	38.75	Pass	401
3810	7000	1	RMS	4221	-51.37	-13	38.37	Pass	3191
7000	26500	1	RMS	25887	-45.39	-13	32.39	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.55	-13	57.55	Pass	401
0.15	30	0.01	RMS	0.6	-65.93	-13	52.93	Pass	2986
30	1000	0.1	RMS	772.2	-61.68	-13	48.68	Pass	9701
1000	3000	1	RMS	2871	-48.54	-13	35.54	Pass	2001
3000	3690	1	RMS	3686	-43.35	-13	30.35	Pass	691
3690	3810	1	RMS	3748.8	21.3	60	38.7	Pass	401
3810	7000	1	RMS	4222	-52.16	-13	39.16	Pass	3191
7000	26500	1	RMS	25177	-45.21	-13	32.21	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.44	-13	56.44	Pass	401
0.15	30	0.01	RMS	0.2	-67.11	-13	54.11	Pass	2986
30	1000	0.1	RMS	747.5	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2862	-48.54	-13	35.54	Pass	2001
3000	3690	1	RMS	3690	-40.2	-13	27.2	Pass	691
3690	3810	1	RMS	3727.5	5.94	60	54.06	Pass	401
3810	7000	1	RMS	3810	-40.3	-13	27.3	Pass	3191
7000	26500	1	RMS	25200	-45.47	-13	32.47	Pass	19503



1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.6	-67.81	-13	54.81	Pass	2986
30	1000	0.1	RMS	904.036	-61.26	-13	48.26	Pass	9701
1000	3000	1	RMS	2875	-48.49	-13	35.49	Pass	2001
3000	3690	1	RMS	3030	-43.78	-13	30.78	Pass	691
3690	3810	1	RMS	3726.3	21.66	60	38.34	Pass	401
3810	7000	1	RMS	3821	-51.44	-13	38.44	Pass	3191
7000	26500	1	RMS	25479	-45.5	-13	32.5	Pass	19503



1.15. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.27	-69.55	-13	56.55	Pass	2986
30	1000	0.1	RMS	892.229	-61.18	-13	48.18	Pass	9701
1000	3000	1	RMS	2873	-48.46	-13	35.46	Pass	2001
3000	3690	1	RMS	3027	-43.7	-13	30.7	Pass	691
3690	3810	1	RMS	3773.7	20.88	60	39.12	Pass	401
3810	7000	1	RMS	4221	-51.91	-13	38.91	Pass	3191
7000	26500	1	RMS	25798	-45.47	-13	32.47	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.26	-13	57.26	Pass	401
0.15	30	0.01	RMS	0.6	-67.9	-13	54.9	Pass	2986
30	1000	0.1	RMS	961.474	-61.63	-13	48.63	Pass	9701
1000	3000	1	RMS	2875	-48.48	-13	35.48	Pass	2001
3000	3690	1	RMS	3690	-43.01	-13	30.01	Pass	691
3690	3810	1	RMS	3753	5.37	60	54.63	Pass	401
3810	7000	1	RMS	3810	-33.15	-13	20.15	Pass	3191
7000	26500	1	RMS	25470	-45.49	-13	32.49	Pass	19503



1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.6	-66.1	-13	53.1	Pass	2986
30	1000	0.1	RMS	935.257	-61.03	-13	48.03	Pass	9701
1000	3000	1	RMS	2875	-48.52	-13	35.52	Pass	2001
3000	3690	1	RMS	3030	-43.73	-13	30.73	Pass	691
3690	3810	1	RMS	3751.2	21.24	60	38.76	Pass	401
3810	7000	1	RMS	3846	-51.33	-13	38.33	Pass	3191
7000	26500	1	RMS	25476	-45.33	-13	32.33	Pass	19503



1.18. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	0.6	-67.9	-13	54.9	Pass	2986
30	1000	0.1	RMS	924.55	-60.95	-13	47.95	Pass	9701
1000	3000	1	RMS	2882	-48.4	-13	35.4	Pass	2001
3000	3690	1	RMS	3029	-43.73	-13	30.73	Pass	691
3690	3810	1	RMS	3798.6	20.53	60	39.47	Pass	401
3810	7000	1	RMS	3811	-48.93	-13	35.93	Pass	3191
7000	26500	1	RMS	25177	-45.01	-13	32.01	Pass	19503



1.19. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.88	-13	57.88	Pass	401
0.15	30	0.01	RMS	0.6	-67.04	-13	54.04	Pass	2986
30	1000	0.1	RMS	883.423	-61.63	-13	48.63	Pass	9701
1000	3000	1	RMS	2861	-48.44	-13	35.44	Pass	2001
3000	3690	1	RMS	3690	-36.32	-13	23.32	Pass	691
3690	3810	1	RMS	3726.6	2.65	60	57.35	Pass	401
3810	7000	1	RMS	3813	-35.28	-13	22.28	Pass	3191
7000	26500	1	RMS	25525	-45.28	-13	32.28	Pass	19503



1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.6	-67.47	-13	54.47	Pass	2986
30	1000	0.1	RMS	745.3	-61.12	-13	48.12	Pass	9701
1000	3000	1	RMS	2889	-48.53	-13	35.53	Pass	2001
3000	3690	1	RMS	3686	-42.87	-13	29.87	Pass	691
3690	3810	1	RMS	3701.1	21.31	60	38.69	Pass	401
3810	7000	1	RMS	3897	-51.17	-13	38.17	Pass	3191
7000	26500	1	RMS	25176	-45.17	-13	32.17	Pass	19503



1.21. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.6	-67.29	-13	54.29	Pass	2986
30	1000	0.1	RMS	643.8	-61.43	-13	48.43	Pass	9701
1000	3000	1	RMS	2879	-48.54	-13	35.54	Pass	2001
3000	3690	1	RMS	3686	-43.46	-13	30.46	Pass	691
3690	3810	1	RMS	3798.9	20.77	60	39.23	Pass	401
3810	7000	1	RMS	3848	-49.46	-13	36.46	Pass	3191
7000	26500	1	RMS	25173	-45.37	-13	32.37	Pass	19503




2. n77 30kHz(3700-3980)

2.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.6	-70.18	-13	57.18	Pass	2986
30	1000	0.1	RMS	740.6	-61.06	-13	48.06	Pass	9701
1000	3000	1	RMS	2868	-48.54	-13	35.54	Pass	2001
3000	3690	1	RMS	3690	-41.89	-13	28.89	Pass	691
3690	3990	1	RMS	3708	11.13	60	48.87	Pass	401
3990	7000	1	RMS	6929	-60.78	-13	47.78	Pass	3011
7000	26500	1	RMS	25205	-45.41	-13	32.41	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.6	-67.51	-13	54.51	Pass	2986
30	1000	0.1	RMS	925.25	-61.54	-13	48.54	Pass	9701
1000	3000	1	RMS	2867	-48.5	-13	35.5	Pass	2001
3000	3690	1	RMS	3690	-43.48	-13	30.48	Pass	691
3690	3990	1	RMS	3700.5	18.85	60	41.15	Pass	401
3990	7000	1	RMS	6919	-60.89	-13	47.89	Pass	3011
7000	26500	1	RMS	25221	-45.3	-13	32.3	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.6	-70	-13	57	Pass	2986
30	1000	0.1	RMS	513.6	-61.36	-13	48.36	Pass	9701
1000	3000	1	RMS	2868	-48.6	-13	35.6	Pass	2001
3000	3690	1	RMS	3031	-43.68	-13	30.68	Pass	691
3690	3990	1	RMS	3708.75	18.69	60	41.31	Pass	401
3990	7000	1	RMS	6919	-60.76	-13	47.76	Pass	3011
7000	26500	1	RMS	25191	-45.16	-13	32.16	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.6	-68.3	-13	55.3	Pass	2986
30	1000	0.1	RMS	888.126	-61.09	-13	48.09	Pass	9701
1000	3000	1	RMS	2863	-48.43	-13	35.43	Pass	2001
3000	3690	1	RMS	3033	-43.73	-13	30.73	Pass	691
3690	3990	1	RMS	3843	10.65	60	49.35	Pass	401
3990	7000	1	RMS	6933	-60.77	-13	47.77	Pass	3011
7000	26500	1	RMS	25483	-45.19	-13	32.19	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.6	-68.59	-13	55.59	Pass	2986
30	1000	0.1	RMS	745.7	-61.67	-13	48.67	Pass	9701
1000	3000	1	RMS	2859	-48.53	-13	35.53	Pass	2001
3000	3690	1	RMS	3003	-43.7	-13	30.7	Pass	691
3690	3990	1	RMS	3835.5	18.06	60	41.94	Pass	401
3990	7000	1	RMS	6924	-60.92	-13	47.92	Pass	3011
7000	26500	1	RMS	25503	-45.25	-13	32.25	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.59	-68.62	-13	55.62	Pass	2986
30	1000	0.1	RMS	874.917	-61.62	-13	48.62	Pass	9701
1000	3000	1	RMS	2861	-48.51	-13	35.51	Pass	2001
3000	3690	1	RMS	3029	-43.67	-13	30.67	Pass	691
3690	3990	1	RMS	3843.75	17.89	60	42.11	Pass	401
3990	7000	1	RMS	6927	-60.96	-13	47.96	Pass	3011
7000	26500	1	RMS	25762	-45.53	-13	32.53	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.6	-67.53	-13	54.53	Pass	2986
30	1000	0.1	RMS	761.9	-61.36	-13	48.36	Pass	9701
1000	3000	1	RMS	2888	-48.58	-13	35.58	Pass	2001
3000	3690	1	RMS	3030	-43.73	-13	30.73	Pass	691
3690	3990	1	RMS	3972.75	10.29	60	49.71	Pass	401
3990	7000	1	RMS	3990	-50.06	-13	37.06	Pass	3011
7000	26500	1	RMS	25192	-45.44	-13	32.44	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.6	-66.6	-13	53.6	Pass	2986
30	1000	0.1	RMS	971.981	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2884	-48.52	-13	35.52	Pass	2001
3000	3690	1	RMS	3031	-43.74	-13	30.74	Pass	691
3690	3990	1	RMS	3970.5	17.55	60	42.45	Pass	401
3990	7000	1	RMS	3991	-53.88	-13	40.88	Pass	3011
7000	26500	1	RMS	25206	-45.46	-13	32.46	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-13	57.32	Pass	401
0.15	30	0.01	RMS	0.6	-67.35	-13	54.35	Pass	2986
30	1000	0.1	RMS	489.1	-61.54	-13	48.54	Pass	9701
1000	3000	1	RMS	2870	-48.65	-13	35.65	Pass	2001
3000	3690	1	RMS	3031	-43.71	-13	30.71	Pass	691
3690	3990	1	RMS	3979.5	17.38	60	42.62	Pass	401
3990	7000	1	RMS	3990	-52.44	-13	39.44	Pass	3011
7000	26500	1	RMS	25207	-45.14	-13	32.14	Pass	19503




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.6	-65.42	-13	52.42	Pass	2986
30	1000	0.1	RMS	845.1	-61.41	-13	48.41	Pass	9701
1000	3000	1	RMS	2870	-48.51	-13	35.51	Pass	2001
3000	3690	1	RMS	3690	-38.32	-13	25.32	Pass	691
3690	3990	1	RMS	3744.75	4.15	60	55.85	Pass	401
3990	7000	1	RMS	4221	-51.49	-13	38.49	Pass	3011
7000	26500	1	RMS	25201	-45.07	-13	32.07	Pass	19503




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.61	-69.22	-13	56.22	Pass	2986
30	1000	0.1	RMS	941.561	-61.55	-13	48.55	Pass	9701
1000	3000	1	RMS	2871	-48.44	-13	35.44	Pass	2001
3000	3690	1	RMS	3686	-43.21	-13	30.21	Pass	691
3690	3990	1	RMS	3701.25	19.64	60	40.36	Pass	401
3990	7000	1	RMS	4222	-51.99	-13	38.99	Pass	3011
7000	26500	1	RMS	25198	-45.35	-13	32.35	Pass	19503



2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.6	-66.58	-13	53.58	Pass	2986
30	1000	0.1	RMS	896.131	-61.46	-13	48.46	Pass	9701
1000	3000	1	RMS	2863	-48.59	-13	35.59	Pass	2001
3000	3690	1	RMS	3686	-43.37	-13	30.37	Pass	691
3690	3990	1	RMS	3748.5	19.08	60	40.92	Pass	401
3990	7000	1	RMS	4220	-51.94	-13	38.94	Pass	3011
7000	26500	1	RMS	25182	-45.34	-13	32.34	Pass	19503



2.13. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.6	-68.15	-13	55.15	Pass	2986
30	1000	0.1	RMS	886.925	-61.18	-13	48.18	Pass	9701
1000	3000	1	RMS	2883	-48.51	-13	35.51	Pass	2001
3000	3690	1	RMS	3029	-43.78	-13	30.78	Pass	691
3690	3990	1	RMS	3862.5	3.25	60	56.75	Pass	401
3990	7000	1	RMS	4221	-51.92	-13	38.92	Pass	3011
7000	26500	1	RMS	25207	-45.28	-13	32.28	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.6	-67.54	-13	54.54	Pass	2986
30	1000	0.1	RMS	900.534	-61.18	-13	48.18	Pass	9701
1000	3000	1	RMS	2866	-48.46	-13	35.46	Pass	2001
3000	3690	1	RMS	3030	-43.71	-13	30.71	Pass	691
3690	3990	1	RMS	3816	18.52	60	41.48	Pass	401
3990	7000	1	RMS	4221	-52.54	-13	39.54	Pass	3011
7000	26500	1	RMS	25421	-45.28	-13	32.28	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.6	-67.56	-13	54.56	Pass	2986
30	1000	0.1	RMS	757.4	-61.01	-13	48.01	Pass	9701
1000	3000	1	RMS	2886	-48.57	-13	35.57	Pass	2001
3000	3690	1	RMS	3030	-43.61	-13	30.61	Pass	691
3690	3990	1	RMS	3864	18.37	60	41.63	Pass	401
3990	7000	1	RMS	4221	-51.73	-13	38.73	Pass	3011
7000	26500	1	RMS	25189	-45.19	-13	32.19	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.6	-66.8	-13	53.8	Pass	2986
30	1000	0.1	RMS	906.738	-61.66	-13	48.66	Pass	9701
1000	3000	1	RMS	2874	-48.55	-13	35.55	Pass	2001
3000	3690	1	RMS	3686	-43.61	-13	30.61	Pass	691
3690	3990	1	RMS	3932.25	3.55	60	56.45	Pass	401
3990	7000	1	RMS	3991	-32.66	-13	19.66	Pass	3011
7000	26500	1	RMS	25195	-45.02	-13	32.02	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.6	-66.96	-13	53.96	Pass	2986
30	1000	0.1	RMS	890.928	-61	-13	48	Pass	9701
1000	3000	1	RMS	2866	-48.55	-13	35.55	Pass	2001
3000	3690	1	RMS	3686	-43.48	-13	30.48	Pass	691
3690	3990	1	RMS	3931.5	18.35	60	41.65	Pass	401
3990	7000	1	RMS	4221	-51.78	-13	38.78	Pass	3011
7000	26500	1	RMS	25190	-45.24	-13	32.24	Pass	19503



2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.6	-66.26	-13	53.26	Pass	2986
30	1000	0.1	RMS	947.565	-61.31	-13	48.31	Pass	9701
1000	3000	1	RMS	2879	-48.59	-13	35.59	Pass	2001
3000	3690	1	RMS	3028	-43.64	-13	30.64	Pass	691
3690	3990	1	RMS	3978.75	18.54	60	41.46	Pass	401
3990	7000	1	RMS	3993	-50.97	-13	37.97	Pass	3011
7000	26500	1	RMS	25460	-45.63	-13	32.63	Pass	19503



2.19. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.51	-13	57.51	Pass	401
0.15	30	0.01	RMS	0.24	-68.35	-13	55.35	Pass	2986
30	1000	0.1	RMS	862.209	-61.68	-13	48.68	Pass	9701
1000	3000	1	RMS	2869	-48.45	-13	35.45	Pass	2001
3000	3690	1	RMS	3690	-39.09	-13	26.09	Pass	691
3690	3990	1	RMS	3726.75	0.81	60	59.19	Pass	401
3990	7000	1	RMS	4224	-51.04	-13	38.04	Pass	3011
7000	26500	1	RMS	25420	-45.42	-13	32.42	Pass	19503



2.20. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.6	-67.62	-13	54.62	Pass	2986
30	1000	0.1	RMS	498.6	-61.79	-13	48.79	Pass	9701
1000	3000	1	RMS	2861	-48.56	-13	35.56	Pass	2001
3000	3690	1	RMS	3686	-42.73	-13	29.73	Pass	691
3690	3990	1	RMS	3701.25	19.15	60	40.85	Pass	401
3990	7000	1	RMS	4225	-50.91	-13	37.91	Pass	3011
7000	26500	1	RMS	25193	-44.87	-13	31.87	Pass	19503



2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.6	-67.28	-13	54.28	Pass	2986
30	1000	0.1	RMS	994.997	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2871	-48.36	-13	35.36	Pass	2001
3000	3690	1	RMS	3686	-43.35	-13	30.35	Pass	691
3690	3990	1	RMS	3798.75	18.55	60	41.45	Pass	401
3990	7000	1	RMS	4225	-50.68	-13	37.68	Pass	3011
7000	26500	1	RMS	25221	-45.63	-13	32.63	Pass	19503



2.22. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.6	-68.82	-13	55.82	Pass	2986
30	1000	0.1	RMS	891.228	-61.61	-13	48.61	Pass	9701
1000	3000	1	RMS	2882	-48.63	-13	35.63	Pass	2001
3000	3690	1	RMS	3686	-43.73	-13	30.73	Pass	691
3690	3990	1	RMS	3870.75	0.06	60	59.94	Pass	401
3990	7000	1	RMS	4224	-51.08	-13	38.08	Pass	3011
7000	26500	1	RMS	25900	-45.49	-13	32.49	Pass	19503




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.6	-67.32	-13	54.32	Pass	2986
30	1000	0.1	RMS	880.321	-61.34	-13	48.34	Pass	9701
1000	3000	1	RMS	2862	-48.59	-13	35.59	Pass	2001
3000	3690	1	RMS	3029	-43.59	-13	30.59	Pass	691
3690	3990	1	RMS	3791.25	18.56	60	41.44	Pass	401
3990	7000	1	RMS	4224	-51.42	-13	38.42	Pass	3011
7000	26500	1	RMS	25473	-45.33	-13	32.33	Pass	19503



2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.6	-68.37	-13	55.37	Pass	2986
30	1000	0.1	RMS	891.528	-61.21	-13	48.21	Pass	9701
1000	3000	1	RMS	2881	-48.53	-13	35.53	Pass	2001
3000	3690	1	RMS	3032	-43.64	-13	30.64	Pass	691
3690	3990	1	RMS	3888.75	18.64	60	41.36	Pass	401
3990	7000	1	RMS	4225	-50.67	-13	37.67	Pass	3011
7000	26500	1	RMS	25186	-45.58	-13	32.58	Pass	19503



2.25. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.77	-13	57.77	Pass	401
0.15	30	0.01	RMS	0.6	-68.48	-13	55.48	Pass	2986
30	1000	0.1	RMS	993.596	-61.54	-13	48.54	Pass	9701
1000	3000	1	RMS	2869	-48.48	-13	35.48	Pass	2001
3000	3690	1	RMS	3686	-43.46	-13	30.46	Pass	691
3690	3990	1	RMS	3887.25	0.12	60	59.88	Pass	401
3990	7000	1	RMS	3990	-35.36	-13	22.36	Pass	3011
7000	26500	1	RMS	25203	-45.38	-13	32.38	Pass	19503




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.5	-13	56.5	Pass	401
0.15	30	0.01	RMS	0.6	-65.8	-13	52.8	Pass	2986
30	1000	0.1	RMS	376.7	-61.53	-13	48.53	Pass	9701
1000	3000	1	RMS	2874	-48.5	-13	35.5	Pass	2001
3000	3690	1	RMS	3686	-43.54	-13	30.54	Pass	691
3690	3990	1	RMS	3881.25	18.51	60	41.49	Pass	401
3990	7000	1	RMS	4224	-50.84	-13	37.84	Pass	3011
7000	26500	1	RMS	25494	-45.61	-13	32.61	Pass	19503



**2.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.83	-13	56.83	Pass	401
0.15	30	0.01	RMS	0.6	-68.91	-13	55.91	Pass	2986
30	1000	0.1	RMS	956.171	-61.08	-13	48.08	Pass	9701
1000	3000	1	RMS	2872	-48.49	-13	35.49	Pass	2001
3000	3690	1	RMS	3686	-43.43	-13	30.43	Pass	691
3690	3990	1	RMS	3978.75	18.02	60	41.98	Pass	401
3990	7000	1	RMS	3990	-50.92	-13	37.92	Pass	3011
7000	26500	1	RMS	25193	-45.06	-13	32.06	Pass	19503



--BLANK BELOW--